

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0051

Starting Date: 01/05/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0052

Starting Date: 01/07/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0053

Starting Date: 03/16/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0054

Starting Date: 03/18/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump			<input type="checkbox"/>					

- OR -

00	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
01	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
02	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
03	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
04	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
05	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
06	4	PAR questionable. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
07	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
08	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
09	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
10	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
11	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
12	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
13	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
14	4	Off station due to ice. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
15	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
16	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
17	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
18	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
19	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0055

Starting Date: 05/10/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0056

Starting Date: 05/11/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump			<input type="checkbox"/>					

- OR -

00	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
01	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
02	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
03	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
04	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
05	4	PAR questionable. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
06	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
07	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
08	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
09	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
10	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
11	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Deliverable OC_M reporting sheet, revised 2/3/2011

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0057

Starting Date: 06/12/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0058

Starting Date: 08/17/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0059

Starting Date: 08/21/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0060

Starting Date: 09/29/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump			<input type="checkbox"/>					

- OR -

00	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
01	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
02	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
03	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
04	8	CTD misconfigured. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
05	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
06	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
07	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
08	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
09	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
10	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
11	4	Questionable PAR. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
12	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
13	4	Fluorescence bad. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Deliverable OC_M reporting sheet, revised 2/3/2011

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0061

Starting Date: 09/30/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump			<input type="checkbox"/>					

- OR -

00	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
01	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
02	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
03	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
04	4	PAR questionable. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
05	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
06	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
07	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
08	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
09	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
10	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
11	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0062

Starting Date: 12/16/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 0063

Starting Date: 12/19/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 9994

Starting Date: 05/17/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 9995

Starting Date: 06/09/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump			<input type="checkbox"/>					

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
05	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
06	4	PAR questionable. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
07	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
08	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
09	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
10	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
11	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
12	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
13	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments
(these are not applied to the database)

Data quality codes are:
 0 - good 1 - unknown 4 - questionable 8 - bad
 as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 9996

Starting Date: 06/13/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump			<input type="checkbox"/>					

- OR -

00	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
01	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
02	4	PAR questionable. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
03	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
04	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
05	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
06	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
07	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 9997

Starting Date: 07/26/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				

- OR -

00			<input type="checkbox"/>					
01			<input type="checkbox"/>					
02			<input type="checkbox"/>					
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 9998

Starting Date: 07/27/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump			<input type="checkbox"/>					

- OR -

00	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
01	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
02	4	PAR questionable. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
03			<input type="checkbox"/>					
04			<input type="checkbox"/>					
05			<input type="checkbox"/>					
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).

Oceanographic Survey Data Quality Report Glacier Bay National Park and Preserve

CTD #: 2

Data Dump #: 9999

Starting Date: 07/30/2000

Defective / Absent Sensors

Cast#	Quality Code	Data Quality Comment	Cond	Temp	Fluo	OBS	PAR	O2
All Casts in Dump			<input type="checkbox"/>					

- OR -

00	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
01	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
02	4	Fluorescence questionable. Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
03	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
04	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
05	0	Quality assessed after 2010 data reconstruction.	<input type="checkbox"/>	<input checked="" type="checkbox"/>				
06			<input type="checkbox"/>					
07			<input type="checkbox"/>					
08			<input type="checkbox"/>					
09			<input type="checkbox"/>					
10			<input type="checkbox"/>					
11			<input type="checkbox"/>					
12			<input type="checkbox"/>					
13			<input type="checkbox"/>					
14			<input type="checkbox"/>					
15			<input type="checkbox"/>					
16			<input type="checkbox"/>					
17			<input type="checkbox"/>					
18			<input type="checkbox"/>					
19			<input type="checkbox"/>					
20			<input type="checkbox"/>					
21			<input type="checkbox"/>					
22			<input type="checkbox"/>					
23			<input type="checkbox"/>					
24			<input type="checkbox"/>					

Analyst's Comments

(these are not applied to the database)

Data quality codes are:

0 - good 1 - unknown 4 - questionable 8 - bad

as defined for Ocean Data View at http://odv.awi.de/fileadmin/user_upload/odv/misc/ODV4_QualityFlagSets.pdf.

Disqualified sensors are either those disconnected from the instrument or those, after cast data are reviewed, determined to be giving invalid readings. Checking the sensor's disqualify box will cause the OC_D database to have its values made NULL for the indicated cast(s).