
Baseline Water Quality Data

Inventory and Analysis

Chaco Culture National Historical Park



Water Resources Division and Servicewide Inventory and Monitoring Program

WATER RESOURCES DIVISION

NATIONAL PARK SERVICE

National Park Service - Department of the Interior
Fort Collins - Denver - Washington

The National Park Service Water Resources Division is responsible for providing water resources management policy and guidelines, planning, technical assistance, training, and operational support to units of the National Park System. Program areas include water rights, water resources planning, regulatory guidance and review, hydrology, water quality, watershed management, watershed studies, and aquatic ecology.

Technical Reports

The National Park Service disseminates the results of biological, physical, and social research through the Natural Resources Technical Report Series. Natural resources inventories and monitoring activities, scientific literature reviews, bibliographies, and proceedings of technical workshops and conferences are also disseminated through this series.

Mention of trade names or commercial products does not constitute endorsement or recommendation for use by the National Park Service.

Copies of this report are available from the following:

Technical Information Center Denver Service Center P.O. Box 25287 Denver, CO 80225-0287	(303) 969-2130
U. S. Department of Commerce National Technical Information Service 5285 Port Royal Road Springfield, VA 22161	(703) 487-4650

BASELINE WATER QUALITY DATA

INVENTORY AND ANALYSIS

CHACO CULTURE NATIONAL HISTORICAL PARK

National Park Service
Water Resources Division
Fort Collins, CO 80525

Technical Report NPS/NRWRD/NRTR-97/135

DECEMBER 1997

United States Department of the Interior
National Park Service
Washington, D.C.

EXECUTIVE SUMMARY

This document presents the results of surface-water-quality data retrievals for Chaco Culture National Historical Park (CHCU) from six of the United States Environmental Protection Agency's (EPA) national databases: (1) Storage and Retrieval (STORET) water quality database management system; (2) River Reach File (RF3); (3) Industrial Facilities Discharge (IFD); (4) Drinking Water Supplies (DRINKS); (5) Water Gages (GAGES); and (6) Water Impoundments (DAMS). This document is one product resulting from a cooperative contractual endeavor between the National Park Service's (NPS) Servicewide Inventory and Monitoring Program, the National Park Service's Water Resources Division (WRD), and Horizon Systems Corporation to retrieve, format, and analyze surface water quality data for all units of the National Park System containing significant water resources. The primary goal of the project is to provide descriptive water quality information in a manner and format that is both consistent with the goals of the Servicewide Inventory and Monitoring Program and useable by park resource managers. The document provides: (1) a complete inventory of all retrieved water quality parameter data, water quality stations, and the entities responsible for the data collection; (2) descriptive statistics and appropriate graphical plots of water quality data characterizing period of record, annual, and seasonal central tendencies and trends; (3) a comparison of the park's water quality data to relevant EPA and WRD water quality screening criteria; and (4) an Inventory Data Evaluation and Analysis (IDEA) to determine what Servicewide Inventory and Monitoring Program "Level I" water quality parameters have been measured within the study area. Accompanying the report are disks containing digital copies of all data used in the report, as well as all components of the report (tables, figures, etc.).

The results of the retrievals for the study area from the IFD, DRINKS, GAGES, and DAMS databases located three industrial/municipal dischargers; no drinking water intakes; 14 active or inactive U. S. Geological Survey (USGS) water gages (including climate, stream, and well); and no water impoundments. The results of the STORET retrieval for the study area yielded 12,397 observations for 204 separate parameters collected by the NPS and USGS at 39 monitoring stations from 1975 through 1983. The USGS reported more than 99 percent of the 12,397 observations collected within the study area. Nine stations were located within the park boundary (see Station Period of Record Tabulation). Of the nine stations within the park boundary, seven were within the main unit of CHCU and two were within the Kin Bineola Unit.

Most of the monitoring stations represent either one-time or intensive single-year sampling efforts by the collecting agencies. Nine stations within the study area (four within the park boundary) yielded longer-term records consisting of multiple observations for several important water quality parameters (see Station Period of Record Tabulation). The stations yielding the longer-term records within the park boundary are: (1) Chaco Wash at Chaco Canyon National Monument (CHCU 0023); (2) 20N.12W.08.323 Kim-me-ni-oli Wash, nine miles south of Lake Valley School (CHCU 0036); (3) Chaco Wash at bridge at Chaco National Monument (CHCU 0029); and (4) Fajada Wash at Chaco Canyon National Monument (CHCU 0022). The stations yielding the longer-term records within the study area, but outside of the park boundary, are: (1) Ah-shi-sle-pah Wash near Kimbeto (CHCU 0026); (2) 21N.11W.07.242 Chaco River Well below Chaco Monument (CHCU 0032); (3) 22N.11W.26.432 Escavado Wash Well near Chaco TP (CHCU 0030); (4) 22N.11W.25.433 Escavado Wash near Highway 56 Bridge (CHCU 0028); and (5) 21N.11W.05.4220 Chaco River below Escavado Wash, Chaco National Monument (CHCU 0031)[†].

Screening criteria consisting of published EPA water-quality criteria and instantaneous concentration values selected by the WRD were used to identify potential water quality problems within the study area. While the criteria represent important threshold concentrations of pollutants, it is important to remember that criteria may have been exceeded due to any number of natural or anthropogenic factors, including errors in field, laboratory, and/or recording procedures. The reader is advised to read the Introduction for additional caveats in interpreting the exceeded criteria in this report. The results of the CHCU water quality criteria screen found 18 groups of parameters that exceeded screening criteria at least once within the study area. Dissolved oxygen, pH, chloride,

[†]Water quality station location descriptions are verbatim from STORET. Any misspellings and abbreviations in STORET are replicated in this document.

arsenic, cadmium, copper, lead, mercury, selenium, and zinc exceeded their respective EPA criteria for the protection of freshwater aquatic life. Chloride, fluoride, sulfate, arsenic, barium, beryllium, cadmium, chromium, lead, mercury, nickel, uranium, and zinc exceeded their respective EPA drinking water criteria. Turbidity exceeded the WRD screening limit for aquatic life.

Dissolved oxygen concentrations were measured 28 times at ten monitoring stations from 1977 through 1983. Fourteen observations at two stations, at a well in Escavado Wash (CHCU 0030) and a well in the Chaco River (CHCU 0032)[††], were less than the 4 milligrams per liter (mg/L) EPA criterion for the protection of aquatic life.

The pH was measured 345 times at 38 monitoring stations from 1975 through 1983. Of the 325 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), 12 observations at seven stations, in Kim-me-ni-oli Wash (CHCU 0034, CHCU 0035, CHCU 0036, CHCU 0038, CHCU 0039), Burro Spring (CHCU 0006), and Gallo Wash (CHCU 0009), were outside the pH range of 6.5 to 9.0 standard units (SU) (EPA chronic criteria for freshwater aquatic life). Eleven observations were greater than or equal to pH 9.0 and one observation was less than pH 6.5. Ten of the 11 observations greater than or equal to pH 9.0 were reported from Kim-me-ni-oli Wash (CHCU 0034, CHCU 0035, CHCU 0036, CHCU 0038, CHCU 0039) from 1981 through 1983, including the highest pH of 9.3 SU at a dike in Kim-me-ni-oli Wash (CHCU 0039) in June 1982. The lowest pH of 4.3 SU was reported at Burro Spring (CHCU 0006) in September 1975.

Turbidity was measured five times at three monitoring stations (CHCU 0023, CHCU 0026, CHCU 0028) during 1977 and 1978. Of the four observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), all four observations at three stations, in Chaco Wash (CHCU 0023), Ah-shi-sle-pah Wash near Kimbeto (CHCU 0026), and Escavado Wash at the Highway 56 Bridge (CHCU 0028), exceeded the WRD screening criterion for aquatic life of 50 Jackson Candle/Formazin/Nephelometric Turbidity Units (JTU/FTU/NTU). The highest value of 36,000 JTU occurred in Chaco Wash near the park headquarters (CHCU 0023) in July 1977.

Total chloride concentrations were measured 127 times at 37 monitoring stations from 1975 through 1983. Of the 115 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), nine observations at eight stations, in Gallo Wash (CHCU 0016, CHCU 0017, CHCU 0018, CHCU 0019, CHCU 0020), Kim-me-ni-oli Wash near Lake Valley (CHCU 0035), the Dome Petroleum oil well near Gallo Wash (CHCU 0015), and Ah-shi-sle-pah Wash near Kimbeto (CHCU 0026), equaled or exceeded the secondary drinking water criterion of 250 mg/L. Three of these nine concentrations also exceeded the acute freshwater criterion of 860 mg/L. Five of the nine observations exceeding the drinking water criterion and all three concentrations exceeding the acute freshwater criterion were samples taken at five stations in Gallo Wash, near or within park boundaries (CHCU 0016, CHCU 0017, CHCU 0018, CHCU 0019, CHCU 0020), to monitor the Dome Petroleum oil spill in 1979. This monitoring project reported the highest concentration of 917 mg/L at a station within the park boundaries (CHCU 0020) in May 1979.

Dissolved fluoride concentrations were measured 120 times at 30 monitoring stations from 1975 through 1983. Of the 108 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), three observations at three stations, the Dome Petroleum oil well near Gallo Wash (CHCU 0015), Kim-me-ni-oli Wash near Lake Valley (CHCU 0035), and a well nine miles south of Lake Valley (CHCU 0037), exceeded the drinking water criterion of 4 mg/L. The highest reported concentration was 5.8 mg/L at a well nine miles south of Lake Valley (CHCU 0037) in March 1978.

Total sulfate concentrations were measured 127 times at 37 monitoring stations from 1975 through 1983. Of the 115 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), 35 observations at 20 stations equaled or exceeded the secondary drinking water criterion of 250 mg/L. Fifteen of the

[††]The focus of this Baseline Water Quality Data Inventory and Analysis Report is surface water. The inclusion of data from one or more wells in the report results from the USGS' classification of the site(s) as "streams" in the EPA's STORET database.

35 observations exceeding the criterion were reported from five stations in Kim-me-ni-oli Wash (CHCU 0034, CHCU 0035, CHCU 0036, CHCU 0038, CHCU 0039) from 1978 through 1983. The five highest concentrations, ranging from 5,156 mg/L to 6,173 mg/L, were samples taken at five stations in Gallo Wash, near or within park boundaries (CHCU 0016, CHCU 0017, CHCU 0018, CHCU 0019, CHCU 0020), to monitor the Dome Petroleum oil spill in 1979. The highest concentration of 6,173 mg/L was reported within park boundaries (CHCU 0020) in May 1979.

Arsenic concentrations (including dissolved, suspended, and total) were measured 293 times at 21 monitoring stations from 1976 through 1983. Of the 261 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), 45 observations at six stations, in Chaco Wash (CHCU 0012, CHCU 0023), Ah-shi-sle-pah Wash near Kimbeto (CHCU 0026), Escavado Wash at the Highway 56 Bridge (CHCU 0028), the Chaco River below Escavado Wash (CHCU 0031), and Kin Klizhin Wash (CHCU 0033), equaled or exceeded the drinking water criterion of 50 micrograms per liter (µg/L). Eight of these 45 concentrations also equaled or exceeded the acute freshwater criterion of 360 µg/L. Approximately 58 percent of the observations exceeding criteria were reported in Chaco Wash near the park headquarters (CHCU 0023), including the highest concentration of 1,200 µg/L in July 1977.

Barium concentrations (including dissolved, suspended, and total) were measured 268 times at 19 monitoring stations from 1976 through 1983. Of the 241 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), 93 observations at nine stations, in Chaco Wash (CHCU 0012, CHCU 0023, CHCU 0029), Ah-shi-sle-pah Wash near Kimbeto (CHCU 0026), Escavado Wash (CHCU 0028, CHCU 0030), Tsosie Swale near Kimbeto (CHCU 0027), Fajada Wash (CHCU 0022), and the Chaco River below Escavado Wash (CHCU 0031), equaled or exceeded the drinking water criterion of 2000 µg/L. Approximately 55 percent of the concentrations exceeding the criterion were reported in Chaco Wash near the park headquarters (CHCU 0023), including the highest concentration of 20,000 µg/L in July 1977.

Beryllium concentrations (including dissolved, suspended, and total) were measured 51 times at 11 monitoring stations from 1977 through 1983. Of the 49 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), 13 observations at seven stations, in Chaco Wash (CHCU 0012, CHCU 0023, CHCU 0029), Ah-shi-sle-pah Wash near Kimbeto (CHCU 0026), Fajada Wash (CHCU 0022), a well in Escavado Wash (CHCU 0030), and the Chaco River (CHCU 0032), exceeded the drinking water criterion of 4 µg/L. The highest reported concentration was 50 µg/L in Chaco Wash in the eastern area of the park (CHCU 0012) in June 1981.

Cadmium concentrations (including dissolved, suspended, and total) were measured 122 times at 17 monitoring stations from 1976 through 1983. Of the 103 observations used in the criteria analysis (see Composite Type Screen in the Methodology and EPA Water Quality Criteria Analysis for Station in the Interpretive Guide To Water Quality Results for explanation), 19 observations at five stations, in Chaco Wash (CHCU 0023), Ah-shi-sle-pah Wash near Kimbeto (CHCU 0026), a well in the Chaco River (CHCU 0032), Escavado Wash at the Highway 56 Bridge (CHCU 0028), and Gallo Wash (CHCU 0009), exceeded the acute freshwater criterion of 3.9 µg/L from 1977 through 1980. Eighteen of these 19 concentrations also equaled or exceeded the drinking water criterion of 5 µg/L. Approximately 57 percent of the concentrations exceeding criteria were reported in Chaco Wash near the park headquarters (CHCU 0023) during 1977 and 1978. The highest reported concentration was 45 µg/L in Ah-shi-sle-pah Wash near Kimbeto (CHCU 0026) in May 1978.

Chromium concentrations (including dissolved, hexavalent, suspended, and total) were measured 131 times at 19 monitoring stations from 1976 through 1983. Of the 115 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), 36 observations at eight stations, in Chaco Wash (CHCU 0012, CHCU 0023, CHCU 0029), Fajada Wash (CHCU 0022), Escavado Wash (CHCU 0028, CHCU 0030), Ah-shi-sle-pah Wash near Kimbeto (CHCU 0026), and the Chaco River below Escavado Wash (CHCU 0031), equaled or exceeded the drinking water criterion of 100 µg/L. Approximately 69 percent of the concentrations exceeding the criterion were reported in Chaco Wash near the park headquarters (CHCU 0023). The highest reported concentration was 370 µg/L in Chaco Wash in the eastern area of the park (CHCU 0012) in June 1981.

Copper concentrations (including dissolved, suspended, and total) were measured 97 times at 13 monitoring stations from 1977 through 1983. Of the 85 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), 38 observations at nine stations, in Chaco Wash (CHCU 0012, CHCU 0023, CHCU 0029), Ah-shi-sle-pah Wash near Kimbeto (CHCU 0026), Fajada Wash (CHCU 0022), Kim-me-ni-oli Wash, 1.1 miles south of Lake Valley School (CHCU 0038), Tsosie Swale near Kimbeto (CHCU 0027), a well in Escavado Wash (CHCU 0030), and the Chaco River (CHCU 0032), equaled or exceeded the acute freshwater criterion of 18 µg/L. Approximately 46 percent of the concentrations exceeding the criterion were reported in Chaco Wash near the park headquarters (CHCU 0023), including the highest concentration of 880 µg/L, reported twice in July 1977.

Lead concentrations (including dissolved, suspended, and total) were measured 257 times at 22 monitoring stations from 1976 through 1983. Of the 222 observations used in the criteria analysis (see Composite Type Screen in the Methodology and EPA Water Quality Criteria Analysis for Station in the Interpretive Guide To Water Quality Results for explanation), 135 observations at eleven stations exceeded the drinking water criterion of 15 µg/L. One-hundred-twenty-four of these 135 concentrations also equaled or exceeded the acute freshwater criterion of 82 µg/L. Approximately 52 percent of the concentrations exceeding criteria were reported in Chaco Wash near the park headquarters (CHCU 0023), including the highest concentration of 1,800 µg/L in June 1979.

Mercury concentrations (including dissolved, suspended, and total) were measured 140 times at 19 monitoring stations from 1976 through 1983. Of the 124 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), 18 observations at eight stations, in Chaco Wash (CHCU 0012, CHCU 0023, CHCU 0029), Ah-shi-sle-pah Wash near Kimbeto (CHCU 0026), a well in the Chaco River (CHCU 0032), Fajada Wash (CHCU 0022), the Chaco River below Escavado Wash (CHCU 0031), and Kin Klizhin Wash (CHCU 0033), equaled or exceeded the drinking water criterion of 2.0 µg/L. Fourteen of these 18 concentrations also equaled or exceeded the acute freshwater criterion of 2.4 µg/L. The highest concentration of 10 µg/L was reported twice at a well in the Chaco River near the park's western boundary (CHCU 0032) in March 1980.

Nickel concentrations (including dissolved, suspended, and total) were measured 53 times at 11 monitoring stations from 1977 through 1983. Of the 50 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), four total concentrations at four stations within park boundaries, in Chaco Wash (CHCU 0012, CHCU 0023, CHCU 0029) and Fajada Wash (CHCU 0022), equaled or exceeded the drinking water criterion of 100 µg/L in June 1981. The highest concentration of 470 µg/L was reported in Chaco Wash in the eastern area of the park (CHCU 0012).

Selenium concentrations (including dissolved, suspended, and total) were measured 145 times at 19 monitoring stations from 1976 through 1983. Of the 126 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), one total concentration of 37 µg/L in Chaco Wash near the park headquarters (CHCU 0023) exceeded the acute freshwater criterion of 20 µg/L in February 1978.

Zinc concentrations (including dissolved, suspended, and total) were measured 95 times at 13 monitoring stations from 1977 through 1983. Of the 82 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), 43 observations at eight stations, in Chaco Wash (CHCU 0012, CHCU 0023, CHCU 0029), a well in the Chaco River (CHCU 0032), Fajada Wash (CHCU 0022), a well in Escavado Wash (CHCU 0030), Ah-shi-sle-pah Wash near Kimbeto (CHCU 0026), and Tsosie Swale near Kimbeto (CHCU 0027), equaled or exceeded the acute freshwater criterion of 120 µg/L. Two of these 43 concentrations also exceeded the secondary drinking water criterion of 5000 µg/L. The highest concentration of 13,000 µg/L was reported twice at a well in the Chaco River near the park's western boundary (CHCU 0032) in March 1980.

Uranium concentrations (including dissolved, natural dissolved, and natural total) were measured 32 times at ten monitoring stations from 1977 through 1983. Of the 27 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), one total concentration of 43 µg/L in Chaco Wash near the park headquarters (CHCU 0023) exceeded the drinking water criterion of 20 µg/L in August 1983.

The IDEA conducted for CHCU indicates that STORET data exist for 11 of the 13 Level I parameter groups in the study area. No STORET data exist for the parameter groups Chlorophyll and Bacteria. For the 11 parameter groups with data, no observations were recorded since 1983. Data for the groups Dissolved Oxygen and Clarity/Turbidity were recorded at less than half of the 39 monitoring stations. Relative to other parameter groups, these two groups also had limited data. Results for 11 of the 126 EPA priority toxic pollutants (consisting of metals only) were retrieved from STORET. Of the 7,731 water quality observations measured within the park units, 6,962 observations were reported within the main unit of CHCU and 769 observations were reported within the Kin Bineola Unit.

Surface water resources in the CHCU study area include the Chaco River; the Chaco, Gallo, Fajada, Escavado, Kimbeto, Ah-shi-sle-pah, Kim-me-ni-oli, Kin Klizhin, and numerous other washes; and several intermittent ponds and springs. The data inventories and analyses contained in this report indicate a shortage of recent observations for all parameters measured in the study area. Without adequate data it is difficult to make definitive statements regarding recent water quality within the study area; however, from the limited available data it appears sections of the study area have been periodically impacted by human activities, primarily by singular events related to oil and gas exploration and development. Potential natural sources of contaminants include runoff from soils and deposits associated with the surficial geology of the area. Potential anthropogenic sources of contaminants include oil and gas development; uranium and coal mining activities; atmospheric deposition; stormwater runoff; livestock operations; and recreational use.

TABLE OF CONTENTS

EXECUTIVE SUMMARY v

TABLE OF CONTENTS xi

I. INTRODUCTION 1
- Goal 1
- Purpose 1
- Objectives 1
- Document Overview 2
- Caveats 2
- Key Personnel 3

II. METHODOLOGY 5
- Delineation of Park Study Area 5
- Data Sources 5
- Data Retrieval and Analysis Procedures 7
- Park Unit Databases 8
- Screening Methodologies and Procedures 9
  - STORET Edit Criteria 9
  - Date Screen 10
  - Station Type Screen 10
  - Phase 0 Parameter Screen 11
  - Phase 1 Parameter Screen 11
  - Media Type Screen 11
  - Remark Code Screen 11
  - Composite Type Screen 13
  - Phase 2 Parameter Screen 14
  - Observations/Period of Record Screen 15
- Statistical Definitions 17

III. INTERPRETIVE GUIDE TO WATER QUALITY RESULTS 19
- Overview 19
- Regional Location Map 19
- Water Quality Monitoring Locations Map(s) 19
- Dischargers, Drinking Intakes, Gages, and Impoundments Map(s) 20
- Industrial Facilities Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Table 20
- Representative Mean Annual Hydrograph for Seasonal Analysis 20
- Contacts for Agency Codes Retrieved 21
- Quantity of Data Retrieved by Agency Code 21
- Station Period of Record Tabulation 21
- Parameter Period of Record Tabulation 22
- Station/Parameter Period of Record Tabulation 22
- Station-By-Station Results 22
  - Station Inventory for Station 23
  - Parameter Inventory for Station 23
  - EPA Water Quality Criteria Analysis for Station 23
  - Time Series Plots for Station 24
  - Annual Analysis for Station 25
  - Annual Box-and-Whiskers Plots for Station 25

Seasonal Analysis for Station 25
Seasonal Box-and-Whiskers Plots for Station 26
EPA Water Quality Criteria Analysis for Entire Park Study Area 26
NPS Servicewide Inventory and Monitoring Program
"Level I" Water Quality Inventory Data Evaluation and Analysis (IDEA) 26
Water Quality Observations Outside STORET Edit Criteria for Park 28

IV. WATER QUALITY RESULTS 29
Overview 31
Regional Location Map 32
Water Quality Monitoring Locations Map(s) 33
Dischargers, Drinking Intakes, Gages, and Impoundments Map(s) 34
Industrial Facilities Discharges, Drinking Water Intakes, Water Gages,
and Water Impoundments Table 35
Representative Mean Annual Hydrograph for Seasonal Analysis 36
Contacts for Agency Codes Retrieved 37
Quantity of Data Retrieved by Agency Code 38
Station Period of Record Tabulation 39
Parameter Period of Record Tabulation 40
Station/Parameter Period of Record Tabulation 43
Station-By-Station Results 75
CHCU0001 20N.07W.15.430 77
CHCU0002 21N.07W.27.3332 Spring 79
CHCU0003 20N.07W.17.310 81
CHCU0004 21N.07W.14.4441 Ojo Socorro 83
CHCU0005 20N.08W.24.3341 Ramona Spring, Chaco Can Nat Mo 85
CHCU0006 19N.08W.04.2144 Burro Spg 87
CHCU0007 Chaco Canyon Nat. Mon. 89
CHCU0008 20N.09W.03.332 Chaco R 8 Mi SE Vis Ctr Chaco Mon 91
CHCU0009 21N.09W.17.214 Gallo Wash Tank Nr Chaco N.M.,NM 92
CHCU0010 21N.09W.17.233 Gallo Wash at Dike Nr Chaco NM,NM 94
CHCU0011 21N.09W.07.333 Ccr9 Well 3 Mi NE Chaco N.M.,NM 96
CHCU0012 Chaco Wash at Eb at Chaco Canyon Natl Mon NM 98
CHCU0013 Dome Well Spill Site for Sample Seven 101
CHCU0014 Dome Well Spill Site for Sample Six 103
CHCU0015 21N.10W.11.431 Dome Oil Well Nr Chaco N. M.,NM 105
CHCU0016 Dome Well Spill Site for Sample Five 107
CHCU0017 Dome Well Spill Site for Sample Four 109
CHCU0018 Dome Well Spill Site for Sample Three 111
CHCU0019 Dome Well Spill Site for Sample Two 113
CHCU0020 Dome Well Spill Site for Sample One 115
CHCU0021 Gallo Wash at Chaco National Monument, NM 117
CHCU0022 Fajada Wash at Chaco Canyon Natl Mon NM 119
CHCU0023 Chaco Wash at Chaco Canyon National Monument ,NM 123
CHCU0024 22N.10W.08.3112 Pond in Ahshislepah Wash Nr Dike 212
CHCU0025 22N.10W.07.143 Ahshislepah Wash,6 M W Kimbeto,NM 214
CHCU0026 Ah-Shi-Sle-Pah Wash Near Kimbeto ,NM 216
CHCU0027 22N.11W.24.214 Tsosie Swale Nr Kimbeto,NM 232
CHCU0028 22N.11W.25.433 Escavado Wash at Hiway 56 Br.,NM 235
CHCU0029 Chaco Wash Nr PB at Bridge at Chaco Natl Mon NM 238
CHCU0030 22N.11W.26.432 Escavado Wash Well Nr Chaco Tp,NM 241
CHCU0031 21N.11W.05.4220 Chaco R Bl E.Wash,Chaco N.M.,NM 245
CHCU0032 21N.11W.07.242 Chaco R Well Bl Chaco Mon.,NM 247
CHCU0033 21N.12W.01.3412 Kin Klizhin Wash Nr Chaco NM.,NM 251

CHCU0034 20N.12W.33.331 Kmno Wash 6 Mi E Milk Lk,NM 253
CHCU0035 Kim-Me-Ni-Oli Wash Nr Lake Valley NM 258
CHCU0036 20N.12W.08.323 Kmno Wash 9 Mi S Lk. V. School,NM 262
CHCU0037 20N.12W.18.422 Bia Ik-9 Well 9 Mi S Lk Valley,NM 267
CHCU0038 21N.12W.07.222 Kmno Wash 1.1 Mi S L.V. School,NM 269
CHCU0039 21N.12W.31.414 Kmno Wash at Dike 273
EPA Water Quality Criteria Analysis for Entire Park Study Area 275
NPS Servicewide Inventory and Monitoring Program
"Level I" Water Quality Inventory Data Evaluation and Analysis (IDEA) 277
Water Quality Observations Outside STORET Edit Criteria for Park 282

V. APPENDICES 291
A. Computer Files Transmitted With Park Baseline Water Quality Data Inventory and Analysis A-1
B. Water Quality Database File Structures B-1
Parameter Data File B-1
Water Quality Station Data File B-4
Industrial Facilities Discharges File B-6
Drinking Water Intakes File B-9
Water Gage File B-12
Water Impoundment File B-14
RF3 Structure File B-18
RF3 Trace File B-22
Catalog Unit Boundary File B-23
Encyclopedia File B-24
C. STORET Water Quality Control/Edit Checking C-1
D. STORET Administrative Parameters D-1
E. STORET Parameters Not Suitable for Statistical Analysis E-1
F. National EPA Water Quality Criteria Summary F-1
G. Inventory Data Evaluation and Analysis (IDEA) Servicewide Inventory and Monitoring Program "Level I" Parameter Groups G-1
H. Literature Cited H-1
I. Selected General Water Quality References I-1

INTRODUCTION

The National Park Service's (NPS) Organic Act of 1916 states that the mission of the NPS is to promote and regulate the use of national parks, monuments, and other units "... to conserve the scenery and the natural and historic objects and wildlife therein and to provide for the enjoyment of the same in such a manner and by such means as will leave them unimpaired for the enjoyment of future generations." One task embodied by this mission is preserving and protecting water resources and water dependent environments in parks. Ensuring the integrity of park water quality, due to its importance in sustaining natural, aquatic park ecosystems and supporting human consumptive and recreational use, is fundamental to successfully addressing this task. The first step in ensuring the integrity of park water quality is defining historic and extant water quality.

This document represents one product of an ongoing effort by the NPS Water Resources Division (WRD) and the Servicewide Inventory and Monitoring Program to characterize baseline water quality using existing data at park units containing significant natural resources. This effort was initiated in 1993 by the award of a contract to Horizon Systems Corporation to retrieve, format, and analyze surface water quality data from the Environmental Protection Agency's (EPA) Storage and Retrieval (STORET) database system. The scope of work identified in the Request For Proposals outlined several sequential, interrelated project phases, including, but not limited to: (1) determining the water quality retrieval/query area around each park; (2) downloading and assessing the quality of the data from STORET; (3) generating basic water quality summary statistics and graphic plots; (4) reformatting water quality data for compatibility with the park-based Water Quality Data Management System presently under-development; and (5) providing recommendations concerning possible hardware, software, and personnel options for storing combined park databases in a centralized NPS water quality database. This report documents the results of phases one through four of this effort for this park unit.

Goal

The goal of this document is to provide descriptive water quality information in a format usable for park planning purposes (eg. Water Resources Management Plans, Resource Management Plans, and General Management Plans). The report is designed to characterize baseline water quality rather than assess specific water quality problems at a park. This is consistent with the Servicewide Inventory and Monitoring Program's goal of obtaining basic, "Level I", water quality parameters for key waterbodies at each park (National Park Service 1993). Consequently, this report is best used as a reference document to help design new goal-driven water quality monitoring programs rather than as conclusive evidence of previous or existing water quality problems.

Purpose

The purpose of this report is to inventory existing park water quality data; establish baseline water quality at the park; identify potential water quality problems; and establish a park water quality database. This report is intended to enable park resource managers to compare and contrast water quality data collected as part of ongoing inventory and monitoring programs with historical water quality trends. Additionally, this report is intended to foster better designed park-based water quality inventory and monitoring programs in the future. The water quality databases which accompany this report will also lay the groundwork for establishing a NPS water quality database that will allow Regions and Washington Offices to generate regional and national assessments of park water quality.

Objectives

Specific objectives of the study documented in this report are to:

1. Retrieve water quality and related data from the EPA's STORET and other database systems;

2. Develop a complete inventory of all retrieved data;

3. Produce descriptive statistics and appropriate time series and box-and-whiskers plots of water quality data to characterize period of record, annual, and seasonal central tendencies and trends;

4. Compare water quality data with relevant national EPA water quality criteria on a station-by-station and study area basis;

5. Determine the presence and/or absence of the Servicewide Inventory and Monitoring Program's "Level I" water quality parameters within the study area; and

6. Reformat water quality and other related data for use in the park-based Water Quality Data Management System, presently under-development, and other appropriate analytical tools.

Document Overview

This report is comprised of five chapters. The first chapter, this Introduction, provides a brief statement of the study's background; goal, purpose, and objectives; and the key personnel who helped produce the document. This chapter also contains this brief overview of the document's contents and important interpretive caveats to consider when referring to and using this document. The second chapter focuses on the methods, procedures, and databases that were employed to retrieve and analyze water quality data for the park. The third chapter is the user's interpretive guide to chapter four. Chapter three explains how to interpret all the tables and figures presented in chapter four. Chapter four, which likely comprises the majority of the document (unless there isn't much water quality data for the park), contains detailed inventories, descriptive statistics, graphics, and national EPA water quality criteria comparisons characterizing the park unit's water quality data on a station-by-station basis and over the entire study area. This chapter also contains a comparison of park water quality data with the Servicewide Inventory and Monitoring Program's "Level I" water quality inventory parameters and a listing of water quality observations that were outside the STORET edit criteria range. Chapter five, the Appendices, contains more specialized materials such as the file names and database structures included on floppy disk(s) with this report; STORET edit criteria; national EPA water quality criteria; Servicewide Inventory and Monitoring Program's "Level I" water quality inventory parameters; selected water quality references; and other materials which provide background on the methods, procedures, and databases used or produced by this study.

The water quality and other related data referenced in this report accompany the document on floppy disk. The water quality parameter data file is in DBASE III+[1] format and will be useable in the park-based Water Quality Data Management System presently under-development. The water quality stations, industrial facilities discharges, drinking water intakes, water gages, water impoundments, and River Reach databases are also in DBASE III+ and/or ASCII format for ready-use in Geographic Information Systems (GIS), Computer-Aided Design Systems, or Desktop Mapping Systems.

Caveats

While intended primarily as a reference document, it is important that users peruse the first three chapters and Appendices of this report to better understand and interpret the results presented in chapter four. As a means for identifying potential areas for more intensive study, comparisons of the park's water quality data with relevant national EPA water quality criteria for appropriate designated uses[2] and with the Servicewide Inventory and

[1]The use and/or mention of specific proprietary hardware or software packages is for informational purposes only and is not intended to connote or denote an endorsement.

[2]The Environmental Protection Agency's Quality Criteria for Water 1995 Final Draft (Silver Book) was the primary source of water quality criteria. In the spirit of the other caveats offered in this section, it is important to recognize that water quality criteria are often revised when new or better information become available.

Monitoring Program's "Level I" water quality inventory parameters have been made. Extreme caution must be exercised in interpreting the results of these comparisons. Observations that exceed water quality criteria may have occurred due to any number of natural or anthropogenic factors, as well as other reasons. For example, STORET is a "user-beware" water quality database system. While there is some rudimentary edit (bounds) checking of any data entered in STORET (See Appendix C), users are basically free to enter their own data. Beyond data entry errors, the possibility of inaccurate data entering the system due to inappropriate measurement techniques, sample mistreatment, and other reasons is a serious concern. Consequently, if observations for a particular parameter frequently exceed the EPA water quality criterion over a prolonged time period, the best approach is to examine in detail the data exceeding the criterion. Questions which should be asked regarding the data include: What water source(s) are manifesting the problem? Does the data make sense? Was it collected by a reputable organization following a sound study plan and employing accepted techniques? If the answers to these questions still cause concern, a specific cause and effect water quality investigation focusing on the parameters of concern may be warranted. Similarly, the absence of particular Servicewide Inventory and Monitoring Program "Level I" water quality parameters from the park only means that no entity or organization has collected and entered this data into the EPA's STORET database. Too frequently, data that are collected in and around NPS units never make it into the EPA's national water quality database. These data may exist in published or unpublished reports, file cabinets, or other databases. Before definitively concluding that no baseline data exist for a particular parameter, these alternative resting grounds for data should be investigated. Such a detailed exploration, however, was beyond the scope of this study.

Key Personnel

Many individuals contributed to the design and implementation of this project. The primary contributors and their roles in the project are briefly mentioned below.

National Park Service, Water Resources Division:

Dean Tucker was the Contracting Officer's Technical Representative responsible for designing, coordinating, and implementing all aspects of this effort.

Mike Matz coordinated and managed the team which prepared all components of the report.

Gary Rosenlieb provided administrative oversight and was involved in quality control for all tasks related to this project.

Barry Long and Roy Irwin reviewed technical tasks and provided water quality expertise related to data analysis.

Gary Smillie provided hydrologic expertise in the determination of hydrologic seasons.

Donnie Dustin and Greg Harp helped prepare reports and write the Executive Summaries.

Elizabeth Eisenhauer, Brad Van Deusen, Brian Verbeck, Robert Flynn, and Dawn Grandbois provided digital cartographic support, both in determining retrieval/query areas and producing maps and graphics.

Kelli O'Connor, Mary Beth Talty, Todd Widegren, Curtis Cooper, Paul McElvery, J. Chris Echohawk, Kristie Maczko, Jim McQuarrie, and Adam Henson uploaded water quality data to STORET prior to report preparation.

Jacquie Nolan designed the cover.

Horizon Systems:

Cindy McKay served as Project Manager for Horizon Systems, performed the initial requirements analysis, and was involved in all quality control tasks related to the project.

Alan Cahoon was responsible for automating the procedures which produced the water quality databases and Water Quality Results chapter.

Sue Hanson, P.E., provided technical advice for writing this document.

Dr. Jim Loftis was the data quality analyst for the project.

Armando F. Ballofet, P.E., served as the local technical liaison between Horizon Systems and the NPS.

Other National Park Service:

Several other individuals provided invaluable technical review, comments, administrative support, and/or other assistance, including: Dan Kimball, Bill Jackson, Mark Flora, Gary Williams, John Karish, Brendhan Zubricki, Richard Hammerschlag, Randy Ferrin, Gary Vequist, Mike Martin, Kevin Berghoff, and Dyra Monroe.

METHODOLOGY

This section provides an overview of the procedures and criteria used to retrieve and analyze water quality data for each park unit. Generating baseline water quality data inventories and analyses for all NPS units is a monumental task. To accomplish this undertaking given a very limited budget, the procedures employed to produce each report had to be as generic and automated as possible. Consequently, customization of reports to individual park needs and issues was not feasible. Moreover, such customization was beyond the scope of this effort which was simply intended to produce baseline water quality data inventories for all parks rather than customized issue-driven reports. During the procedure-development stages of the project, specifications for the final product evolved, within the context of the aforementioned resource constraints, to focus on comprehensive water quality baseline data inventories and concise, descriptive statistical examinations of the available water quality data for each park unit. Detailed below are the data sources and final methods and procedures that were used to create the baseline water quality inventories, analyses, databases, and other products for each park unit. A thorough understanding of the limitations of the data sources and procedures described in this chapter and the next (Interpretive Guide to Water Quality Results) is a prerequisite to intelligent use of the results presented in this document.

Delineation of Park Study Area

The first step in retrieving water resources-related data for each park was deciding on a procedure to determine the study area boundary. Since water flows through parks, utilizing the park boundary as a simple query/study area was deemed inadequate. On the other end of the continuum, using the entire watershed as the study area was considered superfluous given: (1) the areal extent of certain park watersheds (eg. the entire Mississippi River); (2) the sheer volume of potentially irrelevant data such a large study area could generate; and (3) the resources required to specify the watershed for each park unit. The approach which was ultimately adopted - a modified hydrologic boundary - reflects a compromise between the park boundary and the entire watershed. Thus the study area employed for each park is an area extending at least three miles upstream and one mile downstream from the park boundary. Although these distances are somewhat arbitrary, this approach is easy to automate and was felt to limit the data retrieved, in most instances, to that of most importance to the park. Extending the query area one mile downstream of the park was intended to capture any data immediately downstream of the park which may reflect the quality of the water in the park. A current (as possible) copy of each park's boundary was obtained in digital format directly from the park or digitized from Regional land status maps, U.S. Geological Survey (USGS) quadrangles, or other sources. Using GIS techniques, the boundary was used to create the three miles upstream, one mile downstream buffer. For a few parks with which WRD water quality specialists were very familiar with potential water quality threats and/or valuable sources of data that may lie just outside the study area, the study area may have been tweaked (enlarged) to cover these areas of concern or interest. Unfortunately, a customized study area was not feasible for all park units. Hence, the three miles upstream, one mile downstream buffer was the primary study area employed for most parks. This study area was transferred to the EPA mainframe computer and used as the basis for all water resources-related data retrievals from the data sources described below.

Data Sources

The EPA maintains many mainframe data systems related to national water resources (U.S. Environmental Protection Agency 1992). Six of these data systems were used for this project:

- STOrage and RETrieval System (STORET) - water quality parameter data, locations of sampling stations, descriptive elements about stations and parameters;
- Industrial Facilities Discharge (IFD) - locations of industrial and municipal point source discharge facilities;

- Drinking Water Supplies (DRINKS) - locations of intake pipes for drinking water supplies;
- Water Gages (GAGES) - locations of USGS and other water gages;
- Water Impoundments (DAMS) - locations of most large water impoundments (greater than 10,000 acre feet at normal pool volume) and many smaller impoundments; and
- River Reach File, Version 3 (RF3) - 1:100,000 scale geographical representation of surface waters (rivers, lakes, etc.) with a unique identifier assigned to each surface water segment and connectivity information useful for routing and navigation.

STORET is the national water quality data repository (U.S. Environmental Protection Agency 1989). Water quality data is entered in STORET by public agencies (federal, state, or local) that collect water samples and/or perform laboratory analysis. As such, STORET is a "user-beware" data system. Although the EPA manages the STORET data system and, since November 1983, has imposed some minimum quality control criteria on the data (See Appendix C), data are generated and input to STORET by the "owner" agencies. Consequently, the EPA does not certify any data within STORET. Currently, there are over 800,000 active and inactive sampling stations and more than 225 million observations covering in excess of 13,000 water quality parameters entered in STORET. The earliest data dates back to the turn of the century. Using the bi-monthly update cycle, user agencies may store results of recent monitoring activities in STORET. Included in STORET is USGS WATSTORE water quality data, which is updated on a monthly basis. Although STORET contains a phenomenal amount of data, it is important to note that data exist in STORET only if the collectors decide to upload their data to the system. Since many agencies and researchers do not upload their data to STORET, the absence of water quality data in the system for a particular area doesn't mean that there has never been any water quality data collected for the area. The data may exist in published or unpublished reports, file cabinets, or in agency-specific databases. Identifying and retrieving these other sources of data were beyond the scope of the present effort. All parameter data and water quality station location data downloaded from STORET within the park's study area are included in DBASE III+ format files on disk(s) accompanying this report (See Appendices A and B).

The data within the IFD database are extracted from the EPA's Permit Compliance System (PCS). IFD contains the facility locations of all industrial and municipal dischargers which require a National Pollutant Discharge Elimination System (NPDES) permit to operate. Over 7,100 municipal, federal, and industrial facilities discharging into the waters of the United States are tracked by PCS and IFD. If any industrial facilities discharges exist within the study area, a file in DBASE III+ format documenting a variety of information about each discharge accompanies this report on disk (See Appendices A and B).

The EPA DRINKS database identifies locations of drinking water supply intakes. This file contains data for 850 supplies which serve more than 25,000 people, and 6,800 supplies which serve between 1,000 and 25,000 people. If any drinking water intakes exist within the study area, a file in DBASE III+ format documenting a variety of information about each intake accompanies this report on disk (See Appendices A and B).

The GAGES data originates primarily with the USGS and copies are maintained on the EPA mainframe computer for ease of integration with other EPA national data systems. Although other agency's water gages, as well as some artificial gages, may appear in GAGES, the vast majority of gages are stream gages belonging to the USGS. The GAGES database contains approximately 36,000 records for both active and inactive gaging stations. If any USGS or other agency stream gages occur within the study area, a file in DBASE III+ format documenting several fields of information about each gage accompanies this report on disk (See Appendices A and B).

The Water Impoundment database was originally compiled by the U.S. Army Corps of Engineers in response to a Congressional inquiry on dam safety hazards (GKY and Associates 1990). The EPA subsequently modified the database for use in water quality investigations. Of the 68,155 dams in the database, 2,125 are considered large (impounding 10,000 acre feet or more at normal pool volume). It is important to note that while the database includes entries for 66,030 smaller dams, estimates place the actual number of dams in the U.S. at several million

(including small farm ponds). If any water impoundments occur within the study area, a file in DBASE III+ format documenting several fields of information about each impoundment accompanies this report on disk (See Appendices A and B).

The RF3 data system is a hydrologic database of surface water features across the U.S. (excluding, at present, Idaho, Oregon and Washington, which currently operate a different system - although this data is expected to be converted to RF3 soon, Alaska and Hawaii). RF3 was created primarily from 1:100,000 scale USGS Digital Line Graph data. RF3 is made up of over 3,000,000 individual "reaches". A reach is generally defined as a portion of surface water between two confluences (U.S. Environmental Protection Agency 1993). The linework underlying RF3 contains over 95,000,000 coordinate points. RF3 is designed to facilitate hydrologic routing, identifying upstream and downstream elements, and specifying the exact location of any point on a stream network. RF3 data exists as a series of traces with associated attributes. The EPA project which is producing RF3 is being conducted in three phases: Compilation, Assessment, and Revision. The Compilation phase is complete except for Idaho, Washington, Oregon, and Alaska. The Assessment phase was completed during the first half of 1994; while the Revision phase was begun in March 1994. One important outcome of the Revision phase is that the reach codes which uniquely identify each surface water feature will change. Consequently, these codes should not be used, at this time, as keys for relating other data to RF3. The RF3 data provided with this document is provisional and should be used only to provide a geographic backdrop for the park's water quality data. RF3 data covering each USGS catalog unit (a geographic area representing a single or multiple drainage basin(s), or some other distinct hydrologic feature (U.S. Geological Survey 1982)) touched by the park's study area is included in ASCII export and DBASE III+ formats on the disk(s) accompanying this report (See Appendices A and B).

For additional information on any of these data systems, contact the EPA Office of Water at (202) 260-7028.

Data Retrieval and Analysis Procedures

The six EPA data systems discussed above reside on the EPA mainframe computer located in Research Triangle Park, N.C. Horizon Systems used a dedicated, leased telephone line with a data transfer rate of 9600 bits per second to download data occurring within the park's study area from all the databases. The bisynchronous communication software and hardware provided error checking during all data transfer procedures.

As described above, the park study/query area boundary was used to select the water quality stations, industrial facilities discharges, drinking water intakes, water gages, water impoundments, and river reaches associated with the park unit. For various reasons, screening criteria (described later in this section) were employed to select appropriate water quality stations, parameters, and observations. Horizon Systems wrote several mainframe programs to automate, to the greatest extent feasible, the STORET data retrieval and storage procedures. Once the data were extracted from the EPA data systems, they were downloaded to a microcomputer for statistical analyses and reformatted into DBASE III+ compatible format.

Specifically, once on the PC, the data were processed to:

(1) Reformat the data into DBASE III+ format and other database structures;
(2) Eliminate questionable data outside the STORET edit criteria ranges (See Appendix C);
(3) Display on a map the location of water quality monitoring stations and other water resources themes;
(4) Determine the frequency of water quality observations by station, parameter, and station/parameter;
(5) Generate descriptive period-of-record water quality statistics in a tabular format;
(6) Generate appropriate descriptive annual and seasonal analyses of the water quality data in a tabular format;
(7) Plot appropriate period of record time series and annual and seasonal box-and-whisker graphs;
(8) Compare the water quality data against relevant EPA national criteria; and

(9) Compare the water quality data against the NPS Servicewide Inventory and Monitoring Program's "Level I" water quality parameters.

Special customized microcomputer programs (primarily written in Clipper and Microsoft Professional BASIC) and procedures were created to address each of these tasks. All reformatted database files are included on disk(s) accompanying this document. The contents of these databases are described briefly below. Complete database structures are included in Appendices A and B. The descriptive water quality tabular statistics (see "Statistical Analyses" below) were computed based upon NPS specifications. Command or batch files were generated to drive STATGRAPHICS 7.0 in order to produce all the time series and box-and-whiskers plots.

Park Unit Databases

Up to seven digital databases in DBASE III+ and other formats have been created for the park by querying the water resources-related data sources described above. The disk(s) containing these databases accompany the report. The contents of each of these databases are discussed briefly below. More detailed documentation of these databases is included in Appendices A and B.

(A) Water Quality Parameter Data: This database includes all the water quality parameter data downloaded from STORET that passed the STORET Edit Criteria, Date, Station Type, and Phase 0 Parameter screens (described below) and is summarized tabularly and graphically in this document. This constitutes the park's baseline water quality data. Since it is already in digital format, more sophisticated analysis of the data is possible than the descriptive statistics and graphics presented here.

(B) Water Quality Station Locations: This database consists of the STORET header information describing each station where water quality data was collected. As the latitude and longitude of the station are included in the database, this file is easily imported into the park's GIS.

(C) Industrial Facility Discharge Locations: This database includes any industrial or municipal point source discharges located within the park's study area. As the latitude and longitude of each discharge facility are included in the database, this file is easily imported into the park's GIS.

(D) Drinking Water Intake Locations: This database includes any drinking water intakes located within the park's study area. As the latitude and longitude of each intake are included in the database, this file is easily imported into the park's GIS.

(E) Water Gage Locations: This database includes water (stream, lake, estuary, well, spring, climate, or other) gages located within the park's study area. Most of the gages will likely be stream gages belonging to the USGS. As the latitude and longitude of each gage are included in the database, this file is easily imported into the park's GIS.

(F) Water Impoundment Locations: This database includes any water impoundments (dams) located within the park's study area. As the latitude and longitude of each impoundment are included in the database, this file is easily imported into the park's GIS.

(G) River Reach Data: This database includes all stream traces (1:100,000 scale) and attributes for reaches falling within any USGS catalog unit that touches the park's study area. The traces are geo-referenced in ASCII format. The attributes are in both ASCII export and DBASE III+ formats. This information is also readily incorporated into the park's GIS.

The absence of any of these seven files from the disk(s) accompanying the report indicates that there was either no data of this type within the park's study area or the data was unavailable. Several other files are included on the disk(s) accompanying this report, including digital copies of all the figures and tables contained in the document and some other items. Refer to Appendices A and B for detailed documentation of these files. Not included on

disk is an Encyclopedia File (for WRD reference) that documents the minimum and maximum values for each water quality parameter and the parks in which those values were recorded. When Baseline Water Quality Data Inventory and Analysis reports have been completed for all parks, this Encyclopedia File will be available upon request from the NPS WRD.

Screening Methodologies and Procedures

Developing automated or semi-automated procedures to produce baseline water quality inventories and analyses for all national park units required constant testing and debugging of procedures. Three parks, Rock Creek Park, Yellowstone National Park, and Indiana Dunes National Lakeshore, were used to pilot test and refine the automated procedures. It became evident, after a preliminary analysis of all the downloaded STORET data, especially for Indiana Dunes National Lakeshore, that the specifications for the graphical analyses could generate hundreds (possibly thousands) of plots, many of which would not necessarily be useful. Also, there were many stations; parameters; and/or observations downloaded that were not part of the study's objectives; not overly useful; or of dubious quality. In order to reduce the number of graphical plots (time series, annual and seasonal box-and-whiskers) to fit within project resources, various screening criteria were investigated. Ultimately, a comprehensive set of screening criteria were developed to reduce the number of graphical plots. After initial counts of the total number of possible time series and annual and seasonal box-and-whiskers plots were generated, these counts were used to decide which screening criteria would be applied to limit the number of these plots produced for the park unit. Additional screening criteria were employed to restrict the tabular descriptive statistics results to only those deemed useful to the park. Table A provides the categories of screening criteria and to which analyses the screens were applied. A "yes" entry in the table means that the screening category eliminated or prevented data from appearing in certain tables and plots contained in the document. Consequently, in understanding how data from STORET was used in this report, it may be helpful to keep in mind the three general types of screening criteria: (1) screens that apply to stations; (2) screens that apply to certain parameters at stations; and/or (3) screens that apply only to particular observations of parameters at stations. A detailed description of each of the screening criteria categories follows this table. *It is important to note that statistics in "Inventory" reports may not be consistent with statistics in "Overview" reports since different categories of screening criteria were applied*. Also, if attempting to replicate the results of the statistical and graphical analyses presented in this document, be sure to follow the same screening methodologies.

STORET Edit Criteria

As mentioned previously, STORET is a "user-beware" data system. As the EPA doesn't certify any data in STORET, public agencies enter and are responsible for the quality of their own data. Only data entered since November 1983 have been subjected to any rudimentary edit/bounds checking. Agencies entering data since this date can elect to override the edit/bounds checking for individual observations. USGS WATSTORE water quality data is entered into STORET without any EPA edit/bounds checking to ensure data integrity between WATSTORE and STORET. Unfortunately, during the course of our pilot tests, erroneous USGS and EPA water quality data values were discovered. In order to eliminate as much "bad" data as possible, all water quality data downloaded from STORET was subjected to automatic edit/bounds checking (STORET Edit Criteria contained in Appendix C) for the 190 most common parameters. Observations falling outside the STORET Edit Criteria were documented (See the Water Quality Observations Outside STORET Edit Criteria for Park section in the Water Quality Results chapter) and then retained or discarded from the database and all tables and plots based on whether the value was judged as being in the realm of possibility. Although the STORET Edit Criteria screen likely removed some "bad" data for these common parameters, the probability of other erroneous data in the database is high. Be sure to consult the Caveat section in the Introduction.

Table A. Categories of Screening Criteria and to Which Output Products They Apply (A "yes" Entry Means the Screening Category Eliminated or Prevented Data From Being Used in the Product):

Screening Category	Data Download	Overview Tables	Inventory Tables	Annual Tables	Seasonal Tables	Standards Tables	Plots (All)
STORET Edit Criteria	yes	yes	yes	yes	yes	yes	yes
Date	yes	yes	yes	yes	yes	yes	yes
Station Type	yes	yes	yes	yes	yes	yes	yes
Phase 0 Parameter	yes	yes	yes	yes	yes	yes	yes
Phase 1 Parameter	no	no	yes	yes	yes	yes	yes
Media Type	no	no	yes	yes	yes	yes	yes
Remark Codes	no	no	yes	yes	yes	yes	yes
Composite Type	no	no	yes	yes	yes	yes	yes
Phase 2 Parameter	no	no	no	no	no	no	yes
Observations/Period of Record	no	no	no	yes	yes	no	yes

Date Screen

Every water quality observation in STORET typically has a sampling date associated with it. Unfortunately, STORET does not prevent users from entering incorrect dates. Consequently, any water quality observation with an incorrect and/or suspect date (eg. a month greater than 12; a day greater than 31; or a sample date later than the STORET retrieval date) were discarded.

Station Type Screen

STORET contains data from a wide variety of stations classified by the type of waterbody in which samples were collected. As this project's purpose was to inventory and analyze surface-water quality, the following surface-water station types were retrieved (clarification provided in parentheses):

Station Types Included In Retrieval
(a) STREAM
(b) CANAL
(c) LAKE
(d) RESERV (Reservoir)
(e) SPRING
(f) FWTLND (Fresh Water Wetland)
(g) SWTLND (Salt Water Wetland)
(h) ESTURY (Estuary)
(i) OCEAN

Ground water and/or other station type data may have been retrieved if the entering agency classified the station type incorrectly. Rectifying this error was beyond the scope and resources of this project.

Phase 0 Parameter Screen

Nearly all water quality parameters associated with each station type listed above were retrieved. The only exception to this was the exclusion of most of the STORET administrative parameters. A complete list of STORET administrative parameters is included in Appendix D. The few administrative parameters that were included in the retrievals are as follows:

Code	STORET Administrative Parameter Description
00027	Code No. for Agency Collecting Sample
00028	Code No. for Agency Analyzing Sample
00063	Sampling Points, Number of In a Cross Section
00111	Ratio of Fecal Coliform to Fecal Streptococci
00115	Sample Treatment Code (1=Raw, 2=Treated)
34772	NPDES Number, Cross Reference
45580	Method of Analysis
74065	Stream Flow Class
74066	Annual Runoff
74067	Soil Classification
74068	Water Quality Designated Use Classification

Phase 1 Parameter Screen

Some of the data retrieved from STORET was not suitable for statistical or graphical analysis. Consequently, this screening criterion eliminated all parameters which were not suitable for statistical or graphical analysis within the context of this project. The full list of these parameters is presented in Appendix E. Examples of parameters excluded from statistical and graphical analysis include the administrative parameters mentioned above, land use acreage, encoded values, dates, latitude/longitude, etc. Excluded parameters do, however, appear in the Parameter Period of Record and Station/Parameter Period of Record (two of the "Overview" Tables), as well as in the water quality parameter file included on disk(s) accompanying this report.

Media Type Screen

Water quality samples can be taken in a variety of aqueous media. Water quality data were retrieved from STORET only if the media were WATER or VERT (vertically integrated). WATER and VERT samples comprise the overwhelming majority of samples in STORET. The media screen eliminated the following water quality sampling media:

Media Screen	Description
BOTTOM	Sampled At the Bottom
DREDGE	Sampled By Dredge
PORE	Pore Sample
CORE	Core Sample

Remark Code Screen

STORET enables the agency collecting water quality samples to provide a qualifying remark for each parameter observation. These remarks provide additional information about the measured or observed value entered into STORET (See Appendix B - Parameter Data File for a complete listing and description of all remark codes). Based on the STORET remark codes, two potential screens were applied to water quality observations based on whether the measured value was used in subsequent analyses: (1) Elimination or (2) Modification/Inclusion.

Elimination:
Non-composite water quality parameters with the remark codes presented in Table B were eliminated from the period of record, annual, and seasonal descriptive statistics and graphics. Not including observations with these remarks was justified by the fact that most of the remarks: (A) indicate either less confidence in the measured value; (B) are remarks for nominal or categorical data that doesn't lend itself to statistical analysis; or, (C) complicate the statistical analysis beyond the scope of this effort. Observations containing these remark codes comprise a very small fraction of the data. Although statistical analyses weren't undertaken on this data, all water quality observations, regardless of remark code, are included on disk(s) accompanying this report. If you re-analyze this data in order to replicate the results presented here, be sure to eliminate all non-composite observations with the remark codes presented in Table B.

Table B. Non-composite Parameters With the Following Remark Codes Were Eliminated From Statistical and Graphical Analysis:

Remark Code	Description of STORET Remark Code
F	Female Species.
J	Estimated, Not the Result of Analytic Measurement.
M	Presence Verified, But Not Quantified, Below Quantification Limit. For Species, Male. For Oxygen Reduction Potential, Indicates Negative Value.
N	Presumptive Evidence of Presence.
O	Analysis Lost.
V	Analyte Was Detected In Sample and Method Blank.
W	Less Than Lowest Value Reportable Under Remark "T".
Z	Too Many Colonies Were Present to Count (TNTC), Value Represents Filtration Value.

Modification/Inclusion:
Water quality parameter observations with the remark codes presented in Table C were halved prior to inclusion in period of record, annual, and seasonal descriptive statistics and graphics. These remark codes deal with observations that were below the detection limit for the parameter. The common water quality data analysis convention for these remark codes is to use half of the detection limit in statistical analyses (Ward, Loftis, and McBride 1990; Gilbert 1987). Although this is a somewhat defensible treatment of observations below the detection limit, the statistics that may be computed using these halved values may not be defensible. Consequently, any computed statistics in inventory, annual, or seasonal tables that are comprised of 50% or more K, T, and U remark codes are footnoted "Computed with 50% or more of the total observations as values that were half the detection limit." This will provide the user with some caution in using and interpreting these results. Water quality data included on disk(s) accompanying this report that may have these remark codes are stored as the original entry (detection limit). If you re-analyze this data in order to replicate the results presented here, be sure to substitute half the detection limit value in the database whenever these remark codes are encountered.

Table C. The Value of Water Quality Parameters With the Following Remark Codes Were Halved (Half of the Detection Limit Entered In STORET) Prior to Inclusion In Descriptive Statistics and Graphics:	
Remark Code	**Description of STORET Remark Code**
K	Off-scale Low, Actual Value Not Known, But Known to Be Less Than Value Shown.
T	Less Than Detection Criteria.
U	Analyzed For But Not Detected, Value is Detection Limit For Process Used. If Species, Undetermined.

Composite Type Screen

Sometimes data entered in STORET represent something other than a single measurement at one location at one point in time. These samples are typically referred to as composite samples due to the fact that they vary temporally and spatially. Consequently, the observation entered into STORET for composite data is typically a computed value that summarizes the data over time and/or space. Such data complicate statistical and graphical analyses and must be handled separately. Such treatment was beyond the scope of this study; although composite values typically represent only a fraction of STORET observations. The composite type screen eliminates all composite observations from statistical and graphical analyses, except those with a composite type code of "A" that have a one day or less sampling period and those with a composite type code "D". All water quality observations, regardless of composite type code, are included on disk(s) accompanying this report. If you re-analyze this data in order to replicate the results presented here, be sure to exclude all composite observations except those with a code of "A" that have a one day or less sampling period and those with a code of "D". Table D presents a list of possible STORET composite type codes.

Table D. Possible STORET Composite Type Codes

Composite Type Code	STORET Composite Type Description
A	Average
H	Maximum
L	Minimum
N	Number of Observations
#	Number of Observations
S	Standard Deviation
U	Sum of Squares
V	Variance
C	Coefficient of Error
X	Coefficient of Variance
E	Skewness
F	Kurtosis
Z	Number of Obs. That Exceed An Established Limit
%	Precision
$	Accuracy
B	N/A
D	Indicates Replicate Sample

Phase 2 Parameter Screen

Due to budgetary limitations, the number of graphical plots (time series, annual and seasonal box-and-whiskers) produced had to be manageable - typically no more than 100 total plots. After scrutinizing the results of the pilot tests and the Baseline Water Quality Data Inventory and Analysis Reports produced for the first group of parks, the 19 parameters which, typically, were the most frequently measured at nearly all stations were water temperature, stage, discharge, and various meteorological measurements (See Table E). Consequently, most of the graphical plots produced would be of water temperature, stage, discharge, and meteorological conditions. Although these are important parameters, particularly in conjunction with other water quality parameters, it was felt that plotting resources would be better allocated to other water quality parameters. Consequently the STORET parameter codes listed in Table E never generated graphical plots. It is important to note, however, that these parameters are included in all other aspects of the project, including all applicable period of record, annual, and seasonal descriptive statistics tables.

Table E. Frequently Measured STORET Codes That Were Prevented From Generating Plots	
STORET Parameter Code	**STORET Parameter Description**
00003	Sampling Station Location, Vertical (Feet)
00010	Water Temperature (Degrees Centigrade)
00020	Temperature, Air (Degrees Centigrade)
00021	Temperature, Air (Degrees Fahrenheit)
00025	Barometric Pressure (MM of HG)
00032	Cloud Cover (Percent)
00035	Wind Velocity (Miles Per Hour)
00036	Wind Direction in Degrees from Trun N (Clockwise)
00040	Wind Direction (Azimuth)
00045	Precipitation, Total (Inches Per Day)
00046	Precipitation, Total (Inches Per Week)
00052	Humidity, Relative (Percent)
00061	Stream Flow, Instantaneous (CFS)
00065	Stream Stage (Feet)
81903	Depth of Bottom of Water @ Sample Site (Feet)
82553	Rainfall In 1 Day Inclusive Prior to Sample (Inches)
82554	Rainfall In 7 Days Inclusive Prior to Sample (Inches)
82371	Rainfall In 3 Days Inclusive Prior to Sample (Inches)
82372	Rainfall In 14 Days Inclusive Prior to Sample (Inches)
85599	Precipitation, Total/Period-Rain Equivalent (Cm/Sample)

Observations/Period of Record Screen

Despite never plotting water temperature, stage, discharge, and meteorological measurements, the number of plots generated by some parks still exceeded the 100 plot limit. Also, some rationale was needed to plot only those parameters with sufficient data density to make a meaningful statistical graphic. For example, time series plots comprised of only a few observations or annual or seasonal box-and-whiskers plots with limited observations and/or data in only one or two years or seasons are not very informative. Consequently, a number of plotting criteria were developed to limit the number of time series and box-and-whiskers plots to, at most, 100 informative graphics by using each parameter's number of observations and period of record. Similar, albeit less stringent criteria, were used for including results of annual and seasonal analyses in descriptive statistics tables. Consequently, there are more summaries of annual and seasonal results in tables than in graphics. Whenever an entry in an annual or seasonal table generated a plot, this entry was footnoted to notify the reader of the presence of the graphic. Due to differing quantities of data at parks, different screening criteria were employed. The same

criteria for appearance in seasonal and annual tables were used for all parks. Table F presents the least stringent plot screens.

Table F. Least Stringent Plot Screening Criteria Used to Limit the Number of Plots Generated

Time Series: To generate a time series plot, a station/parameter combination must have a period of record of at least 2 years and a total of at least 8 observations. Annual Analysis: To generate an annual box-and-whiskers plot, a station/parameter combination must have at least 9 observations in each of at least 4 years. The years do not have to be consecutive. Seasonal Analysis: To generate a seasonal box-and-whiskers plot, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years. The years do not have to be consecutive.

The exact three plot screens used varied by park unit and are documented in the Overview section of the Water Quality Results chapter. If your park's plotting criteria deviated from these least stringent criteria, it is because too many plots would have been generated using these criteria.

The criteria used for appearance of station/parameter combinations in annual and seasonal analysis tables are presented in Table G. These tabular criteria, which are actually the least stringent plotting criteria, were constant from park to park.

Table G. Criteria Used for Generating Entries in Annual and Seasonal Analysis Tables

Annual Analysis: For an entry to appear in an annual table, a station/parameter combination must have at least 9 observations in each of at least 4 years. The years do not have to be consecutive. Seasonal Analysis: For an entry to appear in a seasonal table, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years. The years do not have to be consecutive.

Statistical Definitions

Since this report is intended only to characterize historical and/or existing water quality at the park rather than address specific water quality problems, only simple descriptive statistics are presented. Inferential and non-parametric statistical analysis to examine relationships and trends were beyond the scope of the study. The complete water quality dataset is provided on disk accompanying this report to afford the opportunity for more detailed exploratory data analysis. The descriptive statistics are included in the inventory, annual, and seasonal tables. Table H provides a brief definition of each descriptive statistic provided for each parameter at a station.


Table H. Definition of Descriptive Statistics Contained in Inventory, Annual, and Seasonal Tables

Observations:	The number of samples collected.
Median:	The median is the 50th percentile or the value in a dataset sorted in ascending order that exceeds 50% of all observations, yet is also exceeded by the remaining 50% of all observations.
Mean:	The sum of all observations collected divided by the number of observations.
Maximum:	The maximum value observed.
Minimum:	The minimum value observed.
Variance:	This is a measure of variability or dispersion of the observations; or, in other words, describes how many observations are close (or far), from the mean. It is calculated as the weighted average of the squared deviations from the mean.
Standard Deviation:	The positive square root of the variance.
10th Percentile:	The value in a dataset sorted in ascending order that exceeds 10% of all observations, yet is itself exceeded by the remaining 90% of all observations.
25th Percentile:	The value in a dataset sorted in ascending order that exceeds 25% of all observations, yet is itself exceeded by the remaining 75% of all observations. The 25th percentile is also known as the first quartile.
75th Percentile:	The value in a dataset sorted in ascending order that exceeds 75% of all observations, yet is itself exceeded by the remaining 25% of all observations. The 75th percentile is also known as the third quartile.
90th Percentile:	The value in a dataset sorted in ascending order that exceeds 90% of all observations, yet is itself exceeded by the remaining 10% of all observations.

As with the tabular descriptive statistics, the scope of the project limited the generation of exploratory graphics to time series plots and annual and seasonal box-and-whiskers plots. Plots were only generated, however, provided the parameter met or exceeded the relevant plotting criteria specified in the previous section.

Time series plots display the parameter concentration on the Y-axis and the date on the X-axis. This provides the user with a visual feeling for not only the parameter's concentration and variability over time, but also the density of data in different time periods. The time series plots provide a visual representation of the data in the basic station inventory. Due to software limitations, a line connects each measured value in sequence regardless of the time period between samples. Readers are cautioned not to assume that the concentration of the parameter between any two data points can be represented by a straight line. It is likely that the concentration varied between any two observations, particularly if the observations are separated by a significant time period.

The annual and seasonal box-and-whisker plots provide a graphical overview of the measured data and give the user a better understanding of the data's distribution and possible outliers. In essence, the box-and-whisker plots provide a visual representation of the data contained in the annual and/or seasonal tables. The interpretation of the boxes is provided in the figure to the right. Each box encompasses the middle 50 percent of measured values (from the 75th to 25th percentiles). The difference between the 75th and 25th percentiles is also known as the interquartile range. The horizontal line inside each box is the median or 50th percentile. The lines which extend out from each end of the box are the whiskers. The whiskers extend out from first quartile (25th percentile) and third quartile (75th percentile) to the smallest data point within 1.5 interquartile ranges from the first and third quartiles. Observations that extend beyond the whiskers are known as outliers. Far outliers are observations whose values lie more than three interquartile ranges below the first quartile or above the third quartile. These are designated with plus signs.



INTERPRETIVE GUIDE

TO WATER QUALITY RESULTS

This interpretive guide discusses each of the products presented in the next chapter - Water Quality Results. This chapter highlights how each of the tables and figures were prepared and how they can be used. Each subheading in this chapter corresponds to a particular product in the subsequent Water Quality Results chapter.

Overview

The Overview provides a brief one-page summary of the results of the various database retrievals for both the study area and the park. The study area results include the park results since the study area encompasses the park and all lands and waters within at least 3 miles upstream and 1 mile downstream of the park. Thus, the GIS estimated acreage of the study area should always be greater than the park acreage. The park acreage was computed from the digital boundary that was obtained for the park. More than likely this acreage will differ, perhaps significantly, from the "official" published acreage for the park due to the spatial and temporal accuracy of the digital boundary, treatment of inholdings, and other concerns. The number of STORET stations is the number of locations within the study area and park where an agency monitored (or intended to monitor) water quality. The number of stations with no data reveals the number of stations created in STORET for which water quality data were never entered. The number of stations with no statistical analysis reports the number of stations in the study area and park that contain data not amenable to normal parametric statistics. The number of longer term stations indicates the number of stations in the study area and park with at least 6 parameters having periods-of-record extending 2 years with an average of at least 1 observation per year over the period-of-record. The date of STORET retrieval is the calendar date when Horizon Systems downloaded all the data from STORET. Thus, the report documents all data entered in STORET prior to the retrieval date. Keep in mind that an agency can upload archival data at any time. Consequently, a retrieval date only guarantees that as of that date, this report contains all the data that had been entered into STORET. The period of record is the earliest date for which water quality data exist in STORET for the study area and park up to the date when the most recent data were entered prior to the retrieval date. The number of parameters measured is the number of unique water quality parameters measured within the study area and park and entered in STORET. The number of water quality observations is the sum of the total number of observations across all parameters within the study area and park. The number of industrial/municipal facilities discharges, drinking water intakes, water gages, and water impoundments are the number of each of these entities found within the study area and park. The number of time series, annual, and seasonal plots are the number of these different types of graphics produced by station/parameter combinations within the study area and park using the plotting criteria described in the previous chapter. The hydrologic seasons, described below, are the seasons used for the seasonal water quality data analysis. The time series, annual, and seasonal criteria are the plot and tabular screening criteria described in the previous chapter.

Regional Location Map

The Regional Location Map provides a small scale, general representation of the park and study area location within the United States. Digital, reproducible copies of this graphic are included on the disk(s) accompanying this report.

Water Quality Monitoring Locations Map(s)

The Water Quality Monitoring Locations Map(s) usually provides a larger scale representation of the park and study area than the Regional Location Map. This map indicates the locations within the study area where water quality has been monitored and the data entered into STORET. The water quality monitoring stations are labelled sequentially with the rightmost significant digits. The station names were assigned in numerically ascending order by latitude (for parks with a greater north-south extent than east-west) or longitude (for parks with a greater east-

west extent than north-south). Thus, this map serves as a visual index to the water quality data contained in the report. Since the 1:100,000 scale hydrography (from the River Reach File Ver. 3.0 or other sources) is displayed on the map, users can refer to the map to locate the station number on the reach in which they are interested and then find the appropriate section in the report that documents the water quality at that station. If the scale allows, USGS catalog units are also displayed on the map to provide an approximation of drainage basins. More than one Water Quality Monitoring Location map may be presented if the scale requires breaking the area into multiple maps for legibility. If multiple maps are necessary, an index map showing the geographic extent of each sub-map or panel will be present. Digital, reproducible copies of this graphic are included on the disk(s) accompanying this report. The digital, geo-referenced data files documented in Appendices A and B will allow the park to create water quality monitoring stations as a coverage in their GIS.

Dischargers, Drinking Intakes, Gages, and Impoundments Map(s)

The Dischargers, Drinking Intakes, Gages, and Impoundments Map(s) displays the same information as the Water Quality Monitoring Location Map(s) except the water quality stations are replaced by industrial/municipal facilities discharges, drinking water intakes, active and inactive gage locations, and water impoundments. This map also serves as a visual index allowing the user to determine the identification code of each discharger, drinking intake, gage, or impoundment. This number can then be used to obtain additional information about the entity on the following page of the report or to refer to the more detailed database files accompanying the report on disk. These more detailed database files are geo-referenced (See Appendices A and B), thus allowing the park to create these coverages in their GIS. More than one Dischargers, Drinking Intakes, Gages, and Impoundments map may be presented if the scale requires breaking the area into multiple maps for legibility. If multiple maps are necessary, an index map showing the geographic extent of each sub-map or panel will be present. Digital, reproducible copies of this graphic are also included on the disk(s) accompanying this report.

Industrial Facilities Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Table

This table provides some additional information about each of the discharges, drinking intakes, water gages, and water impoundments displayed on the previous map(s). This information generally includes the site identification number; the station or facility name; an address or some other indication of location; and some other pertinent information. More detailed information about each of these entities is contained in the database files on disk accompanying the report (See Appendices A and B).

Representative Mean Annual Hydrograph for Seasonal Analysis

One component of the water quality data analysis contained in the document is a seasonal analysis of the data (where adequate data exist). In order to undertake this analysis, some representation of the park's seasons was required. Seasons can be based on many factors (eg. hydrologic, climatic, recreational use, etc.). Since project resources did not allow us to contact every park and discuss with resource management staff what appropriate seasons may be for the park, WRD staff elected to adopt primarily a hydrologic/climatic definition of the seasons which uses a process of hydrograph separation to glean seasons from stream discharge patterns. The procedure employed to make these determinations was as follows:

(1) Find the nearest USGS Hydro-Climatic Data Network (HCDN) station (U.S. Geological Survey 1992) to the park that is most representative of streamflow conditions at the park. The HCDN is basically a subset of USGS streamflow stations, including only those stations that are unaffected by artificial diversions, storage, or other disruptions of the natural channel. All HCDN stations generally have at least a 20 year period of record. Consequently, discharge patterns at these stations should reflect only hydrologic and climatic influences. For the most part, selected HCDN sites were typically within 15-20 miles of the park. In some parks where WRD staff were aware of the existence of a stream gage located within the park that would be more representative of park waters even though it wasn't an HCDN site, this gage was selected.

(2) Retrieve the daily discharge values for the selected station from the USGS Daily Values File and generate a mean annual hydrograph and a box-and-whiskers plot of daily flows by month.

(3) Interpret the plots based on our knowledge of the hydrologic regime at these parks and assign seasons.

This approach, used for the majority of parks, assumes that most water quality data at the park will be found in streams and that the discharge pattern of the selected stream is representative of the seasons for all park waterbodies. Although this assumption may be weak for certain parks, project resources did not allow a more thorough investigation. For parks where there wasn't any stream gage (HCDN or otherwise) deemed representative of park waters, precipitation records from a nearby meteorological station were obtained from the National Climatic Data Center. Plotting daily average precipitation and box-and-whiskers of monthly precipitation sums allowed WRD hydrologists to make a rough approximation of climatic seasons for use in analyzing the water quality data.

Again, it is important to note the many ways of defining "seasons" and thus the limitations of the seasonal analysis contained in this document. For certain parks it may be more useful to perform a seasonal analysis with seasons defined by recreational use patterns or some other natural or anthropogenic factor. This option is available to the park since all the water quality data analyzed in this document is contained on disk(s) accompanying this report. Digital, reproducible copies of this seasonal analysis graphic are also included on the disk(s) accompanying this report.

Contacts for Agency Codes Retrieved

This table provides a list of the organizations who have entered data into STORET. A contact name at the organization and a phone number are also supplied. The agency code in the first column is the key for identifying which stations belong to that agency. This code will appear in the first line of each station's inventory. Although the agencies listed in this table are potential partners for future water quality monitoring or management endeavors, don't be surprised if the name of the contact and/or the telephone number is out of date. This information is entered when an agency first creates a station. The agency may not update this information when the initial contact moves on or the telephone number changes. Nonetheless, it is likely that the contact or someone else at the agency may be able to provide you with project reports or other information relative to the agency's data. A digital copy of this table accompanies this report on disk (See Appendices A and B).

Quantity of Data Retrieved by Agency Code

This table displays the period-of-record; numbers of water quality stations, longer-term stations, and stations without data; total number of water quality observations; and the number of unique water quality parameters measured by each agency within the study area and park boundary. Using this table, a park can quickly determine which agencies collect the most data in and around the park and whether they have monitored recently. A digital copy of this table accompanies this report on disk (See Appendices A and B).

Station Period of Record Tabulation

The Station Period of Record Tabulation provides a quick overview of the names of all the stations within the study area where water quality has been monitored and data entered into STORET. It also furnishes the total number of observations taken at each station and the frequency of observations between certain dates: (1) 01/01/85 until the most recent date data were measured; (2) 01/01/75 - 12/31/84; and (3) prior to 01/01/75. The station identification number, the four character park abbreviation code followed by a four digit number, provides the means to jump from a particular station in the table to the statistical and graphical analyses for this station contained in the Station-By-Station Results section. The Station Period of Record Tabulation reveals which water

quality stations were situated within the park as defined by the park's GIS boundary. The Station Period of Record Tabulation also footnotes longer-term water quality stations. Longer-term stations are those that have at least 6 parameters with an average of one or more observations per year for those parameters during a period of record extending at least two years. Note that although a station may not be flagged as longer-term, it can still harbor much important data (albeit for only a few parameters or over a very long term with just a few observations). A digital copy of this table accompanies this report on disk (See Appendices A and B).

Parameter Period of Record Tabulation

The Parameter Period of Record Tabulation provides a complete listing of every water quality parameter ever measured in the study area and entered into STORET. This table is a summation of all the water quality observations for each parameter across all stations in the study area. Like the Station Period of Record Tabulation, the total number of observations for each parameter and the frequency of observations between: (1) 01/01/85 until the most recent date data were measured; (2) 01/01/75 - 12/31/84; and (3) prior to 01/01/75 are provided. This table is handy for quickly assessing whether particular parameters have been measured in the study area. The Parameter Period of Record Tabulation also shows how many in-park (and total) water quality stations contained data for each parameter. Some administrative parameters and parameters not suitable for statistical analysis within the context of this project (as discussed in the Screening Methodologies and Procedures section of the Methodology chapter) are listed in the Parameter Period of Record Tabulation, but not in the Station-By-Station Results section. A digital copy of this table accompanies this report on disk (See Appendices A and B).

Station/Parameter Period of Record Tabulation

The Station/Parameter Period of Record Tabulation combines the information found in the Station Period of Record Tabulation and the Parameter Period of Record Tabulation. This table provides a listing of all the stations where a particular water quality parameter was measured in the study area and the data entered into STORET. The table provides the start and end dates of the period of record of each parameter at each station; the number of years of measurement (computed from the start and end dates); whether the station/parameter combination occurred within the park boundary; the total number of observations for each parameter at each station, and whether a time series (T), annual (A), and/or seasonal (S) plot was generated for the station/parameter combination in the Station-By-Station Results section. This table is very useful when you need to determine at which locations within the study area (or park) particular parameters were monitored and how much data was collected there. Some administrative parameters and parameters not suitable for statistical analysis within the context of this project (as discussed in the Screening Methodologies and Procedures section of the Methodology chapter) are listed in the Station/Parameter Period of Record Tabulation, but not in the Station-By-Station Results section. A digital copy of this table accompanies this report on disk (See Appendices A and B).

Station-By-Station Results

Probably the most voluminous portion of the document is the Station-By-Station Results. Here the results of the water quality analyses for each station are presented in sequence. The results include the station inventory; parameter inventory; EPA water quality criteria analysis; and, as applicable, time series graphics and annual and seasonal tables and box-and-whiskers graphics. Each of these products are discussed below.

Station Inventory for Station

Each station's data commences with its Station Inventory. The Station Inventory provides the descriptive attributes about each water quality monitoring station contained in STORET. This includes a variety of locational information such as a verbal description, the Federal Information Processing codes for county and state, latitude and longitude, and other items; the station type (stream, spring, estuary, etc.); monitoring agency; creation date; indices to the River Reach File; whether the station lies within the park boundary; and several other attributes. This water quality station location data is also contained on disk(s) accompanying the report (See Appendices A and B).

Parameter Inventory for Station

Following the descriptive attributes about a station is the Parameter Inventory for the station. The Parameter Inventory provides a complete inventory and descriptive summary of all the water quality parameter data for the station. This table furnishes the parameter STORET code and name; the period of record for this parameter at this station; and the descriptive statistics defined in the Statistical Definitions in the previous chapter. Three different footnotes can appear on a parameter's descriptive statistics. Two asterisks (**) in the 10th, 25th, 75th, or 90th percentile columns indicates that there was insufficient data to compute these statistics for this parameter. Percentiles were not computed unless the parameter had at least 9 observations. Two number signs (##) next to the number of observations indicates that more than 50 percent of the observations entered into the computations as values that were taken to be half the detection limit. Caution should be employed in interpreting and using statistical results when more than half the values are set to half the detection limit. The letter "p" following a numeric STORET parameter code in the Parameter Inventory indicates that a time series plot was produced for this parameter at this station. Digital, reproducible copies of the Parameter Inventory tables are contained on the disk(s) accompanying this report.

Two downloaded parameter groups, pH and bacteriological, received special treatment whenever descriptive statistics were computed in the Parameter Inventory (as well as subsequent annual and seasonal tables). Whenever pH appears in a descriptive statistics table, the entry is increased to 3 entries: (1) the original pH entry; (2) pH computed from conversion to and from μeq/l H^+; and (3) μeq/l H^+. The reason for these conversions is that pH is actually the negative logarithm of the hydrogen ion concentration. To be technically correct in computing descriptive statistics, pH values must be converted to μeq/l H^+ (Kunkle and Wilson 1984). Once the descriptive statistics are computed using the pH values expressed as μeq/l H^+, the results can be converted back to pH. The three pH entries in the descriptive statistics table will all have the same STORET code.

Whenever a bacteriological parameter appears in a descriptive statistics table, the entry is increased to 3 entries: (1) the original bacteriological entry; (2) an entry computed using the log of each measured value; and (3) an entry that simply reports the geometric mean. The reason for converting to logs and displaying the geometric mean is convention. Bacteriological water quality standards typically reference the geometric mean rather than the arithmetic. The three bacteriological entries in the descriptive statistics tables will all have the same STORET code.

EPA Water Quality Criteria Analysis for Station

The EPA Water Quality Criteria Analysis table follows the Parameter Inventory. This table presents a comparison between the station's STORET water quality data and applicable national water quality criteria for freshwater and marine aquatic organisms; drinking water; and other concerns. Comparison against applicable State water quality criteria was not feasible given project resources. Appendix F provides the relevant national EPA water quality criteria values. In most cases, the EPA water quality criteria values are single sample concentrations that can be directly compared to single sample STORET entries. There are, however, two notable exceptions to this single sample/single value comparison: ammonia and fecal-indicator bacteria. For these two parameters, criteria are either derived from or depend on the results of other chemical characteristics of the water or require a time series statistical treatment of multiple samples to determine whether the criterion has been exceeded. The EPA ammonia criterion is pH and temperature dependent. To calculate the criterion for each ammonia sample value was beyond

the scope of this project. Consequently, ammonia criteria were not included in Appendix F or the EPA Water Quality Criteria Analyses. Un-ionized ammonia criteria can be determined from formula table values included in the EPA Silver Book (Environmental Protection Agency 1995).

For the purposes of this project, fecal-indicator bacteria data were flagged as exceeding criteria when their concentrations exceeded 200, 1000, 126, and 33 (fresh)/35 (salt) colony forming units or most probable number for single samples of fecal coliform, total coliform, E. coli, and enterococci, respectively. These values represent only approximations of the criteria for primary contact recreation waters where criteria are typically expressed in terms of a geometric mean computed with no less than 5 samples during a given month. When a fecal-indicator bacterial observation exceeds a criterion in the EPA Water Quality Criteria Analysis section, the reader should refer to the corresponding geometric mean calculations in the preceding Parameter Inventory. Long-term geometric means that exceed the respective water quality criteria for multiple samples are more indicative of chronic bacteriological problems than single sample values.

Water quality observations carrying non-detection or below-detection limit remark codes (K, T, and U) required special treatment in the EPA Water Quality Criteria Analysis. As with the statistics in the Parameter Inventory, half the detection limit was the value used in the EPA Water Quality Criteria Analysis. For certain observations, however, half the detection limit may exceed a water quality criterion. For those observations it would be inappropriate to classify them as exceeding a criterion since the actual value wasn't known. Thus, it was decided that any below detection limit or non-detect observations that exceed a water quality criterion using half the detection value would be excluded from the EPA Water Quality Criteria Analysis. If non-detect or below detection limit values are excluded from the EPA Water Quality Criteria Analysis for a particular parameter, the total observations for that parameter will be footnoted with an ampersand (&). This will also explain the difference between the total observations in the Parameter Inventory and the EPA Water Quality Criteria Analysis. Non-detect or below detection limit values are included in the EPA Water Quality Criteria Analysis, however, if half the detection limit doesn't exceed the parameter's criterion.

The EPA Water Quality Criteria Analysis for each station lists the parameter; the standard type and value; the total number of observations for the parameter at this station; the number of observations that exceeded the standard value; and the proportion of observations that exceeded the standard value. Water quality observations are considered as having exceeded a criterion regardless of whether the criterion represents a maximum acceptable value or a minimum acceptable value. The table also breaks down the water quality criteria analysis on a seasonal basis to allow the reader to discern whether parameter observations tend to exceed criteria during only certain seasons or year round. Although the EPA Water Quality Criteria Analysis table is a good starting point for assessing potential water quality problems at the station, the reader is strongly encouraged to read the caveat section in the Introduction concerning drawing conclusions about water quality problems from this table. Digital, reproducible copies of these tables accompany the report on disk (See Appendices A and B).

Time Series Plots for Station

Following the EPA Water Quality Criteria analysis will be any Time Series Plots for each parameter that met the time series plot screening criterion selected for the park unit. If a time series plot is generated for a particular parameter at a station, a "p" will appear next to the STORET parameter code in the Parameter Inventory. If no time series plots are present for the particular station, the data did not meet the time series screening criterion listed in the Overview section of the Water Quality Results chapter. The x-axis on these plots is the period of record, listing only the 2-digit calendar year for clarity (i.e. 1983 is presented as 83). The y-axis is the concentration of the selected parameter in its measurement units. In general, the units for a given parameter are given either on the y-axis or in the parameter description in the subtitle of the graph. Subtitle and/or y-axis parameter descriptions may be truncated on the plots so as to not exceed the maximum number of plotting characters. Y-axis values less than zero are sometimes shown for better representation of the entire plot. The station identification code, parameter description, and parameter STORET code are presented in the main title. The footnote provides a descriptive location name. Observations on the plot are represented as squares. Lines are drawn connecting each successive observation. As mentioned previously in the Statistical Definitions section of the Methodology chapter, the interconnecting line is drawn only for ease of reading and provides no indication of what the actual parameter

values were between the two observed measurements. Digital, reproducible copies of all time series plots accompany the report on disk (See Appendices A and B).

For time series plots of pH, the original pH values are plotted. For time series plots of bacteriological data, the log of the measured value is plotted. Hence, the y-axis of a time series plot for bacteriological parameters is log-linear.

Annual Analysis for Station

If more than 9 observations exist in each of at least 4 years for a particular parameter at a station, an Annual Analysis table will be generated. Entries will be made in the table for each parameter having more than 9 observations in each of at least 4 years. The Annual Analysis presents the same descriptive statistics as the Parameter Inventory table, except that it provides the statistics by year, rather than the entire period of record. Although some of the years may not contain 9 observations, these years still have an entry in the table. A parameter needs only to have 9 observations in any 4 years of its period of record to qualify for the Annual Analysis table. Like the Parameter Inventory, percentiles with fewer than 9 observations are not computed and entries computed with greater than 50 percent of the data values set to half the detection limit are flagged. Entries in the Annual Analysis table that also meet the annual analysis box-and-whisker plot screening criterion will be flagged with a "p" next to the STORET code. Digital, reproducible copies of these tables accompany the report on disk (See Appendices A and B).

Annual Box-and-Whiskers Plots for Station

Entries in the Annual Analysis table that meet the annual box-and-whisker plot screening criterion will generate Annual Box-and-Whiskers Plots. The interpretation of box-and-whiskers plots is explained in the Statistical Definitions section of the Methodology chapter. A box is generated for each year of the period of record, even if less than 9 observations were recorded in the year. The axis labeling and plot titling is the same as for the time series plots. Digital, reproducible copies of these graphics accompany the report on disk (See Appendices A and B).

For annual box-and-whiskers plots of pH, μeq/l H^+ are plotted. For annual box-and-whiskers plots of bacteriological data, the log of the measured value is plotted. Hence, the y-axis of an annual box-and-whiskers plot for bacteriological parameters is log-linear.

Seasonal Analysis for Station

As explained above, a park's hydrologic seasons for seasonal water quality analysis were determined using a process of hydrograph separation and other techniques. If a parameter has more than 9 observations in each of 2 seasons with a period of record of at least 6 years and observations in at least 3 of the 6 years, a Seasonal Analysis table will be generated for the station. The Seasonal Analysis presents the same descriptive statistics as the Parameter Inventory table, except that it provides the statistics by season, rather than the entire period of record. Although certain parameters for a season at a station may not contain 9 observations, these parameters can still have an entry in the table. A parameter needs only to have 9 observations in each of 2 seasons with a period of record of at least 6 years and observations in at least 3 of the 6 years to qualify for the Seasonal Analysis table. Consequently, some of the parameters could have fewer than 9 observations in a particular season but still generate a table entry. Like the Parameter Inventory and Annual Analysis, percentiles with fewer than 9 observations are not computed and entries computed with greater than 50 percent of the data values set to half the detection limit are flagged. Entries in the Seasonal Analysis table that also meet the seasonal analysis box-and-whisker plot screening criterion will be flagged with a "p" next to the STORET code. Digital, reproducible copies of these tables accompany the report on disk (See Appendices A and B).

Seasonal Box-and-Whiskers Plots for Station

Entries in the Seasonal Analysis table that meet the seasonal box-and-whisker plot screening criterion will generate Seasonal Box-and-Whiskers Plots. The interpretation of box-and-whiskers plots is explained in the Statistical Definitions section of the Methodology chapter. A box is generated for each season of the period of record, even if less than 9 observations were recorded in the season. On the x-axis, the seasons are labeled 1 through the number of seasons defined for the park through hydrograph separation. The actual calendar dates that correspond to these numerically labeled seasons exist in the Overview section and the Seasonal Analysis tables in the Water Quality Results chapter. The axis labeling and plot titling are the same as for the time series and annual box-and-whiskers plots. Digital, reproducible copies of these graphics accompany the report on disk (See Appendices A and B).

For seasonal box-and-whiskers plots of pH, μeq/l H^+ are plotted. For seasonal box-and-whiskers plots of bacteriological data, the log of the measured value is plotted. Hence, the y-axis of a seasonal box-and-whiskers plot for bacteriological parameters is log-linear.

EPA Water Quality Criteria Analysis for Entire Park Study Area

This table essentially summarizes all the individual station-by-station EPA water quality criteria analyses in the study area. (Refer to the EPA Water Quality Criteria Analysis for Station section above for more detailed information on the treatment of special cases in the EPA Water Quality Criteria Analysis for Entire Park Study Area.) This table presents a comparison between the study area's STORET water quality data and applicable national water quality criteria for freshwater and marine aquatic organisms; drinking water; and other concerns. Comparison against applicable State water quality criteria was not feasible given project resources. Appendix F provides the relevant national EPA water quality criteria values. The EPA Water Quality Criteria Analysis for the Entire Park Study Area lists the parameter; the standard type and value; the total number of observations for the parameter at this station; the number of observations that exceeded the standard value; and the proportion of observations that exceeded the standard value. Water quality observations are considered as having exceeded a criterion regardless of whether the criterion represents a maximum acceptable value or a minimum acceptable value. The table also breaks down the water quality criteria analysis on a seasonal basis to allow the reader to discern whether parameter observations tend to exceed criteria during only certain seasons or year round. Although the EPA Water Quality Criteria Analysis for the Entire Park Study Area is a good starting point for assessing potential water quality problems at the park, the reader is strongly encouraged to read the caveat section in the Introduction before drawing conclusions about water quality problems from this table. A digital, reproducible copy of this table accompanies the report on disk (See Appendices A and B).

NPS Servicewide Inventory and Monitoring Program
Level I Water Quality Inventory Data Evaluation and Analysis (IDEA)

One of the objectives of this Baseline Water Quality Data Inventory and Analysis project is to perform an IDEA - an Inventory Data Evaluation and Analysis - to determine the presence and/or absence of Servicewide Inventory and Monitoring Program "Level I" water quality parameter groups in the park's study area. The Strategic Plan for Conducting Baseline Natural Resource Inventories in the National Park Service (National Park Service 1993) identified the basic water quality parameters displayed in Table I as the parameters that all parks must have for "key" waterbodies (determined on the basis of size, uniqueness, threats, etc.) within park boundaries. Since these parameters can be measured in different ways and with different units, there are multiple STORET codes associated with each parameter; hence the concept of parameter groups. The Strategic Plan distinguishes between those parameter groups required for all parks and parameter groups required only on a case-by-case basis.

The IDEA basically compares the parameters listed in the Parameter Period of Record Tabulation and Station/Parameter Period of Record Tabulation with the "Level I" Servicewide Inventory and Monitoring water quality parameter groups, listed in Table I and in Appendix G, and notes, not only the presence or absence of each parameter group, but the total number of observations for each parameter present in the group; the number of

observations between certain time periods; and the total number of stations within the study area at which the parameter was measured. The total number of different (unique) stations measuring parameters for the group is in parentheses on each parameter group's summary line.

The first page of the IDEA lists the missing Servicewide Inventory and Monitoring Program "Level I" groups. If a parameter group appears on this list, no data for any of the parameters defining the group (See Appendix G) was retrieved for it within the study area. So-called non-priority parameter groups may appear in the missing list. Non-priority parameters are park-specific parameters (case-by-case) which may not be applicable to your park. Consequently, if you believe a particular parameter, not included in IDEA (See Appendix G), to be important for your park, you will have to consult the Parameter and Station/Parameter Period of Record Tabulations to determine the presence or absence of this parameter for the park. Although considered a "Level I" parameter, biological data, obtained through rapid bioassessment or other means, is not considered in this report which deals specifically with surface water chemistry. Following the Missing Level I Group list is the Present Level I Group list which displays the summary results for each Servicewide Inventory and Monitoring "Level I" water quality parameter group that was found.

Table I. Basic "Level I" Water Quality Parameters Identified as Required and Optional By the Servicewide Inventory and Monitoring Program for "Key" Park Waterbodies

Required Parameter Groups:
(1) Alkalinity
(2) pH
(3) Conductivity
(4) Dissolved Oxygen
(5) Rapid Bioassessment Baseline (EPA/State protocols, involving fish and macroinvertebrates)
(6) Temperature
(7) Flow

Case-By-Case Parameters Groups:
(8) Toxic Elements
(9) Clarity/Turbidity
(10) Nitrate/Nitrogen
(11) Phosphate/Phosphorus
(12) Chlorophyll
(13) Sulfates
(14) Bacteria

The last page of the IDEA summarizes the information from the Missing and Present Level I Group lists. This page provides information on the temporal and spatial distributions of the data. Included in this table are the total number of observations for each parameter group; the number of observations since January 1, 1985; the percent of the total observations since January 1, 1985; the number of stations measuring each parameter group; the percent of the total number of stations with data measuring the parameter group; the number of observations per station with data; the period-of-record for this parameter group; and the average number of observations per year of the period-of-record.

In interpreting the results of the IDEA, the reader should first consult the Missing Level I Group list. For the parameter groups listed, there was no baseline water quality data within the study area entered in STORET. Consequently, these parameter groups could be a higher priority for data collection. It is important, however, to realize that data within these parameter groups may have been already collected but not entered into STORET. The resources for this project did not enable us to pursue thorough literature and file cabinet reviews to dredge up

every last iota of data. If data exists for certain Servicewide Inventory and Monitoring Program "Level I" water quality parameter groups in a park's file cabinet, it is the park's responsibility to factor that data into their IDEA. Consequently, the listing of a parameter group on the Missing "Level I" Group list is not a WRD endorsement to launch a study to collect these data. The IDEA is intended to simply note that no data exist for these parameter groups in STORET for the park. It is the park's responsibility to ascertain whether such data has already been collected by the park or other entities before embarking on a new study. In fact, in the future the WRD will require that any park study plan proposing to collect baseline water quality data show that they have consulted their Baseline Water Quality Data Inventory and Analysis report and searched in other locations (file cabinets, published literature, etc.) for the data they propose to collect. A similar interpretation springs from the Present "Level I" Group list. Insufficient data density in certain time periods for particular parameter groups is not necessarily cause for launching a new inventory and/or monitoring program. The park should still consult with other potential sources of data. Again, the IDEA is designed to provide only a quick check on data in STORET for the Servicewide Inventory and Monitoring Program "Level I" water quality parameter groups.

Water Quality Observations Outside STORET Edit Criteria for Park

STORET data entered after November 1983 were subjected to rudimentary edit/bounds checking for 190 common parameters (See the STORET Edit Criteria in Appendix C). None of the data entered into STORET prior to that time has been subjected to edit/bounds checking. Moreover, to maintain exact comparability with USGS WATSTORE data, WATSTORE data entered into STORET has never been subjected to the EPA edit/bounds checking. During the pilot test phase of this project, obviously incorrect data was identified from both USGS and other agency data in STORET. As a consequence, all data downloaded from STORET was filtered through the STORET edit criteria to identify parameter observation values that fall outside any edit criterion ranges. This section documents the station name, parameter, date, time, parameter value, agency, and STORET station name of every observation that fell outside the range of an edit criterion. Not all data falling outside an edit criterion are necessarily incorrect. Such data may represent unique or special conditions. Consequently, every observation falling outside a STORET edit criterion was scrutinized to determine, in our best professional judgement, whether the value was in the realm of possibility or obviously incorrect. Water quality observations that appeared to be obviously incorrect are marked with an "X" in the Disposition column of this table. These values were not retrieved or included in any of the inventory tables or graphs. Water quality values outside a STORET edit criterion but within the realm of possibility were retained and included in inventory tables and graphs. The Water Quality Observations Outside STORET Edit Criteria for Park table documents all values that were outside an edit criterion range. This documentation is also necessitated by the fact that agencies can override the STORET edit criteria for individual observations. Although the edit criteria eliminate some potentially "bad" data from the report, the probability of other incorrect data, for both the 190 parameters that are edit/bound checked and all the other STORET parameters that aren't error checked, is high. Readers should consult the Caveat section in the Introduction for guidelines on the use and interpretation of STORET data. The responsibility for correcting these observations rests with the collecting agency.

WATER QUALITY RESULTS

OVERVIEW FOR CHCU

Study Area Boundary Description

The study area includes the park and all areas within at least 3 miles upstream of the park unit boundary and at least 1 mile downstream.

	Study Area	Park
GIS Estimated Acreage:	350056	34771
# STORET Stations:	39	9
# Stations With No Data:	0	0
# Stations With No Stat. Analysis:	0	0
# Longer Term Stations:	9	4
Date of STORET Retrieval:	06/27/97	06/27/97
Period of Record:	09/22/75-10/06/83	08/06/76-10/06/83
# Parameters Measured:	204	193
# Water Quality Observations:	12397	7731
# Industrial/Municipal Facilities:	3	0
# Drinking Water Intakes:	0	0
# Water Gages:	14	6
# Water Impoundments:	0	0
# Total Plots:	87	78
# Time Series:	39	37
# Annual:	10	5
# Seasonal:	38	36

Hydrologic Definition of Seasons:

1. July 1 - October 19
2. October 20 - April 9
3. April 10 - June 30

Time Series Plot Criteria:

To be included in the time series plots, a station/parameter combination must have at least 6 years and at least 16 observations.

Annual Analysis Criteria:

To be included in the annual box-and-whisker plots, a station/parameter combination must have at least 9 observations in each of at least 4 years.

To be included in the annual analysis tables, a station/parameter combination must have at least 9 observations in each of at least 4 years.


Seasonal Analysis Criteria:

To be included in the seasonal box-and-whisker plots, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years.

To be included in the seasonal analysis tables, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years.


Chaco Culture National Historical Park

Regional Location Map




Chaco Culture National Historical Park

Water Quality Monitoring Locations



Chaco Culture National Historical Park

Dischargers, Drinking Intakes, Water Gages, & Water Impoundments



Industrial Facility Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Within the CHCU Study Area

Industrial Facility Discharges

Site ID	Station/Facility Name	Address	City	Facility Receiving Water Name
NM0020991	USDIBIA PUEBLO PINTADO BOARDIN	.....	PUEBLO PINTADO	SAN JUAN R BASIN
NM0020630	INDIAN LAND NAVAJO TRIBAL VA (	.....	CROWNPOINT DIV	TR TO KIM ME NI OLI VALLEY
NM0028649	UNITED NUCLEAR CORP DALTON PAS	.....	CROWNPOINT	TR TO KIM ME NI OLI VALLEY R

Drinking Water Intakes

Site ID	Station/Facility Name	City	Population Served	Avg. Daily Production (Gal./Day)

No drinking water intakes available for this study area.

Water Gages

Site ID	Station Name	Site Type	Drainage Area (Square Miles)	Begin Year	End Year
USGS09367682	GALLO WASH AT CHACO NATIONAL MONUMENT, NM	Stream		1977	1982
USGS09367676	CHACO WASH AT EB AT CHACO CANYON NATL MON NM	Stream		1980	1983
USGS09367678	FAJADA WASH AT CHACO CANYON NATL MON NM	Stream		1980	1984
USGS09367680	CHACO WASH AT CHACO CANYON NATIONAL MONUMENT ,NM	Stream	578.00	1976	1990
USGS09367683	CHACO WASH NR PB AT BRIDGE AT CHACO NATL MON NM	Stream		1980	1984
USGS09367685	AH-SHI-SLE-PAH WASH NEAR KIMBETO ,NM	Stream	8.21	1977	1985
USGS09367689	KIM-ME-NI-OIL WASH NR LAKE VALLEY, N.M.	Stream	400.00	1981	1984
USGS360918107564730	A-S-S-P WEST RAINGAGE NR KIMBETO,NM	Climate			
USGS360918107564731	A-S-S-P WEST DATA POD 1 MIN	Climate			
USGS360918107564735	A-S-S-P WEST DATA POD 5 MIN	Climate			
USGS360922107552230	A-S-S-P CENTRAL WEATHER STATION NR KIMBETO,NM	Climate			
USGS360922107552231	A-S-S-P CENTRAL DATA POD 1 MIN	Climate			
USGS360922107552235	A-S-S-P CENTRAL DATA POD 5 MIN	Climate			
USGS354148108083801	17N.12W.17.3333	Well			


Water Impoundments


Site ID	Impoundment Name	Owner	Primary Purpose	Type of Dam	Downstream Hazard	Year Completed

No water impoundments available for this study area.

REPRESENTATIVE PRECIPITATION PLOTS FOR SEASONAL ANALYSIS

CHACO CULTURE NATIONAL HISTORICAL PARK
Chaco Canyon National Monument Station
1647, 42 year record





Plot of average daily precipitation (top) and distribution of total monthly precipitation (bottom) for hydrologic season determination. Box and whiskers represent a five number summary; bottom whisker cap is 10th percentile, bottom of box is 25th percentile, internal line is median, top of box is 75th percentile, and top whisker is 90th percentile. Hydrologic seasons for Chaco Chulture National Historical Park are: Jul. 1 to Oct. 19, Oct. 20 to Apr. 9, and Apr. 10 to Jun. 30.

Data from station within park boundary. Park was renamed in 1980.

CONTACTS FOR AGENCY CODES RETRIEVED FOR CHCU

AGENCY	PRIMARY CONTACT NAME	ORGANIZATION	PHONE NUMBER(S)	
112WRD	WILLIAMS, OWEN	US GEOLOGICAL SURVEY	(703)648-5610	
11NPSWRD	TUCKER, DEAN	NATIONAL PARK SERVICE	(970)225-3516	(970)225-3518

QUANTITY OF DATA RETRIEVED FOR CHCU BY AGENCY CODE

WITHIN THE ENTIRE STUDY AREA (S.A.) AND JUST WITHIN THE PARK

Agency	Organization	Period of Record		Water Quality Stations		Longer Term[!] Stations		No Data Stations		Water Quality Observations		Water Quality Parameters	
		Study Area	Park Only	S.A.	Park	S.A.	Park	S.A.	Park	S.A.	Park	S.A.	Park
112WRD	US GEOLOGICAL SURVEY	09/22/75-10/06/83	08/06/76-10/06/83	32	7	9	4	0	0	12320	7709	203	192
11NPSWRD	NATIONAL PARK SERVICE	05/01/79-05/01/79	05/01/79-05/01/79	7	2	0	0	0	0	77	22	11	11
Totals		09/22/75-10/06/83	08/06/76-10/06/83	39	9	9	4	0	0	12397	7731	204	193

[!]Station With At Least 6 Parameters Having An Average of 1 Or More Observations Per Year During a Period of Record Extending At Least 2 Years.

Station Period of Record Tabulation
From 09/22/75 To 10/06/83

Station Ident.	Location Description	In Park	Total Obs	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75
CHCU0001	20N.07W.15.430	No	26	0	26	0
CHCU0002	21N.07W.27.3332 SPRING	No	37	0	37	0
CHCU0003	20N.07W.17.310	No	28	0	28	0
CHCU0004	21N.07W.14.4441 OJO SOCORRO	No	37	0	37	0
CHCU0005	20N.08W.24.3341 RAMONA SPRING, CHACO CAN NAT MO	No	37	0	37	0
CHCU0006	19N.08W.04.2144 BURRO SPG	No	27	0	27	0
CHCU0007	CHACO CANYON NAT. MON.	No	26	0	26	0
CHCU0008	20N.09W.03.332 CHACO R 8 MI SE VIS CTR CHACO MON	No	20	0	20	0
CHCU0009	21N.09W.17.214 GALLO WASH TANK NR CHACO N.M.,NM	No	35	0	35	0
CHCU0010	21N.09W.17.233 GALLO WASH AT DIKE NR CHACO NM,NM	No	36	0	36	0
CHCU0011	21N.09W.07.333 CCR9 WELL 3 MI NE CHACO N.M.,NM	No	30	0	30	0
CHCU0012	CHACO WASH AT EB AT CHACO CANYON NATL MON NM	Yes	87	0	87	0
CHCU0013	DOME WELL SPILL SITE FOR SAMPLE SEVEN	No	11	0	11	0
CHCU0014	DOME WELL SPILL SITE FOR SAMPLE SIX	No	11	0	11	0
CHCU0015	21N.10W.11.431 DOME OIL WELL NR CHACO N. M.,NM	No	30	0	30	0
CHCU0016	DOME WELL SPILL SITE FOR SAMPLE FIVE	No	11	0	11	0
CHCU0017	DOME WELL SPILL SITE FOR SAMPLE FOUR	No	11	0	11	0
CHCU0018	DOME WELL SPILL SITE FOR SAMPLE THREE	No	11	0	11	0
CHCU0019	DOME WELL SPILL SITE FOR SAMPLE TWO	Yes	11	0	11	0
CHCU0020	DOME WELL SPILL SITE FOR SAMPLE ONE	Yes	11	0	11	0
CHCU0021	GALLO WASH AT CHACO NATIONAL MONUMENT, NM	Yes	137	0	137	0
CHCU0022[1]	FAJADA WASH AT CHACO CANYON NATL MON NM	Yes	293	0	293	0
CHCU0023[1]	CHACO WASH AT CHACO CANYON NAT. MONUMENT ,NM	Yes	5934	0	5934	0
CHCU0024	22N.10W.08.3112 POND IN AHSHISLEPAH WASH NR DIKE	No	31	0	31	0
CHCU0025	22N.10W.07.143 AHSHISLEPAH WASH,6 M W KIMBETO,NM	No	38	0	38	0
CHCU0026[1]	AH-SHI-SLE-PAH WASH NEAR KIMBETO ,NM	No	1835	0	1835	0
CHCU0027	22N.11W.24.214 TSOSIE SWALE NR KIMBETO,NM	No	381	0	381	0
CHCU0028[1]	22N.11W.25.433 ESCAVADO WASH AT HIWAY 56 BR.,NM	No	255	0	255	0
CHCU0029[1]	CHACO WASH NR PB AT BRIDGE AT CHACO NATL MON NM	Yes	489	0	489	0
CHCU0030[1]	22N.11W.26.432 ESCAVADO WASH WELL NR CHACO TP,NM	No	482	0	482	0
CHCU0031[1]	21N.11W.05.4220 CHACO R BL E.WASH,CHACO N.M.,NM	No	78	0	78	0
CHCU0032[1]	21N.11W.07.242 CHACO R WELL BL CHACO MON.,NM	No	594	0	594	0
CHCU0033	21N.12W.01.3412 KIN KLIZHIN WASH NR CHACO NM.,NM	No	78	0	78	0
CHCU0034	20N.12W.33.331 KMNO WASH 6 MI E MILK LK,NM	No	134	0	134	0
CHCU0035	KIM-ME-NI-OLI WASH NR LAKE VALLEY NM	Yes	426	0	426	0
CHCU0036[1]	20N.12W.08.323 KMNO WASH 9 MI S LK. V. SCHOOL,NM	Yes	343	0	343	0
CHCU0037	20N.12W.18.422 BIA IK-9 WELL 9 MI S LK VALLEY,NM	No	38	0	38	0
CHCU0038	21N.12W.07.222 KMNO WASH 1.1 MI S L.V. SCHOOL,NM	No	235	0	235	0
CHCU0039	21N.12W.31.414 KMNO WASH AT DIKE	No	63	0	63	0

[1]Longer Term Station With At Least 6 Parameters Having An Average of 1 Or More Observations Per Year During a Period of Record Extending At Least 2 Years.

Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Parameter Code	Name	Total Obs	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Stations Total	Stations Park
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	638	0	638	0	29	7
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	44	0	44	0	12	6
00025	BAROMETRIC PRESSURE (MM OF HG)	7	0	7	0	4	4
00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	135	0	135	0	11	6
00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	312	0	312	0	17	7
00060	FLOW, STREAM, MEAN DAILY CFS	48	0	48	0	3	1
00061	FLOW, STREAM, INSTANTANEOUS CFS	885	0	885	0	21	7
00065	STAGE, STREAM (FEET)	39	0	39	0	4	3
00070	TURBIDITY, (JACKSON CANDLE UNITS)	4	0	4	0	2	1
00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	1	0	1	0	1	0
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	301	0	301	0	38	9
00300	OXYGEN, DISSOLVED MG/L	28	0	28	0	10	6
00340	COD, .25N K2CR2O7 MG/L	9	0	9	0	6	2
00400	PH (STANDARD UNITS)	298	0	298	0	38	9
00403	PH, LAB, STANDARD UNITS SU	47	0	47	0	11	6
00405	CARBON DIOXIDE (MG/L AS CO2)	134	0	134	0	23	3
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	148	0	148	0	23	3
00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	7	0	7	0	7	2
00435	ACIDITY, TOTAL (MG/L AS CACO3)	1	0	1	0	1	0
00440	BICARBONATE ION (MG/L AS HCO3)	141	0	141	0	30	5
00445	CARBONATE ION (MG/L AS CO3)	73	0	73	0	30	5
00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	7	0	7	0	3	1
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	7	0	7	0	3	1
00600	NITROGEN, TOTAL (MG/L AS N)	46	0	46	0	12	6
00602	NITROGEN, DISSOLVED (MG/L AS N)	5	0	5	0	5	1
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	51	0	51	0	15	7
00607	NITROGEN, ORGANIC, DISSOLVED (MG/L AS N)	6	0	6	0	3	1
00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	6	0	6	0	3	1
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	54	0	54	0	15	7
00611	NITROGEN, AMMONIA, BOTTOM DEPOSITS (MG/KG-N)	7	0	7	0	4	3
00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	4	0	4	0	3	1
00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	2	0	2	0	1	1
00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	4	0	4	0	3	1
00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	2	0	2	0	1	1
00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	15	0	15	0	6	2
00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	10	0	10	0	6	2
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	57	0	57	0	15	7
00626	NITROGEN,ORG. KJEL.,BOT. DEPOS. (MG/KG-N DRY WGT)	8	0	8	0	5	3
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	51	0	51	0	12	6
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	72	0	72	0	27	6
00633	NITRITE PLUS NITRATE,BOT. DEPOS. (MG/KG-N DRY WT)	8	0	8	0	5	3
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	4	0	4	0	1	1
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	58	0	58	0	21	6
00665	PHOSPHORUS, TOTAL (MG/L AS P)	58	0	58	0	15	7
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	27	0	27	0	8	3
00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	11	0	11	0	8	4
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	60	0	60	0	21	6
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	92	0	92	0	14	2
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	51	0	51	0	10	3
00687	CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C)	1	0	1	0	1	0
00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	24	0	24	0	7	2
00691	CARBON, DISSOLVED INORGANIC (MG/L AS C)	1	0	1	0	1	0
00693	CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG)	2	0	2	0	2	2
00745	SULFIDE, TOTAL (MG/L AS S)	5	0	5	0	4	0
00900	HARDNESS, TOTAL (MG/L AS CACO3)	113	0	113	0	37	9
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	71	0	71	0	23	3
00915	CALCIUM, DISSOLVED (MG/L AS CA)	119	0	119	0	30	7
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	118	0	118	0	30	7
00930	SODIUM, DISSOLVED (MG/L AS NA)	126	0	126	0	37	9
00931	SODIUM ADSORPTION RATIO	106	0	106	0	30	7
00932	SODIUM, PERCENT	107	0	107	0	30	7
00933	SODIUM,PLUS POTASSIUM (MG/L)	8	0	8	0	4	1
00935	POTASSIUM, DISSOLVED (MG/L AS K)	135	0	135	0	37	9
00940	CHLORIDE,TOTAL IN WATER MG/L	127	0	127	0	37	9
00945	SULFATE, TOTAL (MG/L AS SO4)	127	0	127	0	37	9
00950	FLUORIDE, DISSOLVED (MG/L AS F)	120	0	120	0	30	7
00955	SILICA, DISSOLVED (MG/L AS SI02)	120	0	120	0	30	7
01000	ARSENIC, DISSOLVED (UG/L AS AS)	80	0	80	0	12	4
01001	ARSENIC, SUSPENDED (UG/L AS AS)	52	0	52	0	12	5
01002	ARSENIC, TOTAL (UG/L AS AS)	161	0	161	0	21	7
01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	14	0	14	0	8	4

Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Parameter Code	Name	Total Obs	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Stations Total	Stations Park
01005	BARIUM, DISSOLVED (UG/L AS BA)	85	0	85	0	13	6
01006	BARIUM, SUSPENDED (UG/L AS BA)	47	0	47	0	13	6
01007	BARIUM, TOTAL (UG/L AS BA)	136	0	136	0	19	7
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	29	0	29	0	9	4
01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	6	0	6	0	6	1
01012	BERYLLIUM, TOTAL (UG/L AS BE)	16	0	16	0	10	5
01020	BORON, DISSOLVED (UG/L AS B)	149	0	149	0	30	7
01021	BORON, SUSPENDED (UG/L AS B)	25	0	25	0	3	1
01022	BORON, TOTAL (UG/L AS B)	112	0	112	0	11	2
01025	CADMIUM, DISSOLVED (UG/L AS CD)	48	0	48	0	11	4
01026	CADMIUM, SUSPENDED (UG/L AS CD)	13	0	13	0	8	2
01027	CADMIUM, TOTAL (UG/L AS CD)	61	0	61	0	17	6
01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	12	0	12	0	8	4
01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	12	0	12	0	8	4
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	51	0	51	0	11	4
01031	CHROMIUM, SUSPEND (UG/L AS CR)	17	0	17	0	9	3
01032	CHROMIUM, HEXAVALENT (UG/L AS CR)	1	0	1	0	1	0
01034	CHROMIUM, TOTAL (UG/L AS CR)	62	0	62	0	19	6
01035	COBALT, DISSOLVED (UG/L AS CO)	33	0	33	0	9	3
01036	COBALT, SUSPENDED (UG/L AS CO)	11	0	11	0	7	2
01037	COBALT, TOTAL (UG/L AS CO)	22	0	22	0	8	2
01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	12	0	12	0	8	4
01040	COPPER, DISSOLVED (UG/L AS CU)	42	0	42	0	11	4
01041	COPPER, SUSPENDED (UG/L AS CU)	20	0	20	0	10	4
01042	COPPER, TOTAL (UG/L AS CU)	35	0	35	0	12	6
01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	12	0	12	0	8	4
01044	IRON, SUSPENDED (UG/L AS FE)	72	0	72	0	12	6
01045	IRON, TOTAL (UG/L AS FE)	152	0	152	0	16	7
01046	IRON, DISSOLVED (UG/L AS FE)	156	0	156	0	25	7
01049	LEAD, DISSOLVED (UG/L AS PB)	79	0	79	0	12	4
01050	LEAD, SUSPENDED (UG/L AS PB)	31	0	31	0	10	3
01051	LEAD, TOTAL (UG/L AS PB)	147	0	147	0	21	7
01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	12	0	12	0	8	4
01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	12	0	12	0	8	4
01054	MANGANESE, SUSPENDED (UG/L AS MN)	79	0	79	0	13	6
01055	MANGANESE, TOTAL (UG/L AS MN)	157	0	157	0	17	7
01056	MANGANESE, DISSOLVED (UG/L AS MN)	112	0	112	0	13	6
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	25	0	25	0	8	3
01061	MOLYBDENUM, SUSPENDED (UG/L AS MO)	6	0	6	0	5	1
01062	MOLYBDENUM, TOTAL (UG/L AS MO)	10	0	10	0	7	2
01063	MOLYBDENUM IN BOT. DEPOSITS (MG/KG AS MO DRY WGT)	5	0	5	0	4	1
01065	NICKEL, DISSOLVED (UG/L AS NI)	29	0	29	0	9	4
01066	NICKEL, SUSPENDED (UG/L AS NI)	8	0	8	0	7	2
01067	NICKEL, TOTAL (UG/L AS NI)	16	0	16	0	10	5
01075	SILVER, DISSOLVED (UG/L AS AG)	11	0	11	0	6	2
01076	SILVER, SUSPENDED (UG/L AS AG)	5	0	5	0	5	2
01077	SILVER, TOTAL (UG/L AS AG)	10	0	10	0	5	2
01080	STRONTIUM, DISSOLVED (UG/L AS SR)	36	0	36	0	11	6
01081	STRONTIUM, SUSPENDED (UG/L AS SR)	16	0	16	0	9	6
01082	STRONTIUM, TOTAL (UG/L AS SR)	32	0	32	0	12	6
01085	VANADIUM, DISSOLVED (UG/L AS V)	26	0	26	0	8	3
01090	ZINC, DISSOLVED (UG/L AS ZN)	42	0	42	0	11	4
01091	ZINC, SUSPENDED (UG/L ZN)	20	0	20	0	10	4
01092	ZINC, TOTAL (UG/L AS ZN)	33	0	33	0	12	6
01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	12	0	12	0	8	4
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	4	0	4	0	3	1
01096	ANTIMONY, SUSPENDED (UG/L AS SB)	4	0	4	0	3	1
01097	ANTIMONY, TOTAL (UG/L AS SB)	4	0	4	0	3	1
01105	ALUMINUM, TOTAL (UG/L AS AL)	7	0	7	0	6	1
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	22	0	22	0	7	2
01107	ALUMINUM, SUSPENDED (UG/L AS AL)	4	0	4	0	3	1
01130	LITHIUM, DISSOLVED (UG/L AS LI)	49	0	49	0	12	6
01131	LITHIUM, SUSPENDED (UG/L AS LI)	21	0	21	0	11	6
01132	LITHIUM, TOTAL (UG/L AS LI)	45	0	45	0	19	6
01145	SELENIUM, DISSOLVED (UG/L AS SE)	48	0	48	0	11	4
01146	SELENIUM, SUSPENDED (UG/L AS SE)	19	0	19	0	10	4
01147	SELENIUM, TOTAL (UG/L AS SE)	78	0	78	0	19	7
01148	SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT)	7	0	7	0	5	1
01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	12	0	12	0	8	4
01515	ALPHA, DISSOLVED GROSS, AS URANIUM-NATURAL, PC/L	26	0	26	0	5	2
01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	34	0	34	0	9	3

Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Parameter Code	Name	Total Obs	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Stations Total	Stations Park
03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	47	0	47	0	11	3
03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	43	0	43	0	10	3
09510	RADIUM 226, DISSOLVED, PLANCHET COUNT	7	0	7	0	2	1
09511	RADIUM 226, DISSOLVED, RADON METHOD	27	0	27	0	9	3
11501	RADIUM 228, TOTAL	3	0	3	0	2	2
22703	URANIUM, NATURAL, DISSOLVED	18	0	18	0	8	3
28011	URANIUM,NATURAL,TOTAL UG/L AS U	2	0	2	0	2	2
60050	ALGAE, TOTAL (CELLS/ML)	2	0	2	0	2	1
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	67	0	67	0	18	8
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	80	0	80	0	27	4
70302	SOLIDS, DISSOLVED-TONS PER DAY	67	0	67	0	15	6
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	102	0	102	0	30	7
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	545	0	545	0	19	7
70332	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .125MM	1	0	1	0	1	1
70337	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .002MM	22	0	22	0	3	2
70338	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .004MM	22	0	22	0	3	2
70340	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .016MM	22	0	22	0	3	2
70342	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .062MM	20	0	20	0	3	2
70343	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .125MM	19	0	19	0	3	2
70344	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .250MM	18	0	18	0	3	2
70345	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .500MM	5	0	5	0	2	1
70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	1	0	1	0	1	1
71825	ACIDITY, TOTAL (MG/L AS H)	1	0	1	0	1	0
71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH4)	13	0	13	0	5	1
71846	NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4)	6	0	6	0	3	1
71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	4	0	4	0	3	1
71856	NITRITE NITROGEN, DISSOLVED (MG/L AS NO2)	4	0	4	0	3	1
71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	28	0	28	0	11	6
71887	NITROGEN, TOTAL, AS NO3 - MG/L	46	0	46	0	12	6
71890	MERCURY, DISSOLVED (UG/L AS HG)	49	0	49	0	11	4
71895	MERCURY, SUSPENDED (UG/L AS HG)	23	0	23	0	11	4
71900	MERCURY, TOTAL (UG/L AS HG)	68	0	68	0	19	7
71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	12	0	12	0	8	4
72000	ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL)	1	0	1	0	1	1
72004	PUMP OR FLOW PERIOD PRIOR TO SAMPLING MINUTES	1	0	1	0	1	0
72005	SAMPLE SOURCE CODE (BM WELL DATA)	405	0	405	0	19	6
72019	DEPTH TO WATER LEVEL (FEET BELOW LAND SURFACE)	4	0	4	0	2	0
80010	URANIUM,DISS.,BY DIRECT FLUOROMETRIC METHOD,PC/L	1	0	1	0	1	1
80020	URANIUM,DISS.,BY EXTRACTION FLUOROMETRIC METHOD	12	0	12	0	5	3
80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	47	0	47	0	11	3
80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	43	0	43	0	10	3
80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	43	0	43	0	11	3
80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	39	0	39	0	10	3
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	882	0	882	0	18	7
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	762	0	762	0	16	6
80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	9	0	9	0	7	4
80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	9	0	9	0	7	4
80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	9	0	9	0	7	4
80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	8	0	8	0	7	4
80162	BED MATERIAL FALL DIAMETER, % FINER THAN 1.00MM	2	0	2	0	2	1
80163	BED MATERIAL FALL DIAMETER, % FINER THAN 2.00MM	1	0	1	0	1	0
80164	BED MATERIAL SIEVE DIAMETER,% FINER THAN .062MM	3	0	3	0	1	1
80168	BED MATERIAL SIEVE DIAMETER,% FINER THAN 1.00MM	3	0	3	0	3	1
80169	BED MATERIAL SIEVE DIAMETER,% FINER THAN 2.00MM	6	0	6	0	4	2
80170	BED MATERIAL SIEVE DIAMETER,% FINER THAN 4.00MM	3	0	3	0	3	1
80171	BED MATERIAL SIEVE DIAMETER,% FINER THAN 8.00MM	3	0	3	0	3	1
80172	BED MATERIAL SIEVE DIAMETER,% FINER THAN 16.0MM	2	0	2	0	2	1
80173	BED MATERIAL SIEVE DIAMETER,% FINER THAN 32.0MM	1	0	1	0	1	0
82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	10	0	10	0	7	5
82398	SAMPLING METHOD (CODES)	2	0	2	0	2	1
84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	34	0	34	0	20	1
84001	AQUIFER NAME CODE (SEE USGS CATALOG)	34	0	34	0	20	1

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0001	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/22/75-09/22/75	0	1	
CHCU0002	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	01/28/76-01/28/76	0	1	
CHCU0003	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/22/75-09/22/75	0	1	
CHCU0004	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	01/27/76-01/27/76	0	1	
CHCU0005	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	01/28/76-01/28/76	0	1	
CHCU0006	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/22/75-09/22/75	0	1	
CHCU0007	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/22/75-09/22/75	0	1	
CHCU0009	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/28/78-03/28/78	0	1	
CHCU0010	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/28/78-03/28/78	0	1	
CHCU0011	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	06/30/81-08/24/82	1	2	
CHCU0015	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	02/12/79-02/16/79	0	2	
CHCU0022	Yes	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	7	545	
CHCU0024	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	06/09/76-06/09/76	0	1	
CHCU0025	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	04/02/76-05/13/77	1	2	
CHCU0026	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	02/08/78-03/17/83	5	19	
CHCU0028	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	02/17/77-11/03/78	1	5	
CHCU0029	Yes	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	06/30/81-10/06/83	2	9	
CHCU0030	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	12/19/77-09/08/80	2	7	
CHCU0032	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	12/19/77-04/12/82	4	9	
CHCU0033	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/21/76-07/21/76	0	1	
CHCU0034	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/06/81-08/16/83	1	9	
CHCU0036	Yes	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/27/78-08/18/81	3	4	
CHCU0037	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/27/78-03/27/78	0	1	
CHCU0038	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/18/81-06/09/82	0	2	
CHCU0039	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/18/81-06/09/82	0	2	
CHCU0021	Yes	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	07/29/82-10/06/83	1	3	
CHCU0023	Yes	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	08/06/76-08/29/83	7	6	
CHCU0026	No	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	03/16/81-03/17/83	2	3	
CHCU0029	Yes	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	01/24/83-10/06/83	0	3	
CHCU0030	No	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	12/19/77-09/08/80	2	7	
CHCU0032	No	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	12/19/77-04/12/82	4	8	
CHCU0034	No	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	08/18/81-08/18/81	0	2	
CHCU0038	No	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	08/18/81-06/09/82	0	2	
CHCU0039	No	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	00025	BAROMETRIC PRESSURE (MM OF HG)	01/24/83-01/24/83	0	1	
CHCU0023	Yes	00025	BAROMETRIC PRESSURE (MM OF HG)	01/24/83-01/24/83	0	1	
CHCU0029	Yes	00025	BAROMETRIC PRESSURE (MM OF HG)	01/24/83-01/24/83	0	1	
CHCU0035	Yes	00025	BAROMETRIC PRESSURE (MM OF HG)	08/18/82-08/16/83	0	4	
CHCU0012	Yes	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	08/24/82-08/24/82	0	1	
CHCU0021	Yes	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	10/06/83-10/06/83	0	1	
CHCU0022	Yes	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	07/29/82-10/06/83	1	4	
CHCU0023	Yes	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	03/31/82-10/06/83	1	34	
CHCU0026	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	01/26/82-08/11/83	1	26	
CHCU0029	Yes	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	07/29/82-10/06/83	1	54	
CHCU0032	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	04/12/82-04/12/82	0	1	
CHCU0034	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	06/08/82-06/08/82	0	1	
CHCU0035	Yes	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	11/06/81-08/16/83	1	11	
CHCU0038	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	06/09/82-06/09/82	0	1	
CHCU0039	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	06/09/82-06/09/82	0	1	
CHCU0012	Yes	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	06/30/81-08/24/82	1	2	
CHCU0021	Yes	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	01/18/79-10/06/83	4	11	
CHCU0022	Yes	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	05/03/78-10/06/83	5	92	
CHCU0026	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	05/07/78-08/11/83	5	80	
CHCU0027	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	05/07/78-03/03/80	1	17	
CHCU0028	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	05/09/78-07/13/81	3	6	
CHCU0029	Yes	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	06/30/81-10/06/83	2	56	
CHCU0030	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	10/12/78-09/08/80	1	5	
CHCU0031	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	05/07/78-09/26/78	0	2	
CHCU0032	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	10/12/78-04/12/82	3	7	
CHCU0033	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	05/07/78-05/08/78	0	2	
CHCU0034	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	08/18/81-06/08/82	0	2	
CHCU0035	Yes	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	11/06/81-08/16/83	1	11	
CHCU0036	Yes	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	09/24/78-08/18/81	2	9	
CHCU0038	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	08/18/81-06/09/82	0	2	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0039	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	00060	FLOW, STREAM, MEAN DAILY CFS	02/12/77-03/13/79	2	45	
CHCU0026	No	00060	FLOW, STREAM, MEAN DAILY CFS	05/08/78-09/24/78	0	2	
CHCU0027	No	00060	FLOW, STREAM, MEAN DAILY CFS	05/07/78-05/07/78	0	1	
CHCU0001	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	09/22/75-09/22/75	0	1	
CHCU0003	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	09/22/75-09/22/75	0	1	
CHCU0008	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	01/14/76-01/14/76	0	1	
CHCU0010	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00061	FLOW, STREAM, INSTANTANEOUS CFS	06/30/81-08/24/82	1	2	
CHCU0021	Yes	00061	FLOW, STREAM, INSTANTANEOUS CFS	01/18/79-08/17/79	0	10	
CHCU0022	Yes	00061	FLOW, STREAM, INSTANTANEOUS CFS	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	7	599	
CHCU0024	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	06/09/76-06/09/76	0	1	
CHCU0025	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	04/02/76-05/13/77	1	2	
CHCU0026	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	07/18/77-08/11/83	6	147	
CHCU0027	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	05/07/78-11/08/79	1	18	
CHCU0028	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	02/17/77-07/13/81	4	10	
CHCU0029	Yes	00061	FLOW, STREAM, INSTANTANEOUS CFS	06/30/81-10/06/83	2	54	
CHCU0031	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	08/01/76-09/26/78	2	5	
CHCU0033	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	07/08/76-08/19/76	0	3	
CHCU0034	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00061	FLOW, STREAM, INSTANTANEOUS CFS	11/06/81-08/16/83	1	9	
CHCU0036	Yes	00061	FLOW, STREAM, INSTANTANEOUS CFS	03/27/78-08/18/81	3	10	
CHCU0038	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	08/18/81-06/09/82	0	2	
CHCU0039	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	08/18/81-06/09/82	0	2	
CHCU0023	Yes	00065	STAGE, STREAM (FEET)	07/17/77-08/29/83	6	21	
CHCU0026	No	00065	STAGE, STREAM (FEET)	07/18/77-05/08/78	0	16	
CHCU0029	Yes	00065	STAGE, STREAM (FEET)	08/29/83-08/29/83	0	1	
CHCU0035	Yes	00065	STAGE, STREAM (FEET)	08/16/83-08/16/83	0	1	
CHCU0023	Yes	00070	TURBIDITY, (JACKSON CANDLE UNITS)	02/12/77-07/16/77	0	3	
CHCU0028	No	00070	TURBIDITY, (JACKSON CANDLE UNITS)	02/17/77-02/17/77	0	1	
CHCU0026	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/24/78-09/24/78	0	1	
CHCU0001	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/22/75-09/22/75	0	1	
CHCU0002	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	01/28/76-01/28/76	0	1	
CHCU0003	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/22/75-09/22/75	0	1	
CHCU0004	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	01/27/76-01/27/76	0	1	
CHCU0005	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	01/28/76-01/28/76	0	1	
CHCU0006	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/22/75-09/22/75	0	1	
CHCU0007	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/22/75-09/22/75	0	1	
CHCU0009	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/28/78-03/28/78	0	1	
CHCU0010	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/28/78-03/28/78	0	1	
CHCU0011	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	06/30/81-08/24/82	1	2	
CHCU0013	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	0	1	
CHCU0014	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	0	1	
CHCU0015	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/28/78-03/28/78	0	1	
CHCU0016	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	0	1	
CHCU0017	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	0	1	
CHCU0018	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	0	1	
CHCU0019	Yes	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	0	1	
CHCU0020	Yes	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	0	1	
CHCU0021	Yes	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	01/18/79-08/17/79	0	10	
CHCU0022	Yes	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	7	112	T,A,S
CHCU0024	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	06/09/76-06/09/76	0	1	
CHCU0025	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	04/02/76-04/02/76	0	1	
CHCU0026	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	07/18/77-03/17/83	5	74	A
CHCU0027	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/07/78-03/03/80	1	17	
CHCU0028	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	02/17/77-07/13/81	4	8	
CHCU0029	Yes	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	06/30/81-10/06/83	2	6	
CHCU0030	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	12/19/77-09/08/80	2	7	
CHCU0031	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/01/76-09/26/78	2	3	
CHCU0032	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	12/19/77-04/12/82	4	9	
CHCU0033	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	07/08/76-05/08/78	1	5	
CHCU0034	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/27/78-08/18/81	3	10	
CHCU0037	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/27/78-03/27/78	0	1	
CHCU0038	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/18/81-06/09/82	0	2	
CHCU0039	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/18/81-06/09/82	0	2	
CHCU0021	Yes	00300	OXYGEN, DISSOLVED MG/L	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00300	OXYGEN, DISSOLVED MG/L	01/24/83-01/24/83	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0023	Yes	00300	OXYGEN, DISSOLVED MG/L	01/24/83-01/24/83	0	1	
CHCU0029	Yes	00300	OXYGEN, DISSOLVED MG/L	01/24/83-01/24/83	0	1	
CHCU0030	No	00300	OXYGEN, DISSOLVED MG/L	12/19/77-09/08/80	2	7	
CHCU0032	No	00300	OXYGEN, DISSOLVED MG/L	12/19/77-09/08/80	2	7	
CHCU0034	No	00300	OXYGEN, DISSOLVED MG/L	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00300	OXYGEN, DISSOLVED MG/L	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00300	OXYGEN, DISSOLVED MG/L	08/18/81-08/18/81	0	1	
CHCU0038	No	00300	OXYGEN, DISSOLVED MG/L	08/18/81-06/09/82	0	2	
CHCU0023	Yes	00340	COD, .25N K2CR2O7 MG/L	02/12/77-07/16/77	0	3	
CHCU0028	No	00340	COD, .25N K2CR2O7 MG/L	02/17/77-02/17/77	0	1	
CHCU0032	No	00340	COD, .25N K2CR2O7 MG/L	04/12/82-04/12/82	0	1	
CHCU0034	No	00340	COD, .25N K2CR2O7 MG/L	08/18/81-08/18/81	0	1	
CHCU0036	Yes	00340	COD, .25N K2CR2O7 MG/L	08/18/81-08/18/81	0	1	
CHCU0038	No	00340	COD, .25N K2CR2O7 MG/L	08/18/81-06/09/82	0	2	
CHCU0001	No	00400	PH (STANDARD UNITS)	09/22/75-09/22/75	0	1	
CHCU0002	No	00400	PH (STANDARD UNITS)	01/28/76-01/28/76	0	1	
CHCU0003	No	00400	PH (STANDARD UNITS)	09/22/75-09/22/75	0	1	
CHCU0004	No	00400	PH (STANDARD UNITS)	01/27/76-01/27/76	0	1	
CHCU0005	No	00400	PH (STANDARD UNITS)	01/28/76-01/28/76	0	1	
CHCU0006	No	00400	PH (STANDARD UNITS)	09/22/75-09/22/75	0	1	
CHCU0007	No	00400	PH (STANDARD UNITS)	09/22/75-09/22/75	0	1	
CHCU0009	No	00400	PH (STANDARD UNITS)	03/28/78-03/28/78	0	1	
CHCU0010	No	00400	PH (STANDARD UNITS)	03/28/78-03/28/78	0	1	
CHCU0011	No	00400	PH (STANDARD UNITS)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00400	PH (STANDARD UNITS)	06/30/81-08/24/82	1	2	
CHCU0013	No	00400	PH (STANDARD UNITS)	05/01/79-05/01/79	0	1	
CHCU0014	No	00400	PH (STANDARD UNITS)	05/01/79-05/01/79	0	1	
CHCU0015	No	00400	PH (STANDARD UNITS)	03/28/78-03/28/78	0	1	
CHCU0016	No	00400	PH (STANDARD UNITS)	05/01/79-05/01/79	0	1	
CHCU0017	No	00400	PH (STANDARD UNITS)	05/01/79-05/01/79	0	1	
CHCU0018	No	00400	PH (STANDARD UNITS)	05/01/79-05/01/79	0	1	
CHCU0019	Yes	00400	PH (STANDARD UNITS)	05/01/79-05/01/79	0	1	
CHCU0020	Yes	00400	PH (STANDARD UNITS)	05/01/79-05/01/79	0	1	
CHCU0021	Yes	00400	PH (STANDARD UNITS)	01/18/79-08/17/79	0	10	
CHCU0022	Yes	00400	PH (STANDARD UNITS)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00400	PH (STANDARD UNITS)	08/06/76-10/06/83	7	110	T,A,S
CHCU0024	No	00400	PH (STANDARD UNITS)	06/09/76-06/09/76	0	1	
CHCU0025	No	00400	PH (STANDARD UNITS)	04/02/76-04/02/76	0	1	
CHCU0026	No	00400	PH (STANDARD UNITS)	07/18/77-03/17/83	5	74	A
CHCU0027	No	00400	PH (STANDARD UNITS)	05/07/78-03/03/80	1	17	
CHCU0028	No	00400	PH (STANDARD UNITS)	02/17/77-07/13/81	4	8	
CHCU0029	Yes	00400	PH (STANDARD UNITS)	06/30/81-10/06/83	2	6	
CHCU0030	No	00400	PH (STANDARD UNITS)	12/19/77-09/08/80	2	7	
CHCU0031	No	00400	PH (STANDARD UNITS)	08/01/76-09/26/78	2	3	
CHCU0032	No	00400	PH (STANDARD UNITS)	12/19/77-04/12/82	4	9	
CHCU0033	No	00400	PH (STANDARD UNITS)	07/08/76-05/08/78	1	5	
CHCU0034	No	00400	PH (STANDARD UNITS)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00400	PH (STANDARD UNITS)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00400	PH (STANDARD UNITS)	03/27/78-08/18/81	3	10	
CHCU0037	No	00400	PH (STANDARD UNITS)	03/27/78-03/27/78	0	1	
CHCU0038	No	00400	PH (STANDARD UNITS)	08/18/81-06/09/82	0	2	
CHCU0039	No	00400	PH (STANDARD UNITS)	08/18/81-08/18/81	0	1	
CHCU0012	Yes	00403	PH, LAB, STANDARD UNITS SU	06/30/81-08/24/82	1	2	
CHCU0022	Yes	00403	PH, LAB, STANDARD UNITS SU	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00403	PH, LAB, STANDARD UNITS SU	06/30/81-10/06/83	2	10	
CHCU0026	No	00403	PH, LAB, STANDARD UNITS SU	03/16/81-03/17/83	2	5	
CHCU0029	Yes	00403	PH, LAB, STANDARD UNITS SU	06/30/81-10/06/83	2	8	
CHCU0032	No	00403	PH, LAB, STANDARD UNITS SU	03/18/81-04/12/82	1	2	
CHCU0034	No	00403	PH, LAB, STANDARD UNITS SU	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00403	PH, LAB, STANDARD UNITS SU	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00403	PH, LAB, STANDARD UNITS SU	04/22/81-08/18/81	0	3	
CHCU0038	No	00403	PH, LAB, STANDARD UNITS SU	08/18/81-06/09/82	0	2	
CHCU0039	No	00403	PH, LAB, STANDARD UNITS SU	08/18/81-06/09/82	0	2	
CHCU0001	No	00405	CARBON DIOXIDE (MG/L AS CO2)	09/22/75-09/22/75	0	1	
CHCU0002	No	00405	CARBON DIOXIDE (MG/L AS CO2)	01/28/76-01/28/76	0	1	
CHCU0003	No	00405	CARBON DIOXIDE (MG/L AS CO2)	09/22/75-09/22/75	0	1	
CHCU0004	No	00405	CARBON DIOXIDE (MG/L AS CO2)	01/27/76-01/27/76	0	1	
CHCU0005	No	00405	CARBON DIOXIDE (MG/L AS CO2)	01/28/76-01/28/76	0	1	
CHCU0006	No	00405	CARBON DIOXIDE (MG/L AS CO2)	09/22/75-09/22/75	0	1	
CHCU0007	No	00405	CARBON DIOXIDE (MG/L AS CO2)	09/22/75-09/22/75	0	1	
CHCU0009	No	00405	CARBON DIOXIDE (MG/L AS CO2)	03/28/78-03/28/78	0	1	
CHCU0010	No	00405	CARBON DIOXIDE (MG/L AS CO2)	03/28/78-03/28/78	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0011	No	00405	CARBON DIOXIDE (MG/L AS CO2)	03/28/78-03/28/78	0	1	
CHCU0015	No	00405	CARBON DIOXIDE (MG/L AS CO2)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	00405	CARBON DIOXIDE (MG/L AS CO2)	02/12/79-02/12/79	0	1	
CHCU0023	Yes	00405	CARBON DIOXIDE (MG/L AS CO2)	08/06/76-03/13/79	2	46	
CHCU0024	No	00405	CARBON DIOXIDE (MG/L AS CO2)	06/09/76-06/09/76	0	1	
CHCU0025	No	00405	CARBON DIOXIDE (MG/L AS CO2)	04/02/76-04/02/76	0	1	
CHCU0026	No	00405	CARBON DIOXIDE (MG/L AS CO2)	07/18/77-09/30/81	4	36	
CHCU0027	No	00405	CARBON DIOXIDE (MG/L AS CO2)	05/07/78-03/03/80	1	12	
CHCU0028	No	00405	CARBON DIOXIDE (MG/L AS CO2)	02/17/77-07/13/81	4	5	
CHCU0030	No	00405	CARBON DIOXIDE (MG/L AS CO2)	12/19/77-09/08/80	2	7	
CHCU0032	No	00405	CARBON DIOXIDE (MG/L AS CO2)	12/19/77-04/12/82	4	8	
CHCU0033	No	00405	CARBON DIOXIDE (MG/L AS CO2)	07/21/76-07/21/76	0	1	
CHCU0036	Yes	00405	CARBON DIOXIDE (MG/L AS CO2)	03/27/78-04/22/81	3	4	
CHCU0037	No	00405	CARBON DIOXIDE (MG/L AS CO2)	03/27/78-03/27/78	0	1	
CHCU0001	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0002	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	01/28/76-01/28/76	0	1	
CHCU0003	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0004	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	01/27/76-01/27/76	0	1	
CHCU0005	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	01/28/76-01/28/76	0	1	
CHCU0006	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0007	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0009	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	0	1	
CHCU0010	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	0	1	
CHCU0011	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	0	1	
CHCU0015	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	02/12/79-02/12/79	0	1	
CHCU0023	Yes	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	08/06/76-02/25/80	3	54	
CHCU0024	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	06/09/76-06/09/76	0	1	
CHCU0025	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	04/02/76-04/02/76	0	1	
CHCU0026	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	07/18/77-09/30/81	4	39	
CHCU0027	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	05/07/78-03/03/80	1	13	
CHCU0028	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	02/17/77-07/13/81	4	7	
CHCU0030	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	12/19/77-09/08/80	2	7	
CHCU0032	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	12/19/77-04/12/82	4	8	
CHCU0033	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	07/21/76-07/21/76	0	1	
CHCU0036	Yes	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	03/27/78-04/22/81	3	4	
CHCU0037	No	00410	ALKALINITY, TOTAL (MG/L AS CACO3)	03/27/78-03/27/78	0	1	
CHCU0013	No	00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0014	No	00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0016	No	00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0017	No	00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0018	No	00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0019	Yes	00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0020	Yes	00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0006	No	00435	ACIDITY, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0001	No	00440	BICARBONATE ION (MG/L AS HCO3)	09/22/75-09/22/75	0	1	
CHCU0002	No	00440	BICARBONATE ION (MG/L AS HCO3)	01/28/76-01/28/76	0	1	
CHCU0003	No	00440	BICARBONATE ION (MG/L AS HCO3)	09/22/75-09/22/75	0	1	
CHCU0004	No	00440	BICARBONATE ION (MG/L AS HCO3)	01/27/76-01/27/76	0	1	
CHCU0005	No	00440	BICARBONATE ION (MG/L AS HCO3)	01/28/76-01/28/76	0	1	
CHCU0006	No	00440	BICARBONATE ION (MG/L AS HCO3)	09/22/75-09/22/75	0	1	
CHCU0007	No	00440	BICARBONATE ION (MG/L AS HCO3)	09/22/75-09/22/75	0	1	
CHCU0009	No	00440	BICARBONATE ION (MG/L AS HCO3)	03/28/78-03/28/78	0	1	
CHCU0010	No	00440	BICARBONATE ION (MG/L AS HCO3)	03/28/78-03/28/78	0	1	
CHCU0011	No	00440	BICARBONATE ION (MG/L AS HCO3)	03/28/78-03/28/78	0	1	
CHCU0013	No	00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	0	1	
CHCU0014	No	00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	0	1	
CHCU0015	No	00440	BICARBONATE ION (MG/L AS HCO3)	03/28/78-03/28/78	0	1	
CHCU0016	No	00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	0	1	
CHCU0017	No	00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	0	1	
CHCU0018	No	00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	0	1	
CHCU0019	Yes	00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	0	1	
CHCU0020	Yes	00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	0	1	
CHCU0021	Yes	00440	BICARBONATE ION (MG/L AS HCO3)	02/12/79-02/12/79	0	1	
CHCU0023	Yes	00440	BICARBONATE ION (MG/L AS HCO3)	08/06/76-03/13/79	2	46	
CHCU0024	No	00440	BICARBONATE ION (MG/L AS HCO3)	06/09/76-06/09/76	0	1	
CHCU0025	No	00440	BICARBONATE ION (MG/L AS HCO3)	04/02/76-04/02/76	0	1	
CHCU0026	No	00440	BICARBONATE ION (MG/L AS HCO3)	07/18/77-09/30/81	4	36	
CHCU0027	No	00440	BICARBONATE ION (MG/L AS HCO3)	05/07/78-03/03/80	1	12	
CHCU0028	No	00440	BICARBONATE ION (MG/L AS HCO3)	02/17/77-07/13/81	4	5	
CHCU0030	No	00440	BICARBONATE ION (MG/L AS HCO3)	12/19/77-09/08/80	2	7	
CHCU0032	No	00440	BICARBONATE ION (MG/L AS HCO3)	12/19/77-04/12/82	4	8	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0033	No	00440	BICARBONATE ION (MG/L AS HCO3)	07/21/76-07/21/76	0	1	
CHCU0036	Yes	00440	BICARBONATE ION (MG/L AS HCO3)	03/27/78-04/22/81	3	4	
CHCU0037	No	00440	BICARBONATE ION (MG/L AS HCO3)	03/27/78-03/27/78	0	1	
CHCU0001	No	00445	CARBONATE ION (MG/L AS CO3)	09/22/75-09/22/75	0	1	
CHCU0002	No	00445	CARBONATE ION (MG/L AS CO3)	01/28/76-01/28/76	0	1	
CHCU0003	No	00445	CARBONATE ION (MG/L AS CO3)	09/22/75-09/22/75	0	1	
CHCU0004	No	00445	CARBONATE ION (MG/L AS CO3)	01/27/76-01/27/76	0	1	
CHCU0005	No	00445	CARBONATE ION (MG/L AS CO3)	01/28/76-01/28/76	0	1	
CHCU0006	No	00445	CARBONATE ION (MG/L AS CO3)	09/22/75-09/22/75	0	1	
CHCU0007	No	00445	CARBONATE ION (MG/L AS CO3)	09/22/75-09/22/75	0	1	
CHCU0009	No	00445	CARBONATE ION (MG/L AS CO3)	03/28/78-03/28/78	0	1	
CHCU0010	No	00445	CARBONATE ION (MG/L AS CO3)	03/28/78-03/28/78	0	1	
CHCU0011	No	00445	CARBONATE ION (MG/L AS CO3)	03/28/78-03/28/78	0	1	
CHCU0013	No	00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	0	1	
CHCU0014	No	00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	0	1	
CHCU0015	No	00445	CARBONATE ION (MG/L AS CO3)	03/28/78-03/28/78	0	1	
CHCU0016	No	00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	0	1	
CHCU0017	No	00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	0	1	
CHCU0018	No	00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	0	1	
CHCU0019	Yes	00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	0	1	
CHCU0020	Yes	00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	0	1	
CHCU0021	Yes	00445	CARBONATE ION (MG/L AS CO3)	02/12/79-02/12/79	0	1	
CHCU0023	Yes	00445	CARBONATE ION (MG/L AS CO3)	08/06/76-09/18/81	5	22	
CHCU0024	No	00445	CARBONATE ION (MG/L AS CO3)	06/09/76-06/09/76	0	1	
CHCU0025	No	00445	CARBONATE ION (MG/L AS CO3)	04/02/76-04/02/76	0	1	
CHCU0026	No	00445	CARBONATE ION (MG/L AS CO3)	02/08/78-09/30/81	3	10	
CHCU0027	No	00445	CARBONATE ION (MG/L AS CO3)	03/03/80-03/03/80	0	1	
CHCU0028	No	00445	CARBONATE ION (MG/L AS CO3)	02/17/77-02/17/77	0	1	
CHCU0030	No	00445	CARBONATE ION (MG/L AS CO3)	12/19/77-09/08/80	2	7	
CHCU0032	No	00445	CARBONATE ION (MG/L AS CO3)	12/19/77-09/08/80	2	7	
CHCU0033	No	00445	CARBONATE ION (MG/L AS CO3)	07/21/76-07/21/76	0	1	
CHCU0036	Yes	00445	CARBONATE ION (MG/L AS CO3)	03/27/78-04/22/81	3	2	
CHCU0037	No	00445	CARBONATE ION (MG/L AS CO3)	03/27/78-03/27/78	0	1	
CHCU0023	Yes	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	02/14/77-02/08/78	0	5	
CHCU0026	No	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	02/08/78-02/08/78	0	1	
CHCU0028	No	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	02/17/77-02/17/77	0	1	
CHCU0023	Yes	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	02/14/77-02/08/78	0	5	
CHCU0026	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	02/08/78-02/08/78	0	1	
CHCU0028	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	02/17/77-02/17/77	0	1	
CHCU0012	Yes	00600	NITROGEN, TOTAL (MG/L AS N)	08/24/82-08/24/82	0	1	
CHCU0021	Yes	00600	NITROGEN, TOTAL (MG/L AS N)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00600	NITROGEN, TOTAL (MG/L AS N)	07/29/82-08/24/82	0	2	
CHCU0023	Yes	00600	NITROGEN, TOTAL (MG/L AS N)	02/12/77-08/24/82	5	18	
CHCU0026	No	00600	NITROGEN, TOTAL (MG/L AS N)	09/24/78-04/01/80	1	3	
CHCU0027	No	00600	NITROGEN, TOTAL (MG/L AS N)	05/07/78-03/03/80	1	2	
CHCU0028	No	00600	NITROGEN, TOTAL (MG/L AS N)	02/17/77-05/09/78	1	2	
CHCU0029	Yes	00600	NITROGEN, TOTAL (MG/L AS N)	08/24/82-08/24/82	0	1	
CHCU0030	No	00600	NITROGEN, TOTAL (MG/L AS N)	12/19/77-09/08/80	2	7	
CHCU0031	No	00600	NITROGEN, TOTAL (MG/L AS N)	09/26/78-09/26/78	0	1	
CHCU0032	No	00600	NITROGEN, TOTAL (MG/L AS N)	12/19/77-09/08/80	2	7	
CHCU0035	Yes	00600	NITROGEN, TOTAL (MG/L AS N)	08/18/82-08/18/82	0	1	
CHCU0023	Yes	00602	NITROGEN, DISSOLVED (MG/L AS N)	08/06/78-08/06/78	0	1	
CHCU0026	No	00602	NITROGEN, DISSOLVED (MG/L AS N)	03/16/81-03/16/81	0	1	
CHCU0032	No	00602	NITROGEN, DISSOLVED (MG/L AS N)	03/18/81-03/18/81	0	1	
CHCU0034	No	00602	NITROGEN, DISSOLVED (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0038	No	00602	NITROGEN, DISSOLVED (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0012	Yes	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	08/24/82-08/24/82	0	1	
CHCU0021	Yes	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	07/29/82-08/24/82	0	2	
CHCU0023	Yes	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	02/12/77-08/24/82	5	15	
CHCU0026	No	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	09/24/78-03/16/81	2	4	
CHCU0027	No	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	05/07/78-03/03/80	1	2	
CHCU0028	No	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	02/17/77-05/09/78	1	2	
CHCU0029	Yes	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	08/24/82-08/24/82	0	1	
CHCU0030	No	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	12/19/77-09/08/80	2	7	
CHCU0031	No	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	09/26/78-09/26/78	0	1	
CHCU0032	No	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	12/19/77-03/18/81	3	8	
CHCU0034	No	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0038	No	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	00607	NITROGEN, ORGANIC, DISSOLVED (MG/L AS N)	02/07/78-08/06/78	0	4	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0026	No	00607	NITROGEN, ORGANIC, DISSOLVED (MG/L AS N)	02/08/78-02/08/78	0	1	
CHCU0032	No	00607	NITROGEN, ORGANIC, DISSOLVED (MG/L AS N)	03/18/81-03/18/81	0	1	
CHCU0023	Yes	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	02/07/78-08/06/78	0	4	
CHCU0026	No	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	02/08/78-02/08/78	0	1	
CHCU0032	No	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	03/18/81-03/18/81	0	1	
CHCU0012	Yes	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	08/24/82-08/24/82	0	1	
CHCU0021	Yes	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/29/82-08/24/82	0	2	
CHCU0023	Yes	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	02/12/77-08/29/83	6	18	
CHCU0026	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/24/78-03/16/81	2	4	
CHCU0027	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	05/07/78-03/03/80	1	2	
CHCU0028	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	02/17/77-05/09/78	1	2	
CHCU0029	Yes	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	08/24/82-08/24/82	0	1	
CHCU0030	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	12/19/77-09/08/80	2	7	
CHCU0031	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/26/78-09/26/78	0	1	
CHCU0032	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	12/19/77-03/18/81	3	8	
CHCU0034	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0038	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	00611	NITROGEN, AMMONIA, BOTTOM DEPOSITS (MG/KG-N)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	00611	NITROGEN, AMMONIA, BOTTOM DEPOSITS (MG/KG-N)	07/29/82-08/29/83	1	2	
CHCU0031	No	00611	NITROGEN, AMMONIA, BOTTOM DEPOSITS (MG/KG-N)	09/26/78-09/26/78	0	1	
CHCU0035	Yes	00611	NITROGEN, AMMONIA, BOTTOM DEPOSITS (MG/KG-N)	04/28/82-08/18/82	0	3	
CHCU0023	Yes	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	05/03/78-08/06/78	0	2	
CHCU0028	No	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	02/17/77-02/17/77	0	1	
CHCU0032	No	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	03/18/81-03/18/81	0	1	
CHCU0023	Yes	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	02/07/78-02/09/78	0	2	
CHCU0023	Yes	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	05/03/78-08/06/78	0	2	
CHCU0028	No	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	02/17/77-02/17/77	0	1	
CHCU0032	No	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	03/18/81-03/18/81	0	1	
CHCU0023	Yes	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	02/07/78-02/09/78	0	2	
CHCU0023	Yes	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	02/07/78-01/19/79	0	6	
CHCU0026	No	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	02/08/78-03/16/81	3	4	
CHCU0032	No	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	03/18/81-03/18/81	0	1	
CHCU0034	No	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0038	No	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	01/12/79-01/19/79	0	2	
CHCU0026	No	00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	09/24/78-03/16/81	2	3	
CHCU0032	No	00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	03/18/81-03/18/81	0	1	
CHCU0034	No	00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0038	No	00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	08/18/81-06/09/82	0	2	
CHCU0012	Yes	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	08/24/82-08/24/82	0	1	
CHCU0021	Yes	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/29/82-08/24/82	0	2	
CHCU0023	Yes	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	02/12/77-08/29/83	6	20	
CHCU0026	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	02/08/78-03/16/81	3	5	
CHCU0027	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	05/07/78-03/03/80	1	2	
CHCU0028	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	02/17/77-05/09/78	1	2	
CHCU0029	Yes	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	08/24/82-08/24/82	0	1	
CHCU0030	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	12/19/77-09/08/80	2	7	
CHCU0031	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	09/26/78-09/26/78	0	1	
CHCU0032	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	12/19/77-03/18/81	3	8	
CHCU0034	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0038	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	08/18/81-06/09/82	0	2	
CHCU0008	No	00626	NITROGEN,ORG. KJEL.,BOT. DEPOS. (MG/KG-N DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	00626	NITROGEN,ORG. KJEL.,BOT. DEPOS. (MG/KG-N DRY WGT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	00626	NITROGEN,ORG. KJEL.,BOT. DEPOS. (MG/KG-N DRY WGT)	07/29/82-08/29/83	1	2	
CHCU0031	No	00626	NITROGEN,ORG. KJEL.,BOT. DEPOS. (MG/KG-N DRY WGT)	09/26/78-09/26/78	0	1	
CHCU0035	Yes	00626	NITROGEN,ORG. KJEL.,BOT. DEPOS. (MG/KG-N DRY WGT)	04/28/82-08/18/82	0	3	
CHCU0012	Yes	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	08/24/82-08/24/82	0	1	
CHCU0021	Yes	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/29/82-08/24/82	0	2	
CHCU0023	Yes	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	02/12/77-08/29/83	6	21	
CHCU0026	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/24/78-04/01/80	1	3	
CHCU0027	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	05/07/78-03/03/80	1	2	
CHCU0028	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	02/17/77-05/09/78	1	2	
CHCU0029	Yes	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	08/24/82-08/24/82	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0030	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	12/19/77-09/08/80	2	7	
CHCU0031	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/26/78-09/26/78	0	1	
CHCU0032	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	12/19/77-09/08/80	2	7	
CHCU0035	Yes	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	04/28/82-11/16/82	0	3	
CHCU0001	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	09/22/75-09/22/75	0	1	
CHCU0002	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	01/28/76-01/28/76	0	1	
CHCU0003	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	09/22/75-09/22/75	0	1	
CHCU0004	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	01/27/76-01/27/76	0	1	
CHCU0005	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	01/28/76-01/28/76	0	1	
CHCU0006	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	09/22/75-09/22/75	0	1	
CHCU0007	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	09/22/75-09/22/75	0	1	
CHCU0009	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/28/78-03/28/78	0	1	
CHCU0010	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/28/78-03/28/78	0	1	
CHCU0011	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	08/24/82-08/24/82	0	1	
CHCU0015	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/28/78-03/28/78	0	1	
CHCU0022	Yes	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	07/29/82-08/24/82	0	2	
CHCU0023	Yes	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	08/06/76-08/29/83	7	36	T,S
CHCU0024	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	06/09/76-06/09/76	0	1	
CHCU0025	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	04/02/76-04/02/76	0	1	
CHCU0026	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	02/08/78-03/16/81	3	3	
CHCU0027	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	05/07/78-03/03/80	1	2	
CHCU0028	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	02/17/77-05/09/78	1	2	
CHCU0029	Yes	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	08/24/82-08/24/82	0	1	
CHCU0032	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/18/81-03/18/81	0	1	
CHCU0033	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	07/21/76-07/21/76	0	1	
CHCU0034	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/27/78-08/18/81	3	3	
CHCU0037	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/27/78-03/27/78	0	1	
CHCU0038	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	08/18/81-06/09/82	0	2	
CHCU0008	No	00633	NITRITE PLUS NITRATE,BOT. DEPOS. (MG/KG-N DRY WT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	00633	NITRITE PLUS NITRATE,BOT. DEPOS. (MG/KG-N DRY WT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	00633	NITRITE PLUS NITRATE,BOT. DEPOS. (MG/KG-N DRY WT)	07/29/82-08/29/83	1	2	
CHCU0031	No	00633	NITRITE PLUS NITRATE,BOT. DEPOS. (MG/KG-N DRY WT)	09/26/78-09/26/78	0	1	
CHCU0035	Yes	00633	NITRITE PLUS NITRATE,BOT. DEPOS. (MG/KG-N DRY WT)	04/28/82-08/18/82	0	3	
CHCU0023	Yes	00650	PHOSPHATE, TOTAL (MG/L AS PO4)	10/22/78-03/13/79	0	4	
CHCU0002	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	01/28/76-01/28/76	0	1	
CHCU0004	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	01/27/76-01/27/76	0	1	
CHCU0005	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	01/28/76-01/28/76	0	1	
CHCU0009	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/28/78-03/28/78	0	1	
CHCU0010	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/28/78-03/28/78	0	1	
CHCU0011	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	08/24/82-08/24/82	0	1	
CHCU0015	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/28/78-03/28/78	0	1	
CHCU0022	Yes	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	07/29/82-08/24/82	0	2	
CHCU0023	Yes	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	08/06/76-08/24/82	6	31	T,S
CHCU0024	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	06/09/76-06/09/76	0	1	
CHCU0025	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	04/02/76-04/02/76	0	1	
CHCU0026	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	02/08/78-04/01/80	2	3	
CHCU0027	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	05/07/78-03/03/80	1	2	
CHCU0028	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	02/17/77-05/09/78	1	2	
CHCU0029	Yes	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	08/24/82-08/24/82	0	1	
CHCU0032	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/18/81-03/18/81	0	1	
CHCU0033	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	07/21/76-07/21/76	0	1	
CHCU0035	Yes	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	04/28/82-08/18/82	0	2	
CHCU0036	Yes	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/27/78-04/22/81	3	2	
CHCU0037	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/27/78-03/27/78	0	1	
CHCU0012	Yes	00665	PHOSPHORUS, TOTAL (MG/L AS P)	08/24/82-08/24/82	0	1	
CHCU0021	Yes	00665	PHOSPHORUS, TOTAL (MG/L AS P)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00665	PHOSPHORUS, TOTAL (MG/L AS P)	07/29/82-08/24/82	0	2	
CHCU0023	Yes	00665	PHOSPHORUS, TOTAL (MG/L AS P)	02/12/77-08/29/83	6	22	
CHCU0026	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	02/08/78-03/16/81	3	5	
CHCU0027	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	05/07/78-05/07/78	0	1	
CHCU0028	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	02/17/77-05/09/78	1	2	
CHCU0029	Yes	00665	PHOSPHORUS, TOTAL (MG/L AS P)	08/24/82-08/24/82	0	1	
CHCU0030	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	12/19/77-09/08/80	2	7	
CHCU0031	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	09/26/78-09/26/78	0	1	
CHCU0032	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	12/19/77-03/18/81	3	8	
CHCU0034	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00665	PHOSPHORUS, TOTAL (MG/L AS P)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	00665	PHOSPHORUS, TOTAL (MG/L AS P)	08/18/81-08/18/81	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0038	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	08/18/81-06/09/82	0	2	
CHCU0021	Yes	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	02/12/79-02/12/79	0	1	
CHCU0023	Yes	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	05/03/78-01/19/79	0	4	
CHCU0026	No	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	09/24/78-03/16/81	2	3	
CHCU0030	No	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	12/19/77-09/08/80	2	7	
CHCU0032	No	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	12/19/77-03/18/81	3	8	
CHCU0034	No	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	08/18/81-08/18/81	0	1	
CHCU0038	No	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	08/18/81-06/09/82	0	2	
CHCU0008	No	00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	07/29/82-08/29/83	1	2	
CHCU0031	No	00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	09/26/78-09/26/78	0	1	
CHCU0034	No	00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	04/28/82-08/18/82	0	3	
CHCU0036	Yes	00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0038	No	00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0002	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	01/28/76-01/28/76	0	1	
CHCU0004	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	01/27/76-01/27/76	0	1	
CHCU0005	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	01/28/76-01/28/76	0	1	
CHCU0009	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/28/78-03/28/78	0	1	
CHCU0010	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/28/78-03/28/78	0	1	
CHCU0011	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	08/24/82-08/24/82	0	1	
CHCU0015	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/28/78-03/28/78	0	1	
CHCU0022	Yes	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	07/29/82-08/24/82	0	2	
CHCU0023	Yes	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	08/06/76-08/29/83	7	32	T,S
CHCU0024	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	06/09/76-06/09/76	0	1	
CHCU0025	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	04/02/76-04/02/76	0	1	
CHCU0026	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	02/08/78-04/01/80	2	3	
CHCU0027	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	05/07/78-03/03/80	1	2	
CHCU0028	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	02/17/77-05/09/78	1	2	
CHCU0029	Yes	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	08/24/82-08/24/82	0	1	
CHCU0032	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/18/81-03/18/81	0	1	
CHCU0033	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	07/21/76-07/21/76	0	1	
CHCU0035	Yes	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/27/78-04/22/81	3	2	
CHCU0037	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/27/78-03/27/78	0	1	
CHCU0002	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	01/28/76-01/28/76	0	1	
CHCU0004	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	01/27/76-01/27/76	0	1	
CHCU0005	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	01/28/76-01/28/76	0	1	
CHCU0009	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/28/78-03/28/78	0	1	
CHCU0010	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/28/78-03/28/78	0	1	
CHCU0011	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/28/78-03/28/78	0	1	
CHCU0015	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	01/18/79-08/17/79	0	8	
CHCU0023	Yes	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	08/19/76-02/25/80	3	47	
CHCU0026	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	07/18/77-04/01/80	2	22	
CHCU0028	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	02/17/77-05/09/78	1	3	
CHCU0031	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	08/01/76-09/26/78	2	3	
CHCU0033	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	07/08/76-07/08/76	0	1	
CHCU0037	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/27/78-03/27/78	0	1	
CHCU0023	Yes	00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	07/16/77-08/29/83	6	18	
CHCU0026	No	00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	07/19/77-04/01/80	2	7	
CHCU0027	No	00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	03/03/80-03/03/80	0	1	
CHCU0028	No	00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	02/28/78-05/09/78	0	2	
CHCU0030	No	00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	12/19/77-09/08/80	2	7	
CHCU0032	No	00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	12/19/77-04/12/82	4	9	
CHCU0034	No	00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	08/18/81-08/18/81	0	1	
CHCU0038	No	00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	08/18/81-06/09/82	0	2	
CHCU0008	No	00687	CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C)	01/14/76-01/14/76	0	1	
CHCU0023	Yes	00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	07/16/77-08/29/83	6	3	
CHCU0026	No	00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	07/19/77-03/16/81	3	4	
CHCU0027	No	00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	03/03/80-03/03/80	0	1	
CHCU0030	No	00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	12/19/77-03/10/80	2	6	
CHCU0032	No	00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	12/19/77-03/18/81	3	5	
CHCU0035	Yes	00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	04/28/82-11/16/82	0	3	
CHCU0038	No	00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	08/18/81-06/09/82	0	2	
CHCU0032	No	00691	CARBON, DISSOLVED INORGANIC (MG/L AS C)	04/12/82-04/12/82	0	1	
CHCU0023	Yes	00693	CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG)	08/29/83-08/29/83	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0035	Yes	00693	CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG)	04/28/82-04/28/82	0	1	
CHCU0002	No	00745	SULFIDE, TOTAL (MG/L AS S)	01/28/76-01/28/76	0	1	
CHCU0004	No	00745	SULFIDE, TOTAL (MG/L AS S)	01/27/76-01/27/76	0	1	
CHCU0005	No	00745	SULFIDE, TOTAL (MG/L AS S)	01/28/76-01/28/76	0	1	
CHCU0032	No	00745	SULFIDE, TOTAL (MG/L AS S)	03/18/81-04/12/82	1	2	
CHCU0001	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0002	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	01/28/76-01/28/76	0	1	
CHCU0003	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0004	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	01/27/76-01/27/76	0	1	
CHCU0005	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	01/28/76-01/28/76	0	1	
CHCU0006	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0007	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0009	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	0	1	
CHCU0010	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	0	1	
CHCU0011	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00900	HARDNESS, TOTAL (MG/L AS CACO3)	06/30/81-08/24/82	1	2	
CHCU0013	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0014	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0015	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	0	1	
CHCU0016	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0017	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0018	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0019	Yes	00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0020	Yes	00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	0	1	
CHCU0021	Yes	00900	HARDNESS, TOTAL (MG/L AS CACO3)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00900	HARDNESS, TOTAL (MG/L AS CACO3)	06/30/81-01/24/83	1	5	
CHCU0023	Yes	00900	HARDNESS, TOTAL (MG/L AS CACO3)	08/06/76-01/24/83	6	37	T,S
CHCU0024	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	06/09/76-06/09/76	0	1	
CHCU0025	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	04/02/76-04/02/76	0	1	
CHCU0026	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	02/08/78-07/30/82	4	8	
CHCU0027	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/07/78-03/03/80	1	3	
CHCU0028	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	02/17/77-11/03/78	1	3	
CHCU0029	Yes	00900	HARDNESS, TOTAL (MG/L AS CACO3)	06/30/81-01/24/83	1	4	
CHCU0030	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	12/19/77-09/08/80	2	7	
CHCU0032	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	12/19/77-04/12/82	4	9	
CHCU0033	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	07/21/76-07/21/76	0	1	
CHCU0034	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00900	HARDNESS, TOTAL (MG/L AS CACO3)	04/28/82-11/16/82	0	4	
CHCU0036	Yes	00900	HARDNESS, TOTAL (MG/L AS CACO3)	03/27/78-08/18/81	3	4	
CHCU0037	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	03/27/78-03/27/78	0	1	
CHCU0038	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	08/18/81-08/18/81	0	1	
CHCU0039	No	00900	HARDNESS, TOTAL (MG/L AS CACO3)	08/18/81-06/09/82	0	2	
CHCU0001	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0002	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	01/28/76-01/28/76	0	1	
CHCU0003	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0004	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	01/27/76-01/27/76	0	1	
CHCU0005	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	01/28/76-01/28/76	0	1	
CHCU0006	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0007	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	09/22/75-09/22/75	0	1	
CHCU0009	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	03/28/78-03/28/78	0	1	
CHCU0010	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	03/28/78-03/28/78	0	1	
CHCU0011	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	03/28/78-03/28/78	0	1	
CHCU0015	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	02/12/79-02/12/79	0	1	
CHCU0023	Yes	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	08/06/76-02/25/80	3	29	
CHCU0024	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	06/09/76-06/09/76	0	1	
CHCU0025	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	04/02/76-04/02/76	0	1	
CHCU0026	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	02/08/78-04/01/80	2	4	
CHCU0027	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	05/07/78-03/03/80	1	3	
CHCU0028	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	02/17/77-11/03/78	1	2	
CHCU0030	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	12/19/77-09/08/80	2	7	
CHCU0032	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	12/19/77-04/12/82	4	8	
CHCU0033	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	07/21/76-07/21/76	0	1	
CHCU0036	Yes	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	03/27/78-04/22/81	3	2	
CHCU0037	No	00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	03/27/78-03/27/78	0	1	
CHCU0001	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	09/22/75-09/22/75	0	1	
CHCU0002	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	01/28/76-01/28/76	0	1	
CHCU0003	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	09/22/75-09/22/75	0	1	
CHCU0004	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	01/27/76-01/27/76	0	1	
CHCU0005	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	01/28/76-01/28/76	0	1	
CHCU0006	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	09/22/75-09/22/75	0	1	
CHCU0007	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	09/22/75-09/22/75	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0009	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	03/28/78-03/28/78	0	1	
CHCU0010	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	03/28/78-03/28/78	0	1	
CHCU0011	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00915	CALCIUM, DISSOLVED (MG/L AS CA)	06/30/81-08/24/82	1	2	
CHCU0015	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	00915	CALCIUM, DISSOLVED (MG/L AS CA)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00915	CALCIUM, DISSOLVED (MG/L AS CA)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00915	CALCIUM, DISSOLVED (MG/L AS CA)	08/06/76-10/06/83	7	41	T,S
CHCU0024	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	06/09/76-06/09/76	0	1	
CHCU0025	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	04/02/76-04/02/76	0	1	
CHCU0026	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	02/08/78-03/17/83	5	9	
CHCU0027	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	05/07/78-03/03/80	1	3	
CHCU0028	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	02/17/77-11/03/78	1	3	
CHCU0029	Yes	00915	CALCIUM, DISSOLVED (MG/L AS CA)	06/30/81-10/06/83	2	8	
CHCU0030	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	12/19/77-09/08/80	2	7	
CHCU0032	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	12/19/77-04/12/82	4	9	
CHCU0033	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	07/21/76-07/21/76	0	1	
CHCU0034	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00915	CALCIUM, DISSOLVED (MG/L AS CA)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00915	CALCIUM, DISSOLVED (MG/L AS CA)	03/27/78-08/18/81	3	4	
CHCU0037	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	03/27/78-03/27/78	0	1	
CHCU0038	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	08/18/81-06/09/82	0	2	
CHCU0039	No	00915	CALCIUM, DISSOLVED (MG/L AS CA)	08/18/81-06/09/82	0	2	
CHCU0001	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	09/22/75-09/22/75	0	1	
CHCU0002	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	01/28/76-01/28/76	0	1	
CHCU0003	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	09/22/75-09/22/75	0	1	
CHCU0004	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	01/27/76-01/27/76	0	1	
CHCU0005	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	01/28/76-01/28/76	0	1	
CHCU0006	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	09/22/75-09/22/75	0	1	
CHCU0007	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	09/22/75-09/22/75	0	1	
CHCU0009	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	03/28/78-03/28/78	0	1	
CHCU0010	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	03/28/78-03/28/78	0	1	
CHCU0011	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	06/30/81-08/24/82	1	2	
CHCU0015	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	08/06/76-10/06/83	7	41	T,S
CHCU0024	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	06/09/76-06/09/76	0	1	
CHCU0025	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	04/02/76-04/02/76	0	1	
CHCU0026	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	02/08/78-03/17/83	5	9	
CHCU0027	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	05/07/78-03/03/80	1	3	
CHCU0028	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	02/17/77-11/03/78	1	3	
CHCU0029	Yes	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	06/30/81-10/06/83	2	8	
CHCU0030	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	12/19/77-09/08/80	2	7	
CHCU0032	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	12/19/77-04/12/82	4	9	
CHCU0033	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	07/21/76-07/21/76	0	1	
CHCU0034	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	03/27/78-08/18/81	3	4	
CHCU0037	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	03/27/78-03/27/78	0	1	
CHCU0038	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	08/18/81-08/18/81	0	1	
CHCU0039	No	00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	08/18/81-06/09/82	0	2	
CHCU0001	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	09/22/75-09/22/75	0	1	
CHCU0002	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	01/28/76-01/28/76	0	1	
CHCU0003	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	09/22/75-09/22/75	0	1	
CHCU0004	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	01/27/76-01/27/76	0	1	
CHCU0005	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	01/28/76-01/28/76	0	1	
CHCU0006	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	09/22/75-09/22/75	0	1	
CHCU0007	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	09/22/75-09/22/75	0	1	
CHCU0009	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	03/28/78-03/28/78	0	1	
CHCU0010	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	03/28/78-03/28/78	0	1	
CHCU0011	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00930	SODIUM, DISSOLVED (MG/L AS NA)	06/30/81-08/24/82	1	2	
CHCU0013	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	0	1	
CHCU0014	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	0	1	
CHCU0015	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	03/28/78-03/28/78	0	1	
CHCU0016	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	0	1	
CHCU0017	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	0	1	
CHCU0018	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	0	1	
CHCU0019	Yes	00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	0	1	
CHCU0020	Yes	00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0021	Yes	00930	SODIUM, DISSOLVED (MG/L AS NA)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00930	SODIUM, DISSOLVED (MG/L AS NA)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00930	SODIUM, DISSOLVED (MG/L AS NA)	08/06/76-10/06/83	7	41	T,S
CHCU0024	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	06/09/76-06/09/76	0	1	
CHCU0025	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	04/02/76-04/02/76	0	1	
CHCU0026	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	02/08/78-03/17/83	5	9	
CHCU0027	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	05/07/78-03/03/80	1	3	
CHCU0028	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	02/17/77-11/03/78	1	3	
CHCU0029	Yes	00930	SODIUM, DISSOLVED (MG/L AS NA)	06/30/81-10/06/83	2	8	
CHCU0030	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	12/19/77-09/08/80	2	7	
CHCU0032	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	12/19/77-04/12/82	4	9	
CHCU0033	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	07/21/76-07/21/76	0	1	
CHCU0034	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00930	SODIUM, DISSOLVED (MG/L AS NA)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00930	SODIUM, DISSOLVED (MG/L AS NA)	03/27/78-08/18/81	3	4	
CHCU0037	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	03/27/78-03/27/78	0	1	
CHCU0038	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	08/18/81-06/09/82	0	2	
CHCU0039	No	00930	SODIUM, DISSOLVED (MG/L AS NA)	08/18/81-06/09/82	0	2	
CHCU0001	No	00931	SODIUM ADSORPTION RATIO	09/22/75-09/22/75	0	1	
CHCU0002	No	00931	SODIUM ADSORPTION RATIO	01/28/76-01/28/76	0	1	
CHCU0003	No	00931	SODIUM ADSORPTION RATIO	09/22/75-09/22/75	0	1	
CHCU0004	No	00931	SODIUM ADSORPTION RATIO	01/27/76-01/27/76	0	1	
CHCU0005	No	00931	SODIUM ADSORPTION RATIO	01/28/76-01/28/76	0	1	
CHCU0006	No	00931	SODIUM ADSORPTION RATIO	09/22/75-09/22/75	0	1	
CHCU0007	No	00931	SODIUM ADSORPTION RATIO	09/22/75-09/22/75	0	1	
CHCU0009	No	00931	SODIUM ADSORPTION RATIO	03/28/78-03/28/78	0	1	
CHCU0010	No	00931	SODIUM ADSORPTION RATIO	03/28/78-03/28/78	0	1	
CHCU0011	No	00931	SODIUM ADSORPTION RATIO	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00931	SODIUM ADSORPTION RATIO	06/30/81-08/24/82	1	2	
CHCU0015	No	00931	SODIUM ADSORPTION RATIO	03/28/78-03/28/78	0	1	
CHCU0021	Yes	00931	SODIUM ADSORPTION RATIO	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00931	SODIUM ADSORPTION RATIO	06/30/81-01/24/83	1	5	
CHCU0023	Yes	00931	SODIUM ADSORPTION RATIO	08/06/76-01/24/83	6	37	T,S
CHCU0024	No	00931	SODIUM ADSORPTION RATIO	06/09/76-06/09/76	0	1	
CHCU0025	No	00931	SODIUM ADSORPTION RATIO	04/02/76-04/02/76	0	1	
CHCU0026	No	00931	SODIUM ADSORPTION RATIO	02/08/78-07/30/82	4	8	
CHCU0027	No	00931	SODIUM ADSORPTION RATIO	05/07/78-03/03/80	1	3	
CHCU0028	No	00931	SODIUM ADSORPTION RATIO	02/17/77-11/03/78	1	3	
CHCU0029	Yes	00931	SODIUM ADSORPTION RATIO	06/30/81-01/24/83	1	4	
CHCU0030	No	00931	SODIUM ADSORPTION RATIO	12/19/77-09/08/80	2	7	
CHCU0032	No	00931	SODIUM ADSORPTION RATIO	12/19/77-04/12/82	4	9	
CHCU0033	No	00931	SODIUM ADSORPTION RATIO	07/21/76-07/21/76	0	1	
CHCU0034	No	00931	SODIUM ADSORPTION RATIO	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00931	SODIUM ADSORPTION RATIO	04/28/82-11/16/82	0	4	
CHCU0036	Yes	00931	SODIUM ADSORPTION RATIO	03/27/78-08/18/81	3	4	
CHCU0037	No	00931	SODIUM ADSORPTION RATIO	03/27/78-03/27/78	0	1	
CHCU0038	No	00931	SODIUM ADSORPTION RATIO	08/18/81-08/18/81	0	1	
CHCU0039	No	00931	SODIUM ADSORPTION RATIO	08/18/81-06/09/82	0	2	
CHCU0001	No	00932	SODIUM, PERCENT	09/22/75-09/22/75	0	1	
CHCU0002	No	00932	SODIUM, PERCENT	01/28/76-01/28/76	0	1	
CHCU0003	No	00932	SODIUM, PERCENT	09/22/75-09/22/75	0	1	
CHCU0004	No	00932	SODIUM, PERCENT	01/27/76-01/27/76	0	1	
CHCU0005	No	00932	SODIUM, PERCENT	01/28/76-01/28/76	0	1	
CHCU0006	No	00932	SODIUM, PERCENT	09/22/75-09/22/75	0	1	
CHCU0007	No	00932	SODIUM, PERCENT	09/22/75-09/22/75	0	1	
CHCU0009	No	00932	SODIUM, PERCENT	03/28/78-03/28/78	0	1	
CHCU0010	No	00932	SODIUM, PERCENT	03/28/78-03/28/78	0	1	
CHCU0011	No	00932	SODIUM, PERCENT	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00932	SODIUM, PERCENT	06/30/81-08/24/82	1	2	
CHCU0015	No	00932	SODIUM, PERCENT	03/28/78-03/28/78	0	1	
CHCU0021	Yes	00932	SODIUM, PERCENT	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00932	SODIUM, PERCENT	06/30/81-01/24/83	1	5	
CHCU0023	Yes	00932	SODIUM, PERCENT	08/06/76-01/24/83	6	37	T,S
CHCU0024	No	00932	SODIUM, PERCENT	06/09/76-06/09/76	0	1	
CHCU0025	No	00932	SODIUM, PERCENT	04/02/76-04/02/76	0	1	
CHCU0026	No	00932	SODIUM, PERCENT	02/08/78-07/30/82	4	8	
CHCU0027	No	00932	SODIUM, PERCENT	05/07/78-03/03/80	1	3	
CHCU0028	No	00932	SODIUM, PERCENT	02/17/77-11/03/78	1	3	
CHCU0029	Yes	00932	SODIUM, PERCENT	06/30/81-01/24/83	1	4	
CHCU0030	No	00932	SODIUM, PERCENT	12/19/77-09/08/80	2	7	
CHCU0032	No	00932	SODIUM, PERCENT	12/19/77-04/12/82	4	9	
CHCU0033	No	00932	SODIUM, PERCENT	07/21/76-07/21/76	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0034	No	00932	SODIUM, PERCENT	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00932	SODIUM, PERCENT	04/28/82-11/16/82	0	4	
CHCU0036	Yes	00932	SODIUM, PERCENT	03/27/78-08/18/81	3	4	
CHCU0037	No	00932	SODIUM, PERCENT	03/27/78-03/27/78	0	1	
CHCU0038	No	00932	SODIUM, PERCENT	08/18/81-06/09/82	0	2	
CHCU0039	No	00932	SODIUM, PERCENT	08/18/81-06/09/82	0	2	
CHCU0023	Yes	00933	SODIUM,PLUS POTASSIUM (MG/L)	10/22/78-03/13/79	0	3	
CHCU0027	No	00933	SODIUM,PLUS POTASSIUM (MG/L)	11/08/79-11/08/79	0	1	
CHCU0030	No	00933	SODIUM,PLUS POTASSIUM (MG/L)	09/20/79-03/10/80	0	2	
CHCU0032	No	00933	SODIUM,PLUS POTASSIUM (MG/L)	09/20/79-03/10/80	0	2	
CHCU0001	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	09/22/75-09/22/75	0	1	
CHCU0002	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	01/28/76-01/28/76	0	1	
CHCU0003	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	09/22/75-09/22/75	0	1	
CHCU0004	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	01/27/76-01/27/76	0	1	
CHCU0005	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	01/28/76-01/28/76	0	1	
CHCU0006	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	09/22/75-09/22/75	0	1	
CHCU0007	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	09/22/75-09/22/75	0	1	
CHCU0009	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	03/28/78-03/28/78	0	1	
CHCU0010	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	03/28/78-03/28/78	0	1	
CHCU0011	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00935	POTASSIUM, DISSOLVED (MG/L AS K)	06/30/81-08/24/82	1	2	
CHCU0013	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	0	1	
CHCU0014	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	0	1	
CHCU0015	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	03/28/78-03/28/78	0	1	
CHCU0016	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	0	1	
CHCU0017	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	0	1	
CHCU0018	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	0	1	
CHCU0019	Yes	00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	0	1	
CHCU0020	Yes	00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	0	1	
CHCU0021	Yes	00935	POTASSIUM, DISSOLVED (MG/L AS K)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00935	POTASSIUM, DISSOLVED (MG/L AS K)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00935	POTASSIUM, DISSOLVED (MG/L AS K)	08/06/76-10/06/83	7	45	T,S
CHCU0024	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	06/09/76-06/09/76	0	1	
CHCU0025	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	04/02/76-04/02/76	0	1	
CHCU0026	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	02/08/78-03/17/83	5	9	
CHCU0027	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/07/78-03/03/80	1	3	
CHCU0028	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	02/17/77-11/03/78	1	3	
CHCU0029	Yes	00935	POTASSIUM, DISSOLVED (MG/L AS K)	06/30/81-10/06/83	2	8	
CHCU0030	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	12/19/77-09/08/80	2	7	
CHCU0032	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	12/19/77-04/12/82	4	9	
CHCU0033	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	07/21/76-07/21/76	0	1	
CHCU0034	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00935	POTASSIUM, DISSOLVED (MG/L AS K)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00935	POTASSIUM, DISSOLVED (MG/L AS K)	03/27/78-08/18/81	3	9	
CHCU0037	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	03/27/78-03/27/78	0	1	
CHCU0038	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	08/18/81-06/09/82	0	2	
CHCU0039	No	00935	POTASSIUM, DISSOLVED (MG/L AS K)	08/18/81-06/09/82	0	2	
CHCU0001	No	00940	CHLORIDE,TOTAL IN WATER MG/L	09/22/75-09/22/75	0	1	
CHCU0002	No	00940	CHLORIDE,TOTAL IN WATER MG/L	01/28/76-01/28/76	0	1	
CHCU0003	No	00940	CHLORIDE,TOTAL IN WATER MG/L	09/22/75-09/22/75	0	1	
CHCU0004	No	00940	CHLORIDE,TOTAL IN WATER MG/L	01/27/76-01/27/76	0	1	
CHCU0005	No	00940	CHLORIDE,TOTAL IN WATER MG/L	01/28/76-01/28/76	0	1	
CHCU0006	No	00940	CHLORIDE,TOTAL IN WATER MG/L	09/22/75-09/22/75	0	1	
CHCU0007	No	00940	CHLORIDE,TOTAL IN WATER MG/L	09/22/75-09/22/75	0	1	
CHCU0009	No	00940	CHLORIDE,TOTAL IN WATER MG/L	03/28/78-03/28/78	0	1	
CHCU0010	No	00940	CHLORIDE,TOTAL IN WATER MG/L	03/28/78-03/28/78	0	1	
CHCU0011	No	00940	CHLORIDE,TOTAL IN WATER MG/L	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00940	CHLORIDE,TOTAL IN WATER MG/L	06/30/81-08/24/82	1	2	
CHCU0013	No	00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	0	1	
CHCU0014	No	00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	0	1	
CHCU0015	No	00940	CHLORIDE,TOTAL IN WATER MG/L	03/28/78-03/28/78	0	1	
CHCU0016	No	00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	0	1	
CHCU0017	No	00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	0	1	
CHCU0018	No	00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	0	1	
CHCU0019	Yes	00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	0	1	
CHCU0020	Yes	00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	0	1	
CHCU0021	Yes	00940	CHLORIDE,TOTAL IN WATER MG/L	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00940	CHLORIDE,TOTAL IN WATER MG/L	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00940	CHLORIDE,TOTAL IN WATER MG/L	08/06/76-10/06/83	7	42	T,S
CHCU0024	No	00940	CHLORIDE,TOTAL IN WATER MG/L	06/09/76-06/09/76	0	1	
CHCU0025	No	00940	CHLORIDE,TOTAL IN WATER MG/L	04/02/76-04/02/76	0	1	
CHCU0026	No	00940	CHLORIDE,TOTAL IN WATER MG/L	02/08/78-03/17/83	5	9	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0027	No	00940	CHLORIDE,TOTAL IN WATER MG/L	05/07/78-03/03/80	1	3	
CHCU0028	No	00940	CHLORIDE,TOTAL IN WATER MG/L	02/17/77-11/03/78	1	3	
CHCU0029	Yes	00940	CHLORIDE,TOTAL IN WATER MG/L	06/30/81-10/06/83	2	8	
CHCU0030	No	00940	CHLORIDE,TOTAL IN WATER MG/L	12/19/77-09/08/80	2	7	
CHCU0032	No	00940	CHLORIDE,TOTAL IN WATER MG/L	12/19/77-04/12/82	4	9	
CHCU0033	No	00940	CHLORIDE,TOTAL IN WATER MG/L	07/21/76-07/21/76	0	1	
CHCU0034	No	00940	CHLORIDE,TOTAL IN WATER MG/L	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00940	CHLORIDE,TOTAL IN WATER MG/L	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00940	CHLORIDE,TOTAL IN WATER MG/L	03/27/78-08/18/81	3	4	
CHCU0037	No	00940	CHLORIDE,TOTAL IN WATER MG/L	03/27/78-03/27/78	0	1	
CHCU0038	No	00940	CHLORIDE,TOTAL IN WATER MG/L	08/18/81-06/09/82	0	2	
CHCU0039	No	00940	CHLORIDE,TOTAL IN WATER MG/L	08/18/81-06/09/82	0	2	
CHCU0001	No	00945	SULFATE, TOTAL (MG/L AS SO4)	09/22/75-09/22/75	0	1	
CHCU0002	No	00945	SULFATE, TOTAL (MG/L AS SO4)	01/28/76-01/28/76	0	1	
CHCU0003	No	00945	SULFATE, TOTAL (MG/L AS SO4)	09/22/75-09/22/75	0	1	
CHCU0004	No	00945	SULFATE, TOTAL (MG/L AS SO4)	01/27/76-01/27/76	0	1	
CHCU0005	No	00945	SULFATE, TOTAL (MG/L AS SO4)	01/28/76-01/28/76	0	1	
CHCU0006	No	00945	SULFATE, TOTAL (MG/L AS SO4)	09/22/75-09/22/75	0	1	
CHCU0007	No	00945	SULFATE, TOTAL (MG/L AS SO4)	09/22/75-09/22/75	0	1	
CHCU0009	No	00945	SULFATE, TOTAL (MG/L AS SO4)	03/28/78-03/28/78	0	1	
CHCU0010	No	00945	SULFATE, TOTAL (MG/L AS SO4)	03/28/78-03/28/78	0	1	
CHCU0011	No	00945	SULFATE, TOTAL (MG/L AS SO4)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00945	SULFATE, TOTAL (MG/L AS SO4)	06/30/81-08/24/82	1	2	
CHCU0013	No	00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	0	1	
CHCU0014	No	00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	0	1	
CHCU0015	No	00945	SULFATE, TOTAL (MG/L AS SO4)	03/28/78-03/28/78	0	1	
CHCU0016	No	00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	0	1	
CHCU0017	No	00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	0	1	
CHCU0018	No	00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	0	1	
CHCU0019	Yes	00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	0	1	
CHCU0020	Yes	00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	0	1	
CHCU0021	Yes	00945	SULFATE, TOTAL (MG/L AS SO4)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00945	SULFATE, TOTAL (MG/L AS SO4)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00945	SULFATE, TOTAL (MG/L AS SO4)	08/06/76-10/06/83	7	42	T,S
CHCU0024	No	00945	SULFATE, TOTAL (MG/L AS SO4)	06/09/76-06/09/76	0	1	
CHCU0025	No	00945	SULFATE, TOTAL (MG/L AS SO4)	04/02/76-04/02/76	0	1	
CHCU0026	No	00945	SULFATE, TOTAL (MG/L AS SO4)	02/08/78-03/17/83	5	9	
CHCU0027	No	00945	SULFATE, TOTAL (MG/L AS SO4)	05/07/78-03/03/80	1	3	
CHCU0028	No	00945	SULFATE, TOTAL (MG/L AS SO4)	02/17/77-11/03/78	1	3	
CHCU0029	Yes	00945	SULFATE, TOTAL (MG/L AS SO4)	06/30/81-10/06/83	2	8	
CHCU0030	No	00945	SULFATE, TOTAL (MG/L AS SO4)	12/19/77-09/08/80	2	7	
CHCU0032	No	00945	SULFATE, TOTAL (MG/L AS SO4)	12/19/77-04/12/82	4	9	
CHCU0033	No	00945	SULFATE, TOTAL (MG/L AS SO4)	07/21/76-07/21/76	0	1	
CHCU0034	No	00945	SULFATE, TOTAL (MG/L AS SO4)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00945	SULFATE, TOTAL (MG/L AS SO4)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00945	SULFATE, TOTAL (MG/L AS SO4)	03/27/78-08/18/81	3	4	
CHCU0037	No	00945	SULFATE, TOTAL (MG/L AS SO4)	03/27/78-03/27/78	0	1	
CHCU0038	No	00945	SULFATE, TOTAL (MG/L AS SO4)	08/18/81-06/09/82	0	2	
CHCU0039	No	00945	SULFATE, TOTAL (MG/L AS SO4)	08/18/81-06/09/82	0	2	
CHCU0001	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	09/22/75-09/22/75	0	1	
CHCU0002	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	01/28/76-01/28/76	0	1	
CHCU0003	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	09/22/75-09/22/75	0	1	
CHCU0004	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	01/27/76-01/27/76	0	1	
CHCU0005	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	01/28/76-01/28/76	0	1	
CHCU0006	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	09/22/75-09/22/75	0	1	
CHCU0007	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	09/22/75-09/22/75	0	1	
CHCU0009	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/28/78-03/28/78	0	1	
CHCU0010	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/28/78-03/28/78	0	1	
CHCU0011	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00950	FLUORIDE, DISSOLVED (MG/L AS F)	06/30/81-08/24/82	1	2	
CHCU0015	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	00950	FLUORIDE, DISSOLVED (MG/L AS F)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00950	FLUORIDE, DISSOLVED (MG/L AS F)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00950	FLUORIDE, DISSOLVED (MG/L AS F)	08/06/76-10/06/83	7	42	T,S
CHCU0024	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	06/09/76-06/09/76	0	1	
CHCU0025	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	04/02/76-04/02/76	0	1	
CHCU0026	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	02/08/78-03/17/83	5	9	
CHCU0027	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	05/07/78-03/03/80	1	3	
CHCU0028	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	02/17/77-11/03/78	1	3	
CHCU0029	Yes	00950	FLUORIDE, DISSOLVED (MG/L AS F)	06/30/81-10/06/83	2	8	
CHCU0030	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	12/19/77-09/08/80	2	7	
CHCU0032	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	12/19/77-04/12/82	4	9	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0033	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	07/21/76-07/21/76	0	1	
CHCU0034	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00950	FLUORIDE, DISSOLVED (MG/L AS F)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/27/78-08/18/81	3	4	
CHCU0037	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/27/78-03/27/78	0	1	
CHCU0038	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	08/18/81-06/09/82	0	2	
CHCU0039	No	00950	FLUORIDE, DISSOLVED (MG/L AS F)	08/18/81-06/09/82	0	2	
CHCU0001	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	09/22/75-09/22/75	0	1	
CHCU0002	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	01/28/76-01/28/76	0	1	
CHCU0003	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	09/22/75-09/22/75	0	1	
CHCU0004	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	01/27/76-01/27/76	0	1	
CHCU0005	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	01/28/76-01/28/76	0	1	
CHCU0006	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	09/22/75-09/22/75	0	1	
CHCU0007	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	09/22/75-09/22/75	0	1	
CHCU0009	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	03/28/78-03/28/78	0	1	
CHCU0010	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	03/28/78-03/28/78	0	1	
CHCU0011	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	00955	SILICA, DISSOLVED (MG/L AS SI02)	06/30/81-08/24/82	1	2	
CHCU0015	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	00955	SILICA, DISSOLVED (MG/L AS SI02)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	00955	SILICA, DISSOLVED (MG/L AS SI02)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	00955	SILICA, DISSOLVED (MG/L AS SI02)	08/06/76-10/06/83	7	42	T,S
CHCU0024	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	06/09/76-06/09/76	0	1	
CHCU0025	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	04/02/76-04/02/76	0	1	
CHCU0026	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	02/08/78-03/17/83	5	9	
CHCU0027	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	05/07/78-03/03/80	1	3	
CHCU0028	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	02/17/77-11/03/78	1	3	
CHCU0029	Yes	00955	SILICA, DISSOLVED (MG/L AS SI02)	06/30/81-10/06/83	2	8	
CHCU0030	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	12/19/77-09/08/80	2	7	
CHCU0032	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	12/19/77-04/12/82	4	9	
CHCU0033	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	07/21/76-07/21/76	0	1	
CHCU0034	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	00955	SILICA, DISSOLVED (MG/L AS SI02)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	00955	SILICA, DISSOLVED (MG/L AS SI02)	03/27/78-08/18/81	3	4	
CHCU0037	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	03/27/78-03/27/78	0	1	
CHCU0038	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	08/18/81-06/09/82	0	2	
CHCU0039	No	00955	SILICA, DISSOLVED (MG/L AS SI02)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	01000	ARSENIC, DISSOLVED (UG/L AS AS)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01000	ARSENIC, DISSOLVED (UG/L AS AS)	02/12/77-08/29/83	6	39	T
CHCU0026	No	01000	ARSENIC, DISSOLVED (UG/L AS AS)	07/19/77-01/26/82	4	11	
CHCU0027	No	01000	ARSENIC, DISSOLVED (UG/L AS AS)	03/03/80-03/03/80	0	1	
CHCU0028	No	01000	ARSENIC, DISSOLVED (UG/L AS AS)	02/17/77-11/03/78	1	4	
CHCU0030	No	01000	ARSENIC, DISSOLVED (UG/L AS AS)	12/19/77-09/08/80	2	7	
CHCU0031	No	01000	ARSENIC, DISSOLVED (UG/L AS AS)	09/26/78-09/26/78	0	1	
CHCU0032	No	01000	ARSENIC, DISSOLVED (UG/L AS AS)	12/19/77-04/12/82	4	9	
CHCU0034	No	01000	ARSENIC, DISSOLVED (UG/L AS AS)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01000	ARSENIC, DISSOLVED (UG/L AS AS)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01000	ARSENIC, DISSOLVED (UG/L AS AS)	08/18/81-08/18/81	0	1	
CHCU0038	No	01000	ARSENIC, DISSOLVED (UG/L AS AS)	08/18/81-06/09/82	0	2	
CHCU0021	Yes	01001	ARSENIC, SUSPENDED (UG/L AS AS)	02/16/79-02/16/79	0	1	
CHCU0022	Yes	01001	ARSENIC, SUSPENDED (UG/L AS AS)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01001	ARSENIC, SUSPENDED (UG/L AS AS)	02/12/77-08/29/83	6	33	T
CHCU0026	No	01001	ARSENIC, SUSPENDED (UG/L AS AS)	02/14/79-03/16/81	2	5	
CHCU0027	No	01001	ARSENIC, SUSPENDED (UG/L AS AS)	03/03/80-03/03/80	0	1	
CHCU0028	No	01001	ARSENIC, SUSPENDED (UG/L AS AS)	11/03/78-11/03/78	0	2	
CHCU0030	No	01001	ARSENIC, SUSPENDED (UG/L AS AS)	03/10/80-03/10/80	0	1	
CHCU0032	No	01001	ARSENIC, SUSPENDED (UG/L AS AS)	03/10/80-03/10/80	0	1	
CHCU0034	No	01001	ARSENIC, SUSPENDED (UG/L AS AS)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01001	ARSENIC, SUSPENDED (UG/L AS AS)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01001	ARSENIC, SUSPENDED (UG/L AS AS)	08/18/81-08/18/81	0	1	
CHCU0038	No	01001	ARSENIC, SUSPENDED (UG/L AS AS)	08/18/81-06/09/82	0	2	
CHCU0002	No	01002	ARSENIC, TOTAL (UG/L AS AS)	01/28/76-01/28/76	0	1	
CHCU0004	No	01002	ARSENIC, TOTAL (UG/L AS AS)	01/27/76-01/27/76	0	1	
CHCU0005	No	01002	ARSENIC, TOTAL (UG/L AS AS)	01/28/76-01/28/76	0	1	
CHCU0009	No	01002	ARSENIC, TOTAL (UG/L AS AS)	03/28/78-03/28/78	0	1	
CHCU0010	No	01002	ARSENIC, TOTAL (UG/L AS AS)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	01002	ARSENIC, TOTAL (UG/L AS AS)	06/30/81-06/30/81	0	1	
CHCU0021	Yes	01002	ARSENIC, TOTAL (UG/L AS AS)	01/18/79-08/17/79	0	8	
CHCU0022	Yes	01002	ARSENIC, TOTAL (UG/L AS AS)	06/30/81-07/29/82	1	2	
CHCU0023	Yes	01002	ARSENIC, TOTAL (UG/L AS AS)	08/17/76-08/29/83	7	68	T,S
CHCU0026	No	01002	ARSENIC, TOTAL (UG/L AS AS)	07/18/77-03/16/81	3	43	
CHCU0027	No	01002	ARSENIC, TOTAL (UG/L AS AS)	05/07/78-03/03/80	1	16	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0028	No	01002	ARSENIC, TOTAL (UG/L AS AS)	02/28/78-11/03/78	0	4	
CHCU0029	Yes	01002	ARSENIC, TOTAL (UG/L AS AS)	06/30/81-07/01/81	0	2	
CHCU0030	No	01002	ARSENIC, TOTAL (UG/L AS AS)	03/10/80-03/10/80	0	1	
CHCU0031	No	01002	ARSENIC, TOTAL (UG/L AS AS)	08/12/77-09/26/78	1	2	
CHCU0032	No	01002	ARSENIC, TOTAL (UG/L AS AS)	03/10/80-03/10/80	0	1	
CHCU0033	No	01002	ARSENIC, TOTAL (UG/L AS AS)	08/19/76-08/19/76	0	1	
CHCU0034	No	01002	ARSENIC, TOTAL (UG/L AS AS)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01002	ARSENIC, TOTAL (UG/L AS AS)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01002	ARSENIC, TOTAL (UG/L AS AS)	08/18/81-08/18/81	0	1	
CHCU0038	No	01002	ARSENIC, TOTAL (UG/L AS AS)	08/18/81-06/09/82	0	2	
CHCU0008	No	01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	07/29/82-08/29/83	1	2	
CHCU0031	No	01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	05/07/78-09/26/78	0	2	
CHCU0034	No	01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	04/28/82-08/18/82	0	3	
CHCU0036	Yes	01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	03/15/79-08/18/81	2	2	
CHCU0038	No	01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	08/18/81-06/09/82	0	2	
CHCU0012	Yes	01005	BARIUM, DISSOLVED (UG/L AS BA)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01005	BARIUM, DISSOLVED (UG/L AS BA)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01005	BARIUM, DISSOLVED (UG/L AS BA)	02/12/77-08/29/83	6	44	T,S
CHCU0026	No	01005	BARIUM, DISSOLVED (UG/L AS BA)	01/12/78-03/16/81	3	9	
CHCU0027	No	01005	BARIUM, DISSOLVED (UG/L AS BA)	03/03/80-03/03/80	0	1	
CHCU0028	No	01005	BARIUM, DISSOLVED (UG/L AS BA)	02/17/77-11/03/78	1	5	
CHCU0029	Yes	01005	BARIUM, DISSOLVED (UG/L AS BA)	06/30/81-07/01/81	0	2	
CHCU0030	No	01005	BARIUM, DISSOLVED (UG/L AS BA)	12/19/77-09/08/80	2	7	
CHCU0032	No	01005	BARIUM, DISSOLVED (UG/L AS BA)	12/19/77-09/08/80	2	7	
CHCU0034	No	01005	BARIUM, DISSOLVED (UG/L AS BA)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01005	BARIUM, DISSOLVED (UG/L AS BA)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01005	BARIUM, DISSOLVED (UG/L AS BA)	08/18/81-08/18/81	0	1	
CHCU0038	No	01005	BARIUM, DISSOLVED (UG/L AS BA)	08/18/81-08/18/81	0	1	
CHCU0012	Yes	01006	BARIUM, SUSPENDED (UG/L AS BA)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01006	BARIUM, SUSPENDED (UG/L AS BA)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01006	BARIUM, SUSPENDED (UG/L AS BA)	09/24/78-08/29/83	4	26	
CHCU0026	No	01006	BARIUM, SUSPENDED (UG/L AS BA)	01/19/79-03/16/81	2	5	
CHCU0027	No	01006	BARIUM, SUSPENDED (UG/L AS BA)	03/03/80-03/03/80	0	1	
CHCU0028	No	01006	BARIUM, SUSPENDED (UG/L AS BA)	11/03/78-11/03/78	0	2	
CHCU0029	Yes	01006	BARIUM, SUSPENDED (UG/L AS BA)	06/30/81-07/01/81	0	2	
CHCU0030	No	01006	BARIUM, SUSPENDED (UG/L AS BA)	03/10/80-03/10/80	0	1	
CHCU0032	No	01006	BARIUM, SUSPENDED (UG/L AS BA)	03/10/80-03/10/80	0	1	
CHCU0034	No	01006	BARIUM, SUSPENDED (UG/L AS BA)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01006	BARIUM, SUSPENDED (UG/L AS BA)	04/28/82-08/18/82	0	2	
CHCU0036	Yes	01006	BARIUM, SUSPENDED (UG/L AS BA)	08/18/81-08/18/81	0	1	
CHCU0038	No	01006	BARIUM, SUSPENDED (UG/L AS BA)	08/18/81-08/18/81	0	1	
CHCU0009	No	01007	BARIUM, TOTAL (UG/L AS BA)	03/28/78-03/28/78	0	1	
CHCU0010	No	01007	BARIUM, TOTAL (UG/L AS BA)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	01007	BARIUM, TOTAL (UG/L AS BA)	06/30/81-06/30/81	0	1	
CHCU0021	Yes	01007	BARIUM, TOTAL (UG/L AS BA)	02/16/79-02/16/79	0	1	
CHCU0022	Yes	01007	BARIUM, TOTAL (UG/L AS BA)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01007	BARIUM, TOTAL (UG/L AS BA)	02/12/77-08/29/83	6	66	T,S
CHCU0026	No	01007	BARIUM, TOTAL (UG/L AS BA)	01/12/78-03/16/81	3	30	
CHCU0027	No	01007	BARIUM, TOTAL (UG/L AS BA)	09/24/78-03/03/80	1	15	
CHCU0028	No	01007	BARIUM, TOTAL (UG/L AS BA)	02/28/78-11/03/78	0	4	
CHCU0029	Yes	01007	BARIUM, TOTAL (UG/L AS BA)	06/30/81-07/01/81	0	2	
CHCU0030	No	01007	BARIUM, TOTAL (UG/L AS BA)	03/10/80-03/10/80	0	1	
CHCU0031	No	01007	BARIUM, TOTAL (UG/L AS BA)	08/01/76-08/01/76	0	1	
CHCU0032	No	01007	BARIUM, TOTAL (UG/L AS BA)	03/10/80-03/10/80	0	1	
CHCU0033	No	01007	BARIUM, TOTAL (UG/L AS BA)	07/08/76-07/08/76	0	1	
CHCU0034	No	01007	BARIUM, TOTAL (UG/L AS BA)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01007	BARIUM, TOTAL (UG/L AS BA)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01007	BARIUM, TOTAL (UG/L AS BA)	08/18/81-08/18/81	0	1	
CHCU0037	No	01007	BARIUM, TOTAL (UG/L AS BA)	03/27/78-03/27/78	0	1	
CHCU0038	No	01007	BARIUM, TOTAL (UG/L AS BA)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	02/15/80-08/29/83	3	3	
CHCU0026	No	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	04/01/80-01/26/82	1	3	
CHCU0030	No	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	12/19/77-09/08/80	2	7	
CHCU0032	No	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	12/19/77-03/18/81	3	8	
CHCU0034	No	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	08/18/81-08/18/81	0	1	
CHCU0038	No	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	08/18/81-06/09/82	0	2	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0026	No	01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	03/16/81-03/16/81	0	1	
CHCU0030	No	01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	03/10/80-03/10/80	0	1	
CHCU0032	No	01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	03/10/80-03/10/80	0	1	
CHCU0034	No	01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	08/18/81-08/18/81	0	1	
CHCU0038	No	01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	08/18/81-08/18/81	0	1	
CHCU0012	Yes	01012	BERYLLIUM, TOTAL (UG/L AS BE)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01012	BERYLLIUM, TOTAL (UG/L AS BE)	06/30/81-07/01/81	0	2	
CHCU0023	Yes	01012	BERYLLIUM, TOTAL (UG/L AS BE)	02/15/80-07/01/81	1	3	
CHCU0026	No	01012	BERYLLIUM, TOTAL (UG/L AS BE)	04/01/80-03/16/81	0	2	
CHCU0029	Yes	01012	BERYLLIUM, TOTAL (UG/L AS BE)	06/30/81-07/01/81	0	2	
CHCU0030	No	01012	BERYLLIUM, TOTAL (UG/L AS BE)	03/10/80-03/10/80	0	1	
CHCU0032	No	01012	BERYLLIUM, TOTAL (UG/L AS BE)	03/10/80-03/10/80	0	1	
CHCU0034	No	01012	BERYLLIUM, TOTAL (UG/L AS BE)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01012	BERYLLIUM, TOTAL (UG/L AS BE)	08/18/81-08/18/81	0	1	
CHCU0038	No	01012	BERYLLIUM, TOTAL (UG/L AS BE)	08/18/81-06/09/82	0	2	
CHCU0001	No	01020	BORON, DISSOLVED (UG/L AS B)	09/22/75-09/22/75	0	1	
CHCU0002	No	01020	BORON, DISSOLVED (UG/L AS B)	01/28/76-01/28/76	0	1	
CHCU0003	No	01020	BORON, DISSOLVED (UG/L AS B)	09/22/75-09/22/75	0	1	
CHCU0004	No	01020	BORON, DISSOLVED (UG/L AS B)	01/27/76-01/27/76	0	1	
CHCU0005	No	01020	BORON, DISSOLVED (UG/L AS B)	01/28/76-01/28/76	0	1	
CHCU0006	No	01020	BORON, DISSOLVED (UG/L AS B)	09/22/75-09/22/75	0	1	
CHCU0007	No	01020	BORON, DISSOLVED (UG/L AS B)	09/22/75-09/22/75	0	1	
CHCU0009	No	01020	BORON, DISSOLVED (UG/L AS B)	03/28/78-03/28/78	0	1	
CHCU0010	No	01020	BORON, DISSOLVED (UG/L AS B)	03/28/78-03/28/78	0	1	
CHCU0011	No	01020	BORON, DISSOLVED (UG/L AS B)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	01020	BORON, DISSOLVED (UG/L AS B)	06/30/81-08/24/82	1	2	
CHCU0015	No	01020	BORON, DISSOLVED (UG/L AS B)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	01020	BORON, DISSOLVED (UG/L AS B)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	01020	BORON, DISSOLVED (UG/L AS B)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	01020	BORON, DISSOLVED (UG/L AS B)	08/06/76-10/06/83	7	66	T,S
CHCU0024	No	01020	BORON, DISSOLVED (UG/L AS B)	06/09/76-06/09/76	0	1	
CHCU0025	No	01020	BORON, DISSOLVED (UG/L AS B)	04/02/76-04/02/76	0	1	
CHCU0026	No	01020	BORON, DISSOLVED (UG/L AS B)	07/19/77-03/17/83	5	14	
CHCU0027	No	01020	BORON, DISSOLVED (UG/L AS B)	05/07/78-11/08/79	1	2	
CHCU0028	No	01020	BORON, DISSOLVED (UG/L AS B)	02/17/77-11/03/78	1	4	
CHCU0029	Yes	01020	BORON, DISSOLVED (UG/L AS B)	06/30/81-10/06/83	2	8	
CHCU0030	No	01020	BORON, DISSOLVED (UG/L AS B)	12/19/77-09/08/80	2	7	
CHCU0032	No	01020	BORON, DISSOLVED (UG/L AS B)	12/19/77-04/12/82	4	9	
CHCU0033	No	01020	BORON, DISSOLVED (UG/L AS B)	07/21/76-07/21/76	0	1	
CHCU0034	No	01020	BORON, DISSOLVED (UG/L AS B)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01020	BORON, DISSOLVED (UG/L AS B)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	01020	BORON, DISSOLVED (UG/L AS B)	03/27/78-08/18/81	3	4	
CHCU0037	No	01020	BORON, DISSOLVED (UG/L AS B)	03/27/78-03/27/78	0	1	
CHCU0038	No	01020	BORON, DISSOLVED (UG/L AS B)	08/18/81-06/09/82	0	2	
CHCU0039	No	01020	BORON, DISSOLVED (UG/L AS B)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01021	BORON, SUSPENDED (UG/L AS B)	09/24/78-03/12/79	0	20	
CHCU0026	No	01021	BORON, SUSPENDED (UG/L AS B)	02/14/79-10/22/79	0	3	
CHCU0028	No	01021	BORON, SUSPENDED (UG/L AS B)	11/03/78-11/03/78	0	2	
CHCU0002	No	01022	BORON, TOTAL (UG/L AS B)	01/28/76-01/28/76	0	1	
CHCU0004	No	01022	BORON, TOTAL (UG/L AS B)	01/27/76-01/27/76	0	1	
CHCU0005	No	01022	BORON, TOTAL (UG/L AS B)	01/28/76-01/28/76	0	1	
CHCU0021	Yes	01022	BORON, TOTAL (UG/L AS B)	02/16/79-02/16/79	0	1	
CHCU0023	Yes	01022	BORON, TOTAL (UG/L AS B)	09/15/76-07/17/79	2	56	
CHCU0024	No	01022	BORON, TOTAL (UG/L AS B)	06/09/76-06/09/76	0	1	
CHCU0026	No	01022	BORON, TOTAL (UG/L AS B)	07/18/77-10/22/79	2	33	
CHCU0027	No	01022	BORON, TOTAL (UG/L AS B)	09/24/78-11/08/79	1	14	
CHCU0028	No	01022	BORON, TOTAL (UG/L AS B)	11/03/78-11/03/78	0	2	
CHCU0031	No	01022	BORON, TOTAL (UG/L AS B)	08/01/76-08/01/76	0	1	
CHCU0033	No	01022	BORON, TOTAL (UG/L AS B)	07/08/76-07/08/76	0	1	
CHCU0022	Yes	01025	CADMIUM, DISSOLVED (UG/L AS CD)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01025	CADMIUM, DISSOLVED (UG/L AS CD)	02/12/77-08/29/83	6	16	
CHCU0026	No	01025	CADMIUM, DISSOLVED (UG/L AS CD)	02/10/78-01/26/82	3	5	
CHCU0027	No	01025	CADMIUM, DISSOLVED (UG/L AS CD)	03/03/80-03/03/80	0	1	
CHCU0028	No	01025	CADMIUM, DISSOLVED (UG/L AS CD)	02/17/77-02/28/78	1	2	
CHCU0030	No	01025	CADMIUM, DISSOLVED (UG/L AS CD)	12/19/77-09/08/80	2	7	
CHCU0032	No	01025	CADMIUM, DISSOLVED (UG/L AS CD)	12/19/77-04/12/82	4	9	
CHCU0034	No	01025	CADMIUM, DISSOLVED (UG/L AS CD)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01025	CADMIUM, DISSOLVED (UG/L AS CD)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01025	CADMIUM, DISSOLVED (UG/L AS CD)	08/18/81-08/18/81	0	1	
CHCU0038	No	01025	CADMIUM, DISSOLVED (UG/L AS CD)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01026	CADMIUM, SUSPENDED (UG/L AS CD)	02/15/77-10/22/78	1	6	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0026	No	01026	CADMIUM, SUSPENDED (UG/L AS CD)	03/16/81-03/16/81	0	1	
CHCU0027	No	01026	CADMIUM, SUSPENDED (UG/L AS CD)	03/03/80-03/03/80	0	1	
CHCU0030	No	01026	CADMIUM, SUSPENDED (UG/L AS CD)	03/10/80-03/10/80	0	1	
CHCU0032	No	01026	CADMIUM, SUSPENDED (UG/L AS CD)	03/10/80-03/10/80	0	1	
CHCU0034	No	01026	CADMIUM, SUSPENDED (UG/L AS CD)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01026	CADMIUM, SUSPENDED (UG/L AS CD)	08/18/81-08/18/81	0	1	
CHCU0038	No	01026	CADMIUM, SUSPENDED (UG/L AS CD)	08/18/81-08/18/81	0	1	
CHCU0009	No	01027	CADMIUM, TOTAL (UG/L AS CD)	03/28/78-03/28/78	0	1	
CHCU0010	No	01027	CADMIUM, TOTAL (UG/L AS CD)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	01027	CADMIUM, TOTAL (UG/L AS CD)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01027	CADMIUM, TOTAL (UG/L AS CD)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01027	CADMIUM, TOTAL (UG/L AS CD)	02/12/77-08/29/83	6	30	T,S
CHCU0026	No	01027	CADMIUM, TOTAL (UG/L AS CD)	07/18/77-03/16/81	3	9	
CHCU0027	No	01027	CADMIUM, TOTAL (UG/L AS CD)	03/03/80-03/03/80	0	1	
CHCU0028	No	01027	CADMIUM, TOTAL (UG/L AS CD)	02/28/78-05/09/78	0	2	
CHCU0029	Yes	01027	CADMIUM, TOTAL (UG/L AS CD)	06/30/81-07/01/81	0	2	
CHCU0030	No	01027	CADMIUM, TOTAL (UG/L AS CD)	03/10/80-03/10/80	0	1	
CHCU0032	No	01027	CADMIUM, TOTAL (UG/L AS CD)	03/10/80-03/10/80	0	1	
CHCU0033	No	01027	CADMIUM, TOTAL (UG/L AS CD)	07/08/76-07/08/76	0	1	
CHCU0034	No	01027	CADMIUM, TOTAL (UG/L AS CD)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01027	CADMIUM, TOTAL (UG/L AS CD)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01027	CADMIUM, TOTAL (UG/L AS CD)	08/18/81-08/18/81	0	1	
CHCU0037	No	01027	CADMIUM, TOTAL (UG/L AS CD)	03/27/78-03/27/78	0	1	
CHCU0038	No	01027	CADMIUM, TOTAL (UG/L AS CD)	08/18/81-06/09/82	0	2	
CHCU0008	No	01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	07/29/82-08/29/83	1	2	
CHCU0031	No	01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	09/26/78-09/26/78	0	1	
CHCU0034	No	01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	04/28/82-08/18/82	0	3	
CHCU0036	Yes	01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0038	No	01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/18/81-06/09/82	0	2	
CHCU0008	No	01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	07/29/82-08/29/83	1	2	
CHCU0031	No	01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	09/26/78-09/26/78	0	1	
CHCU0034	No	01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	04/28/82-08/18/82	0	3	
CHCU0036	Yes	01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0038	No	01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	02/12/77-08/29/83	6	18	
CHCU0026	No	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	01/12/78-01/26/82	4	6	
CHCU0027	No	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	03/03/80-03/03/80	0	1	
CHCU0028	No	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	02/28/78-05/09/78	0	2	
CHCU0030	No	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	12/19/77-09/08/80	2	7	
CHCU0032	No	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	12/19/77-04/12/82	4	9	
CHCU0034	No	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	08/18/81-08/18/81	0	1	
CHCU0038	No	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01031	CHROMIUM, SUSPEND (UG/L AS CR)	02/15/77-02/15/80	3	7	
CHCU0026	No	01031	CHROMIUM, SUSPEND (UG/L AS CR)	04/01/80-03/16/81	0	2	
CHCU0027	No	01031	CHROMIUM, SUSPEND (UG/L AS CR)	03/03/80-03/03/80	0	1	
CHCU0030	No	01031	CHROMIUM, SUSPEND (UG/L AS CR)	03/10/80-03/10/80	0	1	
CHCU0032	No	01031	CHROMIUM, SUSPEND (UG/L AS CR)	03/10/80-03/10/80	0	1	
CHCU0034	No	01031	CHROMIUM, SUSPEND (UG/L AS CR)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01031	CHROMIUM, SUSPEND (UG/L AS CR)	08/18/82-08/18/82	0	1	
CHCU0036	Yes	01031	CHROMIUM, SUSPEND (UG/L AS CR)	08/18/81-08/18/81	0	1	
CHCU0038	No	01031	CHROMIUM, SUSPEND (UG/L AS CR)	08/18/81-06/09/82	0	2	
CHCU0028	No	01032	CHROMIUM, HEXAVALENT (UG/L AS CR)	02/17/77-02/17/77	0	1	
CHCU0009	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	03/28/78-03/28/78	0	1	
CHCU0010	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	01034	CHROMIUM, TOTAL (UG/L AS CR)	06/30/81-06/30/81	0	1	
CHCU0015	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	03/28/78-03/28/78	0	1	
CHCU0022	Yes	01034	CHROMIUM, TOTAL (UG/L AS CR)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01034	CHROMIUM, TOTAL (UG/L AS CR)	02/12/77-08/29/83	6	32	T,S
CHCU0026	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	01/12/78-03/16/81	3	6	
CHCU0027	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	03/03/80-03/03/80	0	1	
CHCU0028	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	02/28/78-05/09/78	0	2	
CHCU0029	Yes	01034	CHROMIUM, TOTAL (UG/L AS CR)	06/30/81-07/01/81	0	2	
CHCU0030	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	03/10/80-03/10/80	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0031	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	08/01/76-08/01/76	0	1	
CHCU0032	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	03/10/80-03/10/80	0	1	
CHCU0033	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	07/08/76-07/08/76	0	1	
CHCU0034	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01034	CHROMIUM, TOTAL (UG/L AS CR)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01034	CHROMIUM, TOTAL (UG/L AS CR)	08/18/81-08/18/81	0	1	
CHCU0037	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	03/27/78-03/27/78	0	1	
CHCU0038	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01035	COBALT, DISSOLVED (UG/L AS CO)	02/12/77-02/15/80	3	12	
CHCU0026	No	01035	COBALT, DISSOLVED (UG/L AS CO)	04/01/80-04/01/80	0	1	
CHCU0027	No	01035	COBALT, DISSOLVED (UG/L AS CO)	03/03/80-03/03/80	0	1	
CHCU0030	No	01035	COBALT, DISSOLVED (UG/L AS CO)	12/19/77-09/08/80	2	7	
CHCU0032	No	01035	COBALT, DISSOLVED (UG/L AS CO)	12/19/77-09/08/80	2	7	
CHCU0034	No	01035	COBALT, DISSOLVED (UG/L AS CO)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01035	COBALT, DISSOLVED (UG/L AS CO)	04/28/82-04/28/82	0	1	
CHCU0036	Yes	01035	COBALT, DISSOLVED (UG/L AS CO)	08/18/81-08/18/81	0	1	
CHCU0038	No	01035	COBALT, DISSOLVED (UG/L AS CO)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01036	COBALT, SUSPENDED (UG/L AS CO)	02/15/77-10/22/78	1	5	
CHCU0027	No	01036	COBALT, SUSPENDED (UG/L AS CO)	03/03/80-03/03/80	0	1	
CHCU0030	No	01036	COBALT, SUSPENDED (UG/L AS CO)	03/10/80-03/10/80	0	1	
CHCU0032	No	01036	COBALT, SUSPENDED (UG/L AS CO)	03/10/80-03/10/80	0	1	
CHCU0034	No	01036	COBALT, SUSPENDED (UG/L AS CO)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01036	COBALT, SUSPENDED (UG/L AS CO)	08/18/81-08/18/81	0	1	
CHCU0038	No	01036	COBALT, SUSPENDED (UG/L AS CO)	08/18/81-08/18/81	0	1	
CHCU0023	Yes	01037	COBALT, TOTAL (UG/L AS CO)	02/12/77-02/15/80	3	14	
CHCU0026	No	01037	COBALT, TOTAL (UG/L AS CO)	04/01/80-04/01/80	0	1	
CHCU0027	No	01037	COBALT, TOTAL (UG/L AS CO)	03/03/80-03/03/80	0	1	
CHCU0030	No	01037	COBALT, TOTAL (UG/L AS CO)	03/10/80-03/10/80	0	1	
CHCU0032	No	01037	COBALT, TOTAL (UG/L AS CO)	03/10/80-03/10/80	0	1	
CHCU0034	No	01037	COBALT, TOTAL (UG/L AS CO)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01037	COBALT, TOTAL (UG/L AS CO)	08/18/81-08/18/81	0	1	
CHCU0038	No	01037	COBALT, TOTAL (UG/L AS CO)	08/18/81-06/09/82	0	2	
CHCU0008	No	01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	07/29/82-08/29/83	1	2	
CHCU0031	No	01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	09/26/78-09/26/78	0	1	
CHCU0034	No	01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	04/28/82-08/18/82	0	3	
CHCU0036	Yes	01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0038	No	01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	01040	COPPER, DISSOLVED (UG/L AS CU)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01040	COPPER, DISSOLVED (UG/L AS CU)	02/12/77-08/29/83	6	13	
CHCU0026	No	01040	COPPER, DISSOLVED (UG/L AS CU)	04/01/80-01/26/82	1	3	
CHCU0027	No	01040	COPPER, DISSOLVED (UG/L AS CU)	03/03/80-03/03/80	0	1	
CHCU0028	No	01040	COPPER, DISSOLVED (UG/L AS CU)	02/17/77-02/17/77	0	1	
CHCU0030	No	01040	COPPER, DISSOLVED (UG/L AS CU)	12/19/77-09/08/80	2	7	
CHCU0032	No	01040	COPPER, DISSOLVED (UG/L AS CU)	12/19/77-04/12/82	4	9	
CHCU0034	No	01040	COPPER, DISSOLVED (UG/L AS CU)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01040	COPPER, DISSOLVED (UG/L AS CU)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01040	COPPER, DISSOLVED (UG/L AS CU)	08/18/81-08/18/81	0	1	
CHCU0038	No	01040	COPPER, DISSOLVED (UG/L AS CU)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	01041	COPPER, SUSPENDED (UG/L AS CU)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01041	COPPER, SUSPENDED (UG/L AS CU)	02/15/77-08/29/83	6	7	
CHCU0026	No	01041	COPPER, SUSPENDED (UG/L AS CU)	04/01/80-03/16/81	0	2	
CHCU0027	No	01041	COPPER, SUSPENDED (UG/L AS CU)	03/03/80-03/03/80	0	1	
CHCU0030	No	01041	COPPER, SUSPENDED (UG/L AS CU)	03/10/80-03/10/80	0	1	
CHCU0032	No	01041	COPPER, SUSPENDED (UG/L AS CU)	03/10/80-03/10/80	0	1	
CHCU0034	No	01041	COPPER, SUSPENDED (UG/L AS CU)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01041	COPPER, SUSPENDED (UG/L AS CU)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01041	COPPER, SUSPENDED (UG/L AS CU)	08/18/81-08/18/81	0	1	
CHCU0038	No	01041	COPPER, SUSPENDED (UG/L AS CU)	08/18/81-06/09/82	0	2	
CHCU0012	Yes	01042	COPPER, TOTAL (UG/L AS CU)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01042	COPPER, TOTAL (UG/L AS CU)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01042	COPPER, TOTAL (UG/L AS CU)	02/12/77-08/29/83	6	17	
CHCU0026	No	01042	COPPER, TOTAL (UG/L AS CU)	04/01/80-03/16/81	0	2	
CHCU0027	No	01042	COPPER, TOTAL (UG/L AS CU)	03/03/80-03/03/80	0	1	
CHCU0029	Yes	01042	COPPER, TOTAL (UG/L AS CU)	06/30/81-07/01/81	0	2	
CHCU0030	No	01042	COPPER, TOTAL (UG/L AS CU)	03/10/80-03/10/80	0	1	
CHCU0032	No	01042	COPPER, TOTAL (UG/L AS CU)	03/10/80-03/10/80	0	1	
CHCU0034	No	01042	COPPER, TOTAL (UG/L AS CU)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01042	COPPER, TOTAL (UG/L AS CU)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01042	COPPER, TOTAL (UG/L AS CU)	08/18/81-08/18/81	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0038	No	01042	COPPER, TOTAL (UG/L AS CU)	08/18/81-06/09/82	0	2	
CHCU0008	No	01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	07/29/82-08/29/83	1	2	
CHCU0031	No	01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	09/26/78-09/26/78	0	1	
CHCU0034	No	01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	04/28/82-08/18/82	0	3	
CHCU0036	Yes	01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0038	No	01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	08/18/81-06/09/82	0	2	
CHCU0012	Yes	01044	IRON, SUSPENDED (UG/L AS FE)	06/30/81-08/24/82	1	2	
CHCU0022	Yes	01044	IRON, SUSPENDED (UG/L AS FE)	06/30/81-01/24/83	1	5	
CHCU0023	Yes	01044	IRON, SUSPENDED (UG/L AS FE)	09/24/78-08/29/83	4	31	
CHCU0026	No	01044	IRON, SUSPENDED (UG/L AS FE)	02/14/79-07/30/82	3	14	
CHCU0027	No	01044	IRON, SUSPENDED (UG/L AS FE)	03/03/80-03/03/80	0	1	
CHCU0028	No	01044	IRON, SUSPENDED (UG/L AS FE)	11/03/78-07/13/81	2	3	
CHCU0029	Yes	01044	IRON, SUSPENDED (UG/L AS FE)	06/30/81-08/29/83	2	5	
CHCU0032	No	01044	IRON, SUSPENDED (UG/L AS FE)	03/18/81-03/18/81	0	1	
CHCU0034	No	01044	IRON, SUSPENDED (UG/L AS FE)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01044	IRON, SUSPENDED (UG/L AS FE)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	01044	IRON, SUSPENDED (UG/L AS FE)	08/18/81-08/18/81	0	1	
CHCU0038	No	01044	IRON, SUSPENDED (UG/L AS FE)	08/18/81-06/09/82	0	2	
CHCU0012	Yes	01045	IRON, TOTAL (UG/L AS FE)	06/30/81-08/24/82	1	2	
CHCU0021	Yes	01045	IRON, TOTAL (UG/L AS FE)	02/16/79-02/16/79	0	1	
CHCU0022	Yes	01045	IRON, TOTAL (UG/L AS FE)	06/30/81-01/24/83	1	5	
CHCU0023	Yes	01045	IRON, TOTAL (UG/L AS FE)	02/12/77-08/29/83	6	58	T,S
CHCU0026	No	01045	IRON, TOTAL (UG/L AS FE)	01/12/78-07/30/82	4	46	
CHCU0027	No	01045	IRON, TOTAL (UG/L AS FE)	09/24/78-03/03/80	1	15	
CHCU0028	No	01045	IRON, TOTAL (UG/L AS FE)	11/03/78-07/13/81	2	5	
CHCU0029	Yes	01045	IRON, TOTAL (UG/L AS FE)	06/30/81-08/29/83	2	5	
CHCU0031	No	01045	IRON, TOTAL (UG/L AS FE)	08/01/76-08/01/76	0	1	
CHCU0032	No	01045	IRON, TOTAL (UG/L AS FE)	03/18/81-03/18/81	0	1	
CHCU0033	No	01045	IRON, TOTAL (UG/L AS FE)	07/08/76-07/08/76	0	1	
CHCU0034	No	01045	IRON, TOTAL (UG/L AS FE)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01045	IRON, TOTAL (UG/L AS FE)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	01045	IRON, TOTAL (UG/L AS FE)	08/18/81-08/18/81	0	2	
CHCU0037	No	01045	IRON, TOTAL (UG/L AS FE)	03/27/78-03/27/78	0	1	
CHCU0038	No	01045	IRON, TOTAL (UG/L AS FE)	08/18/81-06/09/82	0	2	
CHCU0002	No	01046	IRON, DISSOLVED (UG/L AS FE)	01/28/76-01/28/76	0	1	
CHCU0004	No	01046	IRON, DISSOLVED (UG/L AS FE)	01/27/76-01/27/76	0	1	
CHCU0005	No	01046	IRON, DISSOLVED (UG/L AS FE)	01/28/76-01/28/76	0	1	
CHCU0009	No	01046	IRON, DISSOLVED (UG/L AS FE)	03/28/78-03/28/78	0	1	
CHCU0010	No	01046	IRON, DISSOLVED (UG/L AS FE)	03/28/78-03/28/78	0	1	
CHCU0011	No	01046	IRON, DISSOLVED (UG/L AS FE)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	01046	IRON, DISSOLVED (UG/L AS FE)	06/30/81-08/24/82	1	2	
CHCU0021	Yes	01046	IRON, DISSOLVED (UG/L AS FE)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	01046	IRON, DISSOLVED (UG/L AS FE)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	01046	IRON, DISSOLVED (UG/L AS FE)	08/06/76-10/06/83	7	72	T,S
CHCU0024	No	01046	IRON, DISSOLVED (UG/L AS FE)	06/09/76-06/09/76	0	1	
CHCU0025	No	01046	IRON, DISSOLVED (UG/L AS FE)	04/02/76-04/02/76	0	1	
CHCU0026	No	01046	IRON, DISSOLVED (UG/L AS FE)	01/12/78-03/17/83	5	19	
CHCU0027	No	01046	IRON, DISSOLVED (UG/L AS FE)	05/07/78-03/03/80	1	2	
CHCU0028	No	01046	IRON, DISSOLVED (UG/L AS FE)	02/17/77-07/13/81	4	5	
CHCU0029	Yes	01046	IRON, DISSOLVED (UG/L AS FE)	06/30/81-10/06/83	2	8	
CHCU0030	No	01046	IRON, DISSOLVED (UG/L AS FE)	12/19/77-09/08/80	2	7	
CHCU0032	No	01046	IRON, DISSOLVED (UG/L AS FE)	12/19/77-04/12/82	4	9	
CHCU0033	No	01046	IRON, DISSOLVED (UG/L AS FE)	07/21/76-07/21/76	0	1	
CHCU0034	No	01046	IRON, DISSOLVED (UG/L AS FE)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01046	IRON, DISSOLVED (UG/L AS FE)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	01046	IRON, DISSOLVED (UG/L AS FE)	03/27/78-08/18/81	3	4	
CHCU0037	No	01046	IRON, DISSOLVED (UG/L AS FE)	03/27/78-03/27/78	0	1	
CHCU0038	No	01046	IRON, DISSOLVED (UG/L AS FE)	08/18/81-06/09/82	0	2	
CHCU0039	No	01046	IRON, DISSOLVED (UG/L AS FE)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	01049	LEAD, DISSOLVED (UG/L AS PB)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01049	LEAD, DISSOLVED (UG/L AS PB)	02/12/77-08/29/83	6	42	T,S
CHCU0026	No	01049	LEAD, DISSOLVED (UG/L AS PB)	07/19/77-01/26/82	4	9	
CHCU0027	No	01049	LEAD, DISSOLVED (UG/L AS PB)	03/03/80-03/03/80	0	1	
CHCU0028	No	01049	LEAD, DISSOLVED (UG/L AS PB)	02/17/77-11/03/78	1	3	
CHCU0030	No	01049	LEAD, DISSOLVED (UG/L AS PB)	12/19/77-09/08/80	2	5	
CHCU0031	No	01049	LEAD, DISSOLVED (UG/L AS PB)	09/26/78-09/26/78	0	1	
CHCU0032	No	01049	LEAD, DISSOLVED (UG/L AS PB)	12/19/77-04/12/82	4	9	
CHCU0034	No	01049	LEAD, DISSOLVED (UG/L AS PB)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01049	LEAD, DISSOLVED (UG/L AS PB)	04/28/82-11/16/82	0	3	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0036	Yes	01049	LEAD, DISSOLVED (UG/L AS PB)	03/27/78-08/18/81	3	2	
CHCU0038	No	01049	LEAD, DISSOLVED (UG/L AS PB)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01050	LEAD, SUSPENDED (UG/L AS PB)	02/15/77-02/15/80	3	17	
CHCU0026	No	01050	LEAD, SUSPENDED (UG/L AS PB)	10/22/79-03/16/81	1	3	
CHCU0027	No	01050	LEAD, SUSPENDED (UG/L AS PB)	03/03/80-03/03/80	0	1	
CHCU0028	No	01050	LEAD, SUSPENDED (UG/L AS PB)	02/17/77-02/17/77	0	1	
CHCU0030	No	01050	LEAD, SUSPENDED (UG/L AS PB)	03/10/80-03/10/80	0	1	
CHCU0032	No	01050	LEAD, SUSPENDED (UG/L AS PB)	03/10/80-03/10/80	0	1	
CHCU0034	No	01050	LEAD, SUSPENDED (UG/L AS PB)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01050	LEAD, SUSPENDED (UG/L AS PB)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01050	LEAD, SUSPENDED (UG/L AS PB)	08/18/81-08/18/81	0	1	
CHCU0038	No	01050	LEAD, SUSPENDED (UG/L AS PB)	08/18/81-06/09/82	0	2	
CHCU0002	No	01051	LEAD, TOTAL (UG/L AS PB)	01/28/76-01/28/76	0	1	
CHCU0004	No	01051	LEAD, TOTAL (UG/L AS PB)	01/27/76-01/27/76	0	1	
CHCU0005	No	01051	LEAD, TOTAL (UG/L AS PB)	01/28/76-01/28/76	0	1	
CHCU0009	No	01051	LEAD, TOTAL (UG/L AS PB)	03/28/78-03/28/78	0	1	
CHCU0010	No	01051	LEAD, TOTAL (UG/L AS PB)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	01051	LEAD, TOTAL (UG/L AS PB)	06/30/81-06/30/81	0	1	
CHCU0021	Yes	01051	LEAD, TOTAL (UG/L AS PB)	02/16/79-02/16/79	0	1	
CHCU0022	Yes	01051	LEAD, TOTAL (UG/L AS PB)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01051	LEAD, TOTAL (UG/L AS PB)	02/12/77-08/29/83	6	70	T,S
CHCU0026	No	01051	LEAD, TOTAL (UG/L AS PB)	07/18/77-03/16/81	3	35	
CHCU0027	No	01051	LEAD, TOTAL (UG/L AS PB)	05/07/78-03/03/80	1	16	
CHCU0028	No	01051	LEAD, TOTAL (UG/L AS PB)	02/17/77-11/03/78	1	3	
CHCU0029	Yes	01051	LEAD, TOTAL (UG/L AS PB)	06/30/81-07/01/81	0	2	
CHCU0030	No	01051	LEAD, TOTAL (UG/L AS PB)	03/10/80-03/10/80	0	1	
CHCU0032	No	01051	LEAD, TOTAL (UG/L AS PB)	03/10/80-03/10/80	0	1	
CHCU0033	No	01051	LEAD, TOTAL (UG/L AS PB)	07/08/76-07/08/76	0	1	
CHCU0034	No	01051	LEAD, TOTAL (UG/L AS PB)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01051	LEAD, TOTAL (UG/L AS PB)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01051	LEAD, TOTAL (UG/L AS PB)	08/18/81-08/18/81	0	1	
CHCU0037	No	01051	LEAD, TOTAL (UG/L AS PB)	03/27/78-03/27/78	0	1	
CHCU0038	No	01051	LEAD, TOTAL (UG/L AS PB)	08/18/81-06/09/82	0	2	
CHCU0008	No	01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	07/29/82-08/29/83	1	2	
CHCU0031	No	01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	09/26/78-09/26/78	0	1	
CHCU0034	No	01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	04/28/82-08/18/82	0	3	
CHCU0036	Yes	01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0038	No	01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	08/18/81-06/09/82	0	2	
CHCU0008	No	01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	07/29/82-08/29/83	1	2	
CHCU0031	No	01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	09/26/78-09/26/78	0	1	
CHCU0034	No	01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	04/28/82-08/18/82	0	3	
CHCU0036	Yes	01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0038	No	01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	08/18/81-06/09/82	0	2	
CHCU0012	Yes	01054	MANGANESE, SUSPENDED (UG/L AS MN)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01054	MANGANESE, SUSPENDED (UG/L AS MN)	06/30/81-01/24/83	1	5	
CHCU0023	Yes	01054	MANGANESE, SUSPENDED (UG/L AS MN)	02/15/77-08/29/83	6	36	T
CHCU0026	No	01054	MANGANESE, SUSPENDED (UG/L AS MN)	02/14/79-07/30/82	3	15	
CHCU0027	No	01054	MANGANESE, SUSPENDED (UG/L AS MN)	03/03/80-03/03/80	0	1	
CHCU0028	No	01054	MANGANESE, SUSPENDED (UG/L AS MN)	11/03/78-07/13/81	2	3	
CHCU0029	Yes	01054	MANGANESE, SUSPENDED (UG/L AS MN)	06/30/81-08/29/83	2	5	
CHCU0030	No	01054	MANGANESE, SUSPENDED (UG/L AS MN)	03/10/80-03/10/80	0	1	
CHCU0032	No	01054	MANGANESE, SUSPENDED (UG/L AS MN)	03/10/80-03/18/81	1	2	
CHCU0034	No	01054	MANGANESE, SUSPENDED (UG/L AS MN)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01054	MANGANESE, SUSPENDED (UG/L AS MN)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	01054	MANGANESE, SUSPENDED (UG/L AS MN)	08/18/81-08/18/81	0	1	
CHCU0038	No	01054	MANGANESE, SUSPENDED (UG/L AS MN)	08/18/81-06/09/82	0	2	
CHCU0012	Yes	01055	MANGANESE, TOTAL (UG/L AS MN)	06/30/81-08/24/82	1	2	
CHCU0021	Yes	01055	MANGANESE, TOTAL (UG/L AS MN)	02/16/79-02/16/79	0	1	
CHCU0022	Yes	01055	MANGANESE, TOTAL (UG/L AS MN)	06/30/81-01/24/83	1	5	
CHCU0023	Yes	01055	MANGANESE, TOTAL (UG/L AS MN)	02/12/77-08/29/83	6	60	T,S
CHCU0026	No	01055	MANGANESE, TOTAL (UG/L AS MN)	01/12/78-07/30/82	4	47	
CHCU0027	No	01055	MANGANESE, TOTAL (UG/L AS MN)	09/24/78-03/03/80	1	15	
CHCU0028	No	01055	MANGANESE, TOTAL (UG/L AS MN)	11/03/78-07/13/81	2	5	
CHCU0029	Yes	01055	MANGANESE, TOTAL (UG/L AS MN)	06/30/81-08/29/83	2	5	
CHCU0030	No	01055	MANGANESE, TOTAL (UG/L AS MN)	03/10/80-03/10/80	0	1	
CHCU0031	No	01055	MANGANESE, TOTAL (UG/L AS MN)	08/01/76-08/01/76	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0032	No	01055	MANGANESE, TOTAL (UG/L AS MN)	03/10/80-03/18/81	1	2	
CHCU0033	No	01055	MANGANESE, TOTAL (UG/L AS MN)	07/08/76-07/08/76	0	1	
CHCU0034	No	01055	MANGANESE, TOTAL (UG/L AS MN)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01055	MANGANESE, TOTAL (UG/L AS MN)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	01055	MANGANESE, TOTAL (UG/L AS MN)	08/18/81-08/18/81	0	2	
CHCU0037	No	01055	MANGANESE, TOTAL (UG/L AS MN)	03/27/78-03/27/78	0	1	
CHCU0038	No	01055	MANGANESE, TOTAL (UG/L AS MN)	08/18/81-06/09/82	0	2	
CHCU0012	Yes	01056	MANGANESE, DISSOLVED (UG/L AS MN)	06/30/81-08/24/82	1	2	
CHCU0022	Yes	01056	MANGANESE, DISSOLVED (UG/L AS MN)	06/30/81-01/24/83	1	5	
CHCU0023	Yes	01056	MANGANESE, DISSOLVED (UG/L AS MN)	02/12/77-08/29/83	6	51	T,S
CHCU0026	No	01056	MANGANESE, DISSOLVED (UG/L AS MN)	01/12/78-07/30/82	4	16	
CHCU0027	No	01056	MANGANESE, DISSOLVED (UG/L AS MN)	03/03/80-03/03/80	0	1	
CHCU0028	No	01056	MANGANESE, DISSOLVED (UG/L AS MN)	02/17/77-07/13/81	4	4	
CHCU0029	Yes	01056	MANGANESE, DISSOLVED (UG/L AS MN)	06/30/81-08/29/83	2	6	
CHCU0030	No	01056	MANGANESE, DISSOLVED (UG/L AS MN)	12/19/77-09/08/80	2	7	
CHCU0032	No	01056	MANGANESE, DISSOLVED (UG/L AS MN)	12/19/77-04/12/82	4	9	
CHCU0034	No	01056	MANGANESE, DISSOLVED (UG/L AS MN)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01056	MANGANESE, DISSOLVED (UG/L AS MN)	04/28/82-08/16/83	1	6	
CHCU0036	Yes	01056	MANGANESE, DISSOLVED (UG/L AS MN)	04/22/81-08/18/81	0	2	
CHCU0038	No	01056	MANGANESE, DISSOLVED (UG/L AS MN)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	02/08/78-02/15/80	2	4	
CHCU0026	No	01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	02/08/78-04/01/80	2	2	
CHCU0030	No	01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	12/19/77-09/08/80	2	7	
CHCU0032	No	01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	12/19/77-09/08/80	2	7	
CHCU0034	No	01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	04/28/82-04/28/82	0	1	
CHCU0036	Yes	01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	08/18/81-08/18/81	0	1	
CHCU0038	No	01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	08/18/81-06/09/82	0	2	
CHCU0030	No	01061	MOLYBDENUM, SUSPENDED (UG/L AS MO)	03/10/80-03/10/80	0	1	
CHCU0032	No	01061	MOLYBDENUM, SUSPENDED (UG/L AS MO)	03/10/80-03/10/80	0	1	
CHCU0034	No	01061	MOLYBDENUM, SUSPENDED (UG/L AS MO)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01061	MOLYBDENUM, SUSPENDED (UG/L AS MO)	08/18/81-08/18/81	0	1	
CHCU0038	No	01061	MOLYBDENUM, SUSPENDED (UG/L AS MO)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01062	MOLYBDENUM, TOTAL (UG/L AS MO)	02/08/78-02/15/80	2	3	
CHCU0026	No	01062	MOLYBDENUM, TOTAL (UG/L AS MO)	04/01/80-04/01/80	0	1	
CHCU0030	No	01062	MOLYBDENUM, TOTAL (UG/L AS MO)	03/10/80-03/10/80	0	1	
CHCU0032	No	01062	MOLYBDENUM, TOTAL (UG/L AS MO)	03/10/80-03/10/80	0	1	
CHCU0034	No	01062	MOLYBDENUM, TOTAL (UG/L AS MO)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01062	MOLYBDENUM, TOTAL (UG/L AS MO)	08/18/81-08/18/81	0	1	
CHCU0038	No	01062	MOLYBDENUM, TOTAL (UG/L AS MO)	08/18/81-06/09/82	0	2	
CHCU0031	No	01063	MOLYBDENUM IN BOT. DEPOSITS (MG/KG AS MO DRY WGT)	05/07/78-05/07/78	0	1	
CHCU0034	No	01063	MOLYBDENUM IN BOT. DEPOSITS (MG/KG AS MO DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01063	MOLYBDENUM IN BOT. DEPOSITS (MG/KG AS MO DRY WGT)	03/15/79-08/18/81	2	2	
CHCU0038	No	01063	MOLYBDENUM IN BOT. DEPOSITS (MG/KG AS MO DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0022	Yes	01065	NICKEL, DISSOLVED (UG/L AS NI)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01065	NICKEL, DISSOLVED (UG/L AS NI)	02/15/80-08/29/83	3	3	
CHCU0026	No	01065	NICKEL, DISSOLVED (UG/L AS NI)	04/01/80-01/26/82	1	3	
CHCU0030	No	01065	NICKEL, DISSOLVED (UG/L AS NI)	12/19/77-09/08/80	2	7	
CHCU0032	No	01065	NICKEL, DISSOLVED (UG/L AS NI)	12/19/77-03/18/81	3	8	
CHCU0034	No	01065	NICKEL, DISSOLVED (UG/L AS NI)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01065	NICKEL, DISSOLVED (UG/L AS NI)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01065	NICKEL, DISSOLVED (UG/L AS NI)	08/18/81-08/18/81	0	1	
CHCU0038	No	01065	NICKEL, DISSOLVED (UG/L AS NI)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01066	NICKEL, SUSPENDED (UG/L AS NI)	02/15/80-02/15/80	0	1	
CHCU0026	No	01066	NICKEL, SUSPENDED (UG/L AS NI)	04/01/80-03/16/81	0	2	
CHCU0030	No	01066	NICKEL, SUSPENDED (UG/L AS NI)	03/10/80-03/10/80	0	1	
CHCU0032	No	01066	NICKEL, SUSPENDED (UG/L AS NI)	03/10/80-03/10/80	0	1	
CHCU0034	No	01066	NICKEL, SUSPENDED (UG/L AS NI)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01066	NICKEL, SUSPENDED (UG/L AS NI)	08/18/81-08/18/81	0	1	
CHCU0038	No	01066	NICKEL, SUSPENDED (UG/L AS NI)	08/18/81-08/18/81	0	1	
CHCU0012	Yes	01067	NICKEL, TOTAL (UG/L AS NI)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01067	NICKEL, TOTAL (UG/L AS NI)	06/30/81-07/01/81	0	2	
CHCU0023	Yes	01067	NICKEL, TOTAL (UG/L AS NI)	02/15/80-07/01/81	1	3	
CHCU0026	No	01067	NICKEL, TOTAL (UG/L AS NI)	04/01/80-03/16/81	0	2	
CHCU0029	Yes	01067	NICKEL, TOTAL (UG/L AS NI)	06/30/81-07/01/81	0	2	
CHCU0030	No	01067	NICKEL, TOTAL (UG/L AS NI)	03/10/80-03/10/80	0	1	
CHCU0032	No	01067	NICKEL, TOTAL (UG/L AS NI)	03/10/80-03/10/80	0	1	
CHCU0034	No	01067	NICKEL, TOTAL (UG/L AS NI)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01067	NICKEL, TOTAL (UG/L AS NI)	08/18/81-08/18/81	0	1	
CHCU0038	No	01067	NICKEL, TOTAL (UG/L AS NI)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01075	SILVER, DISSOLVED (UG/L AS AG)	03/10/77-10/22/78	1	5	
CHCU0027	No	01075	SILVER, DISSOLVED (UG/L AS AG)	03/03/80-03/03/80	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0028	No	01075	SILVER, DISSOLVED (UG/L AS AG)	02/17/77-02/17/77	0	1	
CHCU0034	No	01075	SILVER, DISSOLVED (UG/L AS AG)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01075	SILVER, DISSOLVED (UG/L AS AG)	08/18/81-08/18/81	0	1	
CHCU0038	No	01075	SILVER, DISSOLVED (UG/L AS AG)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01076	SILVER, SUSPENDED (UG/L AS AG)	10/22/78-10/22/78	0	1	
CHCU0027	No	01076	SILVER, SUSPENDED (UG/L AS AG)	03/03/80-03/03/80	0	1	
CHCU0034	No	01076	SILVER, SUSPENDED (UG/L AS AG)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01076	SILVER, SUSPENDED (UG/L AS AG)	08/18/81-08/18/81	0	1	
CHCU0038	No	01076	SILVER, SUSPENDED (UG/L AS AG)	08/18/81-08/18/81	0	1	
CHCU0023	Yes	01077	SILVER, TOTAL (UG/L AS AG)	03/09/77-10/22/78	1	5	
CHCU0027	No	01077	SILVER, TOTAL (UG/L AS AG)	03/03/80-03/03/80	0	1	
CHCU0034	No	01077	SILVER, TOTAL (UG/L AS AG)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01077	SILVER, TOTAL (UG/L AS AG)	08/18/81-08/18/81	0	1	
CHCU0038	No	01077	SILVER, TOTAL (UG/L AS AG)	08/18/81-06/09/82	0	2	
CHCU0012	Yes	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	02/12/77-08/29/83	6	13	
CHCU0026	No	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	01/12/78-03/16/81	3	4	
CHCU0029	Yes	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	06/30/81-07/01/81	0	2	
CHCU0030	No	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	09/20/79-09/08/80	0	3	
CHCU0032	No	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	09/20/79-04/12/82	2	4	
CHCU0034	No	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	08/18/81-08/18/81	0	1	
CHCU0038	No	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	08/18/81-08/18/81	0	1	
CHCU0012	Yes	01081	STRONTIUM, SUSPENDED (UG/L AS SR)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01081	STRONTIUM, SUSPENDED (UG/L AS SR)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01081	STRONTIUM, SUSPENDED (UG/L AS SR)	06/30/81-08/29/83	2	3	
CHCU0026	No	01081	STRONTIUM, SUSPENDED (UG/L AS SR)	03/16/81-03/16/81	0	1	
CHCU0029	Yes	01081	STRONTIUM, SUSPENDED (UG/L AS SR)	06/30/81-07/01/81	0	2	
CHCU0034	No	01081	STRONTIUM, SUSPENDED (UG/L AS SR)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01081	STRONTIUM, SUSPENDED (UG/L AS SR)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01081	STRONTIUM, SUSPENDED (UG/L AS SR)	08/18/81-08/18/81	0	1	
CHCU0038	No	01081	STRONTIUM, SUSPENDED (UG/L AS SR)	08/18/81-08/18/81	0	1	
CHCU0012	Yes	01082	STRONTIUM, TOTAL (UG/L AS SR)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01082	STRONTIUM, TOTAL (UG/L AS SR)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01082	STRONTIUM, TOTAL (UG/L AS SR)	02/12/77-08/29/83	6	13	
CHCU0026	No	01082	STRONTIUM, TOTAL (UG/L AS SR)	01/12/78-03/16/81	3	3	
CHCU0029	Yes	01082	STRONTIUM, TOTAL (UG/L AS SR)	06/30/81-07/01/81	0	2	
CHCU0031	No	01082	STRONTIUM, TOTAL (UG/L AS SR)	08/01/76-08/01/76	0	1	
CHCU0033	No	01082	STRONTIUM, TOTAL (UG/L AS SR)	07/08/76-07/08/76	0	1	
CHCU0034	No	01082	STRONTIUM, TOTAL (UG/L AS SR)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01082	STRONTIUM, TOTAL (UG/L AS SR)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01082	STRONTIUM, TOTAL (UG/L AS SR)	08/18/81-08/18/81	0	1	
CHCU0037	No	01082	STRONTIUM, TOTAL (UG/L AS SR)	03/27/78-03/27/78	0	1	
CHCU0038	No	01082	STRONTIUM, TOTAL (UG/L AS SR)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01085	VANADIUM, DISSOLVED (UG/L AS V)	02/12/77-02/15/80	3	5	
CHCU0026	No	01085	VANADIUM, DISSOLVED (UG/L AS V)	02/08/78-04/01/80	2	2	
CHCU0030	No	01085	VANADIUM, DISSOLVED (UG/L AS V)	12/19/77-09/08/80	2	7	
CHCU0032	No	01085	VANADIUM, DISSOLVED (UG/L AS V)	12/19/77-09/08/80	2	7	
CHCU0034	No	01085	VANADIUM, DISSOLVED (UG/L AS V)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01085	VANADIUM, DISSOLVED (UG/L AS V)	04/28/82-04/28/82	0	1	
CHCU0036	Yes	01085	VANADIUM, DISSOLVED (UG/L AS V)	08/18/81-08/18/81	0	1	
CHCU0038	No	01085	VANADIUM, DISSOLVED (UG/L AS V)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	01090	ZINC, DISSOLVED (UG/L AS ZN)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01090	ZINC, DISSOLVED (UG/L AS ZN)	02/12/77-08/29/83	6	13	
CHCU0026	No	01090	ZINC, DISSOLVED (UG/L AS ZN)	04/01/80-01/26/82	1	3	
CHCU0027	No	01090	ZINC, DISSOLVED (UG/L AS ZN)	03/03/80-03/03/80	0	1	
CHCU0028	No	01090	ZINC, DISSOLVED (UG/L AS ZN)	02/17/77-02/17/77	0	1	
CHCU0030	No	01090	ZINC, DISSOLVED (UG/L AS ZN)	12/19/77-09/08/80	2	7	
CHCU0032	No	01090	ZINC, DISSOLVED (UG/L AS ZN)	12/19/77-04/12/82	4	9	
CHCU0034	No	01090	ZINC, DISSOLVED (UG/L AS ZN)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01090	ZINC, DISSOLVED (UG/L AS ZN)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01090	ZINC, DISSOLVED (UG/L AS ZN)	08/18/81-08/18/81	0	1	
CHCU0038	No	01090	ZINC, DISSOLVED (UG/L AS ZN)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	01091	ZINC, SUSPENDED (UG/L ZN)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01091	ZINC, SUSPENDED (UG/L ZN)	02/12/77-08/29/83	6	8	
CHCU0026	No	01091	ZINC, SUSPENDED (UG/L ZN)	04/01/80-03/16/81	0	2	
CHCU0027	No	01091	ZINC, SUSPENDED (UG/L ZN)	03/03/80-03/03/80	0	1	
CHCU0030	No	01091	ZINC, SUSPENDED (UG/L ZN)	03/10/80-03/10/80	0	1	
CHCU0032	No	01091	ZINC, SUSPENDED (UG/L ZN)	03/10/80-03/10/80	0	1	
CHCU0034	No	01091	ZINC, SUSPENDED (UG/L ZN)	08/18/81-08/18/81	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0035	Yes	01091	ZINC, SUSPENDED (UG/L ZN)	08/18/82-11/16/82	0	2	
CHCU0036	Yes	01091	ZINC, SUSPENDED (UG/L ZN)	08/18/81-08/18/81	0	1	
CHCU0038	No	01091	ZINC, SUSPENDED (UG/L ZN)	08/18/81-06/09/82	0	2	
CHCU0012	Yes	01092	ZINC, TOTAL (UG/L AS ZN)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01092	ZINC, TOTAL (UG/L AS ZN)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01092	ZINC, TOTAL (UG/L AS ZN)	02/12/77-08/29/83	6	15	
CHCU0026	No	01092	ZINC, TOTAL (UG/L AS ZN)	04/01/80-03/16/81	0	2	
CHCU0027	No	01092	ZINC, TOTAL (UG/L AS ZN)	03/03/80-03/03/80	0	1	
CHCU0029	Yes	01092	ZINC, TOTAL (UG/L AS ZN)	06/30/81-07/01/81	0	2	
CHCU0030	No	01092	ZINC, TOTAL (UG/L AS ZN)	03/10/80-03/10/80	0	1	
CHCU0032	No	01092	ZINC, TOTAL (UG/L AS ZN)	03/10/80-03/10/80	0	1	
CHCU0034	No	01092	ZINC, TOTAL (UG/L AS ZN)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01092	ZINC, TOTAL (UG/L AS ZN)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01092	ZINC, TOTAL (UG/L AS ZN)	08/18/81-08/18/81	0	1	
CHCU0038	No	01092	ZINC, TOTAL (UG/L AS ZN)	08/18/81-06/09/82	0	2	
CHCU0008	No	01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	07/29/82-08/29/83	1	2	
CHCU0031	No	01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	09/26/78-09/26/78	0	1	
CHCU0034	No	01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	04/28/82-08/18/82	0	3	
CHCU0036	Yes	01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0038	No	01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	08/18/81-06/09/82	0	2	
CHCU0034	No	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	08/18/81-08/18/81	0	1	
CHCU0038	No	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	08/18/81-06/09/82	0	2	
CHCU0034	No	01096	ANTIMONY, SUSPENDED (UG/L AS SB)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01096	ANTIMONY, SUSPENDED (UG/L AS SB)	08/18/81-08/18/81	0	1	
CHCU0038	No	01096	ANTIMONY, SUSPENDED (UG/L AS SB)	08/18/81-06/09/82	0	2	
CHCU0034	No	01097	ANTIMONY, TOTAL (UG/L AS SB)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01097	ANTIMONY, TOTAL (UG/L AS SB)	08/18/81-08/18/81	0	1	
CHCU0038	No	01097	ANTIMONY, TOTAL (UG/L AS SB)	08/18/81-06/09/82	0	2	
CHCU0002	No	01105	ALUMINUM, TOTAL (UG/L AS AL)	01/28/76-01/28/76	0	1	
CHCU0004	No	01105	ALUMINUM, TOTAL (UG/L AS AL)	01/27/76-01/27/76	0	1	
CHCU0005	No	01105	ALUMINUM, TOTAL (UG/L AS AL)	01/28/76-01/28/76	0	1	
CHCU0034	No	01105	ALUMINUM, TOTAL (UG/L AS AL)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01105	ALUMINUM, TOTAL (UG/L AS AL)	08/18/81-08/18/81	0	1	
CHCU0038	No	01105	ALUMINUM, TOTAL (UG/L AS AL)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	02/07/78-02/15/80	2	3	
CHCU0026	No	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	04/01/80-04/01/80	0	1	
CHCU0030	No	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	12/19/77-09/08/80	2	7	
CHCU0032	No	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	12/19/77-09/08/80	2	7	
CHCU0034	No	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	08/18/81-08/18/81	0	1	
CHCU0038	No	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	08/18/81-06/09/82	0	2	
CHCU0034	No	01107	ALUMINUM, SUSPENDED (UG/L AS AL)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01107	ALUMINUM, SUSPENDED (UG/L AS AL)	08/18/81-08/18/81	0	1	
CHCU0038	No	01107	ALUMINUM, SUSPENDED (UG/L AS AL)	08/18/81-06/09/82	0	2	
CHCU0012	Yes	01130	LITHIUM, DISSOLVED (UG/L AS LI)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01130	LITHIUM, DISSOLVED (UG/L AS LI)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01130	LITHIUM, DISSOLVED (UG/L AS LI)	09/15/76-08/29/83	6	16	S
CHCU0026	No	01130	LITHIUM, DISSOLVED (UG/L AS LI)	01/12/78-03/16/81	3	4	
CHCU0029	Yes	01130	LITHIUM, DISSOLVED (UG/L AS LI)	06/30/81-07/01/81	0	2	
CHCU0030	No	01130	LITHIUM, DISSOLVED (UG/L AS LI)	12/19/77-09/08/80	2	7	
CHCU0032	No	01130	LITHIUM, DISSOLVED (UG/L AS LI)	12/19/77-04/12/82	4	8	
CHCU0033	No	01130	LITHIUM, DISSOLVED (UG/L AS LI)	07/21/76-07/21/76	0	1	
CHCU0034	No	01130	LITHIUM, DISSOLVED (UG/L AS LI)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01130	LITHIUM, DISSOLVED (UG/L AS LI)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01130	LITHIUM, DISSOLVED (UG/L AS LI)	08/18/81-08/18/81	0	1	
CHCU0038	No	01130	LITHIUM, DISSOLVED (UG/L AS LI)	08/18/81-06/09/82	0	2	
CHCU0012	Yes	01131	LITHIUM, SUSPENDED (UG/L AS LI)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01131	LITHIUM, SUSPENDED (UG/L AS LI)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01131	LITHIUM, SUSPENDED (UG/L AS LI)	02/15/80-08/29/83	3	4	
CHCU0026	No	01131	LITHIUM, SUSPENDED (UG/L AS LI)	04/01/80-03/16/81	0	2	
CHCU0029	Yes	01131	LITHIUM, SUSPENDED (UG/L AS LI)	06/30/81-07/01/81	0	2	
CHCU0030	No	01131	LITHIUM, SUSPENDED (UG/L AS LI)	03/10/80-03/10/80	0	1	
CHCU0032	No	01131	LITHIUM, SUSPENDED (UG/L AS LI)	03/10/80-03/10/80	0	1	
CHCU0034	No	01131	LITHIUM, SUSPENDED (UG/L AS LI)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01131	LITHIUM, SUSPENDED (UG/L AS LI)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01131	LITHIUM, SUSPENDED (UG/L AS LI)	08/18/81-08/18/81	0	1	
CHCU0038	No	01131	LITHIUM, SUSPENDED (UG/L AS LI)	08/18/81-06/09/82	0	2	
CHCU0002	No	01132	LITHIUM, TOTAL (UG/L AS LI)	01/28/76-01/28/76	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0004	No	01132	LITHIUM, TOTAL (UG/L AS LI)	01/27/76-01/27/76	0	1	
CHCU0005	No	01132	LITHIUM, TOTAL (UG/L AS LI)	01/28/76-01/28/76	0	1	
CHCU0012	Yes	01132	LITHIUM, TOTAL (UG/L AS LI)	06/30/81-06/30/81	0	1	
CHCU0022	Yes	01132	LITHIUM, TOTAL (UG/L AS LI)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01132	LITHIUM, TOTAL (UG/L AS LI)	09/15/76-08/29/83	6	18	S
CHCU0025	No	01132	LITHIUM, TOTAL (UG/L AS LI)	05/09/77-05/09/77	0	1	
CHCU0026	No	01132	LITHIUM, TOTAL (UG/L AS LI)	01/12/78-03/16/81	3	4	
CHCU0027	No	01132	LITHIUM, TOTAL (UG/L AS LI)	11/08/79-11/08/79	0	1	
CHCU0029	Yes	01132	LITHIUM, TOTAL (UG/L AS LI)	06/30/81-07/01/81	0	2	
CHCU0030	No	01132	LITHIUM, TOTAL (UG/L AS LI)	03/10/80-03/10/80	0	1	
CHCU0031	No	01132	LITHIUM, TOTAL (UG/L AS LI)	08/01/76-08/01/76	0	1	
CHCU0032	No	01132	LITHIUM, TOTAL (UG/L AS LI)	03/10/80-03/10/80	0	1	
CHCU0033	No	01132	LITHIUM, TOTAL (UG/L AS LI)	07/08/76-07/08/76	0	1	
CHCU0034	No	01132	LITHIUM, TOTAL (UG/L AS LI)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01132	LITHIUM, TOTAL (UG/L AS LI)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01132	LITHIUM, TOTAL (UG/L AS LI)	08/18/81-08/18/81	0	1	
CHCU0037	No	01132	LITHIUM, TOTAL (UG/L AS LI)	03/27/78-03/27/78	0	1	
CHCU0038	No	01132	LITHIUM, TOTAL (UG/L AS LI)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	01145	SELENIUM, DISSOLVED (UG/L AS SE)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01145	SELENIUM, DISSOLVED (UG/L AS SE)	02/12/77-08/29/83	6	15	
CHCU0026	No	01145	SELENIUM, DISSOLVED (UG/L AS SE)	07/19/77-01/26/82	4	7	
CHCU0027	No	01145	SELENIUM, DISSOLVED (UG/L AS SE)	03/03/80-03/03/80	0	1	
CHCU0028	No	01145	SELENIUM, DISSOLVED (UG/L AS SE)	02/17/77-02/17/77	0	1	
CHCU0030	No	01145	SELENIUM, DISSOLVED (UG/L AS SE)	12/19/77-09/08/80	2	7	
CHCU0032	No	01145	SELENIUM, DISSOLVED (UG/L AS SE)	12/19/77-04/12/82	4	9	
CHCU0034	No	01145	SELENIUM, DISSOLVED (UG/L AS SE)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01145	SELENIUM, DISSOLVED (UG/L AS SE)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01145	SELENIUM, DISSOLVED (UG/L AS SE)	08/18/81-08/18/81	0	1	
CHCU0038	No	01145	SELENIUM, DISSOLVED (UG/L AS SE)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	01146	SELENIUM, SUSPENDED (UG/L AS SE)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01146	SELENIUM, SUSPENDED (UG/L AS SE)	02/15/77-07/29/82	5	9	
CHCU0026	No	01146	SELENIUM, SUSPENDED (UG/L AS SE)	04/01/80-03/16/81	0	2	
CHCU0027	No	01146	SELENIUM, SUSPENDED (UG/L AS SE)	03/03/80-03/03/80	0	1	
CHCU0030	No	01146	SELENIUM, SUSPENDED (UG/L AS SE)	03/10/80-03/10/80	0	1	
CHCU0032	No	01146	SELENIUM, SUSPENDED (UG/L AS SE)	03/10/80-03/10/80	0	1	
CHCU0034	No	01146	SELENIUM, SUSPENDED (UG/L AS SE)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01146	SELENIUM, SUSPENDED (UG/L AS SE)	08/18/82-08/18/82	0	1	
CHCU0036	Yes	01146	SELENIUM, SUSPENDED (UG/L AS SE)	08/18/81-08/18/81	0	1	
CHCU0038	No	01146	SELENIUM, SUSPENDED (UG/L AS SE)	08/18/81-08/18/81	0	1	
CHCU0002	No	01147	SELENIUM, TOTAL (UG/L AS SE)	01/28/76-01/28/76	0	1	
CHCU0004	No	01147	SELENIUM, TOTAL (UG/L AS SE)	01/27/76-01/27/76	0	1	
CHCU0005	No	01147	SELENIUM, TOTAL (UG/L AS SE)	01/28/76-01/28/76	0	1	
CHCU0012	Yes	01147	SELENIUM, TOTAL (UG/L AS SE)	06/30/81-06/30/81	0	1	
CHCU0021	Yes	01147	SELENIUM, TOTAL (UG/L AS SE)	01/18/79-08/17/79	0	7	
CHCU0022	Yes	01147	SELENIUM, TOTAL (UG/L AS SE)	06/30/81-07/29/82	1	3	
CHCU0023	Yes	01147	SELENIUM, TOTAL (UG/L AS SE)	08/17/76-08/29/83	7	33	T,S
CHCU0026	No	01147	SELENIUM, TOTAL (UG/L AS SE)	07/18/77-03/16/81	3	15	
CHCU0027	No	01147	SELENIUM, TOTAL (UG/L AS SE)	03/03/80-03/03/80	0	1	
CHCU0028	No	01147	SELENIUM, TOTAL (UG/L AS SE)	05/09/78-05/09/78	0	1	
CHCU0029	Yes	01147	SELENIUM, TOTAL (UG/L AS SE)	06/30/81-07/01/81	0	2	
CHCU0030	No	01147	SELENIUM, TOTAL (UG/L AS SE)	03/10/80-03/10/80	0	1	
CHCU0031	No	01147	SELENIUM, TOTAL (UG/L AS SE)	08/12/77-08/12/77	0	1	
CHCU0032	No	01147	SELENIUM, TOTAL (UG/L AS SE)	03/10/80-03/10/80	0	1	
CHCU0033	No	01147	SELENIUM, TOTAL (UG/L AS SE)	08/19/76-08/19/76	0	1	
CHCU0034	No	01147	SELENIUM, TOTAL (UG/L AS SE)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01147	SELENIUM, TOTAL (UG/L AS SE)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01147	SELENIUM, TOTAL (UG/L AS SE)	04/22/81-08/18/81	0	2	
CHCU0038	No	01147	SELENIUM, TOTAL (UG/L AS SE)	08/18/81-06/09/82	0	2	
CHCU0008	No	01148	SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0031	No	01148	SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT)	05/07/78-05/07/78	0	1	
CHCU0034	No	01148	SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	01148	SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT)	03/15/79-08/18/81	2	2	
CHCU0038	No	01148	SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT)	08/18/81-06/09/82	0	2	
CHCU0008	No	01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	07/29/82-08/29/83	1	2	
CHCU0031	No	01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	09/26/78-09/26/78	0	1	
CHCU0034	No	01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	04/28/82-08/18/82	0	3	
CHCU0036	Yes	01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0038	No	01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	01515	ALPHA, DISSOLVED GROSS, AS URANIUM-NATURAL, PC/L	10/22/78-02/15/80	1	4	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0026	No	01515	ALPHA, DISSOLVED GROSS, AS URANIUM-NATURAL, PC/L	04/01/80-04/01/80	0	1	
CHCU0030	No	01515	ALPHA, DISSOLVED GROSS, AS URANIUM-NATURAL, PC/L	12/19/77-09/08/80	2	7	
CHCU0032	No	01515	ALPHA, DISSOLVED GROSS, AS URANIUM-NATURAL, PC/L	12/19/77-03/18/81	3	8	
CHCU0036	Yes	01515	ALPHA, DISSOLVED GROSS, AS URANIUM-NATURAL, PC/L	09/24/78-04/22/81	2	6	
CHCU0023	Yes	01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	10/22/78-08/29/83	4	5	
CHCU0026	No	01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	04/01/80-04/01/80	0	1	
CHCU0030	No	01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	12/19/77-09/08/80	2	7	
CHCU0032	No	01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	12/19/77-09/08/80	2	7	
CHCU0034	No	01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	08/18/81-08/18/81	0	1	
CHCU0035	Yes	01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	04/28/82-11/16/82	0	3	
CHCU0036	Yes	01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	09/24/78-08/18/81	2	7	
CHCU0038	No	01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	08/18/81-06/09/82	0	2	
CHCU0039	No	01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	06/09/82-06/09/82	0	1	
CHCU0023	Yes	03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	02/14/77-08/29/83	6	12	
CHCU0026	No	03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	02/08/78-04/01/80	2	2	
CHCU0028	No	03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	02/17/77-02/17/77	0	1	
CHCU0030	No	03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	12/19/77-09/08/80	2	7	
CHCU0032	No	03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	12/19/77-04/12/82	4	9	
CHCU0033	No	03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	05/07/78-05/08/78	0	2	
CHCU0034	No	03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	08/18/81-08/18/81	0	1	
CHCU0035	Yes	03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	04/28/82-11/16/82	0	3	
CHCU0036	Yes	03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	09/24/78-08/18/81	2	7	
CHCU0038	No	03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	08/18/81-06/09/82	0	2	
CHCU0039	No	03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	06/09/82-06/09/82	0	1	
CHCU0023	Yes	03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	02/14/77-08/29/83	6	12	
CHCU0026	No	03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	02/08/78-04/01/80	2	2	
CHCU0028	No	03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	02/17/77-02/17/77	0	1	
CHCU0030	No	03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	12/19/77-09/08/80	2	7	
CHCU0032	No	03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	12/19/77-09/08/80	2	7	
CHCU0034	No	03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	08/18/81-08/18/81	0	1	
CHCU0035	Yes	03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	04/28/82-11/16/82	0	3	
CHCU0036	Yes	03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	09/24/78-08/18/81	2	7	
CHCU0038	No	03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	08/18/81-06/09/82	0	2	
CHCU0039	No	03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	06/09/82-06/09/82	0	1	
CHCU0033	No	09510	RADIUM 226, DISSOLVED, PLANCHET COUNT	05/07/78-05/08/78	0	2	
CHCU0036	Yes	09510	RADIUM 226, DISSOLVED, PLANCHET COUNT	09/24/78-03/15/79	0	5	
CHCU0023	Yes	09511	RADIUM 226, DISSOLVED, RADON METHOD	02/14/77-08/29/83	6	12	
CHCU0026	No	09511	RADIUM 226, DISSOLVED, RADON METHOD	02/08/78-04/01/80	2	2	
CHCU0028	No	09511	RADIUM 226, DISSOLVED, RADON METHOD	02/17/77-02/17/77	0	1	
CHCU0032	No	09511	RADIUM 226, DISSOLVED, RADON METHOD	03/18/81-04/12/82	1	2	
CHCU0034	No	09511	RADIUM 226, DISSOLVED, RADON METHOD	08/18/81-08/18/81	0	1	
CHCU0035	Yes	09511	RADIUM 226, DISSOLVED, RADON METHOD	04/28/82-11/16/82	0	3	
CHCU0036	Yes	09511	RADIUM 226, DISSOLVED, RADON METHOD	03/27/78-08/18/81	3	3	
CHCU0038	No	09511	RADIUM 226, DISSOLVED, RADON METHOD	08/18/81-06/09/82	0	2	
CHCU0039	No	09511	RADIUM 226, DISSOLVED, RADON METHOD	06/09/82-06/09/82	0	1	
CHCU0023	Yes	11501	RADIUM 228, TOTAL	08/29/83-08/29/83	0	1	
CHCU0035	Yes	11501	RADIUM 228, TOTAL	04/28/82-11/16/82	0	2	
CHCU0023	Yes	22703	URANIUM, NATURAL, DISSOLVED	02/14/77-08/29/83	6	4	
CHCU0032	No	22703	URANIUM, NATURAL, DISSOLVED	04/12/82-04/12/82	0	1	
CHCU0033	No	22703	URANIUM, NATURAL, DISSOLVED	05/07/78-05/08/78	0	2	
CHCU0034	No	22703	URANIUM, NATURAL, DISSOLVED	08/18/81-08/18/81	0	1	
CHCU0035	Yes	22703	URANIUM, NATURAL, DISSOLVED	04/28/82-11/16/82	0	2	
CHCU0036	Yes	22703	URANIUM, NATURAL, DISSOLVED	09/24/78-04/22/81	2	6	
CHCU0038	No	22703	URANIUM, NATURAL, DISSOLVED	08/18/81-08/18/81	0	1	
CHCU0039	No	22703	URANIUM, NATURAL, DISSOLVED	06/09/82-06/09/82	0	1	
CHCU0023	Yes	28011	URANIUM,NATURAL,TOTAL UG/L AS U	08/29/83-08/29/83	0	1	
CHCU0035	Yes	28011	URANIUM,NATURAL,TOTAL UG/L AS U	04/28/82-04/28/82	0	1	
CHCU0023	Yes	60050	ALGAE, TOTAL (CELLS/ML)	02/17/77-02/17/77	0	1	
CHCU0038	No	60050	ALGAE, TOTAL (CELLS/ML)	06/09/82-06/09/82	0	1	
CHCU0012	Yes	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	06/30/81-08/24/82	1	2	
CHCU0013	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	0	1	
CHCU0014	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	0	1	
CHCU0016	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	0	1	
CHCU0017	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	0	1	
CHCU0018	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	0	1	
CHCU0019	Yes	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	0	1	
CHCU0020	Yes	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	0	1	
CHCU0021	Yes	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	02/12/79-02/12/79	0	1	
CHCU0022	Yes	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	06/30/81-01/24/83	1	5	
CHCU0023	Yes	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	02/12/77-08/29/83	6	16	
CHCU0026	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	09/24/78-07/30/82	3	5	
CHCU0027	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	03/03/80-03/03/80	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0028	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	02/17/77-11/03/78	1	2	
CHCU0029	Yes	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	06/30/81-08/29/83	2	6	
CHCU0030	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	12/19/77-09/08/80	2	7	
CHCU0032	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	12/19/77-04/12/82	4	9	
CHCU0035	Yes	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	04/28/82-08/16/83	1	6	
CHCU0001	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	09/22/75-09/22/75	0	1	
CHCU0002	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	01/28/76-01/28/76	0	1	
CHCU0003	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	09/22/75-09/22/75	0	1	
CHCU0004	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	01/27/76-01/27/76	0	1	
CHCU0005	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	01/28/76-01/28/76	0	1	
CHCU0006	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	09/22/75-09/22/75	0	1	
CHCU0007	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	09/22/75-09/22/75	0	1	
CHCU0009	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	03/28/78-03/28/78	0	1	
CHCU0010	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	03/28/78-03/28/78	0	1	
CHCU0011	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	03/28/78-03/28/78	0	1	
CHCU0015	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	02/12/79-02/12/79	0	1	
CHCU0022	Yes	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	08/06/76-02/25/80	3	31	
CHCU0024	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	06/09/76-06/09/76	0	1	
CHCU0025	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	04/02/76-04/02/76	0	1	
CHCU0026	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	02/08/78-04/01/80	2	4	
CHCU0027	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	05/07/78-03/03/80	1	3	
CHCU0028	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	02/17/77-11/03/78	1	2	
CHCU0030	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	12/19/77-09/08/80	2	7	
CHCU0032	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	12/19/77-04/12/82	4	8	
CHCU0033	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	07/21/76-07/21/76	0	1	
CHCU0034	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	08/18/81-08/18/81	0	1	
CHCU0036	Yes	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	03/27/78-08/18/81	3	4	
CHCU0037	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	03/27/78-03/27/78	0	1	
CHCU0038	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	08/18/81-08/18/81	0	1	
CHCU0039	No	70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	08/18/81-06/09/82	0	2	
CHCU0010	No	70302	SOLIDS, DISSOLVED-TONS PER DAY	03/28/78-03/28/78	0	1	
CHCU0021	Yes	70302	SOLIDS, DISSOLVED-TONS PER DAY	02/12/79-02/12/79	0	1	
CHCU0022	Yes	70302	SOLIDS, DISSOLVED-TONS PER DAY	06/30/81-01/24/83	1	5	
CHCU0023	Yes	70302	SOLIDS, DISSOLVED-TONS PER DAY	08/06/76-01/24/83	6	33	T,S
CHCU0025	No	70302	SOLIDS, DISSOLVED-TONS PER DAY	04/02/76-04/02/76	0	1	
CHCU0026	No	70302	SOLIDS, DISSOLVED-TONS PER DAY	02/08/78-01/26/82	3	5	
CHCU0027	No	70302	SOLIDS, DISSOLVED-TONS PER DAY	05/07/78-11/08/79	1	2	
CHCU0028	No	70302	SOLIDS, DISSOLVED-TONS PER DAY	02/17/77-11/03/78	1	2	
CHCU0029	Yes	70302	SOLIDS, DISSOLVED-TONS PER DAY	06/30/81-01/24/83	1	4	
CHCU0033	No	70302	SOLIDS, DISSOLVED-TONS PER DAY	07/21/76-07/21/76	0	1	
CHCU0034	No	70302	SOLIDS, DISSOLVED-TONS PER DAY	08/18/81-08/18/81	0	1	
CHCU0035	Yes	70302	SOLIDS, DISSOLVED-TONS PER DAY	04/28/82-11/16/82	0	4	
CHCU0036	Yes	70302	SOLIDS, DISSOLVED-TONS PER DAY	03/27/78-08/18/81	3	4	
CHCU0038	No	70302	SOLIDS, DISSOLVED-TONS PER DAY	08/18/81-08/18/81	0	1	
CHCU0039	No	70302	SOLIDS, DISSOLVED-TONS PER DAY	08/18/81-06/09/82	0	2	
CHCU0001	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	09/22/75-09/22/75	0	1	
CHCU0002	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	01/28/76-01/28/76	0	1	
CHCU0003	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	09/22/75-09/22/75	0	1	
CHCU0004	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	01/27/76-01/27/76	0	1	
CHCU0005	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	01/28/76-01/28/76	0	1	
CHCU0006	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	09/22/75-09/22/75	0	1	
CHCU0007	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	09/22/75-09/22/75	0	1	
CHCU0009	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	03/28/78-03/28/78	0	1	
CHCU0010	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	03/28/78-03/28/78	0	1	
CHCU0011	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	03/28/78-03/28/78	0	1	
CHCU0012	Yes	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	06/30/81-08/24/82	1	2	
CHCU0015	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	03/28/78-03/28/78	0	1	
CHCU0021	Yes	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	02/12/79-02/12/79	0	1	
CHCU0022	Yes	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	06/30/81-01/24/83	1	5	
CHCU0023	Yes	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	08/06/76-01/24/83	6	37	T,S
CHCU0024	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	06/09/76-06/09/76	0	1	
CHCU0025	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	04/02/76-04/02/76	0	1	
CHCU0026	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	02/08/78-07/30/82	4	7	
CHCU0027	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	05/07/78-03/03/80	1	3	
CHCU0028	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	02/17/77-11/03/78	1	2	
CHCU0029	Yes	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	06/30/81-01/24/83	1	4	
CHCU0030	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	12/19/77-09/08/80	2	7	
CHCU0032	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	12/19/77-09/08/80	2	7	
CHCU0033	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	07/21/76-07/21/76	0	1	
CHCU0034	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	08/18/81-08/18/81	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0035	Yes	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	04/28/82-11/16/82	0	4	
CHCU0036	Yes	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	03/27/78-08/18/81	3	4	
CHCU0037	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	03/27/78-03/27/78	0	1	
CHCU0038	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	08/18/81-08/18/81	0	1	
CHCU0039	No	70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	08/18/81-06/09/82	0	2	
CHCU0001	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	09/22/75-09/22/75	0	1	
CHCU0003	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	09/22/75-09/22/75	0	1	
CHCU0008	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	01/14/76-01/14/76	0	1	
CHCU0012	Yes	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	06/30/81-08/24/82	1	2	
CHCU0021	Yes	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	02/16/79-02/16/79	0	1	
CHCU0022	Yes	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	06/30/81-10/06/83	2	6	
CHCU0023	Yes	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	7	349	T,A,S
CHCU0025	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	04/02/76-05/13/77	1	2	
CHCU0026	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/18/77-08/11/83	6	119	T,A,S
CHCU0027	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	05/07/78-11/08/79	1	19	
CHCU0028	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	02/17/77-07/13/81	4	6	
CHCU0029	Yes	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/01/81-10/06/83	2	8	
CHCU0031	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/01/76-09/26/78	2	5	
CHCU0033	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/08/76-08/19/76	0	3	
CHCU0034	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/18/81-08/18/81	0	1	
CHCU0035	Yes	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	04/28/82-08/16/83	1	8	
CHCU0036	Yes	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	09/24/78-08/18/81	2	9	
CHCU0038	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/18/81-06/09/82	0	2	
CHCU0039	No	70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/18/81-06/09/82	0	2	
CHCU0023	Yes	70332	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .125MM	05/06/78-05/06/78	0	1	
CHCU0023	Yes	70337	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .002MM	07/16/77-08/03/83	6	7	
CHCU0026	No	70337	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .002MM	10/21/79-08/11/83	3	9	
CHCU0029	Yes	70337	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .002MM	08/03/83-08/27/83	0	6	
CHCU0023	Yes	70338	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .004MM	07/16/77-08/03/83	6	7	
CHCU0026	No	70338	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .004MM	10/21/79-08/11/83	3	9	
CHCU0029	Yes	70338	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .004MM	08/03/83-08/27/83	0	6	
CHCU0023	Yes	70340	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .016MM	07/16/77-08/03/83	6	7	
CHCU0026	No	70340	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .016MM	10/21/79-08/11/83	3	9	
CHCU0029	Yes	70340	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .016MM	08/03/83-08/27/83	0	6	
CHCU0023	Yes	70342	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .062MM	07/17/77-08/03/83	6	5	
CHCU0026	No	70342	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .062MM	10/21/79-08/11/83	3	9	
CHCU0029	Yes	70342	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .062MM	08/03/83-08/27/83	0	6	
CHCU0023	Yes	70343	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .125MM	05/07/78-08/03/83	5	4	
CHCU0026	No	70343	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .125MM	10/21/79-08/11/83	3	9	
CHCU0029	Yes	70343	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .125MM	08/03/83-08/27/83	0	6	
CHCU0023	Yes	70344	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .250MM	05/07/78-08/03/83	5	4	
CHCU0026	No	70344	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .250MM	10/21/79-08/11/83	3	8	
CHCU0029	Yes	70344	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .250MM	08/03/83-08/27/83	0	6	
CHCU0026	No	70345	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .500MM	10/21/79-08/11/83	3	3	
CHCU0029	Yes	70345	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .500MM	08/03/83-08/27/83	0	2	
CHCU0023	Yes	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	02/17/77-02/17/77	0	1	
CHCU0006	No	71825	ACIDITY, TOTAL (MG/L AS H)	09/22/75-09/22/75	0	1	
CHCU0023	Yes	71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH4)	10/22/78-02/15/80	1	5	
CHCU0026	No	71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH4)	04/01/80-04/01/80	0	1	
CHCU0027	No	71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH4)	03/03/80-03/03/80	0	1	
CHCU0030	No	71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH4)	09/20/79-09/08/80	0	3	
CHCU0032	No	71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH4)	09/20/79-09/08/80	0	3	
CHCU0023	Yes	71846	NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4)	02/07/78-08/06/78	0	4	
CHCU0026	No	71846	NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4)	02/08/78-02/08/78	0	1	
CHCU0032	No	71846	NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4)	03/18/81-03/18/81	0	1	
CHCU0023	Yes	71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	05/03/78-08/06/78	0	2	
CHCU0028	No	71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	02/17/77-02/17/77	0	1	
CHCU0032	No	71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	03/18/81-03/18/81	0	1	
CHCU0023	Yes	71856	NITRITE NITROGEN, DISSOLVED (MG/L AS NO2)	05/03/78-08/06/78	0	2	
CHCU0028	No	71856	NITRITE NITROGEN, DISSOLVED (MG/L AS NO2)	02/17/77-02/17/77	0	1	
CHCU0032	No	71856	NITRITE NITROGEN, DISSOLVED (MG/L AS NO2)	03/18/81-03/18/81	0	1	
CHCU0012	Yes	71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	08/24/82-08/24/82	0	1	
CHCU0022	Yes	71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	07/29/82-08/24/82	0	2	
CHCU0023	Yes	71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	10/22/78-08/29/83	4	8	
CHCU0026	No	71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	04/01/80-03/16/81	0	2	
CHCU0029	Yes	71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	08/24/82-08/24/82	0	1	
CHCU0030	No	71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	09/20/79-09/08/80	0	3	
CHCU0032	No	71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	09/20/79-03/18/81	1	4	
CHCU0034	No	71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	08/18/81-08/18/81	0	1	
CHCU0035	Yes	71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	04/28/82-11/16/82	0	3	
CHCU0036	Yes	71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	08/18/81-08/18/81	0	1	
CHCU0038	No	71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	08/18/81-06/09/82	0	2	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0012	Yes	71887	NITROGEN, TOTAL, AS NO3 - MG/L	08/24/82-08/24/82	0	1	
CHCU0021	Yes	71887	NITROGEN, TOTAL, AS NO3 - MG/L	02/12/79-02/12/79	0	1	
CHCU0022	Yes	71887	NITROGEN, TOTAL, AS NO3 - MG/L	07/29/82-08/24/82	0	2	
CHCU0023	Yes	71887	NITROGEN, TOTAL, AS NO3 - MG/L	02/12/77-08/24/82	5	18	
CHCU0026	No	71887	NITROGEN, TOTAL, AS NO3 - MG/L	09/24/78-04/01/80	1	3	
CHCU0027	No	71887	NITROGEN, TOTAL, AS NO3 - MG/L	05/07/78-03/03/80	1	2	
CHCU0028	No	71887	NITROGEN, TOTAL, AS NO3 - MG/L	02/17/77-05/09/78	1	2	
CHCU0029	Yes	71887	NITROGEN, TOTAL, AS NO3 - MG/L	08/24/82-08/24/82	0	1	
CHCU0030	No	71887	NITROGEN, TOTAL, AS NO3 - MG/L	12/19/77-09/08/80	2	7	
CHCU0031	No	71887	NITROGEN, TOTAL, AS NO3 - MG/L	09/26/78-09/26/78	0	1	
CHCU0032	No	71887	NITROGEN, TOTAL, AS NO3 - MG/L	12/19/77-09/08/80	2	7	
CHCU0035	Yes	71887	NITROGEN, TOTAL, AS NO3 - MG/L	08/18/82-08/18/82	0	1	
CHCU0022	Yes	71890	MERCURY, DISSOLVED (UG/L AS HG)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	71890	MERCURY, DISSOLVED (UG/L AS HG)	02/12/77-08/29/83	6	15	
CHCU0026	No	71890	MERCURY, DISSOLVED (UG/L AS HG)	07/19/77-01/26/82	4	8	
CHCU0027	No	71890	MERCURY, DISSOLVED (UG/L AS HG)	03/03/80-03/03/80	0	1	
CHCU0030	No	71890	MERCURY, DISSOLVED (UG/L AS HG)	12/19/77-09/08/80	2	7	
CHCU0031	No	71890	MERCURY, DISSOLVED (UG/L AS HG)	09/26/78-09/26/78	0	1	
CHCU0032	No	71890	MERCURY, DISSOLVED (UG/L AS HG)	12/19/77-04/12/82	4	9	
CHCU0034	No	71890	MERCURY, DISSOLVED (UG/L AS HG)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	71890	MERCURY, DISSOLVED (UG/L AS HG)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	71890	MERCURY, DISSOLVED (UG/L AS HG)	08/18/81-08/18/81	0	1	
CHCU0038	No	71890	MERCURY, DISSOLVED (UG/L AS HG)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	71895	MERCURY, SUSPENDED (UG/L AS HG)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	71895	MERCURY, SUSPENDED (UG/L AS HG)	02/15/77-08/29/83	6	9	
CHCU0026	No	71895	MERCURY, SUSPENDED (UG/L AS HG)	04/01/80-03/16/81	0	2	
CHCU0027	No	71895	MERCURY, SUSPENDED (UG/L AS HG)	03/03/80-03/03/80	0	1	
CHCU0030	No	71895	MERCURY, SUSPENDED (UG/L AS HG)	03/10/80-03/10/80	0	1	
CHCU0031	No	71895	MERCURY, SUSPENDED (UG/L AS HG)	09/26/78-09/26/78	0	1	
CHCU0032	No	71895	MERCURY, SUSPENDED (UG/L AS HG)	03/10/80-03/10/80	0	1	
CHCU0034	No	71895	MERCURY, SUSPENDED (UG/L AS HG)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	71895	MERCURY, SUSPENDED (UG/L AS HG)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	71895	MERCURY, SUSPENDED (UG/L AS HG)	08/18/81-08/18/81	0	1	
CHCU0038	No	71895	MERCURY, SUSPENDED (UG/L AS HG)	08/18/81-06/09/82	0	2	
CHCU0002	No	71900	MERCURY, TOTAL (UG/L AS HG)	01/28/76-01/28/76	0	1	
CHCU0004	No	71900	MERCURY, TOTAL (UG/L AS HG)	01/27/76-01/27/76	0	1	
CHCU0005	No	71900	MERCURY, TOTAL (UG/L AS HG)	01/28/76-01/28/76	0	1	
CHCU0012	Yes	71900	MERCURY, TOTAL (UG/L AS HG)	06/30/81-06/30/81	0	1	
CHCU0021	Yes	71900	MERCURY, TOTAL (UG/L AS HG)	01/18/79-08/17/79	0	7	
CHCU0022	Yes	71900	MERCURY, TOTAL (UG/L AS HG)	06/30/81-07/29/82	1	2	
CHCU0023	Yes	71900	MERCURY, TOTAL (UG/L AS HG)	08/17/76-08/29/83	7	23	T,S
CHCU0026	No	71900	MERCURY, TOTAL (UG/L AS HG)	07/18/77-03/16/81	3	14	
CHCU0027	No	71900	MERCURY, TOTAL (UG/L AS HG)	05/07/78-03/03/80	1	2	
CHCU0028	No	71900	MERCURY, TOTAL (UG/L AS HG)	02/17/77-05/09/78	1	2	
CHCU0029	Yes	71900	MERCURY, TOTAL (UG/L AS HG)	06/30/81-07/01/81	0	2	
CHCU0030	No	71900	MERCURY, TOTAL (UG/L AS HG)	03/10/80-03/10/80	0	1	
CHCU0031	No	71900	MERCURY, TOTAL (UG/L AS HG)	08/12/77-09/26/78	1	2	
CHCU0032	No	71900	MERCURY, TOTAL (UG/L AS HG)	03/10/80-03/10/80	0	1	
CHCU0033	No	71900	MERCURY, TOTAL (UG/L AS HG)	08/19/76-08/19/76	0	1	
CHCU0034	No	71900	MERCURY, TOTAL (UG/L AS HG)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	71900	MERCURY, TOTAL (UG/L AS HG)	04/28/82-11/16/82	0	3	
CHCU0036	Yes	71900	MERCURY, TOTAL (UG/L AS HG)	08/18/81-08/18/81	0	1	
CHCU0038	No	71900	MERCURY, TOTAL (UG/L AS HG)	08/18/81-06/09/82	0	2	
CHCU0008	No	71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	01/14/76-01/14/76	0	1	
CHCU0022	Yes	71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	07/29/82-07/29/82	0	1	
CHCU0023	Yes	71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	07/29/82-08/29/83	1	2	
CHCU0031	No	71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	09/26/78-09/26/78	0	1	
CHCU0034	No	71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	04/28/82-08/18/82	0	3	
CHCU0036	Yes	71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	08/18/81-08/18/81	0	1	
CHCU0038	No	71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	08/18/81-06/09/82	0	2	
CHCU0023	Yes	72000	ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL)	02/07/78-02/07/78	0	1	
CHCU0007	No	72004	PUMP OR FLOW PERIOD PRIOR TO SAMPLING MINUTES	09/22/75-09/22/75	0	1	
CHCU0001	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	09/22/75-09/22/75	0	1	
CHCU0003	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	09/22/75-09/22/75	0	1	
CHCU0008	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	01/14/76-01/14/76	0	1	
CHCU0011	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	03/28/78-03/28/78	0	1	
CHCU0015	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	72005	SAMPLE SOURCE CODE (BM WELL DATA)	01/18/79-08/17/79	0	8	
CHCU0022	Yes	72005	SAMPLE SOURCE CODE (BM WELL DATA)	10/06/83-10/06/83	0	1	
CHCU0023	Yes	72005	SAMPLE SOURCE CODE (BM WELL DATA)	02/12/77-09/18/81	4	214	
CHCU0024	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	06/09/76-06/09/76	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0025	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	04/02/76-04/02/76	0	1	
CHCU0026	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	07/18/77-08/11/83	6	129	
CHCU0027	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	05/07/78-11/08/79	1	21	
CHCU0028	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	02/17/77-07/13/81	4	6	
CHCU0029	Yes	72005	SAMPLE SOURCE CODE (BM WELL DATA)	10/06/83-10/06/83	0	1	
CHCU0031	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	08/01/76-09/26/78	2	5	
CHCU0033	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	07/08/76-05/08/78	1	5	
CHCU0035	Yes	72005	SAMPLE SOURCE CODE (BM WELL DATA)	08/18/82-08/18/82	0	1	
CHCU0036	Yes	72005	SAMPLE SOURCE CODE (BM WELL DATA)	03/27/78-08/18/81	3	6	
CHCU0037	No	72005	SAMPLE SOURCE CODE (BM WELL DATA)	03/27/78-03/27/78	0	1	
CHCU0030	No	72019	DEPTH TO WATER LEVEL (FEET BELOW LAND SURFACE)	12/19/77-03/14/78	0	2	
CHCU0032	No	72019	DEPTH TO WATER LEVEL (FEET BELOW LAND SURFACE)	12/19/77-03/14/78	0	2	
CHCU0023	Yes	80010	URANIUM,DISS.,BY DIRECT FLUOROMETRIC METHOD,PC/L	03/09/77-03/09/77	0	1	
CHCU0023	Yes	80020	URANIUM,DISS.,BY EXTRACTION FLUOROMETRIC METHOD	02/08/78-02/15/80	2	7	
CHCU0026	No	80020	URANIUM,DISS.,BY EXTRACTION FLUOROMETRIC METHOD	02/08/78-04/01/80	2	2	
CHCU0028	No	80020	URANIUM,DISS.,BY EXTRACTION FLUOROMETRIC METHOD	02/17/77-02/17/77	0	1	
CHCU0035	Yes	80020	URANIUM,DISS.,BY EXTRACTION FLUOROMETRIC METHOD	08/18/82-08/18/82	0	1	
CHCU0036	Yes	80020	URANIUM,DISS.,BY EXTRACTION FLUOROMETRIC METHOD	08/18/81-08/18/81	0	1	
CHCU0023	Yes	80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	02/14/77-08/29/83	6	12	
CHCU0026	No	80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	02/08/78-04/01/80	2	2	
CHCU0028	No	80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	02/17/77-02/17/77	0	1	
CHCU0030	No	80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	12/19/77-09/08/80	2	7	
CHCU0032	No	80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	12/19/77-04/12/82	4	9	
CHCU0033	No	80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	05/07/78-05/08/78	0	2	
CHCU0034	No	80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	08/18/81-08/18/81	0	1	
CHCU0035	Yes	80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	04/28/82-11/16/82	0	3	
CHCU0036	Yes	80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	09/24/78-08/18/81	2	7	
CHCU0038	No	80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	08/18/81-06/09/82	0	2	
CHCU0039	No	80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	06/09/82-06/09/82	0	1	
CHCU0023	Yes	80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	02/14/77-08/29/83	6	12	
CHCU0026	No	80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	02/08/78-04/01/80	2	2	
CHCU0028	No	80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	02/17/77-02/17/77	0	1	
CHCU0030	No	80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	12/19/77-09/08/80	2	7	
CHCU0032	No	80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	12/19/77-09/08/80	2	7	
CHCU0034	No	80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	08/18/81-08/18/81	0	1	
CHCU0035	Yes	80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	04/28/82-11/16/82	0	3	
CHCU0036	Yes	80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	09/24/78-08/18/81	2	7	
CHCU0038	No	80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	08/18/81-06/09/82	0	2	
CHCU0039	No	80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	06/09/82-06/09/82	0	1	
CHCU0023	Yes	80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	02/14/77-08/29/83	6	12	
CHCU0026	No	80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	02/08/78-04/01/80	2	2	
CHCU0028	No	80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	02/17/77-02/17/77	0	1	
CHCU0030	No	80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	10/12/78-09/08/80	1	5	
CHCU0032	No	80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	10/12/78-04/12/82	3	7	
CHCU0033	No	80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	05/07/78-05/08/78	0	2	
CHCU0034	No	80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	08/18/81-08/18/81	0	1	
CHCU0035	Yes	80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	04/28/82-11/16/82	0	3	
CHCU0036	Yes	80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	09/24/78-08/18/81	2	7	
CHCU0038	No	80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	08/18/81-06/09/82	0	2	
CHCU0039	No	80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	06/09/82-06/09/82	0	1	
CHCU0023	Yes	80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	02/14/77-08/29/83	6	12	
CHCU0026	No	80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	02/08/78-04/01/80	2	2	
CHCU0028	No	80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	02/17/77-02/17/77	0	1	
CHCU0030	No	80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	10/12/78-09/08/80	1	5	
CHCU0032	No	80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	10/12/78-09/08/80	1	5	
CHCU0034	No	80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	08/18/81-08/18/81	0	1	
CHCU0035	Yes	80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	04/28/82-11/16/82	0	3	
CHCU0036	Yes	80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	09/24/78-08/18/81	2	7	
CHCU0038	No	80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	08/18/81-06/09/82	0	2	
CHCU0039	No	80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	06/09/82-06/09/82	0	1	
CHCU0009	No	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	03/28/78-03/28/78	0	1	
CHCU0010	No	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	03/28/78-03/28/78	0	1	
CHCU0012	Yes	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	06/30/81-08/24/82	1	2	
CHCU0021	Yes	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	01/18/79-08/17/79	0	10	
CHCU0022	Yes	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	06/30/81-10/06/83	2	6	
CHCU0023	Yes	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	7	616	T,A,S
CHCU0025	No	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	04/02/76-05/13/77	1	2	
CHCU0026	No	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/18/77-08/11/83	6	135	A,S
CHCU0027	No	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	05/07/78-11/08/79	1	19	
CHCU0028	No	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	02/17/77-07/13/81	4	6	
CHCU0029	Yes	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/01/81-10/06/83	2	53	
CHCU0031	No	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/01/76-09/26/78	2	5	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0033	No	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/08/76-08/19/76	0	2	
CHCU0034	No	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	11/06/81-08/16/83	1	9	
CHCU0036	Yes	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	03/27/78-08/18/81	3	10	
CHCU0038	No	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/18/81-06/09/82	0	2	
CHCU0039	No	80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/18/81-06/09/82	0	2	
CHCU0010	No	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	03/28/78-03/28/78	0	1	
CHCU0021	Yes	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	02/08/79-08/17/79	0	6	
CHCU0022	Yes	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	06/30/81-08/24/82	1	4	
CHCU0023	Yes	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/06/76-09/18/81	5	586	A
CHCU0025	No	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	04/02/76-05/13/77	1	2	
CHCU0026	No	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	07/18/77-09/18/82	5	113	A
CHCU0027	No	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	05/07/78-11/08/79	1	16	
CHCU0028	No	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	02/17/77-11/03/78	1	5	
CHCU0029	Yes	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	07/01/81-08/24/82	1	3	
CHCU0031	No	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/01/76-09/26/78	2	5	
CHCU0033	No	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	07/08/76-08/19/76	0	2	
CHCU0034	No	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/18/81-08/18/81	0	1	
CHCU0035	Yes	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	04/28/82-12/29/82	0	5	
CHCU0036	Yes	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	03/27/78-08/18/81	3	9	
CHCU0038	No	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/18/81-06/09/82	0	2	
CHCU0039	No	80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/18/81-06/09/82	0	2	
CHCU0022	Yes	80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	07/06/81-07/06/81	0	1	
CHCU0028	No	80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	09/17/80-09/17/80	0	2	
CHCU0029	Yes	80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	07/06/81-07/06/81	0	1	
CHCU0034	No	80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	08/18/81-08/18/81	0	1	
CHCU0035	Yes	80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	08/18/82-08/18/82	0	1	
CHCU0036	Yes	80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	08/18/81-08/18/81	0	1	
CHCU0038	No	80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	08/18/81-06/09/82	0	2	
CHCU0022	Yes	80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	07/06/81-07/06/81	0	1	
CHCU0028	No	80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	09/17/80-09/17/80	0	2	
CHCU0029	Yes	80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	07/06/81-07/06/81	0	1	
CHCU0034	No	80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	08/18/81-08/18/81	0	1	
CHCU0035	Yes	80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	08/18/82-08/18/82	0	1	
CHCU0036	Yes	80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	08/18/81-08/18/81	0	1	
CHCU0038	No	80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	08/18/81-06/09/82	0	2	
CHCU0022	Yes	80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	07/06/81-07/06/81	0	1	
CHCU0028	No	80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	09/17/80-09/17/80	0	2	
CHCU0029	Yes	80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	07/06/81-07/06/81	0	1	
CHCU0034	No	80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	08/18/81-08/18/81	0	1	
CHCU0035	Yes	80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	08/18/82-08/18/82	0	1	
CHCU0036	Yes	80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	08/18/81-08/18/81	0	1	
CHCU0038	No	80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	08/18/81-06/09/82	0	2	
CHCU0022	Yes	80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	07/06/81-07/06/81	0	1	
CHCU0028	No	80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	09/17/80-09/17/80	0	2	
CHCU0029	Yes	80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	07/06/81-07/06/81	0	1	
CHCU0034	No	80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	08/18/81-08/18/81	0	1	
CHCU0035	Yes	80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	08/18/82-08/18/82	0	1	
CHCU0036	Yes	80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	08/18/81-08/18/81	0	1	
CHCU0038	No	80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	06/09/82-06/09/82	0	1	
CHCU0028	No	80162	BED MATERIAL FALL DIAMETER, % FINER THAN 1.00MM	09/17/80-09/17/80	0	1	
CHCU0035	Yes	80162	BED MATERIAL FALL DIAMETER, % FINER THAN 1.00MM	08/18/82-08/18/82	0	1	
CHCU0028	No	80163	BED MATERIAL FALL DIAMETER, % FINER THAN 2.00MM	09/17/80-09/17/80	0	1	
CHCU0023	Yes	80164	BED MATERIAL SIEVE DIAMETER,% FINER THAN .062MM	03/28/78-03/28/78	0	3	
CHCU0022	Yes	80168	BED MATERIAL SIEVE DIAMETER,% FINER THAN 1.00MM	07/06/81-07/06/81	0	1	
CHCU0028	No	80168	BED MATERIAL SIEVE DIAMETER,% FINER THAN 1.00MM	09/17/80-09/17/80	0	1	
CHCU0034	No	80168	BED MATERIAL SIEVE DIAMETER,% FINER THAN 1.00MM	08/18/81-08/18/81	0	1	
CHCU0022	Yes	80169	BED MATERIAL SIEVE DIAMETER,% FINER THAN 2.00MM	07/06/81-07/06/81	0	1	
CHCU0023	Yes	80169	BED MATERIAL SIEVE DIAMETER,% FINER THAN 2.00MM	03/28/78-03/28/78	0	3	
CHCU0028	No	80169	BED MATERIAL SIEVE DIAMETER,% FINER THAN 2.00MM	09/17/80-09/17/80	0	1	
CHCU0034	No	80169	BED MATERIAL SIEVE DIAMETER,% FINER THAN 2.00MM	08/18/81-08/18/81	0	1	
CHCU0022	Yes	80170	BED MATERIAL SIEVE DIAMETER,% FINER THAN 4.00MM	07/06/81-07/06/81	0	1	
CHCU0028	No	80170	BED MATERIAL SIEVE DIAMETER,% FINER THAN 4.00MM	09/17/80-09/17/80	0	1	
CHCU0034	No	80170	BED MATERIAL SIEVE DIAMETER,% FINER THAN 4.00MM	08/18/81-08/18/81	0	1	
CHCU0022	Yes	80171	BED MATERIAL SIEVE DIAMETER,% FINER THAN 8.00MM	07/06/81-07/06/81	0	1	
CHCU0028	No	80171	BED MATERIAL SIEVE DIAMETER,% FINER THAN 8.00MM	09/17/80-09/17/80	0	1	
CHCU0034	No	80171	BED MATERIAL SIEVE DIAMETER,% FINER THAN 8.00MM	08/18/81-08/18/81	0	1	
CHCU0022	Yes	80172	BED MATERIAL SIEVE DIAMETER,% FINER THAN 16.0MM	07/06/81-07/06/81	0	1	
CHCU0034	No	80172	BED MATERIAL SIEVE DIAMETER,% FINER THAN 16.0MM	08/18/81-08/18/81	0	1	
CHCU0034	No	80173	BED MATERIAL SIEVE DIAMETER,% FINER THAN 32.0MM	08/18/81-08/18/81	0	1	
CHCU0012	Yes	82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	06/30/81-06/30/81	0	1	
CHCU0022	Yes	82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	06/30/81-07/01/81	0	2	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation
From 09/22/75 To 10/06/83

Station	In Park	Code	Name	Start - End	Years	Obs	Plots[1]
CHCU0023	Yes	82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	06/30/81-07/01/81	0	2	
CHCU0026	No	82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	03/16/81-03/16/81	0	1	
CHCU0029	Yes	82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	06/30/81-07/01/81	0	2	
CHCU0032	No	82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	03/18/81-03/18/81	0	1	
CHCU0036	Yes	82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	04/22/81-04/22/81	0	1	
CHCU0034	No	82398	SAMPLING METHOD (CODES)	06/08/82-06/08/82	0	1	
CHCU0035	Yes	82398	SAMPLING METHOD (CODES)	06/09/82-06/09/82	0	1	
CHCU0002	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	01/28/76-01/28/76	0	1	
CHCU0003	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	09/22/75-09/22/75	0	1	
CHCU0004	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	01/27/76-01/27/76	0	1	
CHCU0005	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	01/28/76-01/28/76	0	1	
CHCU0006	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	09/22/75-09/22/75	0	1	
CHCU0007	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	09/22/75-09/22/75	0	1	
CHCU0008	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	01/14/76-01/14/76	0	1	
CHCU0009	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	03/28/78-03/28/78	0	1	
CHCU0011	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	03/28/78-03/28/78	0	1	
CHCU0015	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	03/28/78-03/28/78	0	1	
CHCU0024	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	06/09/76-06/09/76	0	1	
CHCU0028	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	07/13/81-07/13/81	0	1	
CHCU0030	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	12/19/77-09/08/80	2	7	
CHCU0031	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	09/26/78-09/26/78	0	1	
CHCU0032	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	12/19/77-04/12/82	4	9	
CHCU0033	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	05/08/78-05/08/78	0	1	
CHCU0036	Yes	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	08/18/81-08/18/81	0	1	
CHCU0037	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	03/27/78-03/27/78	0	1	
CHCU0038	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	06/09/82-06/09/82	0	1	
CHCU0039	No	84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)	06/09/82-06/09/82	0	1	
CHCU0002	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	01/28/76-01/28/76	0	1	
CHCU0003	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	09/22/75-09/22/75	0	1	
CHCU0004	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	01/27/76-01/27/76	0	1	
CHCU0005	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	01/28/76-01/28/76	0	1	
CHCU0006	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	09/22/75-09/22/75	0	1	
CHCU0007	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	09/22/75-09/22/75	0	1	
CHCU0008	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	01/14/76-01/14/76	0	1	
CHCU0009	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	03/28/78-03/28/78	0	1	
CHCU0011	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	03/28/78-03/28/78	0	1	
CHCU0015	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	03/28/78-03/28/78	0	1	
CHCU0024	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	06/09/76-06/09/76	0	1	
CHCU0028	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	07/13/81-07/13/81	0	1	
CHCU0030	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	12/19/77-09/08/80	2	7	
CHCU0031	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	09/26/78-09/26/78	0	1	
CHCU0032	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	12/19/77-04/12/82	4	9	
CHCU0033	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	05/08/78-05/08/78	0	1	
CHCU0036	Yes	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	08/18/81-08/18/81	0	1	
CHCU0037	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	03/27/78-03/27/78	0	1	
CHCU0038	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	06/09/82-06/09/82	0	1	
CHCU0039	No	84001	AQUIFER NAME CODE (SEE USGS CATALOG)	06/09/82-06/09/82	0	1	

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station-By-Station Results

Station Inventory for Station: CHCU0001

NPS Station ID: CHCU0001
LAT/LON: 35.960559/-107.566670
Agency: 112WRD
Date Created: 06/30/76
Location: 20N.07W.15.430
FIPS State/County: 35031 NEW MEXICO/MCKINLEY
Station Type: /TYPA/AMBNT/LAKE
STORET Station ID(s): 355738107340010
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 14080106
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 14080106
RF1 Mile Point: 0.000
Distance from RF1: 3.60
On/Off RF1:
RF3 Index: 14080106003021.10
RF3 Mile Point: 21.09
Distance from RF3: 0.01
On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0001

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/22/75-09/22/75	1	16.	16.	16.	16.	0.	0.	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	09/22/75-09/22/75	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/22/75-09/22/75	1	560.	560.	560.	560.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	09/22/75-09/22/75	1	7.6	7.6	7.6	7.6	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	09/22/75-09/22/75	1	7.6	7.6	7.6	7.6	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/22/75-09/22/75	1	0.025	0.025	0.025	0.025	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	09/22/75-09/22/75	1	4.2	4.2	4.2	4.2	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	1	85.	85.	85.	85.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	09/22/75-09/22/75	1	104.	104.	104.	104.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	09/22/75-09/22/75	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	09/22/75-09/22/75	1	1.7	1.7	1.7	1.7	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	1	26.	26.	26.	26.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	09/22/75-09/22/75	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	09/22/75-09/22/75	1	8.3	8.3	8.3	8.3	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	09/22/75-09/22/75	1	1.2	1.2	1.2	1.2	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	09/22/75-09/22/75	1	140.	140.	140.	140.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	09/22/75-09/22/75	1	12.	12.	12.	12.	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	09/22/75-09/22/75	1	91.	91.	91.	91.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	09/22/75-09/22/75	1	4.1	4.1	4.1	4.1	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	09/22/75-09/22/75	1	6.	6.	6.	6.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	09/22/75-09/22/75	1	210.	210.	210.	210.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	09/22/75-09/22/75	1	0.7	0.7	0.7	0.7	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	09/22/75-09/22/75	1	14.	14.	14.	14.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	09/22/75-09/22/75	1	310.	310.	310.	310.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	09/22/75-09/22/75	1	443.	443.	443.	443.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	09/22/75-09/22/75	1	0.6	0.6	0.6	0.6	0.	0.	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	09/22/75-09/22/75	1	0.	0.	0.	0.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0001

			Total	Exceed	Prop.	----------7/01-10/19----------			----------10/20-4/09----------			----------4/10-6/30----------			--------------n/a--------------		
Parameter	Std. Type	Std. Value	Obs	Standard	Exceeding	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00400 PH	Other-Hi Lim.	9.	1	0	0.00	1	0	0.00									
	Other-Lo Lim.	6.5	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0001

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00	1	0	0.00									
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00	1	0	0.00									
		Drinking Water	250.	1	0	0.00	1	0	0.00									
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	0	0.00	1	0	0.00									
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0002

NPS Station ID: CHCU0002
LAT/LON: 36.016670/-107.571393
Agency: 112WRD
Date Created: 02/28/78
Location: 21N.07W.27.3332 SPRING
FIPS State/County: 35043 NEW MEXICO/SANDOVAL
Station Type: /TYPA/AMBNT/SPRING
STORET Station ID(s): 360100107341701
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 14080106
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 14080106
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 14080106194600.00
RF3 Mile Point: 12.21
Distance from RF3: 0.00
On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0002

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	01/28/76-01/28/76	1	4.	4.	4.	4.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	01/28/76-01/28/76	1	520.	520.	520.	520.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	01/28/76-01/28/76	1	8.1	8.1	8.1	8.1	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	01/28/76-01/28/76	1	8.1	8.1	8.1	8.1	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	01/28/76-01/28/76	1	0.008	0.008	0.008	0.008	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	01/28/76-01/28/76	1	2.	2.	2.	2.	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	01/28/76-01/28/76	1	129.	129.	129.	129.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	01/28/76-01/28/76	1	157.	157.	157.	157.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	01/28/76-01/28/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	01/28/76-01/28/76	1	0.8	0.8	0.8	0.8	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	01/28/76-01/28/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	01/28/76-01/28/76	1 ##	0.005	0.005	0.005	0.005	0.	0.	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	01/28/76-01/28/76	1	1.8	1.8	1.8	1.8	0.	0.	**	**	**	**
00745	SULFIDE, TOTAL (MG/L AS S)	01/28/76-01/28/76	1	0.2	0.2	0.2	0.2	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	01/28/76-01/28/76	1	200.	200.	200.	200.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	01/28/76-01/28/76	1	73.	73.	73.	73.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	01/28/76-01/28/76	1	77.	77.	77.	77.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	01/28/76-01/28/76	1	2.4	2.4	2.4	2.4	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	01/28/76-01/28/76	1	24.	24.	24.	24.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	01/28/76-01/28/76	1	0.7	0.7	0.7	0.7	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	01/28/76-01/28/76	1	20.	20.	20.	20.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	01/28/76-01/28/76	1	1.5	1.5	1.5	1.5	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	01/28/76-01/28/76	1	7.	7.	7.	7.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	01/28/76-01/28/76	1	120.	120.	120.	120.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	01/28/76-01/28/76	1	0.3	0.3	0.3	0.3	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	01/28/76-01/28/76	1	13.	13.	13.	13.	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	01/28/76-01/28/76	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	01/28/76-01/28/76	1	9.	9.	9.	9.	0.	0.	**	**	**	**
01022	BORON, TOTAL (UG/L AS B)	01/28/76-01/28/76	1	40.	40.	40.	40.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	01/28/76-01/28/76	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	01/28/76-01/28/76	1 ##	100.	100.	100.	100.	0.	0.	**	**	**	**
01105	ALUMINUM, TOTAL (UG/L AS AL)	01/28/76-01/28/76	1	40.	40.	40.	40.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	01/28/76-01/28/76	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	01/28/76-01/28/76	1	7.	7.	7.	7.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	01/28/76-01/28/76	1	326.	326.	326.	326.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	01/28/76-01/28/76	1	0.44	0.44	0.44	0.44	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	01/28/76-01/28/76	1 ##	0.25	0.25	0.25	0.25	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0002

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00				1	0	0.00						
		Other-Lo Lim.	6.5	1	0	0.00				1	0	0.00						
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00				1	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00				1	0	0.00						
		Drinking Water	250.	1	0	0.00				1	0	0.00						
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	0	0.00				1	0	0.00						
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00				1	0	0.00						
01002	ARSENIC, TOTAL	Fresh Acute	360.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01051	LEAD, TOTAL	Fresh Acute	82.	0 &	0	0.00												
		Drinking Water	15.	0 &	0	0.00												
01147	SELENIUM, TOTAL	Fresh Acute	20.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
71900	MERCURY, TOTAL	Fresh Acute	2.4	1	0	0.00				1	0	0.00						
		Drinking Water	2.	1	0	0.00				1	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0003

NPS Station ID: CHCU0003
LAT/LON: 35.963337/-107.608059
Agency: 112WRD
Date Created: 12/16/75
Location: 20N.07W.17.310
FIPS State/County: 35031 NEW MEXICO/MCKINLEY
Station Type: /TYPA/AMBNT/LAKE
STORET Station ID(s): 355748107362910
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 14080106
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 14080106
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 14080106191800.00
RF3 Mile Point: 2.56
Distance from RF3: 0.13
On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0003

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/22/75-09/22/75	1	15.5	15.5	15.5	15.5	0.	0.	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	09/22/75-09/22/75	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/22/75-09/22/75	1	397.	397.	397.	397.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	09/22/75-09/22/75	1	7.6	7.6	7.6	7.6	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	09/22/75-09/22/75	1	7.6	7.6	7.6	7.6	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/22/75-09/22/75	1	0.025	0.025	0.025	0.025	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	09/22/75-09/22/75	1	5.6	5.6	5.6	5.6	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	1	115.	115.	115.	115.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	09/22/75-09/22/75	1	140.	140.	140.	140.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	09/22/75-09/22/75	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	09/22/75-09/22/75	1	0.7	0.7	0.7	0.7	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	1	60.	60.	60.	60.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	09/22/75-09/22/75	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	09/22/75-09/22/75	1	23.	23.	23.	23.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	09/22/75-09/22/75	1	0.6	0.6	0.6	0.6	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	09/22/75-09/22/75	1	72.	72.	72.	72.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	09/22/75-09/22/75	1	4.	4.	4.	4.	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	09/22/75-09/22/75	1	71.	71.	71.	71.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	09/22/75-09/22/75	1	3.1	3.1	3.1	3.1	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	09/22/75-09/22/75	1	4.	4.	4.	4.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	09/22/75-09/22/75	1	84.	84.	84.	84.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	09/22/75-09/22/75	1	0.6	0.6	0.6	0.6	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	09/22/75-09/22/75	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	09/22/75-09/22/75	1	40.	40.	40.	40.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	09/22/75-09/22/75	1	270.	270.	270.	270.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	09/22/75-09/22/75	1	0.37	0.37	0.37	0.37	0.	0.	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	09/22/75-09/22/75	1	0.	0.	0.	0.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0003

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00	1	0	0.00									
		Other-Lo Lim.	6.5	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0003

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00	1	0	0.00									
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00	1	0	0.00									
		Drinking Water	250.	1	0	0.00	1	0	0.00									
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	0	0.00	1	0	0.00									
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0004

NPS Station ID: CHCU0004
LAT/LON: 36.031393/-107.610282
Agency: 112WRD
Date Created: 02/28/78
Location: 21N.07W.14.4441 OJO SOCORRO
FIPS State/County: 35043 NEW MEXICO/SANDOVAL
Station Type: /TYPA/AMBNT/SPRING
STORET Station ID(s): 360153107363701
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 14080106
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 14080106
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 14080106022800.00
RF3 Mile Point: 0.00
Distance from RF3: 0.01
On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0004

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	01/27/76-01/27/76	1	6.	6.	6.	6.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	01/27/76-01/27/76	1	430.	430.	430.	430.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	01/27/76-01/27/76	1	8.2	8.2	8.2	8.2	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	01/27/76-01/27/76	1	8.2	8.2	8.2	8.2	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	01/27/76-01/27/76	1	0.006	0.006	0.006	0.006	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	01/27/76-01/27/76	1	1.2	1.2	1.2	1.2	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	01/27/76-01/27/76	1	98.	98.	98.	98.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	01/27/76-01/27/76	1	119.	119.	119.	119.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	01/27/76-01/27/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	01/27/76-01/27/76	1	1.2	1.2	1.2	1.2	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	01/27/76-01/27/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	01/27/76-01/27/76	1 ##	0.005	0.005	0.005	0.005	0.	0.	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	01/27/76-01/27/76	1	4.2	4.2	4.2	4.2	0.	0.	**	**	**	**
00745	SULFIDE, TOTAL (MG/L AS S)	01/27/76-01/27/76	1	0.4	0.4	0.4	0.4	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	01/27/76-01/27/76	1	160.	160.	160.	160.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	01/27/76-01/27/76	1	67.	67.	67.	67.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	01/27/76-01/27/76	1	60.	60.	60.	60.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	01/27/76-01/27/76	1	3.5	3.5	3.5	3.5	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	01/27/76-01/27/76	1	21.	21.	21.	21.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	01/27/76-01/27/76	1	0.7	0.7	0.7	0.7	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	01/27/76-01/27/76	1	22.	22.	22.	22.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	01/27/76-01/27/76	1	1.7	1.7	1.7	1.7	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	01/27/76-01/27/76	1	5.	5.	5.	5.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	01/27/76-01/27/76	1	100.	100.	100.	100.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	01/27/76-01/27/76	1	0.4	0.4	0.4	0.4	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	01/27/76-01/27/76	1	19.	19.	19.	19.	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	01/27/76-01/27/76	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	01/27/76-01/27/76	1 ##	10.	10.	10.	10.	0.	0.	**	**	**	**
01022	BORON, TOTAL (UG/L AS B)	01/27/76-01/27/76	1	60.	60.	60.	60.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	01/27/76-01/27/76	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	01/27/76-01/27/76	1 ##	100.	100.	100.	100.	0.	0.	**	**	**	**
01105	ALUMINUM, TOTAL (UG/L AS AL)	01/27/76-01/27/76	1	80.	80.	80.	80.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	01/27/76-01/27/76	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	01/27/76-01/27/76	1	3.	3.	3.	3.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	01/27/76-01/27/76	1	275.	275.	275.	275.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	01/27/76-01/27/76	1	0.37	0.37	0.37	0.37	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	01/27/76-01/27/76	1 ##	0.25	0.25	0.25	0.25	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0004

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00				1	0	0.00						
		Other-Lo Lim.	6.5	1	0	0.00				1	0	0.00						
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00				1	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00				1	0	0.00						
		Drinking Water	250.	1	0	0.00				1	0	0.00						
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	0	0.00				1	0	0.00						
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00				1	0	0.00						
01002	ARSENIC, TOTAL	Fresh Acute	360.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01051	LEAD, TOTAL	Fresh Acute	82.	0 &	0	0.00												
		Drinking Water	15.	0 &	0	0.00												
01147	SELENIUM, TOTAL	Fresh Acute	20.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
71900	MERCURY, TOTAL	Fresh Acute	2.4	1	0	0.00				1	0	0.00						
		Drinking Water	2.	1	0	0.00				1	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0005

NPS Station ID: CHCU0005 LAT/LON: 35.943337/-107.643059 Agency: 112WRD Date Created: 02/28/78
Location: 20N.08W.24.3341 RAMONA SPRING, CHACO CAN NAT MO FIPS State/County: 35031 NEW MEXICO/MCKINLEY
Station Type: /TYPA/AMBNT/SPRING STORET Station ID(s): 355636107383501
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 3.20 On/Off RF1:
RF3 Index: 14080106193700.00 RF3 Mile Point: 0.09 Distance from RF3: 0.03 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0005

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	01/28/76-01/28/76	1	4.	4.	4.	4.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	01/28/76-01/28/76	1	1300.	1300.	1300.	1300.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	01/28/76-01/28/76	1	7.3	7.3	7.3	7.3	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	01/28/76-01/28/76	1	7.3	7.3	7.3	7.3	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	01/28/76-01/28/76	1	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	01/28/76-01/28/76	1	37.	37.	37.	37.	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	01/28/76-01/28/76	1	374.	374.	374.	374.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	01/28/76-01/28/76	1	456.	456.	456.	456.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	01/28/76-01/28/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	01/28/76-01/28/76	1	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	01/28/76-01/28/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	01/28/76-01/28/76	1 ##	0.005	0.005	0.005	0.005	0.	0.	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	01/28/76-01/28/76	1	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
00745	SULFIDE, TOTAL (MG/L AS S)	01/28/76-01/28/76	1	0.2	0.2	0.2	0.2	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	01/28/76-01/28/76	1	700.	700.	700.	700.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	01/28/76-01/28/76	1	330.	330.	330.	330.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	01/28/76-01/28/76	1	140.	140.	140.	140.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	01/28/76-01/28/76	1	85.	85.	85.	85.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	01/28/76-01/28/76	1	26.	26.	26.	26.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	01/28/76-01/28/76	1	0.4	0.4	0.4	0.4	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	01/28/76-01/28/76	1	7.	7.	7.	7.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	01/28/76-01/28/76	1	2.3	2.3	2.3	2.3	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	01/28/76-01/28/76	1	14.	14.	14.	14.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	01/28/76-01/28/76	1	350.	350.	350.	350.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	01/28/76-01/28/76	1	0.2	0.2	0.2	0.2	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	01/28/76-01/28/76	1	14.	14.	14.	14.	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	01/28/76-01/28/76	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	01/28/76-01/28/76	1 ##	10.	10.	10.	10.	0.	0.	**	**	**	**
01022	BORON, TOTAL (UG/L AS B)	01/28/76-01/28/76	1	80.	80.	80.	80.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	01/28/76-01/28/76	1	30.	30.	30.	30.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	01/28/76-01/28/76	1 ##	100.	100.	100.	100.	0.	0.	**	**	**	**
01105	ALUMINUM, TOTAL (UG/L AS AL)	01/28/76-01/28/76	1	20.	20.	20.	20.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	01/28/76-01/28/76	1	30.	30.	30.	30.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	01/28/76-01/28/76	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	01/28/76-01/28/76	1	857.	857.	857.	857.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	01/28/76-01/28/76	1	1.17	1.17	1.17	1.17	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	01/28/76-01/28/76	1 ##	0.25	0.25	0.25	0.25	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0005

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00				1	0	0.00						
		Other-Lo Lim.	6.5	1	0	0.00				1	0	0.00						
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00				1	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00				1	0	0.00						
		Drinking Water	250.	1	0	0.00				1	0	0.00						
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00				1	1	1.00						
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00				1	0	0.00						
01002	ARSENIC, TOTAL	Fresh Acute	360.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01051	LEAD, TOTAL	Fresh Acute	82.	0 &	0	0.00												
		Drinking Water	15.	0 &	0	0.00												
01147	SELENIUM, TOTAL	Fresh Acute	20.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
71900	MERCURY, TOTAL	Fresh Acute	2.4	1	0	0.00				1	0	0.00						
		Drinking Water	2.	1	0	0.00				1	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0006

NPS Station ID: CHCU0006
LAT/LON: 35.909726/-107.686392
Agency: 112WRD
Date Created: 02/28/78
Location: 19N.08W.04.2144 BURRO SPG
FIPS State/County: 35031 NEW MEXICO/MCKINLEY
Station Type: /TYPA/AMBNT/SPRING
STORET Station ID(s): 355435107411101
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 14080106
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 14080106
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 14080106148610.69
RF3 Mile Point: 12.60
Distance from RF3: 0.48
On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0006

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/22/75-09/22/75	1	9.	9.	9.	9.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/22/75-09/22/75	1	2200.	2200.	2200.	2200.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	09/22/75-09/22/75	1	4.3	4.3	4.3	4.3	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	09/22/75-09/22/75	1	4.3	4.3	4.3	4.3	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/22/75-09/22/75	1	50.119	50.119	50.119	50.119	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	09/22/75-09/22/75	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
00435	ACIDITY, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	1	5.	5.	5.	5.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	09/22/75-09/22/75	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	09/22/75-09/22/75	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	09/22/75-09/22/75	1	0.7	0.7	0.7	0.7	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	1	1400.	1400.	1400.	1400.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	09/22/75-09/22/75	1	1400.	1400.	1400.	1400.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	09/22/75-09/22/75	1	280.	280.	280.	280.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	09/22/75-09/22/75	1	170.	170.	170.	170.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	09/22/75-09/22/75	1	72.	72.	72.	72.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	09/22/75-09/22/75	1	0.8	0.8	0.8	0.8	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	09/22/75-09/22/75	1	10.	10.	10.	10.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	09/22/75-09/22/75	1	3.6	3.6	3.6	3.6	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	09/22/75-09/22/75	1	11.	11.	11.	11.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	09/22/75-09/22/75	1	1500.	1500.	1500.	1500.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	09/22/75-09/22/75	1	0.4	0.4	0.4	0.4	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	09/22/75-09/22/75	1	18.	18.	18.	18.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	09/22/75-09/22/75	1	150.	150.	150.	150.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	09/22/75-09/22/75	1	2060.	2060.	2060.	2060.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	09/22/75-09/22/75	1	2.8	2.8	2.8	2.8	0.	0.	**	**	**	**
71825	ACIDITY, TOTAL (MG/L AS H)	09/22/75-09/22/75	1	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0006

Parameter				Total	Exceed	Prop.	7/01-10/19			10/20-4/09			4/10-6/30			n/a		
		Std. Type	Std. Value	Obs	Standard	Exceeding	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00	1	0	0.00									
		Other-Lo Lim.	6.5	1	1	1.00	1	1	1.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0006

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00	1	0	0.00									
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00	1	0	0.00									
		Drinking Water	250.	1	0	0.00	1	0	0.00									
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00	1	1	1.00									
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0007

NPS Station ID: CHCU0007
LAT/LON: 35.944448/-107.726392
Agency: 112WRD
Date Created: 10/31/81
Location: CHACO CANYON NAT. MON.
FIPS State/County: 35031 NEW MEXICO/MCKINLEY
Station Type: /TYPA/AMBNT/SPRING
STORET Station ID(s): 355640107433501
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 14080106
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 14080106030
RF1 Mile Point: 12.250
Distance from RF1: 0.00
On/Off RF1: ON
RF3 Index: 14080106143207.20
RF3 Mile Point: 9.01
Distance from RF3: 0.09
On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0007

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/22/75-09/22/75	1	15.5	15.5	15.5	15.5	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/22/75-09/22/75	1	1050.	1050.	1050.	1050.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	09/22/75-09/22/75	1	7.2	7.2	7.2	7.2	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	09/22/75-09/22/75	1	7.2	7.2	7.2	7.2	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/22/75-09/22/75	1	0.063	0.063	0.063	0.063	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	09/22/75-09/22/75	1	46.	46.	46.	46.	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	1	376.	376.	376.	376.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	09/22/75-09/22/75	1	459.	459.	459.	459.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	09/22/75-09/22/75	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	09/22/75-09/22/75	1	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	09/22/75-09/22/75	1	690.	690.	690.	690.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	09/22/75-09/22/75	1	310.	310.	310.	310.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	09/22/75-09/22/75	1	130.	130.	130.	130.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	09/22/75-09/22/75	1	89.	89.	89.	89.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	09/22/75-09/22/75	1	23.	23.	23.	23.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	09/22/75-09/22/75	1	0.4	0.4	0.4	0.4	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	09/22/75-09/22/75	1	7.	7.	7.	7.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	09/22/75-09/22/75	1	2.6	2.6	2.6	2.6	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	09/22/75-09/22/75	1	12.	12.	12.	12.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	09/22/75-09/22/75	1	350.	350.	350.	350.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	09/22/75-09/22/75	1	0.2	0.2	0.2	0.2	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	09/22/75-09/22/75	1	15.	15.	15.	15.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	09/22/75-09/22/75	1	40.	40.	40.	40.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	09/22/75-09/22/75	1	849.	849.	849.	849.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	09/22/75-09/22/75	1	1.15	1.15	1.15	1.15	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0007

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00	1	0	0.00									
		Other-Lo Lim.	6.5	1	0	0.00	1	0	0.00									
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0007

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00	1	0	0.00									
		Drinking Water	250.	1	0	0.00	1	0	0.00									
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00	1	1	1.00									
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0008

NPS Station ID: CHCU0008 LAT/LON: 35.989170/-107.783615 Agency: 112WRD Date Created: 01/25/77
Location: 20N.09W.03.332 CHACO R 8 MI SE VIS CTR CHACO MON FIPS State/County: 35031 NEW MEXICO/MCKINLEY
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 355921107470110
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106030 RF1 Mile Point: 9.530 Distance from RF1: 23.10 On/Off RF1: ON
RF3 Index: 14080106004500.00 RF3 Mile Point: 2.25 Distance from RF3: 0.06 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0008

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00061	FLOW, STREAM, INSTANTANEOUS CFS	01/14/76-01/14/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00626	NITROGEN,ORG. KJEL.,BOT. DEPOS. (MG/KG-N DRY WGT)	01/14/76-01/14/76	1	120.	120.	120.	120.	0.	0.	**	**	**	**
00633	NITRITE PLUS NITRATE,BOT. DEPOS. (MG/KG-N DRY WT)	01/14/76-01/14/76	1	42.	42.	42.	42.	0.	0.	**	**	**	**
00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	01/14/76-01/14/76	1	130.	130.	130.	130.	0.	0.	**	**	**	**
00687	CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C)	01/14/76-01/14/76	1	0.2	0.2	0.2	0.2	0.	0.	**	**	**	**
01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	01/14/76-01/14/76	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	01/14/76-01/14/76	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	01/14/76-01/14/76	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	01/14/76-01/14/76	1	5.	5.	5.	5.	0.	0.	**	**	**	**
01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	01/14/76-01/14/76	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	01/14/76-01/14/76	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	01/14/76-01/14/76	1	85.	85.	85.	85.	0.	0.	**	**	**	**
01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	01/14/76-01/14/76	1	7.	7.	7.	7.	0.	0.	**	**	**	**
01148	SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT)	01/14/76-01/14/76	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	01/14/76-01/14/76	1	1800.	1800.	1800.	1800.	0.	0.	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	01/14/76-01/14/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	01/14/76-01/14/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

********** No EPA Water Quality Criteria exist to compare against the data at this station. **********

Station Inventory for Station: CHCU0009

NPS Station ID: CHCU0009 LAT/LON: 36.056115/-107.810282 Agency: 112WRD Date Created: 07/18/78
Location: 21N.09W.17.214 GALLO WASH TANK NR CHACO N.M.,NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 360322107483720
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 19.50 On/Off RF1:
RF3 Index: 14080106004806.58 RF3 Mile Point: 6.58 Distance from RF3: 0.02 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0009

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/28/78-03/28/78	1	16.5	16.5	16.5	16.5	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/28/78-03/28/78	1	760.	760.	760.	760.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	03/28/78-03/28/78	1	9.	9.	9.	9.	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	03/28/78-03/28/78	1	9.	9.	9.	9.	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/28/78-03/28/78	1	0.001	0.001	0.001	0.001	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	03/28/78-03/28/78	1	0.3	0.3	0.3	0.3	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	1	170.	170.	170.	170.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	03/28/78-03/28/78	1	190.	190.	190.	190.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	03/28/78-03/28/78	1	11.	11.	11.	11.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/28/78-03/28/78	1	2.	2.	2.	2.	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/28/78-03/28/78	1	0.12	0.12	0.12	0.12	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/28/78-03/28/78	1	0.04	0.04	0.04	0.04	0.	0.	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/28/78-03/28/78	1	16.	16.	16.	16.	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	1	42.	42.	42.	42.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	03/28/78-03/28/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	03/28/78-03/28/78	1	14.	14.	14.	14.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	03/28/78-03/28/78	1	1.6	1.6	1.6	1.6	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	03/28/78-03/28/78	1	150.	150.	150.	150.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	03/28/78-03/28/78	1	10.	10.	10.	10.	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	03/28/78-03/28/78	1	87.	87.	87.	87.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	03/28/78-03/28/78	1	7.	7.	7.	7.	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	03/28/78-03/28/78	1	8.	8.	8.	8.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	03/28/78-03/28/78	1	220.	220.	220.	220.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/28/78-03/28/78	1	1.	1.	1.	1.	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	03/28/78-03/28/78	1	1.4	1.4	1.4	1.4	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	03/28/78-03/28/78	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	03/28/78-03/28/78	1	400.	400.	400.	400.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	03/28/78-03/28/78	1	90.	90.	90.	90.	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	03/28/78-03/28/78	1	9.	9.	9.	9.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	03/28/78-03/28/78	1 ##	10.	10.	10.	10.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	03/28/78-03/28/78	1	30.	30.	30.	30.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	03/28/78-03/28/78	1	120.	120.	120.	120.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	03/28/78-03/28/78	1	517.	517.	517.	517.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	03/28/78-03/28/78	1	0.7	0.7	0.7	0.7	0.	0.	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	03/28/78-03/28/78	1	834.	834.	834.	834.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0009

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	1	1.00				1	1	1.00						
		Other-Lo Lim.	6.5	1	0	0.00				1	0	0.00						
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00				1	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00				1	0	0.00						
		Drinking Water	250.	1	0	0.00				1	0	0.00						
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	0	0.00				1	0	0.00						
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00				1	0	0.00						
01002	ARSENIC, TOTAL	Fresh Acute	360.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01007	BARIUM, TOTAL	Drinking Water	2000.	1	0	0.00				1	0	0.00						
01027	CADMIUM, TOTAL	Fresh Acute	3.9	1	1	1.00				1	1	1.00						
		Drinking Water	5.	1	1	1.00				1	1	1.00						
01034	CHROMIUM, TOTAL	Drinking Water	100.	1	0	0.00				1	0	0.00						
01051	LEAD, TOTAL	Fresh Acute	82.	1	1	1.00				1	1	1.00						
		Drinking Water	15.	1	1	1.00				1	1	1.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0010

NPS Station ID: CHCU0010 LAT/LON: 36.052226/-107.811948 Agency: 112WRD Date Created: 07/18/78
Location: 21N.09W.17.233 GALLO WASH AT DIKE NR CHACO NM,NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 360308107484310
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 9.90 On/Off RF1:
RF3 Index: 14080106201000.00 RF3 Mile Point: 0.75 Distance from RF3: 0.59 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0010

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/28/78-03/28/78	1	11.5	11.5	11.5	11.5	0.	0.	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	03/28/78-03/28/78	1	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/28/78-03/28/78	1	635.	635.	635.	635.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	03/28/78-03/28/78	1	8.2	8.2	8.2	8.2	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	03/28/78-03/28/78	1	8.2	8.2	8.2	8.2	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/28/78-03/28/78	1	0.006	0.006	0.006	0.006	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	03/28/78-03/28/78	1	1.8	1.8	1.8	1.8	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	1	150.	150.	150.	150.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	03/28/78-03/28/78	1	180.	180.	180.	180.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	03/28/78-03/28/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/28/78-03/28/78	1	0.4	0.4	0.4	0.4	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/28/78-03/28/78	1	0.09	0.09	0.09	0.09	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/28/78-03/28/78	1	0.03	0.03	0.03	0.03	0.	0.	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/28/78-03/28/78	1	8.8	8.8	8.8	8.8	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	1	44.	44.	44.	44.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	03/28/78-03/28/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	03/28/78-03/28/78	1	16.	16.	16.	16.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	03/28/78-03/28/78	1	1.1	1.1	1.1	1.1	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	03/28/78-03/28/78	1	120.	120.	120.	120.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	03/28/78-03/28/78	1	7.8	7.8	7.8	7.8	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	03/28/78-03/28/78	1	84.	84.	84.	84.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	03/28/78-03/28/78	1	4.5	4.5	4.5	4.5	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	03/28/78-03/28/78	1	8.	8.	8.	8.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	03/28/78-03/28/78	1	150.	150.	150.	150.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/28/78-03/28/78	1	1.	1.	1.	1.	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	03/28/78-03/28/78	1	8.1	8.1	8.1	8.1	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	03/28/78-03/28/78	1	4.	4.	4.	4.	0.	0.	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	03/28/78-03/28/78	1	300.	300.	300.	300.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	03/28/78-03/28/78	1	80.	80.	80.	80.	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	03/28/78-03/28/78	1 ##	1.	1.	1.	1.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	03/28/78-03/28/78	1 ##	10.	10.	10.	10.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	03/28/78-03/28/78	1	60.	60.	60.	60.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	03/28/78-03/28/78	1	11.	11.	11.	11.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	03/28/78-03/28/78	1	399.	399.	399.	399.	0.	0.	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	03/28/78-03/28/78	1	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	03/28/78-03/28/78	1	0.54	0.54	0.54	0.54	0.	0.	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	03/28/78-03/28/78	1	412.	412.	412.	412.	0.	0.	**	**	**	**
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	03/28/78-03/28/78	1	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0010

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00				1	0	0.00						
		Other-Lo Lim.	6.5	1	0	0.00				1	0	0.00						
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00				1	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00				1	0	0.00						
		Drinking Water	250.	1	0	0.00				1	0	0.00						
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	0	0.00				1	0	0.00						
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00				1	0	0.00						
01002	ARSENIC, TOTAL	Fresh Acute	360.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01007	BARIUM, TOTAL	Drinking Water	2000.	1	0	0.00				1	0	0.00						
01027	CADMIUM, TOTAL	Fresh Acute	3.9	1	0	0.00				1	0	0.00						
		Drinking Water	5.	1	0	0.00				1	0	0.00						
01034	CHROMIUM, TOTAL	Drinking Water	100.	1	0	0.00				1	0	0.00						
01051	LEAD, TOTAL	Fresh Acute	82.	1	0	0.00				1	0	0.00						
		Drinking Water	15.	1	0	0.00				1	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0011

NPS Station ID: CHCU0011 LAT/LON: 36.060004/-107.838338 Agency: 112WRD Date Created: 06/29/78
Location: 21N.09W.07.333 CCR9 WELL 3 MI NE CHACO N.M.,NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 360336107501801
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: M Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 0.20 On/Off RF1:
RF3 Index: 14080106000300.00 RF3 Mile Point: 5.17 Distance from RF3: 0.02 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0011

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/28/78-03/28/78	1	14.	14.	14.	14.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/28/78-03/28/78	1	3000.	3000.	3000.	3000.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	03/28/78-03/28/78	1	8.3	8.3	8.3	8.3	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	03/28/78-03/28/78	1	8.3	8.3	8.3	8.3	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/28/78-03/28/78	1	0.005	0.005	0.005	0.005	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	03/28/78-03/28/78	1	4.1	4.1	4.1	4.1	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	1	420.	420.	420.	420.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	03/28/78-03/28/78	1	510.	510.	510.	510.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	03/28/78-03/28/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/28/78-03/28/78	1	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/28/78-03/28/78	1	0.03	0.03	0.03	0.03	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/28/78-03/28/78	1	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/28/78-03/28/78	1	14.	14.	14.	14.	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	1	430.	430.	430.	430.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	03/28/78-03/28/78	1	10.	10.	10.	10.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	03/28/78-03/28/78	1	38.	38.	38.	38.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	03/28/78-03/28/78	1	81.	81.	81.	81.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	03/28/78-03/28/78	1	630.	630.	630.	630.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	03/28/78-03/28/78	1	13.	13.	13.	13.	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	03/28/78-03/28/78	1	76.	76.	76.	76.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	03/28/78-03/28/78	1	4.5	4.5	4.5	4.5	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	03/28/78-03/28/78	1	34.	34.	34.	34.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	03/28/78-03/28/78	1	1300.	1300.	1300.	1300.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/28/78-03/28/78	1	0.4	0.4	0.4	0.4	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	03/28/78-03/28/78	1	9.7	9.7	9.7	9.7	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	03/28/78-03/28/78	1	150.	150.	150.	150.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	03/28/78-03/28/78	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	03/28/78-03/28/78	1	2350.	2350.	2350.	2350.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	03/28/78-03/28/78	1	3.2	3.2	3.2	3.2	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0011

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00				1	0	0.00						
		Other-Lo Lim.	6.5	1	0	0.00				1	0	0.00						
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00				1	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00				1	0	0.00						
		Drinking Water	250.	1	0	0.00				1	0	0.00						
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00				1	1	1.00						
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00				1	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0012

NPS Station ID: CHCU0012 LAT/LON: 36.020003/-107.851116 Agency: 112WRD Date Created: 01/23/82
Location: CHACO WASH AT EB AT CHACO CANYON NATL MON NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 09367676
RMI-Indexes: Within Park Boundary: Yes
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 14080106002601.87 RF3 Mile Point: 1.93 Distance from RF3: 0.01 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0012

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	06/30/81-08/24/82	2	18.	18.	20.	16.	8.	2.828	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	06/30/81-08/24/82	1	67.	67.	67.	67.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	06/30/81-08/24/82	2	574.5	574.5	700.	449.	31500.5	177.484	**	**	**	**
00400	PH (STANDARD UNITS)	06/30/81-08/24/82	2	7.6	7.6	8.	7.2	0.32	0.566	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	06/30/81-08/24/82	2	7.437	7.437	8.	7.2	0.373	0.611	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	06/30/81-08/24/82	2	0.037	0.037	0.063	0.01	0.001	0.038	**	**	**	**
00403	PH, LAB, STANDARD UNITS SU	06/30/81-08/24/82	2	8.25	8.25	8.8	7.7	0.605	0.778	**	**	**	**
00403	CONVERTED PH, LAB, STANDARD UNITS	06/30/81-08/24/82	2	7.968	7.968	8.8	7.7	0.764	0.874	**	**	**	**
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	06/30/81-08/24/82	2	0.011	0.011	0.02	0.002	0.	0.013	**	**	**	**
00600	NITROGEN, TOTAL (MG/L AS N)	08/24/82-08/24/82	1	3.5	3.5	3.5	3.5	0.	0.	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	08/24/82-08/24/82	1	2.1	2.1	2.1	2.1	0.	0.	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	08/24/82-08/24/82	1	0.28	0.28	0.28	0.28	0.	0.	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	08/24/82-08/24/82	1	2.4	2.4	2.4	2.4	0.	0.	**	**	**	**
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	08/24/82-08/24/82	1	1.1	1.1	1.1	1.1	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	08/24/82-08/24/82	1	1.2	1.2	1.2	1.2	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	08/24/82-08/24/82	1	0.28	0.28	0.28	0.28	0.	0.	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	08/24/82-08/24/82	1	8.4	8.4	8.4	8.4	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	08/24/82-08/24/82	1	0.09	0.09	0.09	0.09	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	06/30/81-08/24/82	2	138.5	138.5	250.	27.	24864.5	157.685	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	06/30/81-08/24/82	2	45.9	45.9	82.	9.8	2606.42	51.053	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	06/30/81-08/24/82	2	5.1	5.1	9.5	0.7	38.72	6.223	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	06/30/81-08/24/82	2	74.5	74.5	91.	58.	544.5	23.335	**	**	**	**
00931	SODIUM ADSORPTION RATIO	06/30/81-08/24/82	2	4.65	4.65	7.7	1.6	18.605	4.313	**	**	**	**
00932	SODIUM, PERCENT	06/30/81-08/24/82	2	60.	60.	87.	33.	1458.	38.184	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	06/30/81-08/24/82	2	5.35	5.35	8.1	2.6	15.125	3.889	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	06/30/81-08/24/82	2	13.	13.	23.	3.	200.	14.142	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	06/30/81-08/24/82	2	160.5	160.5	270.	51.	23980.5	154.856	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	06/30/81-08/24/82	2	0.5	0.5	0.6	0.4	0.02	0.141	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	06/30/81-08/24/82	2	11.5	11.5	13.	10.	4.5	2.121	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	06/30/81-06/30/81	1	100.	100.	100.	100.	0.	0.	**	**	**	**
01005	BARIUM, DISSOLVED (UG/L AS BA)	06/30/81-06/30/81	1	200.	200.	200.	200.	0.	0.	**	**	**	**
01006	BARIUM, SUSPENDED (UG/L AS BA)	06/30/81-06/30/81	1	3900.	3900.	3900.	3900.	0.	0.	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	06/30/81-06/30/81	1	4100.	4100.	4100.	4100.	0.	0.	**	**	**	**
01012	BERYLLIUM, TOTAL (UG/L AS BE)	06/30/81-06/30/81	1	50.	50.	50.	50.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	06/30/81-08/24/82	2	130.	130.	210.	50.	12800.	113.137	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	06/30/81-06/30/81	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	06/30/81-06/30/81	1	370.	370.	370.	370.	0.	0.	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	06/30/81-06/30/81	1	800.	800.	800.	800.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0012

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01044	IRON, SUSPENDED (UG/L AS FE)	06/30/81-08/24/82	2	440000.	440000.	530000.	350000.	16200000000.	127279.221	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	06/30/81-08/24/82	2	440000.	440000.	530000.	350000.	16200000000.	127279.221	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	06/30/81-08/24/82	2	51.5	51.5	90.	13.	2964.5	54.447	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	06/30/81-06/30/81	1	530.	530.	530.	530.	0.	0.	**	**	**	**
01054	MANGANESE, SUSPENDED (UG/L AS MN)	06/30/81-06/30/81	1	500.	500.	500.	500.	0.	0.	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	06/30/81-08/24/82	2	8750.	8750.	16000.	1500.	105125000.	10253.048	**	**	**	**
01056	MANGANESE, DISSOLVED (UG/L AS MN)	06/30/81-08/24/82	2 ##	500.25	500.25	1000.	0.5	499500.125	706.753	**	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	06/30/81-06/30/81	1	470.	470.	470.	470.	0.	0.	**	**	**	**
01080	STRONTIUM, DISSOLVED (UG/L AS SR)	06/30/81-06/30/81	1	840.	840.	840.	840.	0.	0.	**	**	**	**
01081	STRONTIUM, SUSPENDED (UG/L AS SR)	06/30/81-06/30/81	1	1600.	1600.	1600.	1600.	0.	0.	**	**	**	**
01082	STRONTIUM, TOTAL (UG/L AS SR)	06/30/81-06/30/81	1	2400.	2400.	2400.	2400.	0.	0.	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	06/30/81-06/30/81	1	2000.	2000.	2000.	2000.	0.	0.	**	**	**	**
01130	LITHIUM, DISSOLVED (UG/L AS LI)	06/30/81-06/30/81	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01131	LITHIUM, SUSPENDED (UG/L AS LI)	06/30/81-06/30/81	1	580.	580.	580.	580.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	06/30/81-06/30/81	1	590.	590.	590.	590.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	06/30/81-06/30/81	1	10.	10.	10.	10.	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	06/30/81-08/24/82	2	379.	379.	480.	278.	20402.	142.836	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	06/30/81-08/24/82	2	0.515	0.515	0.65	0.38	0.036	0.191	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	06/30/81-08/24/82	2	90.	90.	97.	83.	98.	9.899	**	**	**	**
71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	08/24/82-08/24/82	1	26.	26.	26.	26.	0.	0.	**	**	**	**
71887	NITROGEN, TOTAL, AS NO3 - MG/L	08/24/82-08/24/82	1	16.	16.	16.	16.	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	06/30/81-06/30/81	1	3.3	3.3	3.3	3.3	0.	0.	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	06/30/81-08/24/82	2	61600.	61600.	76400.	46800.	438080000.	20930.361	**	**	**	**
82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	06/30/81-06/30/81	1	6.	6.	6.	6.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0012

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	2	0	0.00	1	0	0.00				1	0	0.00			
		Other-Lo Lim.	6.5	2	0	0.00	1	0	0.00				1	0	0.00			
00403	PH, LAB	Other-Hi Lim.	9.	2	0	0.00	1	0	0.00				1	0	0.00			
		Other-Lo Lim.	6.5	2	0	0.00	1	0	0.00				1	0	0.00			
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	1	0	0.00	1	0	0.00									
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00	1	0	0.00									
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	250.	2	0	0.00	1	0	0.00				1	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	2	1	0.50	1	0	0.00				1	1	1.00			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	2	0	0.00	1	0	0.00				1	0	0.00			
01002	ARSENIC, TOTAL	Fresh Acute	360.	1	0	0.00							1	0	0.00			
		Drinking Water	50.	1	1	1.00							1	1	1.00			
01005	BARIUM, DISSOLVED	Drinking Water	2000.	1	0	0.00							1	0	0.00			
01006	BARIUM, SUSPENDED	Drinking Water	2000.	1	1	1.00							1	1	1.00			
01007	BARIUM, TOTAL	Drinking Water	2000.	1	1	1.00							1	1	1.00			
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	1	0	0.00							1	0	0.00			
		Drinking Water	4.	1	1	1.00							1	1	1.00			
01027	CADMIUM, TOTAL	Fresh Acute	3.9	1	0	0.00							1	0	0.00			
		Drinking Water	5.	1	0	0.00							1	0	0.00			
01034	CHROMIUM, TOTAL	Drinking Water	100.	1	1	1.00							1	1	1.00			
01042	COPPER, TOTAL	Fresh Acute	18.	1	1	1.00							1	1	1.00			
		Drinking Water	1300.	1	0	0.00							1	0	0.00			
01051	LEAD, TOTAL	Fresh Acute	82.	1	1	1.00							1	1	1.00			
		Drinking Water	15.	1	1	1.00							1	1	1.00			
01067	NICKEL, TOTAL	Fresh Acute	1400.	1	0	0.00							1	0	0.00			
		Drinking Water	100.	1	1	1.00							1	1	1.00			
01092	ZINC, TOTAL	Fresh Acute	120.	1	1	1.00							1	1	1.00			
		Drinking Water	5000.	1	0	0.00							1	0	0.00			
01147	SELENIUM, TOTAL	Fresh Acute	20.	1	0	0.00							1	0	0.00			
		Drinking Water	50.	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0012

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
71900 MERCURY, TOTAL	Fresh Acute	2.4	1	1	1.00							1	1	1.00			
	Drinking Water	2.	1	1	1.00							1	1	1.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0013

NPS Station ID: CHCU0013 LAT/LON: 36.052115/-107.855309 Agency: 11NPSWRD Date Created: 05/31/97
Location: DOME WELL SPILL SITE FOR SAMPLE SEVEN FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): CHCU_GAWA_7
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: COLORADO RIVER Elevation: 6275 Water Body Id:
Minor Basin: SAN JUAN RIVER ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 9.60 On/Off RF1:
RF3 Index: 14080106052000.00 RF3 Mile Point: 0.00 Distance from RF3: 0.01 On/Off RF3:
Description:
THE SITE IS LOCATED ON THE SARGENT RANCH NEW MEXICO 7.5 MINUTE SERIES (TOPOGRAPHIC) QUADRANGLE. THE SITE IS AT GALLO WASH NORTH OF CHACO CULTURE NATIONAL HISTORIC PARK. THE STREAM IS EPHEMERAL; HAVING NO FLOWS MOST OF THE YEAR. GALLO WASH SAMPLES WERE TAKEN IN 1979 TO MONITOR A SPILL FROM THE DOME PETROLEUM WELL SLUDGE POND. THIS SITE WAS OUTSIDE THE RANGE OF THE SPILL AND WAS MEASURED AS A CONTROL. THE DATA WERE COLLECTED BY NATIONAL PARK SERVICE EMPLOYEES. FOR MORE INFORMATION CONTACT PAUL WHITEFIELD: RESOURCE MANAGEMENT SPECIALIST AT CHACO CULTURE NATIONAL HISTORIC PARK; STAR ROUTE 4 BOX 6500 BLOOMFIELD NEW MEXICO 87413. PH.505-786-7014. DATA PROCESSED AND UP LOADED TO STORET BY CURTIS COOPER NPS-WRD FORT COLLINS COLORADO 80525. PH.970-225-3516.

Parameter Inventory for Station: CHCU0013

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	1	944.	944.	944.	944.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.55	8.55	8.55	8.55	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.55	8.55	8.55	8.55	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	05/01/79-05/01/79	1	0.003	0.003	0.003	0.003	0.	0.	**	**	**	**
00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	1	211.	211.	211.	211.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	1	246.	246.	246.	246.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	1	6.	6.	6.	6.	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	1	120.	120.	120.	120.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	1	119.6	119.6	119.6	119.6	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	1	1.17	1.17	1.17	1.17	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	1	21.	21.	21.	21.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	1	162.	162.	162.	162.	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	1	618.	618.	618.	618.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0013

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00							1	0	0.00			
		Other-Lo Lim.	6.5	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0013

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00							1	0	0.00			
		Drinking Water	250.	1	0	0.00							1	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0014

NPS Station ID: CHCU0014 | LAT/LON: 36.049726/-107.865116 | Agency: 11NPSWRD | Date Created: 05/31/97
Location: DOME WELL SPILL SITE FOR SAMPLE SIX | FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM | STORET Station ID(s): CHCU_GAWA_6
RMI-Indexes: | Within Park Boundary: No
RMI-Miles:
HUC: 14080106 | Depth of Water: 0 | Aquifer:
Major Basin: COLORADO RIVER | Elevation: 6262 | Water Body Id:
Minor Basin: SAN JUAN RIVER | ECO Region:
RF1 Index: 14080106 | RF1 Mile Point: 0.000 | Distance from RF1: 9.60 | On/Off RF1:
RF3 Index: 14080106052000.00 | RF3 Mile Point: 0.00 | Distance from RF3: 0.01 | On/Off RF3:
Description:
THE SITE IS LOCATED ON THE SARGENT RANCH NEW MEXICO 7.5 MINUTE SERIES (TOPOGRAPHIC) QUADRANGLE. THE SITE IS AT GALLO WASH NORTH OF CHACO CULTURE NATIONAL HISTORIC PARK. THE STREAM IS EPHEMERAL; HAVING NO FLOWS MOST OF THE YEAR. GALLO WASH SAMPLES WERE TAKEN IN 1979 TO MONITOR A SPILL FROM THE DOME PETROLEUM WELL SLUDGE POND. THIS SITE WAS OUTSIDE THE RANGE OF THE SPILL AND WAS MEASURED AS A CONTROL. THE DATA WERE COLLECTED BY NATIONAL PARK SERVICE EMPLOYEES. FOR MORE INFORMATION CONTACT PAUL WHITEFIELD: RESOURCE MANAGEMENT SPECIALIST AT CHACO CULTURE NATIONAL HISTORIC PARK; STAR ROUTE 4 BOX 6500 BLOOMFIELD NEW MEXICO 87413. PH.505-786-7014. DATA PROCESSED AND UP LOADED TO STORET BY CURTIS COOPER NPS-WRD FORT COLLINS COLORADO 80525. PH.970-225-3516.

Parameter Inventory for Station: CHCU0014

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	1	311.	311.	311.	311.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.45	8.45	8.45	8.45	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.45	8.45	8.45	8.45	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	05/01/79-05/01/79	1	0.004	0.004	0.004	0.004	0.	0.	**	**	**	**
00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	1	131.	131.	131.	131.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	1	155.	155.	155.	155.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	1	2.	2.	2.	2.	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	1	69.	69.	69.	69.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	1	29.9	29.9	29.9	29.9	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	1	1.3	1.3	1.3	1.3	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	1	5.	5.	5.	5.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	1	34.	34.	34.	34.	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	1	227.	227.	227.	227.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0014

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00							1	0	0.00			
		Other-Lo Lim.	6.5	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0014

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00							1	0	0.00			
		Drinking Water	250.	1	0	0.00							1	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0015

NPS Station ID: CHCU0015 LAT/LON: 36.062226/-107.865559 Agency: 112WRD Date Created: 06/29/78
Location: 21N.10W.11.431 DOME OIL WELL NR CHACO N. M.,NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 360344107515601
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: C Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 11.10 On/Off RF1:
RF3 Index: 14080106004804.45 RF3 Mile Point: 5.20 Distance from RF3: 0.42 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0015

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/28/78-03/28/78	1	42.	42.	42.	42.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/28/78-03/28/78	1	10000.	10000.	10000.	10000.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	03/28/78-03/28/78	1	8.3	8.3	8.3	8.3	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	03/28/78-03/28/78	1	8.3	8.3	8.3	8.3	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/28/78-03/28/78	1	0.005	0.005	0.005	0.005	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	03/28/78-03/28/78	1	4.6	4.6	4.6	4.6	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	1	470.	470.	470.	470.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	03/28/78-03/28/78	1	570.	570.	570.	570.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	03/28/78-03/28/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/28/78-03/28/78	1	0.04	0.04	0.04	0.04	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/28/78-03/28/78	1	0.03	0.03	0.03	0.03	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/28/78-03/28/78	1	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/28/78-03/28/78	1	5.1	5.1	5.1	5.1	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	03/28/78-03/28/78	1	210.	210.	210.	210.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	03/28/78-03/28/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	03/28/78-03/28/78	1	70.	70.	70.	70.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	03/28/78-03/28/78	1	8.3	8.3	8.3	8.3	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	03/28/78-03/28/78	1	2800.	2800.	2800.	2800.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	03/28/78-03/28/78	1	84.	84.	84.	84.	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	03/28/78-03/28/78	1	96.	96.	96.	96.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	03/28/78-03/28/78	1	15.	15.	15.	15.	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	03/28/78-03/28/78	1	810.	810.	810.	810.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	03/28/78-03/28/78	1	4300.	4300.	4300.	4300.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/28/78-03/28/78	1	5.3	5.3	5.3	5.3	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	03/28/78-03/28/78	1	30.	30.	30.	30.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	03/28/78-03/28/78	1	1900.	1900.	1900.	1900.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	03/28/78-03/28/78	1 ##	0.	0.	0.	0.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	03/28/78-03/28/78	1	8320.	8320.	8320.	8320.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	03/28/78-03/28/78	1	11.3	11.3	11.3	11.3	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0015

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00				1	0	0.00						
		Other-Lo Lim.	6.5	1	0	0.00				1	0	0.00						
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00				1	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00				1	0	0.00						
		Drinking Water	250.	1	1	1.00				1	1	1.00						
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00				1	1	1.00						
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	1	1.00				1	1	1.00						
01034	CHROMIUM, TOTAL	Drinking Water	100.	1	0	0.00				1	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0016

NPS Station ID: CHCU0016 | LAT/LON: 36.056059/-107.867198 | Agency: 11NPSWRD | Date Created: 05/31/97
Location: DOME WELL SPILL SITE FOR SAMPLE FIVE | FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM/POLLUT | STORET Station ID(s): CHCU_GAWA_5
RMI-Indexes: | Within Park Boundary: No
RMI-Miles:
HUC: 14080106 | Depth of Water: 0 | Aquifer:
Major Basin: COLORADO RIVER | Elevation: 6308 | Water Body Id:
Minor Basin: SAN JUAN RIVER | ECO Region:
RF1 Index: 14080106 | RF1 Mile Point: 0.000 | Distance from RF1: 9.60 | On/Off RF1:
RF3 Index: 14080106052000.00 | RF3 Mile Point: 0.00 | Distance from RF3: 0.01 | On/Off RF3:
Description:
THE SITE IS LOCATED ON THE SARGENT RANCH NEW MEXICO 7.5 MINUTE SERIES (TOPOGRAPHIC) QUADRANGLE. THE SITE IS AT GALLO WASH NORTH OF CHACO CULTURE NATIONAL HISTORIC PARK. THE STREAM IS EPHEMERAL; HAVING NO FLOWS MOST OF THE YEAR. GALLO WASH SAMPLES WERE TAKEN IN 1979 TO MONITOR A SPILL FROM THE DOME PETROLEUM WELL SLUDGE POND. THE SAMPLES WERE COLLECTED BY NATIONAL PARK SERVICE EMPLOYEES. THIS SITE WAS AFFECTED BY THE SPILL. FOR MORE INFORMATION CONTACT PAUL WHITEFIELD: RESOURCE MANAGEMENT SPECIALIST AT CHACO CULTURE NATIONAL HISTORIC PARK; STAR ROUTE 4 BOX 6500 BLOOMFIELD NEW MEXICO 87413. PH.505-786-7014. DATA PROCESSED AND UP LOADED TO STORET BY CURTIS COOPER NPS-WRD FORT COLLINS COLORADO 80525. PH.970-225-3516.

Parameter Inventory for Station: CHCU0016

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	1	11968.	11968.	11968.	11968.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.6	8.6	8.6	8.6	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.6	8.6	8.6	8.6	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	05/01/79-05/01/79	1	0.003	0.003	0.003	0.003	0.	0.	**	**	**	**
00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	1	380.	380.	380.	380.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	1	421.	421.	421.	421.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	1	21.	21.	21.	21.	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	1	592.	592.	592.	592.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	1	2949.	2949.	2949.	2949.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	1	12.48	12.48	12.48	12.48	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	1	822.	822.	822.	822.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	1	5156.	5156.	5156.	5156.	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	1	9992.	9992.	9992.	9992.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0016

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00							1	0	0.00			
		Other-Lo Lim.	6.5	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0016

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00							1	0	0.00			
		Drinking Water	250.	1	1	1.00							1	1	1.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00							1	1	1.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0017

NPS Station ID: CHCU0017 | LAT/LON: 36.047365/-107.870615 | Agency: 11NPSWRD | Date Created: 05/31/97
Location: DOME WELL SPILL SITE FOR SAMPLE FOUR | FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM/POLLUT | STORET Station ID(s): CHCU_GAWA_4
RMI-Indexes: | Within Park Boundary: No
RMI-Miles:
HUC: 14080106 | Depth of Water: 0 | Aquifer:
Major Basin: COLORADO RIVER | Elevation: 6252 | Water Body Id:
Minor Basin: SAN JUAN RIVER | ECO Region:
RF1 Index: 14080106 | RF1 Mile Point: 0.000 | Distance from RF1: 9.60 | On/Off RF1:
RF3 Index: 14080106052000.00 | RF3 Mile Point: 0.00 | Distance from RF3: 0.01 | On/Off RF3:
Description:
THE SITE IS LOCATED ON THE SARGENT RANCH NEW MEXICO 7.5 MINUTE SERIES (TOPOGRAPHIC) QUADRANGLE. THE SITE IS AT GALLO WASH NORTH OF CHACO CULTURE NATIONAL HISTORIC PARK. THE STREAM IS EPHEMERAL; HAVING NO FLOWS MOST OF THE YEAR. GALLO WASH SAMPLES WERE TAKEN IN 1979 TO MONITOR A SPILL FROM THE DOME PETROLEUM WELL SLUDGE POND. THE SAMPLES WERE COLLECTED BY NATIONAL PARK SERVICE EMPLOYEES. THIS SITE WAS AFFECTED BY THE SPILL. FOR MORE INFORMATION CONTACT PAUL WHITEFIELD: RESOURCE MANAGEMENT SPECIALIST AT CHACO CULTURE NATIONAL HISTORIC PARK; STAR ROUTE 4 BOX 6500 BLOOMFIELD NEW MEXICO 87413. PH.505-786-7014. DATA PROCESSED AND UP LOADED TO STORET BY CURTIS COOPER NPS-WRD FORT COLLINS COLORADO 80525. PH.970-225-3516.

Parameter Inventory for Station: CHCU0017

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	1	13126.	13126.	13126.	13126.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.62	8.62	8.62	8.62	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.62	8.62	8.62	8.62	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	05/01/79-05/01/79	1	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	1	391.	391.	391.	391.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	1	423.	423.	423.	423.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	1	27.	27.	27.	27.	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	1	678.	678.	678.	678.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	1	3289.	3289.	3289.	3289.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	1	24.18	24.18	24.18	24.18	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	1	894.	894.	894.	894.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	1	6028.	6028.	6028.	6028.	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	1	10935.	10935.	10935.	10935.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0017

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00							1	0	0.00			
		Other-Lo Lim.	6.5	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0017

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	1	1.00							1	1	1.00			
		Drinking Water	250.	1	1	1.00							1	1	1.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00							1	1	1.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0018

NPS Station ID: CHCU0018 | LAT/LON: 36.045449/-107.872004 | Agency: 11NPSWRD | Date Created: 05/31/97
Location: DOME WELL SPILL SITE FOR SAMPLE THREE | FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM/POLLUT | STORET Station ID(s): CHCU_GAWA_3
RMI-Indexes: | Within Park Boundary: No
RMI-Miles:
HUC: 14080106 | Depth of Water: 0 | Aquifer:
Major Basin: COLORADO RIVER | Elevation: 6248 | Water Body Id:
Minor Basin: SAN JUAN RIVER | ECO Region:
RF1 Index: 14080106 | RF1 Mile Point: 0.000 | Distance from RF1: 9.60 | On/Off RF1:
RF3 Index: 14080106052000.00 | RF3 Mile Point: 0.00 | Distance from RF3: 0.01 | On/Off RF3:
Description:
THE SITE IS LOCATED ON THE SARGENT RANCH NEW MEXICO 7.5 MINUTE SERIES (TOPOGRAPHIC) QUADRANGLE. THE SITE IS AT GALLO WASH JUST OUTSIDE CHACO CULTURE NATIONAL HISTORIC PARK. THE STREAM IS EPHEMERAL; HAVING NO FLOWS MOST OF THE YEAR. GALLO WASH SAMPLES WERE TAKEN IN 1979 TO MONITOR A SPILL FROM THE DOME PETROLEUM WELL SLUDGE POND. THE SAMPLES WERE COLLECTED BY NATIONAL PARK SERVICE EMPLOYEES. THIS SITE WAS AFFECTED BY THE SPILL. FOR MORE INFORMATION CONTACT PAUL WHITEFIELD: RESOURCE MANAGEMENT SPECIALIST AT CHACO CULTURE NATIONAL HISTORIC PARK; STAR ROUTE 4 BOX 6500 BLOOMFIELD NEW MEXICO 87413. PH.505-786-7014. DATA PROCESSED AND UP LOADED TO STORET BY CURTIS COOPER NPS-WRD FORT COLLINS COLORADO 80525. PH.970-225-3516.

Parameter Inventory for Station: CHCU0018

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	1	13078.	13078.	13078.	13078.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.58	8.58	8.58	8.58	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.58	8.58	8.58	8.58	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	05/01/79-05/01/79	1	0.003	0.003	0.003	0.003	0.	0.	**	**	**	**
00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	1	378.	378.	378.	378.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	1	419.	419.	419.	419.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	1	21.	21.	21.	21.	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	1	585.	585.	585.	585.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	1	3192.	3192.	3192.	3192.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	1	17.16	17.16	17.16	17.16	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	1	871.	871.	871.	871.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	1	5702.	5702.	5702.	5702.	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	1	10537.	10537.	10537.	10537.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0018

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00							1	0	0.00			
		Other-Lo Lim.	6.5	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0018

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	1	1.00							1	1	1.00			
		Drinking Water	250.	1	1	1.00							1	1	1.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00							1	1	1.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0019

NPS Station ID: CHCU0019 | LAT/LON: 36.045003/-107.872505 | Agency: 11NPSWRD | Date Created: 05/31/97
Location: DOME WELL SPILL SITE FOR SAMPLE TWO | FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM/POLLUT | STORET Station ID(s): CHCU_GAWA_2
RMI-Indexes: | Within Park Boundary: Yes
RMI-Miles:
HUC: 14080106 | Depth of Water: 0 | Aquifer:
Major Basin: COLORADO RIVER | Elevation: 6243 | Water Body Id:
Minor Basin: SAN JUAN RIVER | ECO Region:
RF1 Index: 14080106 | RF1 Mile Point: 0.000 | Distance from RF1: 9.60 | On/Off RF1:
RF3 Index: 14080106052000.00 | RF3 Mile Point: 0.00 | Distance from RF3: 0.01 | On/Off RF3:
Description:
THE SITE IS LOCATED ON THE SARGENT RANCH NEW MEXICO 7.5 MINUTE SERIES (TOPOGRAPHIC) QUADRANGLE. THE SITE IS AT GALLO WASH JUST INSIDE CHACO CULTURE NATIONAL HISTORIC PARK. THE STREAM IS EPHEMERAL; HAVING NO FLOWS MOST OF THE YEAR. GALLO WASH SAMPLES WERE TAKEN IN 1979 TO MONITOR A SPILL FROM THE DOME PETROLEUM WELL SLUDGE POND. THE SAMPLES WERE COLLECTED BY NATIONAL PARK SERVICE EMPLOYEES. THIS SITE WAS AFFECTED BY THE SPILL. FOR MORE INFORMATION CONTACT PAUL WHITEFIELD: RESOURCE MANAGEMENT SPECIALIST AT CHACO CULTURE NATIONAL HISTORIC PARK; STAR ROUTE 4 BOX 6500 BLOOMFIELD NEW MEXICO 87413. PH.505-786-7014. DATA PROCESSED AND UP LOADED TO STORET BY CURTIS COOPER NPS-WRD FORT COLLINS COLORADO 80525. PH.970-225-3516.

Parameter Inventory for Station: CHCU0019

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	1	12125.	12125.	12125.	12125.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.64	8.64	8.64	8.64	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.64	8.64	8.64	8.64	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	05/01/79-05/01/79	1	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	1	397.	397.	397.	397.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	1	435.	435.	435.	435.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	1	24.	24.	24.	24.	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	1	570.	570.	570.	570.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	1	3144.	3144.	3144.	3144.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	1	17.94	17.94	17.94	17.94	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	1	841.	841.	841.	841.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	1	5284.	5284.	5284.	5284.	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	1	9899.	9899.	9899.	9899.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0019

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00							1	0	0.00			
		Other-Lo Lim.	6.5	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0019

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00							1	0	0.00			
		Drinking Water	250.	1	1	1.00							1	1	1.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00							1	1	1.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0020

NPS Station ID: CHCU0020 | LAT/LON: 36.044059/-107.875616 | Agency: 11NPSWRD | Date Created: 05/31/97
Location: DOME WELL SPILL SITE FOR SAMPLE ONE | FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM/POLLUT | STORET Station ID(s): CHCU_GAWA_1
RMI-Indexes: | Within Park Boundary: Yes
RMI-Miles:
HUC: 14080106 | Depth of Water: 0 | Aquifer:
Major Basin: COLORADO RIVER | Elevation: 6239 | Water Body Id:
Minor Basin: SAN JUAN RIVER | ECO Region:
RF1 Index: 14080106 | RF1 Mile Point: 0.000 | Distance from RF1: 9.60 | On/Off RF1:
RF3 Index: 14080106052000.00 | RF3 Mile Point: 0.00 | Distance from RF3: 0.01 | On/Off RF3:
Description:
THE SITE IS LOCATED ON THE PUEBLO BONITO NEW MEXICO 7.5 MINUTE SERIES (TOPOGRAPHIC) QUADRANGLE. THE SITE IS AT GALLO WASH IN THE CHACO CULTURE NATIONAL HISTORIC PARK. THE STREAM IS EPHEMERAL; HAVING NO FLOWS MOST OF THE YEAR. GALLO WASH SAMPLES WERE TAKEN IN 1979 TO MONITOR A SPILL FROM THE DOME PETROLEUM WELL SLUDGE POND. THE SAMPLES WERE COLLECTED BY NATIONAL PARK SERVICE EMPLOYEES. THIS SITE WAS AFFECTED BY THE SPILL. FOR MORE INFORMATION CONTACT PAUL WHITEFIELD: RESOURCE MANAGEMENT SPECIALIST AT CHACO CULTURE NATIONAL HISTORIC PARK; STAR ROUTE 4 BOX 6500 BLOOMFIELD NEW MEXICO 87413. PH.505-786-7014. DATA PROCESSED AND UP LOADED TO STORET BY CURTIS COOPER NPS-WRD FORT COLLINS COLORADO 80525. PH.970-225-3516.

Parameter Inventory for Station: CHCU0020

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/01/79-05/01/79	1	13446.	13446.	13446.	13446.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.73	8.73	8.73	8.73	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	05/01/79-05/01/79	1	8.73	8.73	8.73	8.73	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	05/01/79-05/01/79	1	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	05/01/79-05/01/79	1	394.	394.	394.	394.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	05/01/79-05/01/79	1	407.	407.	407.	407.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	05/01/79-05/01/79	1	37.	37.	37.	37.	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/01/79-05/01/79	1	677.	677.	677.	677.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	05/01/79-05/01/79	1	3224.	3224.	3224.	3224.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/01/79-05/01/79	1	18.72	18.72	18.72	18.72	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	05/01/79-05/01/79	1	917.	917.	917.	917.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	05/01/79-05/01/79	1	6173.	6173.	6173.	6173.	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/01/79-05/01/79	1	10850.	10850.	10850.	10850.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0020

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00							1	0	0.00			
		Other-Lo Lim.	6.5	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0020

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	1	1.00							1	1	1.00			
		Drinking Water	250.	1	1	1.00							1	1	1.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00							1	1	1.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0021

NPS Station ID: CHCU0021 LAT/LON: 36.035004/-107.890281 Agency: 112WRD Date Created: 05/19/79
Location: GALLO WASH AT CHACO NATIONAL MONUMENT, NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 09367682
RMI-Indexes: Within Park Boundary: Yes
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 1.70 On/Off RF1:
RF3 Index: 14080106203202.25 RF3 Mile Point: 2.46 Distance from RF3: 0.06 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0021

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	02/12/79-02/16/79	2	2.	2.	4.	0.	8.	2.828	**	**	**	**
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	02/12/79-02/12/79	1	9.	9.	9.	9.	0.	0.	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	01/18/79-08/17/79	2	9.5	9.5	12.	7.	12.5	3.536	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	01/18/79-08/17/79	10	350.5	432.	800.	255.	42275.778	205.611	255.	277.5	602.5	797.5
00300	OXYGEN, DISSOLVED MG/L	02/12/79-02/12/79	1	11.6	11.6	11.6	11.6	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	01/18/79-08/17/79	10	7.9	7.82	8.3	7.1	0.111	0.333	7.14	7.65	8.	8.27
00400	CONVERTED PH (STANDARD UNITS)	01/18/79-08/17/79	10	7.889	7.683	8.3	7.1	0.132	0.363	7.14	7.65	8.	8.27
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	01/18/79-08/17/79	10	0.013	0.021	0.079	0.005	0.	0.022	0.006	0.01	0.023	0.075
00405	CARBON DIOXIDE (MG/L AS CO2)	02/12/79-02/12/79	1	0.7	0.7	0.7	0.7	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	02/12/79-02/12/79	1	75.	75.	75.	75.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	02/12/79-02/12/79	1	92.	92.	92.	92.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	02/12/79-02/12/79	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00600	NITROGEN, TOTAL (MG/L AS N)	02/12/79-02/12/79	1	1.8	1.8	1.8	1.8	0.	0.	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	02/12/79-02/12/79	1	1.1	1.1	1.1	1.1	0.	0.	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	02/12/79-02/12/79	1	0.11	0.11	0.11	0.11	0.	0.	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	02/12/79-02/12/79	1	1.2	1.2	1.2	1.2	0.	0.	**	**	**	**
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	02/12/79-02/12/79	1	0.62	0.62	0.62	0.62	0.	0.	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	02/12/79-02/12/79	1	0.63	0.63	0.63	0.63	0.	0.	**	**	**	**
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	02/12/79-02/12/79	1	0.21	0.21	0.21	0.21	0.	0.	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	01/18/79-08/17/79	8	32.	31.25	40.	14.	64.214	8.013	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	02/12/79-02/12/79	1	47.	47.	47.	47.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	02/12/79-02/12/79	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	02/12/79-02/12/79	1	16.	16.	16.	16.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	02/12/79-02/12/79	1	1.7	1.7	1.7	1.7	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	02/12/79-02/12/79	1	43.	43.	43.	43.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	02/12/79-02/12/79	1	2.7	2.7	2.7	2.7	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	02/12/79-02/12/79	1	63.	63.	63.	63.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	02/12/79-02/12/79	1	6.6	6.6	6.6	6.6	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	02/12/79-02/12/79	1	8.	8.	8.	8.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	02/12/79-02/12/79	1	56.	56.	56.	56.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	02/12/79-02/12/79	1	0.2	0.2	0.2	0.2	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	02/12/79-02/12/79	1	8.3	8.3	8.3	8.3	0.	0.	**	**	**	**
01001	ARSENIC, SUSPENDED (UG/L AS AS)	02/16/79-02/16/79	1	4.	4.	4.	4.	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	01/18/79-08/17/79	8	5.5	7.25	14.	4.	17.357	4.166	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	02/16/79-02/16/79	1	400.	400.	400.	400.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	02/12/79-02/12/79	1	80.	80.	80.	80.	0.	0.	**	**	**	**
01022	BORON, TOTAL (UG/L AS B)	02/16/79-02/16/79	1	240.	240.	240.	240.	0.	0.	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	02/16/79-02/16/79	1	27000.	27000.	27000.	27000.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0021

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01046	IRON, DISSOLVED (UG/L AS FE)	02/12/79-02/12/79	1	40.	40.	40.	40.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	02/16/79-02/16/79	1 ##	0.	0.	0.	0.	0.	0.	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	02/16/79-02/16/79	1	500.	500.	500.	500.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	01/18/79-08/17/79	7	1.	1.143	2.	1.	0.143	0.378	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	02/12/79-02/12/79	1	201.	201.	201.	201.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	02/12/79-02/12/79	1	185.	185.	185.	185.	0.	0.	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	02/12/79-02/12/79	1	6.51	6.51	6.51	6.51	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	02/12/79-02/12/79	1	0.27	0.27	0.27	0.27	0.	0.	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	02/16/79-02/16/79	1	100.	100.	100.	100.	0.	0.	**	**	**	**
71887	NITROGEN, TOTAL, AS NO3 - MG/L	02/12/79-02/12/79	1	8.1	8.1	8.1	8.1	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	01/18/79-08/17/79	7	0.2	0.179	0.4	0.05	0.019	0.138	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	01/18/79-08/17/79	10	2495.	2570.	4230.	1510.	734511.111	857.036	1515.	1875.	3230.	4145.
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	02/08/79-08/17/79	6	103.5	165.5	457.	14.	28745.9	169.546	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0021

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	1	0	0.00				1	0	0.00						
00400	PH	Other-Hi Lim.	9.	10	0	0.00	2	0	0.00	8	0	0.00						
		Other-Lo Lim.	6.5	10	0	0.00	2	0	0.00	8	0	0.00						
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	1	0	0.00				1	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00				1	0	0.00						
		Drinking Water	250.	1	0	0.00				1	0	0.00						
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	0	0.00				1	0	0.00						
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00				1	0	0.00						
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01002	ARSENIC, TOTAL	Fresh Acute	360.	8	0	0.00	2	0	0.00	6	0	0.00						
		Drinking Water	50.	8	0	0.00	2	0	0.00	6	0	0.00						
01007	BARIUM, TOTAL	Drinking Water	2000.	1	0	0.00				1	0	0.00						
01051	LEAD, TOTAL	Fresh Acute	82.	1	0	0.00				1	0	0.00						
		Drinking Water	15.	1	0	0.00				1	0	0.00						
01147	SELENIUM, TOTAL	Fresh Acute	20.	7	0	0.00	2	0	0.00	5	0	0.00						
		Drinking Water	50.	7	0	0.00	2	0	0.00	5	0	0.00						
71900	MERCURY, TOTAL	Fresh Acute	2.4	7	0	0.00	2	0	0.00	5	0	0.00						
		Drinking Water	2.	7	0	0.00	2	0	0.00	5	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0022

NPS Station ID: CHCU0022 LAT/LON: 36.017504/-107.917781 Agency: 112WRD Date Created: 11/07/81
Location: FAJADA WASH AT CHACO CANYON NATL MON NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 09367678
RMI-Indexes: Within Park Boundary: Yes
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 25.90 On/Off RF1:
RF3 Index: 14080106119500.21 RF3 Mile Point: 1.51 Distance from RF3: 0.13 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0022

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	06/30/81-10/06/83	6	19.25	16.25	22.	0.5	63.475	7.967	**	**	**	**
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	07/29/82-10/06/83	3	15.	14.333	23.	5.	81.333	9.018	**	**	**	**
00025	BAROMETRIC PRESSURE (MM OF HG)	01/24/83-01/24/83	1	619.	619.	619.	619.	0.	0.	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	06/30/81-10/06/83	6	9.	11.86	30.	0.06	159.411	12.626	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	06/30/81-10/06/83	6	340.	410.333	650.	302.	19592.667	139.974	**	**	**	**
00300	OXYGEN, DISSOLVED MG/L	01/24/83-01/24/83	1	11.6	11.6	11.6	11.6	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	06/30/81-10/06/83	6	8.	7.817	8.3	6.7	0.318	0.564	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	06/30/81-10/06/83	6	8.	7.385	8.3	6.7	0.541	0.736	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	06/30/81-10/06/83	6	0.01	0.041	0.2	0.005	0.006	0.078	**	**	**	**
00403	PH, LAB, STANDARD UNITS SU	06/30/81-10/06/83	6	7.85	7.85	8.5	7.3	0.219	0.468	**	**	**	**
00403	CONVERTED PH, LAB, STANDARD UNITS	06/30/81-10/06/83	6	7.825	7.666	8.5	7.3	0.259	0.509	**	**	**	**
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	06/30/81-10/06/83	6	0.015	0.022	0.05	0.003	0.	0.019	**	**	**	**
00600	NITROGEN, TOTAL (MG/L AS N)	07/29/82-08/24/82	2	9.9	9.9	18.	1.8	131.22	11.455	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	07/29/82-08/24/82	2	8.355	8.355	16.	0.71	116.892	10.812	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/29/82-08/24/82	2	0.15	0.15	0.19	0.11	0.003	0.057	**	**	**	**
00611	NITROGEN, AMMONIA, BOTTOM DEPOSITS (MG/KG-N)	07/29/82-07/29/82	1	3.4	3.4	3.4	3.4	0.	0.	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/29/82-08/24/82	2	8.45	8.45	16.	0.9	114.005	10.677	**	**	**	**
00626	NITROGEN,ORG. KJEL.,BOT. DEPOS. (MG/KG-N DRY WGT)	07/29/82-07/29/82	1 ##	10.	10.	10.	10.	0.	0.	**	**	**	**
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/29/82-08/24/82	2	1.45	1.45	2.	0.9	0.605	0.778	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	07/29/82-08/24/82	2	1.35	1.35	1.9	0.8	0.605	0.778	**	**	**	**
00633	NITRITE PLUS NITRATE,BOT. DEPOS. (MG/KG-N DRY WT)	07/29/82-07/29/82	1 ##	1.	1.	1.	1.	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	07/29/82-08/24/82	2	0.38	0.38	0.55	0.21	0.058	0.24	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	07/29/82-08/24/82	2	3.55	3.55	4.2	2.9	0.845	0.919	**	**	**	**
00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	07/29/82-07/29/82	1	170.	170.	170.	170.	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	07/29/82-08/24/82	2	0.125	0.125	0.18	0.07	0.006	0.078	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	06/30/81-01/24/83	5	25.	29.6	57.	8.	407.8	20.194	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	06/30/81-10/06/83	6	7.65	9.233	19.	2.3	38.699	6.221	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	06/30/81-10/06/83	6	0.8	1.167	2.4	0.4	0.631	0.794	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	06/30/81-10/06/83	6	63.	76.333	130.	40.	1257.867	35.466	**	**	**	**
00931	SODIUM ADSORPTION RATIO	06/30/81-01/24/83	5	5.9	6.58	9.8	2.4	8.692	2.948	**	**	**	**
00932	SODIUM, PERCENT	06/30/81-01/24/83	5	86.	81.2	93.	58.	181.7	13.48	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	06/30/81-10/06/83	6	3.	2.95	3.7	2.	0.375	0.612	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	06/30/81-10/06/83	6	6.	11.333	37.	4.	165.067	12.848	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	06/30/81-10/06/83	6	44.5	63.5	160.	11.	3027.5	55.023	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	06/30/81-10/06/83	6	0.6	0.65	1.	0.5	0.035	0.187	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	06/30/81-10/06/83	6	7.6	8.783	17.	5.7	17.406	4.172	**	**	**	**
01000	ARSENIC, DISSOLVED (UG/L AS AS)	07/29/82-07/29/82	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01001	ARSENIC, SUSPENDED (UG/L AS AS)	07/29/82-07/29/82	1	5.	5.	5.	5.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0022

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01002	ARSENIC, TOTAL (UG/L AS AS)	06/30/81-07/29/82	2	13.5	13.5	20.	7.	84.5	9.192	**	**	**	**
01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	07/29/82-07/29/82	1	5.	5.	5.	5.	0.	0.	**	**	**	**
01005	BARIUM, DISSOLVED (UG/L AS BA)	06/30/81-07/29/82	3	18.	39.333	100.	0.	2841.333	53.304	**	**	**	**
01006	BARIUM, SUSPENDED (UG/L AS BA)	06/30/81-07/29/82	3	1800.	2166.667	3200.	1500.	823333.333	907.377	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	06/30/81-07/29/82	3	1800.	2200.	3300.	1500.	930000.	964.365	**	**	**	**
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	07/29/82-07/29/82	1 ##	0.25	0.25	0.25	0.25	0.	0.	**	**	**	**
01012	BERYLLIUM, TOTAL (UG/L AS BE)	06/30/81-07/01/81	2	20.	20.	20.	20.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	06/30/81-10/06/83	6	40.	85.	190.	30.	6030.	77.653	**	**	**	**
01025	CADMIUM, DISSOLVED (UG/L AS CD)	07/29/82-07/29/82	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	06/30/81-07/29/82	3	1.	0.833	1.	0.5	0.083	0.289	**	**	**	**
01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	07/29/82-07/29/82	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	07/29/82-07/29/82	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	07/29/82-07/29/82	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	06/30/81-07/29/82	3	130.	140.	180.	110.	1300.	36.056	**	**	**	**
01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	07/29/82-07/29/82	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01040	COPPER, DISSOLVED (UG/L AS CU)	07/29/82-07/29/82	1	13.	13.	13.	13.	0.	0.	**	**	**	**
01041	COPPER, SUSPENDED (UG/L AS CU)	07/29/82-07/29/82	1	270.	270.	270.	270.	0.	0.	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	06/30/81-07/29/82	3	280.	296.667	330.	280.	833.333	28.868	**	**	**	**
01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	07/29/82-07/29/82	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01044	IRON, SUSPENDED (UG/L AS FE)	06/30/81-01/24/83	5	220000.	192400.	260000.	32000.	8608800000.	92783.619	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	06/30/81-01/24/83	5	220000.	192600.	260000.	33000.	8528800000.	92351.502	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	06/30/81-10/06/83	6	205.	325.333	840.	42.	92722.667	304.504	**	**	**	**
01049	LEAD, DISSOLVED (UG/L AS PB)	07/29/82-07/29/82	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	06/30/81-07/29/82	3	140.	146.667	180.	120.	933.333	30.551	**	**	**	**
01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	07/29/82-07/29/82	1 ##	50.	50.	50.	50.	0.	0.	**	**	**	**
01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	07/29/82-07/29/82	1	140.	140.	140.	140.	0.	0.	**	**	**	**
01054	MANGANESE, SUSPENDED (UG/L AS MN)	06/30/81-01/24/83	5	3700.	3464.	5900.	320.	4241480.	2059.485	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	06/30/81-01/24/83	5	3700.	3468.	5900.	340.	4210120.	2051.858	**	**	**	**
01056	MANGANESE, DISSOLVED (UG/L AS MN)	06/30/81-01/24/83	5	2.	6.8	18.	0.	73.2	8.556	**	**	**	**
01065	NICKEL, DISSOLVED (UG/L AS NI)	07/29/82-07/29/82	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	06/30/81-07/01/81	2	92.	92.	100.	84.	128.	11.314	**	**	**	**
01080	STRONTIUM, DISSOLVED (UG/L AS SR)	06/30/81-07/29/82	3	110.	96.	140.	38.	2748.	52.421	**	**	**	**
01081	STRONTIUM, SUSPENDED (UG/L AS SR)	06/30/81-07/29/82	3	190.	650.	1700.	60.	831100.	911.647	**	**	**	**
01082	STRONTIUM, TOTAL (UG/L AS SR)	06/30/81-07/29/82	3	330.	733.333	1700.	170.	707233.333	840.972	**	**	**	**
01090	ZINC, DISSOLVED (UG/L AS ZN)	07/29/82-07/29/82	1	160.	160.	160.	160.	0.	0.	**	**	**	**
01091	ZINC, SUSPENDED (UG/L ZN)	07/29/82-07/29/82	1	840.	840.	840.	840.	0.	0.	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	06/30/81-07/29/82	3	1000.	986.667	1100.	860.	14533.333	120.554	**	**	**	**
01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	07/29/82-07/29/82	1	4.	4.	4.	4.	0.	0.	**	**	**	**
01130	LITHIUM, DISSOLVED (UG/L AS LI)	06/30/81-07/29/82	3	10.	8.333	10.	5.	8.333	2.887	**	**	**	**
01131	LITHIUM, SUSPENDED (UG/L AS LI)	06/30/81-07/29/82	3	260.	243.333	280.	190.	2233.333	47.258	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	06/30/81-07/29/82	3	260.	250.	290.	200.	2100.	45.826	**	**	**	**
01145	SELENIUM, DISSOLVED (UG/L AS SE)	07/29/82-07/29/82	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01146	SELENIUM, SUSPENDED (UG/L AS SE)	07/29/82-07/29/82	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	06/30/81-07/29/82	3	3.	3.667	6.	2.	4.333	2.082	**	**	**	**
01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	07/29/82-07/29/82	1	1100.	1100.	1100.	1100.	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	06/30/81-01/24/83	5	210.	254.2	472.	178.	15336.2	123.839	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	07/29/82-07/29/82	1	301.	301.	301.	301.	0.	0.	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	06/30/81-01/24/83	5	6.54	7.382	14.5	0.18	39.205	6.261	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	06/30/81-01/24/83	5	0.29	0.346	0.64	0.24	0.028	0.168	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	06/30/81-10/06/83	6	99.5	99.333	100.	98.	0.667	0.816	**	**	**	**
71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	07/29/82-08/24/82	2	10.95	10.95	13.	8.9	8.405	2.899	**	**	**	**
71887	NITROGEN, TOTAL, AS NO3 - MG/L	07/29/82-08/24/82	2	44.	44.	80.	8.	2592.	50.912	**	**	**	**
71890	MERCURY, DISSOLVED (UG/L AS HG)	07/29/82-07/29/82	1	0.7	0.7	0.7	0.7	0.	0.	**	**	**	**
71895	MERCURY, SUSPENDED (UG/L AS HG)	07/29/82-07/29/82	1	0.3	0.3	0.3	0.3	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	06/30/81-07/29/82	2	2.75	2.75	4.5	1.	6.125	2.475	**	**	**	**
71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	07/29/82-07/29/82	1 ##	0.005	0.005	0.005	0.005	0.	0.	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	06/30/81-10/06/83	6	13950.	12226.667	19000.	1880.	40516106.667	6365.226	**	**	**	**
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	06/30/81-08/24/82	4	709.	747.25	1350.	221.	257401.583	507.348	**	**	**	**
80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	07/06/81-07/06/81	1	13.	13.	13.	13.	0.	0.	**	**	**	**
80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	07/06/81-07/06/81	1	21.	21.	21.	21.	0.	0.	**	**	**	**
80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	07/06/81-07/06/81	1	68.	68.	68.	68.	0.	0.	**	**	**	**
80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	07/06/81-07/06/81	1	76.	76.	76.	76.	0.	0.	**	**	**	**
80168	BED MATERIAL SIEVE DIAMETER,% FINER THAN 1.00MM	07/06/81-07/06/81	1	78.	78.	78.	78.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0022

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
80169	BED MATERIAL SIEVE DIAMETER,% FINER THAN 2.00MM	07/06/81-07/06/81	1	84.	84.	84.	84.	0.	0.	**	**	**	**
80170	BED MATERIAL SIEVE DIAMETER,% FINER THAN 4.00MM	07/06/81-07/06/81	1	89.	89.	89.	89.	0.	0.	**	**	**	**
80171	BED MATERIAL SIEVE DIAMETER,% FINER THAN 8.00MM	07/06/81-07/06/81	1	95.	95.	95.	95.	0.	0.	**	**	**	**
80172	BED MATERIAL SIEVE DIAMETER,% FINER THAN 16.0MM	07/06/81-07/06/81	1	100.	100.	100.	100.	0.	0.	**	**	**	**
82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	06/30/81-07/01/81	2	1.7	1.7	1.9	1.5	0.08	0.283	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0022

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	1	0	0.00				1	0	0.00						
00400	PH	Other-Hi Lim.	9.	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
		Other-Lo Lim.	6.5	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
00403	PH, LAB	Other-Hi Lim.	9.	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
		Other-Lo Lim.	6.5	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	2	0	0.00	2	0	0.00									
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	2	0	0.00	2	0	0.00									
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	250.	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01002	ARSENIC, TOTAL	Fresh Acute	360.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	50.	2	0	0.00	1	0	0.00				1	0	0.00			
01005	BARIUM, DISSOLVED	Drinking Water	2000.	3	0	0.00	2	0	0.00				1	0	0.00			
01006	BARIUM, SUSPENDED	Drinking Water	2000.	3	1	0.33	2	0	0.00				1	1	1.00			
01007	BARIUM, TOTAL	Drinking Water	2000.	3	1	0.33	2	0	0.00				1	1	1.00			
01010	BERYLLIUM, DISSOLVED	Fresh Acute	130.	1	0	0.00	1	0	0.00									
		Drinking Water	4.	1	0	0.00	1	0	0.00									
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	4.	2	2	1.00	1	1	1.00				1	1	1.00			
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	1	0	0.00	1	0	0.00									
		Drinking Water	5.	1	0	0.00	1	0	0.00									
01027	CADMIUM, TOTAL	Fresh Acute	3.9	3	0	0.00	2	0	0.00				1	0	0.00			
		Drinking Water	5.	3	0	0.00	2	0	0.00				1	0	0.00			
01030	CHROMIUM, DISSOLVED	Drinking Water	100.	1	0	0.00	1	0	0.00									
01034	CHROMIUM, TOTAL	Drinking Water	100.	3	3	1.00	2	2	1.00				1	1	1.00			
01040	COPPER, DISSOLVED	Fresh Acute	18.	1	0	0.00	1	0	0.00									
		Drinking Water	1300.	1	0	0.00	1	0	0.00									
01041	COPPER, SUSPENDED	Fresh Acute	18.	1	1	1.00	1	1	1.00									
		Drinking Water	1300.	1	0	0.00	1	0	0.00									
01042	COPPER, TOTAL	Fresh Acute	18.	3	3	1.00	2	2	1.00				1	1	1.00			
		Drinking Water	1300.	3	0	0.00	2	0	0.00				1	0	0.00			
01049	LEAD, DISSOLVED	Fresh Acute	82.	1	0	0.00	1	0	0.00									
		Drinking Water	15.	1	0	0.00	1	0	0.00									
01051	LEAD, TOTAL	Fresh Acute	82.	3	3	1.00	2	2	1.00				1	1	1.00			
		Drinking Water	15.	3	3	1.00	2	2	1.00				1	1	1.00			
01065	NICKEL, DISSOLVED	Fresh Acute	1400.	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01067	NICKEL, TOTAL	Fresh Acute	1400.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	100.	2	1	0.50	1	0	0.00				1	1	1.00			
01090	ZINC, DISSOLVED	Fresh Acute	120.	1	1	1.00	1	1	1.00									
		Drinking Water	5000.	1	0	0.00	1	0	0.00									
01091	ZINC, SUSPENDED	Fresh Acute	120.	1	1	1.00	1	1	1.00									
		Drinking Water	5000.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0022

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01092	ZINC, TOTAL	Fresh Acute	120.	3	3	1.00	2	2	1.00				1	1	1.00			
		Drinking Water	5000.	3	0	0.00	2	0	0.00				1	0	0.00			
01145	SELENIUM, DISSOLVED	Fresh Acute	20.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01146	SELENIUM, SUSPENDED	Fresh Acute	20.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01147	SELENIUM, TOTAL	Fresh Acute	20.	3	0	0.00	2	0	0.00				1	0	0.00			
		Drinking Water	50.	3	0	0.00	2	0	0.00				1	0	0.00			
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	1	0	0.00	1	0	0.00									
		Drinking Water	2.	1	0	0.00	1	0	0.00									
71895	MERCURY, SUSPENDED	Fresh Acute	2.4	1	0	0.00	1	0	0.00									
		Drinking Water	2.	1	0	0.00	1	0	0.00									
71900	MERCURY, TOTAL	Fresh Acute	2.4	2	1	0.50	1	0	0.00				1	1	1.00			
		Drinking Water	2.	2	1	0.50	1	0	0.00				1	1	1.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0023

NPS Station ID: CHCU0023 LAT/LON: 36.028615/-107.917781 Agency: 112WRD Date Created: 03/04/77
Location: CHACO WASH AT CHACO CANYON NATIONAL MONUMENT ,NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 09367680
RMI-Indexes: Within Park Boundary: Yes
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 1.90 On/Off RF1:
RF3 Index: 14080106259000.46 RF3 Mile Point: 0.66 Distance from RF3: 0.04 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	543	5.5	9.596	29.	0.	72.095	8.491	0.5	2.5	18.	23.
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	08/06/76-08/29/83	6	23.75	19.	26.	6.	75.1	8.666	**	**	**	**
00025	BAROMETRIC PRESSURE (MM OF HG)	01/24/83-01/24/83	1	622.	622.	622.	622.	0.	0.	**	**	**	**
00060	FLOW, STREAM, MEAN DAILY CFS	02/12/77-03/13/79	28	14.	50.459	260.	0.04	4728.676	68.765	0.5	2.5	67.25	176.
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	414	12.	73.863	2000.	0.	30388.687	174.324	0.85	2.	55.	260.
00065	STAGE, STREAM (FEET)	07/17/77-08/29/83	21	1.64	1.97	4.23	1.4	0.458	0.677	1.424	1.46	2.35	2.69
00070	TURBIDITY, (JACKSON CANDLE UNITS)	02/12/77-07/16/77	2	23000.	23000.	36000.	10000.	338000000.	18384.776	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	93	440.	460.516	900.	185.	16674.013	129.128	322.	380.	499.5	660.8
00300	OXYGEN, DISSOLVED MG/L	01/24/83-01/24/83	1	11.9	11.9	11.9	11.9	0.	0.	**	**	**	**
00340	COD, .25N K2CR2O7 MG/L	02/12/77-07/16/77	2	575.	575.	930.	220.	252050.	502.046	**	**	**	**
00400p	PH (STANDARD UNITS)	08/06/76-10/06/83	92	7.5	7.558	8.5	6.7	0.122	0.349	7.2	7.4	7.8	8.
00400p	CONVERTED PH (STANDARD UNITS)	08/06/76-10/06/83	92	7.5	7.413	8.5	6.7	0.144	0.379	7.2	7.4	7.8	8.
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/06/76-10/06/83	92	0.032	0.039	0.2	0.003	0.002	0.039	0.01	0.016	0.04	0.063
00403	PH, LAB, STANDARD UNITS SU	06/30/81-10/06/83	10	7.9	7.9	8.6	7.2	0.144	0.38	7.23	7.725	8.125	8.56
00403	CONVERTED PH, LAB, STANDARD UNITS	06/30/81-10/06/83	10	7.9	7.749	8.6	7.2	0.17	0.412	7.23	7.725	8.125	8.56
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	06/30/81-10/06/83	10	0.013	0.018	0.063	0.003	0.	0.018	0.003	0.008	0.02	0.06
00405	CARBON DIOXIDE (MG/L AS CO2)	08/06/76-03/13/79	35	12.	13.583	56.	3.	138.794	11.781	3.84	5.9	15.	29.6
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	08/06/76-02/25/80	40	170.	172.8	280.	75.	1674.626	40.922	123.9	154.75	184.75	237.2
00440	BICARBONATE ION (MG/L AS HCO3)	08/06/76-03/13/79	35	210.	215.4	340.	92.	2477.247	49.772	167.2	190.	230.	290.8
00445	CARBONATE ION (MG/L AS CO3)	08/06/76-09/18/81	19	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	02/14/77-02/08/78	5	300.	356.	550.	190.	19630.	140.107	**	**	**	**
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	02/14/77-02/08/78	5	5100.	30768.	120000.	140.	2582660120.	50819.879	**	**	**	**
00600	NITROGEN, TOTAL (MG/L AS N)	02/12/77-08/24/82	12	11.85	13.308	46.	2.	136.724	11.693	2.15	5.675	16.	37.3
00602	NITROGEN, DISSOLVED (MG/L AS N)	08/06/78-08/06/78	1	1.5	1.5	1.5	1.5	0.	0.	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	02/12/77-08/24/82	9	7.7	11.956	45.	1.3	173.765	13.182	1.3	4.1	14.5	45.
00607	NITROGEN, ORGANIC, DISSOLVED (MG/L AS N)	02/07/78-08/06/78	3	0.48	0.667	1.2	0.32	0.22	0.469	**	**	**	**
00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	02/07/78-08/06/78	3	0.04	0.052	0.11	0.005	0.003	0.053	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	02/12/77-08/29/83	10	0.02	0.056	0.22	0.005	0.005	0.073	0.006	0.01	0.09	0.213
00611	NITROGEN, AMMONIA, BOTTOM DEPOSITS (MG/KG-N)	07/29/82-08/29/83	2	3.2	3.2	3.6	2.8	0.32	0.566	**	**	**	**
00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	05/03/78-08/06/78	1	0.03	0.03	0.03	0.03	0.	0.	**	**	**	**
00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	02/07/78-02/09/78	2 ##	0.023	0.023	0.04	0.005	0.001	0.025	**	**	**	**
00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	05/03/78-08/06/78	1	0.97	0.97	0.97	0.97	0.	0.	**	**	**	**
00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	02/07/78-02/09/78	2	2.45	2.45	2.5	2.4	0.005	0.071	**	**	**	**
00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	02/07/78-01/19/79	4	0.565	0.688	1.3	0.32	0.181	0.426	**	**	**	**
00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	01/12/79-01/19/79	1	7.1	7.1	7.1	7.1	0.	0.	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	02/12/77-08/29/83	14	8.35	11.058	45.	0.71	128.236	11.324	0.955	3.225	14.25	32.
00626	NITROGEN,ORG. KJEL.,BOT. DEPOS. (MG/KG-N DRY WGT)	07/29/82-08/29/83	2	90.	90.	90.	90.	0.	0.	**	**	**	**
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	02/12/77-08/29/83	13	1.6	1.961	8.2	0.4	4.019	2.005	0.44	0.845	2.3	5.92

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00631p	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	08/06/76-08/29/83	26	0.75	0.965	2.5	0.1	0.506	0.712	0.24	0.4	1.475	2.19
00633	NITRITE PLUS NITRATE,BOT. DEPOS. (MG/KG-N DRY WT)	07/29/82-08/29/83	2 ##	1.	1.	1.	1.	0.	0.	**	**	**	**
00660p	PHOSPHATE, ORTHO (MG/L AS PO4)	08/06/76-08/24/82	24	0.18	0.189	0.43	0.03	0.013	0.114	0.045	0.098	0.24	0.415
00665	PHOSPHORUS, TOTAL (MG/L AS P)	02/12/77-08/29/83	15	2.1	2.273	5.2	0.09	2.44	1.562	0.408	0.93	4.1	4.6
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	05/03/78-01/19/79	2	0.045	0.045	0.05	0.04	0.	0.007	**	**	**	**
00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	07/29/82-08/29/83	2	175.	175.	180.	170.	50.	7.071	**	**	**	**
00671p	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	08/06/76-08/29/83	25	0.06	0.062	0.14	0.01	0.001	0.036	0.016	0.035	0.075	0.134
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	08/19/76-02/25/80	40	109.	123.08	488.	4.	8836.843	94.004	12.8	59.	161.75	268.7
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	07/16/77-08/29/83	14	5.85	6.036	9.7	4.	2.961	1.721	4.1	4.675	6.8	9.4
00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	07/16/77-08/29/83	3	46.	59.767	132.	1.3	4412.763	66.429	**	**	**	**
00693	CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG)	08/29/83-08/29/83	1	3.4	3.4	3.4	3.4	0.	0.	**	**	**	**
00900p	HARDNESS, TOTAL (MG/L AS CACO3)	08/06/76-01/24/83	28	50.	67.5	160.	12.	2126.704	46.116	19.5	31.5	99.75	151.
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	08/06/76-02/25/80	21	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
00915p	CALCIUM, DISSOLVED (MG/L AS CA)	08/06/76-10/06/83	32	17.	21.725	55.	3.8	222.948	14.931	5.61	10.25	32.75	47.5
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	08/06/76-10/06/83	32	1.4	2.275	6.7	0.3	3.826	1.956	0.63	0.9	3.5	6.18
00930p	SODIUM, DISSOLVED (MG/L AS NA)	08/06/76-10/06/83	32	75.5	82.688	150.	37.	826.157	28.743	54.2	61.	99.	130.
00931p	SODIUM ADSORPTION RATIO	08/06/76-01/24/83	28	5.4	5.379	11.	1.9	7.155	2.675	1.99	2.625	7.5	9.28
00932p	SODIUM, PERCENT	08/06/76-01/24/83	28	80.	71.857	90.	43.	276.349	16.624	45.	55.25	86.	89.1
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	08/06/76-10/06/83	35	3.3	3.837	14.	1.5	5.596	2.366	2.16	2.5	3.9	6.54
00940p	CHLORIDE,TOTAL IN WATER MG/L	08/06/76-10/06/83	32	5.	8.469	28.	2.	46.128	6.792	3.	4.	11.5	20.7
00945p	SULFATE, TOTAL (MG/L AS SO4)	08/06/76-10/06/83	32	65.	74.156	200.	36.	1169.426	34.197	47.3	51.25	82.	131.
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	08/06/76-10/06/83	32	0.8	0.781	1.8	0.3	0.067	0.26	0.5	0.625	0.9	1.
00955p	SILICA, DISSOLVED (MG/L AS SI02)	08/06/76-10/06/83	32	12.	14.853	120.	4.1	377.174	19.421	7.34	9.1	14.	15.7
01000p	ARSENIC, DISSOLVED (UG/L AS AS)	02/12/77-08/29/83	28	2.	2.982	16.	0.5	8.379	2.895	1.	1.25	3.75	5.
01001p	ARSENIC, SUSPENDED (UG/L AS AS)	02/12/77-08/29/83	24	14.	26.813	150.	0.5	1259.496	35.489	0.5	2.25	36.	80.5
01002p	ARSENIC, TOTAL (UG/L AS AS)	08/17/76-08/29/83	56	36.	107.018	1200.	3.	40608.6	201.516	4.7	16.25	77.25	320.
01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	07/29/82-08/29/83	2	2.	2.	3.	1.	2.	1.414	**	**	**	**
01005p	BARIUM, DISSOLVED (UG/L AS BA)	02/12/77-08/29/83	35 ##	50.	69.6	600.	0.	10473.659	102.341	37.6	50.	50.	50.
01006	BARIUM, SUSPENDED (UG/L AS BA)	09/24/78-08/29/83	19	2300.	2778.947	10000.	500.	4406198.83	2099.095	600.	1500.	3500.	4700.
01007p	BARIUM, TOTAL (UG/L AS BA)	02/12/77-08/29/83	55	3000.	3971.818	20000.	50.	11927385.522	3453.605	1180.	1800.	4800.	8900.
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	02/15/80-08/29/83	2 ##	0.25	0.25	0.25	0.25	0.	0.	**	**	**	**
01012	BERYLLIUM, TOTAL (UG/L AS BE)	02/15/80-07/01/81	2	15.	15.	20.	10.	50.	7.071	**	**	**	**
01020p	BORON, DISSOLVED (UG/L AS B)	08/06/76-10/06/83	56	60.	78.929	300.	20.	2911.558	53.959	40.	50.	80.	132.
01021	BORON, SUSPENDED (UG/L AS B)	09/24/78-03/12/79	15	90.	85.333	180.	0.	3183.81	56.425	0.	60.	130.	174.
01022	BORON, TOTAL (UG/L AS B)	09/15/76-07/17/79	48	190.	198.333	550.	70.	6226.95	78.911	120.	150.	217.5	284.
01025	CADMIUM, DISSOLVED (UG/L AS CD)	02/12/77-08/29/83	10 ##	0.75	0.7	2.	0.	0.4	0.632	0.	0.	1.	1.9
01026	CADMIUM, SUSPENDED (UG/L AS CD)	02/15/77-10/22/78	3	10.	13.	19.	10.	27.	5.196	**	**	**	**
01027p	CADMIUM, TOTAL (UG/L AS CD)	02/12/77-08/29/83	24 ##	1.	6.167	20.	0.	55.601	7.457	0.	0.	13.	20.
01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	07/29/82-08/29/83	2 ##	2.75	2.75	5.	0.5	10.125	3.182	**	**	**	**
01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	07/29/82-08/29/83	2	1.	1.	1.	1.	0.	0.	**	**	**	**
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	02/12/77-08/29/83	12 ##	0.	0.833	5.	0.	3.788	1.946	0.	0.	0.	5.
01031	CHROMIUM, SUSPEND (UG/L AS CR)	02/15/77-02/15/80	3	100.	113.333	190.	50.	5033.333	70.946	**	**	**	**
01034p	CHROMIUM, TOTAL (UG/L AS CR)	02/12/77-08/29/83	26	140.	153.462	310.	0.	5127.538	71.607	78.	100.	192.5	272.
01035	COBALT, DISSOLVED (UG/L AS CO)	02/12/77-02/15/80	7 ##	0.	1.	4.	0.	2.333	1.528	**	**	**	**
01036	COBALT, SUSPENDED (UG/L AS CO)	02/15/77-10/22/78	3	150.	216.667	400.	100.	25833.333	160.728	**	**	**	**
01037	COBALT, TOTAL (UG/L AS CO)	02/12/77-02/15/80	9	100.	132.556	400.	0.	14718.778	121.321	0.	41.5	190.	400.
01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	07/29/82-08/29/83	2 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01040	COPPER, DISSOLVED (UG/L AS CU)	02/12/77-08/29/83	8	6.	8.	18.	1.	30.857	5.555	**	**	**	**
01041	COPPER, SUSPENDED (UG/L AS CU)	02/15/77-08/29/83	5	300.	398.	880.	210.	74570.	273.075	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	02/12/77-08/29/83	12	280.	307.917	880.	10.	52497.538	229.123	29.5	157.5	422.5	766.
01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	07/29/82-08/29/83	2 ##	4.5	4.5	5.	4.	0.5	0.707	**	**	**	**
01044	IRON, SUSPENDED (UG/L AS FE)	09/24/78-08/29/83	25	140000.	163080.	310000.	32000.	6742743333.333	82114.209	79600.	88500.	245000.	288000.
01045p	IRON, TOTAL (UG/L AS FE)	02/12/77-08/29/83	49	180000.	208718.367	690000.	3200.	18988703197.279	137799.504	80000.	105000.	275000.	350000.
01046p	IRON, DISSOLVED (UG/L AS FE)	08/06/76-10/06/83	58	65.	483.983	21000.	18.	7545264.719	2746.865	20.	40.	130.	420.
01049p	LEAD, DISSOLVED (UG/L AS PB)	02/12/77-08/29/83	31 ##	0.	6.742	87.	0.	282.781	16.816	0.	0.	6.	20.6
01050	LEAD, SUSPENDED (UG/L AS PB)	02/15/77-02/15/80	12	450.	431.667	780.	0.	36124.242	190.064	75.	362.5	500.	726.
01051p	LEAD, TOTAL (UG/L AS PB)	02/12/77-08/29/83	58	365.	424.966	1800.	0.	106168.315	325.835	109.	200.	500.	810.
01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	07/29/82-08/29/83	2 ##	27.5	27.5	50.	5.	1012.5	31.82	**	**	**	**
01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	07/29/82-08/29/83	2	140.	140.	150.	130.	200.	14.142	**	**	**	**
01054p	MANGANESE, SUSPENDED (UG/L AS MN)	02/15/77-08/29/83	28	4050.	4944.643	11000.	470.	11731781.349	3425.169	744.	2225.	8475.	10100.
01055p	MANGANESE, TOTAL (UG/L AS MN)	02/12/77-08/29/83	50	4900.	6598.4	30000.	60.	33363136.163	5776.083	1010.	2375.	8650.	13000.
01056p	MANGANESE, DISSOLVED (UG/L AS MN)	02/12/77-08/29/83	39 ##	5.	255.41	8800.	0.	1993293.406	1411.84	4.	5.	5.	20.
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	02/08/78-02/15/80	3	3.	3.333	5.	2.	2.333	1.528	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01062	MOLYBDENUM, TOTAL (UG/L AS MO)	02/08/78-02/15/80	2	4.	4.	5.	3.	2.	1.414	**	**	**	**
01065	NICKEL, DISSOLVED (UG/L AS NI)	02/15/80-08/29/83	2 ##	1.75	1.75	3.	0.5	3.125	1.768	**	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	02/15/80-07/01/81	2	90.5	90.5	110.	71.	760.5	27.577	**	**	**	**
01075	SILVER, DISSOLVED (UG/L AS AG)	03/10/77-10/22/78	3 ##	0.	0.	0.	0.	0.	0.	**	**	**	**
01077	SILVER, TOTAL (UG/L AS AG)	03/09/77-10/22/78	4 ##	6.5	6.	10.	1.	22.	4.69	**	**	**	**
01080	STRONTIUM, DISSOLVED (UG/L AS SR)	02/12/77-08/29/83	10	195.	193.9	330.	39.	9549.878	97.723	45.1	115.	282.5	326.
01081	STRONTIUM, SUSPENDED (UG/L AS SR)	06/30/81-08/29/83	3	1500.	1183.333	1700.	350.	530833.333	728.583	**	**	**	**
01082	STRONTIUM, TOTAL (UG/L AS SR)	02/12/77-08/29/83	11	2000.	3084.545	7900.	230.	6820427.273	2611.595	284.	1600.	4800.	7840.
01085	VANADIUM, DISSOLVED (UG/L AS V)	02/12/77-02/15/80	2	2.	2.	3.	1.	2.	1.414	**	**	**	**
01090	ZINC, DISSOLVED (UG/L AS ZN)	02/12/77-08/29/83	8 ##	10.	20.125	73.	10.	473.268	21.755	**	**	**	**
01091	ZINC, SUSPENDED (UG/L ZN)	02/12/77-08/29/83	5	720.	846.	1400.	460.	133480.	365.349	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	02/12/77-08/29/83	10	700.	802.	1400.	330.	126840.	356.146	341.	470.	1125.	1380.
01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	07/29/82-08/29/83	2	5.5	5.5	6.	5.	0.5	0.707	**	**	**	**
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	02/07/78-02/15/80	2	40.	40.	50.	30.	200.	14.142	**	**	**	**
01130	LITHIUM, DISSOLVED (UG/L AS LI)	09/15/76-08/29/83	14	5.	7.786	20.	2.	31.874	5.646	3.	5.	10.25	20.
01131	LITHIUM, SUSPENDED (UG/L AS LI)	02/15/80-08/29/83	3	270.	230.	270.	150.	4800.	69.282	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	09/15/76-08/29/83	15	200.	221.	380.	5.	11536.429	107.408	62.	140.	330.	356.
01145	SELENIUM, DISSOLVED (UG/L AS SE)	02/12/77-08/29/83	8	1.	0.938	2.	0.5	0.246	0.496	**	**	**	**
01146	SELENIUM, SUSPENDED (UG/L AS SE)	02/15/77-07/29/82	4	0.5	0.75	2.	0.	0.917	0.957	**	**	**	**
01147p	SELENIUM, TOTAL (UG/L AS SE)	08/17/76-08/29/83	26	2.	4.481	37.	0.	52.39	7.238	0.5	1.	6.25	9.3
01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	07/29/82-08/29/83	2	1150.	1150.	1400.	900.	125000.	353.553	**	**	**	**
01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	10/22/78-08/29/83	1	410.	410.	410.	410.	0.	0.	**	**	**	**
03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	02/14/77-08/29/83	7	4.9	5.829	13.	3.4	10.756	3.28	**	**	**	**
03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	02/14/77-08/29/83	7	310.	685.486	3100.	8.4	1187155.985	1089.567	**	**	**	**
09511	RADIUM 226, DISSOLVED, RADON METHOD	02/14/77-08/29/83	7	0.06	0.099	0.31	0.02	0.01	0.1	**	**	**	**
11501	RADIUM 228, TOTAL	08/29/83-08/29/83	1 ##	1.5	1.5	1.5	1.5	0.	0.	**	**	**	**
22703	URANIUM, NATURAL, DISSOLVED	02/14/77-08/29/83	4	2.1	3.3	7.8	1.2	9.187	3.031	**	**	**	**
28011	URANIUM,NATURAL,TOTAL UG/L AS U	08/29/83-08/29/83	1	43.	43.	43.	43.	0.	0.	**	**	**	**
60050	ALGAE, TOTAL (CELLS/ML)	02/17/77-02/17/77	1	100.	100.	100.	100.	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	02/12/77-08/29/83	10	265.	295.	484.	194.	9840.222	99.198	194.6	218.	364.25	479.9
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	08/06/76-02/25/80	23	311.	321.217	469.	181.	3762.451	61.339	263.8	281.	356.	410.8
70302p	SOLIDS, DISSOLVED-TONS PER DAY	08/06/76-01/24/83	25	3.16	28.052	216.	0.	3648.931	60.406	0.01	0.925	12.255	154.8
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	08/06/76-01/24/83	28	0.405	0.426	0.66	0.25	0.009	0.097	0.296	0.373	0.478	0.573
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	334	99.	90.581	100.	45.	212.617	14.581	64.	86.75	100.	100.
70332	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .125MM	05/06/78-05/06/78	1	100.	100.	100.	100.	0.	0.	**	**	**	**
70337	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .002MM	07/16/77-08/03/83	7	66.	70.143	96.	45.	378.143	19.446	**	**	**	**
70338	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .004MM	07/16/77-08/03/83	7	77.	76.286	98.	51.	322.571	17.96	**	**	**	**
70340	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .016MM	07/16/77-08/03/83	7	88.	86.143	100.	61.	200.476	14.159	**	**	**	**
70342	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .062MM	07/17/77-08/03/83	5	94.	90.8	100.	81.	63.7	7.981	**	**	**	**
70343	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .125MM	05/07/78-08/03/83	4	97.5	97.25	98.	96.	0.917	0.957	**	**	**	**
70344	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .250MM	05/07/78-08/03/83	4	100.	100.	100.	100.	0.	0.	**	**	**	**
70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	02/17/77-02/17/77	1	0.13	0.13	0.13	0.13	0.	0.	**	**	**	**
71846	NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4)	02/07/78-08/06/78	3	0.05	0.063	0.14	0.	0.005	0.071	**	**	**	**
71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	05/03/78-08/06/78	1	4.3	4.3	4.3	4.3	0.	0.	**	**	**	**
71856	NITRITE NITROGEN, DISSOLVED (MG/L AS NO2)	05/03/78-08/06/78	1	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	10/22/78-08/29/83	4	8.05	7.85	13.	2.3	35.47	5.956	**	**	**	**
71887	NITROGEN, TOTAL, AS NO3 - MG/L	02/12/77-08/24/82	12	53.5	58.825	200.	8.9	2585.786	50.851	9.53	25.25	71.75	162.8
71890	MERCURY, DISSOLVED (UG/L AS HG)	02/12/77-08/29/83	9 ##	0.25	0.333	1.3	0.05	0.143	0.378	0.05	0.125	0.325	1.3
71895	MERCURY, SUSPENDED (UG/L AS HG)	02/15/77-08/29/83	5	0.4	0.66	2.2	0.	0.768	0.876	**	**	**	**
71900p	MERCURY, TOTAL (UG/L AS HG)	08/17/76-08/29/83	17	0.8	1.371	5.5	0.25	2.072	1.439	0.25	0.325	1.85	4.3
71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	07/29/82-08/29/83	2 ##	0.008	0.008	0.01	0.005	0.	0.004	**	**	**	**
80010	URANIUM,DISS.,BY DIRECT FLUOROMETRIC METHOD,PC/L	03/09/77-03/09/77	1	2.9	2.9	2.9	2.9	0.	0.	**	**	**	**
80020	URANIUM,DISS.,BY EXTRACTION FLUOROMETRIC METHOD	02/08/78-02/15/80	2	4.8	4.8	7.2	2.4	11.52	3.394	**	**	**	**
80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	02/14/77-08/29/83	7	7.4	7.829	17.	3.1	19.829	4.453	**	**	**	**
80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	02/14/77-08/29/83	7	510.	2199.857	12000.	19.	19020293.476	4361.226	**	**	**	**
80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	02/14/77-08/29/83	7	4.4	4.943	10.	2.7	5.846	2.418	**	**	**	**
80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	02/14/77-08/29/83	7	270.	569.529	2500.	6.7	767217.556	875.91	**	**	**	**
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	600	23450.	29396.453	147000.	395.	525382305.968	22921.22	5421.	14575.	38775.	60810.
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/06/76-09/18/81	574	827.5	11211.294	417000.	0.	1005189635.895	31704.726	16.	108.75	5362.5	31150.
80164	BED MATERIAL SIEVE DIAMETER,% FINER THAN .062MM	03/28/78-03/28/78	3	35.	41.	54.	34.	127.	11.269	**	**	**	**
80169	BED MATERIAL SIEVE DIAMETER,% FINER THAN 2.00MM	03/28/78-03/28/78	3	100.	99.667	100.	99.	0.333	0.577	**	**	**	**
82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	06/30/81-07/01/81	2	1.9	1.9	2.2	1.6	0.18	0.424	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0023


Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00070	TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	2	2	1.00	1	1	1.00	1	1	1.00						
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	1	0	0.00				1	0	0.00						
00400	PH	Other-Hi Lim.	9.	92	0	0.00	40	0	0.00	40	0	0.00	12	0	0.00			
		Other-Lo Lim.	6.5	92	0	0.00	40	0	0.00	40	0	0.00	12	0	0.00			
00403	PH, LAB	Other-Hi Lim.	9.	10	0	0.00	6	0	0.00	2	0	0.00	2	0	0.00			
		Other-Lo Lim.	6.5	10	0	0.00	6	0	0.00	2	0	0.00	2	0	0.00			
00613	NITRITE NITROGEN, DISSOLVED AS N	Drinking Water	1.	1	0	0.00	1	0	0.00									
00615	NITRITE NITROGEN, TOTAL AS N	Drinking Water	1.	2	0	0.00				2	0	0.00						
00618	NITRATE NITROGEN, DISSOLVED AS N	Drinking Water	10.	1	0	0.00	1	0	0.00									
00620	NITRATE NITROGEN, TOTAL AS N	Drinking Water	10.	2	0	0.00				2	0	0.00						
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	13	0	0.00	7	0	0.00	5	0	0.00	1	0	0.00			
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	26	0	0.00	18	0	0.00	8	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	32	0	0.00	20	0	0.00	9	0	0.00	3	0	0.00			
		Drinking Water	250.	32	0	0.00	20	0	0.00	9	0	0.00	3	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	32	0	0.00	20	0	0.00	9	0	0.00	3	0	0.00			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	32	0	0.00	20	0	0.00	9	0	0.00	3	0	0.00			
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	28	0	0.00	8	0	0.00	18	0	0.00	2	0	0.00			
		Drinking Water	50.	28	0	0.00	8	0	0.00	18	0	0.00	2	0	0.00			
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	24	0	0.00	5	0	0.00	19	0	0.00						
		Drinking Water	50.	24	4	0.17	5	1	0.20	19	3	0.16						
01002	ARSENIC, TOTAL	Fresh Acute	360.	56	4	0.07	25	4	0.16	26	0	0.00	5	0	0.00			
		Drinking Water	50.	56	23	0.41	25	14	0.56	26	8	0.31	5	1	0.20			
01005	BARIUM, DISSOLVED	Drinking Water	2000.	35	0	0.00	12	0	0.00	20	0	0.00	3	0	0.00			
01006	BARIUM, SUSPENDED	Drinking Water	2000.	19	11	0.58	4	1	0.25	14	9	0.64	1	1	1.00			
01007	BARIUM, TOTAL	Drinking Water	2000.	55	40	0.73	21	18	0.86	28	17	0.61	6	5	0.83			
01010	BERYLLIUM, DISSOLVED	Fresh Acute	130.	2	0	0.00	2	0	0.00									
		Drinking Water	4.	2	0	0.00	2	0	0.00									
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	4.	2	2	1.00	1	1	1.00				1	1	1.00			
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	10	0	0.00	5	0	0.00	5	0	0.00						
		Drinking Water	5.	10	0	0.00	5	0	0.00	5	0	0.00						
01026	CADMIUM, SUSPENDED	Fresh Acute	3.9	3	3	1.00	1	1	1.00	2	2	1.00						
		Drinking Water	5.	3	3	1.00	1	1	1.00	2	2	1.00						
01027	CADMIUM, TOTAL	Fresh Acute	3.9	21 &	8	0.38	15	6	0.40	4	1	0.25	2	1	0.50			
		Drinking Water	5.	21 &	7	0.33	15	5	0.33	4	1	0.25	2	1	0.50			
01030	CHROMIUM, DISSOLVED	Drinking Water	100.	12	0	0.00	6	0	0.00	6	0	0.00						
01031	CHROMIUM, SUSPENDED	Drinking Water	100.	3	2	0.67	1	1	1.00	2	1	0.50						
01034	CHROMIUM, TOTAL	Drinking Water	100.	26	23	0.88	17	16	0.94	8	6	0.75	1	1	1.00			
01040	COPPER, DISSOLVED	Fresh Acute	18.	8	1	0.13	4	1	0.25	3	0	0.00	1	0	0.00			
		Drinking Water	1300.	8	0	0.00	4	0	0.00	3	0	0.00	1	0	0.00			
01041	COPPER, SUSPENDED	Fresh Acute	18.	5	5	1.00	3	3	1.00	2	2	1.00						
		Drinking Water	1300.	5	0	0.00	3	0	0.00	2	0	0.00						
01042	COPPER, TOTAL	Fresh Acute	18.	12	11	0.92	5	5	1.00	5	4	0.80	2	2	1.00			
		Drinking Water	1300.	12	0	0.00	5	0	0.00	5	0	0.00	2	0	0.00			
01049	LEAD, DISSOLVED	Fresh Acute	82.	31	1	0.03	11	0	0.00	18	1	0.06	2	0	0.00			
		Drinking Water	15.	31	5	0.16	11	3	0.27	18	2	0.11	2	0	0.00			
01050	LEAD, SUSPENDED	Fresh Acute	82.	12	11	0.92	1	1	1.00	11	10	0.91						
		Drinking Water	15.	12	11	0.92	1	1	1.00	11	10	0.91						
01051	LEAD, TOTAL	Fresh Acute	82.	56 &	53	0.95	25	25	1.00	25	22	0.88	6	6	1.00			
		Drinking Water	15.	56 &	54	0.96	25	25	1.00	25	23	0.92	6	6	1.00			
01065	NICKEL, DISSOLVED	Fresh Acute	1400.	2	0	0.00	2	0	0.00									
		Drinking Water	100.	2	0	0.00	2	0	0.00									
01067	NICKEL, TOTAL	Fresh Acute	1400.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	100.	2	1	0.50	1	0	0.00				1	1	1.00			
01075	SILVER, DISSOLVED	Fresh Acute	4.1	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	100.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01077	SILVER, TOTAL	Fresh Acute	4.1	2 &	0	0.00				1	0	0.00	1	0	0.00			
		Drinking Water	100.	4	0	0.00				3	0	0.00	1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter


EPA Water Quality Criteria Analysis for Station: CHCU0023

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01090	ZINC, DISSOLVED	Fresh Acute	120.	8	0	0.00	4	0	0.00	3	0	0.00	1	0	0.00			
		Drinking Water	5000.	8	0	0.00	4	0	0.00	3	0	0.00	1	0	0.00			
01091	ZINC, SUSPENDED	Fresh Acute	120.	5	5	1.00	3	3	1.00	2	2	1.00						
		Drinking Water	5000.	5	0	0.00	3	0	0.00	2	0	0.00						
01092	ZINC, TOTAL	Fresh Acute	120.	10	10	1.00	5	5	1.00	3	3	1.00	2	2	1.00			
		Drinking Water	5000.	10	0	0.00	5	0	0.00	3	0	0.00	2	0	0.00			
01145	SELENIUM, DISSOLVED	Fresh Acute	20.	8	0	0.00	5	0	0.00	3	0	0.00						
		Drinking Water	50.	8	0	0.00	5	0	0.00	3	0	0.00						
01146	SELENIUM, SUSPENDED	Fresh Acute	20.	4	0	0.00	2	0	0.00	2	0	0.00						
		Drinking Water	50.	4	0	0.00	2	0	0.00	2	0	0.00						
01147	SELENIUM, TOTAL	Fresh Acute	20.	26	1	0.04	15	0	0.00	5	1	0.20	6	0	0.00			
		Drinking Water	50.	26	0	0.00	15	0	0.00	5	0	0.00	6	0	0.00			
22703	URANIUM, NATURAL DISSOLVED	Drinking Water	20.	4	0	0.00	2	0	0.00	2	0	0.00						
28011	URANIUM, NATURAL, TOTAL	Drinking Water	20.	1	1	1.00	1	1	1.00									
71851	NITRATE NITROGEN, DISSOLVED (AS NO3)	Drinking Water	44.	1	0	0.00	1	0	0.00									
71856	NITRITE NITROGEN, DISSOLVED (AS NO2)	Drinking Water	3.3	1	0	0.00	1	0	0.00									
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	9	0	0.00	5	0	0.00	4	0	0.00						
		Drinking Water	2.	9	0	0.00	5	0	0.00	4	0	0.00						
71895	MERCURY, SUSPENDED	Fresh Acute	2.4	5	0	0.00	3	0	0.00	2	0	0.00						
		Drinking Water	2.	5	1	0.20	3	1	0.33	2	0	0.00						
71900	MERCURY, TOTAL	Fresh Acute	2.4	17	2	0.12	10	0	0.00	6	1	0.17	1	1	1.00			
		Drinking Water	2.	17	4	0.24	10	2	0.20	6	1	0.17	1	1	1.00			
80020	URANIUM, DISS. BY EXTRACTION FLUOROMETRI	Drinking Water	20.	2	0	0.00				1	0	0.00	1	0	0.00			


& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00671

PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (M




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00915


CALCIUM, DISSOLVED (MG/L AS CA)




CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00925

MAGNESIUM, DISSOLVED (MG/L AS MG)




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00931


SODIUM ADSORPTION RATIO




CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00932

SODIUM, PERCENT




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00940


CHLORIDE,TOTAL IN WATER



CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00955


SILICA, DISSOLVED (MG/L AS SI02)



CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 01000


ARSENIC, DISSOLVED (UG/L AS AS)




CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 01001


ARSENIC, SUSPENDED (UG/L AS AS)




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 71900

MERCURY, TOTAL (UG/L AS HG)



CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON

Annual Analysis for 1976 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	20	19.	18.8	22.5	15.5	4.089	2.022	15.55	16.625	20.	21.
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	20	2.	1.761	4.	0.	1.527	1.236	0.01	1.	3.	3.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	9	560.	542.333	617.	435.	4592.	67.764	435.	472.	600.	617.
00400p	PH (STANDARD UNITS)	08/06/76-10/06/83	9	7.5	7.533	7.9	7.	0.063	0.25	7.	7.45	7.7	7.9
00400p	CONVERTED PH (STANDARD UNITS)	08/06/76-10/06/83	9	7.5	7.46	7.9	7.	0.069	0.262	7.	7.45	7.7	7.9
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/06/76-10/06/83	9	0.032	0.035	0.1	0.013	0.001	0.026	0.013	0.02	0.036	0.1
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	17	100.	99.647	100.	97.	0.743	0.862	97.8	100.	100.	100.
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	17	22000.	24844.706	62400.	1540.	189870626.471	13779.355	7284.	20800.	24000.	50880.
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/06/76-09/18/81	17	133.	138.512	259.	0.	5618.99	74.96	4.56	79.	194.	227.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1977 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	180	18.5	16.291	28.	2.5	65.042	8.065	4.	6.	23.5	25.
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	181	9.	97.735	2000.	0.01	55195.004	234.936	0.72	1.	62.5	343.6
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	23	460.	492.826	720.	265.	15220.059	123.37	366.	405.	570.	706.
00400p	PH (STANDARD UNITS)	08/06/76-10/06/83	22	7.55	7.595	8.	7.2	0.043	0.208	7.4	7.4	7.8	7.87
00400p	CONVERTED PH (STANDARD UNITS)	08/06/76-10/06/83	22	7.547	7.55	8.	7.2	0.046	0.213	7.4	7.4	7.8	7.87
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/06/76-10/06/83	22	0.028	0.028	0.063	0.01	0.	0.013	0.014	0.016	0.04	0.04
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	77	100.	98.039	100.	59.	41.222	6.42	94.8	100.	100.	100.
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	187	21400.	33701.909	131000.	395.	838680355.201	28959.979	4020.	17100.	45300.	80380.
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/06/76-09/18/81	190	800.	15923.665	417000.	0.	011934129929.216	43978.744	13.	72.25	5060.	65520.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1978 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	206	5.	6.254	29.	0.	36.615	6.051	0.	1.5	10.	15.5
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	161	12.	25.364	182.	0.	1299.1	36.043	1.	5.	28.	77.6
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	26	435.	447.231	720.	275.	6570.585	81.059	363.	413.75	476.25	556.
00400p	PH (STANDARD UNITS)	08/06/76-10/06/83	26	7.65	7.662	8.5	6.8	0.14	0.374	7.14	7.475	7.9	8.09
00400p	CONVERTED PH (STANDARD UNITS)	08/06/76-10/06/83	26	7.647	7.501	8.5	6.8	0.167	0.409	7.14	7.475	7.9	8.09
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/06/76-10/06/83	26	0.023	0.032	0.158	0.003	0.001	0.033	0.009	0.013	0.034	0.074
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	92	100.	97.435	100.	61.	40.93	6.398	92.9	98.	100.	100.
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	225	23600.	25589.467	130000.	3640.	318389496.143	17843.472	5866.	13100.	32550.	50260.
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/06/76-09/18/81	225	392.	2203.337	26500.	0.	20952768.936	4577.419	14.8	87.5	1885.	6136.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1979 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	114	2.	3.361	16.	0.	14.109	3.756	0.	0.875	4.5	10.
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	3	162.	138.337	253.	0.01	16420.95	128.144	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	25	385.	431.	900.	185.	28966.667	170.196	298.	335.	465.	812.
00400p	PH (STANDARD UNITS)	08/06/76-10/06/83	25	7.4	7.39	7.9	6.7	0.1	0.316	6.76	7.3	7.6	7.8
00400p	CONVERTED PH (STANDARD UNITS)	08/06/76-10/06/83	25	7.4	7.264	7.9	6.7	0.116	0.341	6.76	7.3	7.6	7.8
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/06/76-10/06/83	25	0.04	0.054	0.2	0.013	0.003	0.052	0.016	0.025	0.05	0.175
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	125	79.	78.752	100.	45.	286.446	16.925	56.2	64.	97.	100.
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	125	28100.	29184.52	107000.	963.	443955292.09	21070.247	3990.	12200.	40950.	60900.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1979 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/06/76-09/18/81	125	7390.	22714.591	216000.	0.	1315522594.432	36270.134	42.6	761.	33100.	75800.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1980 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	11	4.	3.727	5.	2.	0.968	0.984	2.2	3.	4.5	5.
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	12	28.	28.833	50.	5.	119.061	10.911	10.1	25.	33.	47.6
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	1	578.	578.	578.	578.	0.	0.	**	**	**	**
00400p	PH (STANDARD UNITS)	08/06/76-10/06/83	1	7.5	7.5	7.5	7.5	0.	0.	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	08/06/76-10/06/83	1	7.5	7.5	7.5	7.5	0.	0.	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/06/76-10/06/83	1	0.032	0.032	0.032	0.032	0.	0.	**	**	**	**
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	12	92.	92.833	99.	90.	5.424	2.329	90.3	91.25	94.	97.5
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	12	39750.	38316.667	46400.	13800.	72859696.97	8535.789	20310.	36200.	43175.	46040.
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/06/76-09/18/81	12	2980.	3174.25	6100.	201.	2132067.659	1460.16	821.7	2410.	4060.	5674.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1981 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	3	19.	20.333	26.	16.	26.333	5.132	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	5	5.	30.8	72.	1.	1416.7	37.639	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	2	307.5	307.5	325.	290.	612.5	24.749	**	**	**	**
00400p	PH (STANDARD UNITS)	08/06/76-10/06/83	2	8.2	8.2	8.4	8.	0.08	0.283	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	08/06/76-10/06/83	2	8.155	8.155	8.4	8.	0.084	0.29	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/06/76-10/06/83	2	0.007	0.007	0.01	0.004	0.	0.004	**	**	**	**
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	5	100.	99.6	100.	99.	0.3	0.548	**	**	**	**
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	5	26500.	51440.	147000.	14800.	3052043000.	55245.298	**	**	**	**
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/06/76-09/18/81	5	195.	6853.2	28600.	137.	152435349.7	12346.471	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1982 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	4	21.5	21.625	26.	17.5	13.563	3.683	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	4	52.	52.425	105.	0.7	3413.989	58.429	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	3	341.	457.	710.	320.	48117.	219.356	**	**	**	**
00400p	PH (STANDARD UNITS)	08/06/76-10/06/83	3	7.8	7.867	8.3	7.5	0.163	0.404	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	08/06/76-10/06/83	3	7.8	7.757	8.3	7.5	0.181	0.426	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/06/76-10/06/83	3	0.016	0.017	0.032	0.005	0.	0.013	**	**	**	**
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	1	97.	97.	97.	97.	0.	0.	**	**	**	**
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	1	38800.	38800.	38800.	38800.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot


Annual Analysis for 1983 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	5	4.	8.5	20.5	0.5	87.125	9.334	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	28	315.	273.064	434.	0.8	22691.656	150.638	4.9	217.25	404.	429.3
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	4	417.5	411.25	490.	320.	8372.917	91.504	**	**	**	**
00400p	PH (STANDARD UNITS)	08/06/76-10/06/83	4	7.1	7.25	8.	6.8	0.297	0.545	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	08/06/76-10/06/83	4	7.055	7.065	8.	6.8	0.342	0.585	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/06/76-10/06/83	4	0.088	0.086	0.158	0.01	0.005	0.068	**	**	**	**
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	5	100.	98.8	100.	96.	3.2	1.789	**	**	**	**
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	28	22400.	26848.571	79300.	6560.	205643390.476	14340.272	12970.	20450.	29125.	45560.


** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station: CHCU0023 Parameter Code: 00095

SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 70331


SUSPENDED SED SIEVE DIAMETER,% FINER TH



CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON

Seasonal Analysis for Season #1: 7/01 to 10/19 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	187	19.	19.649	29.	5.	22.308	4.723	14.	18.	23.5	25.
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	215	25.	123.768	2000.	0.	52344.315	228.789	1.	3.	128.	401.2
00065	STAGE, STREAM (FEET)	07/17/77-08/29/83	10	2.35	2.287	4.23	1.4	0.659	0.812	1.422	1.635	2.518	4.079
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	41	480.	501.024	900.	320.	17635.074	132.797	342.8	402.5	572.5	708.
00400p	PH (STANDARD UNITS)	08/06/76-10/06/83	40	7.5	7.56	8.4	6.8	0.104	0.322	7.2	7.4	7.775	7.9
00400p	CONVERTED PH (STANDARD UNITS)	08/06/76-10/06/83	40	7.5	7.44	8.4	6.8	0.119	0.345	7.2	7.4	7.775	7.9
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/06/76-10/06/83	40	0.032	0.036	0.158	0.004	0.001	0.033	0.013	0.017	0.04	0.063
00631p	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	08/06/76-08/29/83	18	0.5	0.706	2.1	0.1	0.269	0.518	0.28	0.4	0.925	1.74
00660p	PHOSPHATE, ORTHO (MG/L AS PO4)	08/06/76-08/24/82	17	0.18	0.174	0.43	0.03	0.014	0.119	0.03	0.075	0.23	0.406
00671p	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	08/06/76-08/29/83	18	0.06	0.057	0.14	0.01	0.001	0.037	0.01	0.028	0.073	0.131
00900p	HARDNESS, TOTAL (MG/L AS CACO3)	08/06/76-01/24/83	17	94.	86.529	160.	12.	2443.14	49.428	14.4	45.	130.	160.
00915p	CALCIUM, DISSOLVED (MG/L AS CA)	08/06/76-10/06/83	20	24.5	27.28	55.	4.	256.489	16.015	5.54	14.25	42.75	50.8
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	08/06/76-10/06/83	20	2.05	2.96	6.7	0.5	4.646	2.155	0.63	1.1	4.75	6.6
00930p	SODIUM, DISSOLVED (MG/L AS NA)	08/06/76-10/06/83	20	65.	76.6	150.	50.	696.989	26.401	53.5	60.25	93.	127.
00931p	SODIUM ADSORPTION RATIO	08/06/76-01/24/83	17	3.4	4.429	9.2	1.9	5.785	2.405	1.98	2.35	6.85	7.92
00932p	SODIUM, PERCENT	08/06/76-01/24/83	17	64.	65.706	90.	43.	292.846	17.113	44.6	47.5	82.	88.4
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	08/06/76-10/06/83	20	3.5	4.465	14.	2.1	8.395	2.897	2.32	2.625	4.975	8.7
00940p	CHLORIDE,TOTAL IN WATER MG/L	08/06/76-10/06/83	20	5.5	9.45	28.	3.	57.945	7.612	3.1	4.	16.	21.
00945p	SULFATE, TOTAL (MG/L AS SO4)	08/06/76-10/06/83	20	57.	67.55	140.	46.	576.997	24.021	47.1	49.75	78.25	99.5
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	08/06/76-10/06/83	20	0.8	0.785	1.1	0.4	0.031	0.176	0.51	0.7	0.9	1.
00955p	SILICA, DISSOLVED (MG/L AS SI02)	08/06/76-10/06/83	20	12.	17.195	120.	7.9	590.401	24.298	8.54	9.925	13.75	15.9
01002p	ARSENIC, TOTAL (UG/L AS AS)	08/17/76-08/29/83	25	78.	201.	1200.	3.	75752.917	275.232	11.2	23.	310.	572.
01005p	BARIUM, DISSOLVED (UG/L AS BA)	02/12/77-08/29/83	12 ##	50.	111.333	600.	17.	29264.424	171.068	17.6	50.	50.	510.
01007p	BARIUM, TOTAL (UG/L AS BA)	02/12/77-08/29/83	21	4000.	5800.	20000.	1600.	19466000.	4412.029	1800.	2900.	7750.	11600.
01020p	BORON, DISSOLVED (UG/L AS B)	08/06/76-10/06/83	27	70.	75.926	180.	30.	1025.071	32.017	40.	60.	90.	120.
01027p	CADMIUM, TOTAL (UG/L AS CD)	02/12/77-08/29/83	15 ##	1.	6.467	20.	0.	74.374	8.624	0.	0.	15.	20.
01034p	CHROMIUM, TOTAL (UG/L AS CR)	02/12/77-08/29/83	17	160.	173.529	310.	90.	4699.265	68.551	98.	120.	220.	302.
01045p	IRON, TOTAL (UG/L AS FE)	02/12/77-08/29/83	15	260000.	273133.333	680000.	57000.21	430123809.524	146390.313	88800.	170000.	330000.	512000.
01046p	IRON, DISSOLVED (UG/L AS FE)	08/06/76-10/06/83	27	50.	855.741	21000.	18.	16217929.353	4027.149	20.	30.	110.	282.
01049p	LEAD, DISSOLVED (UG/L AS PB)	02/12/77-08/29/83	11	6.	7.182	21.	0.	62.914	7.932	0.	0.5	16.	20.6
01051p	LEAD, TOTAL (UG/L AS PB)	02/12/77-08/29/83	25	330.	446.8	1400.	110.	107481.	327.843	146.	205.	540.	1050.
01055p	MANGANESE, TOTAL (UG/L AS MN)	02/12/77-08/29/83	15	6600.	8793.333	22000.	2500.	34562095.238	5878.954	3220.	4300.	13000.	19000.
01056p	MANGANESE, DISSOLVED (UG/L AS MN)	02/12/77-08/29/83	13	5.	755.154	8800.	0.	5906248.308	2430.277	1.2	4.	28.	5648.
01130p	LITHIUM, DISSOLVED (UG/L AS LI)	09/15/76-08/29/83	9	6.	8.778	20.	2.	46.194	6.797	2.	4.5	15.5	20.
01132p	LITHIUM, TOTAL (UG/L AS LI)	09/15/76-08/29/83	9	280.	276.667	380.	160.	6300.	79.373	160.	190.	340.	380.
01147p	SELENIUM, TOTAL (UG/L AS SE)	08/17/76-08/29/83	15	1.	1.967	9.	0.	5.91	2.431	0.3	0.5	2.	7.2
70302p	SOLIDS, DISSOLVED-TONS PER DAY	08/06/76-01/24/83	14	2.54	36.192	216.	0.	5544.278	74.46	0.005	0.765	25.075	208.5
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	08/06/76-01/24/83	16	0.405	0.433	0.6	0.3	0.007	0.083	0.321	0.38	0.495	0.558
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	76	100.	97.237	100.	59.	48.476	6.963	89.7	98.	100.	100.
71900p	MERCURY, TOTAL (UG/L AS HG)	08/17/76-08/29/83	10	0.8	1.04	2.2	0.25	0.507	0.712	0.25	0.363	1.775	2.18
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	222	23050.	36742.748	147000.	1540.	753002449.882	27440.89	16220.	19175.	48100.	76340.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #2: 10/20 to 4/09 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	315	3.	3.59	17.5	0.	10.175	3.19	0.	1.	5.	7.
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	162	6.	16.933	253.	0.	839.272	28.97	0.53	2.	20.25	42.
00065	STAGE, STREAM (FEET)	07/17/77-08/29/83	8	1.46	1.621	2.57	1.42	0.151	0.389	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	40	430.	432.775	720.	185.	11968.076	109.399	320.5	366.25	470.	575.2
00400p	PH (STANDARD UNITS)	08/06/76-10/06/83	40	7.55	7.549	8.	6.7	0.097	0.311	7.21	7.325	7.8	7.99
00400p	CONVERTED PH (STANDARD UNITS)	08/06/76-10/06/83	40	7.547	7.423	8.	6.7	0.113	0.336	7.21	7.325	7.8	7.99
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/06/76-10/06/83	40	0.028	0.038	0.2	0.01	0.001	0.038	0.01	0.016	0.048	0.062
00631p	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	08/06/76-08/29/83	8	1.6	1.55	2.5	0.1	0.591	0.769	**	**	**	**
00660p	PHOSPHATE, ORTHO (MG/L AS PO4)	08/06/76-08/24/82	7	0.21	0.226	0.43	0.12	0.01	0.098	**	**	**	**
00671p	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	08/06/76-08/29/83	7	0.07	0.074	0.14	0.04	0.001	0.032	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #2: 10/20 to 4/09 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00900p	HARDNESS, TOTAL (MG/L AS CACO3)	08/06/76-01/24/83	9	36.	41.667	70.	20.	253.5	15.922	20.	30.	53.5	70.
00915p	CALCIUM, DISSOLVED (MG/L AS CA)	08/06/76-10/06/83	9	13.	14.533	24.	6.8	28.66	5.354	6.8	10.5	18.5	24.
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	08/06/76-10/06/83	9	0.9	1.289	2.5	0.7	0.524	0.724	0.7	0.8	2.	2.5
00930p	SODIUM, DISSOLVED (MG/L AS NA)	08/06/76-10/06/83	9	88.	93.	150.	37.	1064.75	32.631	37.	75.5	115.	150.
00931p	SODIUM ADSORPTION RATIO	08/06/76-01/24/83	9	7.4	6.667	11.	1.9	6.128	2.475	1.9	5.15	7.5	11.
00932p	SODIUM, PERCENT	08/06/76-01/24/83	9	85.	80.222	89.	52.	131.194	11.454	52.	77.	87.	89.
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	08/06/76-10/06/83	11	3.3	3.282	5.1	2.1	0.81	0.9	2.14	2.7	3.4	5.
00940p	CHLORIDE,TOTAL IN WATER MG/L	08/06/76-10/06/83	9	5.	6.556	19.	2.	30.278	5.503	2.	3.	9.	19.
00945p	SULFATE, TOTAL (MG/L AS SO4)	08/06/76-10/06/83	9	68.	73.889	140.	36.	1062.611	32.598	36.	49.5	94.	140.
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	08/06/76-10/06/83	9	0.7	0.744	1.8	0.3	0.178	0.422	0.3	0.55	0.75	1.8
00955p	SILICA, DISSOLVED (MG/L AS SI02)	08/06/76-10/06/83	9	13.	11.2	17.	4.1	18.063	4.25	4.1	7.35	14.5	17.
01002p	ARSENIC, TOTAL (UG/L AS AS)	08/17/76-08/29/83	26	27.	32.308	90.	3.	616.462	24.829	4.	7.75	50.75	68.
01005p	BARIUM, DISSOLVED (UG/L AS BA)	02/12/77-08/29/83	20 ##	50.	50.	50.	50.	0.	0.	50.	50.	50.	50.
01007p	BARIUM, TOTAL (UG/L AS BA)	02/12/77-08/29/83	28	2150.	2630.357	10000.	50.	3648766.534	1910.174	590.	1600.	3500.	4810.
01020p	BORON, DISSOLVED (UG/L AS B)	08/06/76-10/06/83	23	60.	81.304	300.	20.	5202.767	72.13	40.	50.	70.	238.
01027p	CADMIUM, TOTAL (UG/L AS CD)	02/12/77-08/29/83	7 ##	10.	6.429	14.	0.	34.619	5.884	**	**	**	**
01034p	CHROMIUM, TOTAL (UG/L AS CR)	02/12/77-08/29/83	8	110.	108.75	220.	0.	4269.643	65.343	**	**	**	**
01045p	IRON, TOTAL (UG/L AS FE)	02/12/77-08/29/83	28	125000.	145007.143	300000.	3200.	6035379206.349	77687.703	74300.	86750.	195000.	281000.
01046p	IRON, DISSOLVED (UG/L AS FE)	08/06/76-10/06/83	25	90.	182.4	1100.	30.	56644.	238.	40.	45.	195.	514.
01049p	LEAD, DISSOLVED (UG/L AS PB)	02/12/77-08/29/83	18 ##	0.	7.222	87.	0.	456.301	21.361	0.	0.	2.25	38.4
01051p	LEAD, TOTAL (UG/L AS PB)	02/12/77-08/29/83	27	400.	351.037	800.	0.	38958.268	197.378	30.4	200.	500.	600.
01055p	MANGANESE, TOTAL (UG/L AS MN)	02/12/77-08/29/83	29	3500.	4741.379	11000.	60.	12367776.601	3516.785	770.	1900.	8250.	10000.
01056p	MANGANESE, DISSOLVED (UG/L AS MN)	02/12/77-08/29/83	21 ##	5.	5.476	15.	0.	7.262	2.695	5.	5.	5.	9.
01130p	LITHIUM, DISSOLVED (UG/L AS LI)	09/15/76-08/29/83	4 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01132p	LITHIUM, TOTAL (UG/L AS LI)	09/15/76-08/29/83	5	120.	109.	180.	5.	4255.	65.23	**	**	**	**
01147p	SELENIUM, TOTAL (UG/L AS SE)	08/17/76-08/29/83	5	3.	10.4	37.	2.	227.3	15.076	**	**	**	**
70302p	SOLIDS, DISSOLVED-TONS PER DAY	08/06/76-01/24/83	9	4.94	17.522	124.	0.01	1606.767	40.085	0.01	0.71	9.09	124.
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	08/06/76-01/24/83	9	0.4	0.428	0.66	0.25	0.015	0.124	0.25	0.345	0.515	0.66
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	240	98.	88.304	100.	45.	254.89	15.965	61.	77.	100.	100.
71900p	MERCURY, TOTAL (UG/L AS HG)	08/17/76-08/29/83	6	0.75	1.233	4.	0.25	2.066	1.437	**	**	**	**
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	332	24650.	25242.747	81400.	395.	312620088.087	17681.066	4056.	11200.	35875.	48000.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #3: 4/10 to 6/30 - Station CHCU0023


Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/06/76-10/06/83	41	13.	9.89	16.	1.	36.731	6.061	1.5	3.	15.5	16.
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/06/76-10/06/83	37	7.	33.135	182.	1.	2551.12	50.509	1.	2.5	36.5	124.
00065	STAGE, STREAM (FEET)	07/17/77-08/29/83	3	1.88	1.847	2.1	1.56	0.074	0.272	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/06/76-10/06/83	12	390.	414.583	830.	275.	21679.356	147.239	279.5	322.5	447.5	728.
00400p	PH (STANDARD UNITS)	08/06/76-10/06/83	12	7.45	7.583	8.5	6.7	0.298	0.546	6.76	7.225	7.975	8.44
00400p	CONVERTED PH (STANDARD UNITS)	08/06/76-10/06/83	12	7.447	7.306	8.5	6.7	0.382	0.618	6.76	7.225	7.975	8.44
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/06/76-10/06/83	12	0.036	0.049	0.2	0.003	0.003	0.058	0.004	0.011	0.06	0.177
00900p	HARDNESS, TOTAL (MG/L AS CACO3)	08/06/76-01/24/83	2	22.	22.	22.	22.	0.	0.	**	**	**	**
00915p	CALCIUM, DISSOLVED (MG/L AS CA)	08/06/76-10/06/83	3	7.2	6.267	7.8	3.8	4.653	2.157	**	**	**	**
00925p	MAGNESIUM, DISSOLVED (MG/L AS MG)	08/06/76-10/06/83	3	0.7	0.667	1.	0.3	0.123	0.351	**	**	**	**
00930p	SODIUM, DISSOLVED (MG/L AS NA)	08/06/76-10/06/83	3	110.	92.333	110.	57.	936.333	30.6	**	**	**	**
00931p	SODIUM ADSORPTION RATIO	08/06/76-01/24/83	2	7.65	7.65	10.	5.3	11.045	3.323	**	**	**	**
00932p	SODIUM, PERCENT	08/06/76-01/24/83	2	86.5	86.5	90.	83.	24.5	4.95	**	**	**	**
00935p	POTASSIUM, DISSOLVED (MG/L AS K)	08/06/76-10/06/83	4	2.25	2.225	2.9	1.5	0.329	0.574	**	**	**	**
00940p	CHLORIDE,TOTAL IN WATER MG/L	08/06/76-10/06/83	3	7.	7.667	12.	4.	16.333	4.041	**	**	**	**
00945p	SULFATE, TOTAL (MG/L AS SO4)	08/06/76-10/06/83	3	83.	119.	200.	74.	4941.	70.292	**	**	**	**
00950p	FLUORIDE, DISSOLVED (MG/L AS F)	08/06/76-10/06/83	3	0.9	0.867	1.	0.7	0.023	0.153	**	**	**	**
00955p	SILICA, DISSOLVED (MG/L AS SI02)	08/06/76-10/06/83	3	8.5	10.2	15.	7.1	17.77	4.215	**	**	**	**
01002p	ARSENIC, TOTAL (UG/L AS AS)	08/17/76-08/29/83	5	22.	25.6	52.	15.	227.3	15.076	**	**	**	**
01005p	BARIUM, DISSOLVED (UG/L AS BA)	02/12/77-08/29/83	3 ##	50.	33.333	50.	0.	833.333	28.868	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot


Seasonal Analysis for Season #3: 4/10 to 6/30 - Station CHCU0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01007p	BARIUM, TOTAL (UG/L AS BA)	02/12/77-08/29/83	6	3250.	3833.333	8500.	900.	7110666.667	2666.583	**	**	**	**
01020p	BORON, DISSOLVED (UG/L AS B)	08/06/76-10/06/83	6	60.	83.333	190.	30.	3706.667	60.882	**	**	**	**
01027p	CADMIUM, TOTAL (UG/L AS CD)	02/12/77-08/29/83	2	3.	3.	5.	1.	8.	2.828	**	**	**	**
01034p	CHROMIUM, TOTAL (UG/L AS CR)	02/12/77-08/29/83	1	170.	170.	170.	170.	0.	0.	**	**	**	**
01045p	IRON, TOTAL (UG/L AS FE)	02/12/77-08/29/83	6	265000.	345000.	690000.	210000.	32230000000.	179527.157	**	**	**	**
01046p	IRON, DISSOLVED (UG/L AS FE)	08/06/76-10/06/83	6	63.	67.667	130.	20.	1848.667	42.996	**	**	**	**
01049p	LEAD, DISSOLVED (UG/L AS PB)	02/12/77-08/29/83	2 ##	0.	0.	0.	0.	0.	0.	**	**	**	**
01051p	LEAD, TOTAL (UG/L AS PB)	02/12/77-08/29/83	6	500.	666.667	1800.	130.	389826.667	624.361	**	**	**	**
01055p	MANGANESE, TOTAL (UG/L AS MN)	02/12/77-08/29/83	6	6500.	10086.667	30000.	520.	111869066.667	10576.817	**	**	**	**
01056p	MANGANESE, DISSOLVED (UG/L AS MN)	02/12/77-08/29/83	5 ##	5.	5.8	10.	4.	5.7	2.387	**	**	**	**
01130p	LITHIUM, DISSOLVED (UG/L AS LI)	09/15/76-08/29/83	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01132p	LITHIUM, TOTAL (UG/L AS LI)	09/15/76-08/29/83	1	280.	280.	280.	280.	0.	0.	**	**	**	**
01147p	SELENIUM, TOTAL (UG/L AS SE)	08/17/76-08/29/83	6	6.	5.833	10.	3.	7.367	2.714	**	**	**	**
70302p	SOLIDS, DISSOLVED-TONS PER DAY	08/06/76-01/24/83	2	18.45	18.45	34.8	2.1	534.645	23.122	**	**	**	**
70303p	SOLIDS, DISSOLVED-TONS PER ACRE-FT	08/06/76-01/24/83	3	0.43	0.38	0.45	0.26	0.011	0.104	**	**	**	**
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/06/76-10/06/83	18	96.	92.833	100.	61.	90.853	9.532	79.	91.	99.	100.
71900p	MERCURY, TOTAL (UG/L AS HG)	08/17/76-08/29/83	1	5.5	5.5	5.5	5.5	0.	0.	**	**	**	**
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/06/76-10/06/83	46	18650.	23921.522	107000.	4330.	571674964.3	23909.725	5049.	5647.5	33975.	60790.


** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00900


HARDNESS, TOTAL (MG/L AS CACO3)



CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00915


CALCIUM, DISSOLVED (MG/L AS CA)




CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00925

MAGNESIUM, DISSOLVED (MG/L AS MG)




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00931


SODIUM ADSORPTION RATIO



CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00932


SODIUM, PERCENT




CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00935


POTASSIUM, DISSOLVED (MG/L AS K)




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 00955


SILICA, DISSOLVED (MG/L AS SI02)




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 01020


BORON, DISSOLVED (UG/L AS B)




CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 01027


CADMIUM, TOTAL (UG/L AS CD)




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 01130


LITHIUM, DISSOLVED (UG/L AS LI)



CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 01132


LITHIUM, TOTAL (UG/L AS LI)




CHACO WASH AT CHACO CANYON NATIONAL MON

Station: CHCU0023 Parameter Code: 01147


SELENIUM, TOTAL (UG/L AS SE)




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON




CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON



CHACO WASH AT CHACO CANYON NATIONAL MON

Station Inventory for Station: CHCU0024

NPS Station ID: CHCU0024 LAT/LON: 36.154170/-107.928059 Agency: 112WRD Date Created: 03/17/77
Location: 22N.10W.08.3112 POND IN AHSHISLEPAH WASH NR DIKE FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 360915107554110
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 2.00 On/Off RF1:
RF3 Index: 14080106002005.29 RF3 Mile Point: 5.86 Distance from RF3: 0.07 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0024

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	06/09/76-06/09/76	1	14.5	14.5	14.5	14.5	0.	0.	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	06/09/76-06/09/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	06/09/76-06/09/76	1	540.	540.	540.	540.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	06/09/76-06/09/76	1	7.3	7.3	7.3	7.3	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	06/09/76-06/09/76	1	7.3	7.3	7.3	7.3	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	06/09/76-06/09/76	1	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	06/09/76-06/09/76	1	17.	17.	17.	17.	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	06/09/76-06/09/76	1	177.	177.	177.	177.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	06/09/76-06/09/76	1	216.	216.	216.	216.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	06/09/76-06/09/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	06/09/76-06/09/76	1	4.8	4.8	4.8	4.8	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	06/09/76-06/09/76	1	2.5	2.5	2.5	2.5	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	06/09/76-06/09/76	1	0.8	0.8	0.8	0.8	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	06/09/76-06/09/76	1	9.	9.	9.	9.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	06/09/76-06/09/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	06/09/76-06/09/76	1	2.7	2.7	2.7	2.7	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	06/09/76-06/09/76	1	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	06/09/76-06/09/76	1	120.	120.	120.	120.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	06/09/76-06/09/76	1	18.	18.	18.	18.	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	06/09/76-06/09/76	1	94.	94.	94.	94.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	06/09/76-06/09/76	1	5.1	5.1	5.1	5.1	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	06/09/76-06/09/76	1	9.	9.	9.	9.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	06/09/76-06/09/76	1	64.	64.	64.	64.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	06/09/76-06/09/76	1	0.6	0.6	0.6	0.6	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	06/09/76-06/09/76	1	20.	20.	20.	20.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	06/09/76-06/09/76	1	380.	380.	380.	380.	0.	0.	**	**	**	**
01022	BORON, TOTAL (UG/L AS B)	06/09/76-06/09/76	1	380.	380.	380.	380.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	06/09/76-06/09/76	1	30.	30.	30.	30.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	06/09/76-06/09/76	1	352.	352.	352.	352.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	06/09/76-06/09/76	1	0.48	0.48	0.48	0.48	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0024

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00							1	0	0.00			
		Other-Lo Lim.	6.5	1	0	0.00							1	0	0.00			
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00							1	0	0.00			
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00							1	0	0.00			
		Drinking Water	250.	1	0	0.00							1	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	0	0.00							1	0	0.00			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0025

NPS Station ID: CHCU0025 LAT/LON: 36.154448/-107.943059 Agency: 112WRD Date Created: 01/25/77
Location: 22N.10W.07.143 AHSHISLEPAH WASH,6 M W KIMBETO,NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 360916107563510
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 26.00 On/Off RF1:
RF3 Index: 14080106007500.00 RF3 Mile Point: 0.22 Distance from RF3: 0.02 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0025

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	04/02/76-05/13/77	2	14.75	14.75	15.	14.5	0.125	0.354	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	04/02/76-05/13/77	2	5.	5.	10.	0.	50.	7.071	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	04/02/76-04/02/76	1	1650.	1650.	1650.	1650.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	04/02/76-04/02/76	1	7.4	7.4	7.4	7.4	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	04/02/76-04/02/76	1	7.4	7.4	7.4	7.4	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	04/02/76-04/02/76	1	0.04	0.04	0.04	0.04	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	04/02/76-04/02/76	1	27.	27.	27.	27.	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	04/02/76-04/02/76	1	350.	350.	350.	350.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	04/02/76-04/02/76	1	427.	427.	427.	427.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	04/02/76-04/02/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	04/02/76-04/02/76	1	0.9	0.9	0.9	0.9	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	04/02/76-04/02/76	1	0.21	0.21	0.21	0.21	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	04/02/76-04/02/76	1	0.07	0.07	0.07	0.07	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	04/02/76-04/02/76	1	110.	110.	110.	110.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	04/02/76-04/02/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	04/02/76-04/02/76	1	41.	41.	41.	41.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	04/02/76-04/02/76	1	2.9	2.9	2.9	2.9	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	04/02/76-04/02/76	1	380.	380.	380.	380.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	04/02/76-04/02/76	1	15.	15.	15.	15.	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	04/02/76-04/02/76	1	87.	87.	87.	87.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	04/02/76-04/02/76	1	8.7	8.7	8.7	8.7	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	04/02/76-04/02/76	1	150.	150.	150.	150.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	04/02/76-04/02/76	1	290.	290.	290.	290.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	04/02/76-04/02/76	1	1.3	1.3	1.3	1.3	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	04/02/76-04/02/76	1	19.	19.	19.	19.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	04/02/76-04/02/76	1	390.	390.	390.	390.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	04/02/76-04/02/76	1	190.	190.	190.	190.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	05/09/77-05/09/77	1	220.	220.	220.	220.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	04/02/76-04/02/76	1	1110.	1110.	1110.	1110.	0.	0.	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	04/02/76-04/02/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	04/02/76-04/02/76	1	1.51	1.51	1.51	1.51	0.	0.	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	04/02/76-05/13/77	2	90.5	90.5	98.	83.	112.5	10.607	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	04/02/76-05/13/77	2	46700.	46700.	69500.	23900.	1039680000.	32244.069	**	**	**	**
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	04/02/76-05/13/77	2	9800.	9800.	19600.	0.	192080000.	13859.293	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0025

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00				1	0	0.00						
		Other-Lo Lim.	6.5	1	0	0.00				1	0	0.00						
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00				1	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00				1	0	0.00						
		Drinking Water	250.	1	0	0.00				1	0	0.00						
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00				1	1	1.00						
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00				1	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0026

NPS Station ID: CHCU0026
LAT/LON: 36.155004/-107.946393
Agency: 112WRD
Date Created: 01/14/78
Location: AH-SHI-SLE-PAH WASH NEAR KIMBETO ,NM
FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 09367685
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 14080106
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 14080106
RF1 Mile Point: 0.000
Distance from RF1: 2.90
On/Off RF1:
RF3 Index: 14080106003102.63
RF3 Mile Point: 4.07
Distance from RF3: 0.01
On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0026

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	02/08/78-03/17/83	19	11.	8.342	13.	0.5	21.585	4.646	0.5	5.	12.	13.
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	03/16/81-03/17/83	3	6.	8.333	16.	3.	46.333	6.807	**	**	**	**
00060	FLOW, STREAM, MEAN DAILY CFS	05/08/78-09/24/78	2	97.5	97.5	140.	55.	3612.5	60.104	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	07/18/77-08/11/83	80	140.	264.656	1950.	0.	139036.892	372.877	2.	54.5	290.	948.
00065	STAGE, STREAM (FEET)	07/18/77-05/08/78	16	1.34	6.839	90.	0.28	492.651	22.196	0.294	0.453	2.298	29.492
00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/24/78-09/24/78	1	150.	150.	150.	150.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	07/18/77-03/17/83	74	697.5	831.649	2600.	280.	203220.423	450.8	455.	540.	952.5	1400.
00400	PH (STANDARD UNITS)	07/18/77-03/17/83	74	7.55	7.582	8.6	6.6	0.17	0.412	7.1	7.3	7.8	8.25
00400	CONVERTED PH (STANDARD UNITS)	07/18/77-03/17/83	74	7.547	7.408	8.6	6.6	0.201	0.448	7.1	7.3	7.8	8.25
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/18/77-03/17/83	74	0.028	0.039	0.251	0.003	0.002	0.04	0.006	0.016	0.05	0.079
00403	PH, LAB, STANDARD UNITS SU	03/16/81-03/17/83	5	7.7	7.72	8.3	7.3	0.192	0.438	**	**	**	**
00403	CONVERTED PH, LAB, STANDARD UNITS	03/16/81-03/17/83	5	7.7	7.568	8.3	7.3	0.221	0.47	**	**	**	**
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/16/81-03/17/83	5	0.02	0.027	0.05	0.005	0.	0.022	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	07/18/77-09/30/81	36	10.	17.35	96.	1.7	391.782	19.793	2.55	4.925	23.	47.2
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	07/18/77-09/30/81	39	197.	187.641	302.	53.	5239.499	72.384	75.	120.	238.	280.
00440	BICARBONATE ION (MG/L AS HCO3)	07/18/77-09/30/81	36	255.	236.	368.	88.	7489.829	86.544	106.	148.5	290.	353.
00445	CARBONATE ION (MG/L AS CO3)	02/08/78-09/30/81	10	0.	66.	180.	0.	7360.	85.79	0.	0.	170.	179.
00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	02/08/78-02/08/78	1	600.	600.	600.	600.	0.	0.	**	**	**	**
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	02/08/78-02/08/78	1	15000.	15000.	15000.	15000.	0.	0.	**	**	**	**
00600	NITROGEN, TOTAL (MG/L AS N)	09/24/78-04/01/80	3	12.	12.233	16.	8.7	13.363	3.656	**	**	**	**
00602	NITROGEN, DISSOLVED (MG/L AS N)	03/16/81-03/16/81	1	34.	34.	34.	34.	0.	0.	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	09/24/78-03/16/81	4	6.45	7.25	15.	1.1	38.097	6.172	**	**	**	**
00607	NITROGEN, ORGANIC, DISSOLVED (MG/L AS N)	02/08/78-02/08/78	1	3.9	3.9	3.9	3.9	0.	0.	**	**	**	**
00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	02/08/78-02/08/78	1	0.22	0.22	0.22	0.22	0.	0.	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/24/78-03/16/81	4	0.255	0.323	0.59	0.19	0.035	0.186	**	**	**	**
00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	02/08/78-03/16/81	4	3.8	8.975	27.	1.3	145.849	12.077	**	**	**	**
00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	09/24/78-03/16/81	3	0.8	4.933	14.	0.	61.813	7.862	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	02/08/78-03/16/81	5	5.8	7.18	15.	1.3	27.827	5.275	**	**	**	**
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/24/78-04/01/80	3	2.4	2.633	4.4	1.1	2.763	1.662	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	02/08/78-03/16/81	3	6.5	5.567	7.7	2.5	7.413	2.723	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	02/08/78-04/01/80	3	0.06	0.08	0.18	0.	0.008	0.092	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	02/08/78-03/16/81	5	2.1	1.956	3.4	0.58	1.067	1.033	**	**	**	**
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	09/24/78-03/16/81	3	0.09	0.097	0.12	0.08	0.	0.021	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	02/08/78-04/01/80	3	0.02	0.027	0.06	0.	0.001	0.031	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	07/18/77-04/01/80	22	195.	232.127	561.	3.8	24794.566	157.463	25.3	131.5	320.75	512.
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	07/19/77-04/01/80	7	6.4	7.271	13.	4.5	8.992	2.999	**	**	**	**
00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	07/19/77-03/16/81	4 ##	37.5	37.25	50.	24.	216.917	14.728	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	02/08/78-07/30/82	8	20.	24.375	47.	9.	202.839	14.242	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0026

Parameter		Period of Record	Obs		Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	02/08/78-04/01/80	4		0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	02/08/78-03/17/83	9		6.5	8.222	17.	2.6	26.144	5.113	2.6	4.55	12.75	17.
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	02/08/78-03/17/83	9		0.8	0.8	1.1	0.5	0.04	0.2	0.5	0.65	1.	1.1
00930	SODIUM, DISSOLVED (MG/L AS NA)	02/08/78-03/17/83	9		140.	152.444	300.	94.	3785.778	61.529	94.	114.	170.	300.
00931	SODIUM ADSORPTION RATIO	02/08/78-07/30/82	8		14.5	14.288	20.	8.3	18.833	4.34	**	**	**	**
00932	SODIUM, PERCENT	02/08/78-07/30/82	8		93.	91.625	94.	85.	9.696	3.114	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	02/08/78-03/17/83	9		3.1	3.633	7.5	1.9	2.928	1.711	1.9	2.5	4.5	7.5
00940	CHLORIDE,TOTAL IN WATER MG/L	02/08/78-03/17/83	9		23.	66.889	410.	7.	16727.111	129.333	7.	15.	40.5	410.
00945	SULFATE, TOTAL (MG/L AS SO4)	02/08/78-03/17/83	9		150.	158.556	250.	78.	3940.778	62.776	78.	99.5	220.	250.
00950	FLUORIDE, DISSOLVED (MG/L AS F)	02/08/78-03/17/83	9		0.6	0.544	0.7	0.3	0.013	0.113	0.3	0.5	0.6	0.7
00955	SILICA, DISSOLVED (MG/L AS SI02)	02/08/78-03/17/83	9		14.	14.311	19.	6.8	16.621	4.077	6.8	11.5	18.	19.
01000	ARSENIC, DISSOLVED (UG/L AS AS)	07/19/77-01/26/82	11		1.	1.5	3.	0.5	0.55	0.742	0.6	1.	2.	2.8
01001	ARSENIC, SUSPENDED (UG/L AS AS)	02/14/79-03/16/81	5		11.	16.4	41.	2.	273.8	16.547	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	07/18/77-03/16/81	43		25.	84.907	670.	4.	22287.705	149.291	10.	13.	46.	240.
01005	BARIUM, DISSOLVED (UG/L AS BA)	01/12/78-03/16/81	9		50.	127.778	300.	0.	11944.444	109.291	0.	50.	225.	300.
01006	BARIUM, SUSPENDED (UG/L AS BA)	01/19/79-03/16/81	5		800.	1660.	5700.	400.	5143000.	2267.818	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	01/12/78-03/16/81	30		3300.	3426.667	8300.	400.	5726850.575	2393.084	600.	875.	5150.	7130.
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	04/01/80-01/26/82	3	##	0.5	0.333	0.5	0.	0.083	0.289	**	**	**	**
01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	03/16/81-03/16/81	1		20.	20.	20.	20.	0.	0.	**	**	**	**
01012	BERYLLIUM, TOTAL (UG/L AS BE)	04/01/80-03/16/81	2		15.	15.	20.	10.	50.	7.071	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	07/19/77-03/17/83	14		70.	131.429	890.	30.	49720.879	222.982	30.	45.	90.	550.
01021	BORON, SUSPENDED (UG/L AS B)	02/14/79-10/22/79	3		50.	50.	100.	0.	2500.	50.	**	**	**	**
01022	BORON, TOTAL (UG/L AS B)	07/18/77-10/22/79	33		240.	237.576	570.	80.	9075.189	95.264	130.	165.	295.	344.
01025	CADMIUM, DISSOLVED (UG/L AS CD)	02/10/78-01/26/82	5	##	1.	0.8	1.	0.5	0.075	0.274	**	**	**	**
01026	CADMIUM, SUSPENDED (UG/L AS CD)	03/16/81-03/16/81	1		0.	0.	0.	0.	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	07/18/77-03/16/81	9		1.	12.333	45.	0.	255.5	15.984	0.	0.	22.5	45.
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	01/12/78-01/26/82	6	##	7.5	9.167	20.	0.	84.167	9.174	**	**	**	**
01031	CHROMIUM, SUSPEND (UG/L AS CR)	04/01/80-03/16/81	2		45.	45.	50.	40.	50.	7.071	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	01/12/78-03/16/81	6		70.	76.667	120.	60.	506.667	22.509	**	**	**	**
01035	COBALT, DISSOLVED (UG/L AS CO)	04/01/80-04/01/80	1	##	1.5	1.5	1.5	1.5	0.	0.	**	**	**	**
01037	COBALT, TOTAL (UG/L AS CO)	04/01/80-04/01/80	1		46.	46.	46.	46.	0.	0.	**	**	**	**
01040	COPPER, DISSOLVED (UG/L AS CU)	04/01/80-01/26/82	3		10.	13.667	21.	10.	40.333	6.351	**	**	**	**
01041	COPPER, SUSPENDED (UG/L AS CU)	04/01/80-03/16/81	2		375.	375.	420.	330.	4050.	63.64	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	04/01/80-03/16/81	2		390.	390.	440.	340.	5000.	70.711	**	**	**	**
01044	IRON, SUSPENDED (UG/L AS FE)	02/14/79-07/30/82	14		245000.	249214.286	470000.	69000.	10819412087.912	104016.403	94500.	185000.	320000.	425000.
01045	IRON, TOTAL (UG/L AS FE)	01/12/78-07/30/82	46		310000.	301826.087	630000.	69000.	15609880193.237	124939.506	114000.	225000.	392500.	449000.
01046	IRON, DISSOLVED (UG/L AS FE)	01/12/78-03/17/83	19		450.	705.895	2600.	30.	612533.544	782.645	92.	180.	750.	2500.
01049	LEAD, DISSOLVED (UG/L AS PB)	07/19/77-01/26/82	9		2.	7.667	28.	0.	137.	11.705	0.	0.	17.	28.
01050	LEAD, SUSPENDED (UG/L AS PB)	10/22/79-03/16/81	3		200.	316.667	600.	150.	60833.333	246.644	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	07/18/77-03/16/81	35		700.	638.829	1400.	0.	162110.617	402.63	3.6	200.	800.	1200.
01054	MANGANESE, SUSPENDED (UG/L AS MN)	02/14/79-07/30/82	15		1800.	4020.667	14000.	390.	20123078.095	4485.875	420.	610.	8700.	11480.
01055	MANGANESE, TOTAL (UG/L AS MN)	01/12/78-07/30/82	47		10000.	12682.979	54000.	400.	139616899.63	11815.96	824.	1800.	20000.	28200.
01056	MANGANESE, DISSOLVED (UG/L AS MN)	01/12/78-07/30/82	16		10.	18.688	80.	0.	559.963	23.664	2.8	5.	27.	73.
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	02/08/78-04/01/80	2	##	6.	6.	7.	5.	2.	1.414	**	**	**	**
01062	MOLYBDENUM, TOTAL (UG/L AS MO)	04/01/80-04/01/80	1		1.	1.	1.	1.	0.	0.	**	**	**	**
01065	NICKEL, DISSOLVED (UG/L AS NI)	04/01/80-01/26/82	3		4.	4.667	8.	2.	9.333	3.055	**	**	**	**
01066	NICKEL, SUSPENDED (UG/L AS NI)	04/01/80-03/16/81	2		78.	78.	80.	76.	8.	2.828	**	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	04/01/80-03/16/81	2		81.	81.	84.	78.	18.	4.243	**	**	**	**
01080	STRONTIUM, DISSOLVED (UG/L AS SR)	01/12/78-03/16/81	4		150.	153.	230.	82.	5329.333	73.002	**	**	**	**
01081	STRONTIUM, SUSPENDED (UG/L AS SR)	03/16/81-03/16/81	1		2400.	2400.	2400.	2400.	0.	0.	**	**	**	**
01082	STRONTIUM, TOTAL (UG/L AS SR)	01/12/78-03/16/81	3		2500.	2166.667	2600.	1400.	443333.333	665.833	**	**	**	**
01085	VANADIUM, DISSOLVED (UG/L AS V)	02/08/78-04/01/80	2	##	2.5	2.5	3.	2.	0.5	0.707	**	**	**	**
01090	ZINC, DISSOLVED (UG/L AS ZN)	04/01/80-01/26/82	3		67.	56.333	70.	32.	446.333	21.127	**	**	**	**
01091	ZINC, SUSPENDED (UG/L ZN)	04/01/80-03/16/81	2		815.	815.	930.	700.	26450.	162.635	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	04/01/80-03/16/81	2		885.	885.	1000.	770.	26450.	162.635	**	**	**	**
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	04/01/80-04/01/80	1		30.	30.	30.	30.	0.	0.	**	**	**	**
01130	LITHIUM, DISSOLVED (UG/L AS LI)	01/12/78-03/16/81	4		20.	17.5	20.	10.	25.	5.	**	**	**	**
01131	LITHIUM, SUSPENDED (UG/L AS LI)	04/01/80-03/16/81	2		105.	105.	110.	100.	50.	7.071	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	01/12/78-03/16/81	4		120.	112.5	140.	70.	958.333	30.957	**	**	**	**
01145	SELENIUM, DISSOLVED (UG/L AS SE)	07/19/77-01/26/82	7		1.	1.929	5.	0.5	3.452	1.858	**	**	**	**
01146	SELENIUM, SUSPENDED (UG/L AS SE)	04/01/80-03/16/81	2		3.	3.	4.	2.	2.	1.414	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	07/18/77-03/16/81	15		6.	6.733	18.	1.	25.638	5.063	1.6	3.	11.	16.2
01515	ALPHA, DISSOLVED GROSS, AS URANIUM-NATURAL, PC/L	04/01/80-04/01/80	1	##	6.5	6.5	6.5	6.5	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0026

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	04/01/80-04/01/80	1	200.	200.	200.	200.	0.	0.	**	**	**	**
03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	02/08/78-04/01/80	2 ##	12.	12.	14.	10.	8.	2.828	**	**	**	**
03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	02/08/78-04/01/80	2	325.	325.	420.	230.	18050.	134.35	**	**	**	**
09511	RADIUM 226, DISSOLVED, RADON METHOD	02/08/78-04/01/80	2	0.06	0.06	0.06	0.06	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	09/24/78-07/30/82	5	492.	541.6	963.	193.	96469.8	310.596	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	02/08/78-04/01/80	4	439.5	442.5	581.	310.	13189.667	114.846	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	02/08/78-01/26/82	5	4.39	59.358	278.	0.97	14956.809	122.298	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	02/08/78-07/30/82	7	0.67	0.699	1.31	0.26	0.135	0.368	**	**	**	**
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/18/77-08/11/83	119	79.	76.202	100.	27.	385.179	19.626	40.	65.	92.	98.
70337	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .002MM	10/21/79-08/11/83	9	49.	46.111	65.	9.	303.861	17.432	9.	38.	61.	65.
70338	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .004MM	10/21/79-08/11/83	9	55.	52.333	71.	11.	366.25	19.138	11.	42.5	70.	71.
70340	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .016MM	10/21/79-08/11/83	9	66.	61.778	82.	14.	474.194	21.776	14.	50.	79.5	82.
70342	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .062MM	10/21/79-08/11/83	9	87.	81.889	98.	53.	245.361	15.664	53.	71.	92.5	98.
70343	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .125MM	10/21/79-08/11/83	9	96.	93.556	100.	73.	76.278	8.734	73.	91.	99.	100.
70344	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .250MM	10/21/79-08/11/83	8	100.	99.125	100.	96.	2.125	1.458	**	**	**	**
70345	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .500MM	10/21/79-08/11/83	3	100.	100.	100.	100.	0.	0.	**	**	**	**
71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH4)	04/01/80-04/01/80	1	0.4	0.4	0.4	0.4	0.	0.	**	**	**	**
71846	NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4)	02/08/78-02/08/78	1	0.28	0.28	0.28	0.28	0.	0.	**	**	**	**
71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	04/01/80-03/16/81	2	6.55	6.55	6.7	6.4	0.045	0.212	**	**	**	**
71887	NITROGEN, TOTAL, AS NO3 - MG/L	09/24/78-04/01/80	3	53.	54.333	71.	39.	257.333	16.042	**	**	**	**
71890	MERCURY, DISSOLVED (UG/L AS HG)	07/19/77-01/26/82	8 ##	0.25	0.569	3.1	0.	1.082	1.04	**	**	**	**
71895	MERCURY, SUSPENDED (UG/L AS HG)	04/01/80-03/16/81	2	0.5	0.5	0.7	0.3	0.08	0.283	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	07/18/77-03/16/81	14	1.45	1.5	3.	0.4	0.638	0.799	0.5	0.7	2.325	2.7
80020	URANIUM,DISS.,BY EXTRACTION FLUOROMETRIC METHOD	02/08/78-04/01/80	2	1.4	1.4	1.8	1.	0.32	0.566	**	**	**	**
80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	02/08/78-04/01/80	2 ##	6.3	6.3	9.5	3.1	20.48	4.525	**	**	**	**
80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	02/08/78-04/01/80	2	585.	585.	880.	290.	174050.	417.193	**	**	**	**
80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	02/08/78-04/01/80	2 ##	10.75	10.75	12.	9.5	3.125	1.768	**	**	**	**
80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	02/08/78-04/01/80	2	295.	295.	370.	220.	11250.	106.066	**	**	**	**
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/18/77-08/11/83	135	51800.	65954.741	721000.	2650.	6272624638.552	79199.903	13800.	32800.	73000.	110200.
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	07/18/77-09/18/82	113	18600.	35192.37	285000.	0.2	13135325366.061	55993.976	94.2	7865.	32000.	82620.
82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	03/16/81-03/16/81	1	2.3	2.3	2.3	2.3	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0026


Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00076	TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim.	50.	1	1	1.00	1	1	1.00									
00400	PH	Other-Hi Lim.	9.	74	0	0.00	33	0	0.00	32	0	0.00	9	0	0.00			
		Other-Lo Lim.	6.5	74	0	0.00	33	0	0.00	32	0	0.00	9	0	0.00			
00403	PH, LAB	Other-Hi Lim.	9.	5	0	0.00	2	0	0.00	3	0	0.00						
		Other-Lo Lim.	6.5	5	0	0.00	2	0	0.00	3	0	0.00						
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	3	0	0.00	1	0	0.00	2	0	0.00						
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	3	0	0.00				3	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	9	0	0.00	3	0	0.00	6	0	0.00						
		Drinking Water	250.	9	1	0.11	3	1	0.33	6	0	0.00						
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	9	1	0.11	3	0	0.00	6	1	0.17						
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	9	0	0.00	3	0	0.00	6	0	0.00						
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	11	0	0.00	3	0	0.00	7	0	0.00	1	0	0.00			
		Drinking Water	50.	11	0	0.00	3	0	0.00	7	0	0.00	1	0	0.00			
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	5	0	0.00				5	0	0.00						
		Drinking Water	50.	5	0	0.00				5	0	0.00						
01002	ARSENIC, TOTAL	Fresh Acute	360.	43	3	0.07	19	3	0.16	20	0	0.00	4	0	0.00			
		Drinking Water	50.	43	10	0.23	19	10	0.53	20	0	0.00	4	0	0.00			
01005	BARIUM, DISSOLVED	Drinking Water	2000.	9	0	0.00				7	0	0.00	2	0	0.00			
01006	BARIUM, SUSPENDED	Drinking Water	2000.	5	1	0.20				5	1	0.20						
01007	BARIUM, TOTAL	Drinking Water	2000.	30	20	0.67	6	6	1.00	21	11	0.52	3	3	1.00			
01010	BERYLLIUM, DISSOLVED	Fresh Acute	130.	3	0	0.00				3	0	0.00						
		Drinking Water	4.	3	0	0.00				3	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter


EPA Water Quality Criteria Analysis for Station: CHCU0026

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01011	BERYLLIUM, SUSPENDED	Fresh Acute	130.	1	0	0.00				1	0	0.00						
		Drinking Water	4.	1	1	1.00				1	1	1.00						
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	2	0	0.00				2	0	0.00						
		Drinking Water	4.	2	2	1.00				2	2	1.00						
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	5	0	0.00				5	0	0.00						
		Drinking Water	5.	5	0	0.00				5	0	0.00						
01026	CADMIUM, SUSPENDED	Fresh Acute	3.9	1	0	0.00				1	0	0.00						
		Drinking Water	5.	1	0	0.00				1	0	0.00						
01027	CADMIUM, TOTAL	Fresh Acute	3.9	9	4	0.44	1	1	1.00	5	0	0.00	3	3	1.00			
		Drinking Water	5.	9	4	0.44	1	1	1.00	5	0	0.00	3	3	1.00			
01030	CHROMIUM, DISSOLVED	Drinking Water	100.	6	0	0.00				5	0	0.00	1	0	0.00			
01031	CHROMIUM, SUSPENDED	Drinking Water	100.	2	0	0.00				2	0	0.00						
01034	CHROMIUM, TOTAL	Drinking Water	100.	6	1	0.17				4	0	0.00	2	1	0.50			
01040	COPPER, DISSOLVED	Fresh Acute	18.	3	1	0.33				3	1	0.33						
		Drinking Water	1300.	3	0	0.00				3	0	0.00						
01041	COPPER, SUSPENDED	Fresh Acute	18.	2	2	1.00				2	2	1.00						
		Drinking Water	1300.	2	0	0.00				2	0	0.00						
01042	COPPER, TOTAL	Fresh Acute	18.	2	2	1.00				2	2	1.00						
		Drinking Water	1300.	2	0	0.00				2	0	0.00						
01049	LEAD, DISSOLVED	Fresh Acute	82.	9	0	0.00	1	0	0.00	8	0	0.00						
		Drinking Water	15.	9	2	0.22	1	1	1.00	8	1	0.13						
01050	LEAD, SUSPENDED	Fresh Acute	82.	3	3	1.00				3	3	1.00						
		Drinking Water	15.	3	3	1.00				3	3	1.00						
01051	LEAD, TOTAL	Fresh Acute	82.	34 &	30	0.88	11	11	1.00	20	16	0.80	3	3	1.00			
		Drinking Water	15.	34 &	30	0.88	11	11	1.00	20	16	0.80	3	3	1.00			
01065	NICKEL, DISSOLVED	Fresh Acute	1400.	3	0	0.00				3	0	0.00						
		Drinking Water	100.	3	0	0.00				3	0	0.00						
01066	NICKEL, SUSPENDED	Fresh Acute	1400.	2	0	0.00				2	0	0.00						
		Drinking Water	100.	2	0	0.00				2	0	0.00						
01067	NICKEL, TOTAL	Fresh Acute	1400.	2	0	0.00				2	0	0.00						
		Drinking Water	100.	2	0	0.00				2	0	0.00						
01090	ZINC, DISSOLVED	Fresh Acute	120.	3	0	0.00				3	0	0.00						
		Drinking Water	5000.	3	0	0.00				3	0	0.00						
01091	ZINC, SUSPENDED	Fresh Acute	120.	2	2	1.00				2	2	1.00						
		Drinking Water	5000.	2	0	0.00				2	0	0.00						
01092	ZINC, TOTAL	Fresh Acute	120.	2	2	1.00				2	2	1.00						
		Drinking Water	5000.	2	0	0.00				2	0	0.00						
01145	SELENIUM, DISSOLVED	Fresh Acute	20.	7	0	0.00	3	0	0.00	3	0	0.00	1	0	0.00			
		Drinking Water	50.	7	0	0.00	3	0	0.00	3	0	0.00	1	0	0.00			
01146	SELENIUM, SUSPENDED	Fresh Acute	20.	2	0	0.00				2	0	0.00						
		Drinking Water	50.	2	0	0.00				2	0	0.00						
01147	SELENIUM, TOTAL	Fresh Acute	20.	15	0	0.00	9	0	0.00	2	0	0.00	4	0	0.00			
		Drinking Water	50.	15	0	0.00	9	0	0.00	2	0	0.00	4	0	0.00			
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	8	1	0.13	3	0	0.00	4	1	0.25	1	0	0.00			
		Drinking Water	2.	8	1	0.13	3	0	0.00	4	1	0.25	1	0	0.00			
71895	MERCURY, SUSPENDED	Fresh Acute	2.4	2	0	0.00				2	0	0.00						
		Drinking Water	2.	2	0	0.00				2	0	0.00						
71900	MERCURY, TOTAL	Fresh Acute	2.4	14	3	0.21	6	3	0.50	4	0	0.00	4	0	0.00			
		Drinking Water	2.	14	4	0.29	6	4	0.67	4	0	0.00	4	0	0.00			
80020	URANIUM, DISS. BY EXTRACTION FLUOROMETRI	Drinking Water	20.	2	0	0.00				2	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter



AH-SHI-SLE-PAH WASH NEAR KIMBETO ,NM



AH-SHI-SLE-PAH WASH NEAR KIMBETO ,NM

Annual Analysis for 1977 - Station CHCU0026

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00061	FLOW, STREAM, INSTANTANEOUS CFS	07/18/77-08/11/83	25	140.	372.8	1000.	140.	100529.333	317.064	140.	140.	480.	1000.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	07/18/77-03/17/83	9	825.	875.	1100.	580.	33612.5	183.337	580.	740.	1050.	1100.
00400p	PH (STANDARD UNITS)	07/18/77-03/17/83	9	7.5	7.422	7.7	6.9	0.067	0.259	6.9	7.25	7.6	7.7
00400p	CONVERTED PH (STANDARD UNITS)	07/18/77-03/17/83	9	7.5	7.341	7.7	6.9	0.074	0.273	6.9	7.25	7.6	7.7
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/18/77-03/17/83	9	0.032	0.046	0.126	0.02	0.001	0.035	0.02	0.025	0.06	0.126
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/18/77-08/11/83	25	78.	75.92	97.	45.	121.743	11.034	60.4	71.5	82.	89.4
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/18/77-08/11/83	25	76000.	79460.	220000.	34200.	1282683333.333	35814.569	45980.	56500.	84800.	115800.
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	07/18/77-09/18/82	25	32300.	86612.	285000.	12900.	7325256933.333	85587.715	17380.	26000.	147500.	228800.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1978 - Station CHCU0026

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00061	FLOW, STREAM, INSTANTANEOUS CFS	07/18/77-08/11/83	15	3.	19.001	140.	0.01	1487.687	38.571	1.204	2.	4.	93.2
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	07/18/77-03/17/83	24	600.	745.	1650.	280.	95695.652	309.347	490.	536.25	910.	1207.5
00400p	PH (STANDARD UNITS)	07/18/77-03/17/83	24	7.7	7.771	8.5	7.3	0.167	0.408	7.3	7.325	8.2	8.35
00400p	CONVERTED PH (STANDARD UNITS)	07/18/77-03/17/83	24	7.7	7.616	8.5	7.3	0.192	0.438	7.3	7.325	8.2	8.35
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/18/77-03/17/83	24	0.02	0.024	0.05	0.003	0.	0.018	0.004	0.006	0.048	0.05
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/18/77-08/11/83	40	90.	82.875	100.	27.	298.522	17.278	57.	74.25	96.	99.
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/18/77-08/11/83	46	43400.	40518.913	130000.	7450.	622404672.126	24948.039	12290.	14625.	56200.	66300.
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	07/18/77-09/18/82	44	11350.	17088.351	67000.	0.21334504624.675		18289.468	88.	161.5	24825.	48700.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1979 - Station CHCU0026

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00061	FLOW, STREAM, INSTANTANEOUS CFS	07/18/77-08/11/83	14	146.5	133.929	198.	14.	4155.61	64.464	23.5	98.	189.	196.5
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	07/18/77-03/17/83	16	635.	697.188	1400.	420.	89426.563	299.043	420.	445.	855.	1288.
00400p	PH (STANDARD UNITS)	07/18/77-03/17/83	16	7.55	7.531	7.9	7.3	0.028	0.166	7.3	7.4	7.6	7.83
00400p	CONVERTED PH (STANDARD UNITS)	07/18/77-03/17/83	16	7.547	7.504	7.9	7.3	0.028	0.169	7.3	7.4	7.6	7.83
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/18/77-03/17/83	16	0.028	0.031	0.05	0.013	0.	0.011	0.015	0.025	0.04	0.05
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/18/77-08/11/83	25	43.	55.4	100.	29.	513.833	22.668	32.4	38.	78.5	88.4
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/18/77-08/11/83	26	51800.	52913.462	147000.	6000.	1151649911.538	33935.968	8955.	33050.	62525.	115300.
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	07/18/77-09/18/82	26	19400.	20016.092	46500.	6.4	165586204.878	12868.03	473.4	8665.	30550.	36850.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1980 - Station CHCU0026

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00061	FLOW, STREAM, INSTANTANEOUS CFS	07/18/77-08/11/83	1	1.	1.	1.	1.	0.	0.	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	07/18/77-03/17/83	7	1000.	1335.	2600.	650.	604991.667	777.812	**	**	**	**
00400p	PH (STANDARD UNITS)	07/18/77-03/17/83	7	7.7	7.671	8.3	7.	0.246	0.496	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	07/18/77-03/17/83	7	7.7	7.444	8.3	7.	0.306	0.553	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/18/77-03/17/83	7	0.02	0.036	0.1	0.005	0.001	0.038	**	**	**	**
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/18/77-08/11/83	1	100.	100.	100.	100.	0.	0.	**	**	**	**
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/18/77-08/11/83	1	11900.	11900.	11900.	11900.	0.	0.	**	**	**	**
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	07/18/77-09/18/82	1	42.	42.	42.	42.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1981 - Station CHCU0026

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00061	FLOW, STREAM, INSTANTANEOUS CFS	07/18/77-08/11/83	1	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	07/18/77-03/17/83	14	625.	840.	2200.	450.	309707.692	556.514	470.	500.	850.	2110.
00400p	PH (STANDARD UNITS)	07/18/77-03/17/83	14	7.3	7.407	8.4	6.6	0.198	0.445	6.8	7.15	7.65	8.15
00400p	CONVERTED PH (STANDARD UNITS)	07/18/77-03/17/83	14	7.3	7.221	8.4	6.6	0.235	0.485	6.8	7.15	7.65	8.15
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/18/77-03/17/83	14	0.05	0.06	0.251	0.004	0.004	0.062	0.008	0.023	0.072	0.176
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/18/77-08/11/83	9	92.	89.667	100.	68.	91.25	9.552	68.	85.5	96.5	100.
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/18/77-08/11/83	11	31700.	35336.364	98500.	19600.	496162545.455	22274.706	19840.	22300.	38900.	86740.
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	07/18/77-09/18/82	9	8530.	9018.222	13900.	24.	17452573.444	4177.628	24.	7505.	12350.	13900.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1982 - Station CHCU0026


Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00061	FLOW, STREAM, INSTANTANEOUS CFS	07/18/77-08/11/83	8	125.5	111.25	145.	1.	2265.643	47.599	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	07/18/77-03/17/83	3	561.	927.	1770.	450.	536067.	732.166	**	**	**	**
00400p	PH (STANDARD UNITS)	07/18/77-03/17/83	3	7.3	7.533	8.6	6.7	0.943	0.971	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	07/18/77-03/17/83	3	7.3	7.075	8.6	6.7	1.258	1.122	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/18/77-03/17/83	3	0.05	0.084	0.2	0.003	0.011	0.103	**	**	**	**
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/18/77-08/11/83	10	90.	89.8	99.	78.	41.067	6.408	78.4	85.75	95.	98.6
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/18/77-08/11/83	10	60800.	136522.	721000.	8920.	45998332395.556	214472.218	11718.	38250.	118950.	672600.
80155p	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	07/18/77-09/18/82	8	20100.	57240.75	273000.	26.	8412560427.357	91720.011	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot


Annual Analysis for 1983 - Station CHCU0026

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00061	FLOW, STREAM, INSTANTANEOUS CFS	07/18/77-08/11/83	16	290.	550.063	1950.	0.	360853.263	600.711	48.3	175.5	975.25	1775.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	07/18/77-03/17/83	1	746.	746.	746.	746.	0.	0.	**	**	**	**
00400p	PH (STANDARD UNITS)	07/18/77-03/17/83	1	7.3	7.3	7.3	7.3	0.	0.	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	07/18/77-03/17/83	1	7.3	7.3	7.3	7.3	0.	0.	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/18/77-03/17/83	1	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/18/77-08/11/83	9	73.	73.889	91.	63.	94.861	9.74	63.	64.5	81.	91.
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/18/77-08/11/83	16	75000.	119496.875	373000.	2650.	12423902822.917	111462.562	26975.	41075.	147500.	338700.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot




AH-SHI-SLE-PAH WASH NEAR KIMBETO ,NM




AH-SHI-SLE-PAH WASH NEAR KIMBETO ,NM

Station: CHCU0026 Parameter Code: 70331


SUSPENDED SED SIEVE DIAMETER,% FINER TH



AH-SHI-SLE-PAH WASH NEAR KIMBETO ,NM



AH-SHI-SLE-PAH WASH NEAR KIMBETO ,NM



AH-SHI-SLE-PAH WASH NEAR KIMBETO ,NM

Seasonal Analysis for Season #1: 7/01 to 10/19 - Station CHCU0026

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00061	FLOW, STREAM, INSTANTANEOUS CFS	07/18/77-08/11/83	47	166.	404.468	1950.	69.	186239.82	431.555	111.	140.	480.	1030.
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/18/77-08/11/83	57	79.	77.842	97.	34.	180.814	13.447	62.8	72.5	88.	92.2
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/18/77-08/11/83	65	70800.	97290.769	721000.	34200.	10550212413.462	102714.227	38260.	51250.	91900.	179200.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #2: 10/20 to 4/09 - Station CHCU0026

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00061	FLOW, STREAM, INSTANTANEOUS CFS	07/18/77-08/11/83	30	4.	63.617	198.	0.	6338.709	79.616	0.55	2.	138.25	191.6
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/18/77-08/11/83	44	75.5	70.409	100.	27.	680.712	26.09	36.5	42.25	98.	100.
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/18/77-08/11/83	52	23400.	34505.577	130000.	2650.	759135421.229	27552.412	8073.	13800.	51700.	68130.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot


Seasonal Analysis for Season #3: 4/10 to 6/30 - Station CHCU0026

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00061	FLOW, STREAM, INSTANTANEOUS CFS	07/18/77-08/11/83	3	62.	84.667	140.	52.	2321.333	48.18	**	**	**	**
70331p	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/18/77-08/11/83	18	91.5	85.167	97.	54.	175.206	13.237	62.1	76.5	94.5	97.
80154p	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/18/77-08/11/83	18	41650.	43650.	64800.	22300.	140590882.353	11857.103	26080.	35600.	52500.	58770.


** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station: CHCU0026 Parameter Code: 70331

SUSPENDED SED SIEVE DIAMETER,% FINER TH



AH-SHI-SLE-PAH WASH NEAR KIMBETO ,NM



AH-SHI-SLE-PAH WASH NEAR KIMBETO ,NM

Station Inventory for Station: CHCU0027

NPS Station ID: CHCU0027
LAT/LON: 36.128615/-107.953893
Agency: 112WRD
Date Created: 12/11/78
Location: 22N.11W.24.214 TSOSIE SWALE NR KIMBETO,NM
FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 360743107571410
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 14080106
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 14080106
RF1 Mile Point: 0.000
Distance from RF1: 2.10
On/Off RF1:
RF3 Index: 14080106203200.15
RF3 Mile Point: 0.28
Distance from RF3: 0.02
On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0027

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/07/78-03/03/80	17	380.	350.706	470.	190.	6274.721	79.213	206.	290.	401.	438.
00400	PH (STANDARD UNITS)	05/07/78-03/03/80	17	7.3	7.329	7.8	6.8	0.078	0.28	6.88	7.1	7.55	7.72
00400	CONVERTED PH (STANDARD UNITS)	05/07/78-03/03/80	17	7.3	7.244	7.8	6.8	0.086	0.294	6.88	7.1	7.55	7.72
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	05/07/78-03/03/80	17	0.05	0.057	0.158	0.016	0.002	0.039	0.019	0.028	0.079	0.132
00405	CARBON DIOXIDE (MG/L AS CO2)	05/07/78-03/03/80	12	10.25	12.825	44.	2.2	123.255	11.102	3.13	6.	17.	36.5
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	05/07/78-03/03/80	13	144.	135.154	190.	69.	2168.141	46.563	69.8	78.5	177.	190.
00440	BICARBONATE ION (MG/L AS HCO3)	05/07/78-03/03/80	12	184.	171.5	232.	84.	2917.909	54.018	85.2	115.	218.	232.
00445	CARBONATE ION (MG/L AS CO3)	03/03/80-03/03/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00600	NITROGEN, TOTAL (MG/L AS N)	05/07/78-03/03/80	2	6.7	6.7	7.7	5.7	2.	1.414	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	05/07/78-03/03/80	2	4.2	4.2	4.9	3.5	0.98	0.99	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	05/07/78-03/03/80	2	0.04	0.04	0.07	0.01	0.002	0.042	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	05/07/78-03/03/80	2	4.25	4.25	4.9	3.6	0.845	0.919	**	**	**	**
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	05/07/78-03/03/80	2	2.45	2.45	2.8	2.1	0.245	0.495	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	05/07/78-03/03/80	2	2.45	2.45	2.8	2.1	0.245	0.495	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	05/07/78-03/03/80	2	0.105	0.105	0.15	0.06	0.004	0.064	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	05/07/78-05/07/78	1	0.31	0.31	0.31	0.31	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	05/07/78-03/03/80	2	0.035	0.035	0.05	0.02	0.	0.021	**	**	**	**
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	03/03/80-03/03/80	1	6.	6.	6.	6.	0.	0.	**	**	**	**
00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	03/03/80-03/03/80	1	33.	33.	33.	33.	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	05/07/78-03/03/80	3	38.	38.333	52.	25.	182.333	13.503	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	05/07/78-03/03/80	3	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	05/07/78-03/03/80	3	12.	12.667	18.	8.	25.333	5.033	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	05/07/78-03/03/80	3	1.7	1.633	2.	1.2	0.163	0.404	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	05/07/78-03/03/80	3	45.	47.333	57.	40.	76.333	8.737	**	**	**	**
00931	SODIUM ADSORPTION RATIO	05/07/78-03/03/80	3	3.4	3.367	3.5	3.2	0.023	0.153	**	**	**	**
00932	SODIUM, PERCENT	05/07/78-03/03/80	3	69.	70.667	75.	68.	14.333	3.786	**	**	**	**
00933	SODIUM,PLUS POTASSIUM (MG/L)	11/08/79-11/08/79	1	52.	52.	52.	52.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	05/07/78-03/03/80	3	3.9	4.567	6.6	3.2	3.223	1.795	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	05/07/78-03/03/80	3	5.	5.	6.	4.	1.	1.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	05/07/78-03/03/80	3	26.	30.667	42.	24.	97.333	9.866	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	05/07/78-03/03/80	3	0.6	0.567	0.6	0.5	0.003	0.058	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	05/07/78-03/03/80	3	9.4	9.067	9.5	8.3	0.443	0.666	**	**	**	**
01000	ARSENIC, DISSOLVED (UG/L AS AS)	03/03/80-03/03/80	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01001	ARSENIC, SUSPENDED (UG/L AS AS)	03/03/80-03/03/80	1	12.	12.	12.	12.	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	05/07/78-03/03/80	16	11.5	15.094	42.	0.5	150.141	12.253	0.85	5.5	26.25	35.7
01005	BARIUM, DISSOLVED (UG/L AS BA)	03/03/80-03/03/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01006	BARIUM, SUSPENDED (UG/L AS BA)	03/03/80-03/03/80	1	1000.	1000.	1000.	1000.	0.	0.	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	09/24/78-03/03/80	15	1200.	1324.667	2600.	70.	765983.81	875.205	148.	800.	2100.	2600.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0027

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01020	BORON, DISSOLVED (UG/L AS B)	05/07/78-11/08/79	2	65.	65.	70.	60.	50.	7.071	**	**	**	**
01022	BORON, TOTAL (UG/L AS B)	09/24/78-11/08/79	14	235.	205.714	330.	70.	5534.066	74.391	85.	127.5	260.	295.
01025	CADMIUM, DISSOLVED (UG/L AS CD)	03/03/80-03/03/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01026	CADMIUM, SUSPENDED (UG/L AS CD)	03/03/80-03/03/80	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	03/03/80-03/03/80	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	03/03/80-03/03/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01031	CHROMIUM, SUSPEND (UG/L AS CR)	03/03/80-03/03/80	1	60.	60.	60.	60.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	03/03/80-03/03/80	1	60.	60.	60.	60.	0.	0.	**	**	**	**
01035	COBALT, DISSOLVED (UG/L AS CO)	03/03/80-03/03/80	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01036	COBALT, SUSPENDED (UG/L AS CO)	03/03/80-03/03/80	1	29.	29.	29.	29.	0.	0.	**	**	**	**
01037	COBALT, TOTAL (UG/L AS CO)	03/03/80-03/03/80	1	30.	30.	30.	30.	0.	0.	**	**	**	**
01040	COPPER, DISSOLVED (UG/L AS CU)	03/03/80-03/03/80	1	6.	6.	6.	6.	0.	0.	**	**	**	**
01041	COPPER, SUSPENDED (UG/L AS CU)	03/03/80-03/03/80	1	110.	110.	110.	110.	0.	0.	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	03/03/80-03/03/80	1	120.	120.	120.	120.	0.	0.	**	**	**	**
01044	IRON, SUSPENDED (UG/L AS FE)	03/03/80-03/03/80	1	95000.	95000.	95000.	95000.	0.	0.	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	09/24/78-03/03/80	15	82000.	78826.667	140000.	9400.	1644193523.81	40548.656	12160.	62000.	120000.	128000.
01046	IRON, DISSOLVED (UG/L AS FE)	05/07/78-03/03/80	2	50.	50.	50.	50.	0.	0.	**	**	**	**
01049	LEAD, DISSOLVED (UG/L AS PB)	03/03/80-03/03/80	1	5.	5.	5.	5.	0.	0.	**	**	**	**
01050	LEAD, SUSPENDED (UG/L AS PB)	03/03/80-03/03/80	1	78.	78.	78.	78.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	05/07/78-03/03/80	16	200.	210.313	500.	0.	25727.429	160.398	0.	82.25	375.	430.
01054	MANGANESE, SUSPENDED (UG/L AS MN)	03/03/80-03/03/80	1	1400.	1400.	1400.	1400.	0.	0.	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	09/24/78-03/03/80	15	1900.	1680.667	3300.	210.	886278.095	941.423	246.	920.	2400.	3120.
01056	MANGANESE, DISSOLVED (UG/L AS MN)	03/03/80-03/03/80	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01075	SILVER, DISSOLVED (UG/L AS AG)	03/03/80-03/03/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01076	SILVER, SUSPENDED (UG/L AS AG)	03/03/80-03/03/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01077	SILVER, TOTAL (UG/L AS AG)	03/03/80-03/03/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01090	ZINC, DISSOLVED (UG/L AS ZN)	03/03/80-03/03/80	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01091	ZINC, SUSPENDED (UG/L ZN)	03/03/80-03/03/80	1	440.	440.	440.	440.	0.	0.	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	03/03/80-03/03/80	1	450.	450.	450.	450.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	11/08/79-11/08/79	1	50.	50.	50.	50.	0.	0.	**	**	**	**
01145	SELENIUM, DISSOLVED (UG/L AS SE)	03/03/80-03/03/80	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01146	SELENIUM, SUSPENDED (UG/L AS SE)	03/03/80-03/03/80	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	03/03/80-03/03/80	1	6.	6.	6.	6.	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	03/03/80-03/03/80	1	236.	236.	236.	236.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	05/07/78-03/03/80	3	152.	179.333	236.	150.	2409.333	49.085	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	05/07/78-11/08/79	2	1.43	1.43	2.05	0.81	0.769	0.877	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	05/07/78-03/03/80	3	0.21	0.243	0.32	0.2	0.004	0.067	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	05/07/78-11/08/79	19	98.	96.895	100.	81.	17.877	4.228	93.	97.	99.	100.
71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH4)	03/03/80-03/03/80	1	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
71887	NITROGEN, TOTAL, AS NO3 - MG/L	05/07/78-03/03/80	2	29.5	29.5	34.	25.	40.5	6.364	**	**	**	**
71890	MERCURY, DISSOLVED (UG/L AS HG)	03/03/80-03/03/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
71895	MERCURY, SUSPENDED (UG/L AS HG)	03/03/80-03/03/80	1	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	05/07/78-03/03/80	2	0.45	0.45	0.5	0.4	0.005	0.071	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	05/07/78-11/08/79	19	7120.	7955.368	16200.	881.	23135259.69	4809.913	931.	4020.	11700.	15300.
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	05/07/78-11/08/79	16	223.5	507.	3060.	25.	571511.333	755.984	45.3	65.5	702.	1667.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0027

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	17	0	0.00	7	0	0.00	9	0	0.00	1	0	0.00			
		Other-Lo Lim.	6.5	17	0	0.00	7	0	0.00	9	0	0.00	1	0	0.00			
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	2	0	0.00				1	0	0.00	1	0	0.00			
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	2	0	0.00				1	0	0.00	1	0	0.00			
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	3	0	0.00				2	0	0.00	1	0	0.00			
		Drinking Water	250.	3	0	0.00				2	0	0.00	1	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	3	0	0.00				2	0	0.00	1	0	0.00			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	3	0	0.00				2	0	0.00	1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0027

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01002	ARSENIC, TOTAL	Fresh Acute	360.	16	0	0.00	7	0	0.00	8	0	0.00	1	0	0.00			
		Drinking Water	50.	16	0	0.00	7	0	0.00	8	0	0.00	1	0	0.00			
01005	BARIUM, DISSOLVED	Drinking Water	2000.	1	0	0.00				1	0	0.00						
01006	BARIUM, SUSPENDED	Drinking Water	2000.	1	0	0.00				1	0	0.00						
01007	BARIUM, TOTAL	Drinking Water	2000.	15	5	0.33	7	5	0.71	8	0	0.00						
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	1	0	0.00				1	0	0.00						
		Drinking Water	5.	1	0	0.00				1	0	0.00						
01026	CADMIUM, SUSPENDED	Fresh Acute	3.9	1	0	0.00				1	0	0.00						
		Drinking Water	5.	1	0	0.00				1	0	0.00						
01027	CADMIUM, TOTAL	Fresh Acute	3.9	1	0	0.00				1	0	0.00						
		Drinking Water	5.	1	0	0.00				1	0	0.00						
01030	CHROMIUM, DISSOLVED	Drinking Water	100.	1	0	0.00				1	0	0.00						
01031	CHROMIUM, SUSPENDED	Drinking Water	100.	1	0	0.00				1	0	0.00						
01034	CHROMIUM, TOTAL	Drinking Water	100.	1	0	0.00				1	0	0.00						
01040	COPPER, DISSOLVED	Fresh Acute	18.	1	0	0.00				1	0	0.00						
		Drinking Water	1300.	1	0	0.00				1	0	0.00						
01041	COPPER, SUSPENDED	Fresh Acute	18.	1	1	1.00				1	1	1.00						
		Drinking Water	1300.	1	0	0.00				1	0	0.00						
01042	COPPER, TOTAL	Fresh Acute	18.	1	1	1.00				1	1	1.00						
		Drinking Water	1300.	1	0	0.00				1	0	0.00						
01049	LEAD, DISSOLVED	Fresh Acute	82.	1	0	0.00				1	0	0.00						
		Drinking Water	15.	1	0	0.00				1	0	0.00						
01050	LEAD, SUSPENDED	Fresh Acute	82.	1	0	0.00				1	0	0.00						
		Drinking Water	15.	1	1	1.00				1	1	1.00						
01051	LEAD, TOTAL	Fresh Acute	82.	16	13	0.81	7	7	1.00	8	5	0.63	1	1	1.00			
		Drinking Water	15.	16	13	0.81	7	7	1.00	8	5	0.63	1	1	1.00			
01075	SILVER, DISSOLVED	Fresh Acute	4.1	1	0	0.00				1	0	0.00						
		Drinking Water	100.	1	0	0.00				1	0	0.00						
01076	SILVER, SUSPENDED	Fresh Acute	4.1	1	0	0.00				1	0	0.00						
		Drinking Water	100.	1	0	0.00				1	0	0.00						
01077	SILVER, TOTAL	Fresh Acute	4.1	1	0	0.00				1	0	0.00						
		Drinking Water	100.	1	0	0.00				1	0	0.00						
01090	ZINC, DISSOLVED	Fresh Acute	120.	1	0	0.00				1	0	0.00						
		Drinking Water	5000.	1	0	0.00				1	0	0.00						
01091	ZINC, SUSPENDED	Fresh Acute	120.	1	1	1.00				1	1	1.00						
		Drinking Water	5000.	1	0	0.00				1	0	0.00						
01092	ZINC, TOTAL	Fresh Acute	120.	1	1	1.00				1	1	1.00						
		Drinking Water	5000.	1	0	0.00				1	0	0.00						
01145	SELENIUM, DISSOLVED	Fresh Acute	20.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01146	SELENIUM, SUSPENDED	Fresh Acute	20.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01147	SELENIUM, TOTAL	Fresh Acute	20.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	1	0	0.00				1	0	0.00						
		Drinking Water	2.	1	0	0.00				1	0	0.00						
71895	MERCURY, SUSPENDED	Fresh Acute	2.4	1	0	0.00				1	0	0.00						
		Drinking Water	2.	1	0	0.00				1	0	0.00						
71900	MERCURY, TOTAL	Fresh Acute	2.4	2	0	0.00				1	0	0.00	1	0	0.00			
		Drinking Water	2.	2	0	0.00				1	0	0.00	1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0028

NPS Station ID: CHCU0028 LAT/LON: 36.103892/-107.955559 Agency: 112WRD Date Created: 06/16/77
Location: 22N.11W.25.433 ESCAVADO WASH AT HIWAY 56 BR.,NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 360614107572010
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 11.50 On/Off RF1:
RF3 Index: 14080106221100.00 RF3 Mile Point: 1.93 Distance from RF3: 0.00 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0028

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	02/17/77-11/03/78	5	8.	7.3	12.	2.5	11.95	3.457	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	02/17/77-07/13/81	2	0.	0.	0.	0.	0.	0.	**	**	**	**
00070	TURBIDITY, (JACKSON CANDLE UNITS)	02/17/77-02/17/77	1	7900.	7900.	7900.	7900.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	02/17/77-07/13/81	8	585.	1208.75	5000.	440.	2393298.214	1547.029	**	**	**	**
00340	COD, .25N K2CR2O7 MG/L	02/17/77-02/17/77	1	270.	270.	270.	270.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	02/17/77-07/13/81	8	8.3	7.9	8.6	6.9	0.577	0.76	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	02/17/77-07/13/81	8	8.289	7.379	8.6	6.9	0.887	0.942	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	02/17/77-07/13/81	8	0.005	0.042	0.126	0.003	0.003	0.056	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	02/17/77-07/13/81	5	29.	39.5	83.	0.9	1625.88	40.322	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	02/17/77-07/13/81	7	240.	256.714	340.	170.	4324.905	65.764	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	02/17/77-07/13/81	5	352.	336.4	410.	230.	5794.8	76.124	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	02/17/77-02/17/77	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	02/17/77-02/17/77	1	340.	340.	340.	340.	0.	0.	**	**	**	**
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	02/17/77-02/17/77	1	20000.	20000.	20000.	20000.	0.	0.	**	**	**	**
00600	NITROGEN, TOTAL (MG/L AS N)	02/17/77-05/09/78	2	16.	16.	20.	12.	32.	5.657	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	02/17/77-05/09/78	2	12.2	12.2	16.	8.4	28.88	5.374	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	02/17/77-05/09/78	2	0.04	0.04	0.06	0.02	0.001	0.028	**	**	**	**
00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	02/17/77-02/17/77	1	0.02	0.02	0.02	0.02	0.	0.	**	**	**	**
00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	02/17/77-02/17/77	1	2.8	2.8	2.8	2.8	0.	0.	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	02/17/77-05/09/78	2	12.2	12.2	16.	8.4	28.88	5.374	**	**	**	**
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	02/17/77-05/09/78	2	3.55	3.55	4.	3.1	0.405	0.636	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	02/17/77-05/09/78	2	3.3	3.3	3.8	2.8	0.5	0.707	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	02/17/77-05/09/78	2	1.25	1.25	2.1	0.4	1.445	1.202	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	02/17/77-05/09/78	2	1.19	1.19	1.7	0.68	0.52	0.721	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	02/17/77-05/09/78	2	0.405	0.405	0.68	0.13	0.151	0.389	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	02/17/77-05/09/78	3	53.	60.	77.	50.	219.	14.799	**	**	**	**
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	02/28/78-05/09/78	2	4.2	4.2	5.8	2.6	5.12	2.263	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	02/17/77-11/03/78	3	21.	17.333	25.	6.	100.333	10.017	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	02/17/77-11/03/78	2	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	02/17/77-11/03/78	3	7.4	6.233	9.	2.3	12.243	3.499	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	02/17/77-11/03/78	3	0.5	0.367	0.5	0.1	0.053	0.231	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	02/17/77-11/03/78	3	140.	127.667	150.	93.	926.333	30.436	**	**	**	**
00931	SODIUM ADSORPTION RATIO	02/17/77-11/03/78	3	13.	14.	16.	13.	3.	1.732	**	**	**	**
00932	SODIUM, PERCENT	02/17/77-11/03/78	3	93.	93.667	96.	92.	4.333	2.082	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	02/17/77-11/03/78	3	2.	1.733	2.	1.2	0.213	0.462	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	02/17/77-11/03/78	3	3.	3.	4.	2.	1.	1.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	02/17/77-11/03/78	3	110.	98.	130.	54.	1552.	39.395	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	02/17/77-11/03/78	3	1.	0.933	1.1	0.7	0.043	0.208	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0028

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00955	SILICA, DISSOLVED (MG/L AS SI02)	02/17/77-11/03/78	3	14.	15.	18.	13.	7.	2.646	**	**	**	**
01000	ARSENIC, DISSOLVED (UG/L AS AS)	02/17/77-11/03/78	4	11.5	12.5	20.	7.	33.667	5.802	**	**	**	**
01001	ARSENIC, SUSPENDED (UG/L AS AS)	11/03/78-11/03/78	2	82.	82.	83.	81.	2.	1.414	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	02/28/78-11/03/78	4	65.	63.75	90.	35.	922.917	30.38	**	**	**	**
01005	BARIUM, DISSOLVED (UG/L AS BA)	02/17/77-11/03/78	5 ##	50.	80.	200.	50.	4500.	67.082	**	**	**	**
01006	BARIUM, SUSPENDED (UG/L AS BA)	11/03/78-11/03/78	2	5550.	5550.	5600.	5500.	5000.	70.711	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	02/28/78-11/03/78	4	5600.	5700.	6400.	5200.	253333.333	503.322	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	02/17/77-11/03/78	4	95.	100.	150.	60.	1533.333	39.158	**	**	**	**
01021	BORON, SUSPENDED (UG/L AS B)	11/03/78-11/03/78	2	110.	110.	110.	110.	0.	0.	**	**	**	**
01022	BORON, TOTAL (UG/L AS B)	11/03/78-11/03/78	2	180.	180.	190.	170.	200.	14.142	**	**	**	**
01025	CADMIUM, DISSOLVED (UG/L AS CD)	02/17/77-02/28/78	2 ##	1.	1.	2.	0.	2.	1.414	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	02/28/78-05/09/78	2	16.	16.	30.	2.	392.	19.799	**	**	**	**
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	02/28/78-05/09/78	2 ##	5.	5.	10.	0.	50.	7.071	**	**	**	**
01032	CHROMIUM, HEXAVALENT (UG/L AS CR)	02/17/77-02/17/77	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	02/28/78-05/09/78	2	125.	125.	160.	90.	2450.	49.497	**	**	**	**
01040	COPPER, DISSOLVED (UG/L AS CU)	02/17/77-02/17/77	1	13.	13.	13.	13.	0.	0.	**	**	**	**
01044	IRON, SUSPENDED (UG/L AS FE)	11/03/78-07/13/81	3	330000.	313333.333	330000.	280000.	833333333.333	28867.513	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	11/03/78-07/13/81	5	330000.	318000.	330000.	280000.	470000000.	21679.483	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	02/17/77-07/13/81	5	490.	548.	1300.	50.	231070.	480.697	**	**	**	**
01049	LEAD, DISSOLVED (UG/L AS PB)	02/17/77-11/03/78	3 ##	0.	0.667	2.	0.	1.333	1.155	**	**	**	**
01050	LEAD, SUSPENDED (UG/L AS PB)	02/17/77-02/17/77	1	600.	600.	600.	600.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	02/17/77-11/03/78	3	800.	766.667	900.	600.	23333.333	152.753	**	**	**	**
01054	MANGANESE, SUSPENDED (UG/L AS MN)	11/03/78-07/13/81	3	11000.	11366.667	14000.	9100.	6103333.333	2470.493	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	11/03/78-07/13/81	5	14000.	16820.	25000.	9100.	58812000.	7668.898	**	**	**	**
01056	MANGANESE, DISSOLVED (UG/L AS MN)	02/17/77-07/13/81	4 ##	5.	6.25	10.	5.	6.25	2.5	**	**	**	**
01075	SILVER, DISSOLVED (UG/L AS AG)	02/17/77-02/17/77	1 ##	0.	0.	0.	0.	0.	0.	**	**	**	**
01090	ZINC, DISSOLVED (UG/L AS ZN)	02/17/77-02/17/77	1	40.	40.	40.	40.	0.	0.	**	**	**	**
01145	SELENIUM, DISSOLVED (UG/L AS SE)	02/17/77-02/17/77	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	05/09/78-05/09/78	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	02/17/77-02/17/77	1	4.1	4.1	4.1	4.1	0.	0.	**	**	**	**
03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	02/17/77-02/17/77	1	500.	500.	500.	500.	0.	0.	**	**	**	**
09511	RADIUM 226, DISSOLVED, RADON METHOD	02/17/77-02/17/77	1	0.16	0.16	0.16	0.16	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	02/17/77-11/03/78	2	414.	414.	445.	383.	1922.	43.841	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	02/17/77-11/03/78	2	366.5	366.5	440.	293.	10804.5	103.945	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	02/17/77-11/03/78	2	145.35	145.35	240.	50.7	17917.245	133.855	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	02/17/77-11/03/78	2	0.565	0.565	0.61	0.52	0.004	0.064	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	02/17/77-07/13/81	6	93.5	90.	96.	69.	107.2	10.354	**	**	**	**
71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	02/17/77-02/17/77	1	12.	12.	12.	12.	0.	0.	**	**	**	**
71856	NITRITE NITROGEN, DISSOLVED (MG/L AS NO2)	02/17/77-02/17/77	1	0.07	0.07	0.07	0.07	0.	0.	**	**	**	**
71887	NITROGEN, TOTAL, AS NO3 - MG/L	02/17/77-05/09/78	2	70.	70.	89.	51.	722.	26.87	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	02/17/77-05/09/78	2	0.65	0.65	0.8	0.5	0.045	0.212	**	**	**	**
80020	URANIUM,DISS.,BY EXTRACTION FLUOROMETRIC METHOD	02/17/77-02/17/77	1	4.	4.	4.	4.	0.	0.	**	**	**	**
80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	02/17/77-02/17/77	1	12.	12.	12.	12.	0.	0.	**	**	**	**
80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	02/17/77-02/17/77	1	1100.	1100.	1100.	1100.	0.	0.	**	**	**	**
80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	02/17/77-02/17/77	1	3.3	3.3	3.3	3.3	0.	0.	**	**	**	**
80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	02/17/77-02/17/77	1	400.	400.	400.	400.	0.	0.	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	02/17/77-07/13/81	6	43550.	45150.	61800.	28100.	202195000.	14219.529	**	**	**	**
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	02/17/77-11/03/78	5	4580.	22050.	69500.	1440.	863435100.	29384.266	**	**	**	**
80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	09/17/80-09/17/80	2	13.	13.	15.	11.	8.	2.828	**	**	**	**
80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	09/17/80-09/17/80	2	34.5	34.5	37.	32.	12.5	3.536	**	**	**	**
80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	09/17/80-09/17/80	2	64.5	64.5	77.	52.	312.5	17.678	**	**	**	**
80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	09/17/80-09/17/80	2	84.	84.	94.	74.	200.	14.142	**	**	**	**
80162	BED MATERIAL FALL DIAMETER, % FINER THAN 1.00MM	09/17/80-09/17/80	1	98.	98.	98.	98.	0.	0.	**	**	**	**
80163	BED MATERIAL FALL DIAMETER, % FINER THAN 2.00MM	09/17/80-09/17/80	1	100.	100.	100.	100.	0.	0.	**	**	**	**
80168	BED MATERIAL SIEVE DIAMETER,% FINER THAN 1.00MM	09/17/80-09/17/80	1	97.	97.	97.	97.	0.	0.	**	**	**	**
80169	BED MATERIAL SIEVE DIAMETER,% FINER THAN 2.00MM	09/17/80-09/17/80	1	98.	98.	98.	98.	0.	0.	**	**	**	**
80170	BED MATERIAL SIEVE DIAMETER,% FINER THAN 4.00MM	09/17/80-09/17/80	1	99.	99.	99.	99.	0.	0.	**	**	**	**
80171	BED MATERIAL SIEVE DIAMETER,% FINER THAN 8.00MM	09/17/80-09/17/80	1	100.	100.	100.	100.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0028

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00070	TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	1	1	1.00				1	1	1.00						
00400	PH	Other-Hi Lim.	9.	8	0	0.00	3	0	0.00	4	0	0.00	1	0	0.00			
		Other-Lo Lim.	6.5	8	0	0.00	3	0	0.00	4	0	0.00	1	0	0.00			
00613	NITRITE NITROGEN, DISSOLVED AS N	Drinking Water	1.	1	0	0.00				1	0	0.00						
00618	NITRATE NITROGEN, DISSOLVED AS N	Drinking Water	10.	1	0	0.00				1	0	0.00						
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	2	0	0.00				1	0	0.00	1	0	0.00			
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	2	0	0.00				1	0	0.00	1	0	0.00			
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	3	0	0.00				2	0	0.00	1	0	0.00			
		Drinking Water	250.	3	0	0.00				2	0	0.00	1	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	3	0	0.00				2	0	0.00	1	0	0.00			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	3	0	0.00				2	0	0.00	1	0	0.00			
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	4	0	0.00				4	0	0.00						
		Drinking Water	50.	4	0	0.00				4	0	0.00						
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	2	0	0.00				2	0	0.00						
		Drinking Water	50.	2	2	1.00				2	2	1.00						
01002	ARSENIC, TOTAL	Fresh Acute	360.	4	0	0.00				3	0	0.00	1	0	0.00			
		Drinking Water	50.	4	2	0.50				3	2	0.67	1	0	0.00			
01005	BARIUM, DISSOLVED	Drinking Water	2000.	5	0	0.00				4	0	0.00	1	0	0.00			
01006	BARIUM, SUSPENDED	Drinking Water	2000.	2	2	1.00				2	2	1.00						
01007	BARIUM, TOTAL	Drinking Water	2000.	4	4	1.00				3	3	1.00	1	1	1.00			
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	2	0	0.00				2	0	0.00						
		Drinking Water	5.	2	0	0.00				2	0	0.00						
01027	CADMIUM, TOTAL	Fresh Acute	3.9	2	1	0.50				1	0	0.00	1	1	1.00			
		Drinking Water	5.	2	1	0.50				1	0	0.00	1	1	1.00			
01030	CHROMIUM, DISSOLVED	Drinking Water	100.	2	0	0.00				1	0	0.00	1	0	0.00			
01032	CHROMIUM, HEXAVALENT	Fresh Acute	16.	1	0	0.00				1	0	0.00						
		Drinking Water	100.	1	0	0.00				1	0	0.00						
01034	CHROMIUM, TOTAL	Drinking Water	100.	2	1	0.50				1	0	0.00	1	1	1.00			
01040	COPPER, DISSOLVED	Fresh Acute	18.	1	0	0.00				1	0	0.00						
		Drinking Water	1300.	1	0	0.00				1	0	0.00						
01049	LEAD, DISSOLVED	Fresh Acute	82.	3	0	0.00				3	0	0.00						
		Drinking Water	15.	3	0	0.00				3	0	0.00						
01050	LEAD, SUSPENDED	Fresh Acute	82.	1	1	1.00				1	1	1.00						
		Drinking Water	15.	1	1	1.00				1	1	1.00						
01051	LEAD, TOTAL	Fresh Acute	82.	3	3	1.00				3	3	1.00						
		Drinking Water	15.	3	3	1.00				3	3	1.00						
01075	SILVER, DISSOLVED	Fresh Acute	4.1	1	0	0.00				1	0	0.00						
		Drinking Water	100.	1	0	0.00				1	0	0.00						
01090	ZINC, DISSOLVED	Fresh Acute	120.	1	0	0.00				1	0	0.00						
		Drinking Water	5000.	1	0	0.00				1	0	0.00						
01145	SELENIUM, DISSOLVED	Fresh Acute	20.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01147	SELENIUM, TOTAL	Fresh Acute	20.	1	0	0.00							1	0	0.00			
		Drinking Water	50.	1	0	0.00							1	0	0.00			
71851	NITRATE NITROGEN, DISSOLVED (AS NO3)	Drinking Water	44.	1	0	0.00				1	0	0.00						
71856	NITRITE NITROGEN, DISSOLVED (AS NO2)	Drinking Water	3.3	1	0	0.00				1	0	0.00						
71900	MERCURY, TOTAL	Fresh Acute	2.4	2	0	0.00				1	0	0.00	1	0	0.00			
		Drinking Water	2.	2	0	0.00				1	0	0.00	1	0	0.00			
80020	URANIUM, DISS. BY EXTRACTION FLUOROMETRI	Drinking Water	20.	1	0	0.00				1	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0029

NPS Station ID: CHCU0029 LAT/LON: 36.054170/-107.964448 Agency: 112WRD Date Created: 11/07/81
Location: CHACO WASH NR PB AT BRIDGE AT CHACO NATL MON NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 09367683
RMI-Indexes: Within Park Boundary: Yes
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 2.60 On/Off RF1:
RF3 Index: 14080106002900.08 RF3 Mile Point: 0.07 Distance from RF3: 0.02 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0029

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	06/30/81-10/06/83	9	19.	15.167	22.	0.5	69.25	8.322	0.5	8.5	20.	22.
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	01/24/83-10/06/83	3	20.	18.	27.5	6.5	113.25	10.642	**	**	**	**
00025	BAROMETRIC PRESSURE (MM OF HG)	01/24/83-01/24/83	1	619.	619.	619.	619.	0.	0.	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	06/30/81-10/06/83	54	27.5	143.593	405.	1.	21309.227	145.977	16.5	24.75	303.75	363.
00065	STAGE, STREAM (FEET)	08/29/83-08/29/83	1	2.22	2.22	2.22	2.22	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	06/30/81-10/06/83	6	339.5	351.5	500.	260.	6341.5	79.634	**	**	**	**
00300	OXYGEN, DISSOLVED MG/L	01/24/83-01/24/83	1	12.	12.	12.	12.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	06/30/81-10/06/83	6	7.75	7.617	8.2	6.8	0.274	0.523	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	06/30/81-10/06/83	6	7.747	7.341	8.2	6.8	0.365	0.604	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	06/30/81-10/06/83	6	0.018	0.046	0.158	0.006	0.003	0.059	**	**	**	**
00403	PH, LAB, STANDARD UNITS SU	06/30/81-10/06/83	6	7.7	7.85	8.7	7.3	0.299	0.547	**	**	**	**
00403	CONVERTED PH, LAB, STANDARD UNITS	06/30/81-10/06/83	6	7.689	7.639	8.7	7.3	0.353	0.594	**	**	**	**
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	06/30/81-10/06/83	6	0.02	0.023	0.05	0.002	0.	0.019	**	**	**	**
00600	NITROGEN, TOTAL (MG/L AS N)	08/24/82-08/24/82	1	34.	34.	34.	34.	0.	0.	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	08/24/82-08/24/82	1	33.	33.	33.	33.	0.	0.	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	08/24/82-08/24/82	1	0.38	0.38	0.38	0.38	0.	0.	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	08/24/82-08/24/82	1	33.	33.	33.	33.	0.	0.	**	**	**	**
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	08/24/82-08/24/82	1	0.7	0.7	0.7	0.7	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	08/24/82-08/24/82	1	0.8	0.8	0.8	0.8	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	08/24/82-08/24/82	1	0.21	0.21	0.21	0.21	0.	0.	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	08/24/82-08/24/82	1	6.3	6.3	6.3	6.3	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	08/24/82-08/24/82	1	0.07	0.07	0.07	0.07	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	06/30/81-01/24/83	4	22.5	31.5	60.	21.	361.667	19.018	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	06/30/81-10/06/83	6	8.85	11.117	21.	6.7	30.598	5.532	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	06/30/81-10/06/83	6	0.9	1.083	1.8	0.8	0.142	0.376	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	06/30/81-10/06/83	6	64.	65.833	96.	51.	266.567	16.327	**	**	**	**
00931	SODIUM ADSORPTION RATIO	06/30/81-01/24/83	4	5.4	5.05	6.5	2.9	2.43	1.559	**	**	**	**
00932	SODIUM, PERCENT	06/30/81-01/24/83	4	83.5	79.	86.	63.	115.333	10.739	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	06/30/81-10/06/83	6	2.55	2.683	3.5	2.	0.286	0.534	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	06/30/81-10/06/83	6	5.	5.167	7.	4.	1.367	1.169	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	06/30/81-10/06/83	6	47.	46.833	100.	8.	967.767	31.109	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	06/30/81-10/06/83	6	0.65	0.65	0.9	0.5	0.023	0.152	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	06/30/81-10/06/83	6	8.9	9.417	14.	6.2	7.758	2.785	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	06/30/81-07/01/81	2	30.	30.	40.	20.	200.	14.142	**	**	**	**
01005	BARIUM, DISSOLVED (UG/L AS BA)	06/30/81-07/01/81	2	50.	50.	100.	0.	5000.	70.711	**	**	**	**
01006	BARIUM, SUSPENDED (UG/L AS BA)	06/30/81-07/01/81	2	2950.	2950.	3900.	2000.	1805000.	1343.503	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	06/30/81-07/01/81	2	3000.	3000.	4000.	2000.	2000000.	1414.214	**	**	**	**
01012	BERYLLIUM, TOTAL (UG/L AS BE)	06/30/81-07/01/81	2	20.	20.	20.	20.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0029

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01020	BORON, DISSOLVED (UG/L AS B)	06/30/81-10/06/83	6	45.	93.333	240.	20.	8626.667	92.88	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	06/30/81-07/01/81	2	2.	2.	3.	1.	2.	1.414	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	06/30/81-07/01/81	2	180.	180.	200.	160.	800.	28.284	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	06/30/81-07/01/81	2	295.	295.	310.	280.	450.	21.213	**	**	**	**
01044	IRON, SUSPENDED (UG/L AS FE)	06/30/81-08/29/83	5	230000.	226000.	310000.	110000.	5280000000.	72663.608	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	06/30/81-08/29/83	5	230000.	226000.	310000.	110000.	5280000000.	72663.608	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	06/30/81-10/06/83	6	85.	184.833	480.	6.	43728.967	209.115	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	06/30/81-07/01/81	2	165.	165.	200.	130.	2450.	49.497	**	**	**	**
01054	MANGANESE, SUSPENDED (UG/L AS MN)	06/30/81-08/29/83	5	4700.	4900.	7500.	1500.	5840000.	2416.609	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	06/30/81-08/29/83	5	4700.	4900.	7500.	1500.	5840000.	2416.609	**	**	**	**
01056	MANGANESE, DISSOLVED (UG/L AS MN)	06/30/81-08/29/83	5	1.	2.4	6.	0.	8.3	2.881	**	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	06/30/81-07/01/81	2	110.	110.	130.	90.	800.	28.284	**	**	**	**
01080	STRONTIUM, DISSOLVED (UG/L AS SR)	06/30/81-07/01/81	2	160.	160.	160.	160.	0.	0.	**	**	**	**
01081	STRONTIUM, SUSPENDED (UG/L AS SR)	06/30/81-07/01/81	2	360.	360.	620.	100.	135200.	367.696	**	**	**	**
01082	STRONTIUM, TOTAL (UG/L AS SR)	06/30/81-07/01/81	2	520.	520.	780.	260.	135200.	367.696	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	06/30/81-07/01/81	2	1000.	1000.	1000.	1000.	0.	0.	**	**	**	**
01130	LITHIUM, DISSOLVED (UG/L AS LI)	06/30/81-07/01/81	2	10.	10.	10.	10.	0.	0.	**	**	**	**
01131	LITHIUM, SUSPENDED (UG/L AS LI)	06/30/81-07/01/81	2	265.	265.	310.	220.	4050.	63.64	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	06/30/81-07/01/81	2	275.	275.	320.	230.	4050.	63.64	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	06/30/81-07/01/81	2	4.	4.	5.	3.	2.	1.414	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	06/30/81-08/29/83	5	203.	193.8	227.	143.	1095.2	33.094	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	06/30/81-01/24/83	4	13.075	33.168	106.	0.52	2470.737	49.707	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	06/30/81-01/24/83	4	0.265	0.258	0.31	0.19	0.003	0.051	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/01/81-10/06/83	8	97.	97.25	100.	94.	3.357	1.832	**	**	**	**
70337	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .002MM	08/03/83-08/27/83	6	60.	60.5	77.	48.	104.7	10.232	**	**	**	**
70338	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .004MM	08/03/83-08/27/83	6	68.	67.667	81.	58.	74.667	8.641	**	**	**	**
70340	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .016MM	08/03/83-08/27/83	6	80.5	80.	86.	73.	28.	5.292	**	**	**	**
70342	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .062MM	08/03/83-08/27/83	6	91.	90.333	95.	84.	16.667	4.082	**	**	**	**
70343	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .125MM	08/03/83-08/27/83	6	96.5	96.5	98.	95.	1.9	1.378	**	**	**	**
70344	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .250MM	08/03/83-08/27/83	6	100.	99.667	100.	99.	0.267	0.516	**	**	**	**
70345	SUS SED FALL DIA(DISTLD WATER)%FINER THAN .500MM	08/03/83-08/27/83	2	100.	100.	100.	100.	0.	0.	**	**	**	**
71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	08/24/82-08/24/82	1	19.	19.	19.	19.	0.	0.	**	**	**	**
71887	NITROGEN, TOTAL, AS NO3 - MG/L	08/24/82-08/24/82	1	150.	150.	150.	150.	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	06/30/81-07/01/81	2	3.4	3.4	4.4	2.4	2.	1.414	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/01/81-10/06/83	53	25700.	28401.887	86700.	8100.	145076342.525	12044.764	15180.	23800.	30600.	44280.
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	07/01/81-08/24/82	3	149.	3819.667	11200.	110.	40852370.333	6391.586	**	**	**	**
80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	07/06/81-07/06/81	1	33.	33.	33.	33.	0.	0.	**	**	**	**
80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	07/06/81-07/06/81	1	70.	70.	70.	70.	0.	0.	**	**	**	**
80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	07/06/81-07/06/81	1	98.	98.	98.	98.	0.	0.	**	**	**	**
80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	07/06/81-07/06/81	1	100.	100.	100.	100.	0.	0.	**	**	**	**
82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	06/30/81-07/01/81	2	2.1	2.1	2.3	1.9	0.08	0.283	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0029

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	1	0	0.00				1	0	0.00						
00400	PH	Other-Hi Lim.	9.	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
		Other-Lo Lim.	6.5	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
00403	PH, LAB	Other-Hi Lim.	9.	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
		Other-Lo Lim.	6.5	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	1	0	0.00	1	0	0.00									
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00	1	0	0.00									
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	250.	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	6	0	0.00	4	0	0.00	1	0	0.00	1	0	0.00			
01002	ARSENIC, TOTAL	Fresh Acute	360.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	50.	2	0	0.00	1	0	0.00				1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0029

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01005	BARIUM, DISSOLVED	Drinking Water	2000.	2	0	0.00	1	0	0.00				1	0	0.00			
01006	BARIUM, SUSPENDED	Drinking Water	2000.	2	2	1.00	1	1	1.00				1	1	1.00			
01007	BARIUM, TOTAL	Drinking Water	2000.	2	2	1.00	1	1	1.00				1	1	1.00			
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	4.	2	2	1.00	1	1	1.00				1	1	1.00			
01027	CADMIUM, TOTAL	Fresh Acute	3.9	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	5.	2	0	0.00	1	0	0.00				1	0	0.00			
01034	CHROMIUM, TOTAL	Drinking Water	100.	2	2	1.00	1	1	1.00				1	1	1.00			
01042	COPPER, TOTAL	Fresh Acute	18.	2	2	1.00	1	1	1.00				1	1	1.00			
		Drinking Water	1300.	2	0	0.00	1	0	0.00				1	0	0.00			
01051	LEAD, TOTAL	Fresh Acute	82.	2	2	1.00	1	1	1.00				1	1	1.00			
		Drinking Water	15.	2	2	1.00	1	1	1.00				1	1	1.00			
01067	NICKEL, TOTAL	Fresh Acute	1400.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	100.	2	1	0.50	1	0	0.00				1	1	1.00			
01092	ZINC, TOTAL	Fresh Acute	120.	2	2	1.00	1	1	1.00				1	1	1.00			
		Drinking Water	5000.	2	0	0.00	1	0	0.00				1	0	0.00			
01147	SELENIUM, TOTAL	Fresh Acute	20.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	50.	2	0	0.00	1	0	0.00				1	0	0.00			
71900	MERCURY, TOTAL	Fresh Acute	2.4	2	2	1.00	1	1	1.00				1	1	1.00			
		Drinking Water	2.	2	2	1.00	1	1	1.00				1	1	1.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0030

NPS Station ID: CHCU0030 LAT/LON: 36.105837/-107.973060 Agency: 112WRD Date Created: 04/14/78
Location: 22N.11W.26.432 ESCAVADO WASH WELL NR CHACO TP,NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 360621107582301
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: U Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 1.20 On/Off RF1:
RF3 Index: 14080106208000.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0030

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	12/19/77-09/08/80	7	7.	10.857	20.	5.	47.476	6.89	**	**	**	**
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	12/19/77-09/08/80	7	7.5	13.429	25.	3.	98.119	9.906	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	12/19/77-09/08/80	7	1280.	1262.143	1470.	885.	35782.143	189.162	**	**	**	**
00300	OXYGEN, DISSOLVED MG/L	12/19/77-09/08/80	7	0.6	0.843	1.9	0.3	0.403	0.635	**	**	**	**
00400	PH (STANDARD UNITS)	12/19/77-09/08/80	7	7.7	7.771	8.	7.5	0.032	0.18	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	12/19/77-09/08/80	7	7.7	7.74	8.	7.5	0.034	0.183	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/19/77-09/08/80	7	0.02	0.018	0.032	0.01	0.	0.007	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	12/19/77-09/08/80	7	11.	11.457	21.	5.4	25.423	5.042	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	12/19/77-09/08/80	7	344.	290.571	370.	0.	17217.619	131.216	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	12/19/77-09/08/80	7	418.	342.714	426.	0.	23927.571	154.685	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	12/19/77-09/08/80	7	0.	0.	0.	0.	0.	0.	**	**	**	**
00600	NITROGEN, TOTAL (MG/L AS N)	12/19/77-09/08/80	7	0.74	3.741	12.	0.37	20.75	4.555	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	12/19/77-09/08/80	7	0.36	3.36	12.	0.	21.215	4.606	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	12/19/77-09/08/80	7	0.35	0.321	0.41	0.13	0.009	0.096	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	12/19/77-09/08/80	7	0.74	3.64	12.	0.37	19.86	4.456	**	**	**	**
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	12/19/77-09/08/80	7	0.05	0.143	0.68	0.01	0.057	0.24	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	12/19/77-09/08/80	7	0.12	0.506	1.5	0.02	0.396	0.63	**	**	**	**
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	12/19/77-09/08/80	7	0.02	0.023	0.05	0.005	0.	0.018	**	**	**	**
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	12/19/77-09/08/80	7	5.3	7.071	19.	3.4	30.522	5.525	**	**	**	**
00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	12/19/77-03/10/80	6	1.2	4.517	13.	0.1	34.186	5.847	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	12/19/77-09/08/80	7	93.	90.143	120.	54.	494.143	22.229	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	12/19/77-09/08/80	7	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	12/19/77-09/08/80	7	32.	31.714	42.	20.	51.905	7.204	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	12/19/77-09/08/80	7	2.3	2.386	3.4	1.1	0.815	0.903	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	12/19/77-09/08/80	7	250.	252.857	300.	190.	1190.476	34.503	**	**	**	**
00931	SODIUM ADSORPTION RATIO	12/19/77-09/08/80	7	12.	11.857	14.	10.	1.81	1.345	**	**	**	**
00932	SODIUM, PERCENT	12/19/77-09/08/80	7	86.	85.571	88.	82.	3.619	1.902	**	**	**	**
00933	SODIUM,PLUS POTASSIUM (MG/L)	09/20/79-03/10/80	2	260.	260.	270.	250.	200.	14.142	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	12/19/77-09/08/80	7	3.3	3.543	4.7	2.5	0.736	0.858	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	12/19/77-09/08/80	7	9.	8.714	10.	6.	1.905	1.38	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	12/19/77-09/08/80	7	330.	317.143	360.	190.	3457.143	58.797	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	12/19/77-09/08/80	7	0.6	0.643	0.8	0.6	0.006	0.079	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	12/19/77-09/08/80	7	13.	13.229	17.	8.6	8.832	2.972	**	**	**	**
01000	ARSENIC, DISSOLVED (UG/L AS AS)	12/19/77-09/08/80	7	4.	3.857	5.	2.	1.476	1.215	**	**	**	**
01001	ARSENIC, SUSPENDED (UG/L AS AS)	03/10/80-03/10/80	1	15.	15.	15.	15.	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	03/10/80-03/10/80	1	18.	18.	18.	18.	0.	0.	**	**	**	**
01005	BARIUM, DISSOLVED (UG/L AS BA)	12/19/77-09/08/80	7 ##	50.	90.	170.	50.	2800.	52.915	**	**	**	**
01006	BARIUM, SUSPENDED (UG/L AS BA)	03/10/80-03/10/80	1	1900.	1900.	1900.	1900.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0030

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01007	BARIUM, TOTAL (UG/L AS BA)	03/10/80-03/10/80	1	2000.	2000.	2000.	2000.	0.	0.	**	**	**	**
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	12/19/77-09/08/80	7 ##	0.5	2.429	5.	0.5	5.786	2.405	**	**	**	**
01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	03/10/80-03/10/80	1	9.	9.	9.	9.	0.	0.	**	**	**	**
01012	BERYLLIUM, TOTAL (UG/L AS BE)	03/10/80-03/10/80	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	12/19/77-09/08/80	7	40.	45.714	70.	10.	428.571	20.702	**	**	**	**
01025	CADMIUM, DISSOLVED (UG/L AS CD)	12/19/77-09/08/80	7 ##	1.	1.571	3.	0.	1.869	1.367	**	**	**	**
01026	CADMIUM, SUSPENDED (UG/L AS CD)	03/10/80-03/10/80	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	03/10/80-03/10/80	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	12/19/77-09/08/80	7 ##	0.	1.429	10.	0.	14.286	3.78	**	**	**	**
01031	CHROMIUM, SUSPEND (UG/L AS CR)	03/10/80-03/10/80	1	100.	100.	100.	100.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	03/10/80-03/10/80	1	100.	100.	100.	100.	0.	0.	**	**	**	**
01035	COBALT, DISSOLVED (UG/L AS CO)	12/19/77-09/08/80	7 ##	1.5	1.	1.5	0.	0.5	0.707	**	**	**	**
01036	COBALT, SUSPENDED (UG/L AS CO)	03/10/80-03/10/80	1	92.	92.	92.	92.	0.	0.	**	**	**	**
01037	COBALT, TOTAL (UG/L AS CO)	03/10/80-03/10/80	1	95.	95.	95.	95.	0.	0.	**	**	**	**
01040	COPPER, DISSOLVED (UG/L AS CU)	12/19/77-09/08/80	7 ##	5.	4.286	10.	0.	11.238	3.352	**	**	**	**
01041	COPPER, SUSPENDED (UG/L AS CU)	03/10/80-03/10/80	1	300.	300.	300.	300.	0.	0.	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	03/10/80-03/10/80	1	310.	310.	310.	310.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	12/19/77-09/08/80	7	54.	75.571	220.	5.	5977.286	77.313	**	**	**	**
01049	LEAD, DISSOLVED (UG/L AS PB)	12/19/77-09/08/80	5 ##	0.	2.	5.	0.	7.5	2.739	**	**	**	**
01050	LEAD, SUSPENDED (UG/L AS PB)	03/10/80-03/10/80	1	160.	160.	160.	160.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	03/10/80-03/10/80	1	170.	170.	170.	170.	0.	0.	**	**	**	**
01054	MANGANESE, SUSPENDED (UG/L AS MN)	03/10/80-03/10/80	1	5200.	5200.	5200.	5200.	0.	0.	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	03/10/80-03/10/80	1	5400.	5400.	5400.	5400.	0.	0.	**	**	**	**
01056	MANGANESE, DISSOLVED (UG/L AS MN)	12/19/77-09/08/80	7	550.	857.143	2000.	130.	539823.81	734.727	**	**	**	**
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	12/19/77-09/08/80	7	3.	3.214	5.	0.5	2.655	1.629	**	**	**	**
01061	MOLYBDENUM, SUSPENDED (UG/L AS MO)	03/10/80-03/10/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01062	MOLYBDENUM, TOTAL (UG/L AS MO)	03/10/80-03/10/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01065	NICKEL, DISSOLVED (UG/L AS NI)	12/19/77-09/08/80	7	2.	1.714	3.	0.	1.238	1.113	**	**	**	**
01066	NICKEL, SUSPENDED (UG/L AS NI)	03/10/80-03/10/80	1	94.	94.	94.	94.	0.	0.	**	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	03/10/80-03/10/80	1	94.	94.	94.	94.	0.	0.	**	**	**	**
01080	STRONTIUM, DISSOLVED (UG/L AS SR)	09/20/79-09/08/80	3	530.	573.333	700.	490.	12433.333	111.505	**	**	**	**
01085	VANADIUM, DISSOLVED (UG/L AS V)	12/19/77-09/08/80	7	3.	1.714	3.	0.	2.571	1.604	**	**	**	**
01090	ZINC, DISSOLVED (UG/L AS ZN)	12/19/77-09/08/80	7	110.	212.429	420.	22.	33854.619	183.996	**	**	**	**
01091	ZINC, SUSPENDED (UG/L ZN)	03/10/80-03/10/80	1	3300.	3300.	3300.	3300.	0.	0.	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	03/10/80-03/10/80	1	3300.	3300.	3300.	3300.	0.	0.	**	**	**	**
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	12/19/77-09/08/80	7	40.	40.	80.	10.	800.	28.284	**	**	**	**
01130	LITHIUM, DISSOLVED (UG/L AS LI)	12/19/77-09/08/80	7	20.	22.429	28.	20.	12.619	3.552	**	**	**	**
01131	LITHIUM, SUSPENDED (UG/L AS LI)	03/10/80-03/10/80	1	100.	100.	100.	100.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	03/10/80-03/10/80	1	130.	130.	130.	130.	0.	0.	**	**	**	**
01145	SELENIUM, DISSOLVED (UG/L AS SE)	12/19/77-09/08/80	7 ##	0.5	0.571	2.	0.	0.452	0.673	**	**	**	**
01146	SELENIUM, SUSPENDED (UG/L AS SE)	03/10/80-03/10/80	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	03/10/80-03/10/80	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01515	ALPHA, DISSOLVED GROSS, AS URANIUM-NATURAL, PC/L	12/19/77-09/08/80	7	14.	18.379	65.	3.15	440.628	20.991	**	**	**	**
01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	12/19/77-09/08/80	7	5.8	145.421	530.	0.15	54648.707	233.771	**	**	**	**
03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	12/19/77-09/08/80	7	5.2	16.207	48.	2.85	290.154	17.034	**	**	**	**
03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	12/19/77-09/08/80	7	21.	101.243	350.	1.7	20493.783	143.156	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	12/19/77-09/08/80	7	835.	818.429	957.	569.	14463.619	120.265	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	12/19/77-09/08/80	7	852.	816.571	963.	587.	22284.952	149.281	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	12/19/77-09/08/80	7	1.14	1.113	1.3	0.77	0.027	0.165	**	**	**	**
71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH4)	09/20/79-09/08/80	3	0.4	0.4	0.5	0.3	0.01	0.1	**	**	**	**
71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	09/20/79-09/08/80	3	1.4	2.07	4.6	0.21	5.155	2.27	**	**	**	**
71887	NITROGEN, TOTAL, AS NO3 - MG/L	12/19/77-09/08/80	7	3.3	16.714	54.	1.6	417.748	20.439	**	**	**	**
71890	MERCURY, DISSOLVED (UG/L AS HG)	12/19/77-09/08/80	7 ##	0.05	0.036	0.05	0.	0.001	0.024	**	**	**	**
71895	MERCURY, SUSPENDED (UG/L AS HG)	03/10/80-03/10/80	1	1.3	1.3	1.3	1.3	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	03/10/80-03/10/80	1	1.3	1.3	1.3	1.3	0.	0.	**	**	**	**
72019	DEPTH TO WATER LEVEL (FEET BELOW LAND SURFACE)	12/19/77-03/14/78	2	1.14	1.14	1.67	0.61	0.562	0.75	**	**	**	**
80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	12/19/77-09/08/80	7	20.	26.95	95.	4.65	938.917	30.642	**	**	**	**
80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	12/19/77-09/08/80	7	8.5	214.429	780.	0.2	118697.542	344.525	**	**	**	**
80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	10/12/78-09/08/80	5	4.2	7.32	21.	2.95	59.083	7.687	**	**	**	**
80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	10/12/78-09/08/80	5	6.3	122.32	330.	0.2	26763.707	163.596	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0030

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	7	7	1.00	3	3	1.00	4	4	1.00						
00400	PH	Other-Hi Lim.	9.	7	0	0.00	3	0	0.00	4	0	0.00						
		Other-Lo Lim.	6.5	7	0	0.00	3	0	0.00	4	0	0.00						
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	7	0	0.00	3	0	0.00	4	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	7	0	0.00	3	0	0.00	4	0	0.00						
		Drinking Water	250.	7	0	0.00	3	0	0.00	4	0	0.00						
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	7	6	0.86	3	3	1.00	4	3	0.75						
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	7	0	0.00	3	0	0.00	4	0	0.00						
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	7	0	0.00	3	0	0.00	4	0	0.00						
		Drinking Water	50.	7	0	0.00	3	0	0.00	4	0	0.00						
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01002	ARSENIC, TOTAL	Fresh Acute	360.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01005	BARIUM, DISSOLVED	Drinking Water	2000.	7	0	0.00	3	0	0.00	4	0	0.00						
01006	BARIUM, SUSPENDED	Drinking Water	2000.	1	0	0.00				1	0	0.00						
01007	BARIUM, TOTAL	Drinking Water	2000.	1	1	1.00				1	1	1.00						
01010	BERYLLIUM, DISSOLVED	Fresh Acute	130.	7	0	0.00	3	0	0.00	4	0	0.00						
		Drinking Water	4.	4 &	0	0.00	3	0	0.00	1	0	0.00						
01011	BERYLLIUM, SUSPENDED	Fresh Acute	130.	1	0	0.00				1	0	0.00						
		Drinking Water	4.	1	1	1.00				1	1	1.00						
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	1	0	0.00				1	0	0.00						
		Drinking Water	4.	1	1	1.00				1	1	1.00						
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	7	0	0.00	3	0	0.00	4	0	0.00						
		Drinking Water	5.	7	0	0.00	3	0	0.00	4	0	0.00						
01026	CADMIUM, SUSPENDED	Fresh Acute	3.9	1	0	0.00				1	0	0.00						
		Drinking Water	5.	1	0	0.00				1	0	0.00						
01027	CADMIUM, TOTAL	Fresh Acute	3.9	1	0	0.00				1	0	0.00						
		Drinking Water	5.	1	0	0.00				1	0	0.00						
01030	CHROMIUM, DISSOLVED	Drinking Water	100.	7	0	0.00	3	0	0.00	4	0	0.00						
01031	CHROMIUM, SUSPENDED	Drinking Water	100.	1	1	1.00				1	1	1.00						
01034	CHROMIUM, TOTAL	Drinking Water	100.	1	1	1.00				1	1	1.00						
01040	COPPER, DISSOLVED	Fresh Acute	18.	7	0	0.00	3	0	0.00	4	0	0.00						
		Drinking Water	1300.	7	0	0.00	3	0	0.00	4	0	0.00						
01041	COPPER, SUSPENDED	Fresh Acute	18.	1	1	1.00				1	1	1.00						
		Drinking Water	1300.	1	0	0.00				1	0	0.00						
01042	COPPER, TOTAL	Fresh Acute	18.	1	1	1.00				1	1	1.00						
		Drinking Water	1300.	1	0	0.00				1	0	0.00						
01049	LEAD, DISSOLVED	Fresh Acute	82.	5	0	0.00	2	0	0.00	3	0	0.00						
		Drinking Water	15.	5	0	0.00	2	0	0.00	3	0	0.00						
01050	LEAD, SUSPENDED	Fresh Acute	82.	1	1	1.00				1	1	1.00						
		Drinking Water	15.	1	1	1.00				1	1	1.00						
01051	LEAD, TOTAL	Fresh Acute	82.	1	1	1.00				1	1	1.00						
		Drinking Water	15.	1	1	1.00				1	1	1.00						
01065	NICKEL, DISSOLVED	Fresh Acute	1400.	7	0	0.00	3	0	0.00	4	0	0.00						
		Drinking Water	100.	7	0	0.00	3	0	0.00	4	0	0.00						
01066	NICKEL, SUSPENDED	Fresh Acute	1400.	1	0	0.00				1	0	0.00						
		Drinking Water	100.	1	0	0.00				1	0	0.00						
01067	NICKEL, TOTAL	Fresh Acute	1400.	1	0	0.00				1	0	0.00						
		Drinking Water	100.	1	0	0.00				1	0	0.00						
01090	ZINC, DISSOLVED	Fresh Acute	120.	7	3	0.43	3	1	0.33	4	2	0.50						
		Drinking Water	5000.	7	0	0.00	3	0	0.00	4	0	0.00						
01091	ZINC, SUSPENDED	Fresh Acute	120.	1	1	1.00				1	1	1.00						
		Drinking Water	5000.	1	0	0.00				1	0	0.00						
01092	ZINC, TOTAL	Fresh Acute	120.	1	1	1.00				1	1	1.00						
		Drinking Water	5000.	1	0	0.00				1	0	0.00						
01145	SELENIUM, DISSOLVED	Fresh Acute	20.	7	0	0.00	3	0	0.00	4	0	0.00						
		Drinking Water	50.	7	0	0.00	3	0	0.00	4	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0030

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01146	SELENIUM, SUSPENDED	Fresh Acute	20.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01147	SELENIUM, TOTAL	Fresh Acute	20.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	7	0	0.00	3	0	0.00	4	0	0.00						
		Drinking Water	2.	7	0	0.00	3	0	0.00	4	0	0.00						
71895	MERCURY, SUSPENDED	Fresh Acute	2.4	1	0	0.00				1	0	0.00						
		Drinking Water	2.	1	0	0.00				1	0	0.00						
71900	MERCURY, TOTAL	Fresh Acute	2.4	1	0	0.00				1	0	0.00						
		Drinking Water	2.	1	0	0.00				1	0	0.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0031

NPS Station ID: CHCU0031 LAT/LON: 36.081392/-108.022227 Agency: 112WRD Date Created: 05/18/77
Location: 21N.11W.05.4220 CHACO R BL E.WASH,CHACO N.M.,NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 360453108012010
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106027 RF1 Mile Point: 12.860 Distance from RF1: 0.00 On/Off RF1: ON
RF3 Index: 14080106256000.00 RF3 Mile Point: 0.14 Distance from RF3: 0.03 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0031

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/01/76-09/26/78	3	600.	688.333	925.	540.	42908.333	207.143	**	**	**	**
00400	PH (STANDARD UNITS)	08/01/76-09/26/78	3	7.5	7.767	8.4	7.4	0.303	0.551	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	08/01/76-09/26/78	3	7.5	7.6	8.4	7.4	0.345	0.588	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/01/76-09/26/78	3	0.032	0.025	0.04	0.004	0.	0.019	**	**	**	**
00600	NITROGEN, TOTAL (MG/L AS N)	09/26/78-09/26/78	1	16.	16.	16.	16.	0.	0.	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	09/26/78-09/26/78	1	13.	13.	13.	13.	0.	0.	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/26/78-09/26/78	1	0.17	0.17	0.17	0.17	0.	0.	**	**	**	**
00611	NITROGEN, AMMONIA, BOTTOM DEPOSITS (MG/KG-N)	09/26/78-09/26/78	1	6.3	6.3	6.3	6.3	0.	0.	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	09/26/78-09/26/78	1	13.	13.	13.	13.	0.	0.	**	**	**	**
00626	NITROGEN,ORG. KJEL.,BOT. DEPOS. (MG/KG-N DRY WGT)	09/26/78-09/26/78	1	51.	51.	51.	51.	0.	0.	**	**	**	**
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/26/78-09/26/78	1	2.5	2.5	2.5	2.5	0.	0.	**	**	**	**
00633	NITRITE PLUS NITRATE,BOT. DEPOS. (MG/KG-N DRY WT)	09/26/78-09/26/78	1	1.3	1.3	1.3	1.3	0.	0.	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	09/26/78-09/26/78	1	3.	3.	3.	3.	0.	0.	**	**	**	**
00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	09/26/78-09/26/78	1	45.	45.	45.	45.	0.	0.	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	08/01/76-09/26/78	3	194.	246.667	458.	88.	36305.333	190.54	**	**	**	**
01000	ARSENIC, DISSOLVED (UG/L AS AS)	09/26/78-09/26/78	1	17.	17.	17.	17.	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	08/12/77-09/26/78	2	531.	531.	1000.	62.	439922.	663.266	**	**	**	**
01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	05/07/78-09/26/78	2	1.	1.	2.	0.	2.	1.414	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	08/01/76-08/01/76	1	8200.	8200.	8200.	8200.	0.	0.	**	**	**	**
01022	BORON, TOTAL (UG/L AS B)	08/01/76-08/01/76	1	210.	210.	210.	210.	0.	0.	**	**	**	**
01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	09/26/78-09/26/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	09/26/78-09/26/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	08/01/76-08/01/76	1	200.	200.	200.	200.	0.	0.	**	**	**	**
01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	09/26/78-09/26/78	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	09/26/78-09/26/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	08/01/76-08/01/76	1	400000.	400000.	400000.	400000.	0.	0.	**	**	**	**
01049	LEAD, DISSOLVED (UG/L AS PB)	09/26/78-09/26/78	1 ##	0.	0.	0.	0.	0.	0.	**	**	**	**
01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	09/26/78-09/26/78	1	4.	4.	4.	4.	0.	0.	**	**	**	**
01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	09/26/78-09/26/78	1	160.	160.	160.	160.	0.	0.	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	08/01/76-08/01/76	1	20000.	20000.	20000.	20000.	0.	0.	**	**	**	**
01063	MOLYBDENUM IN BOT. DEPOSITS (MG/KG AS MO DRY WGT)	05/07/78-05/07/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01082	STRONTIUM, TOTAL (UG/L AS SR)	08/01/76-08/01/76	1	6800.	6800.	6800.	6800.	0.	0.	**	**	**	**
01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	09/26/78-09/26/78	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	08/01/76-08/01/76	1	370.	370.	370.	370.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	08/12/77-08/12/77	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01148	SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT)	05/07/78-05/07/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	09/26/78-09/26/78	1	98000.	98000.	98000.	98000.	0.	0.	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/01/76-09/26/78	5	95.	92.4	100.	74.	115.3	10.738	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0031

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
71887	NITROGEN, TOTAL, AS NO3 - MG/L	09/26/78-09/26/78	1	69.	69.	69.	69.	0.	0.	**	**	**	**
71890	MERCURY, DISSOLVED (UG/L AS HG)	09/26/78-09/26/78	1 ##	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
71895	MERCURY, SUSPENDED (UG/L AS HG)	09/26/78-09/26/78	1	1.	1.	1.	1.	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	08/12/77-09/26/78	2	1.75	1.75	2.5	1.	1.125	1.061	**	**	**	**
71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	09/26/78-09/26/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/01/76-09/26/78	5	43200.	57180.	148000.	11900.	2910002000.	53944.434	**	**	**	**
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/01/76-09/26/78	3	58299.9	47009.933	80199.9	2530.	1603750852.003	40046.858	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0031

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	3	0	0.00	3	0	0.00									
		Other-Lo Lim.	6.5	3	0	0.00	3	0	0.00									
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	1	0	0.00	1	0	0.00									
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01002	ARSENIC, TOTAL	Fresh Acute	360.	2	1	0.50	2	1	0.50									
		Drinking Water	50.	2	2	1.00	2	2	1.00									
01007	BARIUM, TOTAL	Drinking Water	2000.	1	1	1.00	1	1	1.00									
01034	CHROMIUM, TOTAL	Drinking Water	100.	1	1	1.00	1	1	1.00									
01049	LEAD, DISSOLVED	Fresh Acute	82.	1	0	0.00	1	0	0.00									
		Drinking Water	15.	1	0	0.00	1	0	0.00									
01147	SELENIUM, TOTAL	Fresh Acute	20.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	1	0	0.00	1	0	0.00									
		Drinking Water	2.	1	0	0.00	1	0	0.00									
71895	MERCURY, SUSPENDED	Fresh Acute	2.4	1	0	0.00	1	0	0.00									
		Drinking Water	2.	1	0	0.00	1	0	0.00									
71900	MERCURY, TOTAL	Fresh Acute	2.4	2	1	0.50	2	1	0.50									
		Drinking Water	2.	2	1	0.50	2	1	0.50									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0032

NPS Station ID: CHCU0032 LAT/LON: 36.070837/-108.039449 Agency: 112WRD Date Created: 04/14/78
Location: 21N.11W.07.242 CHACO R WELL BL CHACO MON.,NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 360415108022201
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: U Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 6.00 On/Off RF1:
RF3 Index: 14080106242400.32 RF3 Mile Point: 0.32 Distance from RF3: 0.01 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0032

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	12/19/77-04/12/82	9	8.5	11.944	20.5	6.	38.34	6.192	6.	6.5	19.5	20.5
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	12/19/77-04/12/82	8	19.75	16.188	30.	0.5	128.781	11.348	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	12/19/77-04/12/82	9	950.	941.778	986.	795.	3454.694	58.777	795.	935.	980.	986.
00300	OXYGEN, DISSOLVED MG/L	12/19/77-09/08/80	7	0.8	0.86	1.7	0.02	0.387	0.622	**	**	**	**
00340	COD, .25N K2CR2O7 MG/L	04/12/82-04/12/82	1	53.	53.	53.	53.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	12/19/77-04/12/82	9	8.	8.033	8.4	7.7	0.042	0.206	7.7	7.9	8.2	8.4
00400	CONVERTED PH (STANDARD UNITS)	12/19/77-04/12/82	9	8.	7.992	8.4	7.7	0.044	0.211	7.7	7.9	8.2	8.4
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/19/77-04/12/82	9	0.01	0.01	0.02	0.004	0.	0.005	0.004	0.006	0.013	0.02
00403	PH, LAB, STANDARD UNITS SU	03/18/81-04/12/82	2	8.45	8.45	8.6	8.3	0.045	0.212	**	**	**	**
00403	CONVERTED PH, LAB, STANDARD UNITS	03/18/81-04/12/82	2	8.425	8.425	8.6	8.3	0.046	0.215	**	**	**	**
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/18/81-04/12/82	2	0.004	0.004	0.005	0.003	0.	0.002	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	12/19/77-04/12/82	8	6.45	6.45	11.	2.7	6.257	2.501	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	12/19/77-04/12/82	8	317.5	323.625	360.	279.	633.982	25.179	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	12/19/77-04/12/82	8	385.	383.125	417.	340.	615.268	24.805	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	12/19/77-09/08/80	7	0.	0.857	6.	0.	5.143	2.268	**	**	**	**
00600	NITROGEN, TOTAL (MG/L AS N)	12/19/77-09/08/80	7	0.69	1.031	3.1	0.25	1.006	1.003	**	**	**	**
00602	NITROGEN, DISSOLVED (MG/L AS N)	03/18/81-03/18/81	1	0.33	0.33	0.33	0.33	0.	0.	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	12/19/77-03/18/81	8	0.63	0.953	3.1	0.2	0.907	0.952	**	**	**	**
00607	NITROGEN, ORGANIC, DISSOLVED (MG/L AS N)	03/18/81-03/18/81	1	0.23	0.23	0.23	0.23	0.	0.	**	**	**	**
00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	03/18/81-03/18/81	1	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	12/19/77-03/18/81	8	0.06	0.061	0.12	0.	0.002	0.042	**	**	**	**
00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	03/18/81-03/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	03/18/81-03/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	03/18/81-03/18/81	1	0.33	0.33	0.33	0.33	0.	0.	**	**	**	**
00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	03/18/81-03/18/81	1	0.87	0.87	0.87	0.87	0.	0.	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	12/19/77-03/18/81	8	0.67	1.006	3.1	0.23	0.891	0.944	**	**	**	**
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	12/19/77-09/08/80	7	0.05	0.063	0.2	0.02	0.004	0.062	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/18/81-03/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/18/81-03/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	12/19/77-03/18/81	8	0.025	0.233	0.89	0.02	0.124	0.352	**	**	**	**
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	12/19/77-03/18/81	8	0.01	0.01	0.02	0.	0.	0.007	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/18/81-03/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	12/19/77-04/12/82	9	3.1	4.178	9.	2.1	5.579	2.362	2.1	2.3	5.8	9.
00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	12/19/77-03/18/81	5	0.4	1.52	4.8	0.2	3.847	1.961	**	**	**	**
00691	CARBON, DISSOLVED INORGANIC (MG/L AS C)	04/12/82-04/12/82	1	56.	56.	56.	56.	0.	0.	**	**	**	**
00745	SULFIDE, TOTAL (MG/L AS S)	03/18/81-04/12/82	2 ##	0.675	0.675	1.1	0.25	0.361	0.601	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	12/19/77-04/12/82	9	61.	60.222	71.	50.	38.444	6.2	50.	56.	64.5	71.
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	12/19/77-04/12/82	8	0.	0.	0.	0.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0032

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00915	CALCIUM, DISSOLVED (MG/L AS CA)	12/19/77-04/12/82	9	21.	20.556	24.	17.	4.278	2.068	17.	19.	22.	24.
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	12/19/77-04/12/82	9	2.1	2.122	2.6	1.7	0.089	0.299	1.7	1.85	2.35	2.6
00930	SODIUM, DISSOLVED (MG/L AS NA)	12/19/77-04/12/82	9	190.	197.778	210.	190.	94.444	9.718	190.	190.	210.	210.
00931	SODIUM ADSORPTION RATIO	12/19/77-04/12/82	9	11.	11.222	12.	10.	0.444	0.667	10.	11.	12.	12.
00932	SODIUM, PERCENT	12/19/77-04/12/82	9	88.	87.444	89.	86.	1.028	1.014	86.	86.5	88.	89.
00933	SODIUM,PLUS POTASSIUM (MG/L)	09/20/79-03/10/80	2	190.	190.	190.	190.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	12/19/77-04/12/82	9	1.8	1.8	2.5	1.5	0.093	0.304	1.5	1.55	1.9	2.5
00940	CHLORIDE,TOTAL IN WATER MG/L	12/19/77-04/12/82	9	6.	6.333	8.	5.	0.75	0.866	5.	6.	7.	8.
00945	SULFATE, TOTAL (MG/L AS SO4)	12/19/77-04/12/82	9	170.	175.556	220.	150.	427.778	20.683	150.	160.	185.	220.
00950	FLUORIDE, DISSOLVED (MG/L AS F)	12/19/77-04/12/82	9	0.8	0.856	1.1	0.6	0.025	0.159	0.6	0.75	1.	1.1
00955	SILICA, DISSOLVED (MG/L AS SI02)	12/19/77-04/12/82	9	9.4	10.111	13.	7.3	3.874	1.968	7.3	8.55	12.	13.
01000	ARSENIC, DISSOLVED (UG/L AS AS)	12/19/77-04/12/82	9	2.	1.611	3.	0.5	0.611	0.782	0.5	1.	2.	3.
01001	ARSENIC, SUSPENDED (UG/L AS AS)	03/10/80-03/10/80	1	4.	4.	4.	4.	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	03/10/80-03/10/80	1	7.	7.	7.	7.	0.	0.	**	**	**	**
01005	BARIUM, DISSOLVED (UG/L AS BA)	12/19/77-09/08/80	7	70.	61.429	70.	50.	114.286	10.69	**	**	**	**
01006	BARIUM, SUSPENDED (UG/L AS BA)	03/10/80-03/10/80	1	500.	500.	500.	500.	0.	0.	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	03/10/80-03/10/80	1	600.	600.	600.	600.	0.	0.	**	**	**	**
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	12/19/77-03/18/81	8 ##	0.5	2.813	10.	0.5	12.567	3.545	**	**	**	**
01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	03/10/80-03/10/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01012	BERYLLIUM, TOTAL (UG/L AS BE)	03/10/80-03/10/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	12/19/77-04/12/82	9	60.	64.444	90.	50.	302.778	17.401	50.	50.	85.	90.
01025	CADMIUM, DISSOLVED (UG/L AS CD)	12/19/77-04/12/82	9 ##	1.	1.056	3.	0.	0.965	0.982	0.	0.25	1.75	3.
01026	CADMIUM, SUSPENDED (UG/L AS CD)	03/10/80-03/10/80	1	6.	6.	6.	6.	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	03/10/80-03/10/80	1	7.	7.	7.	7.	0.	0.	**	**	**	**
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	12/19/77-04/12/82	9 ##	0.	2.778	10.	0.	19.444	4.41	0.	0.	7.5	10.
01031	CHROMIUM, SUSPEND (UG/L AS CR)	03/10/80-03/10/80	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	03/10/80-03/10/80	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01035	COBALT, DISSOLVED (UG/L AS CO)	12/19/77-09/08/80	7 ##	1.5	1.	1.5	0.	0.5	0.707	**	**	**	**
01036	COBALT, SUSPENDED (UG/L AS CO)	03/10/80-03/10/80	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01037	COBALT, TOTAL (UG/L AS CO)	03/10/80-03/10/80	1	13.	13.	13.	13.	0.	0.	**	**	**	**
01040	COPPER, DISSOLVED (UG/L AS CU)	12/19/77-04/12/82	9	4.	4.056	10.	0.5	9.528	3.087	0.5	1.5	6.	10.
01041	COPPER, SUSPENDED (UG/L AS CU)	03/10/80-03/10/80	1	40.	40.	40.	40.	0.	0.	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	03/10/80-03/10/80	1	50.	50.	50.	50.	0.	0.	**	**	**	**
01044	IRON, SUSPENDED (UG/L AS FE)	03/18/81-03/18/81	1	1400.	1400.	1400.	1400.	0.	0.	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	03/18/81-03/18/81	1	2300.	2300.	2300.	2300.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	12/19/77-04/12/82	9	80.	293.556	980.	20.	153193.778	391.4	20.	36.	680.	980.
01049	LEAD, DISSOLVED (UG/L AS PB)	12/19/77-04/12/82	9	3.	4.	12.	0.	20.	4.472	0.	0.	7.5	12.
01050	LEAD, SUSPENDED (UG/L AS PB)	03/10/80-03/10/80	1	40.	40.	40.	40.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	03/10/80-03/10/80	1	40.	40.	40.	40.	0.	0.	**	**	**	**
01054	MANGANESE, SUSPENDED (UG/L AS MN)	03/10/80-03/18/81	2	580.	580.	1100.	60.	540800.	735.391	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	03/10/80-03/18/81	2	1215.	1215.	1800.	630.	684450.	827.315	**	**	**	**
01056	MANGANESE, DISSOLVED (UG/L AS MN)	12/19/77-04/12/82	9	570.	588.889	800.	440.	17586.111	132.613	440.	450.	710.	800.
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	12/19/77-09/08/80	7	4.	4.	5.	2.	1.333	1.155	**	**	**	**
01061	MOLYBDENUM, SUSPENDED (UG/L AS MO)	03/10/80-03/10/80	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01062	MOLYBDENUM, TOTAL (UG/L AS MO)	03/10/80-03/10/80	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01065	NICKEL, DISSOLVED (UG/L AS NI)	12/19/77-03/18/81	8	1.5	6.125	42.	0.	210.982	14.525	**	**	**	**
01066	NICKEL, SUSPENDED (UG/L AS NI)	03/10/80-03/10/80	1	12.	12.	12.	12.	0.	0.	**	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	03/10/80-03/10/80	1	13.	13.	13.	13.	0.	0.	**	**	**	**
01080	STRONTIUM, DISSOLVED (UG/L AS SR)	09/20/79-04/12/82	4	415.	417.5	430.	410.	91.667	9.574	**	**	**	**
01085	VANADIUM, DISSOLVED (UG/L AS V)	12/19/77-09/08/80	7	3.	4.143	18.	0.	39.143	6.256	**	**	**	**
01090	ZINC, DISSOLVED (UG/L AS ZN)	12/19/77-04/12/82	9	160.	396.111	1800.	65.	306386.111	553.522	65.	95.	505.	1800.
01091	ZINC, SUSPENDED (UG/L ZN)	03/10/80-03/10/80	1	13000.	13000.	13000.	13000.	0.	0.	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	03/10/80-03/10/80	1	13000.	13000.	13000.	13000.	0.	0.	**	**	**	**
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	12/19/77-09/08/80	7	50.	52.857	160.	10.	2557.143	50.568	**	**	**	**
01130	LITHIUM, DISSOLVED (UG/L AS LI)	12/19/77-04/12/82	8	20.	22.625	30.	18.	23.696	4.868	**	**	**	**
01131	LITHIUM, SUSPENDED (UG/L AS LI)	03/10/80-03/10/80	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	03/10/80-03/10/80	1	30.	30.	30.	30.	0.	0.	**	**	**	**
01145	SELENIUM, DISSOLVED (UG/L AS SE)	12/19/77-04/12/82	9 ##	0.5	0.333	0.5	0.	0.063	0.25	0.	0.	0.5	0.5
01146	SELENIUM, SUSPENDED (UG/L AS SE)	03/10/80-03/10/80	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	03/10/80-03/10/80	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01515	ALPHA, DISSOLVED GROSS, AS URANIUM-NATURAL, PC/L	12/19/77-03/18/81	8	7.15	7.338	20.	1.95	31.693	5.63	**	**	**	**
01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	12/19/77-09/08/80	7	8.2	24.271	95.	0.9	1132.762	33.657	**	**	**	**
03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	12/19/77-04/12/82	9 ##	2.5	11.55	80.	1.5	663.344	25.755	1.5	1.975	5.575	80.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0032

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	12/19/77-09/08/80	7	6.3	16.943	64.	1.1	505.703	22.488	**	**	**	**
09511	RADIUM 226, DISSOLVED, RADON METHOD	03/18/81-04/12/82	2	0.08	0.08	0.08	0.08	0.	0.	**	**	**	**
22703	URANIUM, NATURAL, DISSOLVED	04/12/82-04/12/82	1	2.6	2.6	2.6	2.6	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	12/19/77-04/12/82	9	599.	594.889	636.	549.	977.611	31.267	549.	564.	622.5	636.
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	12/19/77-04/12/82	8	605.5	612.	677.	570.	1058.571	32.536	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	12/19/77-09/08/80	7	0.83	0.827	0.87	0.79	0.001	0.029	**	**	**	**
71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH4)	09/20/79-09/08/80	3	0.08	0.093	0.2	0.	0.01	0.101	**	**	**	**
71846	NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4)	03/18/81-03/18/81	1	0.13	0.13	0.13	0.13	0.	0.	**	**	**	**
71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	03/18/81-03/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
71856	NITRITE NITROGEN, DISSOLVED (MG/L AS NO2)	03/18/81-03/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	09/20/79-03/18/81	4	0.06	0.57	2.1	0.06	1.04	1.02	**	**	**	**
71887	NITROGEN, TOTAL, AS NO3 - MG/L	12/19/77-09/08/80	7	3.1	4.586	14.	1.1	20.351	4.511	**	**	**	**
71890	MERCURY, DISSOLVED (UG/L AS HG)	12/19/77-04/12/82	9 ##	0.05	0.056	0.2	0.	0.003	0.058	0.	0.025	0.05	0.2
71895	MERCURY, SUSPENDED (UG/L AS HG)	03/10/80-03/10/80	1	10.	10.	10.	10.	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	03/10/80-03/10/80	1	10.	10.	10.	10.	0.	0.	**	**	**	**
72019	DEPTH TO WATER LEVEL (FEET BELOW LAND SURFACE)	12/19/77-03/14/78	2	1.99	1.99	2.47	1.51	0.461	0.679	**	**	**	**
80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	12/19/77-04/12/82	9 ##	6.	9.422	29.	2.9	62.802	7.925	2.9	4.95	11.	29.
80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	12/19/77-09/08/80	7	12.	35.671	140.	1.3	2462.249	49.621	**	**	**	**
80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	10/12/78-04/12/82	7 ##	2.2	2.914	7.9	1.4	4.986	2.233	**	**	**	**
80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	10/12/78-09/08/80	5	6.2	20.08	61.	1.4	613.752	24.774	**	**	**	**
82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	03/18/81-03/18/81	1	1.1	1.1	1.1	1.1	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0032

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	7	7	1.00	3	3	1.00	4	4	1.00						
00400	PH	Other-Hi Lim.	9.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
		Other-Lo Lim.	6.5	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
00403	PH, LAB	Other-Hi Lim.	9.	2	0	0.00				1	0	0.00	1	0	0.00			
		Other-Lo Lim.	6.5	2	0	0.00				1	0	0.00	1	0	0.00			
00613	NITRITE NITROGEN, DISSOLVED AS N	Drinking Water	1.	1	0	0.00				1	0	0.00						
00618	NITRATE NITROGEN, DISSOLVED AS N	Drinking Water	10.	1	0	0.00				1	0	0.00						
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	7	0	0.00	3	0	0.00	4	0	0.00						
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00				1	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
		Drinking Water	250.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
		Drinking Water	50.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01002	ARSENIC, TOTAL	Fresh Acute	360.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01005	BARIUM, DISSOLVED	Drinking Water	2000.	7	0	0.00	3	0	0.00	4	0	0.00						
01006	BARIUM, SUSPENDED	Drinking Water	2000.	1	0	0.00				1	0	0.00						
01007	BARIUM, TOTAL	Drinking Water	2000.	1	0	0.00				1	0	0.00						
01010	BERYLLIUM, DISSOLVED	Fresh Acute	130.	8	0	0.00	3	0	0.00	5	0	0.00						
		Drinking Water	4.	6 &	1	0.17	3	0	0.00	3	1	0.33						
01011	BERYLLIUM, SUSPENDED	Fresh Acute	130.	1	0	0.00				1	0	0.00						
		Drinking Water	4.	1	0	0.00				1	0	0.00						
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	1	0	0.00				1	0	0.00						
		Drinking Water	4.	1	0	0.00				1	0	0.00						
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
		Drinking Water	5.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
01026	CADMIUM, SUSPENDED	Fresh Acute	3.9	1	1	1.00				1	1	1.00						
		Drinking Water	5.	1	1	1.00				1	1	1.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0032

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01027	CADMIUM, TOTAL	Fresh Acute	3.9	1	1	1.00				1	1	1.00						
		Drinking Water	5.	1	1	1.00				1	1	1.00						
01030	CHROMIUM, DISSOLVED	Drinking Water	100.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
01031	CHROMIUM, SUSPENDED	Drinking Water	100.	1	0	0.00				1	0	0.00						
01034	CHROMIUM, TOTAL	Drinking Water	100.	1	0	0.00				1	0	0.00						
01040	COPPER, DISSOLVED	Fresh Acute	18.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
		Drinking Water	1300.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
01041	COPPER, SUSPENDED	Fresh Acute	18.	1	1	1.00				1	1	1.00						
		Drinking Water	1300.	1	0	0.00				1	0	0.00						
01042	COPPER, TOTAL	Fresh Acute	18.	1	1	1.00				1	1	1.00						
		Drinking Water	1300.	1	0	0.00				1	0	0.00						
01049	LEAD, DISSOLVED	Fresh Acute	82.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
		Drinking Water	15.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
01050	LEAD, SUSPENDED	Fresh Acute	82.	1	0	0.00				1	0	0.00						
		Drinking Water	15.	1	1	1.00				1	1	1.00						
01051	LEAD, TOTAL	Fresh Acute	82.	1	0	0.00				1	0	0.00						
		Drinking Water	15.	1	1	1.00				1	1	1.00						
01065	NICKEL, DISSOLVED	Fresh Acute	1400.	8	0	0.00	3	0	0.00	5	0	0.00						
		Drinking Water	100.	8	0	0.00	3	0	0.00	5	0	0.00						
01066	NICKEL, SUSPENDED	Fresh Acute	1400.	1	0	0.00				1	0	0.00						
		Drinking Water	100.	1	0	0.00				1	0	0.00						
01067	NICKEL, TOTAL	Fresh Acute	1400.	1	0	0.00				1	0	0.00						
		Drinking Water	100.	1	0	0.00				1	0	0.00						
01090	ZINC, DISSOLVED	Fresh Acute	120.	9	7	0.78	3	3	1.00	5	4	0.80	1	0	0.00			
		Drinking Water	5000.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
01091	ZINC, SUSPENDED	Fresh Acute	120.	1	1	1.00				1	1	1.00						
		Drinking Water	5000.	1	1	1.00				1	1	1.00						
01092	ZINC, TOTAL	Fresh Acute	120.	1	1	1.00				1	1	1.00						
		Drinking Water	5000.	1	1	1.00				1	1	1.00						
01145	SELENIUM, DISSOLVED	Fresh Acute	20.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
		Drinking Water	50.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
01146	SELENIUM, SUSPENDED	Fresh Acute	20.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
01147	SELENIUM, TOTAL	Fresh Acute	20.	1	0	0.00				1	0	0.00						
		Drinking Water	50.	1	0	0.00				1	0	0.00						
22703	URANIUM, NATURAL DISSOLVED	Drinking Water	20.	1	0	0.00							1	0	0.00			
71851	NITRATE NITROGEN, DISSOLVED (AS NO3)	Drinking Water	44.	1	0	0.00				1	0	0.00						
71856	NITRITE NITROGEN, DISSOLVED (AS NO2)	Drinking Water	3.3	1	0	0.00				1	0	0.00						
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
		Drinking Water	2.	9	0	0.00	3	0	0.00	5	0	0.00	1	0	0.00			
71895	MERCURY, SUSPENDED	Fresh Acute	2.4	1	1	1.00				1	1	1.00						
		Drinking Water	2.	1	1	1.00				1	1	1.00						
71900	MERCURY, TOTAL	Fresh Acute	2.4	1	1	1.00				1	1	1.00						
		Drinking Water	2.	1	1	1.00				1	1	1.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0033

NPS Station ID: CHCU0033 LAT/LON: 36.077504/-108.069448 Agency: 112WRD Date Created: 03/17/77
Location: 21N.12W.01.3412 KIN KLIZHIN WASH NR CHACO NM.,NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 360439108041010
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 9.30 On/Off RF1:
RF3 Index: 14080106231600.00 RF3 Mile Point: 2.57 Distance from RF3: 0.02 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0033

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/21/76-07/21/76	1	27.	27.	27.	27.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	07/08/76-05/08/78	5	460.	463.	520.	400.	2345.	48.425	**	**	**	**
00400	PH (STANDARD UNITS)	07/08/76-05/08/78	5	7.2	7.18	7.3	6.9	0.027	0.164	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	07/08/76-05/08/78	5	7.2	7.152	7.3	6.9	0.028	0.167	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/08/76-05/08/78	5	0.063	0.07	0.126	0.05	0.001	0.032	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	07/21/76-07/21/76	1	20.	20.	20.	20.	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	07/21/76-07/21/76	1	165.	165.	165.	165.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	07/21/76-07/21/76	1	201.	201.	201.	201.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	07/21/76-07/21/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	07/21/76-07/21/76	1	2.6	2.6	2.6	2.6	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	07/21/76-07/21/76	1	0.03	0.03	0.03	0.03	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	07/21/76-07/21/76	1	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	07/08/76-07/08/76	1	23.	23.	23.	23.	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	07/21/76-07/21/76	1	43.	43.	43.	43.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	07/21/76-07/21/76	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	07/21/76-07/21/76	1	15.	15.	15.	15.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	07/21/76-07/21/76	1	1.4	1.4	1.4	1.4	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	07/21/76-07/21/76	1	91.	91.	91.	91.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	07/21/76-07/21/76	1	6.	6.	6.	6.	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	07/21/76-07/21/76	1	80.	80.	80.	80.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	07/21/76-07/21/76	1	4.6	4.6	4.6	4.6	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	07/21/76-07/21/76	1	6.	6.	6.	6.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	07/21/76-07/21/76	1	67.	67.	67.	67.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	07/21/76-07/21/76	1	0.9	0.9	0.9	0.9	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	07/21/76-07/21/76	1	9.7	9.7	9.7	9.7	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	08/19/76-08/19/76	1	250.	250.	250.	250.	0.	0.	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	07/08/76-07/08/76	1	500.	500.	500.	500.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	07/21/76-07/21/76	1	110.	110.	110.	110.	0.	0.	**	**	**	**
01022	BORON, TOTAL (UG/L AS B)	07/08/76-07/08/76	1	110.	110.	110.	110.	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	07/08/76-07/08/76	1 ##	10.	10.	10.	10.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	07/08/76-07/08/76	1	30.	30.	30.	30.	0.	0.	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	07/08/76-07/08/76	1	63000.	63000.	63000.	63000.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	07/21/76-07/21/76	1	90.	90.	90.	90.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	07/08/76-07/08/76	1 ##	100.	100.	100.	100.	0.	0.	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	07/08/76-07/08/76	1	570.	570.	570.	570.	0.	0.	**	**	**	**
01082	STRONTIUM, TOTAL (UG/L AS SR)	07/08/76-07/08/76	1	530.	530.	530.	530.	0.	0.	**	**	**	**
01130	LITHIUM, DISSOLVED (UG/L AS LI)	07/21/76-07/21/76	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	07/08/76-07/08/76	1	60.	60.	60.	60.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0033

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01147	SELENIUM, TOTAL (UG/L AS SE)	08/19/76-08/19/76	1	2.	2.	2.	2.	0.	0.	**	**	**	**
03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	05/07/78-05/08/78	2	10.5	10.5	11.	10.	0.5	0.707	**	**	**	**
09510	RADIUM 226, DISSOLVED, PLANCHET COUNT	05/07/78-05/08/78	2	0.15	0.15	0.2	0.1	0.005	0.071	**	**	**	**
22703	URANIUM, NATURAL, DISSOLVED	05/07/78-05/08/78	2	3.1	3.1	3.5	2.7	0.32	0.566	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	07/21/76-07/21/76	1	306.	306.	306.	306.	0.	0.	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	07/21/76-07/21/76	1	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	07/21/76-07/21/76	1	0.42	0.42	0.42	0.42	0.	0.	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	07/08/76-08/19/76	3	98.	66.	100.	0.	3268.	57.166	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	08/19/76-08/19/76	1	2.7	2.7	2.7	2.7	0.	0.	**	**	**	**
80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	05/07/78-05/08/78	2	7.2	7.2	8.1	6.3	1.62	1.273	**	**	**	**
80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	05/07/78-05/08/78	2	9.6	9.6	9.7	9.5	0.02	0.141	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	07/08/76-08/19/76	2	15905.	15905.	28800.	3010.	332562050.	18236.284	**	**	**	**
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	07/08/76-08/19/76	2	902.	902.	1560.	244.	865928.	930.553	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0033

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	5	0	0.00	3	0	0.00				2	0	0.00			
		Other-Lo Lim.	6.5	5	0	0.00	3	0	0.00				2	0	0.00			
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00	1	0	0.00									
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00	1	0	0.00									
		Drinking Water	250.	1	0	0.00	1	0	0.00									
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	0	0.00	1	0	0.00									
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00	1	0	0.00									
01002	ARSENIC, TOTAL	Fresh Acute	360.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	1	1.00	1	1	1.00									
01007	BARIUM, TOTAL	Drinking Water	2000.	1	0	0.00	1	0	0.00									
01027	CADMIUM, TOTAL	Fresh Acute	3.9	0 &	0	0.00												
		Drinking Water	5.	0 &	0	0.00												
01034	CHROMIUM, TOTAL	Drinking Water	100.	1	0	0.00	1	0	0.00									
01051	LEAD, TOTAL	Fresh Acute	82.	0 &	0	0.00												
		Drinking Water	15.	0 &	0	0.00												
01147	SELENIUM, TOTAL	Fresh Acute	20.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
22703	URANIUM, NATURAL DISSOLVED	Drinking Water	20.	2	0	0.00							2	0	0.00			
71900	MERCURY, TOTAL	Fresh Acute	2.4	1	1	1.00	1	1	1.00									
		Drinking Water	2.	1	1	1.00	1	1	1.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0034

NPS Station ID: CHCU0034 LAT/LON: 35.917781/-108.126115 Agency: 112WRD Date Created: 01/23/82
Location: 20N.12W.33.331 KMNO WASH 6 MI E MILK LK,NM FIPS State/County: 35031 NEW MEXICO/MCKINLEY
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 355504108073410
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106026 RF1 Mile Point: 16.550 Distance from RF1: 0.00 On/Off RF1: ON
RF3 Index: 14080106002601.23 RF3 Mile Point: 1.23 Distance from RF3: 0.02 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0034

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/18/81-08/18/81	1	27.	27.	27.	27.	0.	0.	**	**	**	**
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	08/18/81-08/18/81	1	27.	27.	27.	27.	0.	0.	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/18/81-08/18/81	1	2.	2.	2.	2.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/18/81-08/18/81	1	2190.	2190.	2190.	2190.	0.	0.	**	**	**	**
00300	OXYGEN, DISSOLVED MG/L	08/18/81-08/18/81	1	9.4	9.4	9.4	9.4	0.	0.	**	**	**	**
00340	COD, .25N K2CR2O7 MG/L	08/18/81-08/18/81	1	79.	79.	79.	79.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	08/18/81-08/18/81	1	9.	9.	9.	9.	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	08/18/81-08/18/81	1	9.	9.	9.	9.	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/18/81-08/18/81	1	0.001	0.001	0.001	0.001	0.	0.	**	**	**	**
00403	PH, LAB, STANDARD UNITS SU	08/18/81-08/18/81	1	9.	9.	9.	9.	0.	0.	**	**	**	**
00403	CONVERTED PH, LAB, STANDARD UNITS	08/18/81-08/18/81	1	9.	9.	9.	9.	0.	0.	**	**	**	**
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/18/81-08/18/81	1	0.001	0.001	0.001	0.001	0.	0.	**	**	**	**
00602	NITROGEN, DISSOLVED (MG/L AS N)	08/18/81-08/18/81	1	1.8	1.8	1.8	1.8	0.	0.	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	08/18/81-08/18/81	1	1.1	1.1	1.1	1.1	0.	0.	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	08/18/81-08/18/81	1	0.24	0.24	0.24	0.24	0.	0.	**	**	**	**
00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	08/18/81-08/18/81	1	1.7	1.7	1.7	1.7	0.	0.	**	**	**	**
00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	08/18/81-08/18/81	1	1.3	1.3	1.3	1.3	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	08/18/81-08/18/81	1	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	08/18/81-08/18/81	1	0.22	0.22	0.22	0.22	0.	0.	**	**	**	**
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	08/18/81-08/18/81	1	0.52	0.52	0.52	0.52	0.	0.	**	**	**	**
00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	08/18/81-08/18/81	1	310.	310.	310.	310.	0.	0.	**	**	**	**
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	08/18/81-08/18/81	1	5.6	5.6	5.6	5.6	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	08/18/81-08/18/81	1	56.	56.	56.	56.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	08/18/81-08/18/81	1	17.	17.	17.	17.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	08/18/81-08/18/81	1	3.	3.	3.	3.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	08/18/81-08/18/81	1	470.	470.	470.	470.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	08/18/81-08/18/81	1	28.	28.	28.	28.	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	08/18/81-08/18/81	1	94.	94.	94.	94.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	08/18/81-08/18/81	1	4.	4.	4.	4.	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	08/18/81-08/18/81	1	81.	81.	81.	81.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	08/18/81-08/18/81	1	570.	570.	570.	570.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	08/18/81-08/18/81	1	1.5	1.5	1.5	1.5	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	08/18/81-08/18/81	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01000	ARSENIC, DISSOLVED (UG/L AS AS)	08/18/81-08/18/81	1	4.	4.	4.	4.	0.	0.	**	**	**	**
01001	ARSENIC, SUSPENDED (UG/L AS AS)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	08/18/81-08/18/81	1	5.	5.	5.	5.	0.	0.	**	**	**	**
01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	08/18/81-08/18/81	1	22.	22.	22.	22.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0034

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01005	BARIUM, DISSOLVED (UG/L AS BA)	08/18/81-08/18/81	1	100.	100.	100.	100.	0.	0.	**	**	**	**
01006	BARIUM, SUSPENDED (UG/L AS BA)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01012	BERYLLIUM, TOTAL (UG/L AS BE)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	08/18/81-08/18/81	1	200.	200.	200.	200.	0.	0.	**	**	**	**
01025	CADMIUM, DISSOLVED (UG/L AS CD)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01026	CADMIUM, SUSPENDED (UG/L AS CD)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/18/81-08/18/81	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	08/18/81-08/18/81	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01031	CHROMIUM, SUSPEND (UG/L AS CR)	08/18/81-08/18/81	1	18.	18.	18.	18.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	08/18/81-08/18/81	1	20.	20.	20.	20.	0.	0.	**	**	**	**
01035	COBALT, DISSOLVED (UG/L AS CO)	08/18/81-08/18/81	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01036	COBALT, SUSPENDED (UG/L AS CO)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01037	COBALT, TOTAL (UG/L AS CO)	08/18/81-08/18/81	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01040	COPPER, DISSOLVED (UG/L AS CU)	08/18/81-08/18/81	1	7.	7.	7.	7.	0.	0.	**	**	**	**
01041	COPPER, SUSPENDED (UG/L AS CU)	08/18/81-08/18/81	1	7.	7.	7.	7.	0.	0.	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	08/18/81-08/18/81	1	14.	14.	14.	14.	0.	0.	**	**	**	**
01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	08/18/81-08/18/81	1	7.	7.	7.	7.	0.	0.	**	**	**	**
01044	IRON, SUSPENDED (UG/L AS FE)	08/18/81-08/18/81	1	10000.	10000.	10000.	10000.	0.	0.	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	08/18/81-08/18/81	1	11000.	11000.	11000.	11000.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	08/18/81-08/18/81	1	950.	950.	950.	950.	0.	0.	**	**	**	**
01049	LEAD, DISSOLVED (UG/L AS PB)	08/18/81-08/18/81	1	7.	7.	7.	7.	0.	0.	**	**	**	**
01050	LEAD, SUSPENDED (UG/L AS PB)	08/18/81-08/18/81	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	08/18/81-08/18/81	1	9.	9.	9.	9.	0.	0.	**	**	**	**
01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	08/18/81-08/18/81	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	08/18/81-08/18/81	1	800.	800.	800.	800.	0.	0.	**	**	**	**
01054	MANGANESE, SUSPENDED (UG/L AS MN)	08/18/81-08/18/81	1	120.	120.	120.	120.	0.	0.	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	08/18/81-08/18/81	1	170.	170.	170.	170.	0.	0.	**	**	**	**
01056	MANGANESE, DISSOLVED (UG/L AS MN)	08/18/81-08/18/81	1	50.	50.	50.	50.	0.	0.	**	**	**	**
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	08/18/81-08/18/81	1	11.	11.	11.	11.	0.	0.	**	**	**	**
01061	MOLYBDENUM, SUSPENDED (UG/L AS MO)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01062	MOLYBDENUM, TOTAL (UG/L AS MO)	08/18/81-08/18/81	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01063	MOLYBDENUM IN BOT. DEPOSITS (MG/KG AS MO DRY WGT)	08/18/81-08/18/81	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01065	NICKEL, DISSOLVED (UG/L AS NI)	08/18/81-08/18/81	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01066	NICKEL, SUSPENDED (UG/L AS NI)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	08/18/81-08/18/81	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01075	SILVER, DISSOLVED (UG/L AS AG)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01076	SILVER, SUSPENDED (UG/L AS AG)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01077	SILVER, TOTAL (UG/L AS AG)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01080	STRONTIUM, DISSOLVED (UG/L AS SR)	08/18/81-08/18/81	1	750.	750.	750.	750.	0.	0.	**	**	**	**
01081	STRONTIUM, SUSPENDED (UG/L AS SR)	08/18/81-08/18/81	1	120.	120.	120.	120.	0.	0.	**	**	**	**
01082	STRONTIUM, TOTAL (UG/L AS SR)	08/18/81-08/18/81	1	870.	870.	870.	870.	0.	0.	**	**	**	**
01085	VANADIUM, DISSOLVED (UG/L AS V)	08/18/81-08/18/81	1	6.	6.	6.	6.	0.	0.	**	**	**	**
01090	ZINC, DISSOLVED (UG/L AS ZN)	08/18/81-08/18/81	1	30.	30.	30.	30.	0.	0.	**	**	**	**
01091	ZINC, SUSPENDED (UG/L ZN)	08/18/81-08/18/81	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	08/18/81-08/18/81	1	40.	40.	40.	40.	0.	0.	**	**	**	**
01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	08/18/81-08/18/81	1	11.	11.	11.	11.	0.	0.	**	**	**	**
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01096	ANTIMONY, SUSPENDED (UG/L AS SB)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01097	ANTIMONY, TOTAL (UG/L AS SB)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01105	ALUMINUM, TOTAL (UG/L AS AL)	08/18/81-08/18/81	1	900.	900.	900.	900.	0.	0.	**	**	**	**
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	08/18/81-08/18/81	1	450.	450.	450.	450.	0.	0.	**	**	**	**
01107	ALUMINUM, SUSPENDED (UG/L AS AL)	08/18/81-08/18/81	1	450.	450.	450.	450.	0.	0.	**	**	**	**
01130	LITHIUM, DISSOLVED (UG/L AS LI)	08/18/81-08/18/81	1	70.	70.	70.	70.	0.	0.	**	**	**	**
01131	LITHIUM, SUSPENDED (UG/L AS LI)	08/18/81-08/18/81	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	08/18/81-08/18/81	1	80.	80.	80.	80.	0.	0.	**	**	**	**
01145	SELENIUM, DISSOLVED (UG/L AS SE)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01146	SELENIUM, SUSPENDED (UG/L AS SE)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0034

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01147	SELENIUM, TOTAL (UG/L AS SE)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01148	SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	08/18/81-08/18/81	1	2800.	2800.	2800.	2800.	0.	0.	**	**	**	**
01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	08/18/81-08/18/81	1	15.	15.	15.	15.	0.	0.	**	**	**	**
03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	08/18/81-08/18/81	1 ##	11.5	11.5	11.5	11.5	0.	0.	**	**	**	**
03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	08/18/81-08/18/81	1	17.	17.	17.	17.	0.	0.	**	**	**	**
09511	RADIUM 226, DISSOLVED, RADON METHOD	08/18/81-08/18/81	1	0.16	0.16	0.16	0.16	0.	0.	**	**	**	**
22703	URANIUM, NATURAL, DISSOLVED	08/18/81-08/18/81	1	2.2	2.2	2.2	2.2	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	08/18/81-08/18/81	1	1350.	1350.	1350.	1350.	0.	0.	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	08/18/81-08/18/81	1	6.56	6.56	6.56	6.56	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	08/18/81-08/18/81	1	1.84	1.84	1.84	1.84	0.	0.	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/18/81-08/18/81	1	99.	99.	99.	99.	0.	0.	**	**	**	**
71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	08/18/81-08/18/81	1	0.67	0.67	0.67	0.67	0.	0.	**	**	**	**
71890	MERCURY, DISSOLVED (UG/L AS HG)	08/18/81-08/18/81	1	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
71895	MERCURY, SUSPENDED (UG/L AS HG)	08/18/81-08/18/81	1	0.2	0.2	0.2	0.2	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	08/18/81-08/18/81	1	0.3	0.3	0.3	0.3	0.	0.	**	**	**	**
71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	08/18/81-08/18/81	1	0.02	0.02	0.02	0.02	0.	0.	**	**	**	**
80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	08/18/81-08/18/81	1 ##	20.5	20.5	20.5	20.5	0.	0.	**	**	**	**
80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	08/18/81-08/18/81	1	22.	22.	22.	22.	0.	0.	**	**	**	**
80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	08/18/81-08/18/81	1 ##	11.	11.	11.	11.	0.	0.	**	**	**	**
80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	08/18/81-08/18/81	1	17.	17.	17.	17.	0.	0.	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/18/81-08/18/81	1	355.	355.	355.	355.	0.	0.	**	**	**	**
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/18/81-08/18/81	1	1.7	1.7	1.7	1.7	0.	0.	**	**	**	**
80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	08/18/81-08/18/81	1	26.	26.	26.	26.	0.	0.	**	**	**	**
80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	08/18/81-08/18/81	1	26.	26.	26.	26.	0.	0.	**	**	**	**
80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	08/18/81-08/18/81	1	29.	29.	29.	29.	0.	0.	**	**	**	**
80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	08/18/81-08/18/81	1	30.	30.	30.	30.	0.	0.	**	**	**	**
80168	BED MATERIAL SIEVE DIAMETER,% FINER THAN 1.00MM	08/18/81-08/18/81	1	30.	30.	30.	30.	0.	0.	**	**	**	**
80169	BED MATERIAL SIEVE DIAMETER,% FINER THAN 2.00MM	08/18/81-08/18/81	1	36.	36.	36.	36.	0.	0.	**	**	**	**
80170	BED MATERIAL SIEVE DIAMETER,% FINER THAN 4.00MM	08/18/81-08/18/81	1	51.	51.	51.	51.	0.	0.	**	**	**	**
80171	BED MATERIAL SIEVE DIAMETER,% FINER THAN 8.00MM	08/18/81-08/18/81	1	73.	73.	73.	73.	0.	0.	**	**	**	**
80172	BED MATERIAL SIEVE DIAMETER,% FINER THAN 16.0MM	08/18/81-08/18/81	1	93.	93.	93.	93.	0.	0.	**	**	**	**
80173	BED MATERIAL SIEVE DIAMETER,% FINER THAN 32.0MM	08/18/81-08/18/81	1	100.	100.	100.	100.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0034

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	1	0	0.00	1	0	0.00									
00400	PH	Other-Hi Lim.	9.	1	1	1.00	1	1	1.00									
		Other-Lo Lim.	6.5	1	0	0.00	1	0	0.00									
00403	PH, LAB	Other-Hi Lim.	9.	1	1	1.00	1	1	1.00									
		Other-Lo Lim.	6.5	1	0	0.00	1	0	0.00									
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00	1	0	0.00									
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00	1	0	0.00									
		Drinking Water	250.	1	0	0.00	1	0	0.00									
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00	1	1	1.00									
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	0	0.00	1	0	0.00									
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01002	ARSENIC, TOTAL	Fresh Acute	360.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01005	BARIUM, DISSOLVED	Drinking Water	2000.	1	0	0.00	1	0	0.00									
01006	BARIUM, SUSPENDED	Drinking Water	2000.	1	0	0.00	1	0	0.00									
01007	BARIUM, TOTAL	Drinking Water	2000.	1	0	0.00	1	0	0.00									
01010	BERYLLIUM, DISSOLVED	Fresh Acute	130.	1	0	0.00	1	0	0.00									
		Drinking Water	4.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0034

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01011	BERYLLIUM, SUSPENDED	Fresh Acute	130.	1	0	0.00	1	0	0.00									
		Drinking Water	4.	1	0	0.00	1	0	0.00									
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	1	0	0.00	1	0	0.00									
		Drinking Water	4.	1	0	0.00	1	0	0.00									
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	1	0	0.00	1	0	0.00									
		Drinking Water	5.	1	0	0.00	1	0	0.00									
01026	CADMIUM, SUSPENDED	Fresh Acute	3.9	1	0	0.00	1	0	0.00									
		Drinking Water	5.	1	0	0.00	1	0	0.00									
01027	CADMIUM, TOTAL	Fresh Acute	3.9	1	0	0.00	1	0	0.00									
		Drinking Water	5.	1	0	0.00	1	0	0.00									
01030	CHROMIUM, DISSOLVED	Drinking Water	100.	1	0	0.00	1	0	0.00									
01031	CHROMIUM, SUSPENDED	Drinking Water	100.	1	0	0.00	1	0	0.00									
01034	CHROMIUM, TOTAL	Drinking Water	100.	1	0	0.00	1	0	0.00									
01040	COPPER, DISSOLVED	Fresh Acute	18.	1	0	0.00	1	0	0.00									
		Drinking Water	1300.	1	0	0.00	1	0	0.00									
01041	COPPER, SUSPENDED	Fresh Acute	18.	1	0	0.00	1	0	0.00									
		Drinking Water	1300.	1	0	0.00	1	0	0.00									
01042	COPPER, TOTAL	Fresh Acute	18.	1	0	0.00	1	0	0.00									
		Drinking Water	1300.	1	0	0.00	1	0	0.00									
01049	LEAD, DISSOLVED	Fresh Acute	82.	1	0	0.00	1	0	0.00									
		Drinking Water	15.	1	0	0.00	1	0	0.00									
01050	LEAD, SUSPENDED	Fresh Acute	82.	1	0	0.00	1	0	0.00									
		Drinking Water	15.	1	0	0.00	1	0	0.00									
01051	LEAD, TOTAL	Fresh Acute	82.	1	0	0.00	1	0	0.00									
		Drinking Water	15.	1	0	0.00	1	0	0.00									
01065	NICKEL, DISSOLVED	Fresh Acute	1400.	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01066	NICKEL, SUSPENDED	Fresh Acute	1400.	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01067	NICKEL, TOTAL	Fresh Acute	1400.	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01075	SILVER, DISSOLVED	Fresh Acute	4.1	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01076	SILVER, SUSPENDED	Fresh Acute	4.1	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01077	SILVER, TOTAL	Fresh Acute	4.1	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01090	ZINC, DISSOLVED	Fresh Acute	120.	1	0	0.00	1	0	0.00									
		Drinking Water	5000.	1	0	0.00	1	0	0.00									
01091	ZINC, SUSPENDED	Fresh Acute	120.	1	0	0.00	1	0	0.00									
		Drinking Water	5000.	1	0	0.00	1	0	0.00									
01092	ZINC, TOTAL	Fresh Acute	120.	1	0	0.00	1	0	0.00									
		Drinking Water	5000.	1	0	0.00	1	0	0.00									
01095	ANTIMONY, DISSOLVED	Fresh Acute	88.	1	0	0.00	1	0	0.00									
		Drinking Water	6.	1	0	0.00	1	0	0.00									
01096	ANTIMONY, SUSPENDED	Fresh Acute	88.	1	0	0.00	1	0	0.00									
		Drinking Water	6.	1	0	0.00	1	0	0.00									
01097	ANTIMONY, TOTAL	Fresh Acute	88.	1	0	0.00	1	0	0.00									
		Drinking Water	6.	1	0	0.00	1	0	0.00									
01145	SELENIUM, DISSOLVED	Fresh Acute	20.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01146	SELENIUM, SUSPENDED	Fresh Acute	20.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01147	SELENIUM, TOTAL	Fresh Acute	20.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
22703	URANIUM, NATURAL DISSOLVED	Drinking Water	20.	1	0	0.00	1	0	0.00									
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	1	0	0.00	1	0	0.00									
		Drinking Water	2.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0034

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
71895	MERCURY, SUSPENDED	Fresh Acute	2.4	1	0	0.00	1	0	0.00									
		Drinking Water	2.	1	0	0.00	1	0	0.00									
71900	MERCURY, TOTAL	Fresh Acute	2.4	1	0	0.00	1	0	0.00									
		Drinking Water	2.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0035

NPS Station ID: CHCU0035
LAT/LON: 35.979170/-108.137503
Agency: 112WRD
Date Created: 06/05/82
Location: KIM-ME-NI-OLI WASH NR LAKE VALLEY NM
FIPS State/County: 35031 NEW MEXICO/MCKINLEY
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 09367689
RMI-Indexes:
Within Park Boundary: Yes
RMI-Miles:
HUC: 14080106
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 14080106
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 14080106002611.65
RF3 Mile Point: 12.43
Distance from RF3: 0.00
On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0035

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/06/81-08/16/83	9	11.5	11.278	21.5	0.	61.819	7.863	0.	3.75	19.25	21.5
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	04/28/82-08/16/83	6	23.	20.25	30.	3.	109.375	10.458	**	**	**	**
00025	BAROMETRIC PRESSURE (MM OF HG)	08/18/82-08/16/83	4	621.5	621.75	628.	616.	25.583	5.058	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	11/06/81-08/16/83	9	2.	2.067	5.	0.1	3.463	1.861	0.1	0.25	4.	5.
00065	STAGE, STREAM (FEET)	08/16/83-08/16/83	1	0.69	0.69	0.69	0.69	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	04/28/82-08/16/83	6	2350.	2696.667	4200.	2000.	684866.667	827.567	**	**	**	**
00300	OXYGEN, DISSOLVED MG/L	04/28/82-08/16/83	6	8.55	9.383	13.2	7.4	5.306	2.303	**	**	**	**
00400	PH (STANDARD UNITS)	04/28/82-08/16/83	6	8.8	8.767	9.1	8.4	0.051	0.225	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	04/28/82-08/16/83	6	8.8	8.716	9.1	8.4	0.054	0.232	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	04/28/82-08/16/83	6	0.002	0.002	0.004	0.001	0.	0.001	**	**	**	**
00403	PH, LAB, STANDARD UNITS SU	04/28/82-08/16/83	6	8.65	8.667	9.	8.2	0.095	0.308	**	**	**	**
00403	CONVERTED PH, LAB, STANDARD UNITS	04/28/82-08/16/83	6	8.647	8.575	9.	8.2	0.105	0.324	**	**	**	**
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	04/28/82-08/16/83	6	0.002	0.003	0.006	0.001	0.	0.002	**	**	**	**
00600	NITROGEN, TOTAL (MG/L AS N)	08/18/82-08/18/82	1	1.9	1.9	1.9	1.9	0.	0.	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	04/28/82-11/16/82	3	1.3	1.233	1.4	1.	0.043	0.208	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	04/28/82-11/16/82	3	0.24	0.187	0.26	0.06	0.012	0.11	**	**	**	**
00611	NITROGEN, AMMONIA, BOTTOM DEPOSITS (MG/KG-N)	04/28/82-08/18/82	3	3.2	4.067	7.2	1.8	7.853	2.802	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	04/28/82-11/16/82	3	1.5	1.433	1.7	1.1	0.093	0.306	**	**	**	**
00626	NITROGEN,ORG. KJEL.,BOT. DEPOS. (MG/KG-N DRY WGT)	04/28/82-08/18/82	3	840.	896.667	1300.	550.	143033.333	378.197	**	**	**	**
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	04/28/82-11/16/82	3 ##	0.05	0.083	0.15	0.05	0.003	0.058	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	04/28/82-11/16/82	3 ##	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
00633	NITRITE PLUS NITRATE,BOT. DEPOS. (MG/KG-N DRY WT)	04/28/82-08/18/82	3 ##	1.	1.	1.	1.	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	04/28/82-08/18/82	2	0.09	0.09	0.12	0.06	0.002	0.042	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	04/28/82-11/16/82	3	0.1	0.11	0.15	0.08	0.001	0.036	**	**	**	**
00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	04/28/82-08/18/82	3 ##	20.	60.	140.	20.	4800.	69.282	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	04/28/82-11/16/82	3	0.02	0.022	0.04	0.005	0.	0.018	**	**	**	**
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	04/28/82-11/16/82	3	4.7	5.067	7.2	3.3	3.903	1.976	**	**	**	**
00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	04/28/82-11/16/82	3	1.7	1.7	1.9	1.5	0.04	0.2	**	**	**	**
00693	CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG)	04/28/82-04/28/82	1	4.3	4.3	4.3	4.3	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	04/28/82-11/16/82	4	39.5	40.75	56.	28.	152.917	12.366	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	04/28/82-08/16/83	6	14.	15.483	27.	8.9	41.762	6.462	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	04/28/82-08/16/83	6	2.15	2.567	4.9	1.4	1.887	1.374	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	04/28/82-08/16/83	6	515.	603.333	950.	440.	42706.667	206.656	**	**	**	**
00931	SODIUM ADSORPTION RATIO	04/28/82-11/16/82	4	33.	33.5	37.	31.	6.333	2.517	**	**	**	**
00932	SODIUM, PERCENT	04/28/82-11/16/82	4	96.	96.	97.	95.	0.667	0.816	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	04/28/82-08/16/83	6	3.1	3.633	7.1	2.6	2.983	1.727	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	04/28/82-08/16/83	6	98.	153.333	310.	81.	10095.867	100.478	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	04/28/82-08/16/83	6	680.	776.667	1100.	620.	36546.667	191.172	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0035

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00950	FLUORIDE, DISSOLVED (MG/L AS F)	04/28/82-08/16/83	6	1.85	2.617	4.9	1.6	1.934	1.391	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	04/28/82-08/16/83	6	10.75	10.15	15.	4.9	15.275	3.908	**	**	**	**
01000	ARSENIC, DISSOLVED (UG/L AS AS)	04/28/82-11/16/82	3	2.	1.667	2.	1.	0.333	0.577	**	**	**	**
01001	ARSENIC, SUSPENDED (UG/L AS AS)	04/28/82-11/16/82	3	1.	1.333	2.	1.	0.333	0.577	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	04/28/82-11/16/82	3	3.	3.	4.	2.	1.	1.	**	**	**	**
01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	04/28/82-08/18/82	3	5.	6.	9.	4.	7.	2.646	**	**	**	**
01005	BARIUM, DISSOLVED (UG/L AS BA)	04/28/82-11/16/82	3	50.	58.667	100.	26.	1425.333	37.754	**	**	**	**
01006	BARIUM, SUSPENDED (UG/L AS BA)	04/28/82-08/18/82	2	85.	85.	100.	70.	450.	21.213	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	04/28/82-11/16/82	3	100.	116.667	200.	50.	5833.333	76.376	**	**	**	**
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	04/28/82-11/16/82	3 ##	5.	3.833	5.	1.5	4.083	2.021	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	04/28/82-08/16/83	6	210.	275.	450.	200.	12270.	110.77	**	**	**	**
01025	CADMIUM, DISSOLVED (UG/L AS CD)	04/28/82-11/16/82	3 ##	0.5	0.833	1.5	0.5	0.333	0.577	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	04/28/82-11/16/82	3 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	04/28/82-08/18/82	3 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	04/28/82-08/18/82	3	3.	3.333	5.	2.	2.333	1.528	**	**	**	**
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	04/28/82-11/16/82	3 ##	5.	6.667	10.	5.	8.333	2.887	**	**	**	**
01031	CHROMIUM, SUSPEND (UG/L AS CR)	08/18/82-08/18/82	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	04/28/82-11/16/82	3	10.	11.667	20.	5.	58.333	7.638	**	**	**	**
01035	COBALT, DISSOLVED (UG/L AS CO)	04/28/82-04/28/82	1 ##	4.5	4.5	4.5	4.5	0.	0.	**	**	**	**
01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	04/28/82-08/18/82	3 ##	5.	6.667	10.	5.	8.333	2.887	**	**	**	**
01040	COPPER, DISSOLVED (UG/L AS CU)	04/28/82-11/16/82	3	2.	2.	2.	2.	0.	0.	**	**	**	**
01041	COPPER, SUSPENDED (UG/L AS CU)	04/28/82-11/16/82	3	7.	9.333	14.	7.	16.333	4.041	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	04/28/82-11/16/82	3	9.	11.333	16.	9.	16.333	4.041	**	**	**	**
01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	04/28/82-08/18/82	3	6.	5.667	7.	4.	2.333	1.528	**	**	**	**
01044	IRON, SUSPENDED (UG/L AS FE)	04/28/82-08/16/83	6	9750.	10083.333	16000.	7000.	11025666.667	3320.492	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	04/28/82-08/16/83	6	9950.	10183.333	16000.	7100.	10725666.667	3275.006	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	04/28/82-08/16/83	6	107.5	130.833	260.	80.	4724.167	68.733	**	**	**	**
01049	LEAD, DISSOLVED (UG/L AS PB)	04/28/82-11/16/82	3	2.	2.333	4.	1.	2.333	1.528	**	**	**	**
01050	LEAD, SUSPENDED (UG/L AS PB)	04/28/82-11/16/82	3	1.	3.	8.	0.	19.	4.359	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	04/28/82-11/16/82	3	3.	4.333	9.	1.	17.333	4.163	**	**	**	**
01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	04/28/82-08/18/82	3 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	04/28/82-08/18/82	3	210.	213.333	260.	170.	2033.333	45.092	**	**	**	**
01054	MANGANESE, SUSPENDED (UG/L AS MN)	04/28/82-08/16/83	6	130.	128.333	190.	80.	2056.667	45.35	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	04/28/82-08/16/83	6	140.	136.667	200.	90.	1946.667	44.121	**	**	**	**
01056	MANGANESE, DISSOLVED (UG/L AS MN)	04/28/82-08/16/83	6	10.	9.	10.	4.	6.	2.449	**	**	**	**
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	04/28/82-04/28/82	1 ##	15.	15.	15.	15.	0.	0.	**	**	**	**
01065	NICKEL, DISSOLVED (UG/L AS NI)	04/28/82-11/16/82	3	2.	1.667	2.	1.	0.333	0.577	**	**	**	**
01080	STRONTIUM, DISSOLVED (UG/L AS SR)	04/28/82-11/16/82	3	780.	700.	830.	490.	33700.	183.576	**	**	**	**
01081	STRONTIUM, SUSPENDED (UG/L AS SR)	04/28/82-11/16/82	3	0.	53.333	160.	0.	8533.333	92.376	**	**	**	**
01082	STRONTIUM, TOTAL (UG/L AS SR)	04/28/82-11/16/82	3	760.	726.667	940.	480.	53733.333	231.805	**	**	**	**
01085	VANADIUM, DISSOLVED (UG/L AS V)	04/28/82-04/28/82	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01090	ZINC, DISSOLVED (UG/L AS ZN)	04/28/82-11/16/82	3	10.	12.	20.	6.	52.	7.211	**	**	**	**
01091	ZINC, SUSPENDED (UG/L ZN)	08/18/82-11/16/82	2	30.	30.	30.	30.	0.	0.	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	04/28/82-11/16/82	3	50.	50.	60.	40.	100.	10.	**	**	**	**
01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	04/28/82-08/18/82	3	17.	21.667	37.	11.	185.333	13.614	**	**	**	**
01130	LITHIUM, DISSOLVED (UG/L AS LI)	04/28/82-11/16/82	3	80.	76.667	80.	70.	33.333	5.774	**	**	**	**
01131	LITHIUM, SUSPENDED (UG/L AS LI)	04/28/82-11/16/82	3	0.	0.	0.	0.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	04/28/82-11/16/82	3	70.	70.	80.	60.	100.	10.	**	**	**	**
01145	SELENIUM, DISSOLVED (UG/L AS SE)	04/28/82-11/16/82	3 ##	0.5	0.667	1.	0.5	0.083	0.289	**	**	**	**
01146	SELENIUM, SUSPENDED (UG/L AS SE)	08/18/82-08/18/82	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	04/28/82-11/16/82	3 ##	0.5	0.667	1.	0.5	0.083	0.289	**	**	**	**
01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	04/28/82-08/18/82	3	2800.	3900.	6500.	2400.	5110000.	2260.531	**	**	**	**
01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	04/28/82-11/16/82	3	18.	14.933	18.	8.8	28.213	5.312	**	**	**	**
03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	04/28/82-11/16/82	3 ##	10.	9.667	10.5	8.5	1.083	1.041	**	**	**	**
03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	04/28/82-11/16/82	3	8.	9.167	13.	6.5	11.583	3.403	**	**	**	**
09511	RADIUM 226, DISSOLVED, RADON METHOD	04/28/82-11/16/82	3	0.11	0.12	0.17	0.08	0.002	0.046	**	**	**	**
11501	RADIUM 228, TOTAL	04/28/82-11/16/82	2 ##	1.	1.	1.	1.	0.	0.	**	**	**	**
22703	URANIUM, NATURAL, DISSOLVED	04/28/82-11/16/82	2	1.2	1.2	1.3	1.1	0.02	0.141	**	**	**	**
28011	URANIUM,NATURAL,TOTAL UG/L AS U	04/28/82-04/28/82	1	1.6	1.6	1.6	1.6	0.	0.	**	**	**	**
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	04/28/82-08/16/83	6	1495.	1778.333	2690.	1360.	297496.667	545.433	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	04/28/82-11/16/82	4	15.6	12.68	19.1	0.42	69.766	8.353	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	04/28/82-11/16/82	4	1.945	1.963	2.11	1.85	0.012	0.109	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	04/28/82-08/16/83	8	99.5	98.875	100.	96.	2.125	1.458	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0035

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	04/28/82-11/16/82	3	0.31	0.34	0.46	0.25	0.012	0.108	**	**	**	**
71887	NITROGEN, TOTAL, AS NO3 - MG/L	08/18/82-08/18/82	1	8.2	8.2	8.2	8.2	0.	0.	**	**	**	**
71890	MERCURY, DISSOLVED (UG/L AS HG)	04/28/82-11/16/82	3	0.4	0.5	0.9	0.2	0.13	0.361	**	**	**	**
71895	MERCURY, SUSPENDED (UG/L AS HG)	04/28/82-11/16/82	3	0.	0.067	0.2	0.	0.013	0.115	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	04/28/82-11/16/82	3	0.4	0.433	0.7	0.2	0.063	0.252	**	**	**	**
71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	04/28/82-08/18/82	3	0.01	0.027	0.06	0.01	0.001	0.029	**	**	**	**
80020	URANIUM,DISS.,BY EXTRACTION FLUOROMETRIC METHOD	08/18/82-08/18/82	1	0.59	0.59	0.59	0.59	0.	0.	**	**	**	**
80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	04/28/82-11/16/82	3 ##	17.	17.333	18.	17.	0.333	0.577	**	**	**	**
80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	04/28/82-11/16/82	3	26.	22.	27.	13.	61.	7.81	**	**	**	**
80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	04/28/82-11/16/82	3 ##	10.	9.333	10.	8.	1.333	1.155	**	**	**	**
80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	04/28/82-11/16/82	3	7.5	8.9	13.	6.2	13.03	3.61	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	11/06/81-08/16/83	9	292.	308.	637.	135.	29233.5	170.978	135.	144.5	439.	637.
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	04/28/82-12/29/82	5	2.4	2.282	5.4	0.04	5.285	2.299	**	**	**	**
80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	08/18/82-08/18/82	1	36.	36.	36.	36.	0.	0.	**	**	**	**
80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	08/18/82-08/18/82	1	64.	64.	64.	64.	0.	0.	**	**	**	**
80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	08/18/82-08/18/82	1	96.	96.	96.	96.	0.	0.	**	**	**	**
80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	08/18/82-08/18/82	1	99.	99.	99.	99.	0.	0.	**	**	**	**
80162	BED MATERIAL FALL DIAMETER, % FINER THAN 1.00MM	08/18/82-08/18/82	1	100.	100.	100.	100.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0035

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	----------7/01-10/19---------- Obs	Exceed	Prop.	----------10/20-4/09---------- Obs	Exceed	Prop.	----------4/10-6/30---------- Obs	Exceed	Prop.	--------------n/a-------------- Obs	Exceed	Prop.
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	6	0	0.00	2	0	0.00	2	0	0.00	2	0	0.00			
00400	PH	Other-Hi Lim.	9.	6	1	0.17	2	0	0.00	2	1	0.50	2	0	0.00			
		Other-Lo Lim.	6.5	6	0	0.00	2	0	0.00	2	0	0.00	2	0	0.00			
00403	PH, LAB	Other-Hi Lim.	9.	6	2	0.33	2	0	0.00	2	1	0.50	2	1	0.50			
		Other-Lo Lim.	6.5	6	0	0.00	2	0	0.00	2	0	0.00	2	0	0.00			
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	6	0	0.00	2	0	0.00	2	0	0.00	2	0	0.00			
		Drinking Water	250.	6	2	0.33	2	1	0.50	2	1	0.50	2	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	6	6	1.00	2	2	1.00	2	2	1.00	2	2	1.00			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	6	1	0.17	2	0	0.00	2	1	0.50	2	0	0.00			
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	50.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	50.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01002	ARSENIC, TOTAL	Fresh Acute	360.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	50.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01005	BARIUM, DISSOLVED	Drinking Water	2000.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01006	BARIUM, SUSPENDED	Drinking Water	2000.	2	0	0.00	1	0	0.00				1	0	0.00			
01007	BARIUM, TOTAL	Drinking Water	2000.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01010	BERYLLIUM, DISSOLVED	Fresh Acute	130.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	4.	1 &	0	0.00							1	0	0.00			
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	5.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01027	CADMIUM, TOTAL	Fresh Acute	3.9	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	5.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01030	CHROMIUM, DISSOLVED	Drinking Water	100.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01031	CHROMIUM, SUSPENDED	Drinking Water	100.	1	0	0.00	1	0	0.00									
01034	CHROMIUM, TOTAL	Drinking Water	100.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01040	COPPER, DISSOLVED	Fresh Acute	18.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	1300.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01041	COPPER, SUSPENDED	Fresh Acute	18.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	1300.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01042	COPPER, TOTAL	Fresh Acute	18.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	1300.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0035

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01049	LEAD, DISSOLVED	Fresh Acute	82.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	15.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01050	LEAD, SUSPENDED	Fresh Acute	82.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	15.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01051	LEAD, TOTAL	Fresh Acute	82.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	15.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01065	NICKEL, DISSOLVED	Fresh Acute	1400.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	100.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01090	ZINC, DISSOLVED	Fresh Acute	120.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	5000.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01091	ZINC, SUSPENDED	Fresh Acute	120.	2	0	0.00	1	0	0.00	1	0	0.00						
		Drinking Water	5000.	2	0	0.00	1	0	0.00	1	0	0.00						
01092	ZINC, TOTAL	Fresh Acute	120.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	5000.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01145	SELENIUM, DISSOLVED	Fresh Acute	20.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	50.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
01146	SELENIUM, SUSPENDED	Fresh Acute	20.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01147	SELENIUM, TOTAL	Fresh Acute	20.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	50.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
22703	URANIUM, NATURAL DISSOLVED	Drinking Water	20.	2	0	0.00				1	0	0.00	1	0	0.00			
28011	URANIUM, NATURAL, TOTAL	Drinking Water	20.	1	0	0.00							1	0	0.00			
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	2.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
71895	MERCURY, SUSPENDED	Fresh Acute	2.4	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	2.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
71900	MERCURY, TOTAL	Fresh Acute	2.4	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	2.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
80020	URANIUM, DISS. BY EXTRACTION FLUOROMETRI	Drinking Water	20.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0036

NPS Station ID: CHCU0036 LAT/LON: 35.978059/-108.138338 Agency: 112WRD Date Created: 07/18/78
Location: 20N.12W.08.323 KMNO WASH 9 MI S LK. V. SCHOOL,NM FIPS State/County: 35031 NEW MEXICO/MCKINLEY
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 355841108081810
RMI-Indexes: Within Park Boundary: Yes
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106026 RF1 Mile Point: 10.290 Distance from RF1: 22.50 On/Off RF1: ON
RF3 Index: 14080106031500.00 RF3 Mile Point: 0.00 Distance from RF3: 0.01 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0036

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/27/78-08/18/81	4	20.25	20.75	24.	18.5	5.417	2.327	**	**	**	**
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	08/18/81-08/18/81	2	31.5	31.5	34.	29.	12.5	3.536	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	03/27/78-08/18/81	3	3.	3.667	5.	3.	1.333	1.155	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/27/78-08/18/81	10	2050.	1691.5	3000.	500.	819533.611	905.281	505.	767.5	2300.	2960.
00300	OXYGEN, DISSOLVED MG/L	08/18/81-08/18/81	1	6.7	6.7	6.7	6.7	0.	0.	**	**	**	**
00340	COD, .25N K2CR2O7 MG/L	08/18/81-08/18/81	1	81.	81.	81.	81.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	03/27/78-08/18/81	10	8.05	8.16	9.	7.4	0.396	0.629	7.4	7.55	8.85	9.
00400	CONVERTED PH (STANDARD UNITS)	03/27/78-08/18/81	10	8.047	7.838	9.	7.4	0.511	0.715	7.4	7.55	8.85	9.
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/27/78-08/18/81	10	0.009	0.015	0.04	0.001	0.	0.015	0.001	0.001	0.029	0.04
00403	PH, LAB, STANDARD UNITS SU	04/22/81-08/18/81	3	8.5	8.5	8.6	8.4	0.01	0.1	**	**	**	**
00403	CONVERTED PH, LAB, STANDARD UNITS	04/22/81-08/18/81	3	8.5	8.492	8.6	8.4	0.01	0.1	**	**	**	**
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	04/22/81-08/18/81	3	0.003	0.003	0.004	0.003	0.	0.001	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	03/27/78-04/22/81	4	11.55	12.675	27.	0.6	137.649	11.732	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	03/27/78-04/22/81	4	318.5	310.	390.	213.	5751.333	75.838	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	03/27/78-04/22/81	4	360.	365.	480.	260.	10500.	102.47	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	03/27/78-04/22/81	2	14.	14.	28.	0.	392.	19.799	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	08/18/81-08/18/81	1	0.92	0.92	0.92	0.92	0.	0.	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	08/18/81-08/18/81	1	0.38	0.38	0.38	0.38	0.	0.	**	**	**	**
00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	08/18/81-08/18/81	1	0.75	0.75	0.75	0.75	0.	0.	**	**	**	**
00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	08/18/81-08/18/81	1	0.55	0.55	0.55	0.55	0.	0.	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	08/18/81-08/18/81	1	1.3	1.3	1.3	1.3	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/27/78-08/18/81	3	0.05	1.927	5.7	0.03	10.679	3.268	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/27/78-04/22/81	2	0.06	0.06	0.09	0.03	0.002	0.042	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	08/18/81-08/18/81	1	0.24	0.24	0.24	0.24	0.	0.	**	**	**	**
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	08/18/81-08/18/81	1	0.02	0.02	0.02	0.02	0.	0.	**	**	**	**
00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	08/18/81-08/18/81	1	280.	280.	280.	280.	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/27/78-04/22/81	2	0.02	0.02	0.03	0.01	0.	0.014	**	**	**	**
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	08/18/81-08/18/81	1	5.2	5.2	5.2	5.2	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	03/27/78-08/18/81	4	52.5	50.5	59.	38.	83.	9.11	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	03/27/78-04/22/81	2	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	03/27/78-08/18/81	4	16.5	16.5	20.	13.	8.333	2.887	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	03/27/78-08/18/81	4	2.4	2.2	2.7	1.3	0.387	0.622	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	03/27/78-08/18/81	4	460.	532.5	750.	460.	21025.	145.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	03/27/78-08/18/81	4	27.5	33.5	53.	26.	169.667	13.026	**	**	**	**
00932	SODIUM, PERCENT	03/27/78-08/18/81	4	95.	95.25	97.	94.	1.583	1.258	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	03/27/78-08/18/81	9	4.8	5.244	8.6	3.3	3.713	1.927	3.3	3.45	6.8	8.6
00940	CHLORIDE,TOTAL IN WATER MG/L	03/27/78-08/18/81	4	85.5	80.	92.	57.	246.	15.684	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	03/27/78-08/18/81	4	610.	747.5	1200.	570.	91358.333	302.255	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0036

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/27/78-08/18/81	4	1.7	1.7	1.9	1.5	0.053	0.231	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	03/27/78-08/18/81	4	13.5	22.25	51.	11.	368.917	19.207	**	**	**	**
01000	ARSENIC, DISSOLVED (UG/L AS AS)	08/18/81-08/18/81	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01001	ARSENIC, SUSPENDED (UG/L AS AS)	08/18/81-08/18/81	1	2.	2.	2.	2.	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	08/18/81-08/18/81	1	5.	5.	5.	5.	0.	0.	**	**	**	**
01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	03/15/79-08/18/81	2	5.	5.	6.	4.	2.	1.414	**	**	**	**
01005	BARIUM, DISSOLVED (UG/L AS BA)	08/18/81-08/18/81	1	100.	100.	100.	100.	0.	0.	**	**	**	**
01006	BARIUM, SUSPENDED (UG/L AS BA)	08/18/81-08/18/81	1	100.	100.	100.	100.	0.	0.	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	08/18/81-08/18/81	1	200.	200.	200.	200.	0.	0.	**	**	**	**
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01012	BERYLLIUM, TOTAL (UG/L AS BE)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	03/27/78-08/18/81	4	195.	240.	380.	190.	8733.333	93.452	**	**	**	**
01025	CADMIUM, DISSOLVED (UG/L AS CD)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01026	CADMIUM, SUSPENDED (UG/L AS CD)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/18/81-08/18/81	1	6.	6.	6.	6.	0.	0.	**	**	**	**
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	08/18/81-08/18/81	1	4.	4.	4.	4.	0.	0.	**	**	**	**
01031	CHROMIUM, SUSPEND (UG/L AS CR)	08/18/81-08/18/81	1	6.	6.	6.	6.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	08/18/81-08/18/81	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01035	COBALT, DISSOLVED (UG/L AS CO)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01036	COBALT, SUSPENDED (UG/L AS CO)	08/18/81-08/18/81	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01037	COBALT, TOTAL (UG/L AS CO)	08/18/81-08/18/81	1	4.	4.	4.	4.	0.	0.	**	**	**	**
01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01040	COPPER, DISSOLVED (UG/L AS CU)	08/18/81-08/18/81	1	3.	3.	3.	3.	0.	0.	**	**	**	**
01041	COPPER, SUSPENDED (UG/L AS CU)	08/18/81-08/18/81	1	13.	13.	13.	13.	0.	0.	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	08/18/81-08/18/81	1	16.	16.	16.	16.	0.	0.	**	**	**	**
01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	08/18/81-08/18/81	1	17.	17.	17.	17.	0.	0.	**	**	**	**
01044	IRON, SUSPENDED (UG/L AS FE)	08/18/81-08/18/81	1	12000.	12000.	12000.	12000.	0.	0.	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	08/18/81-08/18/81	2	40000.	40000.	68000.	12000.	1568000000.	39597.98	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	03/27/78-08/18/81	4	145.	180.	340.	90.	12866.667	113.431	**	**	**	**
01049	LEAD, DISSOLVED (UG/L AS PB)	03/27/78-08/18/81	2	3.	3.	4.	2.	2.	1.414	**	**	**	**
01050	LEAD, SUSPENDED (UG/L AS PB)	08/18/81-08/18/81	1	7.	7.	7.	7.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	08/18/81-08/18/81	1	9.	9.	9.	9.	0.	0.	**	**	**	**
01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	08/18/81-08/18/81	1	20.	20.	20.	20.	0.	0.	**	**	**	**
01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	08/18/81-08/18/81	1	210.	210.	210.	210.	0.	0.	**	**	**	**
01054	MANGANESE, SUSPENDED (UG/L AS MN)	08/18/81-08/18/81	1	210.	210.	210.	210.	0.	0.	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	08/18/81-08/18/81	2	605.	605.	1000.	210.	312050.	558.614	**	**	**	**
01056	MANGANESE, DISSOLVED (UG/L AS MN)	04/22/81-08/18/81	2	5.	5.	10.	0.	50.	7.071	**	**	**	**
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	08/18/81-08/18/81	1	13.	13.	13.	13.	0.	0.	**	**	**	**
01061	MOLYBDENUM, SUSPENDED (UG/L AS MO)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01062	MOLYBDENUM, TOTAL (UG/L AS MO)	08/18/81-08/18/81	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01063	MOLYBDENUM IN BOT. DEPOSITS (MG/KG AS MO DRY WGT)	03/15/79-08/18/81	2	1.	1.	2.	0.	2.	1.414	**	**	**	**
01065	NICKEL, DISSOLVED (UG/L AS NI)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01066	NICKEL, SUSPENDED (UG/L AS NI)	08/18/81-08/18/81	1	4.	4.	4.	4.	0.	0.	**	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	08/18/81-08/18/81	1	4.	4.	4.	4.	0.	0.	**	**	**	**
01075	SILVER, DISSOLVED (UG/L AS AG)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01076	SILVER, SUSPENDED (UG/L AS AG)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01077	SILVER, TOTAL (UG/L AS AG)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01080	STRONTIUM, DISSOLVED (UG/L AS SR)	08/18/81-08/18/81	1	790.	790.	790.	790.	0.	0.	**	**	**	**
01081	STRONTIUM, SUSPENDED (UG/L AS SR)	08/18/81-08/18/81	1	180.	180.	180.	180.	0.	0.	**	**	**	**
01082	STRONTIUM, TOTAL (UG/L AS SR)	08/18/81-08/18/81	1	970.	970.	970.	970.	0.	0.	**	**	**	**
01085	VANADIUM, DISSOLVED (UG/L AS V)	08/18/81-08/18/81	1	5.	5.	5.	5.	0.	0.	**	**	**	**
01090	ZINC, DISSOLVED (UG/L AS ZN)	08/18/81-08/18/81	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01091	ZINC, SUSPENDED (UG/L ZN)	08/18/81-08/18/81	1	40.	40.	40.	40.	0.	0.	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	08/18/81-08/18/81	1	50.	50.	50.	50.	0.	0.	**	**	**	**
01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	08/18/81-08/18/81	1	44.	44.	44.	44.	0.	0.	**	**	**	**
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01096	ANTIMONY, SUSPENDED (UG/L AS SB)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01097	ANTIMONY, TOTAL (UG/L AS SB)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01105	ALUMINUM, TOTAL (UG/L AS AL)	08/18/81-08/18/81	1	1100.	1100.	1100.	1100.	0.	0.	**	**	**	**
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	08/18/81-08/18/81	1	40.	40.	40.	40.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0036

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01107	ALUMINUM, SUSPENDED (UG/L AS AL)	08/18/81-08/18/81	1	1100.	1100.	1100.	1100.	0.	0.	**	**	**	**
01130	LITHIUM, DISSOLVED (UG/L AS LI)	08/18/81-08/18/81	1	70.	70.	70.	70.	0.	0.	**	**	**	**
01131	LITHIUM, SUSPENDED (UG/L AS LI)	08/18/81-08/18/81	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	08/18/81-08/18/81	1	80.	80.	80.	80.	0.	0.	**	**	**	**
01145	SELENIUM, DISSOLVED (UG/L AS SE)	08/18/81-08/18/81	1	1.	1.	1.	1.	0.	0.	**	**	**	**
01146	SELENIUM, SUSPENDED (UG/L AS SE)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	04/22/81-08/18/81	2	2.	2.	3.	1.	2.	1.414	**	**	**	**
01148	SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT)	03/15/79-08/18/81	2	0.	0.	0.	0.	0.	0.	**	**	**	**
01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	08/18/81-08/18/81	1	9000.	9000.	9000.	9000.	0.	0.	**	**	**	**
01515	ALPHA, DISSOLVED GROSS, AS URANIUM-NATURAL, PC/L	09/24/78-04/22/81	6 ##	2.7	8.1	31.	1.35	133.633	11.56	**	**	**	**
01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	09/24/78-08/18/81	7	29.	45.357	95.	12.	1238.74	35.196	**	**	**	**
03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	09/24/78-08/18/81	7	8.4	8.229	11.	5.5	3.206	1.79	**	**	**	**
03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	09/24/78-08/18/81	7	65.	45.757	79.4	5.2	1133.146	33.662	**	**	**	**
09510	RADIUM 226, DISSOLVED, PLANCHET COUNT	09/24/78-03/15/79	5 ##	0.2	0.19	0.25	0.15	0.002	0.042	**	**	**	**
09511	RADIUM 226, DISSOLVED, RADON METHOD	03/27/78-08/18/81	3	0.14	0.15	0.19	0.12	0.001	0.036	**	**	**	**
22703	URANIUM, NATURAL, DISSOLVED	09/24/78-04/22/81	6	1.9	1.983	2.8	1.5	0.202	0.449	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	03/27/78-08/18/81	4	1365.	1597.5	2340.	1320.	245491.667	495.471	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	03/27/78-08/18/81	4	10.45	12.22	18.5	9.48	17.752	4.213	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	03/27/78-08/18/81	4	1.855	2.173	3.18	1.8	0.452	0.672	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	09/24/78-08/18/81	9	99.	96.222	100.	90.	15.944	3.993	90.	92.	99.5	100.
71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	08/18/81-08/18/81	1	0.74	0.74	0.74	0.74	0.	0.	**	**	**	**
71890	MERCURY, DISSOLVED (UG/L AS HG)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
71895	MERCURY, SUSPENDED (UG/L AS HG)	08/18/81-08/18/81	1	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	08/18/81-08/18/81	1	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	08/18/81-08/18/81	1	0.03	0.03	0.03	0.03	0.	0.	**	**	**	**
80020	URANIUM,DISS.,BY EXTRACTION FLUOROMETRIC METHOD	08/18/81-08/18/81	1	1.9	1.9	1.9	1.9	0.	0.	**	**	**	**
80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	09/24/78-08/18/81	7 ##	4.	9.1	23.	2.	64.166	8.01	**	**	**	**
80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	09/24/78-08/18/81	7	104.	78.171	139.	18.	2444.872	49.446	**	**	**	**
80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	09/24/78-08/18/81	7	8.	7.65	10.	4.95	2.658	1.63	**	**	**	**
80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	09/24/78-08/18/81	7	62.3	44.6	78.	5.	1095.287	33.095	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	03/27/78-08/18/81	10	2147.	4935.	16900.	339.	33314482.889	5771.87	341.4	400.5	9525.	16290.
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	03/27/78-08/18/81	9	18.	475.522	2280.	2.1	568208.774	753.796	2.1	3.	739.	2280.
80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	08/18/81-08/18/81	1	59.	59.	59.	59.	0.	0.	**	**	**	**
80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	08/18/81-08/18/81	1	78.	78.	78.	78.	0.	0.	**	**	**	**
80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	08/18/81-08/18/81	1	99.	99.	99.	99.	0.	0.	**	**	**	**
80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	08/18/81-08/18/81	1	100.	100.	100.	100.	0.	0.	**	**	**	**
82068	POTASSIUM 40, DISSOLVED, K-40 PC/LITER	04/22/81-04/22/81	1	2.5	2.5	2.5	2.5	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0036

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	1	0	0.00	1	0	0.00									
00400	PH	Other-Hi Lim.	9.	10	2	0.20	5	1	0.20	4	0	0.00	1	1	1.00			
		Other-Lo Lim.	6.5	10	0	0.00	5	0	0.00	4	0	0.00	1	0	0.00			
00403	PH, LAB	Other-Hi Lim.	9.	3	0	0.00	2	0	0.00				1	0	0.00			
		Other-Lo Lim.	6.5	3	0	0.00	2	0	0.00				1	0	0.00			
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	3	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00			
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	4	0	0.00	2	0	0.00	1	0	0.00	1	0	0.00			
		Drinking Water	250.	4	0	0.00	2	0	0.00	1	0	0.00	1	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	4	4	1.00	2	2	1.00	1	1	1.00	1	1	1.00			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	4	0	0.00	2	0	0.00	1	0	0.00	1	0	0.00			
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01002	ARSENIC, TOTAL	Fresh Acute	360.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0036

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01005	BARIUM, DISSOLVED	Drinking Water	2000.	1	0	0.00	1	0	0.00									
01006	BARIUM, SUSPENDED	Drinking Water	2000.	1	0	0.00	1	0	0.00									
01007	BARIUM, TOTAL	Drinking Water	2000.	1	0	0.00	1	0	0.00									
01010	BERYLLIUM, DISSOLVED	Fresh Acute	130.	1	0	0.00	1	0	0.00									
		Drinking Water	4.	1	0	0.00	1	0	0.00									
01011	BERYLLIUM, SUSPENDED	Fresh Acute	130.	1	0	0.00	1	0	0.00									
		Drinking Water	4.	1	0	0.00	1	0	0.00									
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	1	0	0.00	1	0	0.00									
		Drinking Water	4.	1	0	0.00	1	0	0.00									
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	1	0	0.00	1	0	0.00									
		Drinking Water	5.	1	0	0.00	1	0	0.00									
01026	CADMIUM, SUSPENDED	Fresh Acute	3.9	1	0	0.00	1	0	0.00									
		Drinking Water	5.	1	0	0.00	1	0	0.00									
01027	CADMIUM, TOTAL	Fresh Acute	3.9	1	0	0.00	1	0	0.00									
		Drinking Water	5.	1	0	0.00	1	0	0.00									
01030	CHROMIUM, DISSOLVED	Drinking Water	100.	1	0	0.00	1	0	0.00									
01031	CHROMIUM, SUSPENDED	Drinking Water	100.	1	0	0.00	1	0	0.00									
01034	CHROMIUM, TOTAL	Drinking Water	100.	1	0	0.00	1	0	0.00									
01040	COPPER, DISSOLVED	Fresh Acute	18.	1	0	0.00	1	0	0.00									
		Drinking Water	1300.	1	0	0.00	1	0	0.00									
01041	COPPER, SUSPENDED	Fresh Acute	18.	1	0	0.00	1	0	0.00									
		Drinking Water	1300.	1	0	0.00	1	0	0.00									
01042	COPPER, TOTAL	Fresh Acute	18.	1	0	0.00	1	0	0.00									
		Drinking Water	1300.	1	0	0.00	1	0	0.00									
01049	LEAD, DISSOLVED	Fresh Acute	82.	2	0	0.00	1	0	0.00	1	0	0.00						
		Drinking Water	15.	2	0	0.00	1	0	0.00	1	0	0.00						
01050	LEAD, SUSPENDED	Fresh Acute	82.	1	0	0.00	1	0	0.00									
		Drinking Water	15.	1	0	0.00	1	0	0.00									
01051	LEAD, TOTAL	Fresh Acute	82.	1	0	0.00	1	0	0.00									
		Drinking Water	15.	1	0	0.00	1	0	0.00									
01065	NICKEL, DISSOLVED	Fresh Acute	1400.	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01066	NICKEL, SUSPENDED	Fresh Acute	1400.	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01067	NICKEL, TOTAL	Fresh Acute	1400.	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01075	SILVER, DISSOLVED	Fresh Acute	4.1	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01076	SILVER, SUSPENDED	Fresh Acute	4.1	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01077	SILVER, TOTAL	Fresh Acute	4.1	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01090	ZINC, DISSOLVED	Fresh Acute	120.	1	0	0.00	1	0	0.00									
		Drinking Water	5000.	1	0	0.00	1	0	0.00									
01091	ZINC, SUSPENDED	Fresh Acute	120.	1	0	0.00	1	0	0.00									
		Drinking Water	5000.	1	0	0.00	1	0	0.00									
01092	ZINC, TOTAL	Fresh Acute	120.	1	0	0.00	1	0	0.00									
		Drinking Water	5000.	1	0	0.00	1	0	0.00									
01095	ANTIMONY, DISSOLVED	Fresh Acute	88.	1	0	0.00	1	0	0.00									
		Drinking Water	6.	1	0	0.00	1	0	0.00									
01096	ANTIMONY, SUSPENDED	Fresh Acute	88.	1	0	0.00	1	0	0.00									
		Drinking Water	6.	1	0	0.00	1	0	0.00									
01097	ANTIMONY, TOTAL	Fresh Acute	88.	1	0	0.00	1	0	0.00									
		Drinking Water	6.	1	0	0.00	1	0	0.00									
01145	SELENIUM, DISSOLVED	Fresh Acute	20.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01146	SELENIUM, SUSPENDED	Fresh Acute	20.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0036

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01147	SELENIUM, TOTAL	Fresh Acute	20.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	50.	2	0	0.00	1	0	0.00				1	0	0.00			
22703	URANIUM, NATURAL DISSOLVED	Drinking Water	20.	6	0	0.00	2	0	0.00	3	0	0.00	1	0	0.00			
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	1	0	0.00	1	0	0.00									
		Drinking Water	2.	1	0	0.00	1	0	0.00									
71895	MERCURY, SUSPENDED	Fresh Acute	2.4	1	0	0.00	1	0	0.00									
		Drinking Water	2.	1	0	0.00	1	0	0.00									
71900	MERCURY, TOTAL	Fresh Acute	2.4	1	0	0.00	1	0	0.00									
		Drinking Water	2.	1	0	0.00	1	0	0.00									
80020	URANIUM, DISS. BY EXTRACTION FLUOROMETRI	Drinking Water	20.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0037

NPS Station ID: CHCU0037 LAT/LON: 35.964448/-108.146671 Agency: 112WRD Date Created: 07/18/78
Location: 20N.12W.18.422 BIA IK-9 WELL 9 MI S LK VALLEY,NM FIPS State/County: 35031 NEW MEXICO/MCKINLEY
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 355752108084801
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: M Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 14080106002611.65 RF3 Mile Point: 12.28 Distance from RF3: 0.08 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0037

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/27/78-03/27/78	1	19.	19.	19.	19.	0.	0.	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/27/78-03/27/78	1	2740.	2740.	2740.	2740.	0.	0.	**	**	**	**
00400	PH (STANDARD UNITS)	03/27/78-03/27/78	1	8.3	8.3	8.3	8.3	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	03/27/78-03/27/78	1	8.3	8.3	8.3	8.3	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/27/78-03/27/78	1	0.005	0.005	0.005	0.005	0.	0.	**	**	**	**
00405	CARBON DIOXIDE (MG/L AS CO2)	03/27/78-03/27/78	1	8.7	8.7	8.7	8.7	0.	0.	**	**	**	**
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	03/27/78-03/27/78	1	890.	890.	890.	890.	0.	0.	**	**	**	**
00440	BICARBONATE ION (MG/L AS HCO3)	03/27/78-03/27/78	1	1090.	1090.	1090.	1090.	0.	0.	**	**	**	**
00445	CARBONATE ION (MG/L AS CO3)	03/27/78-03/27/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	03/27/78-03/27/78	1	0.7	0.7	0.7	0.7	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/27/78-03/27/78	1	0.09	0.09	0.09	0.09	0.	0.	**	**	**	**
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/27/78-03/27/78	1	0.03	0.03	0.03	0.03	0.	0.	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/27/78-03/27/78	1	1.5	1.5	1.5	1.5	0.	0.	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	03/27/78-03/27/78	1	15.	15.	15.	15.	0.	0.	**	**	**	**
00902	HARDNESS, NON-CARBONATE (MG/L AS CACO3)	03/27/78-03/27/78	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	03/27/78-03/27/78	1	5.	5.	5.	5.	0.	0.	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	03/27/78-03/27/78	1	0.6	0.6	0.6	0.6	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	03/27/78-03/27/78	1	710.	710.	710.	710.	0.	0.	**	**	**	**
00931	SODIUM ADSORPTION RATIO	03/27/78-03/27/78	1	80.	80.	80.	80.	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	03/27/78-03/27/78	1	99.	99.	99.	99.	0.	0.	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	03/27/78-03/27/78	1	2.8	2.8	2.8	2.8	0.	0.	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	03/27/78-03/27/78	1	240.	240.	240.	240.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	03/27/78-03/27/78	1	250.	250.	250.	250.	0.	0.	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	03/27/78-03/27/78	1	5.8	5.8	5.8	5.8	0.	0.	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	03/27/78-03/27/78	1	10.	10.	10.	10.	0.	0.	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	03/27/78-03/27/78	1	300.	300.	300.	300.	0.	0.	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	03/27/78-03/27/78	1	550.	550.	550.	550.	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	03/27/78-03/27/78	1 ##	1.	1.	1.	1.	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	03/27/78-03/27/78	1 ##	0.	0.	0.	0.	0.	0.	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	03/27/78-03/27/78	1	920.	920.	920.	920.	0.	0.	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	03/27/78-03/27/78	1	110.	110.	110.	110.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	03/27/78-03/27/78	1	21.	21.	21.	21.	0.	0.	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	03/27/78-03/27/78	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01082	STRONTIUM, TOTAL (UG/L AS SR)	03/27/78-03/27/78	1	440.	440.	440.	440.	0.	0.	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	03/27/78-03/27/78	1	50.	50.	50.	50.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	03/27/78-03/27/78	1	1770.	1770.	1770.	1770.	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	03/27/78-03/27/78	1	2.41	2.41	2.41	2.41	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0037

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00				1	0	0.00						
		Other-Lo Lim.	6.5	1	0	0.00				1	0	0.00						
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	1	0	0.00				1	0	0.00						
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	0	0.00				1	0	0.00						
		Drinking Water	250.	1	0	0.00				1	0	0.00						
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	1	1	1.00				1	1	1.00						
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	1	1	1.00				1	1	1.00						
01007	BARIUM, TOTAL	Drinking Water	2000.	1	0	0.00				1	0	0.00						
01027	CADMIUM, TOTAL	Fresh Acute	3.9	1	0	0.00				1	0	0.00						
		Drinking Water	5.	1	0	0.00				1	0	0.00						
01034	CHROMIUM, TOTAL	Drinking Water	100.	1	0	0.00				1	0	0.00						
01051	LEAD, TOTAL	Fresh Acute	82.	1	0	0.00				1	0	0.00						
		Drinking Water	15.	1	1	1.00				1	1	1.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0038

NPS Station ID: CHCU0038 LAT/LON: 36.075559/-108.149449 Agency: 112WRD Date Created: 12/19/81
Location: 21N.12W.07.222 KMNO WASH 1.1 MI S L.V. SCHOOL,NM FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 360432108085810
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 14080106 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 14080106026 RF1 Mile Point: 3.830 Distance from RF1: 11.30 On/Off RF1: ON
RF3 Index: 14080106242400.03 RF3 Mile Point: 0.03 Distance from RF3: 0.35 On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0038

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/18/81-06/09/82	2	22.25	22.25	26.5	18.	36.125	6.01	**	**	**	**
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	08/18/81-06/09/82	2	31.5	31.5	34.5	28.5	18.	4.243	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/18/81-06/09/82	2	3.	3.	4.	2.	2.	1.414	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/18/81-06/09/82	2	2555.	2555.	2660.	2450.	22050.	148.492	**	**	**	**
00300	OXYGEN, DISSOLVED MG/L	08/18/81-06/09/82	2	8.	8.	8.	8.	0.	0.	**	**	**	**
00340	COD, .25N K2CR2O7 MG/L	08/18/81-06/09/82	2	55.5	55.5	71.	40.	480.5	21.92	**	**	**	**
00400	PH (STANDARD UNITS)	08/18/81-06/09/82	2	9.05	9.05	9.2	8.9	0.045	0.212	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	08/18/81-06/09/82	2	9.025	9.025	9.2	8.9	0.046	0.215	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/18/81-06/09/82	2	0.001	0.001	0.001	0.001	0.	0.	**	**	**	**
00403	PH, LAB, STANDARD UNITS SU	08/18/81-06/09/82	2	8.8	8.8	9.	8.6	0.08	0.283	**	**	**	**
00403	CONVERTED PH, LAB, STANDARD UNITS	08/18/81-06/09/82	2	8.755	8.755	9.	8.6	0.084	0.29	**	**	**	**
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/18/81-06/09/82	2	0.002	0.002	0.003	0.001	0.	0.001	**	**	**	**
00602	NITROGEN, DISSOLVED (MG/L AS N)	08/18/81-08/18/81	1	2.9	2.9	2.9	2.9	0.	0.	**	**	**	**
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	08/18/81-06/09/82	2	1.4	1.4	1.7	1.1	0.18	0.424	**	**	**	**
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	08/18/81-06/09/82	2	0.295	0.295	0.47	0.12	0.061	0.247	**	**	**	**
00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	08/18/81-06/09/82	2	1.75	1.75	2.7	0.8	1.805	1.344	**	**	**	**
00624	NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N)	08/18/81-06/09/82	2	0.4	0.4	0.8	0.	0.32	0.566	**	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	08/18/81-06/09/82	2	1.7	1.7	1.8	1.6	0.02	0.141	**	**	**	**
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	08/18/81-06/09/82	2 ##	0.125	0.125	0.2	0.05	0.011	0.106	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	08/18/81-06/09/82	2	0.23	0.23	0.24	0.22	0.	0.014	**	**	**	**
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	08/18/81-06/09/82	2	0.045	0.045	0.07	0.02	0.001	0.035	**	**	**	**
00668	PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT)	08/18/81-08/18/81	1	220.	220.	220.	220.	0.	0.	**	**	**	**
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	08/18/81-06/09/82	2	7.2	7.2	8.1	6.3	1.62	1.273	**	**	**	**
00689	CARBON, SUSPENDED ORGANIC (MG/L AS C)	08/18/81-06/09/82	2	4.2	4.2	4.4	4.	0.08	0.283	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	08/18/81-08/18/81	1	88.	88.	88.	88.	0.	0.	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	08/18/81-06/09/82	2	9.4	9.4	15.	3.8	62.72	7.92	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	08/18/81-08/18/81	1	19.	19.	19.	19.	0.	0.	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	08/18/81-06/09/82	2	545.	545.	570.	520.	1250.	35.355	**	**	**	**
00931	SODIUM ADSORPTION RATIO	08/18/81-08/18/81	1	24.	24.	24.	24.	0.	0.	**	**	**	**
00932	SODIUM, PERCENT	08/18/81-06/09/82	2	58.5	58.5	92.	25.	2244.5	47.376	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	08/18/81-06/09/82	2	4.6	4.6	5.4	3.8	1.28	1.131	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	08/18/81-06/09/82	2	105.	105.	110.	100.	50.	7.071	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	08/18/81-06/09/82	2	735.	735.	800.	670.	8450.	91.924	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	08/18/81-06/09/82	2	1.95	1.95	2.	1.9	0.005	0.071	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	08/18/81-06/09/82	2	6.8	6.8	8.7	4.9	7.22	2.687	**	**	**	**
01000	ARSENIC, DISSOLVED (UG/L AS AS)	08/18/81-06/09/82	2	4.	4.	5.	3.	2.	1.414	**	**	**	**
01001	ARSENIC, SUSPENDED (UG/L AS AS)	08/18/81-06/09/82	2	1.	1.	2.	0.	2.	1.414	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	08/18/81-06/09/82	2	5.	5.	7.	3.	8.	2.828	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0038

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	08/18/81-06/09/82	2	5.5	5.5	6.	5.	0.5	0.707	**	**	**	**
01005	BARIUM, DISSOLVED (UG/L AS BA)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01006	BARIUM, SUSPENDED (UG/L AS BA)	08/18/81-08/18/81	1	100.	100.	100.	100.	0.	0.	**	**	**	**
01007	BARIUM, TOTAL (UG/L AS BA)	08/18/81-06/09/82	2	150.	150.	200.	100.	5000.	70.711	**	**	**	**
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	08/18/81-06/09/82	2 ##	2.5	2.5	5.	0.	12.5	3.536	**	**	**	**
01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01012	BERYLLIUM, TOTAL (UG/L AS BE)	08/18/81-06/09/82	2 ##	2.5	2.5	5.	0.	12.5	3.536	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	08/18/81-06/09/82	2	245.	245.	260.	230.	450.	21.213	**	**	**	**
01025	CADMIUM, DISSOLVED (UG/L AS CD)	08/18/81-06/09/82	2 ##	0.25	0.25	0.5	0.	0.125	0.354	**	**	**	**
01026	CADMIUM, SUSPENDED (UG/L AS CD)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	08/18/81-06/09/82	2	0.5	0.5	1.	0.	0.5	0.707	**	**	**	**
01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/18/81-06/09/82	2 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/18/81-06/09/82	2	31.5	31.5	60.	3.	1624.5	40.305	**	**	**	**
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	08/18/81-06/09/82	2	1.5	1.5	2.	1.	0.5	0.707	**	**	**	**
01031	CHROMIUM, SUSPEND (UG/L AS CR)	08/18/81-06/09/82	2	13.5	13.5	19.	8.	60.5	7.778	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	08/18/81-06/09/82	2	15.	15.	20.	10.	50.	7.071	**	**	**	**
01035	COBALT, DISSOLVED (UG/L AS CO)	08/18/81-06/09/82	2 ##	0.75	0.75	1.	0.5	0.125	0.354	**	**	**	**
01036	COBALT, SUSPENDED (UG/L AS CO)	08/18/81-08/18/81	1	4.	4.	4.	4.	0.	0.	**	**	**	**
01037	COBALT, TOTAL (UG/L AS CO)	08/18/81-06/09/82	2	6.	6.	7.	5.	2.	1.414	**	**	**	**
01038	COBALT IN BOTTOM DEPOSITS (MG/KG AS CO DRY WGT)	08/18/81-06/09/82	2	5.	5.	10.	0.	50.	7.071	**	**	**	**
01040	COPPER, DISSOLVED (UG/L AS CU)	08/18/81-06/09/82	2	12.	12.	18.	6.	72.	8.485	**	**	**	**
01041	COPPER, SUSPENDED (UG/L AS CU)	08/18/81-06/09/82	2	10.	10.	17.	3.	98.	9.899	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	08/18/81-06/09/82	2	22.	22.	23.	21.	2.	1.414	**	**	**	**
01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	08/18/81-06/09/82	2	9.5	9.5	10.	9.	0.5	0.707	**	**	**	**
01044	IRON, SUSPENDED (UG/L AS FE)	08/18/81-06/09/82	2	19500.	19500.	22000.	17000.	12500000.	3535.534	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	08/18/81-06/09/82	2	20000.	20000.	22000.	18000.	8000000.	2828.427	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	08/18/81-06/09/82	2	395.	395.	630.	160.	110450.	332.34	**	**	**	**
01049	LEAD, DISSOLVED (UG/L AS PB)	08/18/81-06/09/82	2	1.5	1.5	2.	1.	0.5	0.707	**	**	**	**
01050	LEAD, SUSPENDED (UG/L AS PB)	08/18/81-06/09/82	2	6.5	6.5	10.	3.	24.5	4.95	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	08/18/81-06/09/82	2	8.	8.	12.	4.	32.	5.657	**	**	**	**
01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	08/18/81-06/09/82	2 ##	7.5	7.5	10.	5.	12.5	3.536	**	**	**	**
01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	08/18/81-06/09/82	2	275.	275.	300.	250.	1250.	35.355	**	**	**	**
01054	MANGANESE, SUSPENDED (UG/L AS MN)	08/18/81-06/09/82	2	245.	245.	290.	200.	4050.	63.64	**	**	**	**
01055	MANGANESE, TOTAL (UG/L AS MN)	08/18/81-06/09/82	2	255.	255.	300.	210.	4050.	63.64	**	**	**	**
01056	MANGANESE, DISSOLVED (UG/L AS MN)	08/18/81-06/09/82	2	10.	10.	10.	10.	0.	0.	**	**	**	**
01060	MOLYBDENUM, DISSOLVED (UG/L AS MO)	08/18/81-06/09/82	2	11.5	11.5	13.	10.	4.5	2.121	**	**	**	**
01061	MOLYBDENUM, SUSPENDED (UG/L AS MO)	08/18/81-06/09/82	2	0.	0.	0.	0.	0.	0.	**	**	**	**
01062	MOLYBDENUM, TOTAL (UG/L AS MO)	08/18/81-06/09/82	2	10.	10.	13.	7.	18.	4.243	**	**	**	**
01063	MOLYBDENUM IN BOT. DEPOSITS (MG/KG AS MO DRY WGT)	08/18/81-08/18/81	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01065	NICKEL, DISSOLVED (UG/L AS NI)	08/18/81-06/09/82	2 ##	0.25	0.25	0.5	0.	0.125	0.354	**	**	**	**
01066	NICKEL, SUSPENDED (UG/L AS NI)	08/18/81-08/18/81	1	6.	6.	6.	6.	0.	0.	**	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	08/18/81-06/09/82	2	8.5	8.5	11.	6.	12.5	3.536	**	**	**	**
01075	SILVER, DISSOLVED (UG/L AS AG)	08/18/81-06/09/82	2 ##	0.25	0.25	0.5	0.	0.125	0.354	**	**	**	**
01076	SILVER, SUSPENDED (UG/L AS AG)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01077	SILVER, TOTAL (UG/L AS AG)	08/18/81-06/09/82	2 ##	0.25	0.25	0.5	0.	0.125	0.354	**	**	**	**
01080	STRONTIUM, DISSOLVED (UG/L AS SR)	08/18/81-08/18/81	1	590.	590.	590.	590.	0.	0.	**	**	**	**
01081	STRONTIUM, SUSPENDED (UG/L AS SR)	08/18/81-08/18/81	1	170.	170.	170.	170.	0.	0.	**	**	**	**
01082	STRONTIUM, TOTAL (UG/L AS SR)	08/18/81-06/09/82	2	720.	720.	760.	680.	3200.	56.569	**	**	**	**
01085	VANADIUM, DISSOLVED (UG/L AS V)	08/18/81-06/09/82	2	7.	7.	8.	6.	2.	1.414	**	**	**	**
01090	ZINC, DISSOLVED (UG/L AS ZN)	08/18/81-06/09/82	2	15.	15.	20.	10.	50.	7.071	**	**	**	**
01091	ZINC, SUSPENDED (UG/L ZN)	08/18/81-06/09/82	2	50.	50.	60.	40.	200.	14.142	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	08/18/81-06/09/82	2	65.	65.	70.	60.	50.	7.071	**	**	**	**
01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	08/18/81-06/09/82	2	20.	20.	23.	17.	18.	4.243	**	**	**	**
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	08/18/81-06/09/82	2	0.5	0.5	1.	0.	0.5	0.707	**	**	**	**
01096	ANTIMONY, SUSPENDED (UG/L AS SB)	08/18/81-06/09/82	2	0.5	0.5	1.	0.	0.5	0.707	**	**	**	**
01097	ANTIMONY, TOTAL (UG/L AS SB)	08/18/81-06/09/82	2	1.	1.	1.	1.	0.	0.	**	**	**	**
01105	ALUMINUM, TOTAL (UG/L AS AL)	08/18/81-06/09/82	2	11250.	11250.	21000.	1500.	190125000.	13788.582	**	**	**	**
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	08/18/81-06/09/82	2	160.	160.	310.	10.	45000.	212.132	**	**	**	**
01107	ALUMINUM, SUSPENDED (UG/L AS AL)	08/18/81-06/09/82	2	11250.	11250.	21000.	1500.	190125000.	13788.582	**	**	**	**
01130	LITHIUM, DISSOLVED (UG/L AS LI)	08/18/81-06/09/82	2	80.	80.	80.	80.	0.	0.	**	**	**	**
01131	LITHIUM, SUSPENDED (UG/L AS LI)	08/18/81-06/09/82	2	15.	15.	20.	10.	50.	7.071	**	**	**	**
01132	LITHIUM, TOTAL (UG/L AS LI)	08/18/81-06/09/82	2	95.	95.	100.	90.	50.	7.071	**	**	**	**
01145	SELENIUM, DISSOLVED (UG/L AS SE)	08/18/81-06/09/82	2 ##	0.75	0.75	1.	0.5	0.125	0.354	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CHCU0038

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01146	SELENIUM, SUSPENDED (UG/L AS SE)	08/18/81-08/18/81	1	0.	0.	0.	0.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	08/18/81-06/09/82	2 ##	0.75	0.75	1.	0.5	0.125	0.354	**	**	**	**
01148	SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT)	08/18/81-06/09/82	2 ##	0.25	0.25	0.5	0.	0.125	0.354	**	**	**	**
01170	IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT)	08/18/81-06/09/82	2	4150.	4150.	4300.	4000.	45000.	212.132	**	**	**	**
01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	08/18/81-06/09/82	2	20.	20.	22.	18.	8.	2.828	**	**	**	**
03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	08/18/81-06/09/82	2 ##	10.5	10.5	12.	9.	4.5	2.121	**	**	**	**
03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	08/18/81-06/09/82	2	26.5	26.5	32.	21.	60.5	7.778	**	**	**	**
09511	RADIUM 226, DISSOLVED, RADON METHOD	08/18/81-06/09/82	2	0.12	0.12	0.13	0.11	0.	0.014	**	**	**	**
22703	URANIUM, NATURAL, DISSOLVED	08/18/81-08/18/81	1	2.2	2.2	2.2	2.2	0.	0.	**	**	**	**
60050	ALGAE, TOTAL (CELLS/ML)	06/09/82-06/09/82	1	790.	790.	790.	790.	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	08/18/81-08/18/81	1	1520.	1520.	1520.	1520.	0.	0.	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	08/18/81-08/18/81	1	16.8	16.8	16.8	16.8	0.	0.	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	08/18/81-08/18/81	1	2.07	2.07	2.07	2.07	0.	0.	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/18/81-06/09/82	2	98.	98.	99.	97.	2.	1.414	**	**	**	**
71886	PHOSPHORUS, TOTAL, AS PO4 - MG/L	08/18/81-06/09/82	2	0.705	0.705	0.74	0.67	0.002	0.049	**	**	**	**
71890	MERCURY, DISSOLVED (UG/L AS HG)	08/18/81-06/09/82	2	0.7	0.7	1.4	0.	0.98	0.99	**	**	**	**
71895	MERCURY, SUSPENDED (UG/L AS HG)	08/18/81-06/09/82	2	0.05	0.05	0.1	0.	0.005	0.071	**	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	08/18/81-06/09/82	2	0.35	0.35	0.6	0.1	0.125	0.354	**	**	**	**
71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	08/18/81-06/09/82	2	0.03	0.03	0.04	0.02	0.	0.014	**	**	**	**
80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	08/18/81-06/09/82	2 ##	19.	19.	22.	16.	18.	4.243	**	**	**	**
80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	08/18/81-06/09/82	2	29.	29.	32.	26.	18.	4.243	**	**	**	**
80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	08/18/81-06/09/82	2 ##	10.	10.	11.5	8.5	4.5	2.121	**	**	**	**
80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	08/18/81-06/09/82	2	25.	25.	30.	20.	50.	7.071	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/18/81-06/09/82	2	700.5	700.5	774.	627.	10804.5	103.945	**	**	**	**
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/18/81-06/09/82	2	5.95	5.95	6.9	5.	1.805	1.344	**	**	**	**
80158	BED MATERIAL FALL DIAMETER, % FINER THAN .062MM	08/18/81-06/09/82	2	75.5	75.5	76.	75.	0.5	0.707	**	**	**	**
80159	BED MATERIAL FALL DIAMETER, % FINER THAN .125MM	08/18/81-06/09/82	2	94.	94.	95.	93.	2.	1.414	**	**	**	**
80160	BED MATERIAL FALL DIAMETER, % FINER THAN .250MM	08/18/81-06/09/82	2	99.5	99.5	100.	99.	0.5	0.707	**	**	**	**
80161	BED MATERIAL FALL DIAMETER, % FINER THAN .500MM	06/09/82-06/09/82	1	100.	100.	100.	100.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0038

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	2	0	0.00	1	0	0.00				1	0	0.00			
00400	PH	Other-Hi Lim.	9.	2	1	0.50	1	0	0.00				1	1	1.00			
		Other-Lo Lim.	6.5	2	0	0.00	1	0	0.00				1	0	0.00			
00403	PH, LAB	Other-Hi Lim.	9.	2	1	0.50	1	0	0.00				1	1	1.00			
		Other-Lo Lim.	6.5	2	0	0.00	1	0	0.00				1	0	0.00			
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	2	0	0.00	1	0	0.00				1	0	0.00			
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	250.	2	0	0.00	1	0	0.00				1	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	2	2	1.00	1	1	1.00				1	1	1.00			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	2	0	0.00	1	0	0.00				1	0	0.00			
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	50.	2	0	0.00	1	0	0.00				1	0	0.00			
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	50.	2	0	0.00	1	0	0.00				1	0	0.00			
01002	ARSENIC, TOTAL	Fresh Acute	360.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	50.	2	0	0.00	1	0	0.00				1	0	0.00			
01005	BARIUM, DISSOLVED	Drinking Water	2000.	1	0	0.00	1	0	0.00									
01006	BARIUM, SUSPENDED	Drinking Water	2000.	1	0	0.00	1	0	0.00									
01007	BARIUM, TOTAL	Drinking Water	2000.	2	0	0.00	1	0	0.00				1	0	0.00			
01010	BERYLLIUM, DISSOLVED	Fresh Acute	130.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	4.	1 &	0	0.00	1	0	0.00									
01011	BERYLLIUM, SUSPENDED	Fresh Acute	130.	1	0	0.00	1	0	0.00									
		Drinking Water	4.	1	0	0.00	1	0	0.00									
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	4.	1 &	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CHCU0038

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	5.	2	0	0.00	1	0	0.00				1	0	0.00			
01026	CADMIUM, SUSPENDED	Fresh Acute	3.9	1	0	0.00	1	0	0.00									
		Drinking Water	5.	1	0	0.00	1	0	0.00									
01027	CADMIUM, TOTAL	Fresh Acute	3.9	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	5.	2	0	0.00	1	0	0.00				1	0	0.00			
01030	CHROMIUM, DISSOLVED	Drinking Water	100.	2	0	0.00	1	0	0.00				1	0	0.00			
01031	CHROMIUM, SUSPENDED	Drinking Water	100.	2	0	0.00	1	0	0.00				1	0	0.00			
01034	CHROMIUM, TOTAL	Drinking Water	100.	2	0	0.00	1	0	0.00				1	0	0.00			
01040	COPPER, DISSOLVED	Fresh Acute	18.	2	1	0.50	1	1	1.00				1	0	0.00			
		Drinking Water	1300.	2	0	0.00	1	0	0.00				1	0	0.00			
01041	COPPER, SUSPENDED	Fresh Acute	18.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	1300.	2	0	0.00	1	0	0.00				1	0	0.00			
01042	COPPER, TOTAL	Fresh Acute	18.	2	2	1.00	1	1	1.00				1	1	1.00			
		Drinking Water	1300.	2	0	0.00	1	0	0.00				1	0	0.00			
01049	LEAD, DISSOLVED	Fresh Acute	82.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	15.	2	0	0.00	1	0	0.00				1	0	0.00			
01050	LEAD, SUSPENDED	Fresh Acute	82.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	15.	2	0	0.00	1	0	0.00				1	0	0.00			
01051	LEAD, TOTAL	Fresh Acute	82.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	15.	2	0	0.00	1	0	0.00				1	0	0.00			
01065	NICKEL, DISSOLVED	Fresh Acute	1400.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	100.	2	0	0.00	1	0	0.00				1	0	0.00			
01066	NICKEL, SUSPENDED	Fresh Acute	1400.	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01067	NICKEL, TOTAL	Fresh Acute	1400.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	100.	2	0	0.00	1	0	0.00				1	0	0.00			
01075	SILVER, DISSOLVED	Fresh Acute	4.1	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	100.	2	0	0.00	1	0	0.00				1	0	0.00			
01076	SILVER, SUSPENDED	Fresh Acute	4.1	1	0	0.00	1	0	0.00									
		Drinking Water	100.	1	0	0.00	1	0	0.00									
01077	SILVER, TOTAL	Fresh Acute	4.1	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	100.	2	0	0.00	1	0	0.00				1	0	0.00			
01090	ZINC, DISSOLVED	Fresh Acute	120.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	5000.	2	0	0.00	1	0	0.00				1	0	0.00			
01091	ZINC, SUSPENDED	Fresh Acute	120.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	5000.	2	0	0.00	1	0	0.00				1	0	0.00			
01092	ZINC, TOTAL	Fresh Acute	120.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	5000.	2	0	0.00	1	0	0.00				1	0	0.00			
01095	ANTIMONY, DISSOLVED	Fresh Acute	88.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	6.	2	0	0.00	1	0	0.00				1	0	0.00			
01096	ANTIMONY, SUSPENDED	Fresh Acute	88.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	6.	2	0	0.00	1	0	0.00				1	0	0.00			
01097	ANTIMONY, TOTAL	Fresh Acute	88.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	6.	2	0	0.00	1	0	0.00				1	0	0.00			
01145	SELENIUM, DISSOLVED	Fresh Acute	20.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	50.	2	0	0.00	1	0	0.00				1	0	0.00			
01146	SELENIUM, SUSPENDED	Fresh Acute	20.	1	0	0.00	1	0	0.00									
		Drinking Water	50.	1	0	0.00	1	0	0.00									
01147	SELENIUM, TOTAL	Fresh Acute	20.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	50.	2	0	0.00	1	0	0.00				1	0	0.00			
22703	URANIUM, NATURAL DISSOLVED	Drinking Water	20.	1	0	0.00	1	0	0.00									
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	2.	2	0	0.00	1	0	0.00				1	0	0.00			
71895	MERCURY, SUSPENDED	Fresh Acute	2.4	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	2.	2	0	0.00	1	0	0.00				1	0	0.00			
71900	MERCURY, TOTAL	Fresh Acute	2.4	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	2.	2	0	0.00	1	0	0.00				1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CHCU0039

NPS Station ID: CHCU0039
LAT/LON: 36.006392/-108.152504
Agency: 112WRD
Date Created: 01/23/82
Location: 21N.12W.31.414 KMNO WASH AT DIKE
FIPS State/County: 35045 NEW MEXICO/SAN JUAN
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 360023108090910
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 14080106
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 14080106026
RF1 Mile Point: 8.960
Distance from RF1: 0.00
On/Off RF1: ON
RF3 Index: 14080106003000.00
RF3 Mile Point: 6.98
Distance from RF3: 0.02
On/Off RF3:
Description:

Parameter Inventory for Station: CHCU0039

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	08/18/81-06/09/82	2	17.	17.	21.	13.	32.	5.657	**	**	**	**
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	08/18/81-06/09/82	2	26.25	26.25	28.5	24.	10.125	3.182	**	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	08/18/81-06/09/82	2	3.5	3.5	4.	3.	0.5	0.707	**	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	08/18/81-06/09/82	2	2220.	2220.	2240.	2200.	800.	28.284	**	**	**	**
00400	PH (STANDARD UNITS)	08/18/81-08/18/81	1	8.7	8.7	8.7	8.7	0.	0.	**	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	08/18/81-08/18/81	1	8.7	8.7	8.7	8.7	0.	0.	**	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/18/81-08/18/81	1	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
00403	PH, LAB, STANDARD UNITS SU	08/18/81-06/09/82	2	8.85	8.85	9.3	8.4	0.405	0.636	**	**	**	**
00403	CONVERTED PH, LAB, STANDARD UNITS	08/18/81-06/09/82	2	8.65	8.65	9.3	8.4	0.485	0.697	**	**	**	**
00403	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	08/18/81-06/09/82	2	0.002	0.002	0.004	0.001	0.	0.002	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CACO3)	08/18/81-06/09/82	2	44.	44.	57.	31.	338.	18.385	**	**	**	**
00915	CALCIUM, DISSOLVED (MG/L AS CA)	08/18/81-06/09/82	2	14.5	14.5	19.	10.	40.5	6.364	**	**	**	**
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	08/18/81-06/09/82	2	1.8	1.8	2.2	1.4	0.32	0.566	**	**	**	**
00930	SODIUM, DISSOLVED (MG/L AS NA)	08/18/81-06/09/82	2	465.	465.	480.	450.	450.	21.213	**	**	**	**
00931	SODIUM ADSORPTION RATIO	08/18/81-06/09/82	2	32.	32.	38.	26.	72.	8.485	**	**	**	**
00932	SODIUM, PERCENT	08/18/81-06/09/82	2	95.5	95.5	97.	94.	4.5	2.121	**	**	**	**
00935	POTASSIUM, DISSOLVED (MG/L AS K)	08/18/81-06/09/82	2	2.65	2.65	3.4	1.9	1.125	1.061	**	**	**	**
00940	CHLORIDE,TOTAL IN WATER MG/L	08/18/81-06/09/82	2	87.	87.	87.	87.	0.	0.	**	**	**	**
00945	SULFATE, TOTAL (MG/L AS SO4)	08/18/81-06/09/82	2	665.	665.	690.	640.	1250.	35.355	**	**	**	**
00950	FLUORIDE, DISSOLVED (MG/L AS F)	08/18/81-06/09/82	2	1.75	1.75	1.8	1.7	0.005	0.071	**	**	**	**
00955	SILICA, DISSOLVED (MG/L AS SI02)	08/18/81-06/09/82	2	12.	12.	15.	9.	18.	4.243	**	**	**	**
01020	BORON, DISSOLVED (UG/L AS B)	08/18/81-06/09/82	2	205.	205.	210.	200.	50.	7.071	**	**	**	**
01046	IRON, DISSOLVED (UG/L AS FE)	08/18/81-06/09/82	2	115.	115.	140.	90.	1250.	35.355	**	**	**	**
01516	ALPHA, SUSPEND GROSS, AS URANIUM NATURAL, PC/L	06/09/82-06/09/82	1	9.5	9.5	9.5	9.5	0.	0.	**	**	**	**
03515	BETA, DISSOLVED GROSS, AS CS-137, PC/L	06/09/82-06/09/82	1 ##	10.	10.	10.	10.	0.	0.	**	**	**	**
03516	BETA, SUSPENDED GROSS, AS CS-137, PC/L	06/09/82-06/09/82	1 ##	3.8	3.8	3.8	3.8	0.	0.	**	**	**	**
09511	RADIUM 226, DISSOLVED, RADON METHOD	06/09/82-06/09/82	1	0.12	0.12	0.12	0.12	0.	0.	**	**	**	**
22703	URANIUM, NATURAL, DISSOLVED	06/09/82-06/09/82	1	0.8	0.8	0.8	0.8	0.	0.	**	**	**	**
70301	SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)	08/18/81-06/09/82	2	1420.	1420.	1460.	1380.	3200.	56.569	**	**	**	**
70302	SOLIDS, DISSOLVED-TONS PER DAY	08/18/81-06/09/82	2	13.75	13.75	14.9	12.6	2.645	1.626	**	**	**	**
70303	SOLIDS, DISSOLVED-TONS PER ACRE-FT	08/18/81-06/09/82	2	1.935	1.935	1.99	1.88	0.006	0.078	**	**	**	**
70331	SUSPENDED SED SIEVE DIAMETER,% FINER THAN .062MM	08/18/81-06/09/82	2	99.	99.	99.	99.	0.	0.	**	**	**	**
80030	ALPHA,DISSOLVED GROSS,AS URANIUM-NATURAL,UG/L	06/09/82-06/09/82	1 ##	15.	15.	15.	15.	0.	0.	**	**	**	**
80040	ALPHA,SUSPENDED GROSS, AS URANIUM-NATURAL, UG/L	06/09/82-06/09/82	1	14.	14.	14.	14.	0.	0.	**	**	**	**
80050	BETA,DISSOLVED GROSS,AS SR-Y-90, PC/L	06/09/82-06/09/82	1 ##	9.5	9.5	9.5	9.5	0.	0.	**	**	**	**
80060	BETA,SUSPENDED GROSS,AS SR-Y-90, PC/L	06/09/82-06/09/82	1 ##	3.55	3.55	3.55	3.55	0.	0.	**	**	**	**
80154	SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L)	08/18/81-06/09/82	2	354.5	354.5	360.	349.	60.5	7.778	**	**	**	**
80155	SUSPENDED SEDIMENT DISCHARGE (TONS/DAY)	08/18/81-06/09/82	2	3.45	3.45	3.9	3.	0.405	0.636	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CHCU0039

Parameter				Total	Exceed	Prop.	----------7/01-10/19----------			----------10/20-4/09----------			----------4/10-6/30----------			----------n/a----------		
		Std. Type	Std. Value	Obs	Standard	Exceeding	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00400	PH	Other-Hi Lim.	9.	1	0	0.00	1	0	0.00									
		Other-Lo Lim.	6.5	1	0	0.00	1	0	0.00									
00403	PH, LAB	Other-Hi Lim.	9.	2	1	0.50	1	0	0.00				1	1	1.00			
		Other-Lo Lim.	6.5	2	0	0.00	1	0	0.00				1	0	0.00			
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	2	0	0.00	1	0	0.00				1	0	0.00			
		Drinking Water	250.	2	0	0.00	1	0	0.00				1	0	0.00			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	2	2	1.00	1	1	1.00				1	1	1.00			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	2	0	0.00	1	0	0.00				1	0	0.00			
22703	URANIUM, NATURAL DISSOLVED	Drinking Water	20.	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Entire CHCU Study Area

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
00070	TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	3	3	1.00	1	1	1.00	2	2	1.00						
00076	TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim.	50.	1	1	1.00	1	1	1.00									
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	28	14	0.50	11	6	0.55	14	8	0.57	3	0	0.00			
00400	PH	Other-Hi Lim.	9.	280	6	0.02	120	2	0.02	119	2	0.02	41	2	0.05			
		Other-Lo Lim.	6.5	280	1	0.00	120	1	0.01	119	0	0.00	41	0	0.00			
00403	PH, LAB	Other-Hi Lim.	9.	45	5	0.11	24	1	0.04	10	1	0.10	11	3	0.27			
		Other-Lo Lim.	6.5	45	0	0.00	24	0	0.00	10	0	0.00	11	0	0.00			
00613	NITRITE NITROGEN, DISSOLVED AS N	Drinking Water	1.	3	0	0.00	1	0	0.00	2	0	0.00						
00615	NITRITE NITROGEN, TOTAL AS N	Drinking Water	1.	2	0	0.00				2	0	0.00						
00618	NITRATE NITROGEN, DISSOLVED AS N	Drinking Water	10.	3	0	0.00	1	0	0.00	2	0	0.00						
00620	NITRATE NITROGEN, TOTAL AS N	Drinking Water	10.	2	0	0.00				2	0	0.00						
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	43	0	0.00	20	0	0.00	19	0	0.00	4	0	0.00			
00631	NITRITE PLUS NITRATE, DISS. 1 DET.	Drinking Water	10.	62	0	0.00	31	0	0.00	25	0	0.00	6	0	0.00			
00940	CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	115	3	0.03	50	0	0.00	43	0	0.00	22	3	0.14			
		Drinking Water	250.	115	9	0.08	50	2	0.04	43	2	0.05	22	5	0.23			
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	115	35	0.30	50	12	0.24	43	12	0.28	22	11	0.50			
00950	FLUORIDE, DISSOLVED AS F	Drinking Water	4.	108	3	0.03	50	0	0.00	43	3	0.07	15	0	0.00			
01000	ARSENIC, DISSOLVED	Fresh Acute	360.	69	0	0.00	23	0	0.00	40	0	0.00	6	0	0.00			
		Drinking Water	50.	69	0	0.00	23	0	0.00	40	0	0.00	6	0	0.00			
01001	ARSENIC, SUSPENDED	Fresh Acute	360.	43	0	0.00	10	0	0.00	31	0	0.00	2	0	0.00			
		Drinking Water	50.	43	6	0.14	10	1	0.10	31	5	0.16	2	0	0.00			
01002	ARSENIC, TOTAL	Fresh Acute	360.	149	8	0.05	62	8	0.13	71	0	0.00	16	0	0.00			
		Drinking Water	50.	149	39	0.26	62	27	0.44	71	10	0.14	16	2	0.13			
01005	BARIUM, DISSOLVED	Drinking Water	2000.	76	0	0.00	25	0	0.00	41	0	0.00	10	0	0.00			
01006	BARIUM, SUSPENDED	Drinking Water	2000.	40	18	0.45	11	2	0.18	24	12	0.50	5	4	0.80			
01007	BARIUM, TOTAL	Drinking Water	2000.	125	75	0.60	43	31	0.72	67	32	0.48	15	12	0.80			
01010	BERYLLIUM, DISSOLVED	Fresh Acute	130.	28	0	0.00	13	0	0.00	13	0	0.00	2	0	0.00			
		Drinking Water	4.	20 &	1	0.05	12	0	0.00	7	1	0.14	1	0	0.00			
01011	BERYLLIUM, SUSPENDED	Fresh Acute	130.	6	0	0.00	3	0	0.00	3	0	0.00						
		Drinking Water	4.	6	2	0.33	3	0	0.00	3	2	0.67						
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	15	0	0.00	6	0	0.00	4	0	0.00	5	0	0.00			
		Drinking Water	4.	14 &	10	0.71	6	3	0.50	4	3	0.75	4	4	1.00			
01025	CADMIUM, DISSOLVED	Fresh Acute	3.9	42	0	0.00	16	0	0.00	23	0	0.00	3	0	0.00			
		Drinking Water	5.	42	0	0.00	16	0	0.00	23	0	0.00	3	0	0.00			
01026	CADMIUM, SUSPENDED	Fresh Acute	3.9	10	4	0.40	4	1	0.25	6	3	0.50						
		Drinking Water	5.	10	4	0.40	4	1	0.25	6	3	0.50						
01027	CADMIUM, TOTAL	Fresh Acute	3.9	51 &	15	0.29	23	7	0.30	17	3	0.18	11	5	0.45			
		Drinking Water	5.	51 &	14	0.27	23	6	0.26	17	3	0.18	11	5	0.45			
01030	CHROMIUM, DISSOLVED	Drinking Water	100.	45	0	0.00	17	0	0.00	23	0	0.00	5	0	0.00			
01031	CHROMIUM, SUSPENDED	Drinking Water	100.	13	3	0.23	5	1	0.20	7	2	0.29	1	0	0.00			
01032	CHROMIUM, HEXAVALENT	Fresh Acute	16.	1	0	0.00				1	0	0.00						
		Drinking Water	100.	1	0	0.00				1	0	0.00						
01034	CHROMIUM, TOTAL	Drinking Water	100.	56	33	0.59	26	20	0.77	21	7	0.33	9	6	0.67			
01040	COPPER, DISSOLVED	Fresh Acute	18.	37	3	0.08	15	2	0.13	18	1	0.06	4	0	0.00			
		Drinking Water	1300.	37	0	0.00	15	0	0.00	18	0	0.00	4	0	0.00			
01041	COPPER, SUSPENDED	Fresh Acute	18.	18	11	0.61	8	4	0.50	8	7	0.88	2	0	0.00			
		Drinking Water	1300.	18	0	0.00	8	0	0.00	8	0	0.00	2	0	0.00			
01042	COPPER, TOTAL	Fresh Acute	18.	30	24	0.80	12	9	0.75	11	9	0.82	7	6	0.86			
		Drinking Water	1300.	30	0	0.00	12	0	0.00	11	0	0.00	7	0	0.00			
01049	LEAD, DISSOLVED	Fresh Acute	82.	68	1	0.01	23	0	0.00	40	1	0.03	5	0	0.00			
		Drinking Water	15.	68	7	0.10	23	4	0.17	40	3	0.08	5	0	0.00			
01050	LEAD, SUSPENDED	Fresh Acute	82.	26	16	0.62	5	1	0.20	19	15	0.79	2	0	0.00			
		Drinking Water	15.	26	18	0.69	5	1	0.20	19	17	0.89	2	0	0.00			
01051	LEAD, TOTAL	Fresh Acute	82.	128 &	107	0.84	50	46	0.92	63	48	0.76	15	13	0.87			
		Drinking Water	15.	128 &	110	0.86	50	46	0.92	63	51	0.81	15	13	0.87			
01065	NICKEL, DISSOLVED	Fresh Acute	1400.	28	0	0.00	13	0	0.00	13	0	0.00	2	0	0.00			
		Drinking Water	100.	28	0	0.00	13	0	0.00	13	0	0.00	2	0	0.00			
01066	NICKEL, SUSPENDED	Fresh Acute	1400.	7	0	0.00	3	0	0.00	4	0	0.00						
		Drinking Water	100.	7	0	0.00	3	0	0.00	4	0	0.00						
01067	NICKEL, TOTAL	Fresh Acute	1400.	15	0	0.00	6	0	0.00	4	0	0.00	5	0	0.00			
		Drinking Water	100.	15	4	0.27	6	0	0.00	4	0	0.00	5	4	0.80			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Entire CHCU Study Area

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	7/01-10/19 Obs	7/01-10/19 Exceed	7/01-10/19 Prop.	10/20-4/09 Obs	10/20-4/09 Exceed	10/20-4/09 Prop.	4/10-6/30 Obs	4/10-6/30 Exceed	4/10-6/30 Prop.	n/a Obs	n/a Exceed	n/a Prop.
01075	SILVER, DISSOLVED	Fresh Acute	4.1	9	0	0.00	4	0	0.00	3	0	0.00	2	0	0.00			
		Drinking Water	100.	9	0	0.00	4	0	0.00	3	0	0.00	2	0	0.00			
01076	SILVER, SUSPENDED	Fresh Acute	4.1	4	0	0.00	3	0	0.00	1	0	0.00						
		Drinking Water	100.	4	0	0.00	3	0	0.00	1	0	0.00						
01077	SILVER, TOTAL	Fresh Acute	4.1	7 &	0	0.00	3	0	0.00	2	0	0.00	2	0	0.00			
		Drinking Water	100.	9	0	0.00	3	0	0.00	4	0	0.00	2	0	0.00			
01090	ZINC, DISSOLVED	Fresh Acute	120.	37	11	0.30	15	5	0.33	18	6	0.33	4	0	0.00			
		Drinking Water	5000.	37	0	0.00	15	0	0.00	18	0	0.00	4	0	0.00			
01091	ZINC, SUSPENDED	Fresh Acute	120.	17	11	0.65	8	4	0.50	8	7	0.88	1	0	0.00			
		Drinking Water	5000.	17	1	0.06	8	0	0.00	8	1	0.13	1	0	0.00			
01092	ZINC, TOTAL	Fresh Acute	120.	28	21	0.75	12	8	0.67	9	8	0.89	7	5	0.71			
		Drinking Water	5000.	28	1	0.04	12	0	0.00	9	1	0.11	7	0	0.00			
01095	ANTIMONY, DISSOLVED	Fresh Acute	88.	4	0	0.00	3	0	0.00				1	0	0.00			
		Drinking Water	6.	4	0	0.00	3	0	0.00				1	0	0.00			
01096	ANTIMONY, SUSPENDED	Fresh Acute	88.	4	0	0.00	3	0	0.00				1	0	0.00			
		Drinking Water	6.	4	0	0.00	3	0	0.00				1	0	0.00			
01097	ANTIMONY, TOTAL	Fresh Acute	88.	4	0	0.00	3	0	0.00				1	0	0.00			
		Drinking Water	6.	4	0	0.00	3	0	0.00				1	0	0.00			
01145	SELENIUM, DISSOLVED	Fresh Acute	20.	41	0	0.00	19	0	0.00	18	0	0.00	4	0	0.00			
		Drinking Water	50.	41	0	0.00	19	0	0.00	18	0	0.00	4	0	0.00			
01146	SELENIUM, SUSPENDED	Fresh Acute	20.	14	0	0.00	7	0	0.00	7	0	0.00						
		Drinking Water	50.	14	0	0.00	7	0	0.00	7	0	0.00						
01147	SELENIUM, TOTAL	Fresh Acute	20.	71	1	0.01	35	0	0.00	19	1	0.05	17	0	0.00			
		Drinking Water	50.	71	0	0.00	35	0	0.00	19	0	0.00	17	0	0.00			
22703	URANIUM, NATURAL DISSOLVED	Drinking Water	20.	18	0	0.00	6	0	0.00	6	0	0.00	6	0	0.00			
28011	URANIUM, NATURAL, TOTAL	Drinking Water	20.	2	1	0.50	1	1	1.00				1	0	0.00			
71851	NITRATE NITROGEN, DISSOLVED (AS NO3)	Drinking Water	44.	3	0	0.00	1	0	0.00	2	0	0.00						
71856	NITRITE NITROGEN, DISSOLVED (AS NO2)	Drinking Water	3.3	3	0	0.00	1	0	0.00	2	0	0.00						
71890	MERCURY, DISSOLVED	Fresh Acute	2.4	43	1	0.02	20	0	0.00	19	1	0.05	4	0	0.00			
		Drinking Water	2.	43	1	0.02	20	0	0.00	19	1	0.05	4	0	0.00			
71895	MERCURY, SUSPENDED	Fresh Acute	2.4	19	1	0.05	9	0	0.00	8	1	0.13	2	0	0.00			
		Drinking Water	2.	19	2	0.11	9	1	0.11	8	1	0.13	2	0	0.00			
71900	MERCURY, TOTAL	Fresh Acute	2.4	62	12	0.19	27	6	0.22	23	2	0.09	12	4	0.33			
		Drinking Water	2.	62	15	0.24	27	9	0.33	23	2	0.09	12	4	0.33			
80020	URANIUM, DISS. BY EXTRACTION FLUOROMETRI	Drinking Water	20.	7	0	0.00	2	0	0.00	4	0	0.00	1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

NPS Servicewide Inventory and Monitoring Program Level I

Water Quality Parameter Inventory Data Evaluation and Analysis:

Missing Level I Groups

No STORET Data Within the CHCU Study Area Exist for These Groups:

Chlorophyll*

Bacteria*

*Not A Priority Parameter

NPS Servicewide Inventory and Monitoring Program Level I

Water Quality Parameter Inventory Data Evaluation and Analysis:

Present Level I Groups

STORET Data Within the CHCU Study Area Exist for These Groups:

Alkalinity		Total Obs.	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	148	0	148	0	23
00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	7	0	7	0	7
00435	ACIDITY, TOTAL (MG/L AS CACO3)	1	0	1	0	1
00440	BICARBONATE ION (MG/L AS HCO3)	141	0	141	0	30
00445	CARBONATE ION (MG/L AS CO3)	73	0	73	0	30
		370	0	370	0	91 (30)[!]

pH		Total Obs.	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00400	PH (STANDARD UNITS)	298	0	298	0	38
00403	PH, LAB (STANDARD UNITS)	47	0	47	0	11
		345	0	345	0	49 (38)[!]

Conductivity		Total Obs.	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	301	0	301	0	38
		301	0	301	0	38 (38)[!]

Dissolved Oxygen		Total Obs.	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00300	OXYGEN, DISSOLVED (MG/L)	28	0	28	0	10
		28	0	28	0	10 (10)[!]

Water Temperature		Total Obs.	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	638	0	638	0	29
		638	0	638	0	29 (29)[!]

Flow		Total Obs.	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00060	FLOW, STREAM, MEAN DAILY CFS	48	0	48	0	3
00061	FLOW, STREAM, INSTANTANEOUS CFS	885	0	885	0	21
00065	STAGE, STREAM (FEET)	39	0	39	0	4
		972	0	972	0	28 (21)[!]

Clarity/Turbidity		Total Obs.	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00070	TURBIDITY, (JACKSON CANDLE UNITS)	4	0	4	0	2
00076	TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT)	1	0	1	0	1
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	7	0	7	0	3
		12	0	12	0	6 (3)[!]

[!]Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

Nitrate/Nitrogen		Total Obs.	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00600	NITROGEN, TOTAL (MG/L AS N)	46	0	46	0	12
00602	NITROGEN, DISSOLVED (MG/L AS N)	5	0	5	0	5
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	51	0	51	0	15
00607	NITROGEN, ORGANIC, DISSOLVED (MG/L AS N)	6	0	6	0	3
00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	6	0	6	0	3
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	54	0	54	0	15
00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	4	0	4	0	3
00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	2	0	2	0	1
00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	15	0	15	0	6
00625	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	57	0	57	0	15
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	51	0	51	0	12
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	72	0	72	0	27
71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH4)	13	0	13	0	5
71846	NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4)	6	0	6	0	3
71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	4	0	4	0	3
71856	NITRITE NITROGEN, DISSOLVED (MG/L AS NO2)	4	0	4	0	3
		396	0	396	0	131 (30)[!]

Phosphate/Phosphorus		Total Obs.	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	4	0	4	0	1
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	58	0	58	0	21
00665	PHOSPHORUS, TOTAL (MG/L AS P)	58	0	58	0	15
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	27	0	27	0	8
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	60	0	60	0	21
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	1	0	1	0	1
		208	0	208	0	67 (26)[!]

Sulfates/Total Dissolved Solids/Hardness		Total Obs.	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00900	HARDNESS, TOTAL (MG/L AS CACO3)	113	0	113	0	37
00945	SULFATE, TOTAL (MG/L AS SO4)	127	0	127	0	37
70300	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), (MG/L)	67	0	67	0	18
		307	0	307	0	92 (37)[!]

[!]Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

Toxic Elements		Total Obs.	01/01/85 to 06/27/97	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	4	0	4	0	3
01096	ANTIMONY, SUSPENDED (UG/L AS SB)	4	0	4	0	3
01097	ANTIMONY, TOTAL (UG/L AS SB)	4	0	4	0	3
01000	ARSENIC, DISSOLVED (UG/L AS AS)	80	0	80	0	12
01001	ARSENIC, SUSPENDED (UG/L AS AS)	52	0	52	0	12
01002	ARSENIC, TOTAL (UG/L AS AS)	161	0	161	0	21
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	29	0	29	0	9
01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	6	0	6	0	6
01012	BERYLLIUM, TOTAL (UG/L AS BE)	16	0	16	0	10
01025	CADMIUM, DISSOLVED (UG/L AS CD)	48	0	48	0	11
01026	CADMIUM, SUSPENDED (UG/L AS CD)	13	0	13	0	8
01027	CADMIUM, TOTAL (UG/L AS CD)	61	0	61	0	17
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	51	0	51	0	11
01031	CHROMIUM, SUSPENDED (UG/L AS CR)	17	0	17	0	9
01032	CHROMIUM, HEXAVALENT (UG/L AS CR)	1	0	1	0	1
01034	CHROMIUM, TOTAL (UG/L AS CR)	62	0	62	0	19
01040	COPPER, DISSOLVED (UG/L AS CU)	42	0	42	0	11
01041	COPPER, SUSPENDED (UG/L AS CU)	20	0	20	0	10
01042	COPPER, TOTAL (UG/L AS CU)	35	0	35	0	12
01049	LEAD, DISSOLVED (UG/L AS PB)	79	0	79	0	12
01050	LEAD, SUSPENDED (UG/L AS PB)	31	0	31	0	10
01051	LEAD, TOTAL (UG/L AS PB)	147	0	147	0	21
71890	MERCURY, DISSOLVED (UG/L AS HG)	49	0	49	0	11
71895	MERCURY, SUSPENDED (UG/L AS HG)	23	0	23	0	11
71900	MERCURY, TOTAL (UG/L AS HG)	68	0	68	0	19
01065	NICKEL, DISSOLVED (UG/L AS NI)	29	0	29	0	9
01066	NICKEL, SUSPENDED (UG/L AS NI)	8	0	8	0	7
01067	NICKEL, TOTAL (UG/L AS NI)	16	0	16	0	10
01145	SELENIUM, DISSOLVED (UG/L AS SE)	48	0	48	0	11
01146	SELENIUM, SUSPENDED (UG/L AS SE)	19	0	19	0	10
01147	SELENIUM, TOTAL (UG/L AS SE)	78	0	78	0	19
01075	SILVER, DISSOLVED (UG/L AS AG)	11	0	11	0	6
01076	SILVER, SUSPENDED (UG/L AS AG)	5	0	5	0	5
01077	SILVER, TOTAL (UG/L AS AG)	10	0	10	0	5
01090	ZINC, DISSOLVED (UG/L AS ZN)	42	0	42	0	11
01091	ZINC, SUSPENDED (UG/L ZN)	20	0	20	0	10
01092	ZINC, TOTAL (UG/L AS ZN)	33	0	33	0	12
		1422	0	1422	0	387 (23)[1]

[1]Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

NPS Servicewide Inventory and Monitoring Program Level I

Water Quality Parameter Inventory Data Evaluation and Analysis:

Park Summary: Level I Group Currentness and Distribution

Parameter Group	Total Obs.	Obs. Since 1985	% Obs. Since 1985	Stations Measuring This Group	% of Total Stations Measuring This Group	Obs. Per Station Measuring This Group	Period of Record For This Group	Observations Per Year of Period of Record
Alkalinity	370	0	0.0	30	76.9	12.3	09/22/75-04/12/82	56.4
pH	345	0	0.0	38	97.4	9.1	09/22/75-10/06/83	42.9
Conductivity	301	0	0.0	38	97.4	7.9	09/22/75-10/06/83	37.4
Dissolved Oxygen	28	0	0.0	10	25.6	2.8	12/19/77-08/16/83	4.9
Water Temperature	638	0	0.0	29	74.4	22.0	09/22/75-10/06/83	79.3
Flow	972	0	0.0	21	53.8	46.3	09/22/75-10/06/83	120.9
Clarity/Turbidity	12	0	0.0	3	7.7	4.0	02/12/77-09/24/78	7.4
Nitrate/Nitrogen	396	0	0.0	30	76.9	13.2	09/22/75-08/29/83	49.9
Phosphate/Phosphorus	208	0	0.0	26	66.7	8.0	01/27/76-08/29/83	27.4
Chlorophyll	0	0	0.0	0	0.0	0.0	No Data For Group	0.0
Sulfates/Total Dissolved Solids/Hardness	307	0	0.0	37	94.9	8.3	09/22/75-10/06/83	38.2
Bacteria	0	0	0.0	0	0.0	0.0	No Data For Group	0.0
Toxic Elements	1422	0	0.0	23	59.0	61.8	01/27/76-08/29/83	187.4

Water Quality Observations
Outside STORET Edit Criteria for CHCU

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter		Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CHCU0005	00440	BICARBONATE ION (MG/L AS HCO3)	760128	1100	456.0000000	112WRD	355636107383501	
CHCU0007	00440	BICARBONATE ION (MG/L AS HCO3)	750922	1540	459.0000000	112WRD	355640107433501	
CHCU0011	00440	BICARBONATE ION (MG/L AS HCO3)	780328	1100	510.0000000	112WRD	360336107501801	
CHCU0012	01007	BARIUM, TOTAL (UG/L AS BA)	810630	1120	4100.0000000	112WRD	09367676	
CHCU0012	01045	IRON, TOTAL (UG/L AS FE)	810630	1120	530000.0000000	112WRD	09367676	
CHCU0012	01045	IRON, TOTAL (UG/L AS FE)	820824	1400	350000.0000000	112WRD	09367676	
CHCU0012	01055	MANGANESE, TOTAL (UG/L AS MN)	820824	1400	16000.0000000	112WRD	09367676	
CHCU0015	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	780328	1010	42.0000000	112WRD	360344107515601	
CHCU0015	00440	BICARBONATE ION (MG/L AS HCO3)	780328	1010	570.0000000	112WRD	360344107515601	
CHCU0015	00931	SODIUM ADSORPTION RATIO	780328	1010	84.0000000	112WRD	360344107515601	
CHCU0015	00945	SULFATE, TOTAL (MG/L AS SO4)	780328	1010	4300.0000000	112WRD	360344107515601	
CHCU0016	00945	SULFATE, TOTAL (MG/L AS SO4)	790501		5156.0000000	11NPSWRD	CHCU_GAWA_5	
CHCU0016	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	790501		9992.0000000	11NPSWRD	CHCU_GAWA_5	
CHCU0017	00945	SULFATE, TOTAL (MG/L AS SO4)	790501		6028.0000000	11NPSWRD	CHCU_GAWA_4	
CHCU0017	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	790501		10935.0000000	11NPSWRD	CHCU_GAWA_4	
CHCU0018	00945	SULFATE, TOTAL (MG/L AS SO4)	790501		5702.0000000	11NPSWRD	CHCU_GAWA_3	
CHCU0018	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	790501		10537.0000000	11NPSWRD	CHCU_GAWA_3	
CHCU0019	00945	SULFATE, TOTAL (MG/L AS SO4)	790501		5284.0000000	11NPSWRD	CHCU_GAWA_2	
CHCU0019	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	790501		9899.0000000	11NPSWRD	CHCU_GAWA_2	
CHCU0020	00945	SULFATE, TOTAL (MG/L AS SO4)	790501		6173.0000000	11NPSWRD	CHCU_GAWA_1	
CHCU0020	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	790501		10850.0000000	11NPSWRD	CHCU_GAWA_1	
CHCU0022	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	820729	1230	16.0000000	112WRD	09367678	
CHCU0022	01007	BARIUM, TOTAL (UG/L AS BA)	810630	1015	3300.0000000	112WRD	09367678	
CHCU0022	01045	IRON, TOTAL (UG/L AS FE)	810630	1015	260000.0000000	112WRD	09367678	
CHCU0022	01045	IRON, TOTAL (UG/L AS FE)	810701	1030	200000.0000000	112WRD	09367678	
CHCU0022	01045	IRON, TOTAL (UG/L AS FE)	820729	1230	250000.0000000	112WRD	09367678	
CHCU0022	01045	IRON, TOTAL (UG/L AS FE)	820824	1330	220000.0000000	112WRD	09367678	
CHCU0022	01055	MANGANESE, TOTAL (UG/L AS MN)	810630	1015	5900.0000000	112WRD	09367678	
CHCU0023	00070	TURBIDITY, (JACKSON CANDLE UNITS)	770309	1130	10000.0000000	112WRD	09367680	
CHCU0023	00070	TURBIDITY, (JACKSON CANDLE UNITS)	770716		36000.0000000	112WRD	09367680	
CHCU0023	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	770716		120000.0000000	112WRD	09367680	
CHCU0023	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	780208	1215	25000.0000000	112WRD	09367680	
CHCU0023	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	770716		45.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	760915	1440	103.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	760915	1525	109.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	760915	1535	111.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	760915	1800	135.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770716		274.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770717	0830	488.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770717		123.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770718		124.0000000	112WRD	09367680	

Water Quality Observations
Outside STORET Edit Criteria for CHCU

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter		Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770720	1400	294.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770721	1730	166.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770724	2100	221.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770812	0130	288.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770812		194.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770814		109.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770816	0945	190.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770817		127.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770904		117.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	771004	1040	188.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	771004		170.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	780208	1215	149.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	780303		132.0000000	112WRD	09367680	
CHCU0023	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	780824	1330	120.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770310		2300.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770716		12000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770717	0830	20000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770717		6600.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770718		2800.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770719		3100.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770720		3500.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770724	2100	4000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770726	1030	3000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770812	0130	7000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770812		10000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770816	0945	6000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	770817		4000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	771004		8000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	780207	1135	4000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	780207	1600	4000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	780208	1215	4900.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	780824		4000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	781125		4800.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790119	1352	3000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790214	1715	3000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790307	1435	10000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790307	1545	3600.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790308	0745	4000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790309	0215	2400.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790309	0315	2800.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790309	0900	3200.0000000	112WRD	09367680	

Water Quality Observations
Outside STORET Edit Criteria for CHCU

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter		Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790310	0930	2400.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790526	1630	2100.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790601	2230	8500.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790602	0100	5000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790602	1215	3000.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790701	2030	9500.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	790717	2330	7500.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	810630	1015	3500.0000000	112WRD	09367680	
CHCU0023	01007	BARIUM, TOTAL (UG/L AS BA)	830829	1515	3600.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	770309	1130	120000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	770310		200000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	770716		330000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	770717		110000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	770718		57000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	770719		290000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	770720		220000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	780207	1200	170000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	780215		170000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	780302		290000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	780924		220000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	780925		170000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	781103	1400	140000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	781105	1330	120000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	781116		80000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	781125		280000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790104	1450	83000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790119	0805	100000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790119	1352	240000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790213	1750	210000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790213	2030	270000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790214	1715	180000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790307	1435	300000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790307	1545	130000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790308	0745	110000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790309	0215	85000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790309	0315	100000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790309	0900	94000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790310	0930	82000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790312	1730	79000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790526	1630	210000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790601	2230	690000.0000000	112WRD	09367680	

Water Quality Observations
Outside STORET Edit Criteria for CHCU

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter		Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790602	0100	390000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790602	1215	270000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790701	2030	680000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	790717	2330	400000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	800225	1625	160000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	810630	1015	260000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	810701	0930	160000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	810912	0600	320000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	810918	0400	350000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	820331	1425	140000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	820729	1345	260000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	820824	1600	310000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	830124	1315	92000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	830415	1000	250000.0000000	112WRD	09367680	
CHCU0023	01045	IRON, TOTAL (UG/L AS FE)	830829	1515	220000.0000000	112WRD	09367680	
CHCU0023	01051	LEAD, TOTAL (UG/L AS PB)	790601	2230	1800.0000000	112WRD	09367680	
CHCU0023	01051	LEAD, TOTAL (UG/L AS PB)	790701	2030	1400.0000000	112WRD	09367680	
CHCU0023	01051	LEAD, TOTAL (UG/L AS PB)	790717	2330	1200.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	770716		16000.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	770717		12000.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	770718		5100.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	770719		6600.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	780207	1200	5500.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	781125		10000.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790213	1750	6600.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790213	2030	8000.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790214	1715	7900.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790307	1435	10000.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790307	1545	8800.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790308	0745	11000.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790309	0215	8500.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790309	0315	11000.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790309	0900	8600.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790310	0930	5800.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790601	2230	30000.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790602	0100	13000.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790602	1215	6600.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790701	2030	22000.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	790717	2330	17000.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	810912	0600	13000.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	810918	0400	8000.0000000	112WRD	09367680	

Water Quality Observations
Outside STORET Edit Criteria for CHCU

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter		Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	820824	1600	8400.0000000	112WRD	09367680	
CHCU0023	01055	MANGANESE, TOTAL (UG/L AS MN)	830415	1000	6400.0000000	112WRD	09367680	
CHCU0023	01056	MANGANESE, DISSOLVED (UG/L AS MN)	770716		8800.0000000	112WRD	09367680	
CHCU0026	00445	CARBONATE ION (MG/L AS CO3)	810315	1420	180.0000000	112WRD	09367685	
CHCU0026	00445	CARBONATE ION (MG/L AS CO3)	810415	1905	140.0000000	112WRD	09367685	
CHCU0026	00445	CARBONATE ION (MG/L AS CO3)	810415	1910	170.0000000	112WRD	09367685	
CHCU0026	00445	CARBONATE ION (MG/L AS CO3)	810415	1915	170.0000000	112WRD	09367685	
CHCU0026	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	780208	1350	15000.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770718	2330	542.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770718	2331	442.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770719	2000	385.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770719	2005	279.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770719	2015	561.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770720	2000	311.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770811	2230	167.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770811	2331	293.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770812	1145	350.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	780302	2000	140.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	780507	1233	165.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	780507	1300	106.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	780508	1456	201.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	780508	1500	189.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	780508		171.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	780924	1715	220.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	780924	1716	180.0000000	112WRD	09367685	
CHCU0026	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	780924	1717	310.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	780507	1233	2300.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	780508	1456	3000.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	780508		2300.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	781021	1500	3400.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	781102	2100	6500.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	781102	2101	4000.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	781102	2102	8300.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	781103	0400	3500.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	781103	0510	4500.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	790214	1132	2400.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	790214	1500	3200.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	790701	1445	8000.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	790701	1450	4500.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	790816	1900	4400.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	790816	2000	4400.0000000	112WRD	09367685	

Water Quality Observations
Outside STORET Edit Criteria for CHCU

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter		Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	790817	1500	5600.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	790817	1501	7200.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	791021	1100	5000.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	791021	1101	6000.0000000	112WRD	09367685	
CHCU0026	01007	BARIUM, TOTAL (UG/L AS BA)	791022	1600	6000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	780112	1500	100000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	781021	1500	380000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	781102	2100	440000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	781102	2101	340000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	781102	2102	540000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	781103	0400	390000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	781103	0510	340000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	781124	1901	89000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	781124	1902	120000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	790214	1130	69000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	790214	1132	240000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	790214	1134	96000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	790214	1500	250000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	790309	1220	170000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	790701	1445	410000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	790701	1450	390000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	790816	1900	160000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	790816	2000	300000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	790817	1500	300000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	790817	1501	340000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	791021	1100	250000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	791021	1101	250000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	791022	1600	320000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	800807	2000	430000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	800807	2001	430000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	800807	2002	420000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	800824	1340	350000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	800824	1400	230000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	800824	1401	240000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810315	1420	270000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810315	1425	190000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810315	1430	230000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810315	1435	260000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810316	1000	200000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810415	1900	280000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810415	1905	320000.0000000	112WRD	09367685	

Water Quality Observations
Outside STORET Edit Criteria for CHCU

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter		Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810415	1910	320000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810415	1915	210000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810930	1030	470000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810930	1045	400000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810930	1050	630000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810930	1055	350000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	810930	1100	400000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	820126	1325	120000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	820718	2145	470000.0000000	112WRD	09367685	
CHCU0026	01045	IRON, TOTAL (UG/L AS FE)	820730	2115	380000.0000000	112WRD	09367685	
CHCU0026	01051	LEAD, TOTAL (UG/L AS PB)	770718	2330	1200.0000000	112WRD	09367685	
CHCU0026	01051	LEAD, TOTAL (UG/L AS PB)	780924	1715	1200.0000000	112WRD	09367685	
CHCU0026	01051	LEAD, TOTAL (UG/L AS PB)	780924	1716	1200.0000000	112WRD	09367685	
CHCU0026	01051	LEAD, TOTAL (UG/L AS PB)	780924	1717	1200.0000000	112WRD	09367685	
CHCU0026	01051	LEAD, TOTAL (UG/L AS PB)	781102	2102	1200.0000000	112WRD	09367685	
CHCU0026	01051	LEAD, TOTAL (UG/L AS PB)	790701	1445	1400.0000000	112WRD	09367685	
CHCU0026	01051	LEAD, TOTAL (UG/L AS PB)	790701	1450	1100.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	781021	1500	12000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	781102	2100	27000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	781102	2101	19000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	781102	2102	42000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	781103	0400	10000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	781103	0510	15000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	790214	1132	7500.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	790214	1500	11000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	790701	1445	54000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	790701	1450	26000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	790816	1900	14000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	790816	2000	9600.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	790817	1500	11000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	790817	1501	28000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	791021	1100	20000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	791021	1101	24000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	791022	1600	9800.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	800807	2000	23000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	800807	2001	25000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	800807	2002	23000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	800824	1340	30000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	800824	1400	12000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	800824	1401	10000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	810415	1900	8700.0000000	112WRD	09367685	

Water Quality Observations
Outside STORET Edit Criteria for CHCU

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter		Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	810415	1915	6700.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	810930	1030	13000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	810930	1045	11000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	810930	1050	29000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	810930	1055	9900.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	810930	1100	11000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	820718	2145	14000.0000000	112WRD	09367685	
CHCU0026	01055	MANGANESE, TOTAL (UG/L AS MN)	820730	2115	9800.0000000	112WRD	09367685	
CHCU0027	01007	BARIUM, TOTAL (UG/L AS BA)	790701	1501	2100.0000000	112WRD	360743107571410	
CHCU0027	01007	BARIUM, TOTAL (UG/L AS BA)	790816	0140	2600.0000000	112WRD	360743107571410	
CHCU0027	01007	BARIUM, TOTAL (UG/L AS BA)	790816	1900	2600.0000000	112WRD	360743107571410	
CHCU0027	01007	BARIUM, TOTAL (UG/L AS BA)	790817	1530	2600.0000000	112WRD	360743107571410	
CHCU0027	01045	IRON, TOTAL (UG/L AS FE)	780924	1130	140000.0000000	112WRD	360743107571410	
CHCU0027	01045	IRON, TOTAL (UG/L AS FE)	781124	1830	88000.0000000	112WRD	360743107571410	
CHCU0027	01045	IRON, TOTAL (UG/L AS FE)	781124	1840	82000.0000000	112WRD	360743107571410	
CHCU0027	01045	IRON, TOTAL (UG/L AS FE)	781124	1900	62000.0000000	112WRD	360743107571410	
CHCU0027	01045	IRON, TOTAL (UG/L AS FE)	790214	1355	67000.0000000	112WRD	360743107571410	
CHCU0027	01045	IRON, TOTAL (UG/L AS FE)	790701	1500	120000.0000000	112WRD	360743107571410	
CHCU0027	01045	IRON, TOTAL (UG/L AS FE)	790701	1501	120000.0000000	112WRD	360743107571410	
CHCU0027	01045	IRON, TOTAL (UG/L AS FE)	790701	1502	92000.0000000	112WRD	360743107571410	
CHCU0027	01045	IRON, TOTAL (UG/L AS FE)	790816	1900	120000.0000000	112WRD	360743107571410	
CHCU0027	01045	IRON, TOTAL (UG/L AS FE)	790817	1530	82000.0000000	112WRD	360743107571410	
CHCU0027	01045	IRON, TOTAL (UG/L AS FE)	791108	0915	77000.0000000	112WRD	360743107571410	
CHCU0027	01045	IRON, TOTAL (UG/L AS FE)	800303	1202	95000.0000000	112WRD	360743107571410	
CHCU0028	00070	TURBIDITY, (JACKSON CANDLE UNITS)	770217	1330	7900.0000000	112WRD	360614107572010	
CHCU0028	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	770217	1330	20000.0000000	112WRD	360614107572010	
CHCU0028	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	780509	1020	16.0000000	112WRD	360614107572010	
CHCU0028	01007	BARIUM, TOTAL (UG/L AS BA)	780228	1230	5200.0000000	112WRD	360614107572010	
CHCU0028	01007	BARIUM, TOTAL (UG/L AS BA)	780509	1020	6400.0000000	112WRD	360614107572010	
CHCU0028	01007	BARIUM, TOTAL (UG/L AS BA)	781103	1215	5600.0000000	112WRD	360614107572010	
CHCU0028	01007	BARIUM, TOTAL (UG/L AS BA)	781103	1515	5600.0000000	112WRD	360614107572010	
CHCU0028	01045	IRON, TOTAL (UG/L AS FE)	781103	1215	330000.0000000	112WRD	360614107572010	
CHCU0028	01045	IRON, TOTAL (UG/L AS FE)	781103	1515	330000.0000000	112WRD	360614107572010	
CHCU0028	01045	IRON, TOTAL (UG/L AS FE)	800911	1802	320000.0000000	112WRD	360614107572010	
CHCU0028	01045	IRON, TOTAL (UG/L AS FE)	800911	1803	330000.0000000	112WRD	360614107572010	
CHCU0028	01045	IRON, TOTAL (UG/L AS FE)	810713	2300	280000.0000000	112WRD	360614107572010	
CHCU0028	01055	MANGANESE, TOTAL (UG/L AS MN)	781103	1215	14000.0000000	112WRD	360614107572010	
CHCU0028	01055	MANGANESE, TOTAL (UG/L AS MN)	781103	1515	11000.0000000	112WRD	360614107572010	
CHCU0028	01055	MANGANESE, TOTAL (UG/L AS MN)	800911	1802	25000.0000000	112WRD	360614107572010	
CHCU0028	01055	MANGANESE, TOTAL (UG/L AS MN)	800911	1803	25000.0000000	112WRD	360614107572010	
CHCU0028	01055	MANGANESE, TOTAL (UG/L AS MN)	810713	2300	9100.0000000	112WRD	360614107572010	

Water Quality Observations
Outside STORET Edit Criteria for CHCU

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter		Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CHCU0029	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	820824	1200	33.0000000	112WRD	09367683	
CHCU0029	01007	BARIUM, TOTAL (UG/L AS BA)	810630	0955	4000.0000000	112WRD	09367683	
CHCU0029	01045	IRON, TOTAL (UG/L AS FE)	810630	0955	250000.0000000	112WRD	09367683	
CHCU0029	01045	IRON, TOTAL (UG/L AS FE)	810701	0900	230000.0000000	112WRD	09367683	
CHCU0029	01045	IRON, TOTAL (UG/L AS FE)	820824	1200	310000.0000000	112WRD	09367683	
CHCU0029	01045	IRON, TOTAL (UG/L AS FE)	830124	1515	110000.0000000	112WRD	09367683	
CHCU0029	01045	IRON, TOTAL (UG/L AS FE)	830829	1630	230000.0000000	112WRD	09367683	
CHCU0029	01055	MANGANESE, TOTAL (UG/L AS MN)	810630	0955	6900.0000000	112WRD	09367683	
CHCU0029	01055	MANGANESE, TOTAL (UG/L AS MN)	820824	1200	7500.0000000	112WRD	09367683	
CHCU0030	01055	MANGANESE, TOTAL (UG/L AS MN)	800310	1040	5400.0000000	112WRD	360621107582301	
CHCU0031	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	760801	0500	194.0000000	112WRD	360453108012010	
CHCU0031	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	770812	1730	458.0000000	112WRD	360453108012010	
CHCU0031	01007	BARIUM, TOTAL (UG/L AS BA)	760801	0500	8200.0000000	112WRD	360453108012010	
CHCU0031	01045	IRON, TOTAL (UG/L AS FE)	760801	0500	400000.0000000	112WRD	360453108012010	
CHCU0031	01055	MANGANESE, TOTAL (UG/L AS MN)	760801	0500	20000.0000000	112WRD	360453108012010	
CHCU0033	01045	IRON, TOTAL (UG/L AS FE)	760708	2130	63000.0000000	112WRD	360439108041010	
CHCU0036	00440	BICARBONATE ION (MG/L AS HCO3)	780327	1340	480.0000000	112WRD	355841108081810	
CHCU0036	00931	SODIUM ADSORPTION RATIO	780327	1340	53.0000000	112WRD	355841108081810	
CHCU0036	01045	IRON, TOTAL (UG/L AS FE)	810818	1000	68000.0000000	112WRD	355841108081810	
CHCU0037	00440	BICARBONATE ION (MG/L AS HCO3)	780327	1315	1090.0000000	112WRD	355752108084801	
CHCU0037	00931	SODIUM ADSORPTION RATIO	780327	1315	80.0000000	112WRD	355752108084801	
CHCU0038	01105	ALUMINUM, TOTAL (UG/L AS AL)	820609	1500	21000.0000000	112WRD	360432108085810	

APPENDICES

Appendix A

Computer Files Transmitted With

Park Baseline Water Quality Data Inventory and Analysis

Computer disk(s) accompanying this report include up to seven (depending on the presence or absence of certain data elements) compressed (ZIP) files containing digital copies of nearly all the tables, figures, and other materials used to produce this report. To decompress these files, you must use the commonly available shareware program PKUNZIP. The command to type at the DOS prompt is:

PKUNZIP -E *COMPRESS.ZIP FILENAME.EXT*

where COMPRESS.ZIP is the name of one of the seven compressed (ZIP) files listed below and FILENAME.EXT is the name of the file you wish to extract. If you want to decompress all of the files in COMPRESS.ZIP, simply omit the FILENAME.EXT. To obtain a listing of all the files compressed into a particular ZIP file, type the following:

PKUNZIP -V *COMPRESS.ZIP* |MORE

where COMPRESS.ZIP is the name of one of the seven compressed ZIP files listed below. If a ZIP file spans multiple disks, use the last disk of the series (span) when obtaining a listing of all the files compressed into a particular ZIP file. Once you see the file you wish to obtain, substitute this file name for FILENAME.EXT in the first command line above to extract and decompress this particular file.

Included on one of the disk(s) accompanying this report is a program named PRINTZIP. This program will decompress ZIP files which don't span multiple disks and print certain files to a Hewlett-Packard (or compatible) Laser Printer. To use PRINTZIP, however, you must still have a copy of PKUNZIP in a directory listed in your path or in the same directory as the PRINTZIP program. PRINTZIP provides an easy, menu-driven interface for using PKUNZIP to decompress files and then send them to the printer. PRINTZIP allows you to send individual files, groups of files, or all files to the printer. PRINTZIP will not work with ZIP files that span multiple disks.

The following compressed (ZIP) files are included on the disk(s) accompanying this report:

(1) CHCUTABS.ZIP

This compressed file contains all the tables presented in the report. The files compressed into this file include:

(a) CHCUSITE.DOC - Descriptive listing of select fields from the industrial facilities discharges, drinking water intakes, and EPA-USGS stream gages databases.

(b) CHCUAGNC.DOC - Contacts for agencies whose data were retrieved within the study area.

(c) CHCUAGNQ.DOC - Number of stations, observations, and parameters retrieved by agency code within the study area and park.

(d) CHCUOV0.DOC - Overview of park and retrieved data.

(e) CHCUOV1.DOC - Station period of record table.

(f) CHCUOV2.DOC - Parameter period of record table.

(g) CHCUOV3.DOC - Station/parameter period of record table.

(h) CHCUINV.DOC - Station by station descriptive statistics over the entire period of record and comparison against EPA Water Quality Criteria for each station.

(i) CHCUSEAN.DOC - Seasonal and annual water quality descriptive statistics at stations with water quality data meeting the default seasonal and annual criteria.

(j) CHCUEPAS.DOC - EPA Water Quality Criteria comparison for data at all stations combined within the study area.

(k) CHCUIDEA.DOC - Comparison of downloaded STORET data with NPS Servicewide Inventory and Monitoring Program "Level I" water quality parameters.

(l) CHCUBAD.DOC - Water quality observation values that were outside the range of one of 190 STORET edit criteria and were either discarded or retained.

All these compressed document files are in ASCII format and contain printer codes appropriate to Hewlett-Packard (or compatible) Laser Printers. While at the DOS prompt, any of these document files may be printed directly to a Hewlett-Packard (or compatible) Laser Printer by using the PRINT command. For example, if the document CHCUOV1.DOC is in the subdirectory C:\WATER, you could type: PRINT C:\WATER\CHCUOV1.DOC. This will print the file to your local or networked Hewlett-Packard (or compatible) Laser Printer attached to parallel port one (LPT1:). Alternatively, you can use the PRINTZIP program to decompress and print any of these files provided the ZIP file doesn't span multiple disks. These ASCII files can also be imported into word-processed documents, but the printer codes will then have to be removed.

(2) CHCUFIGS.ZIP

This compressed file contains graphics files for all the statistical figures (time series plots; annual box and whiskers plots; seasonal box and whiskers plots) in the report in two different formats: Computer Graphic Metafile (CGM) and Hewlett-Packard Printer Control Language (PCL). The files are named with the last three digits of the Station Name followed by the five digit STORET code. The file name extension begins with either a 1 (time series), 2 (annual), or 3 (seasonal) and then either GM for CGM or CL for PCL. For example, 00100300.2GM would denote the file contains an annual box and whiskers plot in CGM format for parameter 00300 (dissolved oxygen) at station CHCU0001. While at the DOS prompt, any PCL file can be printed directly to a Hewlett-Packard (or compatible) Laser Printer by using the COPY command. For example, if the graphic 00100300.2CL (an annual box and whiskers plot of parameter 00300, dissolved oxygen, at station CHCU0001) is in the subirectory C:\WATER, you would type: COPY C:\WATER\00100300.2CL LPT1: /B. This will print the file to your local or networked Hewlett-Packard (or compatible) Laser Printer attached to parallel port one (LPT1:). The /B is necessary because the PCL file is in a binary format. Alternatively, you can use the PRINTZIP program to decompress and print any of the PCL files provided the ZIP file doesn't span multiple disks. The CGM files can be imported and/or edited in most graphics packages, including WordPerfect.

(3) CHCUPARM.ZIP

This file compresses CHCUPARM.DBF which contains all the actual values (raw data) of all the water quality data downloaded from STORET and summarized in the report. The detailed database structure for this file is contained in Appendix B.

(4) CHCUSITE.ZIP

This compressed file contains up to five geo-referenced, DBASE III+ compatible site (point location) files documenting the location in the study area of water quality monitoring stations, industrial facilities discharges, drinking water intakes, water gages, and water impoundments. These files include:

(a) CHCUWQ.DBF - All water quality monitoring station locations within the project's study area downloaded from STORET.

(b) CHCUIFD.DBF - All municipal and industrial facility discharges within the project's study area downloaded from the IFD database.

(c) CHCUDRIN.DBF - All drinking water intakes within the project's study area downloaded from the DRINKS database.

(d) CHCUGAGE.DBF - All water gages within the project's study area downloaded from the GAGES database.

(e) CHCUDAMS.DBF - All water impoundments within the project's study area downloaded from the DAMS database.

The absence of any of these files indicates that none of the particular sites were found within the study area. Detailed database structures for each of these files are contained in Appendix B.

(5) CHCUMISC.ZIP

This compressed file contains a variety of graphic and document files that are contained in the report. They are grouped into this miscellaneous compressed (ZIP) file because they don't fit neatly into any of the other compressed files. The files contained in this compressed file include:

(a) CHCUEXEC.DOC - WordPerfect Ver. 5.1 copy of the Executive Summary in the report.

(b) CHCUTOC.DOC - WordPerfect Ver. 5.1 copy of the report's Table of Contents.

(c) INTRO.DOC - WordPerfect Ver. 5.1 copy of all the text in the report from the Introduction through the Interpretive Guide to Water Quality Results.

(d) APPENDIX.DOC - WordPerfect Ver. 5.1 copy of all the Appendices in the report.

(e) CHCUREGI - PCL and CLP (Windows Clipboard) copies of map displaying the regional location of the park and study area.

(f) CHCUWQ - PCL and CLP (Windows Clipboard) copies of park maps displaying water quality station locations within the park's study area. If, due to scaling and aesthetic concerns, multiple maps were needed, these files will have alphabetically ordered suffixes (CHCUWQA, CHCUWQB, CHCUWQC, etc.) and the index map name will end with an ampersand (&).

(g) CHCUIDG - PCL and CLP (Windows Clipboard) copies of park maps displaying locations of industrial facilities discharges, drinking water intakes, and stream gages within the park's study area. If, due to scaling and aesthetic concerns, multiple maps were needed, these files will have alphabetically ordered suffixes (CHCUIDGA, CHCUIDGB, CHCUIDGC, etc.) and the index map name will end with an ampersand (&). If no industrial facilities discharges, drinking water intakes, water gages, or water impoundments exist within the park's study area, these files will not be in the compressed (ZIP) file.

(h) CHCUSEHY - PCL and CLP (Windows Clipboard) copies of the hydrographs or other materials used by WRD staff as the basis for a first attempt at a seasonal analysis of the park's water quality data.

Other materials may also be included in this miscellaneous compressed (ZIP) file as warranted by conditions at the park. As with CHCUFIGS.ZIP and CHCUTABS.ZIP, you can use the PRINTZIP program to print any of the PCL files in CHCUMISC.ZIP provided the ZIP file doesn't span multiple disks. You should not, however, use PRINTZIP to print the WordPerfect document files. The CLP (Windows Clipboard) files can be imported (pasted) and/or edited in most Windows-based word processors and graphics packages.

(6) CHCURF3.ZIP

This compressed file contains the Environmental Protection Agency's River Reach File Ver. 3.0 provisional data for the USGS catalog unit(s) encompassing the study area. The attribute data exist in both ASCII and DBASE III+ format, while the geographic traces exist in ASCII format. This compressed file contains four files for each catalog unit that touches the study area. Catalog units are identified by unique 8-character numeric names which identify the region, subregion, accounting unit, and catalog unit. Examples (your 8-character numeric names will be different) of the file types included in this compressed file are:

(a) 12345678.RF3 - ASCII formatted attribute file from the River Reach File for all hydrographic traces within the catalog unit.

(b) 12345678.DBF - DBASE III+ formatted attribute file from the River Reach File for all hydrographic traces within the catalog unit.

(c) 12345678.TRC - ASCII formatted geographic file from the River Reach File containing digital, geo-referenced descriptions of all hydrographic traces within the catalog unit at a scale of 1:100,000 suitable for import into a geographic information system.

(d) 12345678.CUB - ASCII formatted geographic file from the River Reach File containing a digital, geo-referenced description of the catalog unit boundary suitable for import into a geographic information system.

Detailed database structures for RF3-related files are contained in Appendix B.

(7) CHCUWQMW.ZIP

Between 2000 and 2002, all Baseline Water Quality Data Inventory and Analysis Reports were compiled or re-compiled in Microsoft Word 2000 (Ver. 9.0) format. This complete, digital version of the report will be made available through various means, including the Internet. Although the reports can be opened in Microsoft Word 1997 (Ver. 8.0), the time series and annual and seasonal box-plots may not be centered appropriately on a page due to discrepancies with how Word 2000 formats pictures and how Word 1997 formatted pictures. Consequently, Word 2000 is the recommended software for viewing the report. Prior to printing the report from Word, be sure to enable "Print Text as Graphics" or "Print True Type Font as Graphics" in the Printer Properties. This ensures a more faithful reproduction of the maps included in the Word document.

The Microsoft Word version of the Baseline Water Quality Data Inventory and Analysis Report may differ slightly from the original analog version. Reports issued during 1994-1996 didn't have as many "bells-and-whistles" as subsequent reports. In compiling digital Microsoft Word versions of these earlier reports, attempts were made to bring these 1994-1996 reports up to the current standard wherever feasible and practicable. Unfortunately, some changes were not feasible or practicable. For example, water quality criteria screens were added or modified over time when newer criteria became available. The digital Microsoft Word version of Appendix F presents the latest criteria screening parameters and values. Some of these parameters and/or values may not have been screened against in the EPA water quality criteria analyses for each station and the entire study area in the 1994-1996 analog versions of the report. Similarly, the Introduction, Methodology, and Interpretive Guide to Water Quality Results may mention certain features that aren't included in the 1994-1996 reports. Additionally, to prepare a Microsoft Word version of this report, data were processed through different versions of software than used originally. Consequently, some results presented in the Overview and Executive Summary may differ slightly from those presented in the analog report (eg. # of In Park and Longer Term Stations).

Appendix B

Water Quality Database File Structures

The following table provides the DBASE III+ database field structure for all the water quality parameter data downloaded from STORET. This data will allow parks or other interested parties to replicate the statistical analyses and graphics contained in this report; perform more sophisticated analyses; or to establish a baseline park water quality database.

Parameter Data File: CHCUPARM.DBF in CHCUPARM.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
NPSSTATID	1	8	8	NPS Station ID (NPS park code + 4 digit sequence number)
BEGDATE	9	14	6	Measurement Start Date [yymmdd]
BEGTIME	15	18	4	Measurement Start Time [hhmm]
PARMCODE	19	23	5	STORET Parameter Code
PARMVALU	24	39	16.7	Parameter Value
REMARK	40	40	1	Parameter Remark Value
				A=Value is Mean of 2 or More Determinations
				B=Results Based Upon Colony Counts Outside Acceptable Range
				C=Value Calculated
				D=Field Measurement
				E=Extra Sample Taken in Compositing Process
				F=Female Species
				G=Maximum of 2 or More Determinations
				H=Based on Field Kit Determination
				I=Value is Less Than Practical Quantitation Limit and Greater Than or Equal to the Method Detection Limit
				J=Estimated, Not the Result of Analytic Measurement
				K=Off-scale Low, Actual Value Not Known, But Known to be Less Than Value Shown
				L=Off-scale High, Actual Value Not Known, But Known to be Greater Than Value Shown

Parameter Data File: CHCUPARM.DBF in CHCUPARM.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
				M=Presence Verified, But Not Quantified, Below Quantification Limit; For Species, Male; For Oxygen Reduction Potential, Indicates a Negative Value
				N=Presumptive Evidence of Presence
				O=Analysis Lost
				P=Too Numerous to Count
				Q=Exceeded Normal Holding Time
				R=Significant Rain in Last 48 Hours
				S=Laboratory test
				T=Less Than Detection Criteria
				U=Analyzed For But Not Detected, Value is Detection Limit For Process Used; If Species, Undetermined
				V=Analyte was Detected in Sample and Method Blank
				W=Less Than Lowest Value Reportable Under Remark "T"
				X=Quasi Vertically-Integrated Sample
				Y=Analysis of Unpreserved Sample
				Z=Too Many Colonies Were Present to Count (TNTC), Value Represents Filtration Value
				$=Calculated By Retrieval Software
MEDIA	41	46	6	Sample Media
DEPTH	47	55	9.3	Depth of Sample [in feet]
ENDDATE	56	61	6	Measurement End Date [yymmdd] [all composite samples]
ENDTIME	62	65	4	Measurement End Time [hhmm] [all composite samples]
SAMPTYPE	66	69	4	Type of Sample ["sophisticated" composite samples]
				C=Continuous Collection
				G=Collection of Individual Grab Samples
				GNxx=xx is the Number of Individual Grab Samples
				B=N/A

Parameter Data File: CHCUPARM.DBF in CHCUPARM.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
COMPTYPE	70	70	1	Composite Value Type ["sophisticated" composite samples]
				A=Average
				H=Maximum
				L=Minimum
				N=Number of Observations
				#=Number of Observations
				S=Standard Deviation
				U=Sum of Squares
				V=Variance
				C=Coefficient of Error
				X=Coefficient of Variance
				E=Skewness
				F=Kurtosis
				Z=Number of Observations That Exceed an Established Limit
				%=Precision
				$=Accuracy
				B=N/A
				D=Indicates Replicate Sample
COMPST	71	71	1	Composite Space/Time Indicator
				S=Space
				T=Time
				B=Space and Time
				F=Flow Proportional
				1-9=Replicate Number

Note: DBASE III+ record lengths will be one greater than the last stop column displayed (71 here) because DBASE III+ reserves the first space/column of every record for a deletion flag. Hence, DBASE III+ will display a record length of 72 for this database.

The following table provides the DBASE III+ database field structure for all the water quality station locations downloaded from STORET. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

Water Quality Station Data File: CHCUWQ.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
NPSSTATID	1	8	8	NPS Station ID (NPS park code + 4 digit sequence number)
AGENCY	9	16	8	Agency Code of Station Owner
STORIDP	17	31	15	STORET Primary Station Code
STORIDS1	32	43	12	STORET First Secondary Station Code
STORIDS2	44	55	12	STORET Second Secondary Station Code
STORIDS3	56	65	10	STORET Third Secondary Station Code
LATITUDE	66	73	8	Station Latitude [degrees:minutes:seconds]
LONGITUDE	74	82	9	Station Longitude [degrees:minutes:seconds]
LAT	83	93	11.6	Station Latitude [decimal degrees, (-) below equator]
LON	94	104	11.6	Station Longitude [decimal degrees, (-) western hemisphere]
LLPREC	105	105	1	Latitude/Longitude Precision Code
RMI	106	329	224	River Mile Index
STATLOC	330	377	48	Station Location Description
CNTYCODE	378	382	5	FIPS State/County Code
STNAME	383	398	16	State Name
CNTYNAME	399	418	20	County Name
HYDUNIT	419	426	8	Hydrologic Unit Code (MAJ/MIN/SUB = Catalog Unit)
MAJBASN	427	450	24	Major Basin Name
MINBASN	451	490	40	Minor Basin Name
STATTYPE	491	550	60	Station Type
STORDATE	551	556	6	Date Station was Stored in STORET
RF1INDEX	557	567	11	RF1 Reach Number Location [2]
RF1MILE	568	575	8.3	Mile Point on RF1 Reach [2]
RF1LOC	576	578	3	Indicates the Location as ON or OFF RF1 Reach [2]
RF1DIST	579	584	6.2	Distance From RF1 Reach

Water Quality Station Data File: CHCUWQ.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
RF3INDEX	585	601	17	RF3 Reach Number Location [3]
RF3MILE	602	607	6.2	Mile point on RF3 Reach [3]
RF3LOC	608	610	3	Indicates the Location as ON or OFF RF3 Reach [2]
RF3DIST	611	616	6.2	Distance From RF3 Reach
DEPH2O	617	620	4	Depth of Water at Station Location [in feet]
ELEV	621	625	5	Station Elevation
ECOREG	626	628	3	ECO Region
H2OBODY	629	678	50	Waterbody ID
AQUIFERS	679	718	40	Aquifer Description
STATDESC1	719	790	72	Station Sentence Description
STATDESC2	791	862	72	Station Sentence Description
STATDESC3	863	934	72	Station Sentence Description
STATDESC4	935	1006	72	Station Sentence Description
STATDESC5	1007	1078	72	Station Sentence Description
STATDESC6	1079	1150	72	Station Sentence Description
STATDESC7	1151	1222	72	Station Sentence Description
STATDESC8	1223	1294	72	Station Sentence Description
STATDESC9	1295	1366	72	Station Sentence Description
STATDESC10	1367	1438	72	Station Sentence Description
STATDESC11	1439	1510	72	Station Sentence Description
STATDESC12	1511	1582	72	Station Sentence Description
STATDESC13	1583	1654	72	Station Sentence Description
STATDESC14	1655	1726	72	Station Sentence Description
STATDESC15	1727	1798	72	Station Sentence Description
STATLOCKED	1799	1799	1	Station Locked (Logical) True/False

The following table provides the DBASE III+ database field structures for the EPA Industrial Facilities Discharge database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

Industrial Facilities Discharges File: CHCUIFD.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
SITEID	1	9	9	Site Identifier (NPDES Number)
LATITUDE	10	17	8	Facility Latitude (Degrees:Minutes:Seconds)
LONGITUDE	18	26	9	Facility Longitude (Degrees:Minutes:Seconds)
LAT	27	37	11.6	Facility Latitude (decimal degrees, (-) below equator)
LON	38	48	11.6	Facility Longitude (decimal degrees, (-) west. hem.)
RF1INDEX	49	59	11	RF1 Reach Number Location
RF1MILE	60	65	6.2	Mile Point on RF1 Reach
RF1DIST	66	71	6.2	Distance From RF1 Reach
RF3INDEX	72	88	17	RF3 Reach Number Location
RF3MILE	89	94	6.2	Mile Point on RF3 Reach
RF3DIST	95	100	6.2	Distance From RF3 Reach
ADR	101	125	25	Address
BFL	126	132	7.2	Total Direct Combined C&P Flow (1000 GPD)
CCFLG	133	133	1	Coastal County Flag "Y"/"N"/"E"=Estuary
CC1	134	138	5	City Code #1 (EPA Code)
CFL	139	145	7.2	Total Direct Cooling Flow (1000 GPD)
CNC	146	148	3	County Code (FIPS)
CTY	149	168	20	City Name
CZIP	169	177	9	Canadian Zip Code
DNB	178	186	9	Dunn & Bradstreet Number
DNBFLG	187	187	1	Dunn & Bradstreet PCS Source Flag
EGF	188	202	15.4	Flow From Effluent Guidelines (1000 GPD)
EGS	203	208	6	Effluent Guidelines Subcategory
EXPDT	209	216	8	Expiration Date (mm/dd/yy)
E308SN	217	220	4	Effluent Guidelines Survey Number
FAC	221	229	9	SCS Facility Identifier (Cross-Reference)
FDS	230	232	3	Facility Data Source

Industrial Facilities Discharges File: CHCUIFD.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
FFL	233	239	7.2	Total Facility Flow (1000 GPD)
FHF	240	240	1	Fac. Hit Flag (Reach File) V=Versar Assumed
FLOTYP	241	243	3	I=Blow Down, R=Bottom Ash, S=Fly Ash
FLR	244	250	7.2	Flow Recvd-Industrial (1000 GPD) Permit Data
FRDS	251	259	9	FRDS ID# - XREF To Water Supply
FRW	260	289	30	Facility Receiving Water Name
FS1	290	293	4	Facility SIC Code (From PCS)
FS2	294	297	4	Facility SIC Code #1
FS3	298	301	4	Facility SIC Code #2
FS4	302	305	4	Facility SIC Code #3
FS5	306	309	4	Facility SIC Code #4
FUD	310	317	8	Facility Level Last Date Updated (mm/dd/yy)
IACC	318	318	1	Inactive/Active Indicator ("I" or "A")
ICAT	319	320	2	WQAB Industrial Category
ICAT2	321	322	2	WQAB Industrial Category 2
ICAT3	323	324	2	WQAB Industrial Category 3
IFL	325	331	7	Total Indirect Flow (1000 GPD)
IFT	332	332	1	Illinois Facility Type (A thru Z)
IG1	333	334	2	Facility Industrial Group #1
IG2	335	336	2	Facility Industrial Group #2
IJCN	337	346	10	Canadian Record Identifier
INACT	347	353	7	Inactive/Rescinded P=Based on Permit;A=Actual
INDCNT	354	357	4	Computed Number of Indirect Dischargers
LATLON	358	372	15	Polygon Retrieval Lat/Long.
MAJ	373	373	1	Major-Minor Flag (From PCS)
MAPID	374	377	4	Map Identifier
MJMN	378	381	4	Major/Minor Basin (EPA-STORET)
NAM	382	441	60	Facility Name
NDC	442	444	3	Number of Discharges (Pipes)

Industrial Facilities Discharges File: CHCUIFD.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
NDSFLO	445	451	7.2	NEEDS Flow (1000 GPD)
NDSIFLO	452	458	7.2	NEEDS Industrial Flow (1000 GPD)
NID	459	462	4	Number of Indirect Dischargers
NPC	463	463	1	NEEDS Pre-Treatment Code "Y"=Yes, "N"=No
NPS	464	464	1	NPDES Facility Source/Status
NSN	465	473	9	NEEDS Survey Number
NTC	474	474	1	NEEDS Treatment Code
OCP	475	480	6	Organic Chemical Producers ID Number
ODESCC	481	481	1	ODES Coastal County "Y"=Yes; "N"=No
OFL	482	488	7.2	Total Non-Direct Other Flow (1000 GPD)
OWN	489	491	3	Ownership Code
PFL	492	498	7.2	Total Direct Process Flow (1000 GPD)
REG	499	500	2	EPA Region
REGKEY	501	504	4	Region Key
RSLOFLO	505	511	7.2	Receiving Stream Low Flow
RSMNFLO	512	518	7.2	Receiving Stream Mean Flow
STA	519	520	2	State Postal Abbreviation
STAID	521	535	15	State Identifier
STC	536	537	2	State Code (FIPS)
STCITY	538	544	7	State/City Code
TFLOW	545	551	7.2	Type Flow (1000 GPD)
UFL	552	558	7.2	Total Direct Undefined Flow (1000 GPD)
XEGS	559	561	3	Effluent Guidelines Subcat Index
XKEY	562	562	1	"1","2","3","4","5","6","7","8","9"
XNME	563	565	3	GLP,DIR,F2C,ENF,CET,LAG,PPB,M85,M86
ZIP	566	570	5	Zip Code

The following table provides the DBASE III+ database field structures for drinking water intakes from the EPA DRINKS database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

Drinking Water Intakes File: CHCUDRIN.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
SITEID	1	20	20	Site Identifier
LATITUDE	21	28	8	Facility Latitude (Degrees:Minutes:Seconds)
LONGITUDE	29	37	9	Facility Longitude (Degrees:Minutes:Seconds)
LAT	38	48	11.6	Facility Latitude (decimal degrees, (-) below equator)
LON	49	59	11.6	Facility Longitude (decimal degrees, (-) west. hem.)
RF1INDEX	60	70	11	RF1 Reach Number Location
RF1MILE	71	76	6.2	Mile Point on RF1 Reach
RF1DIST	77	82	6.2	Distance From RF1 Reach
RF3INDEX	83	99	17	RF3 Reach Number Location
RF3MILE	100	105	6.2	Mile Point on RF3 Reach
RF3DIST	106	111	6.2	Distance From RF3 Reach
AQCD	112	115	4	Aquifer Code
ASC	116	138	23	STORET Agency/Station Code
AVGD	139	142	4	Average Depth
BUY	143	143	1	Purchase Code
CC1	144	148	5	City Code #1 (EPA Code)
CNC	149	151	3	County Code (FIPS)
CNME	152	166	15	Contact Name
CNN	167	186	20	County Name
CTITLE	187	201	15	Contact Title
CTY	202	221	20	City Name
DUD	222	229	8	Date of Update
FRDS	230	238	9	FRDS ID# - Cross-Reference
GEOAG	239	258	20	Geologic Age
GEOCDE	259	261	3	Geologic Age Code
IDAT	262	269	8	Date (mm/dd/yy)

Drinking Water Intakes File: CHCUDRIN.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
INTAKET	270	270	1	Type Source G/S/B
INTRVWR	271	285	15	Interviewer
MAXD	286	289	4	Maximum Depth
MILES	290	296	7.2	Miles
MIND	297	300	4	Minimum Depth
NAME	301	320	20	Name
NPD	321	329	9	NPDES# XREF to IFD Database
NWLS	330	332	3	Number of Wells
OWN	333	335	3	Ownership
PAVGF	336	342	7.2	Production Avg. Daily (Gal/Day)
PCTSUP	343	345	3	%Surface / %Ground
PHONE	346	355	10	Telephone Number
PMAXF	356	362	7.2	Production Max. Daily (Gal/Day)
POPSV	363	371	9	Population Served
REG	372	373	2	EPA Region
SHLAT	374	379	6	Sitehelp Latitude (DDMMSS)
SHLNG	380	386	7	Sitehelp Longitude (DDDMMSS)
SHMILES	387	393	7.2	Sitehelp Miles
SHNME	394	403	10	Sitehelp Source Name
SHPCT	404	410	7.2	Sitehelp Percent of Reach Miles
SRC	411	413	3	Sitehelp Source Code
STA	414	415	2	State Abbreviation
STC	416	417	2	State Code (FIPS)
TUF	418	424	7.2	Total Utility Flow
TYPCDE	425	425	1	Type Code
UHF	426	426	1	Utility Hit Flag (Reach File)
VCDE	427	427	1	Versar Code='V'=>25K; '*'=<25K POPSVD
WFPC	428	428	1	Wellfield Precision Code
WFTYP	429	429	1	Well Type (Cassing,Artesian,Infiltration,etc.)

Drinking Water Intakes File: CHCUDRIN.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
WUN	430	449	20	Water Utility Name

The following table provides the DBASE III+ database field structures for the Water Gage database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

Water Gage File: CHCUGAGE.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
SITEID	1	20	20	Site Identifier
LATITUDE	21	28	8	Facility Latitude (DDMMSS)
LONGITUDE	29	37	9	Facility Longitude (DDDMMSS)
LAT	38	48	11.6	Facility Latitude (decimal degrees, (-) below equator)
LON	49	59	11.6	Facility Longitude (decimal degrees, (-) west. hem.)
RF1INDEX	60	70	11	RF1 Reach Number Location
RF1MILE	71	76	6.2	Mile Point on RF1 Reach
RF1DIST	77	82	6.2	Distance From RF1 Reach
RF3INDEX	83	99	17	RF3 Reach Number Location
RF3MILE	100	105	6.2	Mile Point on RF3 Reach
RF3DIST	106	111	6.2	Distance From RF3 Reach
JAN	112	118	7.2	Monthly Flow - January
FEB	119	125	7.2	Monthly Flow - February
MAR	126	132	7.2	Monthly Flow - March
APR	133	139	7.2	Monthly Flow - April
MAY	140	146	7.2	Monthly Flow - May
JUN	147	153	7.2	Monthly Flow - June
JUL	154	160	7.2	Monthly Flow - July
AUG	161	167	7.2	Monthly Flow - August
SEP	168	174	7.2	Monthly Flow - September
OCT	175	181	7.2	Monthly Flow - October
NOV	182	188	7.2	Monthly Flow - November
DEC	189	195	7.2	Monthly Flow - December
RGN	196	197	2	Region Code
AREA	198	204	7.2	Drainage Area (SQ.MI.)
DUD	205	212	8	Date of Update

Water Gage File: CHCUGAGE.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
FBCF	213	213	1	Flag - Basic Characteristic File ('Y')
FDFF	214	214	1	Flag - Daily Flows File ('Y')
FQMINV	215	224	10	IHS Pt. Files Index
GHF	225	225	1	Hit Flag (Reach File)
ICDE	226	226	1	Integrity Code
LFVEL	227	233	7.2	Low Flow Velocity
METHOD	234	236	3	Calculation Method Code
MFVEL	237	243	7.2	Mean Flow Velocity
MNFLO	244	250	7.2	USGS Mean Annual Flow
NME	251	298	48	Station Name
SHLAT	299	304	6	Sitehelp Latitude (DDMMSS)
SHLNG	305	311	7	Sitehelp Longitude (DDDMMSS)
SHMILES	312	318	7.2	Sitehelp Miles
SHNME	319	328	10	Sitehelp Source Name
SHPCT	329	335	7.2	Sitehelp Percent of Reach Miles
SITE	336	337	2	Site Location
SRC	338	340	3	Sitehelp Source Code
STCTY	341	345	5	State/County Numeric Code
SVTEN	346	352	7.2	USGS 7-10 Year Flow
BEG_WYR	353	356	4	Beginning Water Year
END_WYR	357	359	4	Ending Water Year
ELEV	361	368	8.2	Elevation (Feet)
WELL_DP	369	376	8.2	Well Depth (Feet)

The following table provides the DBASE III+ database field structures for the Water Impoundment database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

Water Impoundment File: CHCUDAMS.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
SITEID	1	7	7	Site Identifier
SOURCE	8	10	3	Source of Data
ST1	11	12	2	Primary State Code Abbreviation
STCTY1	13	17	5	State/County Numeric Code
NAME	18	47	30	Official Name of Dam
LATITUDE	48	53	6	Facility Latitude (DDMMSS)
LONGITUDE	54	60	7	Facility Longitude (DDDMMSS)
LAT	61	70	10.6	Facility Latitude (decimal degrees, (-) below equator)
LON	71	81	11.6	Facility Longitude (decimal degrees, (-) west. hem.)
INME	82	111	30	Impoundment Name
RNME	112	139	28	River, Stream, or Tributary Name on Which Dam Built
CUSEGMI	140	149	10	Catalog Unit, Segment, and Segment Length
REGN	150	151	2	Water Resources Council Region Code
RGBSN	152	155	4	Water Resources Region/Basin Code
CU	156	163	8	Catalog Unit
SEG	164	166	3	Reach Segment of Dam
SEGL	167	171	5.2	Reach Segment Length
PURP	172	172	1	Major Purpose of Dam
				I=Irrigation
				H=Hydroelectric
				N=Navigation
				S=Water Supply
				R=Recreation
				P=Stock/Farm Pond
				D=Debris Control
				F=Flood Control

Water Impoundment File: CHCUDAMS.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
				O=Other
FRF3	173	189	17	RF3 Reach Number Location
FRF3MI	190	194	5	Mile Point on RF3 Reach
PURPKEY	195	195	1	Purpose Key
PUR2	196	196	1	Purpose of Dam 2 (See Above)
PUR3	197	197	1	Purpose of Dam 3 (See Above)
PUR4	198	198	1	Purpose of Dam 4 (See Above)
PUR5	199	199	1	Purpose of Dam 5 (See Above)
PUR6	200	200	1	Purpose of Dam 6 (See Above)
PUR7	201	201	1	Purpose of Dam 7 (See Above)
PUR8	202	202	1	Purpose of Dam 8 (See Above)
PUR9	203	203	1	Purpose of Dam 9 (See Above)
PUR10	204	204	1	Purpose of Dam 10 (See Above)
TYPDAM	205	206	2	Major Dam Portion Type
				RE=Earth
				VA=Vaulted Arch
				CD=Buttress
				PG=Gravity
				ER=Rockfill
				MV=Multi-Arch
				OT=Other
YRCMP	207	210	4	Year Dam Completed
SHGT	211	214	4	Structural Height (Feet)
HHGT	215	218	4	Hydraulic Height (Feet)
VNORM	219	236	8	Normal Storage of Impoundment (Acre-Feet)
VMAX	227	234	8	Maximum Storage of Impoundment (Acre-Feet)
LCRST	235	239	5	Crest Length of Dam (Feet)
TSPL	240	240	1	Spillway Type
				C=Controlled

Water Impoundment File: CHCUDAMS.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
				U=Uncontrolled
				N=None
				X=Unknown
WSPL	241	244	4	Dam Spillway Width (Feet)
QMAX	245	251	7	Maximum Spillway Discharge (CFS)
PINS	252	258	7.2	Quantity of Installed Power (Megawatts)
PPRO	259	265	7.2	Quantity of Proposed Power (Megawatts)
LOCK	266	266	1	Number of Navigational Locks
OWNR	267	290	24	Name of Impoundment Owner
PFOWN	291	291	1	Ownership Code
				N=Non-Federal
				G=Federal Government Agency
				C=Corps of Engineers
				X=Unknown
FEDR	292	292	1	Federally Regulated (Y=Yes, N=No, X=Unknown)
FLND	293	293	1	Private Dam on Federal Land (Y=Yes, N=No, X=Unknown)
SCSA	294	294	1	Type of Soil Conservation Service Assistance
				N=No Assistance
				T=Technical Assistance
				F=Financial Assistance
				B=Both Technical and Financial Assistance
				X=Unknown
DHAZ	295	295	1	Degree of Downstream Hazard
				1=High (More than a Few Lives Lost; Excessive Economic Loss)
				2=Significant (A Few Lives Lost; Appreciable Economic Loss)
				3=Low (No Lives Expected Lost; Minimal Economic Loss)
DCITY	296	319	24	Nearest Downstream City

Water Impoundment File: CHCUDAMS.DBF in CHCUSITE.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
POP	320	326	7	Population of Downstream City
DMILE	327	331	5.2	Distance of Downstream City From Dam (Miles)
RET	332	342	11.2	Retention Coefficient (Dimensionless)
MIX	343	353	11.2	Mixing Coefficient (Dimensionless)
SAREA	354	361	8	Surface Area of Impoundment (Acres)
SAFLG	362	362	1	Surface Area Flag (C=Calc., M=Measured, O=Other)
ILNTH	363	367	5	Length of Impoundment (Feet)
ILFLG	368	368	1	Impoundment Length Flag (C=Calc., M=Measured, O=Other)
UPKEY	369	374	6	Update Key (YYMMDD)

The following table provides the ASCII and DBASE III+ database field structures for the EPA River Reach File Ver. 3.0 (1:100,000 scale hydrography) attributes. The actual numeric file names will vary depending on the catalog unit(s). This information can be readily incorporated into the park's Geographic Information System.

RF3 Structure File: 12345678.RF3 and 12345678.DBF in CHCURF3.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
CATUNIT	1	8	8	Cataloging Unit (CU)
SEGM	9	12	4	Segment Number (SEG)
MI	13	17	5.2	Mile Point (MI)
UPMI	18	22	5.2	Upstream Mile Pt.
SEQNO	23	33	11.6	Hydro Sequence No.
RFLAG	34	34	1	Reach Flag (0,1)
OWFLAG	35	35	1	Open Water Flag (0,1)
TFLAG	36	36	1	Terminal Flag (0,1)
SFLAG	37	37	1	Start Flag (0,1)
RCHTYPE	38	38	1	Reach Type Code
LEV	39	40	2	Stream Level
JUNC	41	42	2	Level of Downstream Reach
DIVERGENCE	43	43	1	Divergence Code
STARTCU	44	51	8	Start CU
STRTSG	52	55	4	Start SEG
STOPCU	56	63	8	Stop CU
STOPSG	64	67	4	Stop SEG
USDIR	68	68	1	Upstream Direction
TERMID	69	73	5	Terminal Stream ID
TRMBLV	74	74	1	Terminal Base Level
PNAME	75	104	30	Primary Name
PNMCD	105	115	11	Primary Name Code
CNAME	116	145	30	Complement Name
CNMCD	146	156	11	Complement Name Code

RF3 Structure File: 12345678.RF3 and 12345678.DBF in CHCURF3.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
OWNAME	157	186	30	Open Water Name
OWNMCD	187	197	11	Open Water Name Code
DSCU	198	205	8	Downstream CU
DSSEG	206	209	4	Downstream SEG
DSMI	210	214	5.2	Downstream MI
CCU	215	222	8	Complement CU
CSEG	223	226	4	Complement SEG
CMILE	227	231	5.2	Complement MI
CDIR	232	232	1	Complement Direction
ULCU	233	240	8	Upstream Left CU
ULSEG	241	244	4	Upstream Left SEG
ULMI	245	249	5.2	Upstream Left MI
URCU	250	257	8	Upstream Right CU
URSEG	258	261	4	Upstream Right SEG
URMI	262	266	5.2	Upstream Right MI
SEGL	267	272	6.2	Reach Length (Miles)
RFORGFLAG	273	273	1	RF Orgin flag(1,2,3)
ALTPNMCD	274	281	8	Alt. Primary Name Code
ALTOWNMC	282	289	8	Alt. OW Name Code
DLAT	290	297	8.4	Downstream Latitude
DLONG	298	305	8.4	Downstream Longitude
ULAT	306	313	8.4	Upstream Latitude
ULONG	314	321	8.4	Upstream Longitude
MINLAT	322	329	8.4	Minimum Latitude
MINLONG	330	337	8.4	Minimum Longitude
MAXLAT	338	345	8.4	Maximum Latitude
MAXLONG	346	353	8.4	Maximum Longitude
NDLGREC	354	357	4	No. of DLG Records
LL1KEY1	358	367	10	Starting DLG LL Key1

RF3 Structure File: 12345678.RF3 and 12345678.DBF in CHCURF3.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
LL2KEY1	368	377	10	Ending DLG LL Key1
LL1KEY2	378	387	10	Starting DLG LL Key2
LL2KEY2	388	497	10	Ending DLG LL Key2
LL1KEY3	398	407	10	Starting DLG LL Key3
LL2KEY3	408	417	10	Ending DLG LL Key3
LL1KEY4	418	427	10	Starting DLG LL Key4
LL2KEY4	428	437	10	Ending DLG LL Key4
LL1KEY5	438	447	10	Starting DLG LL Key5
LL2KEY5	448	457	10	Ending DLG LL Key5
LL1KEY6	458	467	10	Starting DLG LL Key6
LL2KEY6	468	477	10	Ending DLG LL Key6
LL1KEY7	478	487	10	Starting DLG LL Key7
LL2KEY7	488	597	10	Ending DLG LL Key7
LL1KEY8	498	507	10	Starting DLG LL Key8
LL2KEY8	508	517	10	Ending DLG LL Key8
LL1KEY9	518	527	10	Starting DLG LL Key9
LL2KEY9	528	537	10	Ending DLG LL Key9
LL1KEY10	538	547	10	Start DLG LL Key 10
LL2KEY10	548	557	10	Ending DLG LL Key10
LN1AT2	558	561	4	DLG Line Attr. 1
LN2AT2	562	565	4	DLG Line Attr. 2
AREA1	566	569	4	DLG Area ID 1
AREA2	570	573	4	DLG Area ID 2
AR1AT2	574	577	4	DLG Area Attribute
AR1AT4	578	581	4	DLG Area Attribute
AR2AT2	582	585	4	DLG Area Attribute
AR2AT4	586	589	4	DLG Area Attribute
UPDATE1	590	595	6	Update Date #1 (mmddyy)
UPDTCD1	596	603	8	Update Type Code #1

RF3 Structure File: 12345678.RF3 and 12345678.DBF in CHCURF3.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
UPDTSRC1	604	611	8	Update Source #1
UPDATE2	612	617	6	Update Date #2 (mmddyy)
UPDTCD2	618	625	8	Update Type Code#2
UPDTSRC2	626	633	8	Update Source #2
UPDATE3	634	639	6	Update Date #3 (mmddyy)
UPDTCD3	640	647	8	Update Type Code #3
UPDTSRC3	648	655	8	Update Source #3
DIVCU	656	663	8	Divergent CU
DIVSEG	664	667	4	Divergent SEG
DIVMILE	668	672	5.2	Divergent MI
DLGID	673	678	6	DLG Number Special Use For Internal State Codes
FILLER	678	685	7	Filler: Future Use

Note: The structure for the .DBF file varies slightly from the RF3 structure displayed here in that the fields UPDATE1, UPDATE2, and UPDATE3 have a width of 8 and the last two fields, DLGID and FILLER, have been replaced with a field named ID of length 17. This ID field combines the CATUNIT, SEGM, and MI fields.

The following table provides the ASCII database field structures for the EPA River Reach File Ver. 3.0 (1:100,000 scale hydrography) traces. The actual numeric file names will vary depending on the catalog unit(s). This file contains the actual hydrographic network and is suitable for conversion into a variety of Geographic Information System formats.

RF3 Trace File: 12345678.TRC in CHCURF3.ZIP				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
(Header Record)				
CATUNIT	1	8	8	Cataloging Unit
SEGM	9	12	4	Segment Number
MI	13	17	5.2	Mile Point
NPTS	18	21	4	Number of Lat/Lon Coordinates
(Coordinate Record)				
LATITUDE	1	8	8.4	Latitude in Decimal
LONGITUDE	9	16	8.4	Longitude in Decimal
FILLER	17	21	5	

The following table provides the ASCII database field structures for the EPA River Reach File Ver. 3.0 (1:100,000 scale hydrography) catalog unit boundary file. The actual numeric file names will vary depending on the catalog unit(s). This file contains the actual catalog unit boundary and is suitable for conversion into a variety of Geographic Information System formats.

Catalog Unit Boundary File: 12345678.CUB in CHCURF3.ZIP
First Line = Catalog Unit Number (8 Characters)
Subsequent Lines:
L=DDMMSS,L=DDDMMSS,L=DDMMSS,L=DDDMMSS,L=DDMMSS,L=DDDMMSS, ...
Example:
02070010
L=391259,L=0770809,L=391220,L=0770749,L=391147,L=0770715,L=391120,L=0770633,
L=391058,L=0770535,L=391042,L=0770520,L=391016,L=0770427,L=390948,L=0770416,
L=390526,L=0765331,L=390500,L=0765149,L=390456,L=0765139,L=390357,L=0765123,
...
L=390744,L=0771007,L=390826,L=0771022,L=390910,L=0771022,L=390950,L=0771003,
L=391107,L=0770922,
There can be as many as four latitude/longitude pairs per line.

The following table provides the DBASE III+ database field structure of the Water Resources Division's "encyclopedia" file that documents the minimum and maximum parameter values found and the park(s) where they occurred. This file is intended for Water Resources Division internal use, but will be available to anyone upon request after Baseline Water Quality Data Inventory and Analysis reports have been completed for all parks.

Encyclopedia File: WRD File For Internal Use Only				
Field Name	**Start**	**Stop**	**Length**	**Field Description**
PARM	1	5	5	STORET Parameter Code
PARMNAME	6	45	40	Parameter Name
MINVAL	46	61	16.7	Minimum Value
MINVALPARK	62	65	4	Park Unit with Minimum Value
MAXVAL	66	71	16.7	Maximum Value
MAXVALPARK	72	75	4	Park Unit with Maximum Value

Appendix C

STORET Water Quality Control/Edit Checking

The following table provides the high and low values used by STORET since November 1983 for 190 common water quality parameters to screen or error check data. Data entered into STORET prior to November 1983, however, were not subjected to this edit/bounds check. Additionally, data from the USGS WATSTORE system that is loaded into STORET is never subjected to these edit criteria and agencies entering data in STORET can override these edit criteria to enter data values that fall outside a range. As a consequence, all data downloaded from STORET for the purposes of this project were filtered through these edit criteria to document values outside the generally accepted ranges. Decisions were then made on a case-by-case basis to retain or discard obviously incorrect data. Refer to the Water Quality Observations Outside STORET Edit Criteria section of the Interpretive Guide To Water Quality Results chapter for more information on this subject.

STORET Code	STORET Parameter Description	High Value	Low Value
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	37.0	-2.0
00011	TEMPERATURE, WATER (DEGREES FAHRENHEIT)	98.0	31.0
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	52.0	-40.0
00021	TEMPERATURE, AIR (DEGREES FAHRENHEIT)	125.0	-40.0
00026	TOXICS-IDENTIFY DATA COLLECTION BY EPA DIRECTIVE	1990.9	1977.0
00032	CLOUD COVER (PERCENT)	101.0	0.0
00035	WIND VELOCITY (MILES PER HOUR)	85.0	0.0
00036	WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKWISE)	361.0	0.0
00045	PRECIPITATION, TOTAL (INCHES PER DAY)	15.0	0.0
00070	TURBIDITY, (JACKSON CANDLE UNITS)	1500.0	0.0
00074	TURBIDITY, TRANSMISSOMETER, PERCENT TRANSMISSION	101.0	0.0
00075	TURBIDITY, HELLIGE (PPM AS SILICON DIOXIDE)	500.0	0.0
00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	1000.0	0.0
00077	TRANSPARENCY, SECCHI DISC (INCHES)	600.0	0.0
00080	COLOR (PLATINUM-COBALT UNITS)	500.0	0.0
00081	COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	500.0	0.0
00085	ODOR (THRESHOLD NUMBER AT ROOM TEMPERATURE)	250.0	0.0
00094	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	60000.0	1.0
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	60000.0	1.0
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE (MG/L)	30.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
00300	OXYGEN, DISSOLVED (MG/L)	30.0	0.0
00301	OXYGEN, DISSOLVED, PERCENT OF SATURATION%	200.0	0.0
00310	BOD, 5 DAY, 20 DEG C (MG/L)	150.0	0.0
00335	COD, .025N K2CR2O7 (MG/L)	1000.0	0.0
00340	COD, .25N K2CR2O7 (MG/L)	1000.0	0.0
00365	CHLORINE DEMAND, 15 MINUTE (MG/L)	15.0	0.0
00400	PH (STANDARD UNITS)	12.0	0.9
00403	PH, LAB, STANDARD UNITS, (STANDARD UNITS)	12.0	0.9
00405	CARBON DIOXIDE (MG/L AS CO2)	100.0	0.0
00406	PH, FIELD (STANDARD UNITS)	12.0	0.9
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	1000.0	0.0
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)	750.0	0.0
00435	ACIDITY, TOTAL (MG/L AS CACO3)	1000.0	0.0
00436	ACIDITY, MINERAL (METHYL ORANGE) (MG/L AS CACO3)	1000.0	0.0
00437	ACIDITY, CO2 (PHENOLPHTHALEIN) (MG/L AS CACO3)	750.0	0.0
00440	BICARBONATE ION (MG/L AS HCO3)	450.0	0.0
00445	CARBONATE ION (MG/L AS CO3)	100.0	0.0
00480	SALINITY - PARTS PER THOUSAND	40.0	0.0
00500	RESIDUE, TOTAL (MG/L)	15000.0	0.0
00505	RESIDUE, TOTAL VOLATILE (MG/L)	10000.0	0.0
00510	RESIDUE, TOTAL FIXED (MG/L)	10000.0	0.0
00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C), (MG/L)	20000.0	0.0
00520	RESIDUE, VOLATILE FILTRABLE (MG/L)	10000.0	0.0
00525	RESIDUE, FIXED FILTRABLE (MG/L)	10000.0	0.0
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	10000.0	0.0
00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	10000.0	0.0
00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	10000.0	0.0
00545	RESIDUE, SETTLEABLE (ML/L)	1000.0	0.0
00546	RESIDUE, SETTLEABLE (MG/L)	1000.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
00550	OIL & GREASE (SOXHLET EXTRACTION) TOTAL,REC., (MG/L)	250.0	0.0
00600	NITROGEN, TOTAL (MG/L AS N)	100.0	0.0
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	15.0	0.0
00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	25.0	0.0
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	20.0	0.0
00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	5.0	0.0
00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	50.0	0.0
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	50.0	0.0
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	55.0	0.0
00635	NITROGEN, AMMONIA & ORG., TOTAL 1 DET (MG/L AS N)	70.0	0.0
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	30.0	0.0
00653	PHOSPHATE, TOTAL SOLUBLE (MG/L)	30.0	0.0
00655	PHOSPHATE, POLY (MG/L AS PO4)	30.0	0.0
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	30.0	0.0
00665	PHOSPHORUS, TOTAL (MG/L AS P)	10.0	0.0
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	10.0	0.0
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	100.0	0.0
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	100.0	0.0
00685	CARBON, TOTAL INORGANIC (MG/L AS C)	100.0	0.0
00690	CARBON, TOTAL (MG/L AS C)	150.0	0.0
00720	CYANIDE, TOTAL (MG/L AS CN)	10.0	0.0
00745	SULFIDE, TOTAL (MG/L AS S)	1500.0	0.0
00746	SULFIDE, DISSOLVED (MG/L AS S)	1500.0	0.0
00760	SULFITE WASTE LIQUOR, PEARL BENSON INDEX (MG/L)	150.0	0.0
00900	HARDNESS, TOTAL (MG/L AS CACO3)	5000.0	0.0
00910	CALCIUM (MG/L AS CACO3)	3000.0	0.0
00915	CALCIUM, DISSOLVED (MG/L AS CA)	1000.0	0.0
00916	CALCIUM, TOTAL (MG/L AS CA)	1000.0	0.0
00920	MAGNESIUM (MG/L AS CACO3)	3000.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	1000.0	0.0
00927	MAGNESIUM, TOTAL (MG/L AS MG)	1000.0	0.0
00929	SODIUM, TOTAL (MG/L AS NA)	5000.0	0.0
00930	SODIUM, DISSOLVED (MG/L AS NA)	5000.0	0.0
00931	SODIUM ADSORPTION RATIO	50.0	0.0
00935	POTASSIUM, DISSOLVED (MG/L AS K)	175.0	0.0
00937	POTASSIUM, TOTAL MG/L AS K)	175.0	0.0
00940	CHLORIDE, TOTAL IN WATER, (MG/L)	22000.0	0.0
00945	SULFATE, TOTAL (MG/L AS SO4)	2500.0	0.0
00946	SULFATE, DISSOLVED (MG/L AS SO4)	2500.0	0.0
00950	FLUORIDE, DISSOLVED (MG/L AS F)	15.0	0.0
00951	FLUORIDE, TOTAL (MG/L AS F)	15.0	0.0
00955	SILICA, DISSOLVED (MG/L AS SI02)	2000.0	0.0
00956	SILICA, TOTAL (MG/L AS SI02)	2000.0	0.0
01000	ARSENIC, DISSOLVED (UG/L AS AS)	5000.0	0.0
01002	ARSENIC, TOTAL (UG/L AS AS)	5000.0	0.0
01005	BARIUM, DISSOLVED (UG/L AS BA)	2000.0	0.0
01007	BARIUM, TOTAL (UG/L AS BA)	2000.0	0.0
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	2000.0	0.0
01012	BERYLLIUM, TOTAL (UG/L AS BE)	2000.0	0.0
01020	BORON, DISSOLVED (UG/L AS B)	5000.0	0.0
01022	BORON, TOTAL (UG/L AS B)	5000.0	0.0
01025	CADMIUM, DISSOLVED (UG/L AS CD)	500.0	0.0
01027	CADMIUM, TOTAL (UG/L AS CD)	500.0	0.0
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	2000.0	0.0
01032	CHROMIUM, HEXAVALENT (UG/L AS CR)	2000.0	0.0
01033	CHROMIUM, TRI-VAL (UG/L AS CR)	2000.0	0.0
01034	CHROMIUM, TOTAL (UG/L AS CR)	2000.0	0.0
01040	COPPER, DISSOLVED (UG/L AS CU)	2000.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
01042	COPPER, TOTAL (UG/L AS CU)	5000.0	0.0
01045	IRON, TOTAL (UG/L AS FE)	56000.0	0.0
01046	IRON, DISSOLVED (UG/L AS FE)	56000.0	0.0
01047	IRON, FERROUS (UG/L AS FE)	56000.0	0.0
01049	LEAD, DISSOLVED (UG/L AS PB)	1000.0	0.0
01051	LEAD, TOTAL (UG/L AS PB)	1000.0	0.0
01055	MANGANESE, TOTAL (UG/L AS MN)	5000.0	0.0
01056	MANGANESE, DISSOLVED (UG/L AS MN)	5000.0	0.0
01065	NICKEL, DISSOLVED (UG/L AS NI)	2000.0	0.0
01067	NICKEL, TOTAL (UG/L AS NI)	2000.0	0.0
01075	SILVER, DISSOLVED (UG/L AS AG)	5000.0	0.0
01077	SILVER, TOTAL (UG/L AS AG)	5000.0	0.0
01090	ZINC, DISSOLVED (UG/L AS ZN)	25000.0	0.0
01092	ZINC, TOTAL (UG/L AS ZN)	25000.0	0.0
01105	ALUMINUM, TOTAL (UG/L AS AL)	20000.0	0.0
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	20000.0	0.0
01145	SELENIUM, DISSOLVED (UG/L AS SE)	100.0	0.0
01501	ALPHA, TOTAL	200.0	0.0
01503	ALPHA, DISSOLVED	75.0	0.0
01505	ALPHA, SUSPENDED	150.0	0.0
03501	BETA, TOTAL	3500.0	0.0
03503	BETA, DISSOLVED	3000.0	0.0
03505	BETA, SUSPENDED	1500.0	0.0
09503	RADIUM 226, DISSOLVED	500.0	0.0
13501	STRONTIUM 90, TOTAL	500.0	0.0
22703	URANIUM, NATURAL, DISSOLVED	500.0	0.0
31501	COLIFORM, TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, 35C	24000000.0	0.0
31502	COLIFORM, TOTAL, 10/ML	24000000.0	0.0
31503	COLIFORM, TOT,MEMBR FILTER, DELAYED,M-ENDO MED, 35C	24000000.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
31504	COLIFORM, TOT,MEMBR FILTER,IMMED,LES ENDO AGAR, 35C	24000000.0	0.0
31613	FECAL COLIFORM, MEMBR FILTER, M-FC AGAR,44.5C, 24HR	10000000.0	0.0
31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	10000000.0	0.0
31616	FECAL COLIFORM, MEMBR FILTER,M-FC BROTH, 44.5C	10000000.0	0.0
31672	FECAL STREPTOCOCCI,PLATE COUNT M-ENTER AGAR,35C48HR	500000.0	0.0
31673	FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	500000.0	0.0
31677	FECAL STREPTOCOCCI,MPN,AD-EVA, 35C (TUBE 31678)	500000.0	0.0
31679	FECAL STREPTOCOCCI, MF M-ENTEROCOCCUS AGAR,35C,48H	500000.0	0.0
31749	PLATE COUNT, TOTAL, TPC AGAR, 20C, 48 HRS	99999999.0	0.0
31751	PLATE COUNT, TOTAL, TPC AGAR, 35C, 24 HRS	99999999.0	0.0
32210	CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTED	500.0	0.0
32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	750.0	0.0
32212	CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTED	1000.0	0.0
32214	CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTED	200.0	0.0
32217	CHLOROPHYLL A UG/L FLUOROMETRIC UNCORRECTED	500.0	0.0
32218	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	200.0	0.0
32219	PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER ACID	2.0	0.0
32221	CHLOROPHYLL A,% OF(PHEOPHYTIN A+CHL A),SPEC-ACID.	101.0	0.0
32230	CHLOROPHYLL A (MG/L)	0.5	0.0
32231	CHLOROPHYLL B (MG/L)	0.8	0.0
32232	CHLOROPHYLL C (MG/L)	0.2	0.0
32234	CHLOROPHYLL, TOTAL (A+B+C) (MG/L)	1.0	0.0
32270	CHLOROFORM EXTRACTABLES TOTAL IN MG PER LITER	5.0	0.0
32730	PHENOLICS, TOTAL, RECOVERABLE (UG/L)	1500.0	0.0
38260	METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.)	10.0	0.0
39330	ALDRIN IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39340	GAMMA-BHC(LINDANE),WHOLE WATER, (UG/L)	20.0	0.0
39350	CHLORDANE(TECH MIX & METABS),WHOLE WATER, (UG/L)	20.0	0.0
39360	DDD IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
39365	DDE IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39370	DDT IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39380	DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39400	TOXAPHENE IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39410	HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39516	PCBS IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39530	MALATHION IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39540	PARATHION IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39600	METHYL PARATHION IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
50060	CHLORINE, TOTAL RESIDUAL (MG/L)	5.0	0.0
60050	ALGAE, TOTAL (CELLS/ML)	700000.0	0.0
70300	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), (MG/L)	4000.0	0.0
70505	PHOSPHATE, TOTAL,COLORIMETRIC METHOD (MG/L AS P)	10.0	0.0
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	10.0	0.0
71850	NITRATE NITROGEN, TOTAL (MG/L AS NO3)	65.0	0.0
71886	PHOSPHORUS, TOTAL, AS PO4 - (MG/L)	30.0	0.0
71890	MERCURY, DISSOLVED (UG/L AS HG)	10.0	0.0
71895	MERCURY, SUSPENDED (UG/L AS HG)	10.0	0.0
71900	MERCURY, TOTAL (UG/L AS HG)	10.0	0.0
74010	IRON, TOTAL (MG/L AS FE)	56000.0	0.0

Appendix D

STORET Administrative Parameters

STORET Code	Description of STORET Administrative Parameters
00022	LENGTH OF EXPOSURE OF SAMPLE OR TEST - DAYS
00026	TOXICS-IDENTIFY DATA COLLECTION BY EPA DIRECTIVE
00027	CODE NO FOR AGENCY COLLECTING SAMPLE
00028	CODE NO FOR AGENCY ANALYZING SAMPLE
00029	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE
00063	SAMPLING POINTS, NUMBER OF IN A CROSS SECTION
00073	SAMPLE LOC CODE DEFINED BY THERMAL STRUCT & DEPTH
00111	RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCCI
00115	SAMPLE TREATMENT CODE (1=RAW,2=TREATED)
00116	INTENSIVE SURVEY IDENTIFICATION NUMBER
00145	TOTAL PRODUCTION OF PRODUCT MANUFACTURED TONS/DAY
01273	TOTAL ACID PRIORITY POLLUTANTS MG/L
01274	TOTAL BASE-NEUTRAL PRIORITY POLLUTANTS MG/L
01275	TOTAL VOLATILE PRIORITY POLLUTANTS MG/L
01365	ANALYSIS DATE (DIOXIN) (YYMMDD)
04177	SAMPLE STABILIZATION, RECOVERY TEST CODE
04178	FIELD PROTOCOL(CONFDNCE ASSIGNED FIELD SAMPLE) CODE
04179	SAMPLE STATION LOCKED CODE
04180	CONDITION OF STATION SITE CODE
04181	LABORATORY QA/QC PLAN CONFIDENCE CODE
04182	SAMPLE TYPE CODE
04183	SAMPLE REMARKS CODE
30333	BAG MESH SIZE, BEDLOAD SAMPLER, MM
34772	NPDES NUMBER, CROSS REFERENCE CODE
34785	GAGE TYPE, METHOD CODE

STORET Code	Description of STORET Administrative Parameters
45575	GC MAKE AND MODEL INFORMATION CODE
45576	GC DETECTOR TYPE CODE
45577	GC COLUMN TYPE CODE
45580	METHOD OF ANALYSIS CODE
45581	LABORATORY LOCATION CODE
46107	SAMPLE LOCATION CODE (TREATMENT PLANT OPERATION)
46390	TOXICITY CHARACTERISTIC LEACHING PROCEDURE P OR F
46396	PROCESS TO SIGNIFICANTLY REDUCE PATHOGENS YES OR NO
46397	PROCESS TO FURTHER REDUCE PATHOGENS YES OR NO
47001	PERMIT EXPIRATION DATE (JULIAN CALENDAR)
47044	OBSERVATIONS,WASTE SITE-SEVERITY OF PROBLEMS CODE
47460	SUBSAMPLE - DECIMAL FRACTION OF WHOLE NUMBER
47477	COMPOSITION AND/OR DISPOSITION OF CATCH NUM CODE
70231	CURRENT DIRECTION (DEGREES FROM DOWNSTREAM FLOW)
71999	SAMPLE PURPOSE CODE
72032	NUMBER OF SPILLWAY GATES OPEN
73672	DATE OF ANALYSIS YYMMDD
73673	DATE OF EXTRACTION YYMMDD
74031	GRANT, PROJECT COST ELIGIBLE FOR CONSTRUCTION
74032	GRANT, AMOUNT OF PL 660 GRANT FOR THIS PROJECT
74033	GRANT, FEDERAL, OTHER THAN PL 660 GRANT
74034	GRANT, FUTURE PL 660 WHICH MAY APPLY TO THIS PROJ
74035	GRANT, TOTAL FEDERAL, WHICH APPLIES TO THIS PROJ
74036	GRANT, PROJ NUMBER ASSIGNED TO THIS APPLICATION
74037	GRANT, TYPE OF PROJECT TO WHICH GRANT APPLIES
74038	GRANT, STATUS OF PROJECT TO WHICH GRANT APPLIES
74039	PCS/STORET WATER QUALITY FILE INTERFACE YR/MO/DAY
74040	SURVEY NUMBER YYMMNO
74041	STORET STORAGE TRANSACTION DATE YR/MO/DAY

STORET Code	Description of STORET Administrative Parameters
74050	RADIOACTIVITY, GENERAL (PERMIT)
74051	ALGICIDES, GENERAL (PERMIT)
74052	CHLORINATED HYDROCARBONS, GENERAL (PERMIT)
74053	PESTICIDES, GENERAL (PERMIT)
74056	COLIFORM, TOTAL, GENERAL (PERMIT)
74065	STREAM FLOW CLASS
74066	ANNUAL RUNOFF
74067	SOIL CLASSIFICATION
74068	WATER QUALITY DESIGNATED USE CLASSIFICATION (IA)
74100	PRIMARY 1972 SIC CODE
74101	SECONDARY 1972 SIC CODE
74102	SECONDARY 1972 SIC CODE
74103	SECONDARY 1972 SIC CODE
74200	SAMPLE PRESERVATION METHODS ONE OR MORE IN COMB.
74205	LAND RESOURCE AREA (IOWA)
74206	SOIL EROSION POTENTIAL (IOWA)
74209	WATER QUALITY INDEX - STATE OF ILLINOIS, EPA
74210	FOREST STREAM WATER QUALITY INDEX CALC. NUMBER
74990	FISH SPECIES NUMERIC CODE - F&W SERVICE
74995	ANATOMY CODE
75000	SPECIES CODE-REMARK=SEX (M=MALE,F=FEMALE,U=UNK.)
81028	WITHDRAWAL OF GROUNDWATER (MILLION GAL/DAY)
82258	WATER CLASSIFICATION CODE (1-9) CODE
82292	DATA RELAY GROUND STATION SOURCE NODE CODE, CODE
82309	CONTAMINATION SOURCE POSSIBLE CODES NUMERIC CODE
82310	DEPTH CONFIDENCE IN REPORTED VALUES NUMERIC CODES
82373	FREQUENCY OF SAMPLING M=MON,Q=QUAR,Y=YR,R=RNFFCODE
82519	DRILLER REGISTRATION NUMBER ALPHA-NUMERIC CODE
82562	NARRATIVE REQUIREMENT EXCEEDANCES INTEGER

STORET Code	Description of STORET Administrative Parameters
82576	DAILY EXCURSION TIME, WATER MIN
82577	MONTHLY EXCURSION TIME, WATER TOTAL MIN
82578	DAY/MAXIMUM EXCURSION TIME, WATER MIN
82579	CODE NUMBER FOR PERSON COLLECTING SAMPLE
84002	CODE, GENERAL INFORMATION - ALPHA, NUMERIC CODE
84003	WATER SHED ID NUMBER (IOWA)
84005	FISH SPECIES CODE-FISH & WILDLIFE SER
84006	OWNERSHIP CLASSIFICATION OF LAKE, ILLINOIS SYSTEM
84010	PUBLIC ACCESS TO LAKE ILLINOIS SYSTEM
84011	CONFIDENCE CODE FOR GLC CONFIRMATION CODE
84012	PATIENT PARAMETERS (AGE, SEX, WT, ETC.) CODE
84013	SAMPLE PARAMETERS D=DESIGN SPECIMEN, S=SURPLUS
84027	CODE NUMBER FOR AGENCY COLLECTING SAMPLE
84028	CODE NO FOR AGENCY ANALYZING SAMPLE
84029	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE FIELD
84033	EGD ANALYTICAL DATA COMPLETENESS Y=YES N=NO CODE
84034	EGD SMPL NO.(SMPL.IDENT) NUMERIC=SCS ALPH+4NUM=JRB
84035	EGD SAMPLE CLASSIFICATION CATEGORY ALPHA CODE
84036	EGD INDUSTRIAL CATEGORY NUMERIC CODE
84037	EGD INDUSTRIAL CATEGORY NAME ALPHA CODE
84038	EGD LABORATORY NUMERIC CODE
84039	EGD LABORATORY NAME ALPHA CODE
84040	EGD SAMPLE STATUS (1-5,9,AND BLANK) NUMERIC CODE
84041	EGD ACID STATUS (1-5,9,AND BLANK) NUMERIC CODE
84042	EGD BASE STATUS (1-5,9AND BLANK) NUMERIC CODE
84043	EGD PESTICIDE STATUS (1-5,9,AND BLANK) NUMERIC CODE
84044	EGD VOA FRACT. STATUS INDICATOR (1-5,9,BLANK) CODE
84045	EGD ACID EXTRACT DATE (YYMMDD) NUMERIC CODE
84046	EGD BASE EXTRACTION DATE (YYMMDD) NUMERIC CODE

STORET Code	Description of STORET Administrative Parameters
84047	EGD PESTICIDE EXTRACTION DATE (YYMMDD) NUMERIC CODE
84048	EGD VOA FRACTION INJECTION DATE YYMMDD NUMERIC CODE
84049	EGD ACID CONC. FACTOR (FIVE NUMERIC DIGITS) CODE
84050	EGD BASE CONC.FACTOR (FIVE NUMERIC DIGITS) CODE
84051	EGD PESTICIDE CONC.FACTOR (FIVE NUMERIC DIGITS) CODE
84052	EGD VOA FRACTION CONC. FACTOR (5 NUMERIC DIGITS) CODE
84053	SAMPLE TYPE AND FREQUENCY OF COLLECTION CODE
84054	LITHOLOGY ALPHA-NUMERIC CODE
84055	AVAILABLE LOGS ALPHA-NUMERIC CODE
84056	WATER USE CATEGORY ALPHA-NUMERIC CODE
84057	INSPECTION TYPE ALPHA-NUMERIC CODE
84058	HYDROGEOLOGIC SYSTEM ALPHA-NUMERIC CODE
84059	WELL OWNERSHIP ALPHA-NUMERIC CODE
84060	TOPOGRAPHY ALPHA-NUMERIC CODE
84061	WELL USE ALPHA-NUMERIC CODE
84062	MEASURING POINT DESCRIPTION ALPHA-NUMERIC CODE
84063	DRILLING METHOD ALPHA-NUMERIC CODE
84064	WELL DATA AVAILABILITY ALPHA-NUMERIC CODE
84065	PERMIT COMPLIANCE DATA ALPHA-NUMERIC CODE
84067	NATURE OF MONITORING ALPHA-NUMERIC CODE
84073	REPLACES EXISTING WELL ALPHA-NUMERIC CODE
84074	AQUIFER TYPE (SEE USGS HANDBOOK) ALPHA CODE
84075	WELL PERMIT NUMBER ALPHA-NUMERIC CODE
84076	TSD MONITORING WELL TYPE ALPHA CODE
84077	TSD MONITORING WELL SAMPLING METHOD ALPHA CODE
84083	POLLUTION VERIFICATION ALPHA CODE
84084	WELL SAMPLE PURPOSE ALPHA CODE
84090	SAMPLE FILE CONTROL PROJECT IDENTIFICATION A-CODE
84091	INFILTRATION DATE/BEGINNING 'YYMMDD'

STORET Code	Description of STORET Administrative Parameters
84092	INFILTRATION DATE/ENDING 'YYMMDD'
84093	ENFORCEMENT FORM #2-C,DATA IDENTIFICATION CODE
84102	SAMPLE SPECIES-SUB ID ALPHA CODE
84103	DIOXIN LABORATORY ALPHA CODE
84104	DIOXIN STUDY ALPHA CODE
84112	SOURCE OF GEOHYDROLOGIC DATA CODE
84119	SOURCE OF EVACUATION DATA CODE
84121	REGULATING AGENCY CODE
84122	SAMPLE PURPOSE CODE
84126	SOURCE OF DEPTH DATA CODE
84127	METHOD OF DEPTH MEASUREMENT CODE
84128	SOURCE OF WATER-LEVEL DATA CODE
84129	DATA QUALITY
84141	LAKE, PHYSICAL CONDITION AT SAMPLE TIME, 1-5, CODE
84142	LAKE,RECREATIONAL SUITABILITY @ SMPL TIME,1-5, CODE
84164	SAMPLER TYPE, CODE
85300	PROBLEM CODE NES SURVEY
85327	WATER LEVEL AT SAMPLE COLLECTION TIME-CODE-NES
85332	CLOUD COVER AT SAMPLE COLLECTION TIME-CODE-NES
85553	WELL COMPLETION DATE (MONTH/YEAR)
85554	WELL WORKOVER DATE, LATEST (MONTH/YEAR)

Appendix E

STORET Parameters Not Suitable for Statistical Analysis

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
00001	X-SEC. LOC., HORIZ (FT. FROM R BANK LOOK UPSTR.)
00002	X-SEC. LOC., HORIZ (% FROM R BANK LOOK UPSTR.)
00003	SAMPLING STATION LOCATION, VERTICAL (FEET)
00005	X-SEC. LOC., VERTICAL (PERCENT OF TOTAL DEPTH)
00006	DISTANCE FROM LOCATION IN X MILES
00007	DISTANCE FROM LOCATION IN Y MILES
00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE
00009	X-SEC. LOC.(FT FROM LEFT BANK LOOKING DOWNSTRM)
00027	CODE NO FOR AGENCY COLLECTING SAMPLE
00028	CODE NO FOR AGENCY ANALYZING SAMPLE
00033	WEATHER CODE FOR OCEAN-OBSERV. (WMO CODE 4677)
00037	WIND FORCE (BEAUFORT UNITS)
00038	WIND DIRECTION (WMO CODES 0885 + 0887)
00041	WEATHER (WMO CODE 4501)
00042	ALTITUDE IN FEET ABOVE MEAN SEA LEVEL
00043	CLOUD TYPE (WMO CODE 0500)
00044	CLOUD AMOUNT (WMO CODE 2700)
00047	TOTAL PARTIAL PRESSURE DISSOLVED GASES (MM HG)
00048	TOTAL PARTIAL PRESSURE DISSOLVED GASES (% SAT)
00049	SURFACE AREA IN SQUARE MILES
00050	EVAPORATION, TOTAL (INCHES PER DAY)
00051	SURFACE AREA IN SQUARE FEET
00053	SURFACE AREA, ACRES
00054	RESERVOIR STORAGE - ACRE FEET
00063	SAMPLING POINTS, NUMBER OF IN A CROSS SECTION
00067	TIDE STAGE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
00069	SEA WAVES(0=NONE;1=0-3";2=4-20";3=21-48";4=4-8')
00097	SAMPLING STATION LOCATION, VERTICAL (FEET)
00098	SAMPLING STATION LOCATION, VERTICAL (METERS)
00111	RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCCI
00115	SAMPLE TREATMENT CODE (1=RAW,2=TREATED)
01300	OIL-GREASE (SEVERITY)
01305	DETERGENT SUDS (SEVERITY)
01310	GAS BUBBLES (SEVERITY)
01315	SLUDGE, FLOATING (SEVERITY)
01320	GARBAGE, FLOATING (SEVERITY)
01325	ALGAE, FLOATING MATS (SEVERITY)
01330	ODOR, ATMOSPHERIC (SEVERITY)
01331	TASTE (SEVERITY)
01335	SEWAGE SOLIDS, FRESH, FLOATING (SEVERITY)
01340	FISH, DEAD (SEVERITY)
01345	DEBRIS, FLOATING (SEVERITY)
01350	TURBIDITY (SEVERITY)
01351	FLOW, STRM,1DRY,2LOW,3NORM,4FLOOD,5ABOVE NORM,CODE
01355	ICE COVER, FLOATING OR SOLID (SEVERITY)
03595	BIOASSAY (96 HR), EFFLUENT, TOTAL CODE
03596	BIOASSAY (48 HR), EFFLUENT, TOTAL CODE
03597	BIOASSAY (24 HR), EFFLUENT, TOTAL CODE
03598	TOXICITY, EFFLUENT, TOTAL CODE
03599	TOXICITY, CHOICE OF SPECIES, EFFLUENT CODE
03600	TOXICITY, TROUT, EFFLUENT, TOTAL CODE
03601	TOXICITY, SAND DOLLAR, EFFLUENT CODE
03602	BIOCHEMICAL OXYGEN DEMAND, EFFLUENT, TOTAL CODE
03603	SOLIDS, TOTAL SUSPENDABLE, EFFLUENT, TOTAL CODE
03605	FLOW METER CALIBRATION, WATER CODE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
03717	ONCORHYNCHUS MYKISS, WATER CODE
04117	TETHER LINE USED FOR COLLECTING SAMPLE CODE
04160	HALOCARBONS, PURGEABLE, SCAN, EFFLUENT CODE
04161	HALOCARBONS, PURGEABLE, SCAN, SLUDGE CODE
04162	AROMATIC, PURGEABLE, SCAN, EFFLUENT CODE
04163	AROMATIC, PURGEABLE, SCAN, SLUDGE CODE
04164	PHENOLIC, TOTAL, SCAN, EFFLUENT CODE
04165	PHENOLIC, TOTAL, SCAN, SLUDGE CODE
04166	PCB, TOTAL, SCAN, EFFLUENT CODE
04167	PCB, TOTAL, SCAN, SLUDGE CODE
04174	FREE LIQUIDS IN SEWAGE SLUDGE CODE
34765	AVIAN NUMERICAL SPECIES CODE (BIRDS)
34766	MAMMALIAN NUMERICAL SPECIES CODE
34771	MACROPHYTE, INSTREAM, VISUAL SIGHTING CODE
34773	ODOR, AMBIENT WATER CODE
34774	FISH, INSTREAM, VISUAL SIGHTING CODE
34775	STREAMBANK CHANNEL ALTERATIONS CODE
34776	HYDRAULIC STRUCTURES, INSTREAM CODE
34780	LAND USE, ADJACENT STREAM CODE
34781	SAMPLE POINTS, # OF LONGTDNL TRANSECTS, REACH CODE
34782	STREAM STAGE TREND CODE
34789	HABITATS, TYPES SAMPLED CODE
45613	FLOATING SOLIDS/VISIBLE FOAM, VISUAL, YES=1, NO=0, CODE
45614	SANITARY WASTE DISCHARGE ASSESSMENT, YES=1, NO=0, CODE
45615	INTERMITTENT DISCHARGE ASSESSMENT, YES=1, NO=0,CODE
46001	WATER APPEARANCE CODE (BASED ON FIELD ASSESSMENT)
46478	EQUIPMENT INSPECTION, VISUAL CODE
46486	TOXICITY,ACUTE 24HR(STATIC)CERIODAPHNIA (P/F) CODE
47454	FLOW METER REVOLUTIONS NUMBER

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
47455	LATITUDE, STARTING, OF A SAMPLE TOW DDMMSS
47456	LONGITUDE, STARTING, OF A SAMPLE TOW DDDMMSS
47457	LATITUDE, FINISHING, OF A SAMPLE TOW DDMMSS
47458	LONGITUDE, FINISHING, OF A SAMPLE TOW DDDMMSS
47459	LENGTH FREQUENCY NUMBER
47461	TIME THAT THE EQUIPMENT WAS SAMPLING MINUTES
47476	DIRECTION OF TOW IN RELATION TO CURRENT NUM CODE
50044	HYDROGRAPH LIMB, 1BASE, 2RISING, 3PEAK, 4FALLING, CODE
61390	DIATOMS,FIRST DOMINANT SPECIES OF UNITS - CODE
61391	DIATOMS,SECOND DOMINANT SPECIES OF UNITS - CODE
61392	DIATOMS,THIRD DOMINANT SPECIES OF UNITS - CODE
61393	DIATOMS,FOURTH DOMINANT SPECIES OF UNITS - CODE
70220	WAVE DIRECTION (WMO CODES 0885 + 0887)
70222	WAVE HEIGHT (WMO CODE 1555)
70223	WAVE PERIOD (WMO CODE 3155)
71090	BIVALVE SPECIES CODE
71500	EQUITABILITY INDEX,BENTHIC MACROINVER CODE
72000	ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL)
72001	DEPTH, TOTAL OF HOLE (FT BELOW LAND SURFACE DATUM)
72002	DEPTH TO TOP OF WATER-BEARING ZONE SAMPLED (FT)
72003	DEPTH TO BOTTOM OF WATER-BEARING ZONE SAMPLED (FT)
72004	PUMP OR FLOW PERIOD PRIOR TO SAMPLING MINUTES
72005	SAMPLE SOURCE CODE (BM WELL DATA)
72006	SAMPLING CONDITION CODE (BM WELL DATA)
72007	FORMATION NAME CODE (BM WELL DATA)
72017	SERIES CODE (BM WELL DATA)
72018	SYSTEM CODE (BM WELL DATA)
72111	DIRECT READOUT GROUND STATN TRANSMIT EROR CODE NUM
74054	FECAL STREPTOCOCCI, GENERAL (PERMIT)

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
74055	FECAL COLIFORM, GENERAL (PERMIT)
80889	ACTIVATED SLUDGE PROCESS MODIFICATION CODE
81024	DRAINAGE AREA IN SQUARE MILES (SQ. MI.)
81637	SHELLFISH SPECIES NUMERIC CODE
82289	LAGOON OBSERVATION, VISUAL, Y=YES N=NO CODE
82398	SAMPLING METHOD (CODES)
82524	STORAGE COEFFICIENT NUMERICAL CODE
82923	ATMOSPHERIC DEPOSITION TYPE, WET CODE
83205	ATMOSPHERIC DEPOSITION TYPE, BULK CODE
84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)
84001	AQUIFER NAME CODE (SEE USGS CATALOG)
84004	LAKE TYPE ILLINOIS CLASSIFICATION SYSTEM
84007	ANATOMY ALPHA CODE
84008	LIFE STYLE/HABITAT OF THE INDIVIDUALS IN THE SAMPLE
84009	SHELLFISH SPECIES ALPHANUMERIC CODE
84014	SPECIES SEX CODE
84030	CLOUD AMOUNT ALPHA WEATHER CODES
84031	PHYSICAL WEATHER ALPHA WEATHER CODES
84032	STREAM CONDITION ALPHA WEATHER CODES
84066	OIL AND GREASE, VISUAL, ALPHA-NUMERIC CODE
84068	SERIES CODE ALPHA-NUMERIC CODE
84069	FORMATION CODE ALPHA-NUMERIC CODE
84070	METHOD OF TESTING WELL YIELD ALPHA-NUMERIC CODE
84071	WATER LEVEL MEASUREMENT CONDITIONS ALPHA-NUM CODE
84072	WATER LEVEL MEASUREMENT METHOD ALPHA-NUMERIC CODE
84078	GIARDIA LAMBLIA, 2HSO4 OR SUC GRAD, MICRO, CODE
84079	BACTERIA, CELLUOLYTIC, AEROBIC-ANAEROBIC, RT 5-7, CODE
84080	BACTERIA, HYDROCARBONOCLASTIC, SHAKE INC 32C/WK, CODE
84081	YERSINIA ENTEROCOLITICA, SB BROTH, MAC AGAR,22C, CODE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
84082	SALMONELLA/SHIGELLA, QUANT OR QUAL, HVF OR SWAB, CODE
84085	ORGANICS, VOLATILE, DETECTED, NUMERIC CODE, CODE
84086	MACROINVERTEBRATE SPECIES NUMERIC CODE
84087	MACROINVERTEBRATE HABITAT CODE
84088	BIOLOGY 1 MACROINVERTEBRATE CODE
84089	BIOLOGY 2 MACROINVERTEBRATE CODE
84094	PHYTOPLANKTON SPECIES CODE, NUMERIC
84095	PHYTOPLANKTON SPECIES CODE, ALPHA
84096	SEVERITY OF NON-PLANKTON ALGAE-MAT COVERAGE CODE
84097	LAGOON MOUTH CONDITION CODE
84098	COLOR OF NON-PLANKTONIC ALGAE CODE
84099	WATER - RELATIVE WATER LEVEL CODE
84100	SEX(1-MALE,2-FEMALE,3-MIXED,4-UNKNOWN) NUM CODE
84101	METAFORM, BENTHIC, ADULT(A), PUPAE(P), LARVAE(L) CODE
84105	OIL-SEPARATOR OBSERVATION ASSESS (0=DID NOT,1=DID)
84106	EVAPORAT/BED OBS ASSESS (0=DID NOT LOOK, 1=DID LOOK)
84107	AREA INSPECTION, VISUAL (0=DID NOT, 1=DID) CODE
84108	DRAIN FIELD INSPECTION ASSESS (0=DID NOT, 1=DID) CODE
84109	SLUDGE BUILD-UP IN WATER (0=DID NOT OBS, 1=OBS) CODE
84110	POND OBSERVATION ASSESS WATER (0=DID NOT, 1=DID) CODE
84111	LITHOLOGIC MODIFIER CODE
84113	WELL INTAKE FINISH CODE
84114	WELL CASING MATERIAL CODE
84115	TYPE OF MATERIAL FROM WHICH OPENING IS MADE CODE
84116	DRILLING FLUID CODE
84117	TYPE OF SURFACE SEAL CODE
84118	METHOD OF DEVELOPMENT CODE
84120	PACKING MATERIAL CODE
84124	METHOD OF EVACUTAION CODE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
84125	METHOD OF WATER-LEVEL MEASUREMENT CODE
84130	OUTFALL OBSERVATION, VISUAL, Y=YES N=NO CODE
84131	SAMPLING METHOD, CONFIDENCE CODE (A,B,C,D) CODE
84132	STREAMBANK, VEGETATIVE STABILITY RATING CODE
84133	STREAMBANK, STABILITY (BANK EROSION) RATING CODE
84134	PARTICLES, DEGREE SURROUNDED BY FINE SEDIMENT, CODE
84135	STREAMSIDE, (SHORELINE) COVER RATING CODE
84136	CANOPY TYPE CODE
84137	CHANNEL STABILITY RATING CODE (E,G,F,P) CODE
84138	COLIFORM, TOTAL, WATER, WHOLE, MPN, PRES=1, ABSNT=2, CODE
84139	ENTEROBACTER AGGLOMERANS, WTR, MF, PRES=1, ABSNT=2, CODE
84140	KLEBSIELLA PNEUMONIAE, WTR, WH, MF, PRES=1, ABSNT=2, CODE
84143	WELL, PURGING CONDITION CODE
84144	WELL, SELECTION CRITERIA CODE
84145	PROJECT COMPONENT CODE
84146	LAND USE, PREDOMINANT, WITHIN 100 FT OF WELL, CODE
84147	LAND USE, PREDOMINANT, 1/4 MI.RADIUS OF WELL, CODE
84148	LAND USE, PREDMNT., FRAC., WITHIN 1/4 MI OF WELL, CODE
84149	LAND USE, CHANGE, LAST 10 YRS, WITHIN 1/4MI WELL, CODE
84150	HABITAT QUALITY INDEX RATING CODE
84151	AQUATIC LIFE, USE CLASSES CODE
84152	STREAM, STAGE CLASS CODE
84153	STREAMBANKS, GRAZING DAMAGE CODE
84154	CHANNEL, MAJOR ALTERATIONS CODE
84155	RIFFLE/RUNS, OCCURRENCE CODE
84156	POOL, DESCRIPTION CODE
84157	SANDBARS, LARGE, OCCURRENCE CODE
84158	LAND USE, NEAR STREAM, PREDOMINANT CODE
84159	STREAM,COVER (INSTREAM SHELTER FOR ADULT FISH), CODE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
84160	STREAM, DEGRADATION RATING CODE
84161	STREAM, ORDER CODE
84162	LAND RESOURCE AREA CODE
84163	FLOW, STREAM, CLASSIFICATION CODE
84165	DISCHARGE EVENT OBSERVATION, YES=1 NO=0, CODE
84166	STORM HYDROGRAPH, DIRECTION, (RISE,FALL), CODE
84167	MICROSCOPIC EXAMINATION CODE
84168	AVIAN SPECIES ALPHA CODE (BIRDS)
84169	MAMMALIAN ALPHA SPECIES CODE
84170	ALPHA AGE TEXT CODE
84200	LATITUDE/LONGITUDE COORDINATES OF WELL, METHOD CODE
84201	NATIONAL REFERENCE DATUM, ALTITUDE(VERTICAL) CODE
84202	ALTITUDE METHOD CODE
85000	STREAM MILE, ACTUAL MILES
85014	HABITAT, 1970 ACRES THIS TYPE FOR THIS STATION
85015	HAB., ESTIMATED ACRES THIS TYPE THIS STATION
85016	HAB., ESTIMATED ACRES THIS TYPE THIS STA. BY 1990
85017	HAB., ESTIMATED ACRES THIS TYPE THIS STA. BY 2000
85018	TYPE CODES: 1=CLEAR CUT/2=SELECT CUT/3=RNGE DEVLP
85019	ACRES, NO. ALTERED FROM 1965-1970 (0-5 YEARS OLD)
85020	ACRES, NO. ALTERED 1960-1965 (5-10 YEARS OLD)
85021	ACRES, NO. ALTERED 1955-1960 (10-15 YEARS OLD)
85022	ACRES, NO. ALTERED 1950-1955 (15-20 YEARS OLD)
85023	ACRES, NO. ALTERED BEFORE 1950 (20+ YEARS OLD)
85024	ACRES,PREDICTED YRLY.AVE.TO BE ALTERED IN FUTURE
85025	LANDOWNERS, CODES FOR ALL IN STATE OF OREGON
85026	ACRES, CURRENT OWNED THIS LANDOWNER THIS STATION
85027	ACRES, ESTIMATED OWNED BY L-O THIS STA. BY 1980
85028	ACRES, ESTIMATED OWNED BY L-O THIS STA. BY 1990

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
85029	ACRES, ESTIMATED OWNED BY L-O THIS STA. BY 2000
85030	LAND USES, CODES FOR ALL IN STATE OF OREGON
85031	ACRES, CURRENT DEDICATED TO THIS USE THIS STATION
85032	ACRES, ESTM. DEDICTD TO THIS USE THIS STA BY 1980
85033	ACRES, ESTM. DEDICTD TO THIS USE THIS STA BY 1990
85034	ACRES, ESTM. DEDICTD TO THIS USE BY YR.2000 --STA.
85035	HAB., INDICATED ANIMAL USES THIS TYPE IN WINTER
85036	HAB., INDICATED ANIMAL USES THIS TYPE IN SPRING
85037	HAB., INDICATED ANIMAL USES THIS TYPE IN SUMMER
85038	HAB., INDICATED ANIMAL USES THIS TYPE IN FALL
85039	HAB., INDICATED ANML USES THIS TYPE FOR WINTERING
85040	HAB., INDICATED ANML USES THIS TYPE FOR FEEDING
85041	HAB., INDICATED ANML USES TYPE FOR REARING YOUNG
85042	HAB., INDICATED BIRD USES THIS TYPE FOR NESTING
85043	HAB., INDICATED ANML USES THIS TYPE FOR SHELTER
85044	HAB., INDICATED ANML USES THIS TYPE FOR REST AREA
85045	ANML, SHOWS PRESENCE/ABSNC OF COMMENTS ON THIS ANML
85046	HAB.,ACRES OCCUPIED BY THIS ANML THIS UNIT & CO.
85050	ANIMALS ARE NOT PRESENT THIS STATION
85051	ANIMALS, ONLY A FEW ARE PRESENT THIS STATION
85052	ANIMALS COMMONLY SEEN; USE MODERATE THIS STATION
85053	ANIMALS FREQUENTLY SEEN; USE HEAVY THIS STATION
85070	OWNERSHIP (.1) AND ACCESS (.2) BY YEAR
85071	PRIVATE OWNERSHIP AND ACCESS MILEAGE
85072	FEDERAL OWNERSHIP AND ACCESS MILEAGE
85073	STATE OWNERSHIP AND ACCESS MILEAGE
85074	COUNTY OWNERSHIP AND ACCESS MILEAGE
85075	CITY OWNERSHIP AND ACCESS MILEAGE
85076	WATER YEAR DATA REFERS TO

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
85077	CALENDAR YEAR DATA REFERS TO
85088	MONTHS POLLUTION IS A PROBLEM JAN THRU JUNE
85089	MONTHS POLLUTION IS A PROBLEM JULY TO DECEMBER
85090	MAN-CAUSED CHANNEL CHANGE IN MILES
85091	STREAM BANK HABITAT DESTROYED IN MILES
85092	STREAMBED SILTED IN MILES
85093	TURBIDITY PROBLEM IN MILES
85094	SEVERITY: 1=ELIMINATES 2=INTERFERES 3=NO PROBLEM
85095	DURATION OF TURBIDITY PROBLEM IN MONTHS
85096	SEASON OF NATURAL DRY CHANNEL 1=SP 2=SU 3=F 4=W
85097	NATURAL DRY CHANNEL IN MILES
85098	MAN-CAUSED DRY CHANNEL SEASON 1=SP 2=SU 3=F 4=W
85099	MAN-CAUSED DRY CHANNEL IN MILES
85100	YEAR BARRIER IS PRESENT
85101	NUMBER OF NATURAL BARRIERS
85102	MILES BLOCKED BY NATURAL BARRIERS
85103	NUMBER OF NATURAL BARRIERS TO BE REMOVED
85104	NUMBER OF DAMS AND MAN CAUSED OBSTRUCTIONS
85105	MILES BLOCKED BY DAMS OR MAN CAUSED OBSTRUCTIONS
85106	NUMBER OF DAMS TO BE ALTERED
85107	MILES OF STREAM OCCUPIED BY IMPOUNDMENT
85108	LOWER END OF SECTION COVERED BY THIS FORM
85109	UPPER END OF SECTION COVERED BY THIS FORM
85110	LOWER LIMIT THIS SPECIES THIS FORM BY RIVER MILE
85111	UPPER LIMIT THIS SPECIES THIS FORM BY RIVER MILE
85112	STREAM SURVEY:1=COMPLETE 2=INCOMPLETE 3=NONE
85113	ABUNDANCE: 1=FSHWY/TAG&R 2=SURVEY 3=EST PLUS 4=EST
85114	ABUNDANCE: N=S&ST 1=ABUNDANT 4=SCARCE RGH FSH 3=SCARCE
85116	SQUARE YARDS OF SPAWNING AREA IN 1970

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
85117	SQUARE YARDS OF SPAWNING AREA IN 1980
85118	SQUARE YARDS OF SPAWNING AREA IN 1990
85119	SQUARE YARDS OF SPAWNING AREA IN 2000
85120	MILES OF REARING AREA IN 1970
85121	MILES OF REARING AREA IN 1980
85122	MILES OF REARING AREA IN 1990
85123	MILES OF REARING AREA IN 2000
85124	CATCH BY SPORT ANGLING IN 1970
85125	RECREATION DAYS SPENT ANGLING IN 1970
85126	RECREATION DAYS SPENT ANGLING IN 1980
85127	RECREATION DAYS SPENT ANGLING IN 1990
85128	RECREATION DAYS SPENT ANGLING IN 2000
85129	CONTRIBUTION TO COMMERCIAL CATCH IN 1970
85130	PERCENT OF TOTAL FISHING DONE FROM BOAT IN 1970
85131	PERCENT OF TOTAL FISHING DONE FROM BANK IN 1970
85132	PERCENT OF TOTAL FISHING DONE WITH LURE IN 1970
85133	PERCENT OF TOTAL FISHING DONE WITH BAIT IN 1970
85134	PERCENT OF TOTAL FISHING DONE WITH A FLY IN 1970
85146	YEAR THIS FACTOR HAS A LIMITING EFFECT
85157	MAN DAYS OF WATER SKIING
85158	SEVERITY: 1=INTERFERES 2=NO INTER. 3=NO ACTIVITY
85159	MAN DAYS OF BOATING OTHER THAN ANGLING
85160	SEVERITY: 1=INTERFERES 2=NO INTER. 3=NO ACTIVITY
85161	MAN DAYS OF SWIMMING
85162	SEVERITY: 1=INTERFERES 2=NO INTER. 3=NO ACTIVITY
85163	SEVERITY: 1=INTERFERES 2=NO INTER. 3=NOT PRESENT
85165	NUMBER OF MONTHS SUSPENDED SOLIDS ARE A PROBLEM
85167	NUMBER OF MONTHS PLANKTON IS A PROBLEM
85168	1=ELIMINATE PROD 2=REDUCE 3=NO INTER. 4=NOT PRES

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
85169	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85170	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85171	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85172	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85173	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85174	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85175	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85176	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85177	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85178	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85179	YEAR THIS NUMBER OF FACILITIES PRESENT
85180	NUMBER OF BOAT RAMPS
85181	NUMBER OF MOORAGES
85182	NUMBER OF PICNIC AREAS
85183	NUMBER OF CAMP AREAS
85184	NUMBER OF RESORTS
85185	YEAR THIS ZONED AREA PRESENT
85186	ACRES SET ASIDE FOR OTHER BOATING
85187	ACRES SET ASIDE FOR WATER SKIING
85188	MILES OF SHORE LOST TO ACCESS BY HOME SITES
85189	TOTAL MILES OF SHORELINE
85193	WILL RECR BE INC BY RELEASE OF FINGERL 0=NO 1=YES
85195	CATCH AND RECREATION ESTIMATE 1=BEST 4=POOREST
85333	PRECIPITATION-SAMPLE COLLECTION TIME-CODE- NES
85538	GAMMA SCAN DATE (YR,MO,DAY)
85539	DATE OF REPORT (YR,MO,DAY)
85658	TIME NIGHT CO2 HR
85661	TIME, INTERVAL DAY CO2 HR

Appendix F

National EPA Water Quality Criteria Summary[1]

The following table presents the national water quality criteria that were used to assess water quality data on a station-by-station basis and within the entire study area. Criteria are, for the most part, maximum values (except for dissolved oxygen, pH, and as noted). Criteria exist in any of four categories: Fresh Acute, Drinking Water, Marine Acute, and Other. Acute criteria are the highest 1-hour average concentrations which should not result in unacceptable impacts to aquatic organisms in either fresh or marine waters, respectively. The Drinking Water criteria are intended for human consumption; while the Other criteria represents National Park Service or other concerns. Parameters are listed in ascending order by STORET code. It is important to note that similar parameters often have non-consecutive codes. Consequently, scanning the entire list is necessary to obtain the criteria for all parameters of a particular type (eg. lead, copper, etc.). Refer to the Parameter Period of Record Tabulation to obtain the STORET code for any parameter measured in the park.

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
	00070				50[t]	TURBIDITY, JACKSON CANDLE UNITS	JTU	Physical
	00076				50[t]	TURBIDITY, HACH TURBIDIMETER, FORMAZIN TUR. UNITS	FTU	Physical
14808798	00154		250[s]			SULFATE (AS S) WHOLE WATER	MG/L	General Inorganic
7782447	00299				4.0[u]	OXYGEN, DISSOLVED, ANALYSIS BY PROBE	MG/L	Dissolved Oxygen
7782447	00300				4.0[u]	OXYGEN, DISSOLVED	MG/L	Dissolved Oxygen
	00400				≤6.5, ≥9.0[#]	PH	SU	Physical
	00403				≤6.5, ≥9.0[#]	PH, LAB	SU	Physical
	00406				≤6.5, ≥9.0[#]	PH, FIELD	SU	Physical

[1]Sources: (1) U.S. Environmental Protection Agency, Quality Criteria for Water 1995, Final Draft; (2) U.S. Environmental Protection Agency, 40 CFR 141 - National Primary Drinking Water Regulations, and 40 CFR 143 - National Secondary Drinking Water Regulations, July 1, 1994; and (3) Others as Noted in Footnotes.

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
471341	00409				<200[=]	ALKALINITY, TOTAL, LOW LEVEL GRAN ANALYSIS	UEQ/L	General Inorganic
17778880	00613		1			NITRITE NITROGEN, DISSOLVED AS N	MG/L	Nitrogen
17778880	00615		1			NITRITE NITROGEN, TOTAL AS N	MG/L	Nitrogen
17778880	00618		10			NITRATE NITROGEN, DISSOLVED AS N	MG/L	Nitrogen
17778880	00620		10			NITRATE NITROGEN, TOTAL AS N	MG/L	Nitrogen
17778880	00628		10			NITRITE + NITRATE, SUSPENDED AS N	MG/L	Nitrogen
17778880	00630		10			NITRITE PLUS NITRATE, TOTAL 1 DET.	MG/L	Nitrogen
17778880	00631		10			NITRITE PLUS NITRATE, DISSOLVED 1 DET.	MG/L	Nitrogen
57125	00718	22	200	1.0		CYANIDE, WEAK ACID, DISSOCIABLE, WATER, WHOLE	UG/L	General Inorganic
57125	00719	22	200	1.0		CYANIDE, FREE,IN WATER&WASTEWATERS, HBG METHOD	UG/L	General Inorganic
57125	00720	0.022	0.2	0.001		CYANIDE, TOTAL	MG/L	General Inorganic
57125	00722	0.022	0.2	0.001		CYANIDE, FREE (AMENABLE TO CHLORINATION)	MG/L	General Inorganic
57125	00723	22	200	1.0		CYANIDE, DISSOLVED STD METHOD	UG/L	General Inorganic
57125	00724	22	200	1.0		CYANIDE COMPLEXED TO A RANGE OF COMPNDS, WATER	UG/L	General Inorganic
16887006	00940	860	250[s]			CHLORIDE,TOTAL IN WATER	MG/L	General Inorganic
16887006	00941	860	250[s]			CHLORIDE, DISSOLVED IN WATER	MG/L	General Inorganic
14808798	00945		250[s]			SULFATE, TOTAL (AS SO4)	MG/L	General Inorganic
14808798	00946		250[s]			SULFATE, DISSOLVED (AS SO4)	MG/L	General Inorganic
1332214	00948		7000000			ASBESTOS, WHOLE SAMPLE	CNT/L	General Inorganic
16984488	00950		4.0			FLUORIDE, DISSOLVED AS F	MG/L	General Inorganic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
16984488	00951		4.0			FLUORIDE, TOTAL AS F	MG/L	General Inorganic
7782414	00953		4000			FLUORINE, TOTAL	UG/L	General Inorganic
7440382	00978	360	50	69		ARSENIC, TOTAL RECOVERABLE IN WATER AS AS	UG/L	Metal
7782492	00981	20	50	300		SELENIUM,TOTAL RECOVERABLE IN WATER AS SE	UG/L	Metal
7440280	00982	1400*	2.0	2130*		THALLIUM, TOTAL RECOVERABLE IN WATER AS TL	UG/L	Metal
7782492	00990	20	50	300		SELENITE, TOTAL RECOVERABLE INORGANIC	UG/L	Metal
7440382	00991	360	50	69		ARSENIC, TOTAL RECOVERABLE TRIVALENT INORGANIC	UG/L	Metal
7440382	00995	360	50	69		ARSENIC, INORGANIC DISS	UG/L	Metal
7440382	00996	360	50	69		ARSENIC, INORGANIC SUSP	UG/L	Metal
7440382	00997	360	50	69		ARSENIC, INORGANIC TOT	UG/L	Metal
7440417	00998	130*	4.0			BERYLLIUM,TOTAL RECOVERABLE IN WATER AS BE	UG/L	Metal
7440382	01000	360	50	69		ARSENIC, DISSOLVED	UG/L	Metal
7440382	01001	360	50	69		ARSENIC, SUSPENDED	UG/L	Metal
7440382	01002	360	50	69		ARSENIC, TOTAL	UG/L	Metal
7440393	01005		2000			BARIUM, DISSOLVED	UG/L	Metal
7440393	01006		2000			BARIUM, SUSPENDED	UG/L	Metal
7440393	01007		2000			BARIUM, TOTAL	UG/L	Metal
7440393	01009		2000			BARIUM,TOTAL RECOVERABLE IN WATER AS BA	UG/L	Metal
7440417	01010	130*	4.0			BERYLLIUM, DISSOLVED	UG/L	Metal
7440417	01011	130*	4.0			BERYLLIUM, SUSPENDED	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7440417	01012	130*	4.0			BERYLLIUM, TOTAL	UG/L	Metal
7440439	01025	3.9+	5.0	43		CADMIUM, DISSOLVED	UG/L	Metal
7440439	01026	3.9+	5.0	43		CADMIUM, SUSPENDED	UG/L	Metal
7440439	01027	3.9+	5.0	43		CADMIUM, TOTAL	UG/L	Metal
7440473	01030		100			CHROMIUM, DISSOLVED	UG/L	Metal
7440473	01031		100			CHROMIUM, SUSPENDED	UG/L	Metal
7440473	01032	16	100	1100		CHROMIUM, HEXAVALENT	UG/L	Metal
16065831	01033	1700+	100	10300*		CHROMIUM, TRI-VAL	UG/L	Metal
7440473	01034		100			CHROMIUM, TOTAL	UG/L	Metal
7440508	01040	18+	1300a	2.9		COPPER, DISSOLVED	UG/L	Metal
7440508	01041	18+	1300a	2.9		COPPER, SUSPENDED	UG/L	Metal
7440508	01042	18+	1300a	2.9		COPPER, TOTAL	UG/L	Metal
7439921	01049	82+	15a	220		LEAD, DISSOLVED	UG/L	Metal
7439921	01050	82+	15a	220		LEAD, SUSPENDED	UG/L	Metal
7439921	01051	82+	15a	220		LEAD, TOTAL	UG/L	Metal
7440280	01057	1400*	2.0	2130*		THALLIUM, DISSOLVED	UG/L	Metal
7440280	01058	1400*	2.0	2130*		THALLIUM, SUSPENDED	UG/L	Metal
7440280	01059	1400*	2.0	2130*		THALLIUM, TOTAL	UG/L	Metal
7440020	01065	1400+	100	75		NICKEL, DISSOLVED	UG/L	Metal
7440020	01066	1400+	100	75		NICKEL, SUSPENDED	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7440020	01067	1400[+]	100	75		NICKEL, TOTAL	UG/L	Metal
7440020	01074	1400[+]	100	75		NICKEL, TOTAL RECOVERABLE IN WATER AS NI	UG/L	Metal
7440224	01075	4.1[+]	100[s]	0.12		SILVER, DISSOLVED	UG/L	Metal
7440224	01076	4.1[+]	100[s]	0.12		SILVER, SUSPENDED	UG/L	Metal
7440224	01077	4.1[+]	100[s]	0.12		SILVER, TOTAL	UG/L	Metal
7440224	01079	4.1[+]	100[s]	0.12		SILVER, TOTAL RECOVERABLE IN WATER AS AG	UG/L	Metal
7440508	01089	0.018[+]	1.3[a]	0.0029		COPPER AS SUSPENDED BLACK OXIDE IN WATER	MG/L	General Inorganic
7440666	01090	120[+]	5000[s]	95		ZINC, DISSOLVED	UG/L	Metal
7440666	01091	120[+]	5000[s]	95		ZINC, SUSPENDED	UG/L	Metal
7440666	01092	120[+]	5000[s]	95		ZINC, TOTAL	UG/L	Metal
7440666	01094	120[+]	5000[s]	95		ZINC, TOTAL RECOVERABLE IN WATER AS ZN	UG/L	Metal
7440360	01095	88[p]	6.0	1500[p]		ANTIMONY, DISSOLVED	UG/L	Metal
7440360	01096	88[p]	6.0	1500[p]		ANTIMONY, SUSPENDED	UG/L	Metal
7440360	01097	88[p]	6.0	1500[p]		ANTIMONY, TOTAL	UG/L	Metal
7440439	01113	3.9[+]	5.0	43		CADMIUM,TOTAL RECOVERABLE IN WATER AS CD	UG/L	Metal
7439921	01114	82[+]	15[a]	220		LEAD, TOTAL RECOVERABLE IN WATER AS PB	UG/L	Metal
7440473	01118		100			CHROMIUM TOTAL RECOVERABLE IN WATER AS CR	UG/L	Metal
7440508	01119	18[+]	1300[a]	2.9		COPPER, TOTAL RECOVERABLE IN WATER AS CU	UG/L	Metal
7440280	01124	1400[*]	2.0	2130[*]		THALLIUM, ACID SOLUBLE, WATER, WHOLE	UG/L	Metal
7440280	01128	1400[*]	2.0	2130[*]		THALLIUM, TOTAL RECOVERABLE <95%	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7782492	01145	20	50	300		SELENIUM, DISSOLVED	UG/L	Metal
7782492	01146	20	50	300		SELENIUM, SUSPENDED	UG/L	Metal
7782492	01147	20	50	300		SELENIUM, TOTAL	UG/L	Metal
7782492	01167	20	50	300		SELENIUM, ACID SOLUBLE, WATER, WHOLE	UG/L	Metal
18540299	01220	16	100	1100		CHROMIUM, HEXAVALENT, DISSOLVED	UG/L	Metal
7440360	01268	88[p]	6.0	1500[p]		ANTIMONY (SB), WATER, TOTAL RECOVERABLE	UG/L	Metal
57125	01291	22	200	1.0		CYANIDE, FILTERABLE, TOTAL IN WATER	UG/L	General Inorganic
7440666	01303	0.120[+]	5.0[s]	0.095		ZINC, POTENTIALLY DISSOLVED WATER	MG/L	Metal
7440224	01304	0.0041[+]	0.1[s]	0.00012		SILVER, POTENTIALLY DISSOLVED WATER	MG/L	Metal
7440508	01306	0.018[+]	1.3[a]	0.0029		COPPER, POTENTIALLY DISSOLVED WATER	MG/L	Metal
18540299	01307	0.016	0.1	1.1		CHROMIUM, HEXAVALENT, POTENTIALLY DISSOLVED	MG/L	Metal
7440382	01309	0.36	0.05	0.069		ARSENIC, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440393	01311		2.0			BARIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440417	01312	0.13[*]	0.004			BERYLLIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440439	01313	0.0039[+]	0.005	0.043		CADMIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
16065831	01314	1.7[+]	0.1	10.3[*]		CHROMIUM, TRIVALENT, POTENTIALLY DISSOLVED	MG/L	Metal
7439921	01318	0.082[+]	0.015[a]	0.220		LEAD, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7439976	01321	0.0024	0.002	0.0021		MERCURY, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440020	01322	1.4[+]	0.1	0.075		NICKEL, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7782492	01323	0.020	0.050	0.300		SELENIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7440280	01324	1.4*	0.002	2.13*		THALLIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440611	01326		0.020c			URANIUM, POTENTIALLY DISSOLVED, WATER	MG/L	Metal
7440224	01523	4.1+	100s	0.12		SILVER, IONIC	UG/L	Metal
50328	03648		0.2			BENZO (A) PYRENE, LIQUID FRACTION, ELUTRIATE	UG/L	General Organic
122349	04035		4.0			SIMAZINE, DISSOLVED, WATER, TOTAL RECOVERABLE	UG/L	Pesticide
10028178	04124		20r			TRITIUM, TOTAL, WATER	PC/ML	Radiological
10028178	07000		20000r			TRITIUM, TOTAL	PC/L	Radiological
10028178	07005		20000r			TRITIUM, DISSOLVED	PC/L	Radiological
10028178	07010		20000r			TRITIUM, SUSPENDED	PC/L	Radiological
	09501		5.0			RADIUM 226, TOTAL	PC/L	Radiological
	09503		5.0			RADIUM 226, DISSOLVED	PC/L	Radiological
	09505		5.0			RADIUM 226, SUSPENDED	PC/L	Radiological
	11500		5.0			RADIUM 226 + RADIUM 228, DISSOLVED	PC/L	Radiological
	11501		5.0			RADIUM 228, TOTAL	PC/L	Radiological
	11503		5.0			RADIUM 226 + RADIUM 228, TOTAL	PC/L	Radiological
10098972	13501		8.0r			STRONTIUM 90, TOTAL	PC/L	Radiological
10098972	13503		8.0r			STRONTIUM 90, DISSOLVED	PC/L	Radiological
10098972	13505		8.0r			STRONTIUM 90, SUSPENDED	PC/L	Radiological
7782492	22675	20	50	300		SELENIUM, DISSOLVED ORGANIC	UG/L	Metal
7782492	22676	20	50	300		SELENIUM, HEXAVALENT, DISSOLVED	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7782492	22677	20	50	300		SELENIUM, TETRAVALENT, DISSOLVED	UG/L	Metal
7440382	22678	360	50	69		ARSENIC, DISSOLVED ORGANIC	UG/L	Metal
7440382	22679	850*	50	2319*		ARSENIC, PENTAVALENT,DISSOLVED	UG/L	Metal
7440382	22680	360	50	69		ARSENIC, TRIVALENT, DISSOLVED	UG/L	Metal
7440611	22703		20c			URANIUM, NATURAL DISSOLVED	UG/L	Metal
7440611	22705		20c			URANIUM, NATURAL SUSPENDED	UG/L	Metal
7440611	22706		20c			URANIUM, TOTAL AS U308	UG/L	Metal
7440611	22708		0.020c			URANIUM, NATURAL, TOTAL	MG/L	Radiological
7440611	28011		20c			URANIUM, NATURAL, TOTAL	UG/L	Radiological
88857	30191		7.0			DINOSEB, WATER, WHOLE RECOVERABLE	UG/L	Pesticide
75990	30200		200			DALAPON, WATER, WHOLE RECOVERABLE	UG/L	Pesticide
106934	30203		0.05			ETHANE, 1,2-DIBROMO-, WATER, WHOLE, RECOVERABLE	UG/L	Pesticide
	31501		1.0n		1000b	COLIFORM, TOTAL, MEMBRANE FILTER, IMMED.	CFU/100ML	Bacteriological
	31503		1.0n		1000b	COLIFORM, TOTAL, MEMBRANE FILTER, DELAY. M-ENDO	CFU/100ML	Bacteriological
	31504		1.0n		1000b	COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. LES-ENDO	CFU/100ML	Bacteriological
	31505		1.0n		1000b	COLIFORM, TOTAL, MPN, CONF. TEST 35C (TUBE 31506)	MPN/100ML	Bacteriological
	31506		1.0n		1000b	COLIFORM, TOTAL, MPN, CONF. TEST, TUBE CONFIG	MPN/100ML	Bacteriological
	31507		1.0n		1000b	COLIFORM, TOTAL, MPN, COMP. TEST 35C (TUBE 31508)	MPN/100ML	Bacteriological
	31508		1.0n		1000b	COLIFORM, TOTAL, MPN, COMP. TEST, TUBE CONFIG	MPN/100ML	Bacteriological
	31613				200^	FECAL COLIFORM, MEMBRANE FILTER, AGAR	CFU/100ML	Bacteriological

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
	31614				200^	FECAL COLIFORM, MPN, TUBE CONFIGURATION	MPN/100ML	Bacteriological
	31615				200^	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	MPN/100ML	Bacteriological
	31616				200^	FECAL COLIFORM, MEMBRANE FILTER, BROTH, 44.5C	CFU/100ML	Bacteriological
	31617				200^	FECAL COLIFORM, MPN, EIJKMAN, 44.5C (TUBE 31618)	MPN/100ML	Bacteriological
	31625				200^	FECAL COLIFORM, MF, M-FC, 0.7 UM	CFU/100ML	Bacteriological
	31648				126^	E. COLI, MTEC, MF	CFU/100ML	Bacteriological
	31649				33^	ENTEROCOCCI, ME, MF	CFU/100ML	Bacteriological
67663	32003	28900*	100t			CARBON CHLOROFORM AND CARBON ALCOHOL EXTRS.,TOTAL	UG/L	General Organic
67663	32005	28900*	100t			CARBON CHLOROFORM EXTRACTABLES	UG/L	General Organic
67663	32021	28900*	100t			CARBON CHLOROFORM EXTRACTS, ETHER INSOLUBLES OF	UG/L	General Organic
67663	32022	28900*	100t			CARBON CHLOROFORM EXTRACTS, WATER SOLUBLES OF	UG/L	General Organic
75274	32101		100t			BROMODICHLOROMETHANE, WHOLE WATER	UG/L	General Organic
56235	32102	35200*	5.0	50000*		CARBON TETRACHLORIDE, WHOLE WATER	UG/L	General Organic
107062	32103	118000*	5.0	113000*		1,2-DICHLOROETHANE,WHOLE WATER	UG/L	General Organic
75252	32104		100t			BROMOFORM, WHOLE WATER	UG/L	General Organic
124481	32105		100t			DIBROMOCHLOROMETHANE, WHOLE WATER	UG/L	General Organic
67663	32106	28900*	100t			CHLOROFORM, WHOLE WATER	UG/L	General Organic
56235	32260	35.2*	0.005	50*		CARBON TETRACHLORIDE EXTRACTABLES	MG/L	General Organic
67663	32270	28.9*	0.1t			CHLOROFORM EXTRACTABLES TOTAL	MG/L	General Organic
108883	34010	17500*	1000	6300*		TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
1330207	34020		10000			XYLENES IN WTR SMPLE GC-MS, HEXADECONE EXTR.	UG/L	General Organic
83329	34205	1700*		970*		ACENAPHTHENE, TOTAL	UG/L	General Organic
83329	34206	1700*		970*		ACENAPHTHENE, DISSOLVED	UG/L	General Organic
83329	34207	1700*		970*		ACENAPHTHENE, SUSPENDED	UG/L	General Organic
107028	34210	68*		55*		ACROLEIN, TOTAL	UG/L	Pesticide
107028	34211	68*		55*		ACROLEIN, DISSOLVED	UG/L	Pesticide
107028	34212	68*		55*		ACROLEIN, SUSPENDED	UG/L	Pesticide
107131	34215	7550*				ACRYLONITRILE, TOTAL	UG/L	General Organic
107131	34216	7550*				ACRYLONITRILE, DISSOLVED	UG/L	General Organic
107131	34217	7550*				ACRYLONITRILE, SUSPENDED	UG/L	General Organic
71432	34235	5300*	5.0	5100*		BENZENE, DISSOLVED	UG/L	General Organic
71432	34236	5300*	5.0	5100*		BENZENE, SUSPENDED	UG/L	General Organic
92875	34239	2500*				BENZIDINE, DISSOLVED	UG/L	General Organic
92875	34240	2500*				BENZIDINE, SUSPENDED	UG/L	General Organic
58899	34265	2.0	0.2	0.16		R-BHC (LINDANE) GAMMA, DISSOLVED	UG/L	Pesticide
58899	34266	2.0	0.2	0.16		R-BHC (LINDANE) GAMMA, SUSPENDED	UG/L	Pesticide
75252	34288		100[t]			BROMOFORM, DISSOLVED	UG/L	General Organic
75252	34289		100[t]			BROMOFORM, SUSPENDED	UG/L	General Organic
56235	34297	35200*	5.0	50000*		CARBON TETRACHLORIDE, DISSOLVED	UG/L	General Organic
56235	34298	35200*	5.0	50000*		CARBON TETRACHLORIDE, SUSPENDED	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
108907	34301		100			CHLOROBENZENE, TOTAL	UG/L	General Organic
108907	34302		100			CHLOROBENZENE, DISSOLVED	UG/L	General Organic
108907	34303		100			CHLOROBENZENE, SUSPENDED	UG/L	General Organic
124481	34306		100[t]			CHLORODIBROMOMETHANE, TOTAL	UG/L	General Organic
124481	34307		100[t]			CHLORODIBROMOMETHANE, DISSOLVED	UG/L	General Organic
124481	34308		100[t]			CHLORODIBROMOMETHANE, SUSPENDED	UG/L	General Organic
67663	34316	28900[*]	100[t]			CHLOROFORM, DISSOLVED	UG/L	General Organic
67663	34317	28900[*]	100[t]			CHLOROFORM, SUSPENDED	UG/L	General Organic
57125	34325	0.022	0.2	0.001		CYANIDE, SUSPENDED	MG/L	General Inorganic
75274	34328		100[t]			DICHLOROBROMOMETHANE, DISSOLVED	UG/L	General Organic
75274	34329		100[t]			DICHLOROBROMOMETHANE, SUSPENDED	UG/L	General Organic
122667	34346	270[*]				1,2-DIPHENYLHYDRAZINE, TOTAL	UG/L	General Organic
122667	34347	270[*]				1,2-DIPHENYLHYDRAZINE, DISSOLVED	UG/L	General Organic
122667	34348	270[*]				1,2-DIPHENYLHYDRAZINE, SUSPENDED	UG/L	General Organic
33213659	34356	0.22		0.034		ENDOSULFAN, BETA, TOTAL	UG/L	Pesticide
33213659	34357	0.22		0.034		ENDOSULFAN, BETA, DISSOLVED	UG/L	Pesticide
33213659	34358	0.22		0.034		ENDOSULFAN, BETA, SUSPENDED	UG/L	Pesticide
959988	34361	0.22		0.034		ENDOSULFAN, ALPHA, TOTAL	UG/L	Pesticide
959988	34362	0.22		0.034		ENDOSULFAN, ALPHA, DISSOLVED	UG/L	Pesticide
959988	34363	0.22		0.034		ENDOSULFAN, ALPHA, SUSPENDED	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
100414	34371	32000*	700	430*		ETHYLBENZENE, TOTAL	UG/L	General Organic
100414	34372	32000*	700	430*		ETHYLBENZENE, DISSOLVED	UG/L	General Organic
100414	34373	32000*	700	430*		ETHYLBENZENE, SUSPENDED	UG/L	General Organic
206440	34376	3980*		40*		FLUORANTHENE, TOTAL	UG/L	General Organic
206440	34377	3980*		40*		FLUORANTHENE, DISSOLVED	UG/L	General Organic
206440	34378	3980*		40*		FLUORANTHENE, SUSPENDED	UG/L	General Organic
77474	34386	7.0*	50	7.0*		HEXACHLOROCYCLOPENTADIENE, TOTAL	UG/L	General Organic
77474	34387	7.0*	50	7.0*		HEXACHLOROCYCLOPENTADIENE, DISSOLVED	UG/L	General Organic
77474	34388	7.0*	50	7.0*		HEXACHLOROCYCLOPENTADIENE, SUSPENDED	UG/L	General Organic
87683	34391	90*		32*		HEXACHLOROBUTADIENE, TOTAL	UG/L	General Organic
87683	34392	90*		32*		HEXACHLOROBUTADIENE, DISSOLVED	UG/L	General Organic
87683	34393	90*		32*		HEXACHLOROBUTADIENE, SUSPENDED	UG/L	General Organic
67721	34396	980*		940*		HEXACHLOROETHANE, TOTAL	UG/L	General Organic
67721	34397	980*		940*		HEXACHLOROETHANE, DISSOLVED	UG/L	General Organic
67721	34398	980*		940*		HEXACHLOROETHANE, SUSPENDED	UG/L	General Organic
118741	34401	6.0[p]	1.0			HEXACHLOROBENZENE, DISSOLVED	UG/L	General Organic
118741	34402	6.0[p]	1.0			HEXACHLOROBENZENE, SUSPENDED	UG/L	General Organic
193395	34403		0.40[c]			INDENO (1,2,3-CD) PYRENE, TOTAL	UG/L	General Organic
193395	34404		0.40[c]			INDENO (1,2,3-CD) PYRENE, DISSOLVED	UG/L	General Organic
193395	34405		0.40[c]			INDENO (1,2,3-CD) PYRENE, SUSPENDED	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
78591	34408	117000*		12900*		ISOPHORONE, TOTAL	UG/L	Pesticide
78591	34409	117000*		12900*		ISOPHORONE, DISSOLVED	UG/L	Pesticide
78591	34410	117000*		12900*		ISOPHORONE, SUSPENDED	UG/L	Pesticide
75092	34423		5.0			METHYLENE CHLORIDE, TOTAL	UG/L	General Organic
75092	34424		5.0			METHYLENE CHLORIDE, DISSOLVED	UG/L	General Organic
75092	34425		5.0			METHYLENE CHLORIDE, SUSPENDED	UG/L	General Organic
91203	34443	2300*		2350*		NAPHTHALENE, DISSOLVED	UG/L	General Organic
91203	34444	2300*		2350*		NAPHTHALENE, SUSPENDED	UG/L	General Organic
98953	34447	27000*		6680*		NITROBENZENE, TOTAL	UG/L	General Organic
98953	34448	27000*		6680*		NITROBENZENE, DISSOLVED	UG/L	General Organic
98953	34449	27000*		6680*		NITROBENZENE, SUSPENDED	UG/L	General Organic
59507	34452	30*				PARACHLOROMETA CRESOL, TOTAL	UG/L	General Organic
59507	34453	30*				PARACHLOROMETA CRESOL, DISSOLVED	UG/L	General Organic
59507	34454	30*				PARACHLOROMETA CRESOL, SUSPENDED	UG/L	General Organic
87865	34459	20***	1.0	13		PCP (PENTACHLOROPHENOL), DISSOLVED	UG/L	Pesticide
87865	34460	20***	1.0	13		PCP (PENTACHLOROPHENOL), SUSPENDED	UG/L	Pesticide
85018	34461	30p		7.7p		PHENANTHRENE, TOTAL	UG/L	General Organic
85018	34462	30p		7.7p		PHENANTHRENE, DISSOLVED	UG/L	General Organic
85018	34463	30p		7.7p		PHENANTHRENE, SUSPENDED	UG/L	General Organic
108952	34466	10200*		5800*		PHENOL, DISSOLVED	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
108952	34467	10200*		5800*		PHENOL, SUSPENDED	UG/L	General Organic
127184	34475	5280*	5.0	10200*		TETRACHLOROETHYLENE, TOTAL	UG/L	General Organic
127184	34476	5280*	5.0	10200*		TETRACHLOROETHYLENE, DISSOLVED	UG/L	General Organic
127184	34477	5280*	5.0	10200*		TETRACHLOROETHYLENE, SUSPENDED	UG/L	General Organic
108883	34481	17500*	1000	6300*		TOLUENE, DISSOLVED	UG/L	General Organic
108883	34482	17500*	1000	6300*		TOLUENE, SUSPENDED	UG/L	General Organic
79016	34485	45000*	5.0	2000*		TRICHLOROETHYLENE, DISSOLVED	UG/L	General Organic
79016	34486	45000*	5.0	2000*		TRICHLOROETHYLENE, SUSPENDED	UG/L	General Organic
75014	34493		2.0			VINYL CHLORIDE, DISSOLVED	UG/L	General Organic
75014	34494		2.0			VINYL CHLORIDE, SUSPENDED	UG/L	General Organic
75354	34501		7.0			1,1-DICHLOROETHYLENE, TOTAL	UG/L	General Organic
75354	34502		7.0			1,1-DICHLOROETHYLENE, DISSOLVED	UG/L	General Organic
75354	34503		7.0			1,1-DICHLOROETHYLENE, SUSPENDED	UG/L	General Organic
71556	34506		200	31200*		1,1,1-TRICHLOROETHANE, TOTAL	UG/L	General Organic
71556	34507		200	31200*		1,1,1-TRICHLOROETHANE, DISSOLVED	UG/L	General Organic
71556	34508		200	31200*		1,1,1-TRICHLOROETHANE, SUSPENDED	UG/L	General Organic
79005	34511		5.0			1,1,2-TRICHLOROETHANE, TOTAL	UG/L	General Organic
79005	34512		5.0			1,1,2-TRICHLOROETHANE, DISSOLVED	UG/L	General Organic
79005	34513		5.0			1,1,2-TRICHLOROETHANE, SUSPENDED	UG/L	General Organic
79345	34516			9020*		1,1,2,2-TETRACHLOROETHANE, TOTAL	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
79345	34517			9020*		1,1,2,2-TETRACHLOROETHANE, DISSOLVED	UG/L	General Organic
79345	34518			9020*		1,1,2,2-TETRACHLOROETHANE, SUSPENDED	UG/L	General Organic
107062	34531	118000*	5.0	113000*		1,2-DICHLOROETHANE, TOTAL	UG/L	General Organic
107062	34532	118000*	5.0	113000*		1,2-DICHLOROETHANE, DISSOLVED	UG/L	General Organic
107062	34533	118000*	5.0	113000*		1,2-DICHLOROETHANE, SUSPENDED	UG/L	General Organic
95501	34536		600			1,2-DICHLOROBENZENE, TOTAL	UG/L	General Organic
95501	34537		600			1,2-DICHLOROBENZENE, DISSOLVED	UG/L	General Organic
95501	34538		600			1,2-DICHLOROBENZENE, SUSPENDED	UG/L	General Organic
78875	34541		5.0			1,2-DICHLOROPROPANE, TOTAL	UG/L	General Organic
78875	34542		5.0			1,2-DICHLOROPROPANE, DISSOLVED	UG/L	General Organic
78875	34543		5.0			1,2-DICHLOROPROPANE, SUSPENDED	UG/L	General Organic
156605	34546		100			TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER	UG/L	General Organic
156605	34547		100			TRANS-1,2-DICHLOROETHENE, DISSOLVED	UG/L	General Organic
156605	34548		100			TRANS-1,2-DICHLOROETHENE, SUSPENDED	UG/L	General Organic
120821	34551		70			1,2,4-TRICHLOROBENZENE, TOTAL	UG/L	General Organic
120821	34552		70			1,2,4-TRICHLOROBENZENE, DISSOLVED	UG/L	General Organic
120821	34553		70			1,2,4-TRICHLOROBENZENE, SUSPENDED	UG/L	General Organic
541731	34566		600			1,3-DICHLOROBENZENE, TOTAL	UG/L	General Organic
541731	34567		600			1,3-DICHLOROBENZENE, DISSOLVED	UG/L	General Organic
541731	34568		600			1,3-DICHLOROBENZENE, SUSPENDED	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
106467	34571		75			1,4-DICHLOROBENZENE, TOTAL	UG/L	General Organic
106467	34572		75			1,4-DICHLOROBENZENE, DISSOLVED	UG/L	General Organic
106467	34573		75			1,4-DICHLOROBENZENE, SUSPENDED	UG/L	General Organic
95578	34586	4380*				2-CHLOROPHENOL, TOTAL	UG/L	General Organic
95578	34587	4380*				2-CHLOROPHENOL, DISSOLVED	UG/L	General Organic
95578	34588	4380*				2-CHLOROPHENOL, SUSPENDED	UG/L	General Organic
120832	34601	2020*				2,4-DICHLOROPHENOL, TOTAL	UG/L	General Organic
120832	34602	2020*				2,4-DICHLOROPHENOL, DISSOLVED	UG/L	General Organic
120832	34603	2020*				2,4-DICHLOROPHENOL, SUSPENDED	UG/L	General Organic
105679	34606	2120*				2,4-DIMETHYLPHENOL, TOTAL	UG/L	General Organic
105679	34607	2120*				2,4-DIMETHYLPHENOL, DISSOLVED	UG/L	General Organic
105679	34608	2120*				2,4-DIMETHYLPHENOL, SUSPENDED	UG/L	General Organic
121142	34611	330*		590*		2,4-DINITROTOLUENE, TOTAL	UG/L	General Organic
121142	34612	330*		590*		2,4-DINITROTOLUENE, DISSOLVED	UG/L	General Organic
121142	34613	330*		590*		2,4-DINITROTOLUENE, SUSPENDED	UG/L	General Organic
72548	34651	0.6*		3.6*		P,P'-DDD, DISSOLVED	UG/L	Pesticide
72548	34652	0.6*		3.6*		P,P'-DDD, SUSPENDED	UG/L	Pesticide
72559	34653	1050*		14*		P,P'-DDE, DISSOLVED	UG/L	Pesticide
72559	34654	1050*		14*		P,P'-DDE, SUSPENDED	UG/L	Pesticide
50293	34655	1.1		0.13		P,P'-DDT, DISSOLVED	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
50293	34656	1.1		0.13		P,P'-DDT, SUSPENDED	UG/L	Pesticide
1746016	34675	0.01*	0.00003			2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN(TCDD), TOT	UG/L	General Organic
1746016	34676	0.01*	0.00003			2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN(TCDD), DISS	UG/L	General Organic
1746016	34677	0.01*	0.00003			2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN(TCDD), SUSP	UG/L	General Organic
108952	34694	10200*		5800*		PHENOL (C6H5OH) - SINGLE COMPOUND, TOTAL	UG/L	General Organic
91203	34696	2300*		2350*		NAPHTHALENE, TOTAL	UG/L	General Organic
75990	38432		200			DALAPON, WATER, TOTAL	UG/L	Pesticide
75990	38433		200			DALAPON, WATER, DISSOLVED	UG/L	Pesticide
75990	38434		200			DALAPON, WATER, SUSPENDED	UG/L	Pesticide
96128	38437		0.2			DIBROMOCHLOROPROPANE, WATER, TOTAL	UG/L	Pesticide
96128	38438		0.2			DIBROMOCHLOROPROPANE, WATER, DISSOLVED	UG/L	Pesticide
96128	38439		0.2			DIBROMOCHLOROPROPANE WATER, SUSPENDED	UG/L	Pesticide
96128	38760		0.2			DBCP, WATER, TOTAL	UG/L	Pesticide
96128	38761		0.2			DBCP, WATER, DISSOLVED	UG/L	Pesticide
96128	38762		0.2			DBCP, WATER, SUSPENDED	UG/L	Pesticide
88857	38779		7.0			DINOSEB, DISSOLVED	UG/L	Pesticide
88857	38780		7.0			DINOSEB, SUSPENDED	UG/L	Pesticide
23135220	38865		200			OXAMYL, TOTAL	UG/L	Pesticide
23135220	38866		200			OXAMYL, DISSOLVED	UG/L	Pesticide
23135220	38867		200			OXAMYL, SUSPENDED	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
145733	38926		100			ENDOTHALL, WHOLE WATER SAMPLE	UG/L	Pesticide
2921882	38932	0.083		0.011		CHLORPYRIFOS, TOTAL RECOVERABLE	UG/L	Pesticide
2921882	38933	0.083		0.011		CHLORPYRIFOS, DISSOLVED	UG/L	Pesticide
2163806	38935		50			MONOSODIUM METHANEARSONATE (MSMA)	UG/L	Pesticide
2921882	39012	0.083		0.011		DURSBAN, FLAME PHOTOMETRIC, WATER SAMPLE	UG/L	Pesticide
56382	39015	0.065				ETHYLPARATHION, FLAME IONIFATION, WATER SAMPLE	UG/L	Pesticide
122349	39025		4.0			SIMAZINE, COULSON CONDUCTIVITY WATER SAMPLE	UG/L	Pesticide
87865	39032	20***	1.0	13		PCP (PENTACHLOROPHENOL) WHOLE WATER SAMPLE	UG/L	Pesticide
1912249	39033		3.0			ATRAZINE IN WHOLE WATER SAMPLE	UG/L	Pesticide
118741	39039	6.0[p]	1.0			HEXACHLOROBENZENE WATER SAMPLE, ELECTRON CPT	UG/L	Pesticide
93721	39045		50			2,4,5-TP INCLUDES ACIDS & SALTS WATER SAMPLE	UG/L	Pesticide
116063	39053		3.0			ALDICARB IN WHOLE WATER	UG/L	Pesticide
122349	39055		4.0			SIMAZINE IN WHOLE WATER	UG/L	Pesticide
117817	39100	2000*	6.0			BIS(2-ETHYLHEXYL) PHTHALATE, WHOLE WATER	UG/L	General Organic
117817	39103	2000*	6.0			BIS(2-ETHYLHEXYL) PHTHALATE, DISSOLVED	UG/L	General Organic
117817	39104	2000*	6.0			BIS(2-ETHYLHEXYL) PHTHALATE, SUSPENDED	UG/L	General Organic
	39117	0.94*		2.994*		PHTHLATE ESTERS IN WATER	MG/L	General Organic
75014	39175		2.0			VINYL CHLORIDE-WHOLE WATER SAMPLE	UG/L	General Organic
79016	39180	45000*	5.0	2000*		TRICHLOROETHYLENE-WHOLE WATER SAMPLE	UG/L	General Organic
50293	39300	1.1		0.13		P,P' DDT IN WHOLE WATER SAMPLE	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
72548	39310	0.6*		3.6*		P,P' DDD IN WHOLE WATER SAMPLE	UG/L	Pesticide
72559	39320	1050*		14*		P,P' DDE IN WHOLE WATER SAMPLE	UG/L	Pesticide
309002	39330	3.0		1.3		ALDRIN IN WHOLE WATER SAMPLE	UG/L	Pesticide
309002	39331	3.0		1.3		ALDRIN IN FILT. FRAC. OF WAT. SAMP.	UG/L	Pesticide
309002	39332	3.0		1.3		ALDRIN IN SUSP. FRAC. OF WAT. SAMP.	UG/L	Pesticide
58899	39340	2.0	0.2	0.16		GAMMA-BHC(LINDANE), WHOLE WATER	UG/L	Pesticide
58899	39341	2.0	0.2	0.16		GAMMA-BHC(LINDANE), DISSOLVED	UG/L	Pesticide
58899	39342	2.0	0.2	0.16		GAMMA-BHC(LINDANE), SUSPENDED	UG/L	Pesticide
57749	39350	2.4	2.0	0.09		CHLORDANE(TECH MIX & METABS), WHOLE WATER	UG/L	Pesticide
57749	39352	2.4	2.0	0.09		CHLORDANE(TECH MIX & METABS), DISSOLVED	UG/L	Pesticide
57749	39353	2.4	2.0	0.09		CHLORDANE(TECH MIX & METABS), SUSPENDED	UG/L	Pesticide
72548	39360	0.6*		3.6*		DDD IN WHOLE WATER SAMPLE	UG/L	Pesticide
72548	39361	0.6*		3.6*		DDD IN FILT. FRAC. OF WATER SMAPLE	UG/L	Pesticide
72548	39362	0.6*		3.6*		DDD IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
72559	39365	1050*		14*		DDE IN WHOLE WATER SAMPLE	UG/L	Pesticide
72559	39366	1050*		14*		DDE IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
72559	39367	1050*		14*		DDE IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
50293	39370	1.1		0.13		DDT IN WHOLE WATER SAMPLE	UG/L	Pesticide
50293	39371	1.1		0.13		DDT IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
50293	39372	1.1		0.13		DDT IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
60571	39380	2.5		0.71		DIELDRIN IN WHOLE WATER SAMPLE	UG/L	Pesticide
60571	39381	2.5		0.71		DIELDRIN IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
60571	39382	2.5		0.71		DIELDRIN IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
115297	39388	0.22		0.034		ENDOSULFAN IN WHOLE WATER SAMPLE	UG/L	Pesticide
72208	39390	0.18	2.0	0.037		ENDRIN IN WHOLE WATER SAMPLE	UG/L	Pesticide
72208	39391	0.18	2.0	0.037		ENDRIN IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
72208	39392	0.18	2.0	0.037		ENDRIN IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
8001352	39400	0.73	3.0	0.21		TOXAPHENE IN WHOLE WATER SAMPLE	UG/L	Pesticide
8001352	39401	0.73	3.0	0.21		TOXAPHENE IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
8001352	39402	0.73	3.0	0.21		TOXAPHENE IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
76448	39410	0.52	0.4	0.053		HEPTACHLOR IN WHOLE WATER SAMPLE	UG/L	Pesticide
76448	39411	0.52	0.4	0.053		HEPTACHLOR IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
76448	39412	0.52	0.4	0.053		HEPTACHLOR IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
1024573	39420	0.52	0.2	0.053		HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE	UG/L	Pesticide
1024573	39421	0.52	0.2	0.053		HEPTACHLOR EPOXIDE IN FILT. FRAC. WATER SAMPLE	UG/L	Pesticide
1024573	39422	0.52	0.2	0.053		HEPTACHLOR EPOXIDE IN SUSP. FRAC. WATER SAMPLE	UG/L	Pesticide
72435	39478		40			METHOXYCHLOR IN WHOLE WATER DISSOLVED	UG/L	Pesticide
72435	39479		40			METHOXYCHLOR IN WHOLE WATER SUSPENDED	UG/L	Pesticide
72435	39480		40			METHOXYCHLOR IN WHOLE WATER SAMPLE	UG/L	Pesticide
56382	39540	0.065				PARATHION IN WHOLE WATER SAMPLE	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
56382	39542	0.065				PARATHION IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
56382	39543	0.065				PARATHION IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
1912249	39630		3.0			ATRAZINE(AATREX) IN WHOLE WATER SAMPLE	UG/L	Pesticide
1912249	39632		3.0			ATRAZINE DISSOLVED IN WATER	PPB	Pesticide
118741	39700	6.0[p]	1.0			HEXACHLOROBENZENE IN WHOLE WATER SAMPLE	UG/L	General Organic
87683	39702	90[*]		32[*]		HEXACHLOROBUTADIENE IN WHOLE WATER SAMPLE	UG/L	General Organic
1918021	39720		500			PICLORAM IN WHOLE WATER SAMPLE	UG/L	Pesticide
94757	39730		70			2,4-D IN WHOLE WATER SAMPLE	UG/L	Pesticide
94757	39732		70			2,4-D IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
94757	39733		70			2,4-D IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
93721	39760		50			SILVEX IN WHOLE WATER SAMPLE	UG/L	Pesticide
93721	39762		50			SILVEX IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
93721	39763		50			SILVEX IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
58899	39782	2.0	0.2	0.16		LINDANE IN WHOLE WATER SAMPLE	UG/L	Pesticide
1071836	39941		700			ROUNDUP IN WHOLE WATER SAMPLE (GLYPHOSATE)	UG/L	Pesticide
7782505	45650	0.019		0.013		CHLORINE, IN ORGANIC COMPOUNDS, WATER, WHOLE	MG/L	General Inorganic
56382	46315	0.065				ETHYL PARATHION IN WHOLE WATER SAMPLE	UG/L	Pesticide
58899	46322	2.0	0.2	0.16		LINDANE PLUS ISOMERS IN WHOLE WATER SAMPLE	UG/L	Pesticide
76448	46326	0.52	0.4	0.053		HEPTACHLOR AND METABOLITES IN WHOLE H2O SAMPLE	UG/L	Pesticide
15972608	46342		2.0			ALACHLOR (LASSO), WATER, DISSOLVED	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7782505	46472	0.019		0.013		CHLORINE, TOTAL RESIDUAL, AVERAGE VALUE, WATER	MG/L	General Inorganic
7782505	46473	0.019		0.013		CHLORINE, FREE AVAILABLE, AVERAGE VALUE, WATER	MG/L	General Inorganic
57125	46479	22	200	1.0		CYANIDE, DISSOLVED, WATER	UG/L	General Inorganic
7440382	46551	360	50	69		ARSENIC, FIELD ACIDIFIED W/HNO3, LAB FILTERED	UG/L	Metal
7440393	46558		2000			BARIUM, FIELD ACIDIFIED W/HNO3-LAB FILT	UG/L	Metal
7440439	46559	3.9[+]	5.0	43		CADMIUM,FIELD ACIDIFIED-HNO3-LAB FILTER	UG/L	Metal
7440473	46560		100			CHROMIUM, FIELD ACIDIFIED-HNO3-LAB FILT.	UG/L	Metal
7440508	46562	18[+]	1300[a]	2.9		COPPER, FIELD ACIDIFIED-HNO3- LAB FILTER.	UG/L	Metal
7439921	46564	82[+]	15[a]	220		LEAD, FIELD ACIDIFIED-HNO3-LAB FILTERED	UG/L	Metal
7440224	46566	4.1[+]	100[s]	0.12		SILVER, FIELD ACIDIFIED-HNO3-LAB FILTER.	UG/L	Metal
7440666	46567	120[+]	5000[s]	95		ZINC, EXTRACTABLE, FIELD ACID W/HNO3,LAB FILTR	UG/L	Metal
56382	49011	0.065				UNKNOWNS AS PARATHION IN WHOLE WATER SAMPLE	UG/L	Pesticide
7782505	50058	0.019		0.013		CHLORINE DOSE	MG/L	General Inorganic
7782505	50060	0.019		0.013		CHLORINE, TOTAL RESIDUAL	MG/L	General Inorganic
7782505	50064	0.019		0.013		CHLORINE, FREE AVAILABLE	MG/L	General Inorganic
7782505	50066	0.019		0.013		CHLORINE, COMBINED AVAILABLE	MG/L	General Inorganic
7782505	50074	0.019		0.013		CHLORITE, WHOLE WATER	MG/L	General Inorganic
	61215				200[^]	FECAL COLIFORM, GENERAL #/100ML	#/100ML	Bacteriological
16887006	70352	860	250[s]			CHLORIDE, ORGANIC	MG/L	General Organic
14797558	71850		44			NITRATE NITROGEN, TOTAL (AS NO3)	MG/L	Nitrogen

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
14797558	71851		44			NITRATE NITROGEN, DISSOLVED (AS NO3)	MG/L	Nitrogen
14797650	71855		3.3			NITRITE NITROGEN, TOTAL (AS NO2)	MG/L	Nitrogen
14797650	71856		3.3			NITRITE NITROGEN, DISSOLVED (AS NO2)	MG/L	Nitrogen
7439976	71890	2.4	2.0	2.1		MERCURY, DISSOLVED	UG/L	Metal
7439976	71895	2.4	2.0	2.1		MERCURY, SUSPENDED	UG/L	Metal
7439976	71900	2.4	2.0	2.1		MERCURY, TOTAL	UG/L	Metal
7439976	71901	2.4	2.0	2.1		MERCURY,TOTAL RECOVERABLE IN WATER AS HG	UG/L	Metal
7440439	71946	3.9[+]	5.0	43		CADMIUM, EXTRACTABLE	UG/L	Metal
7440473	71947		100			CHROMIUM, EXTRACTABLE	UG/L	Metal
7439921	71949	82[+]	15[a]	220		LEAD, EXTRACTABLE	UG/L	Metal
7440666	71950	120[+]	5000[s]	95		ZINC, EXTRACTABLE	UG/L	Metal
7440508	71951	18[+]	1300[a]	2.9		COPPER, EXTRACTABLE	UG/L	Metal
1336363	76011	2000	500	10000		PCBS, SUSPENDED, WATER	NG/L	General Organic
1336363	76012	2000	500	10000		PCBS, TOTAL RECOVERABLE, WATER	NG/L	General Organic
156592	77093		70			CIS-1,2-DICHLOROETHYLENE, WHOLE WATER	UG/L	General Organic
100425	77128		100			STYRENE, WHOLE WATER	UG/L	General Organic
106489	77296			29700[*]		P-CHLOROPHENOL, WHOLE WATER	UG/L	General Organic
106934	77651		0.05			1,2-DIBROMOETHANE, WHOLE WATER	UG/L	General Organic
95954	77687	100[p]		240[p]		2,4,5-TRICHLOROPHENOL, WHOLE WATER	UG/L	General Organic
935955	77769			440[*]		2,3,5,6-TETRACHLOROPHENOL, WHOLE WATER	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
103231	77903		400			BIS (2-ETHYLHEXYL) ADIPATE, WHOLE WATER	UG/L	General Organic
18540299	78247	16	100	1100		CHROMIUM, HEXAVALENT, TOTAL RECOVERABLE	UG/L	Metal
57125	78248	22	200	1.0		CYANIDE, TOTAL RECOVERABLE, WATER, WHOLE	UG/L	Metal
	78456	11*		12*		HALOMETHANES, SUMMATION, WHOLE WATER	MG/L	General Organic
14808798	78462		250s			SULFATE, WATER, DISSOLVED AS S	MG/L	Metal
85007	78885		20			DIQUAT DIBROMIDE (REGLONE) WHOLE WATER SAMPLE	UG/L	Pesticide
7440611	80020		20c			URANIUM, DISS. BY EXTRACTION FLUOROMETRIC	UG/L	Radiological
16065831	80357	1700	100	10300*		CHROMIUM, TRIVALENT, DISSOLVED	UG/L	Metal
57125	81208	0.022	0.2	0.001		CYANIDE,FREE (NOT AMENABLE TO CHLORINATION)	MG/L	General Inorganic
608731	81283	100*		0.34*		BENZENEHEXACHLORIDE, WHOLE WATER	UG/L	Pesticide
88857	81287		7.0			DNBP(C10H12N2O5), WHOLE WATER SAMPLE	UG/L	Pesticide
26638197	81327	23000*	5.0	10300*		DICHLOROPROPANE, WHOLE WATER SAMPLE	UG/L	General Organic
25321226	81333	1120*		1970*		DICHLOROBENZENE ISOMER, WHOLE WATER SAMPLE	UG/L	General Organic
2921882	81403	0.083		0.011		DURSBAN (CHLOROPYRIFOS) WHOLE WATER SAMPLE	UG/L	Pesticide
1563662	81405		40			CARBOFURAN (EURADAN) WHOLE WATER SAMPLE	UG/L	Pesticide
76017	81501	7240*		390*		PENTACHLOROETHANE, WHOLE WATER SAMPLE	UG/L	General Organic
25321226	81524	1120*		1970*		DICHLOROBENZENE, WHOLE WATER SAMPLE	UG/L	General Organic
25322207	81549	9320*				TETRACHLOROETHANE, WHOLE WATER SAMPLE	UG/L	General Organic
26638197	81703	23*	0.005*	10.3*		DICHLOROPROPANE, WHOLE WATER SAMPLE	MG/L	General Organic
7440508	81750	18+	1300a	2.9		COPPER, INTERSTITIAL WATERFROM SEDIMENTS	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7440020	81752	1400[+]	100	75		NICKEL, INTERSTITIAL WATER FROM SEDIMENTS	UG/L	Metal
7440666	81754	120[+]	5000[s]	95		ZINC, INTERSTITIAL WATER FROM SEDIMENTS	UG/L	Metal
25323891	81853	18000[*]				TRICHLOROETHANE, WHOLE WATER SAMPLE	UG/L	General Organic
7439976	81931	2.4	2.0	2.1		MERCURY (HG) SUSPENDED FRACTION OF WATER	UG/G	Metal
7440666	81933	120[+]	5000[s]	95		ZINC (ZN) SUSPENDED FRACTION OF WATER	UG/G	Metal
7439921	81936	82[+]	15[a]	220		LEAD (PB) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440439	81937	3.9[+]	5.0	43		CADMIUM (CD) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440473	81938		100			CHROMIUM (CR) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440508	81939	18[+]	1300[a]	2.9		COPPER (CU) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440666	81940	120[+]	5000[s]	95		ZINC (ZN) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440473	81941		100			CHROMIUM (CR) DISSOLVED ANIONIC SPECIES	UG/L	Metal
7440508	81942	18[+]	1300[a]	2.9		COPPER (CU) DISSOLVED ANIONIC SPECIES	UG/L	Metal
7440666	81943	120[+]	5000[s]	95		ZINC (ZN) DISSOLVED ANIONIC SPECIES	UG/L	Metal
	82078				50[l]	TURBIDITY, FIELD	NTU	Physical
	82079				50[l]	TURBIDITY, LAB	NTU	Physical
88857	82226		7.0			2 SECONDARY BUTYL 4,6-DINITROPHENOL	UG/L	Pesticide
16887006	82295	860000	250000[s]			CHLORIDE DISSOLVED AS CL IN WATER	UG/L	General Inorganic
72435	82350		40			METHOXYCHLOR, DISSOLVED IN WATER	UG/L	Pesticide
72435	82351		40			METHOXYCHLOR, SUSPENDED IN WATER	UG/L	Pesticide
115297	82354	0.22		0.034		ENDOSULFAN, DISSOLVED IN WATER	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
115297	82355	0.22		0.034		ENDOSULFAN, SUSPENDED IN WATER	UG/L	Pesticide
57125	82573	0.022	0.2	0.001		CYANIDE/CHLORINATION IN WATER	MG/L	General Inorganic
1646873	82586		4.0			ALDICARB SULFOXIDE, WATER, TOTAL RECOVERABLE	UG/L	General Organic
1646884	82587		2.0			ALDICARB SULFONE, WHOLE WATER, TOTAL RECOVERABLE	UG/L	General Organic
23135220	82613		200			OXAMYL, WHOLE WATER, TOTAL RECOVERABLE	UG/L	Pesticide
1563662	82615		40			CARBOFURAN, WHOLE WATER, TOTAL RECOVERABLE	UG/L	Pesticide
116063	82619		3.0			ALDICARB, WHOLE WATER, TOTAL RECOVERABLE	UG/L	Pesticide
33213659	82624	0.22		0.034		ENDOSULFAN, BETA, WH WATER, TOTAL RECOVERABLE	UG/L	Pesticide
96128	82625		0.2			DIBROMOCHLOROPROPANE, WATER, TOTAL RECOVERABLE	UG/L	Pesticide

Footnote Key:

[*]Insufficient Data to Develop Criteria. Value Presented is the L.O.E.L. - Lowest Observed Effect Level.

[+]Hardness Dependent Criteria (100 mg/L $CaCO_3$ Used).

[***]pH Dependent Criteria (7.8 pH Used).

[=]Rule of thumb criterion used by the NPS Air Quality Division for determining sensitivity to acid deposition.

[^]Freshwater bathing criterion, EPA geometric mean based on at least 5 samples equally spaced over a 30-day period; Enterococci marine water bathing criterion 35 CFU/100 ml.

[#]EPA freshwater aquatic life chronic criterion; marine criterion is ≤6.5, ≥8.5.

[!]Arizona state standard.

[a]EPA action level, 40 CFR 141.80.

[b]California and Florida state bathing water standards.

[c]A Compilation of Water Quality Goals, California Regional Water Quality Control Board Central Valley Region, Sacramento, California, September, 1991.

[n]Total coliform drinking water maximum contaminant level (1 cfu/100ml or 1 mpn/100ml) was not used in water quality criteria comparisons.

[p]Proposed Criterion.

[r]Average annual concentration assumed to produce a total body or organ dose of 4 mrem/year, 40 CFR 141.16.

[s]EPA National Secondary Drinking Water Regulation, 40 CFR 143.

[t]The maximum contaminant level for the sum of the concentrations of trihalomethanes is 100 µg/L, 40 CFR 141.12.

[u]Coldwater criterion one day minimum; warmwater criterion seven day mean minimum.

Appendix G

Inventory Data Evaluation and Analysis (IDEA)
Servicewide Inventory and Monitoring Program "Level I"
Parameter Groups

The following table provides the Servicewide Inventory and Monitoring Program's "Level I" water quality inventory parameter groups (National Park Service 1993). In order to determine the presence and/or absence of data for each of these parameter groups in the park, the parameter groups had to be defined by STORET parameter codes. This table provides the STORET codes and parameter descriptions for each parameter comprising one of the Servicewide Inventory and Monitoring Program's "Level I" water quality parameter groups. Additional parameters could have been incorporated into each group, but an effort was made to represent each group with the parameters deemed to most likely occur in STORET and parks. The Toxic Elements Parameter Group was defined as the EPA's Clean Water Act Section 304(a) Priority Toxic Pollutants (40 CFR 131.36). Parameters are listed in ascending order of STORET code within each parameter group. It is important to note that similar parameters often have non-consecutive codes. Consequently, scanning the entire list is necessary to find all the parameters of a particular type (eg. lead, copper, etc.). Refer to the Parameter Period of Record Tabulation to obtain the STORET code for any parameter measured in the park.

STORET Code	Water Temperature Parameter Group	C.A.S. Number
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	-
00011	TEMPERATURE, WATER (DEGREES FAHRENHEIT)	-
STORET Code	**Flow Parameter Group[1]**	**C.A.S. Number**
00056	FLOW RATE, GALLONS/DAY	-
00058	FLOW RATE, GALLONS/MIN.	-
00059	FLOW RATE, INSTANTANEOUS, GALLONS/MINUTE	-
00060	FLOW, STREAM, MEAN DAILY CFS	-
00061	FLOW, STREAM, INSTANTANEOUS CFS	-
00065	STAGE, STREAM (FEET)	-
00067	TIDE STAGE CODE	-
00072	STAGE, STREAM (METERS)	-

[1]Tide stage is included in the Flow Parameter Group for coastal parks.

STORET Code	Clarity/Turbidity Parameter Group	C.A.S. Number
00070	TURBIDITY, (JACKSON CANDLE UNITS)	-
00075	TURBIDITY, HELLIGE (PPM AS SILICON DIOXIDE)	-
00076	TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT)	-
00077	TRANSPARENCY, SECCHI DISC (INCHES)	-
00078	TRANSPARENCY, SECCHI DISC (METERS)	-
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	-
82078	TURBIDITY, FIELD NEPHELOMETRIC TURBIDITY UNITS NTU	-
82079	TURBIDITY, LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	-
STORET Code	**Conductivity Parameter Group**	**C.A.S. Number**
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	-
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	-
00096	SALINITY AT 25 DEGREES C (MG/ML)	-
00480	SALINITY - PARTS PER THOUSAND	-
STORET Code	**Dissolved Oxygen Parameter Group**	**C.A.S. Number**
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE (MG/L)	7782447
00300	OXYGEN, DISSOLVED (MG/L)	7782447
00301	OXYGEN, DISSOLVED, PERCENT OF SATURATION	7782447
00389	OXYGEN, DISSOLVED, LAB ANAL. BY PROBE OF FIELD SAMPLE (MG/L)	7782447
STORET Code	**pH Parameter Group**	**C.A.S. Number**
00400	PH (STANDARD UNITS)	-
00403	PH, LAB (STANDARD UNITS)	-
00406	PH, FIELD (STANDARD UNITS)	-

STORET Code	Alkalinity Parameter Group	C.A.S. Number
00409	ALKALINITY, TOTAL, LOW LEVEL GRAN ANALYSIS (µEQ/L)	471341
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	471341
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)	77098
00430	ALKALINITY, CARBONATE (MG/L AS CACO3)	471341
00435	ACIDITY, TOTAL (MG/L AS CACO3)	471341
00440	BICARBONATE ION (MG/L AS HCO3)	71523
00445	CARBONATE ION (MG/L AS CO3)	3812326

STORET Code	Nitrate/Nitrogen Parameter Group	C.A.S. Number
00600	NITROGEN, TOTAL (MG/L AS N)	17778880
00602	NITROGEN, DISSOLVED (MG/L AS N)	17778880
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	17778880
00607	NITROGEN, ORGANIC, DISSOLVED (MG/L AS N)	17778880
00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	17778880
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	17778880
00612	AMMONIA, UNIONZED (MG/L AS N)	7664417
00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	17778880
00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	17778880
00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	17778880
00625	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	17778880
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	17778880
00631	NITRITE PLUS NITRATE, DISSOLVED 1 DET. (MG/L AS N)	17778880
71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH4)	14798039
71846	NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4)	14798039
71850	NITRATE NITROGEN, TOTAL (MG/L AS NO3)	14797558
71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO3)	14797558
71855	NITRITE NITROGEN, TOTAL (MG/L AS NO2)	14797650
71856	NITRITE NITROGEN, DISSOLVED (MG/L AS NO2)	14797650

STORET Code	Phosphate/Phosphorus Parameter Group	C.A.S. Number
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	14265442
00655	PHOSPHATE, POLY (MG/L AS PO4)	14265442
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	14265442
00665	PHOSPHORUS, TOTAL (MG/L AS P)	7723140
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	7723140
00670	PHOSPHORUS, TOTAL ORGANIC (MG/L AS P)	7723140
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	7723140
70505	PHOSPHORUS, TOTAL, COLORIMETRIC METHOD (MG/L AS P)	7723140
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	7723140

STORET Code	Sulfates/Total Dissolved Solids/Hardness Parameter Group	C.A.S. Number
00900	HARDNESS, TOTAL (MG/L AS CACO3)	471341
00945	SULFATE, TOTAL (MG/L AS SO4)	14808798
00946	SULFATE, DISSOLVED (MG/L AS SO4)	14808798
70300	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), (MG/L)	-

STORET Code	Chlorophyll Parameter Group	C.A.S. Number
32209	CHLOROPHYLL A (UG/L) FLUOROMETRIC CORRECTED	479618
32210	CHLOROPHYLL A (UG/L) TRICHROMATIC UNCORRECTED	479618
32211	CHLOROPHYLL A (UG/L) SPECTROPHOTOMETRIC ACID METH.	479618
32217	CHLOROPHYLL A (UG/L) FLUOROMETRIC UNCORRECTED	479618
32223	CHLOROPHYLL A (MG/M2) SPECTROPHOTOMETRIC CORRECTED	479618
32228	CHLOROPHYLL A (MG/M2) PERIPHYTON SPECTRO.	479618
32229	CHLOROPHYLL A (MG/M2) FLUOR. CORRECTED, SUBSTRATER	479618
32230	CHLOROPHYLL A (MG/L)	479618

STORET Code	Bacteria Parameter Group	C.A.S. Number
00111	RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCCI	-
31501	COLIFORM, TOT, MEMBRANE FILTER, IMMED., M-ENDO MED,35C	-
31503	COLIFORM, TOT, MEMBRANE FILTER, DELAY, M-ENDO MED, 35C	-
31504	COLIFORM, TOT, MEMBRANE FILTER, IMMED., LES-ENDO AGAR, 35C	-
31505	COLIFORM, TOT, MPN, CONFIRMED TEST,35C(TUBE 31506)	-
31506	COLIFORM, TOT, MPN, CONFIRMED TEST, TUBE CONFIG.	-
31507	COLIFORM, TOT, MPN, COMPLETED TEST,35C(TUBE 31508)	-
31508	COLIFORM, TOT, MPN, COMPLETED TEST, TUBE CONFIG.	-
31613	FECAL COLIFORM, MEMBR, FILTER,M-FC AGAR,44.5C,24HR	-
31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	-
31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	-
31616	FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5C	-
31617	FECAL COLIFORM, MPN,EIJKMAN TEST,44.5C(TUBE 31618)	-
31625	FECAL COLIFORM, MF, M-FC, 0.7 UM	-
31648	E. COLI - MTEC-MF	-
31649	ENTEROCOCCI- ME-MF	-
31673	FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	-
31676	FECAL STREPTOCOCCI, MPN, KF BROTH, TUBE CONFIG.	-
31677	FECAL STREPTOCOCCI, MPN, AD-EVA, 35C (TUBE 31678)	-
31751	PLATE COUNT, TOTAL, TPC AGAR, 35C, 24 HRS	-
61214	FECAL STREPTOCOCCI, GENERAL #/100ML	-
61215	FECAL COLIFORM, GENERAL #/100ML	-

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants)	C.A.S. Number
00718	CYANIDE, WEAK ACID, DISSOC. WATER, WHOLE (UG/L)	57125
00719	CYANIDE, FREE, IN WATER & WASTEWATERS, HBG (UG/L)	57125
00720	CYANIDE, TOTAL (MG/L AS CN)	57125
00722	CYANIDE, FREE (AMENABLE TO CHLORINATION) (MG/L)	57125

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
00723	CYANIDE, DISSOLVED STD METHOD (UG/L)	57125
00724	CYANIDE COMPLEXED TO A RANGE OF COMPNDS (UG/L)	57125
00969	CHRYSOTILE ASBESTOS FIBERS/LITER	1332214
00973	AMPHIBOLE ASBESTOS FIBERS/LITER	1332214
00976	AMBIGUOUS ASBESTOS FIBERS/LITER	1332214
00977	NON-AMPHIBOLE NON-CHRYSOTILE ASBESTOS FIBERS/LITER	1332214
00978	ARSENIC, TOTAL RECOVERABLE IN WATER AS AS	7440382
00981	SELENIUM, TOTAL RECOVERABLE IN WATER AS SE (UG/L)	7782492
00982	THALLIUM, TOTAL RECOVERABLE IN WATER AS (UG/L)	7440280
00990	SELENITE, TOTAL RECOVERABLE INORGANIC (UG/L)	7782492
00991	ARSENIC, TOTAL RECOVER. TRIVALENT INORGANIC (UG/L)	7440382
00995	ARSENIC, INORGANIC DISSOLVED (UG/L AS AS)	7440382
00996	ARSENIC, INORGANIC SUSPENDED (UG/L AS AS)	7440382
00997	ARSENIC, INORGANIC TOTAL (UG/L AS AS)	7440382
00998	BERYLLIUM, TOTAL RECOVERABLE IN WATER AS BE (UG/L)	7440417
01000	ARSENIC, DISSOLVED (UG/L AS AS)	7440382
01001	ARSENIC, SUSPENDED (UG/L AS AS)	7440382
01002	ARSENIC, TOTAL (UG/L AS AS)	7440382
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	7440417
01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	7440417
01012	BERYLLIUM, TOTAL (UG/L AS BE)	7440417
01025	CADMIUM, DISSOLVED (UG/L AS CD)	7440439
01026	CADMIUM, SUSPENDED (UG/L AS CD)	7440439
01027	CADMIUM, TOTAL (UG/L AS CD)	7440439
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	7440473
01031	CHROMIUM, SUSPENDED (UG/L AS CR)	7440473
01032	CHROMIUM, HEXAVALENT (UG/L AS CR)	7440473
01033	CHROMIUM, TRI-VAL (UG/L AS CR)	16065831
01034	CHROMIUM, TOTAL (UG/L AS CR)	7440473

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
01040	COPPER, DISSOLVED (UG/L AS CU)	7440508
01041	COPPER, SUSPENDED (UG/L AS CU)	7440508
01042	COPPER, TOTAL (UG/L AS CU)	7440508
01049	LEAD, DISSOLVED (UG/L AS PB)	7439921
01050	LEAD, SUSPENDED (UG/L AS PB)	7439921
01051	LEAD, TOTAL (UG/L AS PB)	7439921
01057	THALLIUM, DISSOLVED (UG/L AS TL)	7440280
01058	THALLIUM, SUSPENDED (UG/L AS TL)	7440280
01059	THALLIUM, TOTAL (UG/L AS TL)	7440280
01065	NICKEL, DISSOLVED (UG/L AS NI)	7440020
01066	NICKEL, SUSPENDED (UG/L AS NI)	7440020
01067	NICKEL, TOTAL (UG/L AS NI)	7440020
01074	NICKEL, TOTAL RECOVERABLE IN WATER AS NI (UG/L)	7440020
01075	SILVER, DISSOLVED (UG/L AS AG)	7440224
01076	SILVER, SUSPENDED (UG/L AS AG)	7440224
01077	SILVER, TOTAL (UG/L AS AG)	7440224
01079	SILVER, TOTAL RECOVERABLE IN WATER AS AG (UG/L)	7440224
01089	COPPER AS SUSPENDED BLACK OXIDE IN WATER (MG/L)	7440508
01090	ZINC, DISSOLVED (UG/L AS ZN)	7440666
01091	ZINC, SUSPENDED (UG/L ZN)	7440666
01092	ZINC, TOTAL (UG/L AS ZN)	7440666
01094	ZINC, TOTAL RECOVERABLE IN WATER AS ZN (UG/L)	7440666
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	7440360
01096	ANTIMONY, SUSPENDED (UG/L AS SB)	7440360
01097	ANTIMONY, TOTAL (UG/L AS SB)	7440360
01113	CADMIUM, TOTAL RECOVERABLE IN WATER AS CD (UG/L)	7440439
01114	LEAD, TOTAL RECOVERABLE IN WATER AS PB (UG/L)	7439921
01118	CHROMIUM, TOTAL RECOVERABLE IN WATER AS CR (UG/L)	7440473
01119	COPPER,TOTAL RECOVERABLE IN WATER AS CU (UG/L)	7440508

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
01124	THALLIUM, ACID SOLUBLE, WATER, WHOLE (UG/L)	7440280
01128	THALLIUM,TOTAL RECOVERABLE <95%, UG/L AS TL	7440280
01138	SELENIUM, IN WATER, LBS/DAY	7782492
01145	SELENIUM, DISSOLVED (UG/L AS SE)	7782492
01146	SELENIUM, SUSPENDED (UG/L AS SE)	7782492
01147	SELENIUM, TOTAL (UG/L AS SE)	7782492
01167	SELENIUM, ACID SOLUBLE, WATER, WHOLE (UG/L)	7782492
01220	CHROMIUM, HEXAVALENT, DISSOLVED IN (UG/L AS CR)	18540299
01252	ARSENIC, LB/DAY/CFS STREAM FLOW	7440382
01253	CADMIUM, LB/DAY/CFS STREAM FLOW	7440439
01254	CHROMIUM, TOTAL (LBS/DAY/CFS STREAM FLOW)	7740473
01255	CHROMIUM, HEXAVALENT, LB/DAY/CFS STREAM FLOW	18540299
01256	COPPER, LB/DAY/CFS STREAM FLOW	7440508
01257	CYANIDE LB/DAY/CFS STREAM FLOW	57125
01259	LEAD, LB/DAY/CFS STREAM FLOW	7439921
01260	MERCURY, LB/DAY/CFS STREAM FLOW	7439976
01261	NICKEL, LB/DAY/CFS STREAM FLOW	7440020
01263	SILVER, LB/DAY/CFS STREAM FLOW	7440224
01264	ZINC LB/DAY/CFS STREAM FLOW	7440666
01268	ANTIMONY, (SB), WATER, TOTAL RECOVERABLE (UG/L)	7440360
01291	CYANIDE, FILTERABLE, TOTAL IN WATER (UG/L)	57125
01303	ZINC, POTENTIALLY DISSOLVED WATER (MG/L)	7440666
01304	SILVER, POTENTIALLY DISSOLVED WATER (MG/L)	7440224
01306	COPPER, POTENTIALLY DISSOLVED WATER (MG/L)	7440508
01307	CHROMIUM, HEXAVALENT, POTENT. DISS. WATER (MG/L)	18540299
01309	ARSENIC, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440382
01312	BERYLLIUM, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440417
01313	CADMIUM, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440439

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
01314	CHROMIUM, TRIVALENT, POTENT., DISS., WATER (MG/L)	16065831
01318	LEAD, POTENTIALLY, DISSOLVED, WATER (MG/L)	7439921
01321	MERCURY, POTENTIALLY, DISSOLVED, WATER (MG/L)	7439976
01322	NICKEL, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440020
01323	SELENIUM, POTENTIALLY, DISSOLVED, WATER (MG/L)	7782492
01324	THALLIUM, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440280
01523	SILVER, IONIC (UG/L)	7440224
22675	SELENIUM, DISSOLVED ORGANIC (UG/L)	7782492
22676	SELENIUM, HEXAVALENT, DISSOLVED (UG/L)	7782492
22677	SELENIUM, TETRAVALENT, DISSOLVED	7782492
22678	ARSENIC, DISSOLVED ORGANIC (UG/L)	7440382
22679	ARSENIC, PENTAVALENT, DISSOLVED (UG/L)	7440382
22680	ARSENIC, TRIVALENT, DISSOLVED (UG/L)	7440382
30197	2-CHLOROETHYLVINYL ETHER,WATER,WHL,RECOVER (UG/L)	110758
30201	CHLOROMETHANE, WATER, WHOLE, RECOVERABLE (UG/L)	74873
30202	BROMOMETHANE, WATER, WHOLE, RECOVERABLE (UG/L)	74839
32003	CARBON CHLOROFORM AND CARBON ALCOHOL EXT. (UG/L)	67663
32005	CARBON CHLOROFORM EXTRACTABLES (UG/L)	67663
32021	CARBON CHLOROFORM EXTRACTS, ETHER INSOLUBLE (UG/L)	67663
32022	CARBON CHLOROFORM EXTRACTS, WATER SOLUBLES (UG/L)	67663
32101	BROMODICHLOROMETHANE, WHOLE WATER (UG/L)	75274
32102	CARBON TETRACHLORIDE, WHOLE WATER, (UG/L)	56235
32103	1,2-DICHLOROETHANE, WHOLE WATER (UG/L)	107062
32104	BROMOFORM, WHOLE WATER, (UG/L)	75252
32105	DIBROMOCHLOROMETHANE, WHOLE WATER, (UG/L)	124481
32106	CHLOROFORM, WHOLE WATER (UG/L)	67663
32260	CARBON TETRACHLORIDE EXTRACTABLES (MG/L)	56235
32270	CHLOROFORM EXTRACTABLES TOTAL IN MG PER LITER	67663

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34010	TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXT. (UG/L)	108883
34030	BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXT. (UG/L)	71432
34198	BHC-DELTA, WATER, WHOLE (LBS/DAY)	319868
34200	ACENAPHTHYLENE, TOTAL (UG/L)	208968
34201	ACENAPHTHYLENE, DISSOLVED (UG/L)	208968
34202	ACENAPHTHYLENE, SUSPENDED (UG/L)	208968
34205	ACENAPHTHENE, TOTAL (UG/L)	83329
34206	ACENAPHTHENE, DISSOLVED (UG/L)	83329
34207	ACENAPHTHENE, SUSPENDED (UG/L)	83329
34210	ACROLEIN, TOTAL (UG/L)	107028
34211	ACROLEIN, DISSOLVED (UG/L)	107028
34212	ACROLEIN, SUSPENDED (UG/L)	107028
34215	ACRYLONITRILE, TOTAL (UG/L)	107131
34216	ACRYLONITRILE, DISSOLVED (UG/L)	107131
34217	ACRYLONITRILE, SUSPENDED (UG/L)	107131
34220	ANTHRACENE, TOTAL (UG/L)	120127
34221	ANTHRACENE, DISSOLVED (UG/L)	120127
34222	ANTHRACENE, SUSPENDED (UG/L)	120127
34225	ASBESTOS (FIBROUS) TOTAL (UG/L)	1332214
34226	ASBESTOS (FIBROUS) DISSOLVED (UG/L)	1332214
34227	ASBESTOS (FIBROUS) SUSPENDED (UG/L)	1332214
34230	BENZO(B)FLUORANTHENE, WHOLE WATER (UG/L)	205992
34231	BENZO(B)FLUORANTHENE, DISSOLVED (UG/L)	205992
34232	BENZO(B)FLUORANTHENE, SUSPENDED (UG/L)	205992
34235	BENZENE, DISSOLVED (UG/L)	71432
34236	BENZENE, SUSPENDED (UG/L)	71432
34239	BENZIDINE, DISSOLVED (UG/L)	92875
34240	BENZIDINE, SUSPENDED (UG/L)	92875

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34242	BENZO(K)FLUORANTHENE, TOTAL (UG/L)	207089
34243	BENZO(K)FLUORANTHENE, DISSOLVED (UG/L)	207089
34244	BENZO(K)FLUORANTHENE, SUSPENDED (UG/L)	207089
34247	BENZO-A-PYRENE, TOTAL (UG/L)	50328
34248	BENZO-A-PYRENE, DISSOLVED (UG/L)	50328
34249	BENZO-A-PYRENE, SUSPENDED (UG/L)	50328
34253	A-BHC-ALPHA, DISSOLVED (UG/L)	319846
34254	A-BHC-ALPHA, SUSPENDED (UG/L)	319846
34255	B-BHC-BETA, DISSOLVED (UG/L)	319857
34256	B-BHC-BETA, SUSPENDED (UG/L)	319857
34259	DELTA BENZENE HEXACHLORIDE, TOTAL (UG/L)	319868
34260	DELTA BENZENE HEXACHLORIDE, DISSOLVED (UG/L)	319868
34261	DELTA BENZENE HEXACHLORIDE, SUSPENDED (UG/L)	319868
34265	R-BHC (LINDANE) GAMMA, DISSOLVED (UG/L)	58899
34266	R-BHC (LINDANE) GAMMA, SUSPENDED (UG/L)	58899
34273	BIS (2-CHLOROETHYL) ETHER, TOTAL (UG/L)	111444
34274	BIS (2-CHLOROETHYL) ETHER, DISSOLVED (UG/L)	111444
34275	BIS (2-CHLOROETHYL) ETHER, SUSPENDED (UG/L)	111444
34278	BIS (2-CHLOROETHOXY) METHANE, TOTAL (UG/L)	111911
34279	BIS (2-CHLOROETHOXY) METHANE, DISSOLVED (UG/L)	111911
34280	BIS (2-CHLOROETHOXY) METHANE, SUSPENDED (UG/L)	111911
34288	BROMOFORM, DISSOLVED (UG/L)	75252
34289	BROMOFORM, SUSPENDED (UG/L)	75252
34292	N-BUTYL BENZYL PHTHALATE, WHOLE WATER (UG/L)	85687
34293	N-BUTYL BENZYL PHTHALATE, DISSOLVED (UG/L)	85687
34294	N-BUTYL BENZYL PHTHALATE, SUSPENDED (UG/L)	85687
34297	CARBON TETRACHLORIDE, DISSOLVED (UG/L)	56235
34298	CARBON TETRACHLORIDE, SUSPENDED (UG/L)	56235

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34301	CHLOROBENZENE, TOTAL (UG/L)	108907
34302	CHLOROBENZENE, DISSOLVED (UG/L)	108907
34303	CHLOROBENZENE, SUSPENDED (UG/L)	108907
34306	CHLORODIBROMOMETHANE, TOTAL (UG/L)	124481
34307	CHLORODIBROMOMETHANE, DISSOLVED (UG/L)	124481
34308	CHLORODIBROMOMETHANE, SUSPENDED (UG/L)	124481
34311	CHLOROETHANE, TOTAL (UG/L)	75003
34312	CHLOROETHANE, DISSOLVED (UG/L)	75003
34313	CHLOROETHANE, SUSPENDED (UG/L)	75003
34316	CHLOROFORM, DISSOLVED (UG/L)	67663
34317	CHLOROFORM, SUSPENDED (UG/L)	67663
34320	CHRYSENE, TOTAL (UG/L)	218019
34321	CHRYSENE, DISSOLVED (UG/L)	218019
34322	CHRYSENE, SUSPENDED (UG/L)	218019
34325	CYANIDE, SUSPENDED (MG/L)	57125
34327	DI-N-BUTYL PHTHALATE, DISSOLVED (UG/L)	84742
34328	DICHLOROBROMOMETHANE, DISSOLVED (UG/L)	75274
34329	DICHLOROBROMOMETHANE, SUSPENDED (UG/L)	75274
34336	DIETHYL PHTHALATE, TOTAL (UG/L)	84662
34337	DIETHYL PHTHALATE, DISSOLVED (UG/L)	84662
34338	DIETHYL PHTHALATE, SUSPENDED (UG/L)	84662
34341	DIMETHYL PHTHALATE, TOTAL (UG/L)	131113
34342	DIMETHYL PHTHALATE, DISSOLVED (UG/L)	131113
34343	DIMETHYL PHTHALATE, SUSPENDED (UG/L)	131113
34346	1,2-DIPHENYLHYDRAZINE, TOTAL (UG/L)	122667
34347	1,2-DIPHENYLHYDRAZINE, DISSOLVED (UG/L)	122667
34348	1,2-DIPHENYLHYDRAZINE, SUSPENDED (UG/L)	122667
34351	ENDOSULFAN SULFATE, TOTAL (UG/L)	1031078

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34352	ENDOSULFAN SULFATE, DISSOLVED (UG/L)	1031078
34353	ENDOSULFAN SULFATE, SUSPENDED (UG/L)	1031078
34356	ENDOSULFAN, BETA, TOTAL (UG/L)	33213659
34357	ENDOSULFAN, BETA, DISSOLVED (UG/L)	33213659
34358	ENDOSULFAN, BETA, SUSPENDED (UG/L)	33213659
34361	ENDOSULFAN, ALPHA, TOTAL (UG/L)	959988
34362	ENDOSULFAN, ALPHA, DISSOLVED (UG/L)	959988
34363	ENDOSULFAN, ALPHA, SUSPENDED (UG/L)	959988
34371	ETHYLBENZENE, TOTAL (UG/L)	100414
34372	ETHYLBENZENE, DISSOLVED (UG/L)	100414
34373	ETHYLBENZENE, SUSPENDED (UG/L)	100414
34376	FLUORANTHENE, TOTAL (UG/L)	206440
34377	FLUORANTHENE, DISSOLVED (UG/L)	206440
34378	FLUORANTHENE, SUSPENDED (UG/L)	206440
34381	FLUORENE, TOTAL (UG/L)	86737
34382	FLUORENE, DISSOLVED (UG/L)	86737
34383	FLUORENE, SUSPENDED (UG/L)	86737
34386	HEXACHLOROCYCLOPENTADIENE, TOTAL (UG/L)	77474
34387	HEXACHLOROCYCLOPENTADIENE, DISSOLVED (UG/L)	77474
34388	HEXACHLOROCYCLOPENTADIENE, SUSPENDED (UG/L)	77474
34391	HEXACHLOROBUTADIENE, TOTAL (UG/L)	87683
34392	HEXACHLOROBUTADIENE, DISSOLVED (UG/L)	87683
34393	HEXACHLOROBUTADIENE, SUSPENDED (UG/L)	87683
34396	HEXACHLOROETHANE, TOTAL (UG/L)	67721
34397	HEXACHLOROETHANE, DISSOLVED (UG/L)	67721
34398	HEXACHLOROETHANE, SUSPENDED (UG/L)	67721
34401	HEXACHLOROBENZENE, DISSOLVED (UG/L)	118741
34402	HEXACHLOROBENZENE, SUSPENDED (UG/L)	118741

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34403	INDENO (1,2,3-CD) PYRENE, TOTAL (UG/L)	193395
34404	INDENO (1,2,3-CD) PYRENE, DISSOLVED (UG/L)	193395
34405	INDENO (1,2,3-CD) PYRENE, SUSPENDED (UG/L)	193395
34408	ISOPHORONE, TOTAL (UG/L)	78591
34409	ISOPHORONE, DISSOLVED (UG/L)	78591
34410	ISOPHORONE, SUSPENDED (UG/L)	78591
34413	METHYL BROMIDE, TOTAL (UG/L)	74839
34414	METHYL BROMIDE, DISSOLVED (UG/L)	74839
34415	METHYL BROMIDE, SUSPENDED (UG/L)	74839
34418	METHYL CHLORIDE, TOTAL (UG/L)	74873
34419	METHYL CHLORIDE, DISSOLVED (UG/L)	74873
34420	METHYL CHLORIDE, SUSPENDED (UG/L)	74873
34423	METHYLENE CHLORIDE, TOTAL (UG/L)	75092
34424	METHYLENE CHLORIDE, DISSOLVED (UG/L)	75092
34425	METHYLENE CHLORIDE, SUSPENDED (UG/L)	75092
34428	N-NITROSODI-N-PROPYLAMINE, TOTAL (UG/L)	621647
34429	N-NITROSODI-N-PROPYLAMINE, DISSOLVED (UG/L)	621647
34430	N-NITROSODI-N-PROPYLAMINE, SUSPENDED (UG/L)	621647
34433	N-NITROSODIPHENYLAMINE, TOTAL (UG/L)	86306
34434	N-NITROSODIPHENYLAMINE, DISSOLVED (UG/L)	86306
34435	N-NITROSODIPHENYLAMINE, SUSPENDED (UG/L)	86306
34438	N-NITROSODIMETHYLAMINE, TOTAL (UG/L)	62759
34439	N-NITROSODIMETHYLAMINE, DISSOLVED (UG/L)	62759
34440	N-NITROSODIMETHYLAMINE, SUSPENDED (UG/L)	62759
34443	NAPHTHALENE, DISSOLVED (UG/L)	91203
34444	NAPHTHALENE, SUSPENDED (UG/L)	91203
34447	NITROBENZENE, TOTAL (UG/L)	98953
34448	NITROBENZENE, DISSOLVED (UG/L)	98953

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34449	NITROBENZENE, SUSPENDED (UG/L)	98953
34452	PARACHLOROMETA CRESOL, TOTAL (UG/L)	59507
34453	PARACHLOROMETA CRESOL, DISSOLVED (UG/L)	59507
34454	PARACHLOROMETA CRESOL, SUSPENDED (UG/L)	59507
34457	PCB - 1242, DISSOLVED (UG/L)	53469219
34458	PCB - 1242, SUSPENDED (UG/L)	53469219
34459	PCP (PENTACHLOROPHENOL), DISSOLVED (UG/L)	87865
34460	PCP (PENTACHLOROPHENOL), SUSPENDED (UG/L)	87865
34461	PHENANTHRENE, TOTAL (UG/L)	85018
34462	PHENANTHRENE, DISSOLVED (UG/L)	85018
34463	PHENANTHRENE, SUSPENDED (UG/L)	85018
34466	PHENOL, DISSOLVED (UG/L)	108952
34467	PHENOL, SUSPENDED (UG/L)	108952
34469	PYRENE, TOTAL (UG/L)	129000
34470	PYRENE, DISSOLVED (UG/L)	129000
34471	PYRENE, SUSPENDED (UG/L)	129000
34475	TETRACHLOROETHYLENE, TOTAL (UG/L)	127184
34476	TETRACHLOROETHYLENE, DISSOLVED (UG/L)	127184
34477	TETRACHLOROETHYLENE, SUSPENDED (UG/L)	127184
34481	TOLUENE, DISSOLVED (UG/L)	108883
34482	TOLUENE, SUSPENDED (UG/L)	108883
34485	TRICHLOROETHYLENE, DISSOLVED (UG/L)	79016
34486	TRICHLOROETHYLENE, SUSPENDED (UG/L)	79016
34493	VINYL CHLORIDE, DISSOLVED (UG/L)	75014
34494	VINYL CHLORIDE, SUSPENDED (UG/L)	75014
34496	1,1-DICHLOROETHANE, TOTAL (UG/L)	75343
34497	1,1-DICHLOROETHANE, DISSOLVED (UG/L)	75343
34498	1,1-DICHLOROETHANE, SUSPENDED (UG/L)	75343

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34501	1,1-DICHLOROETHYLENE, TOTAL (UG/L)	75354
34502	1,1-DICHLOROETHYLENE, DISSOLVED (UG/L)	75354
34503	1,1-DICHLOROETHYLENE, SUSPENDED (UG/L)	75354
34506	1,1,1-TRICHLOROETHANE, TOTAL (UG/L)	71556
34507	1,1,1-TRICHLOROETHANE, DISSOLVED (UG/L)	71556
34508	1,1,1-TRICHLOROETHANE, SUSPENDED (UG/L)	71556
34511	1,1,2-TRICHLOROETHANE, TOTAL (UG/L)	79005
34512	1,1,2-TRICHLOROETHANE, DISSOLVED (UG/L)	79005
34513	1,1,2-TRICHLOROETHANE, SUSPENDED (UG/L)	79005
34516	1,1,2,2-TETRACHLOROETHANE, TOTAL (UG/L)	79345
34517	1,1,2,2-TETRACHLOROETHANE, DISSOLVED (UG/L)	79345
34518	1,1,2,2-TETRACHLOROETHANE, SUSPENDED (UG/L)	79345
34521	BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, TOTAL (UG/L)	191242
34522	BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, DISS. (UG/L)	191242
34523	BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, SUSP. (UG/L)	191242
34526	BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, TOTAL (UG/L)	56553
34527	BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, DISS. (UG/L)	56553
34528	BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, SUSP. (UG/L)	56553
34531	1,2-DICHLOROETHANE, TOTAL (UG/L)	107062
34532	1,2-DICHLOROETHANE, DISSOLVED (UG/L)	107062
34533	1,2-DICHLOROETHANE, SUSPENDED (UG/L)	107062
34536	1,2-DICHLOROBENZENE, TOTAL (UG/L)	95501
34537	1,2-DICHLOROBENZENE, DISSOLVED (UG/L)	95501
34538	1,2-DICHLOROBENZENE, SUSPENDED (UG/L)	95501
34541	1,2-DICHLOROPROPANE, TOTAL (UG/L)	78875
34542	1,2-DICHLOROPROPANE, DISSOLVED (UG/L)	78875
34543	1,2-DICHLOROPROPANE, SUSPENDED (UG/L)	78875
34546	TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER (UG/L)	156605

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34547	TRANS-1,2-DICHLOROETHENE, DISSOLVED (UG/L)	156605
34548	TRANS-1,2-DICHLOROETHENE, SUSPENDED (UG/L)	156605
34551	1,2,4-TRICHLOROBENZENE, TOTAL (UG/L)	120821
34552	1,2,4-TRICHLOROBENZENE, DISSOLVED (UG/L)	120821
34553	1,2,4-TRICHLOROBENZENE, SUSPENDED (UG/L)	120821
34556	1,2,5,6-DIBENZANTHRACENE, TOTAL (UG/L)	53703
34557	1,2,5,6-DIBENZANTHRACENE, DISSOLVED (UG/L)	53703
34558	1,2,5,6-DIBENZANTHRACENE, SUSPENDED (UG/L)	53703
34561	1,3-DICHLOROPROPENE, TOTAL (UG/L)	542756
34562	1,3-DICHLOROPROPENE, DISSOLVED (UG/L)	542756
34563	1,3-DICHLOROPROPENE, SUSPENDED (UG/L)	542756
34566	1,3-DICHLOROBENZENE, TOTAL (UG/L)	541731
34567	1,3-DICHLOROBENZENE, DISSOLVED (UG/L)	541731
34568	1,3-DICHLOROBENZENE, SUSPENDED (UG/L)	541731
34571	1,4-DICHLOROBENZENE, TOTAL (UG/L)	106467
34572	1,4-DICHLOROBENZENE, DISSOLVED (UG/L)	106467
34573	1,4-DICHLOROBENZENE, SUSPENDED (UG/L)	106467
34576	2-CHLOROETHYL VINYL ETHER, TOTAL (UG/L)	110758
34577	2-CHLOROETHYL VINYL ETHER, DISSOLVED (UG/L)	110758
34578	2-CHLOROETHYL VINYL ETHER, SUSPENDED (UG/L)	110758
34581	2-CHLORONAPHTHALENE, TOTAL (UG/L)	91587
34582	2-CHLORONAPHTHALENE, DISSOLVED (UG/L)	91587
34583	2-CHLORONAPHTHALENE, SUSPENDED (UG/L)	91587
34586	2-CHLOROPHENOL, TOTAL (UG/L)	95578
34587	2-CHLOROPHENOL, DISSOLVED (UG/L)	95578
34588	2-CHLOROPHENOL, SUSPENDED (UG/L)	95578
34591	2-NITROPHENOL, TOTAL (UG/L)	88755
34592	2-NITROPHENOL, DISSOLVED (UG/L)	88755

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34593	2-NITROPHENOL, SUSPENDED (UG/L)	88755
34596	DI-N-OCTYL PHTHALATE, TOTAL (UG/L)	117840
34597	DI-N-OCTYL PHTHALATE, DISSOLVED (UG/L)	117840
34598	DI-N-OCTYL PHTHALATE, SUSPENDED (UG/L)	117840
34601	2,4-DICHLOROPHENOL, TOTAL (UG/L)	120832
34602	2,4-DICHLOROPHENOL, DISSOLVED (UG/L)	120832
34603	2,4-DICHLOROPHENOL, SUSPENDED (UG/L)	120832
34606	2,4-DIMETHYLPHENOL, TOTAL (UG/L)	105679
34607	2,4-DIMETHYLPHENOL, DISSOLVED (UG/L)	105679
34608	2,4-DIMETHYLPHENOL, SUSPENDED (UG/L)	105679
34611	2,4-DINITROTOLUENE, TOTAL (UG/L)	121142
34612	2,4-DINITROTOLUENE, DISSOLVED (UG/L)	121142
34613	2,4-DINITROTOLUENE, SUSPENDED (UG/L)	121142
34616	2,4-DINITROPHENOL, TOTAL (UG/L)	51285
34617	2,4-DINITROPHENOL, DISSOLVED (UG/L)	51285
34618	2,4-DINITROPHENOL, SUSPENDED (UG/L)	51285
34621	2,4,6-TRICHLOROPHENOL, TOTAL (UG/L)	88062
34622	2,4,6-TRICHLOROPHENOL, DISSOLVED (UG/L)	88062
34623	2,4,6-TRICHLOROPHENOL, SUSPENDED (UG/L)	88062
34626	2,6-DINITROTOLUENE, TOTAL (UG/L)	606202
34627	2,6-DINITROTOLUENE, DISSOLVED (UG/L)	606202
34628	2,6-DINITROTOLUENE, SUSPENDED (UG/L)	606202
34631	3,3'-DICHLOROBENZIDINE, TOTAL (UG/L)	91941
34632	3,3'-DICHLOROBENZIDINE, DISSOLVED (UG/L)	91941
34633	3,3'-DICHLOROBENZIDINE, SUSPENDED (UG/L)	91941
34636	4-BROMOPHENYL PHENYL ETHER, TOTAL (UG/L)	101553
34637	4-BROMOPHENYL PHENYL ETHER, DISSOLVED (UG/L)	101553
34638	4-BROMOPHENYL PHENYL ETHER, SUSPENDED (UG/L)	101553

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34641	4-CHLOROPHENYL PHENYL ETHER, TOTAL (UG/L)	7005723
34642	4-CHLOROPHENYL PHENYL ETHER, DISSOLVED (UG/L)	7005723
34643	4-CHLOROPHENYL PHENYL ETHER, SUSPENDED (UG/L)	7005723
34646	4-NITROPHENOL, TOTAL (UG/L)	100027
34647	4-NITROPHENOL, DISSOLVED (UG/L)	100027
34648	4-NITROPHENOL, SUSPENDED (UG/L)	100027
34651	P,P'-DDD, DISSOLVED (UG/L)	72548
34652	P,P'-DDD, SUSPENDED (UG/L)	72548
34653	P,P'-DDE, DISSOLVED (UG/L)	72559
34654	P,P'-DDE, SUSPENDED (UG/L)	72559
34655	P,P'-DDT, DISSOLVED (UG/L)	50293
34656	P,P'-DDT, SUSPENDED (UG/L)	50293
34657	DNOC (4,6-DINITRO-ORTHO-CRESOL), TOTAL (UG/L)	534521
34658	DNOC (4,6-DINITRO-ORTHO-CRESOL), DISSOLVED (UG/L)	534521
34659	DNOC (4,6-DINITRO-ORTHO-CRESOL), SUSPENDED (UG/L)	534521
34662	PCB - 1221, DISSOLVED (UG/L)	11104282
34663	PCB - 1221, SUSPENDED (UG/L)	11104282
34665	PCB - 1232, DISSOLVED (UG/L)	11141165
34666	PCB - 1232, SUSPENDED (UG/L)	11141165
34671	PCB - 1016, TOTAL (UG/L)	12674112
34672	PCB - 1016, DISSOLVED (UG/L)	12674112
34673	PCB - 1016, SUSPENDED (UG/L)	12674112
34675	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD),TOT(UG/L)	1746016
34676	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)DISS(UG/L)	1746016
34677	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)SUSP(UG/L)	1746016
34694	PHENOL(C6H5OH)-SINGLE COMPOUND TOTAL (UG/L)	108952
34696	NAPHTHALENE, TOTAL (UG/L)	91203
34750	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)TOT(PG/L)	1746016

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34751	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)DISS(PG/L)	1746016
34752	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)SUSP(PG/L)	1746016
39032	PCP (PENTACHLOROPHENOL) WHOLE WATER SAMPLE (UG/L)	87865
39039	HEXACHLOROBENZENE WATER SAMPLE,ELECTRON CPT (UG/L)	118741
39100	BIS(2-ETHYLHEXYL) PHTHALATE, WHOLE WATER (UG/L)	117817
39103	BIS(2-ETHYLHEXYL) PHTHALATE, DISSOLVED, (UG/L)	117817
39104	BIS(2-ETHYLHEXYL) PHTHALATE, SUSPENDED, (UG/L)	117817
39107	PHTHALATES,DIETHYLHEXYL SUS.FRAC.WTR DWT (MG/KG)	117817
39110	DI-N-BUTYL PHTHALATE, WHOLE WATER (UG/L)	84742
39114	DI-N-BUTYL PHTHALATE, SUSPENDED (UG/L)	84742
39115	PHTHALATES,DIBUTYL SUS.FRAC.WATER DWT (UG/KG)	84742
39120	BENZIDINE IN WHOLE WATER SAMPLE (UG/L)	92875
39175	VINYL CHLORIDE-WHOLE WATER SAMPLE (UG/L)	75014
39180	TRICHLOROETHYLENE-WHOLE WATER SAMPLE (UG/L)	79016
39300	P,P' DDT IN WHOLE WATER SAMPLE (UG/L)	50293
39310	P,P' DDD IN WHOLE WATER SAMPLE (UG/L)	72548
39320	P,P' DDE IN WHOLE WATER SAMPLE (UG/L)	72559
39330	ALDRIN IN WHOLE WATER SAMPLE (UG/L)	309002
39331	ALDRIN IN FILT. FRAC. OF WAT. SAMP. (UG/L)	309002
39332	ALDRIN IN SUSP. FRAC. OF WAT. SAMP. (UG/L)	309002
39336	BHC-ALPHA, WATER, WHOLE (LBS/DAY)	319846
39337	ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER (UG/L)	319846
39338	BETA BENZENE HEXACHLORIDE IN WHOLE WATER (UG/L)	319857
39340	GAMMA-BHC(LINDANE), WHOLE WATER (UG/L)	58899
39341	GAMMA-BHC(LINDANE), DISSOLVED (UG/L)	58899
39342	GAMMA-BHC(LINDANE), SUSPENDED (UG/L)	58899
39344	BHC-GAMMA, WATER, WHOLE (LBS/DAY)	58899
39350	CHLORDANE(TECH MIX & METABS), WHOLE WATER (UG/L)	57749

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
39352	CHLORDANE(TECH MIX & METABS), DISSOLVED (UG/L)	57749
39353	CHLORDANE(TECH MIX & METABS), SUSPENDED (UG/L)	57749
39360	DDD IN WHOLE WATER SAMPLE (UG/L)	72548
39361	DDD IN FILT. FRAC. OF WATER SMAPLE (UG/L)	72548
39362	DDD IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	72548
39365	DDE IN WHOLE WATER SAMPLE (UG/L)	72559
39366	DDE IN FILT. FRAC. OF WATER SAMPLE (UG/L)	72559
39367	DDE IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	72559
39370	DDT IN WHOLE WATER SAMPLE (UG/L)	50293
39371	DDT IN FILT. FRAC. OF WATER SAMPLE (UG/L)	50293
39372	DDT IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	50293
39380	DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	60571
39381	DIELDRIN IN FILT. FRAC. OF WATER SAMPLE (UG/L)	60571
39382	DIELDRIN IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	60571
39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	72208
39391	ENDRIN IN FILT. FRAC. OF WATER SAMPLE (UG/L)	72208
39392	ENDRIN IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	72208
39400	TOXAPHENE IN WHOLE WATER SAMPLE (UG/L)	8001352
39401	TOXAPHENE IN FILT. FRAC. OF WATER SAMPLE (UG/L)	8001352
39402	TOXAPHENE IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	8001352
39410	HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	76448
39411	HEPTACHLOR IN FILT. FRAC. OF WATER SAMPLE (UG/L)	76448
39412	HEPTACHLOR IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	76448
39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	1024573
39421	HEPTACHLOR EPOXIDE IN FILT. FRAC. WAT. SAM. (UG/L)	1024573
39422	HEPTACHLOR EPOXIDE IN SUSP. FRAC. WAT. SAM. (UG/L)	1024573
39488	PCB - 1221 IN THE WHOLE WATER SAMPLE (UG/L)	11104282
39492	PCB - 1232 PCB SERIES WHOLE WATER SAMPLE (UG/L)	11141165

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
39496	PCB - 1242 PCB SERIES WHOLE WATER SAMPLE (UG/L)	53469219
39500	PCB - 1248 PCB SERIES WHOLE WATER SAMPLE (UG/L)	12672296
39501	PCB - 1248 IN FILT. FRAC. OF WATER SAMPLE (UG/L)	12672296
39502	PCB - 1248 IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	12672296
39504	PCB - 1254 PCB SERIES WHOLE WATER SAMPLE (UG/L)	11097691
39505	PCB - 1254 IN FILT. FRAC. OF WATER SAMPLE (UG/L)	11097691
39506	PCB - 1254 IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	11097691
39508	PCB - 1260 PCB SERIES WHOLE WATER SAMPLE (UG/L)	11096825
39509	PCB - 1260 IN FILT. FRAC. OF WATER SAMPLE (UG/L)	11096825
39510	PCB - 1260 IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	11096825
39700	HEXACHLOROBENZENE IN WHOLE WATER SAMPLE (UG/L)	118741
39702	HEXACHLOROBUTADIENE IN WHOLE WATER SAMPLE (UG/L)	87683
39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	58899
39920	DNOC IN WHOLE WATER SAMPLE (UG/L)	534521
46322	LINDANE PLUS ISOMERS IN WHOLE WATER SAMPLE (UG/L)	58899
46323	DELTA-BHC IN WHOLE WATER SAMPLE (UG/L)	319868
46326	HEPTACHLOR AND METABOLITES IN WH. H2O SAMP. (UG/L)	76448
46479	CYANIDE, DISSOLVED, WATER (UG/L)	57125
46551	ARSENIC, FIELD ACIDIFIED W/HNO3, LAB FILT. (UG/L)	7440382
46559	CADMIUM, FIELD ACIDIFIED-HNO3-LAB FILTER (UG/L-CD)	7440439
46560	CHROMIUM, FIELD ACIDIFIED-HN03-LAB FILT. (UG/L-CR)	7440473
46562	COPPER, FIELD ACIDIFIED-HNO3-LAB FILTER. (UG/L-CU)	7440508
46564	LEAD, FIELD ACIDIFIED-HNO3-LAB FILTERED (UG/L-PB)	7439921
46566	SILVER, FIELD ACIDIFIED-HNO3-LAB FILTER.(UG/L-AG)	7440224
46567	ZINC, EXTRACT. FIELD ACID W/HNO3, LAB FILT. (UG/L)	7440666
70012	PARACHLOROMETA CRESOL, WATER, WHOLE (LBS/DAY)	59507
70017	HEXACHLOROCYCLOPENTADIENE, WATER, WHOLE (LBS/DAY)	77474
70021	LEAD, (TCLP), WATER, TOTAL (MG/L)	7439921

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
71890	MERCURY, DISSOLVED (UG/L AS HG)	7439976
71895	MERCURY, SUSPENDED (UG/L AS HG)	7439976
71900	MERCURY, TOTAL (UG/L AS HG)	7439976
71901	MERCURY, TOTAL RECOVERABLE IN WATER AS HG (UG/L)	7439976
71946	CADMIUM, EXTRACTABLE (UG/L AS CD)	7440439
71947	CHROMIUM, EXTRACTABLE (UG/L AS CR)	7440473
71949	LEAD, EXTRACTABLE (UG/L AS PB)	7439921
71950	ZINC, EXTRACTABLE (UG/L AS ZN)	7440666
71951	COPPER, EXTRACTABLE (UG/L AS CU)	7440508
73063	CHLOROGUAIACOL,4-, TOTAL, WATER (UG/L)	16766306
73522	PROPANE, 2,2'-OXYBIS(1-CHLORO)- TOTAL (UG/L)	108601
77163	1,3-DICHLOROPROPENE-1, WHOLE WATER (UG/L)	542756
77354	1,1-DICHLORO-2,2-DIFLUOROETHANE WHOLE WATER (UG/L)	471432
77771	3-CHLORO-4-HYDROXYBENZOPHENONE, WHOLE WATER (UG/L)	55191203
78113	ETHYL BENZENE WHOLE WATER SAMPLE (UG/L)	100414
78124	BENZENE IN WATER (VOLATILE ANALYSIS) (UG/L)	71432
78131	TOLUENE IN WHOLE WATER (VOLATILE ANALYSIS) (UG/L)	108883
78208	2,4-DINITRO-O-CRESOL IN WHOLE WATER SAMPLE (UG/L)	534521
78247	CHROMIUM, HEXAVALENT, TOTAL RECOVERABLE, WT (UG/L)	18540299
78248	CYANIDE, TOTAL RECOVERABLE, WATER, WHOLE (UG/L)	57125
80357	CHROMIUM, TRIVALENT, DISSOLVED, AS CR	16065831
81208	CYANIDE, FREE (NOT AMEN. TO CHLORINATION) (MG/L)	57125
81210	CYANIDE - STATE OF ILLINOIS (MG/L)	57125
81214	CADMIUM - STATE OF ILLINOIS (MG/L)-COLD	7440439
81215	CHROMIUM - STATE OF ILLINOIS (MG/L), COLD DIGEST	18540299
81216	CHROMIUM(TRI)-STATE OF ILLINOIS (MG/L)-COLD DIGEST	16065831
81217	CHROMIUM, TOTAL - STATE OF ILLINOIS (MG/L) COLD DIGEST	7440473
81218	COPPER, STATE OF ILLINOIS, MG/L, COLD DIGEST	7440508

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
81220	LEAD, STATE OF ILLINOIS, MG/L, COLD DIGEST	7439921
81222	NICKEL - STATE OF ILLINOIS, MG/L, COLD DIGEST	7440020
81223	SILVER, STATE OF ILLINOIS, MG/L, COLD DIGEST	7440224
81224	ZINC - STATE OF ILLINOIS, MG/L, COLD DIGEST	7440666
81642	SILVER (AG) IN WATER POUNDS PER DAY (LBS/DAY)	7440224
81750	COPPER, INTERSTITIAL WATER FROM SEDIMENTS (UG/L)	7440508
81751	LEAD, INTERSTITIAL WATER FROM SEDIMENTS (UG/L)	7439921
81752	NICKEL, INTERSTITIAL WATER FROM SEDIMENTS (UG/L)	7440020
81753	CADMIUM, INTERSTITIAL WATER FROM SEDIMENT	7440439
81754	ZINC, INTERSTITIAL WATER FROM SEDIMENTS (UG/L)	7440666
81766	HEPTACHLOR EPOXIDE IN EPILITHIC ALGAE SED. (UG/KG)	1024573
81931	MERCURY (HG) SUSPENDED FRACTION OF WATER (UG/G)	7439976
81932	CADMIUM (CD) SUSPENDED FRACTION OF WATER (UG/G)	7440439
81933	ZINC (ZN) SUSPENDED FRACTION OF WATER (UG/G)	7440666
81934	LEAD (PB) SUSPENDED FRACTION OF WATER (UG/G)	7439921
81936	LEAD (PB) DISSOLVED CATIONIC SPECIES (UG/L)	7439921
81937	CADMIUM (CD) DISSOLVED CATIONIC SPECIES (UG/L)	7440439
81938	CHROMIUM, DISSOLVED CATIONIC SPECIES (UG/L)	7440473
81939	COPPER (CU) DISSOLVED CATIONIC SPECIES (UG/L)	7440508
81940	ZINC (ZN) DISSOLVED CATIONIC SPECIES (UG/L)	7440666
81941	CHROMIUM, DISSOLVED ANIONIC SPECIES (UG/L)	7440473
81942	COPPER (CU) DISSOLVED ANIONIC SPECIES (UG/L)	7440508
81943	ZINC (ZN) DISSOLVED ANIONIC SPECIES (UG/L)	7440666
82058	CHROMIUM, TOTAL, PERCENT REMOVAL	7440473
82399	CHROMIUM, HEXAVALENT (KG/BATCH)	18540299
82512	M,P-DICHLOROBENZENE (MEASURES 1,3&1,4) TOT. (UG/L)	541731
82573	CYANIDE/CHLORINATION IN WATER (MG/L)	57125
82621	HEXACHLOROBENZENE, WATER, TOTAL RECOVER. (UG/L)	118741

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
82622	ENDRIN ALDEHYDE, WH. WATER, TOTAL RECOVER. (UG/L)	7421934
82623	ENDOSULFAN SULFATE, WATER, TOTAL RECOVER. (UG/L)	1031078
82624	ENDOSULFAN, BETA, WH. WATER, TOTAL RECOVER. (UG/L)	33213659
82626	1,2-DIPHENYLHYDRAZINE, WATER, TOTAL RECOVER. (UG/L)	122667
82627	PARACHLOROMETA CRESOL, WATER, TOTAL RECOVER. (UG/L)	59507
85006	ZINC, TOTAL - (#/DAY)	7440666
85007	CHROMIUM, TOTAL (#/DAY)	7440473
85010	NICKEL, TOTAL - (#/DAY)	7440020
85013	MERCURY, TOTAL - (#/DAY)	7439976

Appendix H

Literature Cited

Code of Federal Regulations. 1994. Protection of Environment. 40 CFR Parts 100 to 149. Revised as of July 1, 1994. Published by the Office of the Federal Register, National Archives and Records Administration. U.S. Government Printing Office, Washington, D.C. 20402.

Gilbert, R. O. 1987. Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold Co., New York, NY. 320p.

GKY and Associates. 1990. Dam Inventory Database and Retrieval Software: Final Report. U.S. Environmental Protection Agency, Water Quality Analysis Branch. Under Contract #68-03-3339.

Kunkle, S. and J. Wilson. 1984. Specific Conductance and pH Measurements in Surface Waters: An Introduction for Park Natural Resource Specialists. Water Resources Field Support Laboratory Report No. 84-3. National Park Service, Water Resources Division, Fort Collins, Colorado 80525. 51p.

National Park Service. 1993. Strategic Plan for Conducting Baseline Natural Resource Inventories in the National Park Service. National Park Service, Washington Office, Servicewide Inventory and Monitoring Program, Washington, D.C. Unpublished. 17p.

U.S. Environmental Protection Agency. 1995. Quality Criteria for Water 1995. Final Draft. Office of Water Regulations and Standards, Washington, D.C.

U.S. Environmental Protection Agency. 1989. STORET User Handbook. U.S. Environmental Proteciton Agency, Office of Water, Washington, D.C. 20460.

U.S. Environmental Protection Agency. 1992. Office of Water Environmental and Program Information Systems Compendium. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. 20460. 152p.

U.S. Environmental Protection Agency. 1993. Technical Description of the Reach File. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. 20460. 23p.

U.S. Geological Survey. 1982. A U.S. Geological Survey Data Standard: Codes for the Identification of Hydrologic Units in the United States and Caribbean Outlying Areas. Geological Survey Circular 878-A. U.S. Geological Survey, Water Resources Division, Reston, VA. 22092. 115p.

U.S. Geological Survey 1992. Hydro-Climatic Data Network: A U.S. Geological Survey Streamflow Data Set for the United States for the Study of Climate Variations 1874-1988. Open File Report 92-129/USGS Water Supply Paper No. 2406. U.S. Geological Survey, Water Resources Division, Reston, VA. 22092. 193p.

Ward, R. C., J. C. Loftis, and G. B. McBride. 1990. Design of Water Quality Monitoring Systems. Van Nostrand Reinhold Co., New York, NY. 231p.

Appendix I

Selected General Water Quality References

American Public Health Association. 1989. Standard Methods for the Examination of Water and Wastewater (17th ed.). Washington, D.C. 1476p.

Drever, J. I. 1982. The Geochemistry of Natural Waters. Prentice-Hall, Inc., Englewood Cliffs, NJ. 388p.

Dunne, T. and L. B. Leopold. 1978. Water in Environmental Planning. W.H. Freeman and Company, San Francisco, CA. 818p.

Everett, L. G. 1980. Groundwater Monitoring. General Electric Co., Schenectady, NY. 440p.

Fetter, C. W. 1988. Applied Hydrogeology (2nd ed.). MacMillan Publishing Co., New York, NY. 592p.

Flora, M. D., T. E. Ricketts, J. Wilson, and S. Kunkle. 1984. Water Quality Criteria: An Overview for Park Natural Resource Specialists. WRFSL Report No. 84-4. National Park Service, Water Resources Field Support Laboratory, Fort Collins, CO. 46p.

Gilbert, R. O. 1987. Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold Co., New York, NY. 320p.

Hem, J. D. 1985. Study and Interpretation of the Chemical Characteristics of Natural Water (3rd ed.). U.S. Geological Survey Water-Supply Paper 2254. U.S. Government Printing Office, Washington, D.C. 263p.

Kunkle, S., W. S. Johnson, and M. Flora. 1987. Monitoring Stream Water Quality for Land-Use Impacts: A Training Manual for Natural Resource Management Specialists. Water Resources Division, National Park Service, Fort Collins, CO. 102p.

Kunkle, S. and J. Wilson. 1984. Specific Conductance and pH Measurements in Surface Waters: An Introduction for Park Natural Resource Specialists. Water Resources Field Support Laboratory Report No. 84-3. National Park Service, Water Resources Division, Fort Collins, Colorado 80525. 51p.

Merritt, R. W., and K. W. Cummins (eds.). 1984. An Introduction to the Aquatic Insects of North America (2nd ed.). Kendall/Hunt Publishing Co., Dubuque, IA. 44p.

Morel, F. M. 1983. Principles of Aquatic Chemistry. John Wiley & Sons, Inc., New York, NY. 446p.

Nielsen, D. M. (ed.). 1991. Practical Handbook of Ground-Water Monitoring. Lewis Publishers, Inc. Chelsea, MI. 717p.

Ponce, S. L. 1980a. Statistical Methods Commonly Used in Water Quality Data Analysis. WSDG Technical Paper WSDG-TP-00001. U.S. Department of Agriculture, Forest Service, Watershed Systems Development Group, Fort Collins, CO. 136p.

Ponce, S. L. 1980b. Water Quality Monitoring Programs. WSDG Technical Paper WSDG-TP-00002. U.S. Department of Agriculture, Forest Service, Watershed Systems Development Group, Fort Collins, CO. 68p.

Rand, G. M. and S. R. Petrocelli (eds.). 1985. Fundamentals of Aquatic Toxicology. Hemisphere Publishing Co., New York, NY. 666p.

Rantz, S. E. and others. 1982. Measurement and Computation of Streamflow: Volume 1. Measurement of Stage and Discharge. Volume 2. Computation of Discharge. U.S. Department of the Interior, Geological Survey Water Supply Paper 2175. 631p.

Stednick, J.D. and D. M. Gilbert. 1998. Water Quality Inventory Protocol: Riverine Environments. National Park Service, Water Resources Division Technical Report NPS/NRWRD/NRTR-98/177. Fort Collins, CO. 103p.

Stednick, J. D. 1991. Wildland Water Quality Sampling and Analysis. Academic Press, Inc., San Diego, CA. 217p.

United Nations Educational, Scientific and Cultural Organization (UNESCO). 1978. Water Quality Surveys: A Guide for the Collection and Interpretation of Water Quality Data. IHD-WHO Working Group on the Quality of Water, Paris, France. 350p.

U.S. Department of the Interior. 1977. National Handbook of Recommended Methods for Water-Data Acquisition. U.S. Geological Survey, Office of Water-Data Coordination, Reston, VA. 990p.

U.S. Environmental Protection Agency. 1978. Microbiological Methods for Monitoring the Environment: Water and Wastes. R. H. Border, J. A. Winter, and P. W. Scarpino. EPA-600/8-78-017. Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 338p.

U.S. Environmental Protection Agency. 1979b. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-020. (Revised March 1983). Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 460p.

U.S. Environmental Protection Agency. 1983. Water Quality Standards Handbook. Office of Water Regulations and Standards, Washington, D.C. 218p.

U.S. Environmental Protection Agency. 1995. Quality Criteria for Water 1995. Final Draft. Office of Water Regulations and Standards, Washington, D.C.

U.S. Environmental Protection Agency. 1989. Rapid Bioassessment Protocols for Use in Streams and Rivers: Benthic Macroinvertebrates and Fish. J. L. Plafkin, M. T. Barbour, K. D. Porter, S. K. Gross, and R. M. Hughes. EPA-444/4-89-001. Office of Water Regulations and Standards, Assessment and Watershed Protection Division, Washington, D.C. 162p.

U.S. Environmental Protection Agency. 1990. Macroinvertebrate Field and Laboratory Methods for Evaluating the Biological Integrity of Surface Waters. D. J. Klemm, P. A. Lewis, F. Fulk, and J. M. Lazorchak. EPA-600/4-90-030. Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 256p.

U.S. Environmental Protection Agency. 1991a. Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms (4th ed.). C. I. Weber, ed. EPA-600/4-90-027. Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 293p.

U.S. Environmental Protection Agency. 1991b. Monitoring Guidelines to Evaluate Effects of Forestry Activities on Streams in the Pacific Northwest and Alaska. L. H. MacDonald, A. W.Smart, and R. C. Wissmar. EPA-910/9-91-001. Region 10, Seattle, WA. 162p.


U.S. Environmental Protection Agency. 1993. Guide to Federal Water Quality Programs and Information. T. Stuart and N. P. Ross. EPA-230-B-93-001. Office of Strategic Planning and Environmental Data, Environmental Statistics and Information Division. Washington, D.C. 194p.

Verschueren, K. 1983. Handbook of Environmental Data on Organic Chemicals (2nd ed.). Van Nostrand Reinhold Co., New York, NY. 1310p.

Viessman W. and M. J. Hammer. 1985. Water Supply and Pollution Control (4th ed.). Harper and Row, Publishers, Inc. New York, NY. 797p.

Ward, R. C., J. C. Loftis, and G. B. McBride. 1990. Design of Water Quality Monitoring Systems. Van Nostrand Reinhold Co., New York, NY. 231p.

Wetzel, R. G. 1983. Limnology (2nd ed.). Sanders College Publishing, Philadelphia, PA. 767p.



As the nation's principal conservation agency, the Department of the Interior has the responsibility for most of our nationally owned public lands and natural and cultural resources. This includes fostering wise use of our land and water resources, protecting our fish and wildlife, preserving the environmental and cultural values of our national parks and historical places, and providing for enjoyment of life through outdoor recreation. The Department assesses our energy and mineral resources and works to ensure that their development is in the best interests of all our people. The Department also promotes the goals of the Take Pride in America campaign by encouraging stewardship and citizen responsibility for the public lands and promoting citizen participation in their care. The Department also has a major responsibility for American Indian reservation communities and for people who live in island territories under U.S. administration.

NPS D-82 December 1997