



WATER-RIGHT DOCKET

Lake Roosevelt National Recreation Area

Docket No: 10

KETTLE FALLS CAMPGROUND.

Preliminary Docket Information

03-03-1964: water docket information; march 03, 1964

WATER DOCKET INFORMATION

A R E A COULEE DAM NRA

DOCKET NO. 10

APPLICATION NO. 18484

PERMIT NO. 13673

CERTIFICATE NO. 9279

TITLE OF DOCKET KETTLE FALLS CAMPGROUND

PRIORITY March 3, 1964

REMARKS: Roosevelt Lake 0.50 c.f.s.

S. P. No. 349-1-37-5M. 47578, O.S.

365979

CERTIFICATE RECORD No. 19, Page No. 9279

STATE OF WASHINGTON, COUNTY OF Stevens

CERTIFICATE OF SURFACE WATER RIGHT

(In accordance with the provisions of Chapter 127, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the State Supervisor of Water Resources thereunder.)

This is to certify that S. DEPT. OF INTERIOR, NAT'L PARK SERV., COULEE DAM NAT'L RECREATION AREA
of Coulee Dam, State of Washington, has made
proof to the satisfaction of the State Supervisor of Water Resources of Washington, of a right to the use
of the waters of Franklin D. Roosevelt Lake, a tributary of the Columbia River
with point or points of diversion within the NW1/4 SW1/4
Sec. 23, Twp. 36 N., R. 37 E., W. M., under and subject to provisions contained in
appropriation Permit No. 13572 issued by the State Supervisor of Water Resources, and
that said right to the use of said waters has been perfected in accordance with the laws of Washington,
and is hereby confirmed by the State Supervisor of Water Resources of Washington and entered of
record in Volume 19, at Page 9279, on the 2 day of February, 1965
that the priority date of the right hereby confirmed is March 3, 1964; that the
amount of water under the right hereby confirmed, for the following purposes is limited to an amount
actually beneficially used and shall not exceed 0.34 cubic feet per second during entire year for
community domestic supply; 0.10 cubic feet per second, 20 acre-feet per year, during
irrigation season each year, for irrigation of 5 acres.

A description of the lands under such right to which the water right is appurtenant, and the
place where such water is put to beneficial use, is as follows:

Kettle Falls Campground, within NE1/4 of Sec. 23; E1/4NW1/4 of Sec. 26; SW1/4NE1/4 of Sec. 26;
and NW1/4SE1/4 of Sec. 26; all in T. 36 N., R. 37 E.W.M.

365979

indexed ☒ Recorded ☒ Compared ☒ Pages
State of Washington, County of Stevens, as
Filed FEB 4 1965 At 11:09 A.M.
Recorded in G. of Water Rights Book 327
at request of State of Washington
Department of Conservation

BLA W. ZOOPSMA
County Auditor

sent to: National Park Service
U.S. Dept. of Interior
Coulee Dam, Washington

\$2.00

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of
use herein described, except as provided in Sections 6 and 7, Chapter 122, Laws of 1929.

WITNESS the seal and signature of the State Supervisor of Water Resources affixed this

2 day of February, 1965

M. Walker
State Supervisor of Water Resources.

Permit No. 13673

Certificate of Surface Water Right

Recorded in the office of State Supervisor
of Water Resources, Olympia, Washington,
in Book No. 19 of Water Right
Certificates, on Page 9279, on
the 2 day of February,
19 65

STATE OF WASHINGTON, }
County of _____ } ss.

I certify that the within was received
and duly recorded by me in Volume _____
of Book of Water Right Certificates, Page
_____ on the _____ day of
_____, 19____

STATE PRINTING PLANT, OLYMPIA, WASH.

Proof of Appropriation of Water

Application No. 18484Permit No. 13673

1. Name of Permittee Coulee Dam National Recreation Area
2. Postoffice address Box 37, Coulee Dam, Washington 99116
3. Source of appropriation Franklin D. Roosevelt Lake (Columbia River)
4. Name or number of works (if any) None
5. For what purpose or purposes is water used? Community domestic supply and irrigation of public campground.
6. Give date of beginning of construction 1955
7. Give date of completion of construction work, including water distribution system June 30, 1963
8. Give date when water was completely applied to proposed use June 30, 1963
9. If used for irrigation:
 - Give number of acres described in permit 5
 - Give number of acres actually irrigated 5
10. If used for power: HP actually developed None
11. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS USED:

NEX of Sec. 23; E1/4NW1/4 Sec. 26; SW1/4NW1/4 Sec. 26; NW1/4SE1/4 Sec. 26;
all in T. 36 N., R. 37 E., W. M.
12. During what months is water used? April through October
13. Does map filed with your application show correctly the location of well or point of diversion for withdrawal of water, and area of land where water is used? Yes
14. If the dimensions, location or type of structure do not correspond to those described in your permit, state what changes have been made, giving dimensions, etc. N/A
15. Actual measured discharge or diversion of permanent system: 200 (gpm or cfs)

(Sign certification on reverse side)

STATE OF WASHINGTON,

County of Okanogan } ss.

I, Harmer W. Robinson, being first duly sworn, depose and say that I have read the above and foregoing proof of appropriation; that I know the contents thereof; and that the facts therein stated are true.

IN WITNESS WHEREOF, I have hereunto set my hand this 26th day of January, 1965

Harmer W. Robinson

Subscribed and sworn to before me this 26 day of Jan., 1965

Velma M. Hagman
Notary Public.



DIVISIONS:
RECLAMATION
FLOOD CONTROL
WATER RESOURCES
MINES AND GEOLOGY
COLUMBIA BASIN PROJECT
POWER RESOURCES
WEATHER MODIFICATION

January 12, 1965

U. S. Department of Interior
National Park Service
Coulee Dam, Washington

Gentlemen:

Re: S. W. Permit No. 13673

We acknowledge receipt of Notice of Completion of
Construction under the above
numbered permit wherein you state the work is completed.

If you will file the enclosed form as soon as the water
has been put to the full use, a final water right
certificate may be issued to you. Please enclose the
statutory filing and recording fees of \$3.00 payable to the
Department of Conservation and \$2.00
made out to the Stevens County Auditor.

Please send two separate checks or money orders.

Very truly yours,

DEPARTMENT OF CONSERVATION

EARL COE, DIRECTOR

MGW: mh
Enc. 1

M. G. Walker
M. G. WALKER, Supervisor
Division of Water Resources

L 54

Coulee Dam National Recreation Area
Coulee Dam, Washington 99116

January 8, 1965

RECEIVED		
NPS Western-Regional Office		
JAN 11 '65		
	Surname	Date
Reg. Dir.		
Asst. R.D. (AD)		
Asst. R.D. (OP)		
Asst. R.D. (CA)		
Asst. to R.D. (PA)		
Sp. Asst. (Dev)		
Sp. Asst. to R.D.		
R. S. Advisor		

Morris

State of Washington
Department of Conservation
335 General Administration Building
Olympia, Washington

Gentlemen:

Enclosed are Notice of Completion of Construction forms
for the following permits:

Public Water Permit No. 13673 ✓
Public Ground Water Permit No. 6861
" " " " 6862

Very truly yours,

Charles P. Woodbury
Acting Superintendent

Enclosures-3

cc:

Western Region w/copies Notice of Completion of Construction,
Dept. of Cons. letter 12/28/64
Instructions
Permits

Notice of Completion of Construction

U. S. Department of the Interior
I, National Park Service

, the holder of Permit No. 13673

issued by the State Supervisor of Water Resources of the State of Washington for the appropriation of
0.50 second-feet of the unappropriated waters of Franklin D. Roosevelt Lake, in
accordance with the tenor of such permits and the limitations endorsed therein by the State Supervisor
of Water Resources, have completed the construction of the works described therein, on the 30th
day of June, 1963.

Remarks:

IN WITNESS WHEREOF, I have hereunto set my hand this 5th day of January, 1965

Homer W. Robinson
(Signature of applicant)

Box 37, Coulee Dam, Washington
(Present address)



ALBERT D. ROSELLINI
GOVERNOR

STATE OF WASHINGTON
Department of Conservation
ROY MUNDY, DIRECTOR
338 GENERAL ADMINISTRATION BUILDING
OLYMPIA

DIVISIONS:
RECLAMATION
FLOOD CONTROL
WATER RESOURCES
MINES AND GEOLOGY
COLUMBIA BASIN PROJECT
POWER RESOURCES
WEATHER MODIFICATION

December 28, 1964



DEC 29 1964

C. D. N. R. A.

National Park Service
U. S. Dept. of Interior
Gallatin, Ban, Washington

Gentlemen:

Enclosed is Permit No. 12673 issued to you under
Application No. 18484. As the examination report
of our inspector indicates that you have already begun
construction on your project, we are enclosing a
Notice of Completion of Construction. Please file this
notice when you have finished the work.

Please read carefully the instruction sheet as well as both
sides of your copy of the permit.

Very truly yours,

DEPARTMENT OF CONSERVATION

ROY MUNDY, DIRECTOR

MGW: nsh
Enc. 4

M. G. Walker
M. G. WALKER, Supervisor
Division of Water Resources

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
Division of Water Resources

Permit to Appropriate Public Waters of the State of Washington

Book No. 35 of Permits, on Page 13673 Under Application No. 18484

U. S. DEPARTMENT OF INTERIOR, NATIONAL PARK SERVICE, COULEE DAM NATIONAL RECREATION AREA
of Coulee Dam, Washington

is hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the following limitations and provisions: Permittee shall construct and maintain at his own expense a weir, or other suitable device, for measuring any water granted herein for irrigation purposes and such appropriation shall be subject to a reasonable rotation system if ordered by the State Supervisor of Water Resources. ~~The diversion intake shall be tightly screened at all times with wire having a mesh opening not greater than .125 (1/8) inch.~~

Priority date of this permit is March 3, 1964

Source of the proposed appropriation is Franklin D. Roosevelt Lake (Columbia River)
tributary of

The quantity of water appropriated shall be limited to the amount which can be beneficially applied and not to exceed 0.50 cubic feet per second, or its equivalent in case of rotation, to be used for the following purposes: Community domestic supply and irrigation for public campground
as more definitely set out below.

The approximate point of diversion is located 2260 feet west and 1200 feet south from the center of Sec. 23

being within NW 1/4 SW 1/4 Sec. 23 Twp. 36 N., Rge. 37 E. W. M.,
county of Stevens

The use, or uses, to which water is to be applied:

FOR DOMESTIC SUPPLY AND MISCELLANEOUS USES: 0.40 cubic feet per second during entire year for Community Domestic supply to be used within Sec. , Twp. N., Rge. W. M.,

FOR IRRIGATION: 0.10 cubic feet per second, 20 acre-feet per year, ~~from during irrigation season~~ each year for irrigation of 5 acres described as follows:

Kettle Falls Campground, within NE 1/4 of Sec. 23; E 1/2 NW 1/4 of Sec. 26; SW 1/4 NE 1/4 of Sec. 26; and NW 1/4 SE 1/4 of Sec. 26; All in T. 36 N., R. 37 E. W. M.

For POWER: cubic feet per second continuously each year. Total power to be developed theoretical horse power. Total fall to be utilized feet.
Nature of works by means of which power is to be developed
Works to be located in Sec., Twp. N., Rge. W. M.
Water to be returned to
Point of return Sec., Twp. N., Rge. W. M.
Use to which power is to be applied
FOR MUNICIPAL SUPPLY: cubic feet per second during entire year to supply

DESCRIPTION OF DIVERSION WORK

Height of dam ft.; Length on top ft.; Length on bottom ft.
Material to be used and character of construction

Description of headgate **Electric pump, 50 g.p.m. capacity for domestic; 2 pumps 15 g.p.m. capacity for operation of sprinkler system for irrigation; contemplated installation of larger pump.**
CANAL SYSTEM

AT HEADGATE Width on top (at water line) ft.; Width on bottom ft.;
Depth of water ft.; Grade ft. fall per one thousand feet.
AT MILES FROM HEADGATE Width on top (at water line) ft.; Width on bottom ft.; Depth of water ft.; Grade feet per one thousand feet.

(Please read carefully provisions below)

Construction work shall begin on or before **Started**
and shall thereafter be prosecuted with reasonable diligence and completed on or before
January 1, 1966
and complete application of water to proposed uses shall be made on or before
January 1, 1967

Given under my hand and the seal of this office at Olympia, Washington, this **24** day of
December, 19**64**

M. B. Walker
State Supervisor of Water Resources



ALBERT D. ROSELLINI
GOVERNOR

STATE OF WASHINGTON
Department of Conservation

335 GENERAL ADMINISTRATION BUILDING
OLYMPIA

December 3, 1964

DIVISIONS:

RECLAMATION
FLOOD CONTROL
WATER RESOURCES
MINES AND GEOLOGY
COLUMBIA BASIN PROJECT
POWER RESOURCES
WEATHER MODIFICATION
SOIL & WATER CONSERVATION
COMMITTEE

Mr. Manuel Morris, Hydraulic Engineer
United States Department of Interior
National Park Service
Western Region
450 Golden Gate Avenue
Box 36063
San Francisco, California 94102

Dear Mr. Morris:

Re: Ground Water Applications No. 7143 & 7144
Surface Water Application No. 18483, 18484,
18485 and 18486 (Your number L 54)

Receipt is acknowledged of your letter dated December 1, 1964. You are advised that upon receipt of the warrant in the amount of \$100.00, permits will issue under all of the above applications except Surface Water Application No. 18484.

Regarding said Surface Water Application No. 18484, you may consider this letter as an amendment to our report of examination mailed to your Coulee Dam office on August 27, 1964. We have amended our copy of the report in accordance with the new information submitted in your letter such that the recommended quantity has been increased to 0.50 c.f.s. which is divided as follows:

0.10 c.f.s. and 20 acre-feet annually for the irrigation of 5 acres
0.40 c.f.s. for community domestic supply

If you concur with this amendment, we can resume processing by requesting you how to submit a voucher in the amount of \$20.00 to cover the statutory fee for issuance of permit.

Please note that we are sending a copy of this letter to Superintendent Robinson for his records.

Yours very truly,

DEPARTMENT OF CONSERVATION
ROY MUNDY, DIRECTOR

Eugene F. Wallace
EUGENE F. WALLACE, Geologist
Division of Water Resources

EW/ch

cc: Homer W. Robinson, Supt.
Coulee Dam Natl. Recreation Area
Coulee Dam, Washington 99116



ALBERT D. ROSCELLINI
GOVERNOR

STATE OF WASHINGTON
Department of Conservation

335 GENERAL ADMINISTRATION BUILDING
OLYMPIA

November 19, 1964

DIVISIONS:

RECLAMATION
FLOOD CONTROL
WATER RESOURCES
MINES AND GEOLOGY
COLUMBIA BASIN PROJECT
POWER RESOURCES
WEATHER MODIFICATION
SOIL & WATER CONSERVATION
COMMITTEE

United States Department of the Interior
National Park Service
Western Region
450 Golden Gate Avenue
Box 36063
San Francisco, California 94102

ATTENTION: Manuel Morris, Hydraulic Engineer

Gentlemen:

Re: Ground Water Applications No. 7143 and 7144;
Surface Water Applications No. 18483, 18484, 18485
and 18486 (Your number L 54)

Enclosed please find signed voucher, payable to the Department of Conservation, in the amount of \$120.00 to cover statutory permit fees relative to the above-mentioned applications.

In checking the various files, we have found two points in question that you should be advised of. First, in reference to the Report of Examination for Surface Water Application No. 18484, the total quantity recommended was erroneous. The indicated quantity of 0.18 c.f.s. should have been 0.21 c.f.s. We have made the necessary correction and permit will issue for the larger amount.

The second point in question refers to Surface Water Application No. 18485 which was submitted for the appropriation of 0.05 c.f.s. from an unnamed spring for your San Poil Bay Campground. The application indicates a 3" pipeline to a 5,000 gallon storage tank with a 3" line from the tank to campground where it is reduced to a 1½" line through the campground. Our concern is that you may not have filed for enough water. If the capacity of the installed system is greater than 0.05 c.f.s. (22.5 g.p.m.), you should probably request an amendment of the application to increase the quantity to the actual capacity of your system. These comments are only submitted for your consideration because we do not know the actual capacity of the installed system.

If you feel you have adequate coverage under the application in question, you should remit the full warrant according to the enclosed voucher and

November 19, 1964

United States Department of the Interior
National Park Service
Western Region
450 Golden Gate Avenue
Box 36063
San Francisco, California 94102

ATTENTION: Manuel Morris, Hydraulic Engineer

permits will be issued under all six applications. If, however, you do check the capacity of the system under Surface Water Application No. 18485 and decide to request an amendment you should submit a warrant for only \$100.00 to cover the five other applications.

Very truly yours,

DEPARTMENT OF CONSERVATION
ROY MUNDY, DIRECTOR


EUGENE F. WALLACE, Geologist
Division of Water Resources

NOTICE OF WATER RIGHT APPLICATION NO. 18484
 State of Washington, Office of Supervisor of Water Resources, Department of Conservation, Olympia.
TAKE NOTICE:
 That National Park Service, U. S. Department of Interior of Coulee Dam, Washington on March 3, 1964 filed application for permit to divert the public waters of Franklin D. Roosevelt Lake (Columbia River), in the amount of 0.50 second-foot, subject to existing rights, continuously for domestic supply and during irrigation season for irrigation each year for the purpose of irrigation and community domestic supply for public campgrounds that the approximate point of diversion is located within NW 1/4 of SW 1/4 of Section 23, Township 36 N., Range 37 E. W.M., in Stevens County.
 Any objections must be accompanied by a two dollar (\$2.00) recording fee and filed with the State Supervisor of Water Resources within thirty (30) days from June 5, 1964.
 Witness my hand and official seal this 8th day of May, 1964.
 (SEAL)
 M. G. WALKER
 State Supervisor of Water Resources
 May 29-June 5, 1964

State of Washington, County of Stevens, ss.

Chas. Graham, being first duly sworn, deposes and says that he is publisher of THE STATESMAN-EXAMINER, a weekly newspaper printed and published at Colville, Stevens County, Washington, and of general circulation in said county and state and that the notice, of which the annexed is a printed copy, was published in the regular and entire issue of said newspaper for a period of 2 consecutive weeks; that the first publication thereof was made on the 29th day of May, 1964, and the last publication was made on the 5th day of June, 1964, and that said newspaper was regularly distributed to its subscribers during all of said period, and that the said notice was published in said newspaper proper and not in supplement form.

And affiant further swears that THE STATESMAN-EXAMINER is a legal newspaper and has been established, published and circulated continuously, as a weekly newspaper, published in the English language, in the said City of Colville for at least six months prior to the date of the first publication of the notice referred to in this affidavit, that the full amount of fee charged for said publication is \$, and said fee has been paid in full.

That the said newspaper, THE STATESMAN-EXAMINER, as by law provided, was approved as a legal newspaper, on May 7, 1948, by order of the Superior Court of the State of Washington, in and for the County of Stevens, in which county said newspaper is published.

Chas. Graham

Subscribed and sworn to before me this 6th day of June, 1964.

John H. Saffo

Notary Public in and for the State of Washington, residing at Colville, Washington.

REPORT OF EXAMINATION

Date of application March 3, 1964 Date of examination July 28, 1964 Application No. 18484
 Name National Park Service, Coulee Dam National/ Recreation Area Address P.O. Box 37, Coulee Dam, Washington
 Quantity applied for 0.50 c.f.s. Use Irrigation and community domestic supply for public camps
 (Columbia River) ground
 Source of appropriation Franklin D. Roosevelt Lake/ Trinitasport
 Legal sub. NW 1/4 Sec. 23 Twp. 36 N. Rge. 37 E. County Stevens
 Measured or estimated quantity See records Probable low flow See records
 Quantity previously appropriated: W.T. _____ CWT. _____ E.T. _____
 Other use made of water Irrigation, power, fish and recreation
 Diversion works ~~observed~~ observed Electric pump, 50 g.p.m. capacity for domestic; 2 pumps
45 g.p.m. capacity for operation of sprinkler system for irrigation
 Other equipment _____
 Irrigable acreage: Planned 5 acres Present 5 Feasible 5
 Other water rights appurtenant to this land None known
 Progress of project Complete and in use
 Protests None
 Quantity recommended (total) 0.18 c.f.s. Irrig. 0.10 c.f.s. & 20 acre-feet/ per year Community
 Dom/ 0.11 c.f.s.
 Power _____ Municipal _____ Other uses _____
 Department of Fisheries and Game report See below
 Special remarks and provisions:

In accordance with the recommendations of the Departments of Fisheries and Game, permit shall be issued subject to the provision that the diversion intake shall be tightly screened at all times with wire having a mesh opening not greater than .125 (1/8) inch.


The water requirement for irrigation of this land is calculated on each acre needing 4 acre-feet per year or a total of 20 acre-feet annually for the irrigation of 5 acres. This application intends to provide domestic water supply for 7 homes and a campground with 90 campsites.

Use of the waters to be appropriated under this application will be for a public water supply. State Board of Health rules require every owner of a public water supply to obtain written approval from the State Director of Health prior to any new construction or alterations of a public water supply. The applicant is advised to contact the Washington State Department of Health, 4th Floor, Public Health Bldg., Olympia, with regard to the need for compliance.

In accordance with R.C.W. 90.03.290, I find that there is water available for appropriation from the source in question and that the diversion proposed in the application will not

impair existing rights or be detrimental to the public welfare. Therefore, permit should issue as recommended above, subject to existing rights and indicated provisions.

Signed this 24 day of August, 1964


ERNEST E. LeVASSEUR, Engineer
Division of Water Resources

Form 10. S. F. No. 370-A-1-57-3M. 46900. O.S.

Please send \$10.00 minimum statutory examination fee with application.

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
Division of Water Resources

APPLICATION FOR A PERMIT

To Appropriate Public Waters of the State of Washington

(Read directions on last page carefully before filling out this form)

Application No. 18484U.S. Department of the Interior, National Park Service, Coulee Dam National
Recreation Area.

(Name of applicant)

of Coulee Dam, Washington P. O. Box 37

(Complete postoffice address)

do hereby make application for a permit to appropriate the following described public waters of the State of Washington subject to existing rights:

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Franklin D. Roosevelt Lake (Columbia River)
tributary of _____
(Name of stream)2. The amount of water which the applicant intends to apply to beneficial use is 0.50 c.f.s.
cubic feet per second, 224 acre-feet per year.3. The use to which the water is to be applied is Domestic and irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)4. Time during which water will be required each year all year (Jan. - Dec. Incl.)5. The approximate point of diversion is located 2,260 feet west and 1,250 feet south from
the center of Section 23, T. 36 N., R. 37 E., W.M.
(Give distance and bearing to section corner)being within the SW $\frac{1}{4}$ of Sec. 23, Tp. 36 N., R. 37 E., W. M.,
(Give smallest legal subdivision) (E. or W.)
in the county of Stevens6. The _____ to be _____ ft. or miles in length, terminating
(Main ditch, canal, or pipe line)
in the _____ of Sec. _____, Tp. _____ N., R. _____ W. M.,
(Smallest legal subdivision) (E. or W.)
the proposed location being shown on the accompanying map.7. Estimated cost of development necessary to utilize fully the appropriation herein asked for
\$ 60,596.8. Does the stream from which you wish to appropriate water flow through the tract of land on
which the water is to be used? adjacent to it.

9. DESCRIPTION OF WORKS:

(a) DIVERSION WORKS—

(1) Height of diversion dam none; length on top _____ feet; length on bottom
_____ feet; material to be used and character of construction _____

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(2) Description of headgate none.

(Timber, concrete, etc., number and size of openings)

When storage works are contemplated a storage permit must be filed in addition to the above. These forms can be secured, together with instructions, by addressing the State Supervisor of Water Resources, Olympia, Washington.

(b) Description of Ditch or Pipeline System 8,210 Ft. of 6-inch, 4105 ft. of 4-inch, 2,524 ft. of 2-inch, and 2,022 ft. of $\frac{1}{4}$ to $1\frac{1}{2}$ -inch distribution lines thru campground, picnic area, and public beach.

10. IRRIGATION: Number of acres to be irrigated 5.0

11. MUNICIPAL OR COMMUNITY WATER SUPPLY:

public campground
To supply the city or community of Kettle Falls, Stevens County, having a present population of 300-500 and an estimated population of 800 in 1970

(a) Estimated present requirement 32 acre feet per year.

12. LEGAL DESCRIPTION OF PROPERTY on which water is to be used, for all purposes other than Municipal Supply or Power (Copy legal description from deed)

Section 23 and Section 26, T. 36 N., R. 37 E., W.M.

(a) What interest do you have in the above described property Administrator

(b) Are there any existing water rights appurtenant to the above described property No

If so, from what source

13. POWER:

(a) Total amount of power to be developed none H. P.

(b) Total fall to be utilized feet.

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec., Tp. N., Rge. W. M.

(e) To what stream is the water to be returned?

(f) Locate point of return Sec., Tp. N., Rge. W. M.

(g) The use to which power is to be applied is

14. WORK SCHEDULE:

(a) Construction work will begin on or before 1952

(b) Construction work will be completed on or before June, 1963

Triplicate maps of the proposed ditch or other work, prepared in accordance with the rules of the State Supervisor of Water Resources, accompany this application.

(SIGN HERE) Homer W. Robinson Address 610 Crest Drive, Coulee Dam, Wash.
Superintendent (Applicant)

(SIGN HERE) _____ Address _____
(Owner of Land in Item 12)

Signed in the presence of us as witnesses:

(1) Ruth S. Scott _____ Coulee Dam, Wash.
(Name) (Address of witness)
(2) Charles D. Worthington _____ Coulee Dam, Wash.
(Name) (Address of witness)

Remarks: This application does not constitute waiver of other rights the
United States may have to the same water.

STATE OF WASHINGTON, }
COUNTY OF THURSTON. } ss.

This is to certify that I have examined the foregoing application together with the accompanying maps and data, and return the same for correction or completion, as follows: _____

In order to retain its priority, this application must be returned to the State Supervisor of Water Resources, with corrections, on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

State Supervisor of Water Resources.

Other Supporting Information



UNITED STATES
DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

December 7, 1964

RECEIVED
NPS WESTERN REGIONAL
OFFICE

DEC 9 '64

IN REPLY REFER TO:

L54

Memorandum

To: Regional Director, Western Region
From: Superintendent, Coulee Dam
Subject: Water Rights Applications, Coulee Dam

Reference is made to Mr. Hamilton's memorandum of December 3 regarding Water Rights Applications 7144, 18484 and 18486.

The state has recommended lesser quantities of water for these three applications than were originally requested. After talking with us by telephone, Mr. Morris requested restoration to the full amount on Application 18484.

Applications 7144 and 18486 requested 100 gpm and 0.25 cfs respectively. Upon making field examinations of these two water systems the state recommended reductions to the approximate capacities of the existing systems. Application 7144 is for Porcupine Bay where the state has recommended 50 gpm and the existing pump has a capacity of 35 gpm.

Application 18486 is for the Evans Campground where the state recommendation is for 0.11 cfs or 50 gpm. The system at this campground has a capacity of 50 gpm.

The recommended quantities of water for both applications 7144 Porcupine Bay, and 18486 Evans Campground, are adequate for our present needs.


Homer W. Robinson
Superintendent

Transm. Memo 12/15



ALBERT D. ROSELLINI
GOVERNOR

STATE OF WASHINGTON
Department of Conservation
335 GENERAL ADMINISTRATION BUILDING
OLYMPIA

December 3, 1964

DIVISIONS:
RECLAMATION
FLOOD CONTROL
WATER RESOURCES
MINES AND GEOLOGY
COLUMBIA BASIN PROJECT
POWER RESOURCES
WEATHER MODIFICATION
SOIL & WATER CONSERVATION
COMMITTEE

Mr. Manuel Morris, Hydraulic Engineer
United States Department of Interior
National Park Service
Western Region
450 Golden Gate Avenue
Box 36063
San Francisco, California 94102

Dear Mr. Morris:

Re: Ground Water Applications No. 7143 & 7144
Surface Water Application No. 18483, 18484,
18485 and 18486 (Your number L 54)

Receipt is acknowledged of your letter dated December 1, 1964. You are advised that upon receipt of the warrant in the amount of \$100.00, permits will issue under all of the above applications except Surface Water Application No. 18484.

Regarding said Surface Water Application No. 18484, you may consider this letter as an amendment to our report of examination mailed to your Coulee Dam office on August 27, 1964. We have amended our copy of the report in accordance with the new information submitted in your letter such that the recommended quantity has been increased to 0.50 c.f.s. which is divided as follows:

- 0.10 c.f.s. and 20 acre-feet annually for the irrigation of 5 acres
- 0.40 c.f.s. for community domestic supply

If you concur with this amendment, we can resume processing by requesting you now to submit a voucher in the amount of \$20.00 to cover the statutory fee for issuance of permit.

Please note that we are sending a copy of this letter to Superintendent Robinson for his records.

Yours very truly,

DEPARTMENT OF CONSERVATION
ROY MUNDY, DIRECTOR

Eugene F. Wallace
EUGENE F. WALLACE, Geologist
Division of Water Resources

EM/ch

cc: Homer W. Robinson, Supt.
Coulee Dam Natl. Recreation Area
Coulee Dam, Washington 99116

Western Region
450 Golden Gate Avenue, Box 36063
San Francisco, California 94102

L-54

December 1, 1964

Mr. Eugene F. Wallace, Geologist
Division of Water Resources
335 General Administration Building
Olympia, Washington 98502

Dear Mr. Wallace:

This will acknowledge your letter of November 19 concerning our water right applications at Coulee Dam National Recreation Area. These are ground water applications, 7143 and 7144, and surface water applications, 18483 to 18486 inclusive.

We appreciate your calling to our attention the correctness of the quantities requested under applications 18484 and 18485. I have checked our records with Superintendent Robinson of Coulee Dam, and in application 18484, we cannot find where the indicated quantity was 0.18 cfs. The application as filed requested 0.50 cfs (225 gpm). The presently installed pump is operating at 200 gpm, and delivers the water to a storage tank from which it is repumped to the campgrounds at 100 gpm. This is a temporary measure, and proposed construction will enable the entire 225 gpm to be put to full use. Therefore we request that you restore the indicated quantity to 0.50 cfs as originally shown in our application. Accordingly, pending restoration to this amount in application 18484, we are requesting our Finance Division to submit a warrant for \$100 covering the five remaining applications.

On application 18485, Superintendent Robinson says that 0.05 cfs (22.5 gpm) is correct. Although the system at San Poil Bay campground has an apparent capacity greater than 22.5 gpm, the spring source is at this time not capable of additional yield without considerable development work. The needs at the present time can be met from the available 22.5 gpm.

We appreciate your interest in our applications and your concern is most gratifying. Copies of our exchange of letters are being sent to Superintendent Robinson.



Sincerely yours,

Manuel Morris
Acting Regional Chief, Division
of Land and Water Rights

Enclosures

cc:
Superintendent, Coulee Dam
Director - SLW
Chief, WODC (2)

P. S. - The enclosures are in sufficient quantities to permit filings in the individual dockets. Also enclosed is Affidavit of Publication, the republication of Application 7143. Filing is as follows: (Application No./ Docket No.)
7143/11, 7144/8, 18483/9, 18483/10, 18485/7, 18486/12.



Docket Information

Number of Documents in Docket 25

Documents Dated from 12/3/1848 to 2/4/1965

Docket Compiled: 4/21/2011