



WATER-RIGHT DOCKET

Glen Canyon National Recreation Area

Docket No: 5

WAHWEAP WELL #2

State Water Rights Documentation

00-00-0000: receipt for \$20.00

National Guard Park Service
Rocky Mountain Region
Division of Land & Water Resources
855 Parfet Street
P.O. Box 25287
Denver, Colorado 80225

STATE OF ARIZONA
DEPARTMENT OF WATER RESOURCES
WATER RIGHTS ADMINISTRATION
99 EAST VIRGINIA
PHOENIX, ARIZONA 85004

RECEIPT

KIND ENTRY	FILE REFERENCE
	THRU

FUND SOURCE	ACCOUNT NO.			INT. ACCT.	ITEM DESCRIPTION	RATE	\$ AMOUNT
	AGENCY	CHAPTER	DIV.				
					Filing Fee for Registration of	10.00	20.00
					Existing Wells		
					BILL		
					PLEASE PAY ABOVE TO THE RIGHT		

8/19/88

TOTAL \$ 20.00

PLEASE PAY ABOVE AMOUNT

DEPARTMENT OF WATER RESOURCES
99 EAST VIRGINIA AVENUE
PHOENIX, ARIZONA 85004



REGISTRATION OF EXISTING WELLS

READ INSTRUCTIONS ON BACK OF THIS FORM BEFORE COMPLETING
PRINT OR TYPE - FILE IN DUPLICATE

REGISTRATION FEE (CHECK ONE)

EXEMPT WELL (NO CHARGE) ☐

NON-EXEMPT WELL - \$10.00 ☒

FOR OFFICE USE ONLY

REGISTRATION NO. 55- 621902

FILE NO. A(42-8)35

FILED 6-14-82 AT 4:30 pm

(DATE) (TIME)

INA _____

AMA _____

- Name of Registrant:
NATIONAL PARK SERVICE, ROCKY MOUNTAIN REGION, DIVISION OF LAND AND WATER RESOURCES
655 PARFET STREET, P.O. BOX
(Address) (City) (State) (Zip)
- File and/or Control Number under previous groundwater law:
03712 35
(File Number) (Control Number)
- a. The well is located within the 1/4 1/4 1/4, Section 35 (Section) 35,
of Township 42 N, Range 8 E, G & SRB & M, in the
County of COCONINO.
b. If in a subdivision: Name of subdivision _____
Lot No. _____, Address _____
- The principal use(s) of water (Examples: irrigation - stockwater - domestic - municipal - industrial)
PUBLIC SUPPLY, DOMESTIC, LAWN AND CAMPGROUND IRRIGATION, FIRE PROTECTION
- If for irrigation use, number of acres irrigated from well 100.
- Owner of land on which well is located. If same as Item 1, check this box ☐
GLEN CANYON NATIONAL RECREATION AREA
P.O. BOX 1507 PAGE ARIZONA 86040
(Address) (City) (State) (Zip)
- Well data (If data not available, write N/A) (GLEN CANYON WELL NO. 2)
a. Depth of Well 620 feet
b. Diameter of casing 7 inches
c. Depth of casing 620 feet
d. Type of casing STEEL
e. Maximum pump capacity 290 gallons per minute.
f. Depth to water 402 feet below land surface.
g. Date well completed AUGUST 1964
(Month) (Day) (Year)
- The place(s) of use of water. If same as Item 3, check this box ☐
1/4 1/4 1/4, Section 35 Township 42N Range 8E
1/4 1/4 1/4, Section _____ Township _____ Range _____
Attach additional sheet if necessary.
- DATE JUNE 9, 1982 SIGNATURE OF REGISTRANT William L. Mehall
WILLIAM L. MEHELL
FOR THE NATIONAL PARK SERVICE

INSTRUCTIONS FOR COMPLETING REGISTRATION FORM

General Instructions

1. A person who owns an "Existing Well" shall register the well, pursuant to A.R.S. 45-593, by filing this form in duplicate with the Department of Water Resources not later than midnight June 14, 1982. The form must be completed and signed. Failure to do so will constitute a violation of A.R.S. 45-593, and may subject the well owner to injunction and/or civil penalties, pursuant to A.R.S. Title 45, Article 12.
2. An "Existing Well" means, (1) a well which was drilled on or before June 12, 1980 and which is not abandoned or sealed, or (2) a well which was not completed on or before June 12, 1980, but for which a Notice of Intention to Drill was on file with the Arizona Water Commission on or before June 12, 1980.
3. No registration fee is required for Exempt Wells. A \$10.00 registration fee must accompany registration forms for all Non-Exempt Wells.
4. An "Exempt Well" means a well having a pump with a maximum capacity of not more than 35 gallons per minute which is used to withdraw groundwater. An Exempt Well may include the non-commercial irrigation of not more than 1 acre of land.
5. A "Non-Exempt Well" means a well that is not an "Exempt Well".

INSTRUCTIONS FOR REGISTRATION QUESTIONS

1. The Registrant must be the owner of the well and may be an individual, public or private corporation, company, partnership, firm, association, society, estate, trust, any other private organization or enterprise, the United States, any state, territory or country or a governmental entity, political subdivision or municipal corporation organized under or subject to the constitution and laws of this State.
2. If you own an existing irrigation well drilled at any time, or any other type of well drilled on or after June 20, 1968, you should have an assigned control and/or file number. Write these numbers in item 2. If you do not know the number, please explain the reason on the form or on an attached sheet.
3.
 - a. Fill in the Section, Township and Range in all cases if it is available.
 - b. If the well is in a subdivision and you have this information, give the subdivision name, Lot Number, and Address.
4. Show all purposes for which the water is used.
5. If the well is used for irrigation, give the number of acres irrigated in 1980 from the well.
6. If the owner of the land is an individual, give the last name, first name, middle initial. If the owner of the land is a corporation, partnership, firm, etc., fill in the appropriate title.
7. Complete the section on Well Data with the most accurate information available to you. If the data is not available, write N/A in the blanks.
8. Give the legal description of the place of use of the water. If place of use is in a subdivision and legal description is not available, give the subdivision name, Lot Number and/or address on the blank line.
9. The person in whose name a well is registered shall notify the Department of any change in ownership and shall keep all information on the registration record current and accurate. A form entitled "Change of Well Information/Ownership" is available for this purpose. A blank form will be furnished with the returned duplicate copy of the registration form.

Change name to
Wahweap Well #2
(#7 refers to the
Bar. of Rec. number -
they drilled it for construction
at the dam. The well
location map calls it #2

Glen Canyon National Recreation Area
Box 2097
Page, Arizona
June 3, 1960

W O D C
JUN-6-60
154

CHIEF	
ADM.	
PER.	
P & P	
ARCH.	
ENGR.	
L. & E.	
SPEC.	
CONT.	
STAFF	
OTHER	

NOTION TAKEN - DATE

Memorandum

To: Regional Director, Region Three
From: Superintendent, Glen Canyon NRA
Subject: Water Wells Drilled by Merritt, Chapman and Scott Corp.
Prime Contractor, in the Vicinity of Glen Canyon Dam

Concerning the subject wells we enclose herewith the following documents:

1. Driller's Reports on Wells No. 1, 2, 3, 4, 5, 6, & 7.
2. Drawing No. 6387F-309-14, a tabulation of pertinent information on Wells No. 1 through 9. This sheet shows, as you will note, detailed information on each well, including depth, static water level, casing and liners, pumping rate and type of equipment installed.
3. Logs on Wells No. 8 and 9.

Wells No. 5 & 8 are indicated on Sheet 28 of Drawing No. NRA-DC-3003, Wahweap Area, Glen Canyon National Recreation Area. Well No. 6 shows on Sheet 34 and Well No. 7 is located on Sheet 38 of this same topographic survey. These wells are all in the immediate vicinity of the proposed National Park Service Wahweap development and are probably the ones with which we will be most concerned. However, since the tabulation listed as enclosure No. 2 above gives coordinates for the other wells they could be plotted on available drawings if anyone desires to do so.

We feel sure that particularly Mr. Kell will be interested in getting this information.

With a copy of this memorandum we are also sending one set of the above enclosures to WODC for possible use in connection with proposed well drilling and water system work in the Wahweap area.

It would be difficult for us to secure additional copies of this material.

/ James M. Eden

R. H. WININGER
Drilling Contractor
2210 East Waverly Street
Tucson, Arizona

April 23, 1958

Well # 7 for Merritt-Chapman & Scott (Wahweap)

8" pilot hole started February 24, 1958 finished March 12, 1958

0-12'	Caliche and sand
12-42'	Conglomerate--sand, gravel, boulders
42-95'	Hard red sandstone
95-260'	Softer red sandstone
260-400'	Gray sandstone
400-440'	Water sand
440-470'	Red sandstone
470-475'	Water sand
475-635'	Light gray sand
635-640'	Red sandstone

8" pilot hole was drilled out to 20" diameter


20" surface pipe was set at approximately 40'

16" O.D. perforated liner was set from approximately 400' to 640'

Well was tested with 200 H.P. Reda submersible pump and delivered
1,000 G.P. M.

R. H. Wininger /s/

WATER WELLS GLEN CANYON DAM PROJECT								
WELL NUMBER	LOCATION		GROUND ELEVATION A.S.L.	DEPTH	STATIC WATER LEVEL	CASING & LINERS	PUMPING RATE G.P.M.	PUMP INSTALLED
	PLT.COORDINATES	LEGAL DESCRIPTION						
1	N. 2,160,384.3' E. 622,744.6'	NW 1/4, NW 1/4 Sec. 25 T.41N, R.8E, GSRB & M. Cocoma County, Ariz.	3907.3'	910'	680'	0'-18' = 10 3/4" O.D. x 32.75" 755'-910' = 7" O.D. x 26" 755'-910' = Perforated	30	15-HP Reda. Subm. 861ft x 2" Column. July 1957
2	N. 2,158,891.9' E. 622,053.6'	NE 1/4 NW 1/4 Sec. 25 T.41N, R.8E, GSRB & M. Cocoma County, Ariz.	3981.3'	1285'	880'	0'-6' = 18" O.D. x 3" Balance = Open Hole	34	15-HP Reda. Subm. 861ft x 2" Column. August 1957
3	N. 2,167,867.8 E. 619,159.2'	SW 1/4 NW 1/4 Sec. 14 T.41N, R.8E, GSRB & M. Cocoma County, Ariz.	4120.8'	1500'	880'	0'-11' = 10 3/4" O.D. x 3" Balance = Open Hole	100	40-HP Reda. Subm. 861ft x 3" Column. October 1957
4	N. 2,167,588.1' E. 619,582.3'	SE 1/4 NW 1/4 Sec. 14 T.41N, R.8E, GSRB & M. Cocoma County, Ariz.	4112.5'	1200'	870'	0'-8' = 18" O.D. x 3" 805'-1030' = 14" O.D. x 4" 880'-1010' = Perforated Balance = Open Hole	180	80-HP Reda. Subm. 960ft x 4" Column. February 1958
5	N. 2,181,788.5' E. 623,697.2'	SE 1/4 NE 1/4 Sec. 35 T.42N, R.8E, GSRB & M. Cocoma County, Ariz.	3742.0'	625'	423'	0'-55' = 18" O.D. x 3" 300'-625' = 14" O.D. x 4" 475'-550' = Perforated	(900) 1000	(200) HP Reda. Morse 250 HP Fairb. Morse 550' x 8" x 3" x 1 1/2" August 1958
6	N. 2,182,493.0' E. 622,987.4'	SE 1/4 NE 1/4 Sec. 35 T.42N, R.8E, GSRB & M. Cocoma County, Ariz.	3736.3'	675'	412'	0'-36' = 20" O.D. x 4" 410'-590' = 16" x 1 1/2" 440'-464' & 494'-590' Perfor. 590'-630' = 14" O.D. x 4"	1400	300 HP Fairb. Morse 540' x 10" x 3" x 1 1/2" July 1958
7	N. 2,183,245.0' E. 622,300.0'	NW 1/4 NE 1/4 Sec. 35 T.42N, R.8E, GSRB & M. Cocoma County, Ariz.	3735.0'	640'	402'	0'-40' = 20" O.D. x 4" 356'-416' = 16" x 1 1/2" 416'-620' = 16" Perforated	1150	300 HP Fairb. Morse 550' x 10" x 3" x 1 1/2" June 1958
8	N. 2,181,560.0' E. 624,576.0'	SW 1/4 NW 1/4 Sec. 36 T.42N, R.8E, GSRB & M. Cocoma County, Ariz.	3735.2'	655'	422'	0'-77' = 20" O.D. x 8 Ga. 380'-650' = 16" I.D. x 4" Wall 500'-620' = Perforated Balance = Open Hole	1200	250 HP Bryon Jackson 550' x 10" x 3" x 1 1/2" Jan. 1959
9	N. 2,185,607.48' E. 618,713.74'	NE 1/4 NW 1/4 Sec. 7 T.44 S. R. 4 E. Kane County, Utah.	3722.7'	800'	407'	0'-90' = 20" O.D. x 8 Ga. 368'-408' = 16" I.D. x 4" Wall 408'-600' = Perforated 600'-690' = 14" Blank	1350	250 HP Fairb. Morse 550' x 10" x 2 1/2" x 1 1/2" April 1960
BASIC DATA: From Drawing No. 6387-F-309-14 Merritt-Chapman & Scott Corp. 7-19-58 Drawn by C. Arquero, 7-22-60.								
WATER WELLS CONSTRUCTION RECORD GLEN CANYON DAM PROJECT								
Sheet 3							NRA-GC 7.104	



Docket Information

Number of Documents in Docket 7

Documents Dated from 4/23/1958 to 6/9/1982

Docket Compiled: 6/2/2016