



Mary_Orms@fws.gov

05/13/02 01:32 PM
EST

To: darrell_echols@nps.gov

cc:

Subject: Species list

Darrell,

Attached is the species list you requested for Kenedy, Kleberg and Willacy counties. If you need anything else please call. Did Arlene get the e-mail on the BA format? If not let me know.

Mary



(See attached file: PINS Species list.wpd) PINS Species list.w

Federally Listed as Threatened and Endangered Species of Texas
January 8, 2002

This list represents species that may be found in counties throughout the state. It is recommended that the field station responsible for a project area be contacted if additional information is needed (see enclosed map).

DISCLAIMER

This County by County list is based on information available to the U.S. Fish and Wildlife Service at the time of preparation. This list is subject to change, without notice, as new biological information is gathered and should not be used as the sole source for identifying species that may be impacted by a project.

Migratory Species Common to many or all Counties: Species listed specifically in a county have confirmed sightings. If a species is not listed they may occur as migrants in those counties.

Least tern	(E ~)	<i>Sterna antillarum</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>
Bald eagle	(T)	<i>Haliaeetus leucocephalus</i>
Piping plover	(T w/CH)	<i>Charadrius melodus</i>
Loggerhead shrike	(SOC)	<i>Lanius ludovicianus</i>
White-faced ibis	(SOC)	<i>Plegadis chihi</i>
(Kenedy County)		
Gulf Coast Jaguarundi	(E)	<i>Herpailurus yagouaroundi cacomitli</i>
Ocelot	(E)	<i>Leopardus pardalis</i>
West Indian manatee (=Florida)	(E)	<i>Trichechus manatus</i>
Brown pelican	(E)	<i>Pelecanus occidentalis</i>
Northern aplomado falcon	(E)	<i>Falco femoralis septentrionalis</i>
Hawksbill sea turtle	(E w/CH†)	<i>Eretmochelys imbricata</i>
Kemp's Ridley sea turtle	(E)	<i>Lepidochelys kempii</i>
Leatherback sea turtle	(E w/CH†)	<i>Dermochelys coriacea</i>
South Texas ambrosia	(E)	<i>Ambrosia cheiranthifolia</i>
Green sea turtle	(T)	<i>Chelonia mydas</i>
Loggerhead sea turtle	(T)	<i>Caretta caretta</i>
Piping plover	(T w/CH)	<i>Charadrius melodus</i>
Coues' rice rat	(SOC)	<i>Oryzomys couesi aquaticus</i>
Audubon's oriole	(SOC)	<i>Icterus graduacauda audubonii</i>
Cerulean warbler	(SOC)	<i>Dendroica cerulea</i>
Ferruginous hawk	(SOC)	<i>Buteo regalis</i>
Black tern	(SOC)	<i>Chlidonias niger</i>
Loggerhead shrike	(SOC)	<i>Lanius ludovicianus</i>
Reddish egret	(SOC)	<i>Egretta rufescens</i>
Sennett's hooded oriole	(SOC)	<i>Icterus cucullatus sennetti</i>
Texas Botteri's sparrow	(SOC)	<i>Aimophila botterii texana</i>
Texas olive sparrow	(SOC)	<i>Arremonops rufivirgatus rufivirgatus</i>
Tropical parula	(SOC)	<i>Parula pitiayumi nigrilora</i>
White-faced ibis	(SOC)	<i>Plegadis chihi</i>

Black-spotted newt	(SOC)	<i>Notophthalmus meridionalis</i>
Rio Grande lesser siren	(SOC)	<i>Siren intermedia texana</i>
Texas horned lizard	(SOC)	<i>Phrynosoma cornutum</i>
Bailey's ballmoss	(SOC)	<i>Tillandsia baileyi</i>
Roughseed sea-purslane	(SOC)	<i>Sesuvium trianthemoides</i>
Los Olmos tiger beetle	(SOC)	<i>Cicindela nevadica olmosa</i>

(Kleberg County)

Gulf Coast Jaguarundi	(E)	<i>Herpailurus yagouaroundi cacomitli</i>
Ocelot	(E)	<i>Leopardus pardalis</i>
West Indian manatee (=Florida)	(E)	<i>Trichechus manatus</i>
Brown pelican	(E)	<i>Pelecanus occidentalis</i>
Northern aplomado falcon	(E)	<i>Falco femoralis septentrionalis</i>
Hawksbill sea turtle	(E w/CH†)	<i>Eretmochelys imbricata</i>
Kemp's Ridley sea turtle	(E)	<i>Lepidochelys kempii</i>
Leatherback sea turtle	(E w/CH†)	<i>Dermochelys coriacea</i>
Black lace cactus	(E)	<i>Echinocereus reichenbachii</i> var. <i>albertii</i>
Slender rush-pea	(E)	<i>Hoffmannseggia tenella</i>
South Texas ambrosia	(E)	<i>Ambrosia cheiranthifolia</i>
Green sea turtle	(T)	<i>Chelonia mydas</i>
Loggerhead sea turtle	(T)	<i>Caretta caretta</i>
American alligator	(TSA)	<i>Alligator mississippiensis</i>
Bald eagle	(T)	<i>Haliaeetus leucocephalus</i>
Piping plover	(T w/CH)	<i>Charadrius melodus</i>
Mountain plover	(P/T)	<i>Charadrius montanus</i>
Audubon's oriole	(SOC)	<i>Icterus graduacauda audubonii</i>
Cerulean warbler	(SOC)	<i>Dendroica cerulea</i>
Ferruginous hawk	(SOC)	<i>Buteo regalis</i>
Loggerhead shrike	(SOC)	<i>Lanius ludovicianus</i>
Reddish egret	(SOC)	<i>Egretta rufescens</i>
Sennett's hooded oriole	(SOC)	<i>Icterus cucullatus sennetti</i>
Texas Botteri's sparrow	(SOC)	<i>Aimophila botterii texana</i>
Texas olive sparrow	(SOC)	<i>Arremonops rufivirgatus rufivirgatus</i>
White-faced ibis	(SOC)	<i>Plegadis chihi</i>
Black-spotted newt	(SOC)	<i>Notophthalmus meridionalis</i>
Rio Grande lesser siren	(SOC)	<i>Siren intermedia texana</i>
Texas horned lizard	(SOC)	<i>Phrynosoma cornutum</i>
Bailey's ballmoss	(SOC)	<i>Tillandsia baileyi</i>
Lilia de los llanos	(SOC)	<i>Echeandia chandleri</i>
Welder machaeranthera	(SOC)	<i>Psilactis heterocarpa</i>
Maculated manfreda skipper	(SOC)	<i>Stalligia maculosus</i>

(Willacy County)

Gulf Coast Jaguarundi	(E)	<i>Herpailurus yagouaroundi cacomitli</i>
Ocelot	(E)	<i>Leopardus pardalis</i>
West Indian manatee (=Florida)	(E)	<i>Trichechus manatus</i>
Brown pelican	(E)	<i>Pelecanus occidentalis</i>
Northern aplomado falcon	(E)	<i>Falco femoralis septentrionalis</i>
Hawksbill sea turtle	(E w/CH†)	<i>Eretmochelys imbricata</i>
Kemp's Ridley sea turtle	(E)	<i>Lepidochelys kempii</i>

Leatherback sea turtle	(E w/CH‡)	<i>Dermochelys coriacea</i>
Texas Ayenia	(E)	<i>Ayenia limitaris</i>
Green sea turtle	(T)	<i>Chelonia mydas</i>
Loggerhead sea turtle	(T)	<i>Caretta caretta</i>
American alligator	(TSA)	<i>Alligator mississippiensis</i>
Piping plover	(T w/CH)	<i>Charadrius melodus</i>
Mountain plover	(P/T)	<i>Charadrius montanus</i>
Audubon's oriole	(SOC)	<i>Icterus graduacauda audubonii</i>
Brownsville common yellowthroat	(SOC)	<i>Geothlypis trichas insperata</i>
Cerulean warbler	(SOC)	<i>Dendroica cerulea</i>
Ferruginous hawk	(SOC)	<i>Buteo regalis</i>
Loggerhead shrike	(SOC)	<i>Lanius ludovicianus</i>
Reddish egret	(SOC)	<i>Egretta rufescens</i>
Sennett's hooded oriole	(SOC)	<i>Icterus cucullatus sennetti</i>
Texas Botteri's sparrow	(SOC)	<i>Aimophila botterii texana</i>
Texas olive sparrow	(SOC)	<i>Arremonops rufivirgatus rufivirgatus</i>
White-faced ibis	(SOC)	<i>Plegadis chihi</i>
Texas horned lizard	(SOC)	<i>Phrynosoma cornutum</i>
Black-spotted newt	(SOC)	<i>Notophthalmus meridionalis</i>
Rio Grande lesser siren	(SOC)	<i>Siren intermedia texana</i>
Coues' rice rat	(SOC)	<i>Oryzomys couesi aquaticus</i>
Bailey's ballmoss	(SOC)	<i>Tillandsia baileyi</i>

INDEX

Statewide or areawide migrants are not included by county, except where they breed or occur in concentrations. The whooping crane is an exception; an attempt is made to include all confirmed sightings on this list.

E	=	Species in danger of extinction throughout all or a significant portion of its range.
T	=	Species which is likely to become endangered within the foreseeable future throughout all or a significant portion of its range.
C	=	Species for which the Service has on file enough substantial information to warrant listing as threatened or endangered.
CH	=	Critical Habitat (in Texas unless annotated ‡)
P/	=	Proposed ...
P/E	=	Species proposed to be listed as endangered.
P/T	=	Species proposed to be listed as threatened.
TSA	=	Threatened due to similarity of appearance.
SOC	=	Species for which there is some information showing evidence of vulnerability, but not enough data to support listing at this time.
□	=	with special rule
‡	=	CH designated (or proposed) outside Texas
~	=	protection restricted to populations found in the "interior" of the United States. In Texas, the least tern receives full protection, except within 50 miles (80 km) of the Gulf Coast.