



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Organization: Cumberland Piedmont Network

Project ID: LIRI_WQ

Station ID: LIRI_BFLR

Station Name: Billy's Ford Little River

Period of Record: 10/23/2013 - 10/15/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO conc	AL OAW	5.5 mg/l	13	0	13	0	0.00												
e. Coli	AL OAW	298 MPN/100 ml	13	4	9	0	0.00												
Nitrate as NO3 CUPN	Nitrate USEPA	90 mg/l	12	2	10	0	0.00												
pH	AL OAW	8.5	13	0	13	0	0.00												
pH	Low pH	6	13	0	13	5	0.38												
Turbidity	AL OAW	50 NTU	13	0	13	0	0.00												
Water Temp	AL OAW	32.2 deg C	13	1	12	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Organization: Cumberland Piedmont Network

Project ID: LIRI_WQ

Station ID: LIRI_BHLR

Station Name: Little River at Burnt House Ford

Period of Record: 10/18/2006 - 9/17/2008

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO conc	AL OAW	5.5 mg/l	24	0	24	0	0.00												
e. Coli	AL OAW	298 MPN/100 ml	24	0	24	2	0.08												
pH	AL OAW	8.5	24	0	24	0	0.00												
pH	Low pH	6	24	0	24	7	0.29												
Turbidity	AL OAW	50 NTU	24	0	24	0	0.00												
Water Temp	AL OAW	32.2 deg C	24	0	24	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Organization: Cumberland Piedmont Network

Project ID: LIRI_WQ

Station ID: LIRI_CMLR

Station Name: Little River at Canyon Mouth Park

Period of Record: 10/18/2006 - 10/15/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO conc	AL OAW	5.5 mg/l	36	0	36	0	0.00												
e. Coli	AL OAW	298 MPN/100 ml	36	2	34	1	0.03												
Nitrate as NO3 CUPN	Nitrate USEPA	90 mg/l	11	2	9	0	0.00												
pH	AL OAW	8.5	36	0	36	0	0.00												
pH	Low pH	6	36	0	36	7	0.19												
Turbidity	AL OAW	50 NTU	36	0	36	0	0.00												
Water Temp	AL OAW	32.2 deg C	36	0	36	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Organization: Cumberland Piedmont Network

Project ID: LIRI_WQ

Station ID: LIRI_DFLR

Station Name: Little River at DeSoto Falls

Period of Record: 10/18/2006 - 10/15/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO conc	AL OAW	5.5 mg/l	37	0	37	2	0.05												
e. Coli	AL OAW	298 MPN/100 ml	37	8	29	2	0.07												
Nitrate as NO3 CUPN	Nitrate USEPA	90 mg/l	12	2	10	0	0.00												
pH	AL OAW	8.5	37	0	37	0	0.00												
pH	Low pH	6	37	0	37	12	0.32												
Turbidity	AL OAW	50 NTU	37	0	37	0	0.00												
Water Temp	AL OAW	32.2 deg C	37	0	37	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Organization: Cumberland Piedmont Network

Project ID: LIRI_WQ

Station ID: LIRI_DSLR

Station Name: Little River at DeSoto State Park

Period of Record: 10/18/2006 - 10/15/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO conc	AL OAW	5.5 mg/l	37	0	37	0	0.00												
e. Coli	AL OAW	298 MPN/100 ml	37	2	35	1	0.03												
Nitrate as NO3 CUPN	Nitrate USEPA	90 mg/l	12	2	10	1	0.10												
pH	AL OAW	8.5	37	0	37	0	0.00												
pH	Low pH	6	37	0	37	8	0.22												
Turbidity	AL OAW	50 NTU	37	0	37	0	0.00												
Water Temp	AL OAW	32.2 deg C	37	0	37	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Organization: Cumberland Piedmont Network

Project ID: LIRI_WQ

Station ID: LIRI_EFLR

Station Name: East Fork Little River

Period of Record: 10/18/2006 - 9/17/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO conc	GA FAL	4 mg/l	36	0	36	0	0.00												
e. Coli	GA FAL	576 MPN/100 ml	36	3	33	1	0.03												
Nitrate as NO3 CUPN	Nitrate USEPA	90 mg/l	11	2	9	0	0.00												
pH	GA FAL	8.5	36	0	36	0	0.00												
pH	Low pH	6	36	0	36	5	0.14												
Water Temp	GA FAL	32.2 deg C	36	0	36	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Organization: Cumberland Piedmont Network

Project ID: LIRI_WQ

Station ID: LIRI_EPLR

Station Name: Little River at Eberhart Point

Period of Record: 10/18/2006 - 10/15/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO conc	AL OAW	5.5 mg/l	36	0	36	1	0.03												
e. Coli	AL OAW	298 MPN/100 ml	36	3	33	3	0.09												
Nitrate as NO3 CUPN	Nitrate USEPA	90 mg/l	11	2	9	0	0.00												
pH	AL OAW	8.5	36	0	36	0	0.00												
pH	Low pH	6	36	0	36	8	0.22												
Turbidity	AL OAW	50 NTU	36	0	36	0	0.00												
Water Temp	AL OAW	32.2 deg C	36	0	36	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Organization: Cumberland Piedmont Network

Project ID: LIRI_WQ

Station ID: LIRI_HBLR

Station Name: Little River at Highway 35 Bridge

Period of Record: 10/18/2006 - 10/15/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO conc	AL OAW	5.5 mg/l	36	0	36	0	0.00												
e. Coli	AL OAW	298 MPN/100 ml	36	1	35	2	0.06												
Nitrate as NO3 CUPN	Nitrate USEPA	90 mg/l	11	2	9	0	0.00												
pH	AL OAW	8.5	36	0	36	0	0.00												
pH	Low pH	6	36	0	36	7	0.19												
Turbidity	AL OAW	50 NTU	36	0	36	0	0.00												
Water Temp	AL OAW	32.2 deg C	36	0	36	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Organization: Cumberland Piedmont Network

Project ID: LIRI_WQ

Station ID: LIRI_JCJC

Station Name: Johnnie's Creek

Period of Record: 10/18/2006 - 10/15/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO conc	AL OAW	5.5 mg/l	36	0	36	1	0.03												
e. Coli	AL OAW	298 MPN/100 ml	36	0	36	3	0.08												
Nitrate as NO3 CUPN	Nitrate USEPA	90 mg/l	11	2	9	0	0.00												
pH	AL OAW	8.5	36	0	36	0	0.00												
pH	Low pH	6	36	0	36	8	0.22												
Turbidity	AL OAW	50 NTU	36	0	36	0	0.00												
Water Temp	AL OAW	32.2 deg C	36	0	36	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Organization: Cumberland Piedmont Network

Project ID: LIRI_WQ

Station ID: LIRI_LCLR

Station Name: Lookout Mountain Camp

Period of Record: 10/18/2006 - 10/15/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO conc	AL OAW	5.5 mg/l	37	0	37	5	0.14												
e. Coli	AL OAW	298 MPN/100 ml	37	3	34	3	0.09												
Nitrate as NO3 CUPN	Nitrate USEPA	90 mg/l	12	2	10	0	0.00												
pH	AL OAW	8.5	37	0	37	0	0.00												
pH	Low pH	6	37	0	37	9	0.24												
Turbidity	AL OAW	50 NTU	37	0	37	0	0.00												
Water Temp	AL OAW	32.2 deg C	37	1	36	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Organization: Cumberland Piedmont Network

Project ID: LIRI_WQ

Station ID: LIRI_MFLR

Station Name: Middle Fork of Little River

Period of Record: 10/18/2006 - 10/15/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO conc	AL OAW	5.5 mg/l	36	0	36	7	0.19												
e. Coli	AL OAW	298 MPN/100 ml	36	1	35	2	0.06												
Nitrate as NO3 CUPN	Nitrate USEPA	90 mg/l	11	1	10	0	0.00												
pH	AL OAW	8.5	36	0	36	0	0.00												
pH	Low pH	6	36	0	36	10	0.28												
Turbidity	AL OAW	50 NTU	36	0	36	2	0.06												
Water Temp	AL OAW	32.2 deg C	36	1	35	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Organization: Cumberland Piedmont Network

Project ID: LIRI_WQ

Station ID: LIRI_YCYC

Station Name: Yellow Creek

Period of Record: 10/18/2006 - 10/15/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO conc	AL OAW	5.5 mg/l	37	0	37	3	0.08												
e. Coli	AL OAW	298 MPN/100 ml	37	2	35	5	0.14												
Nitrate as NO3 CUPN	Nitrate USEPA	90 mg/l	12	2	10	0	0.00												
pH	AL OAW	8.5	37	0	37	0	0.00												
pH	Low pH	6	37	0	37	10	0.27												
Turbidity	AL OAW	50 NTU	36	0	36	0	0.00												
Water Temp	AL OAW	32.2 deg C	37	0	37	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Project, Station, Sorted by Local Characteristic Name

Reported Local Characteristics				
Local Name	STORET Name	Medium	Subject Taxon	Bio Part
DO conc	Dissolved oxygen (DO)	Water		
e. Coli	Escherichia coli	Water		
Nitrate as NO3 CUPN	Nitrogen, Nitrate (NO3) as NO3	Water		
pH	pH	Water		
Turbidity	Turbidity	Water		
Water Temp	Temperature, water	Water		

Results filtered for:

Organization = CUPN: Cumberland Piedmont Network

Project = LIRI_WQ: CUPN WQ Monitoring, LIRI

Station = Include All Station Visit Results

Activities with Characteristic = ANC Lab

or DO conc

or e. Coli

or Nitrate as NO3 CUPN

or pH

or SPC

or Turbidity

or Water Temp

Include Only Samples Not Checked as QC

Value Status <> Rejected

Include records with no exceedances.

Stations had to be assigned to the WQ Standards in order for the results to be included in the analysis.

Censored Data Excluded