



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_BCBC

Station Name: Bear Creek

Period of Record: 4/4/2010 - 6/30/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	AL F&W rec	5 mg/l	8	0	8	0	0.00												
E.coli	AL F&W rec	298 MPN/100 ml	8	2	7	3	0.43												
pH	AL F&W rec	8.5	8	0	8	0	0.00												
pH	low pH	6	8	0	8	0	0.00												
Turbidity_Field	AL F&W rec	50 NTU	8	0	8	2	0.25												
Water Temp	AL F&W rec	32 deg C	8	0	8	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_BRBR

Station Name: Burcham Branch

Period of Record: 7/16/2008 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	AL F&W	5 mg/l	23	0	23	1	0.04												
E.coli	AL F&W	576 MPN/100 ml	21	3	19	1	0.05												
pH	AL F&W	8.5	22	0	22	0	0.00												
pH	low pH	6	22	0	22	0	0.00												
Turbidity_Field	AL F&W	50 NTU	22	0	22	0	0.00												
Water Temp	AL F&W	32 deg C	23	0	23	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_BSCR

Station Name: Big Sand Creek

Period of Record: 8/2/2008 - 12/30/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	18	0	18	1	0.06												
E.coli	MS F&WL	298 MPN/100 ml	17	0	17	9	0.53												
pH	low pH	6	18	0	18	0	0.00												
pH	MS F&WL	9	18	0	18	0	0.00												
SPC	MS F&WL	1000 uS/cm	18	0	18	0	0.00												
Turbidity_Field	MS F&WL	50 NTU	17	0	17	5	0.29												
Water Temp	MS F&WL	32.2 deg C	18	0	18	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_BUBR

Station Name: Burns Branch

Period of Record: 7/2/2008 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	TN F&AL&rec	5 mg/l	24	0	24	0	0.00												
E.coli	TN F&AL&rec	487 MPN/100 ml	21	3	19	1	0.05												
pH	low pH	6	24	0	24	0	0.00												
pH	TN F&AL&rec	9	24	0	24	0	0.00												
Turbidity_Field	TN F&AL&rec	50 NTU	23	0	23	0	0.00												
Water Temp	TN F&AL&rec	30.5 deg C	24	0	24	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_CECR

Station Name: Cedar Creek

Period of Record: 7/16/2008 - 7/16/2008

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	AL F&W rec	5 mg/l	1	0	1	0	0.00												
Water Temp	AL F&W rec	32 deg C	1	0	1	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_COBR

Station Name: Cooper Branch

Period of Record: 7/16/2008 - 6/30/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	TN F&AL	5 mg/l	11	0	11	0	0.00												
E.coli	TN F&AL	487 MPN/100 ml	9	1	8	2	0.25												
pH	low pH	6	10	0	10	0	0.00												
pH	TN F&AL	9	10	0	10	0	0.00												
Turbidity_Field	TN F&AL	50 NTU	10	0	10	0	0.00												
Water Temp	TN F&AL	30.5 deg C	11	0	11	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_COCR

Station Name: Colbert Creek

Period of Record: 7/16/2008 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	AL F&W rec	5 mg/l	16	0	16	0	0.00												
E.coli	AL F&W rec	298 MPN/100 ml	14	1	14	2	0.14												
pH	AL F&W rec	8.5	15	0	15	0	0.00												
pH	low pH	6	15	0	15	0	0.00												
Turbidity_Field	AL F&W rec	50 NTU	15	0	15	0	0.00												
Water Temp	AL F&W rec	32 deg C	16	0	16	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_CQCR

Station Name: Chuquatonchee Creek

Period of Record: 7/29/2008 - 12/29/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	22	0	22	0	0.00												
E.coli	MS F&WL	298 MPN/100 ml	19	0	19	7	0.37												
pH	low pH	6	22	0	22	0	0.00												
pH	MS F&WL	9	22	0	22	0	0.00												
SPC	MS F&WL	1000 uS/cm	22	0	22	0	0.00												
Turbidity_Field	MS F&WL	50 NTU	21	0	21	3	0.14												
Water Temp	MS F&WL	32.2 deg C	22	0	22	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_CYCR

Station Name: Cypress Creek

Period of Record: 7/16/2008 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	TN F&AL&rec	5 mg/l	23	0	23	0	0.00												
E.coli	TN F&AL&rec	487 MPN/100 ml	21	2	19	7	0.37												
pH	low pH	6	22	0	22	0	0.00												
pH	TN F&AL&rec	9	22	0	22	0	0.00												
Turbidity_Field	TN F&AL&rec	50 NTU	22	0	22	0	0.00												
Water Temp	TN F&AL&rec	30.5 deg C	23	0	23	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_DOBR

Station Name: Dobbins Branch

Period of Record: 7/2/2008 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	TN F&AL&rec	5 mg/l	15	0	15	1	0.07												
E.coli	TN F&AL&rec	487 MPN/100 ml	11	1	10	1	0.10												
pH	low pH	6	14	0	14	0	0.00												
pH	TN F&AL&rec	9	14	0	14	0	0.00												
Turbidity_Field	TN F&AL&rec	50 NTU	13	0	13	0	0.00												
Water Temp	TN F&AL&rec	30.5 deg C	15	0	15	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_FAHO

Station Name: Fall Hollow

Period of Record: 4/1/2012 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	TN F&AL&rec	5 mg/l	8	0	8	0	0.00												
E.coli	TN F&AL&rec	487 MPN/100 ml	8	0	8	0	0.00												
pH	low pH	6	8	0	8	0	0.00												
pH	TN F&AL&rec	9	8	0	8	0	0.00												
Turbidity_Field	TN F&AL&rec	50 NTU	8	0	8	0	0.00												
Water Temp	TN F&AL&rec	30.5 deg C	8	0	8	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_FICR

Station Name: Five Mile Creek

Period of Record: 8/2/2008 - 12/30/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	17	0	17	3	0.18												
E.coli	MS F&WL	298 MPN/100 ml	16	3	16	9	0.56												
pH	low pH	6	17	0	17	0	0.00												
pH	MS F&WL	9	17	0	17	0	0.00												
SPC	MS F&WL	1000 uS/cm	17	0	17	0	0.00												
Turbidity_Field	MS F&WL	50 NTU	16	0	16	8	0.50												
Water Temp	MS F&WL	32.2 deg C	17	0	17	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_GLBR

Station Name: Glenrock Branch

Period of Record: 7/2/2008 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	TN F&AL&rec	5 mg/l	14	0	14	0	0.00												
E.coli	TN F&AL&rec	487 MPN/100 ml	8	0	8	0	0.00												
pH	low pH	6	13	0	13	0	0.00												
pH	TN F&AL&rec	9	13	0	13	0	0.00												
Turbidity_Field	TN F&AL&rec	50 NTU	12	0	12	0	0.00												
Water Temp	TN F&AL&rec	30.5 deg C	14	0	14	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_HCCR

Station Name: Hurricane Creek

Period of Record: 8/2/2008 - 12/29/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	19	0	19	1	0.05												
E.coli	MS F&WL	298 MPN/100 ml	16	1	16	7	0.44												
pH	low pH	6	19	0	19	0	0.00												
pH	MS F&WL	9	19	0	19	0	0.00												
SPC	MS F&WL	1000 uS/cm	19	0	19	0	0.00												
Turbidity_Field	MS F&WL	50 NTU	18	0	18	2	0.11												
Water Temp	MS F&WL	32.2 deg C	19	0	19	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_HOCR

Station Name: Houlka Creek

Period of Record: 1/5/2011 - 12/29/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	15	1	14	0	0.00												
E.coli	MS F&WL	298 MPN/100 ml	15	4	14	9	0.64												
pH	low pH	6	15	1	14	0	0.00												
pH	MS F&WL	9	15	1	14	0	0.00												
SPC	MS F&WL	1000 uS/cm	15	1	14	0	0.00												
Turbidity_Field	MS F&WL	50 NTU	15	1	14	4	0.29												
Water Temp	MS F&WL	32.2 deg C	15	1	14	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_JABR

Station Name: Jacks Branch

Period of Record: 4/4/2011 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	TN F&AL&rec	5 mg/l	15	0	15	0	0.00												
E.coli	TN F&AL&rec	487 MPN/100 ml	15	0	15	0	0.00												
pH	low pH	6	15	0	15	0	0.00												
pH	TN F&AL&rec	9	15	0	15	0	0.00												
Turbidity_Field	TN F&AL&rec	50 NTU	15	0	15	1	0.07												
Water Temp	TN F&AL&rec	30.5 deg C	15	0	15	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_JAFA

Station Name: Jackson Falls

Period of Record: 4/4/2011 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	TN F&AL&rec	5 mg/l	13	0	13	0	0.00												
E.coli	TN F&AL&rec	487 MPN/100 ml	13	2	13	3	0.23												
pH	low pH	6	13	0	13	0	0.00												
pH	TN F&AL&rec	9	13	0	13	0	0.00												
Turbidity_Field	TN F&AL&rec	50 NTU	13	0	13	0	0.00												
Water Temp	TN F&AL&rec	30.5 deg C	13	0	13	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_JOCR

Station Name: Jourdan Creek

Period of Record: 7/28/2008 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&W Rec	4 mg/l	14	0	14	0	0.00												
E.coli	MS F&W Rec	298 MPN/100 ml	13	0	13	2	0.15												
pH	low pH	6	14	0	14	0	0.00												
pH	MS F&W Rec	9	14	0	14	0	0.00												
SPC	MS F&W Rec	1000 uS/cm	14	0	14	0	0.00												
Turbidity_Field	MS F&W Rec	50 NTU	13	0	13	0	0.00												
Water Temp	MS F&W Rec	32.2 deg C	14	0	14	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_LBCR

Station Name: Little Bywy Creek

Period of Record: 4/5/2010 - 12/29/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	19	0	19	0	0.00												
E.coli	MS F&WL	298 MPN/100 ml	19	0	19	6	0.32												
pH	low pH	6	19	0	19	0	0.00												
pH	MS F&WL	9	19	0	19	0	0.00												
SPC	MS F&WL	1000 uS/cm	19	0	19	0	0.00												
Turbidity_Field	MS F&WL	50 NTU	19	0	19	3	0.16												
Water Temp	MS F&WL	32.2 deg C	19	0	19	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_LBPI

Station Name: Little Bayou Pierre

Period of Record: 7/29/2008 - 12/30/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	21	0	21	0	0.00												
E.coli	MS F&WL	298 MPN/100 ml	19	3	19	7	0.37												
pH	low pH	6	21	0	21	0	0.00												
pH	MS F&WL	9	21	0	21	0	0.00												
SPC	MS F&WL	1000 uS/cm	21	0	21	0	0.00												
Turbidity_Field	MS F&WL	50 NTU	19	0	19	9	0.47												
Water Temp	MS F&WL	32.2 deg C	21	0	21	1	0.05												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_LISW

Station Name: Little Swan Creek at Monument Road

Period of Record: 6/29/2010 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	TN F&AL&rec	5 mg/l	17	0	17	0	0.00												
E.coli	TN F&AL&rec	487 MPN/100 ml	17	1	16	0	0.00												
pH	low pH	6	17	0	17	0	0.00												
pH	TN F&AL&rec	9	17	0	17	0	0.00												
Turbidity_Field	TN F&AL&rec	50 NTU	17	0	17	0	0.00												
Water Temp	TN F&AL&rec	30.5 deg C	17	0	17	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_LNCR

Station Name: Line Creek

Period of Record: 4/5/2010 - 12/29/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	12	0	12	0	0.00												
E.coli	MS F&WL	298 MPN/100 ml	12	0	12	2	0.17												
pH	low pH	6	12	0	12	0	0.00												
pH	MS F&WL	9	12	0	12	0	0.00												
SPC	MS F&WL	1000 uS/cm	12	0	12	0	0.00												
Turbidity_Field	MS F&WL	50 NTU	12	0	12	0	0.00												
Water Temp	MS F&WL	32.2 deg C	12	0	12	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_LSCR

Station Name: Little Sand Creek

Period of Record: 7/29/2008 - 12/30/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	22	0	22	0	0.00												
E.coli	MS F&WL	298 MPN/100 ml	20	0	20	2	0.10												
pH	low pH	6	22	0	22	0	0.00												
pH	MS F&WL	9	22	0	22	0	0.00												
SPC	MS F&WL	1000 uS/cm	22	0	22	0	0.00												
Turbidity_Field	MS F&WL	50 NTU	20	0	20	0	0.00												
Water Temp	MS F&WL	32.2 deg C	22	0	22	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_MBCR

Station Name: Middle Bywy Creek

Period of Record: 4/5/2010 - 12/29/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	18	0	18	0	0.00												
E.coli	MS F&WL	298 MPN/100 ml	18	0	18	4	0.22												
pH	low pH	6	18	0	18	0	0.00												
pH	MS F&WL	9	18	0	18	0	0.00												
SPC	MS F&WL	1000 uS/cm	18	0	18	1	0.06												
Turbidity_Field	MS F&WL	50 NTU	18	0	18	4	0.22												
Water Temp	MS F&WL	32.2 deg C	18	0	18	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_MCCR

Station Name: McCurtain Creek

Period of Record: 10/4/2010 - 12/29/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	17	0	17	0	0.00												
E.coli	MS F&WL	298 MPN/100 ml	17	0	17	9	0.53												
pH	low pH	6	17	0	17	1	0.06												
pH	MS F&WL	9	17	0	17	0	0.00												
SPC	MS F&WL	1000 uS/cm	17	0	17	0	0.00												
Turbidity_Field	MS F&WL	50 NTU	17	0	17	2	0.12												
Water Temp	MS F&WL	32.2 deg C	17	0	17	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_MFBR

Station Name: Buffalo River

Period of Record: 7/2/2008 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	TN F&AL&rec	5 mg/l	27	0	27	0	0.00												
E.coli	TN F&AL&rec	487 MPN/100 ml	21	3	19	2	0.11												
pH	low pH	6	26	0	26	1	0.04												
pH	TN F&AL&rec	9	26	0	26	0	0.00												
Turbidity_Field	TN F&AL&rec	50 NTU	25	0	25	1	0.04												
Water Temp	TN F&AL&rec	30.5 deg C	27	0	27	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_MICR

Station Name: Mud Island Creek

Period of Record: 7/29/2008 - 12/30/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&W Rec	4 mg/l	21	0	21	0	0.00												
E.coli	MS F&W Rec	298 MPN/100 ml	19	2	19	8	0.42												
pH	low pH	6	21	0	21	0	0.00												
pH	MS F&W Rec	9	21	0	21	0	0.00												
SPC	MS F&W Rec	1000 uS/cm	21	0	21	0	0.00												
Turbidity_Field	MS F&W Rec	50 NTU	19	0	19	5	0.26												
Water Temp	MS F&W Rec	32.2 deg C	21	0	21	1	0.05												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_NFCR

Station Name: North Fork Coles Creek

Period of Record: 7/29/2008 - 12/30/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&W Rec	4 mg/l	18	0	18	0	0.00												
E.coli	MS F&W Rec	298 MPN/100 ml	16	1	16	8	0.50												
pH	low pH	6	18	0	18	0	0.00												
pH	MS F&W Rec	9	18	0	18	0	0.00												
SPC	MS F&W Rec	1000 uS/cm	18	0	18	0	0.00												
Turbidity_Field	MS F&W Rec	50 NTU	16	0	16	7	0.44												
Water Temp	MS F&W Rec	32.2 deg C	18	0	18	1	0.06												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_NICR

Station Name: Nine Mile Creek

Period of Record: 8/2/2008 - 12/29/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	20	0	20	0	0.00												
E.coli	MS F&WL	298 MPN/100 ml	19	0	19	3	0.16												
pH	low pH	6	20	0	20	2	0.10												
pH	MS F&WL	9	20	0	20	0	0.00												
SPC	MS F&WL	1000 uS/cm	20	0	20	0	0.00												
Turbidity_Field	MS F&WL	50 NTU	19	0	19	1	0.05												
Water Temp	MS F&WL	32.2 deg C	20	0	20	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_OFCR

Station Name: Old Field Creek

Period of Record: 6/30/2010 - 12/29/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&WL	4 mg/l	14	3	11	0	0.00												
E.coli	MS F&WL	298 MPN/100 ml	14	3	11	4	0.36												
pH	low pH	6	14	3	11	0	0.00												
pH	MS F&WL	9	14	3	11	0	0.00												
SPC	MS F&WL	1000 uS/cm	14	3	11	0	0.00												
Turbidity_Field	MS F&WL	50 NTU	14	3	11	1	0.09												
Water Temp	MS F&WL	32.2 deg C	14	3	11	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_SFCR

Station Name: South Fork Coles Creek

Period of Record: 7/29/2008 - 12/30/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	MS F&W Rec	4 mg/l	20	0	20	0	0.00												
E.coli	MS F&W Rec	298 MPN/100 ml	18	0	18	7	0.39												
pH	low pH	6	20	0	20	0	0.00												
pH	MS F&W Rec	9	20	0	20	0	0.00												
SPC	MS F&W Rec	1000 uS/cm	20	0	20	0	0.00												
Turbidity_Field	MS F&W Rec	50 NTU	18	0	18	6	0.33												
Water Temp	MS F&W Rec	32.2 deg C	20	0	20	1	0.05												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Station ID: NATR_SWBR

Station Name: Sweetwater Branch

Period of Record: 7/2/2008 - 12/28/2014

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.	Obs.	Exc.	Prop.
DO	TN F&AL&rec	5 mg/l	17	0	17	0	0.00												
E.coli	TN F&AL&rec	487 MPN/100 ml	14	1	13	0	0.00												
pH	low pH	6	16	0	16	0	0.00												
pH	TN F&AL&rec	9	16	0	16	0	0.00												
Turbidity_Field	TN F&AL&rec	50 NTU	15	0	15	0	0.00												
Water Temp	TN F&AL&rec	30.5 deg C	17	0	17	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

Reported Local Characteristics				
Local Name	STORET Name	Medium	Subject Taxon	Bio Part
DO	Dissolved oxygen (DO)	Water		
E.coli	Escherichia coli	Water		
pH	pH	Water		
SPC	Specific conductance	Water		
Turbidity_Field	Turbidity	Water		
Water Temp	Temperature, water	Water		

Results filtered for:

Organization = GULN: Gulf Coast Network

Project = NATR_WQ: GULN WQ Monitoring at Natchez Trace Parkway

Station = NATR_BCBC: Bear Creek

NATR_BRBR: Burcham Branch

NATR_BSCR: Big Sand Creek

NATR_BUBR: Burns Branch

NATR_CECR: Cedar Creek

NATR_COBR: Cooper Branch

NATR_COCR: Colbert Creek

NATR_CQCR: Chuquatonchee Creek

NATR_CYCR: Cypress Creek

NATR_DOB: Dobbins Branch

NATR_ECCR: English Camp Creek

NATR_FAHO: Fall Hollow

NATR_FICR: Five Mile Creek

NATR_GLBR: Glenrock Branch

NATR_HCCR: Hurricane Creek

NATR_HOCR: Houlika Creek

NATR_JABR: Jacks Branch

NATR_JAFA: Jackson Falls

NATR_JOCR: Jourdan Creek

NATR_LBCR: Little Bywy Creek

NATR_LBPI: Little Bayou Pierre

NATR_LISW: Little Swan Creek at Monument Road

NATR_LNCR: Line Creek

NATR_LSCR: Little Sand Creek

NATR_MBCR: Middle Bywy Creek

NATR_MCCR: McCurtain Creek



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Station, Sorted by Local Characteristic Name

NATR_MFBR: Buffalo River
NATR_MICR: Mud Island Creek
NATR_NFCR: North Fork Coles Creek
NATR_NICR: Nine Mile Creek
NATR_OFCR: Old Field Creek
NATR_OWCR: Owens Creek
NATR_SFCR: South Fork Coles Creek
NATR_SWBR: Sweetwater Branch

Exclude Analytical Groups

Include Only Samples Not Checked as QC

Measure Qualifier = (none)

Include records with no exceedances.

Stations had to be assigned to the WQ Standards in order for the results to be included in the analysis.

Censored Data Substitutions: *Non-detect=0.5* DetectionLimit, *Present >QL=1.1 * UpperQuantificationLimit, *Present <QL=0.5 * LowerQuantificationLimit