

EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

SAMPLE SUBMITTAL FORM

EMSL ORDER NUMBER (If Applicable ONLY)

071507910

EMSL ANALYTICAL, INC.
2205 CORPORATE PLAZA
PARKWAY SUITE 200
SMYRNA, GA 30080

Your Name: <u>Walter Bentley</u>	Please include payment with your samples.	
Street Address: <u>300 North Bond St</u>	☐ Certified Check	☐ Money Order ☒ Credit Card
Address 2:	If using a credit card please fill out the "Credit Card Authorization" form which is the last page of this document.	
City/State: <u>Plains, GA</u>		
Zip: <u>31780</u>		
Please Provide Results: ☐ Fax ☒ Email	Phone #:	Fax #:
Project ID: EMSL -	State where Samples were Collected: <u>Plains High School</u>	
Email Address: <u>Walter-bentley@aps.gov</u>	Amount of Check Enclosed (if applicable): \$	

Please check time frame results are needed in. The turnaround time starts when the Lab receives the samples and payment, whichever is the latter. Please enclose certified check, money order or credit card information. Please note that if your sample has multiple layers, as required by the USEPA, we are required to analyze all layers separately.

ASBESTOS ANALYSIS

	TURNAROUND							
	1 Hour	3 Hrs	6 Hrs	24 Hrs	48 Hrs	3 Days	4 Days	1 Week
BULK SAMPLE - PLM	☒	☐	☐	☐	☐	☐	☐	☐
EPA 600/R-93/116 or NYS 198 1	\$250	\$200	\$175	\$125	\$120	\$115	\$110	\$95
Bulk Sample – Non-friable Organically Bound (floor tiles, roofing, etc)					☐	☐	☐	☐
PLM EPA NOB or NYS 198 6					\$130	\$125	\$120	\$105
Settled Dust					☐	☐	☐	☐
ASTM 5755/ASTM 6480					\$275	\$225	\$200	\$180
Soil Samples					☐	☐	☐	☐
PLM CARB 435, Level A					\$400	\$375	\$330	\$290
Vermiculite Samples					☐	☐	☐	☐
TEM Qualitative via Filtration Technique					\$279	\$225	\$207	\$189
Drinking Water Sample								☐
EPA Method 100.2 (fibers >10 microns)								\$300

*Both 198 6 and 198 4 (additional \$75 charge) must be performed for samples in NYS to be classified as non asbestos containing material

LEAD ANALYSIS

	TURNAROUND						
	3 Hrs	6 Hrs	24 Hrs	48 Hrs	3 Days	4 Days	1 Week
PAINT CHIPS, WIPES, SOIL, DUST and WATER samples – FLAME AA	☐	☐	☐	☐	☐	☐	☐
	\$150	\$125	\$100	\$90	\$80	\$75	\$60

MOLD ANALYSIS

	TURNAROUND						
	6 Hrs	24 Hrs	48 Hrs	3 Days	4 Days	1 Week	2 Week
TAPE, BULK, AIR or SWAB - Direct Examination	☐	☐	☐	☐	☐	☐	☐
	\$250	\$150	\$140	\$130	\$120	\$110	\$100
BULK, SWAB, AIR or DUST – Culturable Fungi							☐
							\$180

ALLERGEN ANALYSIS

TURNAROUND					TURNAROUND				
	3 Days	4 Days	1 Week	2 Week		3 Days	4 Days	1 Week	2 Week
Dust Mite	☐	☐	☐	☐	Mouse	☐	☐	☐	☐
	\$360	\$288	\$228	\$180		\$360	\$288	\$228	\$180
Cat	☐	☐	☐	☐	Cockroach	☐	☐	☐	☐
	\$216	\$168	\$132	\$108		\$216	\$168	\$132	\$108
Dog	☐	☐	☐	☐	Latex Protein	☐	☐	☐	☐
	\$216	\$168	\$132	\$108		\$600	\$480	\$384	\$312
Rat	☐	☐	☐	☐	Allergens Group	☐	☐	☐	☐
	\$360	\$288	\$228	\$180	(Dog, Cat, Cockroach, & Dust Mites)	\$840	\$660	\$528	\$420



EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING

SAMPLE SUBMITTAL FORM

EMSL ORDER NUMBER (PLEASE USE ONLY)

071507910

EMSL ANALYTICAL, INC.
1800 WATER PLACE STE 1008
ATLANTA, GA 30329

PHONE: (770) 956-9150

MICROBIAL WATER ANALYSIS

Total Coliform with E.coli Screen

(SM 9223B, Presence or Absence)

Total Coliform

(SM 9222D Membrane Filtration Technique-Count)

Enterococci

(SM 9230C, Presence or Absence)

Pseudomonas aeruginosa

(SM 9213E, Membrane Filtration Technique)

Sewage Screen

(Total Coliform, E. coli & Enterococci, Presence or Absence)

Recreational Water Screen

(SM9213 Total Coliform, Fecal Coliform, Staphylococcus, and Streptococcus)

TURNAROUND				
48 Hrs	3 Days	4 Days	1 Week	2 Week
☐	☐	☐	☐	☐
\$170	\$150	\$135	\$110	\$85
☐	☐	☐	☐	☐
N/A	N/A	N/A	N/A	\$85
☐	☐	☐	☐	☐
\$170	\$150	\$135	\$110	\$85
☐	☐	☐	☐	☐
N/A	N/A	N/A	N/A	\$150
☐	☐	☐	☐	☐
\$250	N/A	N/A	N/A	N/A
☐	☐	☐	☐	☐
N/A	N/A	N/A	N/A	\$255

Industrial Hygiene Laboratory Services

Methamphetamine (wipe and bulk)

(GC/MS to 0.1ug)

Formaldehyde

(NIOSH 2016)

TURNAROUND	
1 Week	2 Week
☐	☐
\$350	\$295
☐	☐
\$350	\$295

REAL TIME Q-PCR LABORATORY ANALYSIS AVAILABLE

PCR-Environmental Relative Moldiness Index (ERMI) 36 Panel

Package developed by the EPA and is being studied as a tool to help qualify the moldiness of homes

Please visit www.moldinspectionkit.com or call 1-800-220-3675 for more information.

Radon Testing Available – Please visit www.radontestinglab.com or call 1-800-220-3675 for more information.

Please Contact Laboratory before Sample Submittal for the Minimum Necessary Sample Volume and Mass

Sample Number	Sample Location
	Phins High School - Interior
	Wall Plaster
Total Number of Samples Sent: 012	
Date Sent: 12/21/2015	Time Sent: 1:00 pm
Received (Lab): Sam Hanny	Date: 12-22-15
Comments:	Time: 10:40 FE

EMSL Analytical is strictly an analytical laboratory. We can analyze samples by various methods and provide you with a written report but cannot provide you with any advice as to how to proceed after obtaining results. Due to magnification limitations inherent in PLM, asbestos fibers in dimensions below the resolution capability of PLM may not be detected. The limit of detection as stated in the method is 1%. For assistance with interpretation of your results, you may call your local health department, visit the USEPA website at www.epa.org, or hire an environmental consultant.

If you would like EMSL to test your sample by PLM EPA Method EPA 600/R-93/116 please send us a sample of the material you want tested in a sealed zip lock bag (approximately 1 square inch is sufficient), and fill out the attached form. All orders must be prepaid. If you do not wish to use a credit card, include a certified check or money order in the amount that corresponds to the turnaround time you requested, multiplied by the number of samples you submit. Please refer to www.epa.gov/asbestos/pubs/ashome.html#6 for more information regarding asbestos in your home.

Not all services and/or tests are offered at every EMSL laboratory location. Please contact your local EMSL laboratory to confirm their ability to provide the service/test that you require.