

3739

Table 1

Total numbers, and percentages of adult live salmonids, carcasses, and redds, counted above and below the upper Lost Man Creek dam during winter stream surveys.

spawning Year	Date	Live Fish			carcasses			Redds		
		Below (%)	Above (%)	No.	Below (%)	Above (%)	No.	Below (%)	Above (%)	No.
1984-85	02-25-85	44	56	16	0	100	6	-	-	-
1985-86	12-18-85	100	0	25	88	12	8	100	0	3
1987-88	01-26-88	86	14	126	78	22	37	72	28	29
	02-10-88	88	12	43	74	26	35	79	21	33
1988-89	12-06-88	84	16	111	100	0	3	88	12	16
	01-25-89	93	7	127	85	15	27	89	11	52
	02-15-89	90	10	38	94	6	31	96	4	50
1989-90	12-05-89	100	0	2	0	0	0	0	0	0
	01-23-90	72	28	102	48	52	27	62	38	40
	03-22-90	79	21	24	86	14	7	65	35	54
1990-91	01-16-91	25	75	4	0	0	0	0	100	2
	01-31-91	59	41	17	41	59	22	61	39	18
	02-27-91	100	0	18	64	36	14	67	33	15
	03-18-91	65	35	26	0	100	2	100	0	3
1991-92	01-02-92	100	0	1	50	50	2	44	56	9
	01-29-92	49	51	33	75	25	4	67	33	21
	02-13-92									
	03-03-92	89	11	74	70	30	20	75	25	84
	03-24-92	50	50	6	80	20	5	88	12	40

CDFG
Eureka File

Table 2.

Yearly total numbers and percentages of adult live salmonids, carcasses, and redds, counted above and below the upper Lost Man Creek dam site during winter stream surveys of Lost Man Creek, Humboldt County, California.

Spawning Year	No. of Surveys	Live Fish			Carcasses			Redds		
		Below (%)	Above (%)	No.	Below (%)	Above	No.	Below (%)	Above (%)	No.
1984-85	1	43.8	56.2	16	0.0	100	6	-	-	-
1985-86	1	100	0.0	25	87.5	12.5	8	100	0.0	3
1987-88	2	86.4	13.6	169	76.4	23.6	72	75.8	24.2	62
1988-89	3	88.8	11.2	276	90.2	9.8	61	91.5	8.5	118
1989-90	3	73.4	26.6	128	55.9	44.1	34	63.8	36.2	94
1990-91	4	70.8	29.2	65	47.4	52.6	38	63.2	36.8	38
1991-92	4	75.4	24.6	114	71.0	29.0	31	75.3	24.7	154

(Dark line signifies surveys before and after dam removal in August 1989.)

Table 3. Yearly total numbers and percentages of adult live salmonids, carcasses, and redds, counted below the lower hatchery dam, above the lower dam and below the upper Lost Man Creek dam site, and above the upper dam site and the Double Bridges, during winter stream surveys of Lost Man Creek, Humboldt County, California.

Spawning Year	No. of Surveys	Live Fish			Carcasses			Redds		
		Lower Hatchery Dam (%)	Below (%)	Above (%)	Lower Hatchery Dam (%)	Below (%)	Above (%)	Lower Hatchery Dam (%)	Below (%)	Above (%)
1984-85	1	0.0	43.8	56.2	0.0	0.0	100	-	-	-
1985-86	1	20.0	80.0	0.0	0.0	87.5	12.5	33.3	66.7	0.0
1987-88	2	41.4	45.0	13.6	9.7	66.7	23.6	3.2	72.6	24.2
1988-89	3	51.1	37.7	11.2	34.4	55.8	9.8	28.8	62.7	8.5
1989-90	3	43.8	29.6	26.6	29.4	26.5	44.1	14.9	48.9	36.2
1990-91	4	35.5	35.4	29.2	10.5	36.9	52.6	7.9	55.3	36.8
1991-92	4	18.5	57.0	24.6	16.1	54.8	29.0	21.4	53.9	24.7

(Dark line signifies surveys before and after dam removal in August 1989.)