

Figure 1. Location of Prairie Creek drainage electrofishing sections, June-September, 1990.
Scale is approximately one inch equals four miles.




Figure 2. Length-frequency distribution of coho salmon, initial electrofishing samples.











Figure 3. Length-frequency distribution of steelhead and resident rainbow trout, initial electrofishing samples.




Figure 4. Density estimates of young-of-the-year coho salmon from the initial electrofishing runs. Bars represent 95% confidence intervals. Section abbreviations: LP-Lower Prairie Creek; LLM-Little Lost Man Creek; BOY-Boyes Creek; LG-Lower Godwood Creek; UG-Upper Godwood Creek; LB-Lower Browns Creek; UB-Upper Browns Creek; UP-Upper Prairie Creek.




Figure 5. Density estimates of young-of-the-year steelhead and resident rainbow trout from the initial electrofishing runs. Bars represent 95% confidence intervals. Section abbreviations: LP-Lower Prairie Creek; LLM-Little Lost Man Creek; BOY-Boyes Creek; LG-Lower Godwood Creek; UG-Upper Godwood Creek; LB-Lower Browns Creek; UB-Upper Browns Creek; UP-Upper Prairie Creek.




Figure 6. Density of 0+ coho salmon from the first and second electrofishing surveys. Hatchbox-reared coho are included. Bars represent 95% confidence intervals. Section abbreviations: LP-Lower Prairie Creek; LLM-Little Lost Man Creek; BOY-Boyes Creek; LG-Lower Godwood Creek; UG-Upper Godwood Creek; LB-Lower Browns Creek; UB-Upper Browns Creek; UP-Upper Prairie Creek.




Figure 7. Density estimates of young-of-the-year steelhead and resident rainbow trout from the first and second electrofishing surveys. Hatchbox-reared steelhead are included. Bars represent 95% confidence intervals. Section abbreviations: LP-Lower Prairie Creek; LLM-Little Lost Man Creek; BOY-Boyces Creek; LG-Lower Godwood Creek; UG-Upper Godwood Creek; LB-Lower Browns Creek; UB-Upper Browns Creek; UP-Upper Prairie Creek.




Figure 8. Density estimates of wild young-of-the-year coho salmon prior to and following stocking of hatchbox coho. Bars represent 95% confidence intervals.

