

Packing List

Page 1 of 12

Delivery Number	Packing Slip Number	Date Shipped
2678603	YSI-556236	12-MAR-19
Shipped Via: FEDEX-Air-FedEx 2nd Day		

CERTIFICATE OF COMPLIANCE

This is to certify that the materials, processes and finished products were controlled, tested, and accepted in accordance with our quality system and the applicable specifications.

David Barclay
General Manager

SOLD TO

NATIONAL PARK SERVICE
3100 NATIONAL PARK RD
JUNEAU, AK 99801, United States
SHIP TO
NATIONAL PARK SERVICE
3100 NATIONAL PARK RD
JUNEAU, AK 99801, United States

PICKUP DATE	PAYMENT TERMS	FREIGHT TERMS	SR NUMBER	INCOTERMS	TAX NAME	TAX NO.	Supplier No.
12-MAR-19	Credit Card	Collect	336992	2010 FCA - ORIGIN	Exempt		

ORDER LINE NO.	YSI ITEM NO./HS NO.	ORDER NO.	CUSTOMER ITEM NO.	PO NO.	PO Line#	DESCRIPTION	Lot# / Country Of Origin	UOM	QTY ORDERED	QTY SHIPPED	BACK ORDERED
10.1	R6920V2 9801.10.0000	682839		CREDITC ARD		Repair, Model 6920V2 MODEL # 6920V2 SN: 08H100355	United States	EA	1	1	0
REPORTED SYMPTOM: PREVENTIVE MAINTENANCE ***** SUMMARY: REPLACE ALL											

-This order is subject to the Standard Terms and Conditions of Sale - Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties.

-These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.



Xylem operates under the brands of YSI, SonTek, Andorra, MJK, HYPACK, and SI Analytics.

YSI Incorporated
1700/1725 Bannum Lane
Yellow Springs, OH 45387
USA
tel: 937-767-7241
fax: 937-767-9320

Packing List

Page 2 of 12

Delivery Number	Packing Slip Number	Date Shipped
2678603	YSI-556236	12-MAR-19
Shipped Via: FEDEX-Air-FedEx 2nd Day		

ORDER LINE NO.	YSI ITEM NO./ HS NO.	ORDER NO.	CUSTOMER ITEM NO.	PO NO.	PO Line#	DESCRIPTION	Lot# / Country of Origin	UOM	QTY ORDERED	QTY SHIPPED	BACK ORDERED
						O-RINGS, TEST AND EVAL PROBES AND SONDE. REPLACE pH PROBE.					
						- PROBE PASSED, BUT QUOTED REPLACEMENT DUE TO THE AGE OF THE PROBE AND HIGH mv READINGS.					
						- REPLACED pH PROBE LOT#18K PN# 006561					
						+++++					
						TEST AND CALIBRATE BOARD: PASS					
						FIRMWARE TO LATEST VERSION (3.10)					
						PERFORM CURRENT DRAW TEST. PASSED SLEEP, IDLE AND RUN MODE TESTING.					
						TEST WITH BATTERIES AND POWER SUPPLY: PASS					
						TEST RTC BATTERY: PASS					
						TEST BCR CONNECTOR AND BATTERY COMPARTMENT: PASS					
						TEST BULKHEAD FOR STRIPPED PORTS AND HIGH IMPEDANCE LEAKAGE: PASS					
						TEST					

- This order is subject to the Standard Terms and Conditions of Sale - Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties

- These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.



ANDORRA

mjk



SI Analytics

-ebro-

Packing List

Page 3 of 12

Delivery Number	Packing Slip Number	Date Shipped
2678603	YSI-556236	12-MAR-19
Shipped Via: FEDEX-Air-FedEx 2nd Day		

ORDER LINE NO.	YSI ITEM NO./HS NO.	ORDER NO.	CUSTOMER ITEM NO.	PO NO.	PO Line#	DESCRIPTION	Lot# / Country of Origin	UOM	QTY ORDERED	QTY SHIPPED	BACK ORDERED
12.1	R6150 9801.10.0000	682839		CREDITC ARD		CONDUCTIVITY/TEMPERATURE PROBE (LN 16A100678) PROBE CALIBRATES PROPERLY IN 10.00MS STANDARD WITH A CELL CONSTANT OF 4.92895. PROBE READS ZERO SPCOND. IN AIR. TEMPERATURE READS 22.08°C IN A 22.1 °C BATH. TEST PH PROBE(LN 18K): PASS 7: -7.3 mV 10: -181.5 mV 4: 166mV SLOPE: (7.10) 174.2 mV; (7.4) -173.3 mV PH PROBES HAVE A LIFE EXPECTENCY OF 12-14MOS. YSI RECOMMENDS REPLACING THEM WITHIN THAT TIME FRAME. REPLACED O-RINGS. FINAL TEST. MEETS YSI SPECIFICATIONS. Repair, Model 6150 6150 ROX ODO PROBE SN: 11H101347 REPORTED SYMPTOM: PREVENTIVE MAINTENANCE	United States	EA	1	1	0

-This order is subject to the Standard Terms and Conditions of Sale - Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties
-These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.



Packing List

Page 4 of 12

Delivery Number	Packing Slip Number	Date Shipped
2678603	YSI-556236	12-MAR-19
Shipped Via: FEDEX-Air-FedEx 2nd Day		

ORDER LINE NO.	YSI ITEM NO./ HS NO.	ORDER NO.	CUSTOMER ITEM NO.	PO NO.	PO Line#	DESCRIPTION	Lot# / Country of Origin	UOM	QTY ORDERED	QTY SHIPPED	BACK ORDERED
						***** YSI RECOMMENDS CHANGING ROX DO MEMBRANE EVERY 12MOS TO ENSURE OPTIMAL OPERATION ***** REPLACED MEMBRANE WITH PART#606155, LOT#19A100960 TEST AND CALIBRATE PROBE: PASS PROBE READS: 92.2 % IN AERATED BATH, CALIBRATED TO 100% PROBE READS: 1.2 % [<2%] IN ZERO BATH PROBE GAIN: 1.08486 TEST WIPER FUNCTION: PASS ALL UPDATES IN PLACE REPLACED QUAD SEAL REPLACED O-RINGS. FINAL TEST, MEETS YSI SPECIFICATIONS. Repair, Model 6136 6136 TURBIDITY PROBE SN: 11J100156					
14.1	R6136 9801.10.0000	682839		CREDITC ARD			United States	EA	1	1	0

-This order is subject to the Standard Terms and Conditions of Sale - Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties

-These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.



Packing List

Page 5 of 12

Delivery Number	Packing Slip Number	Date Shipped
2678603	YSI-556236	12-MAR-19
Shipped Via: FEDEX-Air-FedEx 2nd Day		

ORDER LINE NO.	YSI ITEM NO./ HS NO.	ORDER NO.	CUSTOMER ITEM NO.	PO NO.	PO Line#	DESCRIPTION	Lot# / Country of Origin	UOM	QTY ORDERED	QTY SHIPPED	BACK ORDERED
2.1	R6920V2 9801.10.0000	662839		CREDITC ARD		REPORTED SYMPTOM: EVALUATION/PREVENTIVE MAINTENANCE TEST AND CALIBRATE PROBE: PASS PROBE READS: 109.4 NTU IN 126 NTU STANDARD. CALIBRATED TO 126. ALL UPDATES IN PLACE. REPLACED QUAD SEAL. REPLACED O-RINGS. TEST WIPER FUNCTION: PASS FINAL TEST MEETS YSI SPECIFICATIONS.	United States	EA	1	1	0
						Repair Model 6920V2 MODEL# 6920V2 SN: NONE REPORTED SYMPTOM: PREVENTIVE MAINTENANCE +++++ SUMMARY: REPLACE ALL O-RINGS. TEST AND EVAL PROBE. AND SONDE. REPLACE PH PROBE.					

-This order is subject to the Standard Terms and Conditions of Sale - Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties

-These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.



Xylem operates under the brands of YSI, Sontek, Aanderaa, MJK, HYPACK, ehro and SI Analytics.

YSI Incorporated
1700/1725 Brannum Lane
Yellow Springs, OH 45387
USA
tel: 937.767.7241
fax: 937.767.9320

Packing List

Page 6 of 12

Delivery Number	Packing Slip Number	Date Shipped
2678603	YSI-556236	12-MAR-19
Shipped Via: FEDEX-Air-FedEx 2nd Day		

ORDER LINE NO.	YSI ITEM NO./ HS NO.	ORDER NO.	CUSTOMER ITEM NO.	PO NO.	PO Line#	DESCRIPTION	Lot# / Country of Origin	UOM	QTY ORDERED	QTY SHIPPED	BACK ORDERED
						- PROBE PASSED, BUT QUOTED REPLACEMENT DUE TO THE AGE OF THE PROBE AND HIGH mv READINGS.					
						- REPLACED pH PROBE LOT#18K PN# 006561 +++++ TEST AND CALIBRATE BOARD: PASS FIRMWARE TO LATEST VERSION (3.10) PERFORM CURRENT DRAW TEST, PASSED SLEEP, IDLE AND RUN MODE TESTING.					
						TEST WITH BATTERIES AND POWER SUPPLY: PASS TEST RTC BATTERY: PASS TEST BCR CONNECTOR AND BATTERY COMPARTMENT: PASS					
						TEST BULKHEAD FOR STRIPPED PORTS AND HIGH IMPEDANCE LEAKAGE: PASS					
						TEST CONDUCTIVITY/TEMPERATURE PROBE (LN 11H100545) PROBE CALIBRATES PROPERLY IN					

-This order is subject to the Standard Terms and Conditions of Sale – Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties

-These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.





Xylem operates under the brands of YSI, SorTek, Aanderaa, MJK, HYPACK, ebro and SI Analytics.

YSI Incorporated
1700/1725 Brannum Lane
Yellow Springs, OH 45387
USA
tel: 937-767-7241
fax: 937-767-9320

Packing List

Page 7 of 12

Delivery Number	Packing Slip Number	Date Shipped
2678603	YSI-556236	12-MAR-19
Shipped Via: FEDEX-Air-FedEx 2nd Day		

ORDER LINE NO.	YSI ITEM NO./ HS NO.	ORDER NO.	CUSTOMER ITEM NO.	PO NO.	PO Line#	DESCRIPTION	Lot# / Country of Origin	UOM	QTY ORDERED	QTY SHIPPED	BACK ORDERED
4.1	R6150 9801.10.0000	682839		CREDITC ARD		10.00ms STANDARD WITH A CELL CONSTANT OF 4.93026. PROBE READS ZERO SPCOND. IN AIR. TEMPERATURE READS 21.92°C IN A 21.9°C BATH. TEST PH PROBE(LN 18K). PASS 7: -9 mV 10: -184.7 mV 4: 164.7 mV SLOPE: (7,10) 175.7 mV; (7,4) -173.7 mV PH PROBES HAVE A LIFE EXPECTENCY OF 12-14MOS. YSI RECOMMENDS REPLACING THEM WITHIN THAT TIME FRAME. REPLACED O-RINGS. FINAL TEST. MEETS YSI SPECIFICATIONS. Repair, Model 6150 6150 ROX ODO PROBE SN: 11E101714 REPORTED SYMPTOM: PREVENTIVE MAINTENANCE +++++ YSI RECOMMENDS CHANGING	United States	EA	1	1	0

-This order is subject to the Standard Terms and Conditions of Sale - Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties

-These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.



AANDERAA



SI Analytics



Packing List

Page 8 of 12

Delivery Number	Packing Slip Number	Date Shipped
2678603	YSI-556236	12-MAR-19
Shipped Via: FEDEX-Air-FedEx 2nd Day		

ORDER LINE NO.	YSI ITEM NO./ HS NO.	ORDER NO.	CUSTOMER ITEM NO.	PO NO.	PO Line#	DESCRIPTION	Lot# / Country of Origin	UOM	QTY ORDERED	QTY SHIPPED	BACK ORDERED
						ROX DO MEMBRANE EVERY 12MOS TO ENSURE OPTIMAL OPERATION +++++					
						REPLACED MEMBRANE WITH PART#606155, LOT#19A100960					
						TEST AND CALIBRATE PROBE: PASS PROBE READS: 90.9% IN AERATED BATH. CALIBRATED TO 100% PROBE READS: 1.4% [±2%] IN ZERO BATH. FAIL PROBE GAIN: 1.1002					
						TEST WIPER FUNCTION: PASS					
						ALL UPDATES IN PLACE REPLACED QUAD SEAL. REPLACED O-RINGS.					
						FINAL TEST MEETS YSI SPECIFICATIONS.					
6.1	R6920V2 9801.10.0000	682839		CREDITC ARD		Repair Model 6920V2 MODEL# 6920V2 SN: 08H100353 REPORTED SYMPTOM: PREVENTIVE MAINTENANCE	United States	EA	1	1	0

-This order is subject to the Standard Terms and Conditions of Sale - Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties
-These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.



Xylem operates under the brands of YSI, SonTek, Aanderaa, MJK, HYPACK, ebro and SI Analytics.

YSI Incorporated
1700/1725 Brannum Lane
Yellow Springs, OH 45387
USA
tel: 937.767.7241
fax: 937.767.9320

Packing List

Page 9 of 12

Delivery Number	Packing Slip Number	Date Shipped
2678603	YSI-556236	12-MAR-19
Shipped Via: FEDEX-Air-FedEx 2nd Day		

ORDER LINE NO.	YSI ITEM NO./ HS NO.	ORDER NO.	CUSTOMER ITEM NO.	PO NO.	PO Line#	DESCRIPTION	Lot# / Country of Origin	UOM	QTY ORDERED	QTY SHIPPED	BACK ORDERED
+++++ SUMMARY: REPLACE ALL O-RINGS, TEST AND EVAL PROBES, AND SONDE. REPLACE pH PROBE. - PROBE PASSED, BUT QUOTED REPLACEMENT DUE TO THE AGE OF THE PROBE AND HIGH mV READINGS. - REPLACED pH PROBE LOT#18K PN# 006561 +++++ TEST AND CALIBRATE BOARD: PASS FIRMWARE TO LATEST VERSION (3.10) PERFORM CURRENT DRAW TEST, PASSED SLEEP, IDLE AND RUN MODE TESTING. TEST WITH BATTERIES AND POWER SUPPLY: PASS TEST RTC BATTERY: PASS TEST BCR CONNECTOR AND BATTERY COMPARTMENT: PASS TEST BULKHEAD FOR STRIPPED PORTS AND HIGH IMPEDANCE											

-This order is subject to the Standard Terms and Conditions of Sale - Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties

-These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.



Packing List

Page 10 of 12

Delivery Number	Packing Slip Number	Date Shipped
2678603	YSI-556236	12-MAR-19
Shipped Via: FEDEX-Air-FedEx 2nd Day		

ORDER LINE NO.	YSI ITEM NO./ HS NO.	ORDER NO.	CUSTOMER ITEM NO.	PO NO.	PO Line#	DESCRIPTION	Lot# / Country of Origin	UOM	QTY ORDERED	QTY SHIPPED	BACK ORDERED
8.1	R6150 9801.10.0000	682839		CREDITC ARD		LEAKAGE: PASS TEST CONDUCTIVITY/TEMPERATURE PROBE (LN16A100678) PROBE CALIBRATES PROPERLY IN 10.00ms STANDARD WITH A CELL CONSTANT OF 4.89643. PROBE READS ZERO SPCOND. IN AIR. TEMPERATURE READS 22.04°C IN A 22.0°C BATH. TEST PH PROBE(LN18K): PASS 7: -9.3 mV 10: -183.5 mV 4: 162.5 mV SLOPE: (7,10) 174.2 mV; (7,4) -171.8 mV PH PROBES HAVE A LIFE EXPECTENCY OF 12-14MOS. YSI RECOMMENDS REPLACING THEM WITHIN THAT TIME FRAME. REPLACED O-RINGS. FINAL TEST. MEETS YSI SPECIFICATIONS. Repair, Model 6150 6150 ROX ODO PROBE SN: 08H101103	United States	EA	1	1	0

-This order is subject to the Standard Terms and Conditions of Sale - Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties

-These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.



Xylem operates under the brands of YSI, SonTek, Aanderaa, MJK, HYPACK, ebro and SI Analytics.

YSI Incorporated
1700/1725 Brannum Lane
Yellow Springs, OH 45387
USA
tel: 937-767-7241
fax: 937-767-9320

Packing List

Page 11 of 12

Delivery Number	Packing Slip Number	Date Shipped
2678603	YSI-556236	12-MAR-19
Shipped Via: FEDEX-Air-FedEx 2nd Day		

ORDER LINE NO.	YSI ITEM NO./ HS NO.	ORDER NO.	CUSTOMER ITEM NO.	PO NO.	PO Line#	DESCRIPTION	Lot# / Country of Origin	UOM	QTY ORDERED	QTY SHIPPED	BACK ORDERED
						REPORTED SYMPTOM: PREVENTIVE MAINTENANCE					
						+++++					
						YSI RECOMMENDS CHANGING ROX DO MEMBRANE EVERY 12MOS TO ENSURE OPTIMAL OPERATION					
						+++++					
						REPLACED MEMBRANE WITH PART#606155, LOT#19A100960					
						TEST AND CALIBRATE PROBE: PASS					
						PROBE READS: 91.7 % IN AERATED BATH. CALIBRATED TO 100%					
						PROBE READS: 8 % [<2%] IN ZERO BATH. FAIL					
						PROBE GAIN: 1.09091					
						TEST WIPER FUNCTION: PASS					
						ALL UPDATES IN PLACE REPLACED QUAD SEAL. REPLACED O-RINGS.					
						FINAL TEST. MEETS YSI SPECIFICATIONS.					

-This order is subject to the Standard Terms and Conditions of Sale - Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties

-These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.





Xylem operates under the brands of YSI, SonTek, Aanderaa, MJK, HYPACK, etico and SI Analytics.

YSI Incorporated
1700/1725 Bannum Lane
Yellow Springs, OH 45387
USA
tel: 937-767-7241
fax: 937-767-9320


Packing List

Page 12 of 12

Delivery Number	Packing Slip Number	Date Shipped
2678603	YSI-556236	12-MAR-19
Shipped Via: FEDEX-Air-FedEx 2nd Day		

GROSS WEIGHT(LB) :	20.00	NET WEIGHT (LB) :	20.00	VOLUME(CC) :	0	TOTAL CARTONS: 0
ADDITIONAL INFO:	448116632282					
ADDITIONAL NOTE:	Shipping Note: Invoice Note:					

Tracking Number:



-This order is subject to the Standard Terms and Conditions of Sale – Xylem Americas effective on the date the order is accepted which terms are available at <http://www.xyleminc.com/en-us/Pages/terms-conditions-of-sale.aspx> and incorporated herein by reference and made a part of the agreement between the parties

-These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited.



AANDERAA®

mjk



etico

SI Analytics

ebro