

Southeast Coast Network

National Park Service
Inventory and Monitoring Division



Landbird Community Monitoring at Canaveral National Seashore

2022 Data Summary

Species Distribution Maps

Michael C. Parrish

Southeast Coast Network, NPS, 135 Phoenix Road, Athens, Georgia 30605.

The following maps (Figures 1–38) highlight the vocalization detections for each species at Canaveral National Seashore in 2022. These are supplemental to the Landbird Community Monitoring: 2022 Data Summary Report for Canaveral National Seashore available at [Data Summary Brief](https://irma.nps.gov/DataStore/Reference/Profile/2305464) (<https://irma.nps.gov/DataStore/Reference/Profile/2305464>).

Contents

Figure 1.	Vocalization detections of northern bobwhite (<i>Colinus virginianus</i>) at Canaveral National Seashore.	4
Figure 2.	Vocalization detections of mourning dove (<i>Zenaida macroura</i>) at Canaveral National Seashore.	5
Figure 3.	Vocalization detections of clapper rail (<i>Rallus longirostris</i>) at Canaveral National Seashore.	6
Figure 4.	Vocalization detections of common gallinule (<i>Gallinula chloropus</i>) at Canaveral National Seashore.	7
Figure 5.	Vocalization detections of black-bellied plover (<i>Pluvialis squatarola</i>) at Canaveral National Seashore.	8
Figure 6.	Vocalization detections of willet (<i>Tringa semipalmata</i>) at Canaveral National Seashore.	9
Figure 7.	Vocalization detections of greater yellowlegs (<i>Tringa melanoleuca</i>) at Canaveral National Seashore.	10
Figure 8.	Vocalization detections of royal tern (<i>Thalasseus maximus</i>) at Canaveral National Seashore.	11
Figure 9.	Vocalization detections of great blue heron (<i>Ardea herodias</i>) at Canaveral National Seashore.	12
Figure 10.	Vocalization detections of green heron (<i>Butorides virescens</i>) at Canaveral National Seashore.	13
Figure 11.	Vocalization detections of osprey (<i>Pandion haliaetus</i>) at Canaveral National Seashore.	14
Figure 12.	Vocalization detections of bald eagle (<i>Haliaeetus leucocephalus</i>) at Canaveral National Seashore.	15
Figure 13.	Vocalization detections of red-shouldered hawk (<i>Buteo lineatus</i>) at Canaveral National Seashore.	16
Figure 14.	Vocalization detections of red-bellied woodpecker (<i>Melanerpes carolinus</i>) at Canaveral National Seashore.	17
Figure 15.	Vocalization detections of downy woodpecker (<i>Dryobates pubescens</i>) at Canaveral National Seashore.	18
Figure 16.	Vocalization detections of northern flicker (<i>Colaptes auratus</i>) at Canaveral National Seashore.	19
Figure 17.	Vocalization detections of pileated woodpecker (<i>Dryocopus pileatus</i>) at Canaveral National Seashore.	20
Figure 18.	Vocalization detections of great crested flycatcher (<i>Myiarchus crinitus</i>) at Canaveral National Seashore.	21
Figure 19.	Vocalization detections of white-eyed vireo (<i>Vireo griseus</i>) at Canaveral National Seashore.	22
Figure 20.	Vocalization detections of red-eyed vireo (<i>Vireo olivaceus</i>) at Canaveral National Seashore.	23
Figure 21.	Vocalization detections of blue jay (<i>Cyanocitta cristata</i>) at Canaveral National Seashore.	24
Figure 22.	Vocalization detections of Florida scrub-jay (<i>Aphelocoma coerulescens</i>) at Canaveral National Seashore.	25
Figure 23.	Vocalization detections of fish crow (<i>Corvus ossifragus</i>) at Canaveral National Seashore.	26
Figure 24.	Vocalization detections of tufted titmouse (<i>Baeolophus bicolor</i>) at Canaveral National Seashore.	27
Figure 25.	Vocalization detections of cedar waxwing (<i>Bombycilla cedrorum</i>) at Canaveral National Seashore.	28

Contents

Figure 26. Vocalization detections of blue-gray gnatcatcher (*Polioptila caerulea*) at Canaveral National Seashore. 29

Figure 27. Vocalization detections of marsh wren (*Cistothorus palustris*) at Canaveral National Seashore. 30

Figure 28. Vocalization detections of Carolina wren (*Thryothorus ludovicianus*) at Canaveral National Seashore. 31

Figure 29. Vocalization detections of gray catbird (*Dumetella carolinensis*) at Canaveral National Seashore. 32

Figure 30. Vocalization detections of chipping sparrow (*Spizella passerina*) at Canaveral National Seashore. 33

Figure 31. Vocalization detections of eastern towhee (*Pipilo erythrophthalmus*) at Canaveral National Seashore. 34

Figure 32. Vocalization detections of red-winged blackbird (*Agelaius phoeniceus*) at Canaveral National Seashore. 35

Figure 33. Vocalization detections of common grackle (*Quiscalus quiscula*) at Canaveral National Seashore. 36

Figure 34. Vocalization detections of common yellowthroat (*Geothlypis trichas*) at Canaveral National Seashore. 37

Figure 35. Vocalization detections of American redstart (*Setophaga ruticilla*) at Canaveral National Seashore. 38

Figure 36. Vocalization detections of northern parula (*Setophaga americana*) at Canaveral National Seashore. 39

Figure 37. Vocalization detections of pine warbler (*Setophaga pinus*) at Canaveral National Seashore. 40

Figure 38. Vocalization detections of northern cardinal (*Cardinalis cardinalis*) at Canaveral National Seashore. 41



Northern Bobwhite (*Colinus virginianus*)




Figure 1. Vocalization detections of northern bobwhite (*Colinus virginianus*) at Canaveral National Seashore.



Mourning Dove (*Zenaida macroura*)




Figure 2. Vocalization detections of mourning dove (*Zenaida macroura*) at Canaveral National Seashore.



Clapper Rail (*Rallus longirostris*)




Figure 3. Vocalization detections of clapper rail (*Rallus longirostris*) at Canaveral National Seashore.



Common Gallinule (*Gallinula chloropus*)




Figure 4. Vocalization detections of common gallinule (*Gallinula chloropus*) at Canaveral National Seashore.



Black-bellied Plover (*Pluvialis squatarola*)




Figure 5. Vocalization detections of black-bellied plover (*Pluvialis squatarola*) at Canaveral National Seashore.



Willet (*Tringa semipalmata*)




Figure 6. Vocalization detections of willet (*Tringa semipalmata*) at Canaveral National Seashore.



Greater Yellowlegs (*Tringa melanoleuca*)




Figure 7. Vocalization detections of greater yellowlegs (*Tringa melanoleuca*) at Canaveral National Seashore.



Royal Tern (*Thalasseus maximus*)




Figure 8. Vocalization detections of royal tern (*Thalasseus maximus*) at Canaveral National Seashore.



Great Blue Heron (*Ardea herodias*)




Figure 9. Vocalization detections of great blue heron (*Ardea herodias*) at Canaveral National Seashore.



Green Heron (*Butorides virescens*)




Figure 10. Vocalization detections of green heron (*Butorides virescens*) at Canaveral National Seashore.



Osprey (*Pandion haliaetus*)




Figure 11. Vocalization detections of osprey (*Pandion haliaetus*) at Canaveral National Seashore.



Bald Eagle (*Haliaeetus leucocephalus*)




Figure 12. Vocalization detections of bald eagle (*Haliaeetus leucocephalus*) at Canaveral National Seashore.



Red-shouldered Hawk (*Buteo lineatus*)




Figure 13. Vocalization detections of red-shouldered hawk (*Buteo lineatus*) at Canaveral National Seashore.



Red-bellied Woodpecker (*Melanerpes carolinus*)




Figure 14. Vocalization detections of red-bellied woodpecker (*Melanerpes carolinus*) at Canaveral National Seashore.



Downy Woodpecker (*Dryobates pubescens*)




Figure 15. Vocalization detections of downy woodpecker (*Dryobates pubescens*) at Canaveral National Seashore.



Northern Flicker (*Colaptes auratus*)




Figure 16. Vocalization detections of northern flicker (*Colaptes auratus*) at Canaveral National Seashore.



Pileated Woodpecker (*Dryocopus pileatus*)




Figure 17. Vocalization detections of pileated woodpecker (*Dryocopus pileatus*) at Canaveral National Seashore.



Great Crested Flycatcher (*Myiarchus crinitus*)




Figure 18. Vocalization detections of great crested flycatcher (*Myiarchus crinitus*) at Canaveral National Seashore.



White-eyed Vireo (*Vireo griseus*)




Figure 19. Vocalization detections of white-eyed vireo (*Vireo griseus*) at Canaveral National Seashore.



Red-eyed Vireo (*Vireo olivaceus*)




Figure 20. Vocalization detections of red-eyed vireo (*Vireo olivaceus*) at Canaveral National Seashore.



Blue Jay (*Cyanocitta cristata*)




Figure 21. Vocalization detections of blue jay (*Cyanocitta cristata*) at Canaveral National Seashore.



Florida Scrub-Jay (*Aphelocoma coerulescens*)




Figure 22. Vocalization detections of Florida scrub-jay (*Aphelocoma coerulescens*) at Canaveral National Seashore.



Fish Crow (*Corvus ossifragus*)




Figure 23. Vocalization detections of fish crow (*Corvus ossifragus*) at Canaveral National Seashore.



Tufted Titmouse (*Baeolophus bicolor*)




Figure 24. Vocalization detections of tufted titmouse (*Baeolophus bicolor*) at Canaveral National Seashore.



Cedar Waxwing (*Bombycilla cedrorum*)




Figure 25. Vocalization detections of cedar waxwing (*Bombycilla cedrorum*) at Canaveral National Seashore.



Blue-gray Gnatcatcher (*Poliioptila caerulea*)




Figure 26. Vocalization detections of blue-gray gnatcatcher (*Poliioptila caerulea*) at Canaveral National Seashore.



Marsh Wren (*Cistothorus palustris*)




Figure 27. Vocalization detections of marsh wren (*Cistothorus palustris*) at Canaveral National Seashore.



Carolina Wren (*Thryothorus ludovicianus*)




Figure 28. Vocalization detections of Carolina wren (*Thryothorus ludovicianus*) at Canaveral National Seashore.



Gray Catbird (*Dumetella carolinensis*)




Figure 29. Vocalization detections of gray catbird (*Dumetella carolinensis*) at Canaveral National Seashore.



Chipping Sparrow (*Spizella passerina*)




Figure 30. Vocalization detections of chipping sparrow (*Spizella passerina*) at Canaveral National Seashore.



Eastern Towhee (*Pipilo erythrophthalmus*)




Figure 31. Vocalization detections of eastern towhee (*Pipilo erythrophthalmus*) at Canaveral National Seashore.



Red-winged Blackbird (*Agelaius phoeniceus*)




Figure 32. Vocalization detections of red-winged blackbird (*Agelaius phoeniceus*) at Canaveral National Seashore.



Common Grackle (*Quiscalus quiscula*)




Figure 33. Vocalization detections of common grackle (*Quiscalus quiscula*) at Canaveral National Seashore.



Common Yellowthroat (*Geothlypis trichas*)




Figure 34. Vocalization detections of common yellowthroat (*Geothlypis trichas*) at Canaveral National Seashore.



American Redstart (*Setophaga ruticilla*)




Figure 35. Vocalization detections of American redstart (*Setophaga ruticilla*) at Canaveral National Seashore.



Northern Parula (*Setophaga americana*)




Figure 36. Vocalization detections of northern parula (*Setophaga americana*) at Canaveral National Seashore.



Pine Warbler (*Setophaga pinus*)




Figure 37. Vocalization detections of pine warbler (*Setophaga pinus*) at Canaveral National Seashore.



Northern Cardinal (*Cardinalis cardinalis*)




Figure 38. Vocalization detections of northern cardinal (*Cardinalis cardinalis*) at Canaveral National Seashore.