# Baseline Water Quality Data

# Inventory and Analysis

# Hopewell Furnace National Historic Site



## Water Resources Division and Servicewide Inventory and Monitoring Program

*National Park Service - Department of the Interior*
*Fort Collins - Denver - Washington*

The National Park Service Water Resources Division is responsible for providing water resources management policy and guidelines, planning, technical assistance, training, and operational support to units of the National Park System. Program areas include water rights, water resources planning, regulatory guidance and review, hydrology, water quality, watershed management, watershed studies, and aquatic ecology.

**Technical Reports**

The National Park Service disseminates the results of biological, physical, and social research through the Natural Resources Technical Report Series. Natural resources inventories and monitoring activities, scientific literature reviews, bibliographies, and proceedings of technical workshops and conferences are also disseminated through this series.

Mention of trade names or commercial products does not constitute endorsement or recommendation for use by the National Park Service.

Copies of this report are available from the following:

| | |
|---|---|
| Technical Information Center<br>Denver Service Center<br>P.O. Box 25287<br>Denver, CO 80225-0287 | (303) 969-2130 |
| U. S. Department of Commerce<br>National Technical Information Service<br>5285 Port Royal Road<br>Springfield, VA 22161 | (703) 487-4650 |

# BASELINE WATER QUALITY DATA

# INVENTORY AND ANALYSIS

# HOPEWELL FURNACE NATIONAL HISTORIC SITE

National Park Service
Water Resources Division
Fort Collins, CO 80525

Technical Report NPS/NRWRD/NRTR-98/191

OCTOBER 1998

United States Department of the Interior
National Park Service
Washington, D.C.

## EXECUTIVE SUMMARY

This document presents the results of surface-water-quality data retrievals for Hopewell Furnace National Historic Site (HOFU) from six of the United States Environmental Protection Agency's (EPA) national databases: (1) Storage and Retrieval (STORET) water quality database management system; (2) River Reach File (RF3); (3) Industrial Facilities Discharge (IFD); (4) Drinking Water Supplies (DRINKS); (5) Water Gages (GAGES); and (6) Water Impoundments (DAMS). This document is one product resulting from a cooperative contractual endeavor between the National Park Service's (NPS) Servicewide Inventory and Monitoring Program, the National Park Service's Water Resources Division (WRD), and Horizon Systems Corporation to retrieve, format, and analyze surface water quality data for all units of the National Park System containing significant water resources. The primary goal of the project is to provide descriptive water quality information in a manner and format that is both consistent with the goals of the Servicewide Inventory and Monitoring Program and useable by park resource managers. The document provides: (1) a complete inventory of all retrieved water quality parameter data, water quality stations, and the entities responsible for the data collection; (2) descriptive statistics and appropriate graphical plots of water quality data characterizing period of record, annual, and seasonal central tendencies and trends; (3) a comparison of the park's water quality data to relevant EPA and WRD water quality screening criteria; and (4) an Inventory Data Evaluation and Analysis (IDEA) to determine what Servicewide Inventory and Monitoring Program "Level I" water quality parameters have been measured within the study area. Accompanying the report are disks containing digital copies of all data used in the report, as well as all components of the report (tables, figures, etc.).

The results of the retrievals for the study area from the IFD, DRINKS, GAGES, and DAMS databases located 12 industrial/municipal dischargers; seven drinking water intakes; three active or inactive U. S. Geological Survey (USGS) water gages (including stream and well); and four water impoundments. The results of the STORET retrieval for the study area yielded 14,060 observations for 706 separate parameters collected by the NPS, USGS, EPA, Pennsylvania Department of Environmental Protection (PDEP), and the City of Philadelphia at 78 monitoring stations from 1950 through 1996. Of the 78 monitoring stations, seven stations, established in STORET by the NPS, were located within the park boundary (see Station Period of Record Tabulation). Five stations within the study area (none within the park boundary) were established but contained no data.

Most of the monitoring stations represent either one-time or intensive single-year sampling efforts by the collecting agencies. Eight stations within the study area (none within the park boundary) yielded longer-term records consisting of multiple observations for several important water quality parameters (see Station Period of Record Tabulation). The stations yielding the longer-term records within the study area, but outside of the park boundary, are: (1) French Creek near Phoenixville, PA (HOFU 0002); (2) French Creek .25 miles downstream from Wilsons Corner (HOFU 0001); (3) French Creek near Pughtown, PA (HOFU 0009); (4) French Creek near Coventryville, PA (HOFU 0025); (5) South Branch French Creek at Coventryville, PA (HOFU 0029); (6) French Creek near Knauertown, PA (HOFU 0042); (7) French Creek at Trythall, PA (HOFU 0047); and (8) Pigeon Creek near Bucktown, PA (HOFU 0011)[†].

Screening criteria consisting of published EPA water-quality criteria and instantaneous concentration values selected by the WRD were used to identify potential water quality problems within the study area. While the criteria represent important threshold concentrations of pollutants, it is important to remember that criteria may have been exceeded due to any number of natural or anthropogenic factors, including errors in field, laboratory, and/or recording procedures. The reader is advised to read the Introduction for additional caveats in interpreting the exceeded criteria in this report. The results of the HOFU water quality criteria screen found 11 groups of parameters that exceeded screening criteria at least once within the study area. Dissolved oxygen, pH, chlorine, cadmium, copper, and zinc exceeded their respective EPA criteria for the protection of freshwater aquatic life. Sulfate, cadmium, and trichloroethylene exceeded their respective EPA drinking water criteria. Fecal indicator

[†]Water quality station location descriptions are verbatim from STORET. Any misspellings and abbreviations in STORET are replicated in this document.

bacteria concentrations (total coliform and fecal coliform) and turbidity exceeded the WRD screening limits for freshwater bathing and aquatic life, respectively.

Dissolved oxygen concentrations were measured 249 times at 43 monitoring stations from 1969 through 1996. Eighteen concentrations at two stations, in Hopewell Lake 20 meters from the dam at mid-channel (HOFU 0062) and Scott's Run Creek 200 yards upstream of Park Road (HOFU 0065), were less than the 4 milligrams per liter (mg/L) EPA criterion for the protection of freshwater aquatic life from 1991 through 1996. Seventeen of the observations exceeding the criterion were recorded during depth sampling in Hopewell Lake 20 meters from the dam at mid-channel (HOFU 0062) from 1991 through 1996.

The pH was measured 549 times at 59 monitoring stations from 1950 through 1996. Fifty-six observations at 14 stations were outside the pH range of 6.5 to 9.0 standard units (SU) (EPA chronic criteria for freshwater aquatic life). Three observations were greater than pH 9.0 and 53 observations were less than or equal to pH 6.5 from 1950 through 1996. Approximately 53 percent of the observations less than or equal to pH 6.5 were reported in French Creek .25 miles downstream from Wilsons Corner (HOFU 0001) from 1981 through 1987. The lowest pH of 5.7 SU was reported at a spring approximately 4 miles west of the park (HOFU 0077) in March 1994. The highest pH of 9.8 SU was reported in French Creek .25 miles downstream from Wilsons Corner (HOFU 0001) in May 1980.

Turbidity was measured 197 times at 21 monitoring stations from 1972 through 1994. One observation of 190 Nephelometric Turbidity Units (NTU) in French Creek .25 miles downstream from Wilsons Corner (HOFU 0001) exceeded the WRD screening criterion of 50 Jackson Candle/Formazin/Nephelometric Turbidity Units in March 1987.

Total coliform concentrations were measured 61 times at 20 monitoring stations from 1969 through 1993. Forty-five concentrations at 14 stations exceeded the WRD bathing water screening criterion of 1,000 Colony Forming Units/Most Probable Number per 100 milliliters (CFU/MPN/100 ml) from 1969 through 1991. Approximately 71 percent of the observations exceeding the criterion were reported at eight stations in French Creek (HOFU 0002, HOFU 0007, HOFU 0009, HOFU 0025, HOFU 0037, HOFU 0042, HOFU 0047, HOFU 0056) from 1969 through 1991, including the highest concentration of at least 730,000 CFU/100 ml in French Creek near Phoenixville (HOFU 0002) in May 1970. Fecal coliform concentrations were measured 164 times at 36 monitoring stations from 1971 through 1995. Eighty-six concentrations at 23 stations exceeded the WRD bathing water screening criterion of 200 CFU/MPN/100 ml from 1971 through 1995. Approximately 85 percent of the observations exceeding the criterion were reported at 13 stations in French Creek from 1971 through 1995, including the highest concentration of 10,000 CFU/100 ml in French Creek .25 miles downstream from Wilsons Corner (HOFU 0001) in September 1976.

Total residual chlorine concentrations were measured five times at five monitoring stations (HOFU 0001, HOFU 0004, HOFU 0016, HOFU 0039, HOFU 0046) from 1984 through 1987. Three concentrations, ranging from 0.04 mg/L to 0.08 mg/L at three stations in French Creek (HOFU 0004, HOFU 0016, HOFU 0039), exceeded the acute freshwater criterion of 0.019 mg/L in August 1987. The highest reported concentration was 0.08 mg/L in French Creek at the State Route 23 Bridge (HOFU 0039).

Sulfate concentrations (including dissolved and total) were measured 372 times at 50 monitoring stations from 1950 through 1995. One total concentration of 558 mg/L in French Creek near Phoenixville (HOFU 0002) exceeded the secondary drinking water criterion of 250 mg/L in June 1956.

Cadmium concentrations (including dissolved and total) were measured 122 times at 45 monitoring stations from 1973 through 1996. Of the 111 observations used in the criteria analysis (see Composite Type Screen in the Methodology and EPA Water Quality Criteria Analysis for Station in the Interpretive Guide To Water Quality Results for explanation), three dissolved concentrations, ranging from 4 micrograms per liter (µg/L) to 16 µg/L at two stations, in Pigeon Creek near Bucktown (HOFU 0011) and the Schuylkill River at Birdsboro (HOFU 0071), exceeded the acute freshwater criterion of 3.9 µg/L from 1974 through 1981. Two of the concentrations at these

two stations also exceeded the drinking water criterion of 5.0 µg/L during 1974 and 1976. The highest reported concentration was 16 µg/L in Pigeon Creek near Bucktown (HOFU 0011) in October 1976.

Copper concentrations (including dissolved and total) were measured 135 times at 39 monitoring stations from 1970 through 1996. Fourteen concentrations, ranging from 27 µg/L to 263 µg/L at eight stations, in Hopewell Lake (HOFU 0062, HOFU 0063), French Creek (HOFU 0001, HOFU 0037, HOFU 0041), Robert Johnston Spring approximately 1 mile south of Coventryville (HOFU 0014), the Pottstown Water Plant near the Schuylkill River (HOFU 0023), and the Schuylkill River at Birdsboro (HOFU 0071), exceeded the acute freshwater criterion of 18 µg/L from 1973 through 1996. The highest reported concentration was 263 µg/L at Robert Johnston Spring approximately 1 mile south of Coventryville (HOFU 0014) in July 1991.

Zinc concentrations (including dissolved and total) were measured 139 times at 39 monitoring stations from 1970 through 1996. Of the 135 observations used in the criteria analysis (see Composite Type Screen in the Methodology for explanation), three total concentrations, ranging from 120 µg/L to 160 µg/L at three stations in French Creek (HOFU 0001, HOFU 0025, HOFU 0047), equaled or exceeded the acute freshwater criterion of 120 µg/L during 1979 and 1981. The highest reported concentration was 160 µg/L in French Creek near Coventryville (HOFU 0025) in November 1979.

Trichloroethylene concentrations were measured nine times at two monitoring stations (HOFU 0023, HOFU 0054) from 1981 through 1993. Of the four observations used in the criteria analysis (See Remark Code and Composite Type Screens in the Methodology for explanation), one concentration of 46 µg/L at the Pottstown Water Plant near the Schuylkill River (HOFU 0023) exceeded the drinking water criterion of 5 µg/L in April 1981.

The IDEA conducted for HOFU indicates that STORET data exist for all 13 Level I parameter groups in the study area. Overall, approximately 36 percent of the observations for Level I parameter groups were recorded since 1985. Data for three groups, Flow, Chlorophyll, and Bacteria, were recorded at less than half of the 73 monitoring stations with data. Relative to other parameter groups, data were limited for the group Chlorophyll. Results for 119 of the 126 EPA priority toxic pollutants (consisting of inorganic parameters, organic parameters, metals, pesticides, and PCB's) were retrieved from STORET. One station, monitored by the PDEP in the Schuylkill River at the Douglassville Bridge (HOFU 0031), measured only PCB's.

Surface water resources in the HOFU study area include the Schuylkill River; French, Baptism, Pigeon, and many other creeks; Hopewell, Scott's Run, Birdsboro, and many smaller developed lakes; Pine Swamp and other wetland areas; and many springs. Approximately 61 percent of the 14,060 total water quality observations in the study area were collected from 24 monitoring stations in French Creek. The data inventories and analyses contained in this report indicate that surface waters within the study area appear to be generally of good quality with some impact from human activities. Potential anthropogenic sources of contaminants include municipal and industrial wastewater discharges and sprayfields; residential development; agricultural activities including stockyard runoff; stormwater runoff; quarrying activities; and atmospheric deposition.

**TABLE OF CONTENTS**


EXECUTIVE SUMMARY ..... v

TABLE OF CONTENTS ..... ix

I. INTRODUCTION ..... 1
- Goal ..... 1
- Purpose ..... 1
- Objectives ..... 1
- Document Overview ..... 2
- Caveats ..... 2
- Key Personnel ..... 3

II. METHODOLOGY ..... 5
- Delineation of Park Study Area ..... 5
- Data Sources ..... 5
- Data Retrieval and Analysis Procedures ..... 7
- Park Unit Databases ..... 8
- Screening Methodologies and Procedures ..... 9
  - STORET Edit Criteria ..... 9
  - Date Screen ..... 10
  - Station Type Screen ..... 10
  - Phase 0 Parameter Screen ..... 11
  - Phase 1 Parameter Screen ..... 11
  - Media Type Screen ..... 11
  - Remark Code Screen ..... 11
  - Composite Type Screen ..... 13
  - Phase 2 Parameter Screen ..... 14
  - Observations/Period of Record Screen ..... 15
- Statistical Definitions ..... 17

III. INTERPRETIVE GUIDE TO WATER QUALITY RESULTS ..... 19
- Overview ..... 19
- Regional Location Map ..... 19
- Water Quality Monitoring Locations Map(s) ..... 19
- Dischargers, Drinking Intakes, Gages, and Impoundments Map(s) ..... 20
- Industrial Facilities Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Table ..... 20
- Representative Mean Annual Hydrograph for Seasonal Analysis ..... 20
- Contacts for Agency Codes Retrieved ..... 21
- Quantity of Data Retrieved by Agency Code ..... 21
- Station Period of Record Tabulation ..... 21
- Parameter Period of Record Tabulation ..... 22
- Station/Parameter Period of Record Tabulation ..... 22
- Station-By-Station Results ..... 22
  - Station Inventory for Station ..... 23
  - Parameter Inventory for Station ..... 23
  - EPA Water Quality Criteria Analysis for Station ..... 23
  - Time Series Plots for Station ..... 24
  - Annual Analysis for Station ..... 25
  - Annual Box-and-Whiskers Plots for Station ..... 25

Seasonal Analysis for Station ..... 25
Seasonal Box-and-Whiskers Plots for Station ..... 26
EPA Water Quality Criteria Analysis for Entire Park Study Area ..... 26
NPS Servicewide Inventory and Monitoring Program
"Level I" Water Quality Inventory Data Evaluation and Analysis (IDEA) ..... 26
Water Quality Observations Outside STORET Edit Criteria for Park ..... 28

IV. WATER QUALITY RESULTS ..... 29
Overview ..... 31
Regional Location Map ..... 32
Water Quality Monitoring Locations Map(s) ..... 33
Dischargers, Drinking Intakes, Gages, and Impoundments Map(s) ..... 38
Industrial Facilities Discharges, Drinking Water Intakes, Water Gages,
and Water Impoundments Table ..... 41
Representative Mean Annual Hydrograph for Seasonal Analysis ..... 42
Contacts for Agency Codes Retrieved ..... 43
Quantity of Data Retrieved by Agency Code ..... 44
Station Period of Record Tabulation ..... 45
Parameter Period of Record Tabulation ..... 47
Station/Parameter Period of Record Tabulation ..... 57
Station-By-Station Results ..... 101
HOFU0001 French Crk-.25Mi Dnstrm Fr Wilson Cornr ..... 103
HOFU0002 French Creek Near Phoenixville, PA. ..... 153
HOFU0003 Birch Run at Hollow and French Ck Roads ..... 199
HOFU0004 French Creek at Hollow/Sheeder Road Crossing ..... 201
HOFU0005 Birch Run Ck at SR 1033 and 1028 Intersection ..... 202
HOFU0006 PACH528R ..... 204
HOFU0007 French Creek at Sheeder Mill Road (T-491) ..... 206
HOFU0008 French Ck at Sheeder Mill Road Bridge ..... 208
HOFU0009 French Creek Near Pughtown, PA. ..... 210
HOFU0010 PACH527R ..... 220
HOFU0011 Pigeon Creek Near Bucktown, PA. ..... 222
HOFU0012 Beaver Run 25 Yds Upstream of SR 4031 Crossing ..... 225
HOFU0013 Schuylkill R Rte 422 Br Stowe ..... 227
HOFU0014 Robert Johnston ..... 228
HOFU0015 PACH520R ..... 230
HOFU0016 French Creek at Warwick Road Crossing ..... 232
HOFU0017 French Ck 100 Ft Below Coventryville Bridge ..... 234
HOFU0018 French Creek at Coventryville, PA. ..... 236
HOFU0019 Schuylkill River at Stowe Nr Pottstown, PA ..... 237
HOFU0020 French Ck 200 Yds Upstream of T517 Crossing ..... 239
HOFU0021 S Branch French Ck 200 Yds Upstream of Mouth ..... 241
HOFU0022 Rock Run Ck 200 Yds Downstream Rte 23 Crossing ..... 243
HOFU0023 Pottstown Water Plant ..... 245
HOFU0024 French Ck 200 Yds Downstream of T515 Crossing ..... 254
HOFU0025 French Creek Near Coventryville, PA. ..... 256
HOFU0026 S Branch French Ck at Bridge SE of Knauerton ..... 266
HOFU0027 French Cr Nr Knauertown Chester Co ..... 268
HOFU0028 S Branch French Ck at Iron Bridge Road ..... 270
HOFU0029 South Branch French Creek at Coventryville, PA. ..... 272
HOFU0030 S Br French Ck 100 Yds Dwnstrm T-424 Crossing ..... 278
HOFU0031 Schuylkill River ..... 280
HOFU0032 Douglassville Bridge ..... 281
HOFU0033 Schuylkill River Downstream of Douglassville ..... 282

HOFU0034 Schuylkill River at Douglassville ..... 283
HOFU0035 Schuylkill R at Douglassville PA ..... 284
HOFU0036 Amity Bridge ..... 285
HOFU0037 French Creek at County Park Road (T-452) ..... 286
HOFU0038 Unnamed Ck 100 Yds West County Park Road Bridge ..... 288
HOFU0039 French Creek at Route 23 Crossing ..... 290
HOFU0040 French Ck at Highway Bridge S of Knauertown ..... 291
HOFU0041 French Ck Adjacent to Parking Area ..... 293
HOFU0042 French Creek Near Knauertown, PA. ..... 295
HOFU0043 Baptism Ck at East Headhouse ..... 298
HOFU0044 Pine Ck 100 Yds Upstream of Mouth ..... 300
HOFU0045 French Ck at Intersection With HOFU Boundary ..... 302
HOFU0046 French Creek at Bethesda Road Crossing ..... 304
HOFU0047 French Creek at Trythall, PA. ..... 306
HOFU0048 At Br on T6663 N Conflu Schuylki ..... 310
HOFU0049 Pine Creek Three Miles NW of St. Peters ..... 311
HOFU0050 At Monocacy Station, Union Twnsh ..... 313
HOFU0051 Monocacy Cr Near Monocacy, PA. ..... 314
HOFU0052 Schuylkill R Monacy Station Br ..... 315
HOFU0053 Pine Ck 100 Yds Upstream SR 4018 Crossing ..... 316
HOFU0054 Intermittent Stream Below CCC Dump Site ..... 318
HOFU0055 Schuylkill R at Monocacy Sta Nr Birdsboro, PA. ..... 321
HOFU0056 French Creek at PA Route 345 Bridge ..... 324
HOFU0057 Sprout Run at Crossing Pt of East Headhouse ..... 326
HOFU0058 Downstream of Trailrace-French Crk Confluence ..... 328
HOFU0059 French Ck 200 Yds Upstream of PA 345 Bridge ..... 330
HOFU0060 Pine Creek at Harmonyville Road ..... 332
HOFU0061 French Ck 25 Meters Downstream of Lake Hopewell ..... 334
HOFU0062 Hopewell Lake - 20 M Frm Dam Breast; Mid-Chan ..... 336
HOFU0063 Hopewell Lake Nr Elverson, PA. ..... 338
HOFU0064 S Branch French Creek at PA Routes 345 and 401 ..... 340
HOFU0065 Scott's Run Ck 200 Yds Upstream of Park Road ..... 342
HOFU0066 S Br French Ck 100 Yds Dwnstrm of Rte 345 & 401 ..... 344
HOFU0067 Scotts Run Lake Nr Elverson, PA. ..... 346
HOFU0068 Hay Creek at Birdsboro, PA ..... 348
HOFU0069 At Conflu W/ Schuylkill River ..... 350
HOFU0070 Schuylkill R Rte 82 Br Birdsboro ..... 351
HOFU0071 Schuylkill River at Birdsboro, PA. ..... 352
HOFU0072 Schuylkill River at Birdsboro ..... 355
HOFU0073 Indian Run Birdsboro MWA ..... 357
HOFU0074 Geigertown Wat Co McGowan Spring ..... 361
HOFU0075 Schuylkill R at Heisters Cr Nr Birdsboro PA ..... 363
HOFU0076 Dwnstm From Scarlets Mills Off T ..... 364
HOFU0077 Spring 051006 ..... 365
HOFU0078 PABR606R ..... 367
EPA Water Quality Criteria Analysis for Entire Park Study Area ..... 369
NPS Servicewide Inventory and Monitoring Program
"Level I" Water Quality Inventory Data Evaluation and Analysis (IDEA) ..... 372
Water Quality Observations Outside STORET Edit Criteria for Park ..... 380

V. APPENDICES ..... 381
A. Computer Files Transmitted With Park Baseline Water Quality Data Inventory and Analysis ..... A-1
B. Water Quality Database File Structures ..... B-1

Parameter Data File ..... B-1
Water Quality Station Data File ..... B-4
Industrial Facilities Discharges File ..... B-6
Drinking Water Intakes File ..... B-9
Water Gage File ..... B-12
Water Impoundment File ..... B-14
RF3 Structure File ..... B-18
RF3 Trace File ..... B-22
Catalog Unit Boundary File ..... B-23
Encyclopedia File ..... B-24
C. STORET Water Quality Control/Edit Checking ..... C-1
D. STORET Administrative Parameters ..... D-1
E. STORET Parameters Not Suitable for Statistical Analysis ..... E-1
F. National EPA Water Quality Criteria Summary ..... F-1
G. Inventory Data Evaluation and Analysis (IDEA) Servicewide Inventory and Monitoring Program "Level I" Parameter Groups ..... G-1
H. Literature Cited ..... H-1
I. Selected General Water Quality References ..... I-1

# INTRODUCTION

The National Park Service's (NPS) Organic Act of 1916 states that the mission of the NPS is to promote and regulate the use of national parks, monuments, and other units "... to conserve the scenery and the natural and historic objects and wildlife therein and to provide for the enjoyment of the same in such a manner and by such means as will leave them unimpaired for the enjoyment of future generations." One task embodied by this mission is preserving and protecting water resources and water dependent environments in parks. Ensuring the integrity of park water quality, due to its importance in sustaining natural, aquatic park ecosystems and supporting human consumptive and recreational use, is fundamental to successfully addressing this task. The first step in ensuring the integrity of park water quality is defining historic and extant water quality.

This document represents one product of an ongoing effort by the NPS Water Resources Division (WRD) and the Servicewide Inventory and Monitoring Program to characterize baseline water quality using existing data at park units containing significant natural resources. This effort was initiated in 1993 by the award of a contract to Horizon Systems Corporation to retrieve, format, and analyze surface water quality data from the Environmental Protection Agency's (EPA) Storage and Retrieval (STORET) database system. The scope of work identified in the Request For Proposals outlined several sequential, interrelated project phases, including, but not limited to: (1) determining the water quality retrieval/query area around each park; (2) downloading and assessing the quality of the data from STORET; (3) generating basic water quality summary statistics and graphic plots; (4) reformatting water quality data for compatibility with the park-based Water Quality Data Management System presently under-development; and (5) providing recommendations concerning possible hardware, software, and personnel options for storing combined park databases in a centralized NPS water quality database. This report documents the results of phases one through four of this effort for this park unit.

## Goal

The goal of this document is to provide descriptive water quality information in a format usable for park planning purposes (eg. Water Resources Management Plans, Resource Management Plans, and General Management Plans). The report is designed to characterize baseline water quality rather than assess specific water quality problems at a park. This is consistent with the Servicewide Inventory and Monitoring Program's goal of obtaining basic, "Level I", water quality parameters for key waterbodies at each park (National Park Service 1993). Consequently, this report is best used as a reference document to help design new goal-driven water quality monitoring programs rather than as conclusive evidence of previous or existing water quality problems.

## Purpose

The purpose of this report is to inventory existing park water quality data; establish baseline water quality at the park; identify potential water quality problems; and establish a park water quality database. This report is intended to enable park resource managers to compare and contrast water quality data collected as part of ongoing inventory and monitoring programs with historical water quality trends. Additionally, this report is intended to foster better designed park-based water quality inventory and monitoring programs in the future. The water quality databases which accompany this report will also lay the groundwork for establishing a NPS water quality database that will allow Regions and Washington Offices to generate regional and national assessments of park water quality.

## Objectives

Specific objectives of the study documented in this report are to:

1. Retrieve water quality and related data from the EPA's STORET and other database systems;

2. Develop a complete inventory of all retrieved data;

3. Produce descriptive statistics and appropriate time series and box-and-whiskers plots of water quality data to characterize period of record, annual, and seasonal central tendencies and trends;

4. Compare water quality data with relevant national EPA water quality criteria on a station-by-station and study area basis;

5. Determine the presence and/or absence of the Servicewide Inventory and Monitoring Program's "Level I" water quality parameters within the study area; and

6. Reformat water quality and other related data for use in the park-based Water Quality Data Management System, presently under-development, and other appropriate analytical tools.

**Document Overview**

This report is comprised of five chapters. The first chapter, this Introduction, provides a brief statement of the study's background; goal, purpose, and objectives; and the key personnel who helped produce the document. This chapter also contains this brief overview of the document's contents and important interpretive caveats to consider when referring to and using this document. The second chapter focuses on the methods, procedures, and databases that were employed to retrieve and analyze water quality data for the park. The third chapter is the user's interpretive guide to chapter four. Chapter three explains how to interpret all the tables and figures presented in chapter four. Chapter four, which likely comprises the majority of the document (unless there isn't much water quality data for the park), contains detailed inventories, descriptive statistics, graphics, and national EPA water quality criteria comparisons characterizing the park unit's water quality data on a station-by-station basis and over the entire study area. This chapter also contains a comparison of park water quality data with the Servicewide Inventory and Monitoring Program's "Level I" water quality inventory parameters and a listing of water quality observations that were outside the STORET edit criteria range. Chapter five, the Appendices, contains more specialized materials such as the file names and database structures included on floppy disk(s) with this report; STORET edit criteria; national EPA water quality criteria; Servicewide Inventory and Monitoring Program's "Level I" water quality inventory parameters; selected water quality references; and other materials which provide background on the methods, procedures, and databases used or produced by this study.

The water quality and other related data referenced in this report accompany the document on floppy disk. The water quality parameter data file is in DBASE III+[1] format and will be useable in the park-based Water Quality Data Management System presently under-development. The water quality stations, industrial facilities discharges, drinking water intakes, water gages, water impoundments, and River Reach databases are also in DBASE III+ and/or ASCII format for ready-use in Geographic Information Systems (GIS), Computer-Aided Design Systems, or Desktop Mapping Systems.

**Caveats**

While intended primarily as a reference document, it is important that users peruse the first three chapters and Appendices of this report to better understand and interpret the results presented in chapter four. As a means for identifying potential areas for more intensive study, comparisons of the park's water quality data with relevant national EPA water quality criteria for appropriate designated uses[2] and with the Servicewide Inventory and

[1]The use and/or mention of specific proprietary hardware or software packages is for informational purposes only and is not intended to connote or denote an endorsement.

[2]The Environmental Protection Agency's Quality Criteria for Water 1995 Final Draft (Silver Book) was the primary source of water quality criteria. In the spirit of the other caveats offered in this section, it is important to recognize that water quality criteria are often revised when new or better information become available.

Monitoring Program's "Level I" water quality inventory parameters have been made. Extreme caution must be exercised in interpreting the results of these comparisons. Observations that exceed water quality criteria may have occurred due to any number of natural or anthropogenic factors, as well as other reasons. For example, STORET is a "user-beware" water quality database system. While there is some rudimentary edit (bounds) checking of any data entered in STORET (See Appendix C), users are basically free to enter their own data. Beyond data entry errors, the possibility of inaccurate data entering the system due to inappropriate measurement techniques, sample mistreatment, and other reasons is a serious concern. Consequently, if observations for a particular parameter frequently exceed the EPA water quality criterion over a prolonged time period, the best approach is to examine in detail the data exceeding the criterion. Questions which should be asked regarding the data include: What water source(s) are manifesting the problem? Does the data make sense? Was it collected by a reputable organization following a sound study plan and employing accepted techniques? If the answers to these questions still cause concern, a specific cause and effect water quality investigation focusing on the parameters of concern may be warranted. Similarly, the absence of particular Servicewide Inventory and Monitoring Program "Level I" water quality parameters from the park only means that no entity or organization has collected and entered this data into the EPA's STORET database. Too frequently, data that are collected in and around NPS units never make it into the EPA's national water quality database. These data may exist in published or unpublished reports, file cabinets, or other databases. Before definitively concluding that no baseline data exist for a particular parameter, these alternative resting grounds for data should be investigated. Such a detailed exploration, however, was beyond the scope of this study.

**Key Personnel**

Many individuals contributed to the design and implementation of this project. The primary contributors and their roles in the project are briefly mentioned below.

National Park Service, Water Resources Division:

Dean Tucker was the Contracting Officer's Technical Representative responsible for designing, coordinating, and implementing all aspects of this effort.

Mike Matz coordinated and managed the team which prepared all components of the report.

Gary Rosenlieb provided administrative oversight and was involved in quality control for all tasks related to this project.

Barry Long and Roy Irwin reviewed technical tasks and provided water quality expertise related to data analysis.

Gary Smillie provided hydrologic expertise in the determination of hydrologic seasons.

Donnie Dustin, Greg Harp, and Clint Bassett helped prepare reports and write the Executive Summaries.

Elizabeth Eisenhauer, Robert Flynn, Dawn Grandbois, Bill Folsom, Dana Griffin, Jonathan Duran, and Aymn Elhaddad provided digital cartographic support, both in determining retrieval/query areas and producing maps and graphics.

Kelli O'Connor, Mary Beth Talty, Curtis Cooper, Paul McElvery, J. Chris Echohawk, Kristie Maczko, Adam Henson, Shawndra Mawhorter, Lisa Smith, Eric Janney, Ryan Shy, Lisa Dummer, Eric Lord, Adriane Petersen, and Margaret Matter uploaded water quality data to STORET prior to report preparation.

Jacquie Nolan designed the cover.

Horizon Systems:

Cindy McKay served as Project Manager for Horizon Systems, performed the initial requirements analysis, and was involved in all quality control tasks related to the project.

Alan Cahoon was responsible for automating the procedures which produced the water quality databases and Water Quality Results chapter.

Sue Hanson, P.E., provided technical advice for writing this document.

Dr. Jim Loftis was the data quality analyst for the project.

Armando F. Ballofet, P.E., served as the local technical liaison between Horizon Systems and the NPS.

Other National Park Service:

Several other individuals provided invaluable technical review, comments, administrative support, and/or other assistance, including: Dan Kimball, Bill Jackson, Mark Flora, Gary Williams, John Karish, Brendhan Zubricki, Richard Hammerschlag, Randy Ferrin, Gary Vequist, Mike Martin, Kevin Berghoff, and Dyra Monroe.

## METHODOLOGY

This section provides an overview of the procedures and criteria used to retrieve and analyze water quality data for each park unit. Generating baseline water quality data inventories and analyses for all NPS units is a monumental task. To accomplish this undertaking given a very limited budget, the procedures employed to produce each report had to be as generic and automated as possible. Consequently, customization of reports to individual park needs and issues was not feasible. Moreover, such customization was beyond the scope of this effort which was simply intended to produce baseline water quality data inventories for all parks rather than customized issue-driven reports. During the procedure-development stages of the project, specifications for the final product evolved, within the context of the aforementioned resource constraints, to focus on comprehensive water quality baseline data inventories and concise, descriptive statistical examinations of the available water quality data for each park unit. Detailed below are the data sources and final methods and procedures that were used to create the baseline water quality inventories, analyses, databases, and other products for each park unit. A thorough understanding of the limitations of the data sources and procedures described in this chapter and the next (Interpretive Guide to Water Quality Results) is a prerequisite to intelligent use of the results presented in this document.

### Delineation of Park Study Area

The first step in retrieving water resources-related data for each park was deciding on a procedure to determine the study area boundary. Since water flows through parks, utilizing the park boundary as a simple query/study area was deemed inadequate. On the other end of the continuum, using the entire watershed as the study area was considered superfluous given: (1) the areal extent of certain park watersheds (eg. the entire Mississippi River); (2) the sheer volume of potentially irrelevant data such a large study area could generate; and (3) the resources required to specify the watershed for each park unit. The approach which was ultimately adopted - a modified hydrologic boundary - reflects a compromise between the park boundary and the entire watershed. Thus the study area employed for each park is an area extending at least three miles upstream and one mile downstream from the park boundary. Although these distances are somewhat arbitrary, this approach is easy to automate and was felt to limit the data retrieved, in most instances, to that of most importance to the park. Extending the query area one mile downstream of the park was intended to capture any data immediately downstream of the park which may reflect the quality of the water in the park. A current (as possible) copy of each park's boundary was obtained in digital format directly from the park or digitized from Regional land status maps, U.S. Geological Survey (USGS) quadrangles, or other sources. Using GIS techniques, the boundary was used to create the three miles upstream, one mile downstream buffer. For a few parks with which WRD water quality specialists were very familiar with potential water quality threats and/or valuable sources of data that may lie just outside the study area, the study area may have been tweaked (enlarged) to cover these areas of concern or interest. Unfortunately, a customized study area was not feasible for all park units. Hence, the three miles upstream, one mile downstream buffer was the primary study area employed for most parks. This study area was transferred to the EPA mainframe computer and used as the basis for all water resources-related data retrievals from the data sources described below.

### Data Sources

The EPA maintains many mainframe data systems related to national water resources (U.S. Environmental Protection Agency 1992). Six of these data systems were used for this project:

- STOrage and RETrieval System (STORET) - water quality parameter data, locations of sampling stations, descriptive elements about stations and parameters;
- Industrial Facilities Discharge (IFD) - locations of industrial and municipal point source discharge facilities;

- Drinking Water Supplies (DRINKS) - locations of intake pipes for drinking water supplies;
- Water Gages (GAGES) - locations of USGS and other water gages;
- Water Impoundments (DAMS) - locations of most large water impoundments (greater than 10,000 acre feet at normal pool volume) and many smaller impoundments; and
- River Reach File, Version 3 (RF3) - 1:100,000 scale geographical representation of surface waters (rivers, lakes, etc.) with a unique identifier assigned to each surface water segment and connectivity information useful for routing and navigation.

STORET is the national water quality data repository (U.S. Environmental Protection Agency 1989). Water quality data is entered in STORET by public agencies (federal, state, or local) that collect water samples and/or perform laboratory analysis. As such, STORET is a "user-beware" data system. Although the EPA manages the STORET data system and, since November 1983, has imposed some minimum quality control criteria on the data (See Appendix C), data are generated and input to STORET by the "owner" agencies. Consequently, the EPA does not certify any data within STORET. Currently, there are over 800,000 active and inactive sampling stations and more than 225 million observations covering in excess of 13,000 water quality parameters entered in STORET. The earliest data dates back to the turn of the century. Using the bi-monthly update cycle, user agencies may store results of recent monitoring activities in STORET. Included in STORET is USGS WATSTORE water quality data, which is updated on a monthly basis. Although STORET contains a phenomenal amount of data, it is important to note that data exist in STORET only if the collectors decide to upload their data to the system. Since many agencies and researchers do not upload their data to STORET, the absence of water quality data in the system for a particular area doesn't mean that there has never been any water quality data collected for the area. The data may exist in published or unpublished reports, file cabinets, or in agency-specific databases. Identifying and retrieving these other sources of data were beyond the scope of the present effort. All parameter data and water quality station location data downloaded from STORET within the park's study area are included in DBASE III+ format files on disk(s) accompanying this report (See Appendices A and B).

The data within the IFD database are extracted from the EPA's Permit Compliance System (PCS). IFD contains the facility locations of all industrial and municipal dischargers which require a National Pollutant Discharge Elimination System (NPDES) permit to operate. Over 7,100 municipal, federal, and industrial facilities discharging into the waters of the United States are tracked by PCS and IFD. If any industrial facilities discharges exist within the study area, a file in DBASE III+ format documenting a variety of information about each discharge accompanies this report on disk (See Appendices A and B).

The EPA DRINKS database identifies locations of drinking water supply intakes. This file contains data for 850 supplies which serve more than 25,000 people, and 6,800 supplies which serve between 1,000 and 25,000 people. If any drinking water intakes exist within the study area, a file in DBASE III+ format documenting a variety of information about each intake accompanies this report on disk (See Appendices A and B).

The GAGES data originates primarily with the USGS and copies are maintained on the EPA mainframe computer for ease of integration with other EPA national data systems. Although other agency's water gages, as well as some artificial gages, may appear in GAGES, the vast majority of gages are stream gages belonging to the USGS. The GAGES database contains approximately 36,000 records for both active and inactive gaging stations. If any USGS or other agency stream gages occur within the study area, a file in DBASE III+ format documenting several fields of information about each gage accompanies this report on disk (See Appendices A and B).

The Water Impoundment database was originally compiled by the U.S. Army Corps of Engineers in response to a Congressional inquiry on dam safety hazards (GKY and Associates 1990). The EPA subsequently modified the database for use in water quality investigations. Of the 68,155 dams in the database, 2,125 are considered large (impounding 10,000 acre feet or more at normal pool volume). It is important to note that while the database includes entries for 66,030 smaller dams, estimates place the actual number of dams in the U.S. at several million

(including small farm ponds). If any water impoundments occur within the study area, a file in DBASE III+ format documenting several fields of information about each impoundment accompanies this report on disk (See Appendices A and B).

The RF3 data system is a hydrologic database of surface water features across the U.S. (excluding, at present, Idaho, Oregon and Washington, which currently operate a different system - although this data is expected to be converted to RF3 soon, Alaska and Hawaii). RF3 was created primarily from 1:100,000 scale USGS Digital Line Graph data. RF3 is made up of over 3,000,000 individual "reaches". A reach is generally defined as a portion of surface water between two confluences (U.S. Environmental Protection Agency 1993). The linework underlying RF3 contains over 95,000,000 coordinate points. RF3 is designed to facilitate hydrologic routing, identifying upstream and downstream elements, and specifying the exact location of any point on a stream network. RF3 data exists as a series of traces with associated attributes. The EPA project which is producing RF3 is being conducted in three phases: Compilation, Assessment, and Revision. The Compilation phase is complete except for Idaho, Washington, Oregon, and Alaska. The Assessment phase was completed during the first half of 1994; while the Revision phase was begun in March 1994. One important outcome of the Revision phase is that the reach codes which uniquely identify each surface water feature will change. Consequently, these codes should not be used, at this time, as keys for relating other data to RF3. The RF3 data provided with this document is provisional and should be used only to provide a geographic backdrop for the park's water quality data. RF3 data covering each USGS catalog unit (a geographic area representing a single or multiple drainage basin(s), or some other distinct hydrologic feature (U.S. Geological Survey 1982)) touched by the park's study area is included in ASCII export and DBASE III+ formats on the disk(s) accompanying this report (See Appendices A and B).

For additional information on any of these data systems, contact the EPA Office of Water at (202) 260-7028.

**Data Retrieval and Analysis Procedures**

The six EPA data systems discussed above reside on the EPA mainframe computer located in Research Triangle Park, N.C. Horizon Systems used a dedicated, leased telephone line with a data transfer rate of 9600 bits per second to download data occurring within the park's study area from all the databases. The bisynchronous communication software and hardware provided error checking during all data transfer procedures.

As described above, the park study/query area boundary was used to select the water quality stations, industrial facilities discharges, drinking water intakes, water gages, water impoundments, and river reaches associated with the park unit. For various reasons, screening criteria (described later in this section) were employed to select appropriate water quality stations, parameters, and observations. Horizon Systems wrote several mainframe programs to automate, to the greatest extent feasible, the STORET data retrieval and storage procedures. Once the data were extracted from the EPA data systems, they were downloaded to a microcomputer for statistical analyses and reformatted into DBASE III+ compatible format.

Specifically, once on the PC, the data were processed to:

(1) Reformat the data into DBASE III+ format and other database structures;
(2) Eliminate questionable data outside the STORET edit criteria ranges (See Appendix C);
(3) Display on a map the location of water quality monitoring stations and other water resources themes;
(4) Determine the frequency of water quality observations by station, parameter, and station/parameter;
(5) Generate descriptive period-of-record water quality statistics in a tabular format;
(6) Generate appropriate descriptive annual and seasonal analyses of the water quality data in a tabular format;
(7) Plot appropriate period of record time series and annual and seasonal box-and-whisker graphs;
(8) Compare the water quality data against relevant EPA national criteria; and

(9) Compare the water quality data against the NPS Servicewide Inventory and Monitoring Program's "Level I" water quality parameters.

Special customized microcomputer programs (primarily written in Clipper and Microsoft Professional BASIC) and procedures were created to address each of these tasks. All reformatted database files are included on disk(s) accompanying this document. The contents of these databases are described briefly below. Complete database structures are included in Appendices A and B. The descriptive water quality tabular statistics (see "Statistical Analyses" below) were computed based upon NPS specifications. Command or batch files were generated to drive STATGRAPHICS 7.0 in order to produce all the time series and box-and-whiskers plots.

**Park Unit Databases**

Up to seven digital databases in DBASE III+ and other formats have been created for the park by querying the water resources-related data sources described above. The disk(s) containing these databases accompany the report. The contents of each of these databases are discussed briefly below. More detailed documentation of these databases is included in Appendices A and B.

(A) Water Quality Parameter Data: This database includes all the water quality parameter data downloaded from STORET that passed the STORET Edit Criteria, Date, Station Type, and Phase 0 Parameter screens (described below) and is summarized tabularly and graphically in this document. This constitutes the park's baseline water quality data. Since it is already in digital format, more sophisticated analysis of the data is possible than the descriptive statistics and graphics presented here.

(B) Water Quality Station Locations: This database consists of the STORET header information describing each station where water quality data was collected. As the latitude and longitude of the station are included in the database, this file is easily imported into the park's GIS.

(C) Industrial Facility Discharge Locations: This database includes any industrial or municipal point source discharges located within the park's study area. As the latitude and longitude of each discharge facility are included in the database, this file is easily imported into the park's GIS.

(D) Drinking Water Intake Locations: This database includes any drinking water intakes located within the park's study area. As the latitude and longitude of each intake are included in the database, this file is easily imported into the park's GIS.

(E) Water Gage Locations: This database includes water (stream, lake, estuary, well, spring, climate, or other) gages located within the park's study area. Most of the gages will likely be stream gages belonging to the USGS. As the latitude and longitude of each gage are included in the database, this file is easily imported into the park's GIS.

(F) Water Impoundment Locations: This database includes any water impoundments (dams) located within the park's study area. As the latitude and longitude of each impoundment are included in the database, this file is easily imported into the park's GIS.

(G) River Reach Data: This database includes all stream traces (1:100,000 scale) and attributes for reaches falling within any USGS catalog unit that touches the park's study area. The traces are geo-referenced in ASCII format. The attributes are in both ASCII export and DBASE III+ formats. This information is also readily incorporated into the park's GIS.

The absence of any of these seven files from the disk(s) accompanying the report indicates that there was either no data of this type within the park's study area or the data was unavailable. Several other files are included on the disk(s) accompanying this report, including digital copies of all the figures and tables contained in the document and some other items. Refer to Appendices A and B for detailed documentation of these files. Not included on

disk is an Encyclopedia File (for WRD reference) that documents the minimum and maximum values for each water quality parameter and the parks in which those values were recorded. When Baseline Water Quality Data Inventory and Analysis reports have been completed for all parks, this Encyclopedia File will be available upon request from the NPS WRD.

**Screening Methodologies and Procedures**

Developing automated or semi-automated procedures to produce baseline water quality inventories and analyses for all national park units required constant testing and debugging of procedures. Three parks, Rock Creek Park, Yellowstone National Park, and Indiana Dunes National Lakeshore, were used to pilot test and refine the automated procedures. It became evident, after a preliminary analysis of all the downloaded STORET data, especially for Indiana Dunes National Lakeshore, that the specifications for the graphical analyses could generate hundreds (possibly thousands) of plots, many of which would not necessarily be useful. Also, there were many stations; parameters; and/or observations downloaded that were not part of the study's objectives; not overly useful; or of dubious quality. In order to reduce the number of graphical plots (time series, annual and seasonal box-and-whiskers) to fit within project resources, various screening criteria were investigated. Ultimately, a comprehensive set of screening criteria were developed to reduce the number of graphical plots. After initial counts of the total number of possible time series and annual and seasonal box-and-whiskers plots were generated, these counts were used to decide which screening criteria would be applied to limit the number of these plots produced for the park unit. Additional screening criteria were employed to restrict the tabular descriptive statistics results to only those deemed useful to the park. Table A provides the categories of screening criteria and to which analyses the screens were applied. A "yes" entry in the table means that the screening category eliminated or prevented data from appearing in certain tables and plots contained in the document. Consequently, in understanding how data from STORET was used in this report, it may be helpful to keep in mind the three general types of screening criteria: (1) screens that apply to stations; (2) screens that apply to certain parameters at stations; and/or (3) screens that apply only to particular observations of parameters at stations. A detailed description of each of the screening criteria categories follows this table. *It is important to note that statistics in "Inventory" reports may not be consistent with statistics in "Overview" reports since different categories of screening criteria were applied*. Also, if attempting to replicate the results of the statistical and graphical analyses presented in this document, be sure to follow the same screening methodologies.

STORET Edit Criteria

As mentioned previously, STORET is a "user-beware" data system. As the EPA doesn't certify any data in STORET, public agencies enter and are responsible for the quality of their own data. Only data entered since November 1983 have been subjected to any rudimentary edit/bounds checking. Agencies entering data since this date can elect to override the edit/bounds checking for individual observations. USGS WATSTORE water quality data is entered into STORET without any EPA edit/bounds checking to ensure data integrity between WATSTORE and STORET. Unfortunately, during the course of our pilot tests, erroneous USGS and EPA water quality data values were discovered. In order to eliminate as much "bad" data as possible, all water quality data downloaded from STORET was subjected to automatic edit/bounds checking (STORET Edit Criteria contained in Appendix C) for the 190 most common parameters. Observations falling outside the STORET Edit Criteria were documented (See the Water Quality Observations Outside STORET Edit Criteria for Park section in the Water Quality Results chapter) and then retained or discarded from the database and all tables and plots based on whether the value was judged as being in the realm of possibility. Although the STORET Edit Criteria screen likely removed some "bad" data for these common parameters, the probability of other erroneous data in the database is high. Be sure to consult the Caveat section in the Introduction.

Table A. Categories of Screening Criteria and to Which Output Products They Apply (A "yes" Entry Means the Screening Category Eliminated or Prevented Data From Being Used in the Product):

| Screening Category | Data Download | Overview Tables | Inventory Tables | Annual Tables | Seasonal Tables | Standards Tables | Plots (All) |
|---|---|---|---|---|---|---|---|
| **STORET Edit Criteria** | yes | yes | yes | yes | yes | yes | yes |
| **Date** | yes | yes | yes | yes | yes | yes | yes |
| **Station Type** | yes | yes | yes | yes | yes | yes | yes |
| **Phase 0 Parameter** | yes | yes | yes | yes | yes | yes | yes |
| **Phase 1 Parameter** | no | no | yes | yes | yes | yes | yes |
| **Media Type** | no | no | yes | yes | yes | yes | yes |
| **Remark Codes** | no | no | yes | yes | yes | yes | yes |
| **Composite Type** | no | no | yes | yes | yes | yes | yes |
| **Phase 2 Parameter** | no | no | no | no | no | no | yes |
| **Observations/Period of Record** | no | no | no | yes | yes | no | yes |

Date Screen

Every water quality observation in STORET typically has a sampling date associated with it. Unfortunately, STORET does not prevent users from entering incorrect dates. Consequently, any water quality observation with an incorrect and/or suspect date (eg. a month greater than 12; a day greater than 31; or a sample date later than the STORET retrieval date) were discarded.

Station Type Screen

STORET contains data from a wide variety of stations classified by the type of waterbody in which samples were collected. As this project's purpose was to inventory and analyze surface-water quality, the following surface-water station types were retrieved (clarification provided in parentheses):

Station Types Included In Retrieval
(a) STREAM
(b) CANAL
(c) LAKE
(d) RESERV (Reservoir)
(e) SPRING
(f) FWTLND (Fresh Water Wetland)
(g) SWTLND (Salt Water Wetland)
(h) ESTURY (Estuary)
(i) OCEAN

Ground water and/or other station type data may have been retrieved if the entering agency classified the station type incorrectly. Rectifying this error was beyond the scope and resources of this project.

Phase 0 Parameter Screen

Nearly all water quality parameters associated with each station type listed above were retrieved. The only exception to this was the exclusion of most of the STORET administrative parameters. A complete list of STORET administrative parameters is included in Appendix D. The few administrative parameters that were included in the retrievals are as follows:

| Code | STORET Administrative Parameter Description |
|---|---|
| 00027 | Code No. for Agency Collecting Sample |
| 00028 | Code No. for Agency Analyzing Sample |
| 00063 | Sampling Points, Number of In a Cross Section |
| 00111 | Ratio of Fecal Coliform to Fecal Streptococci |
| 00115 | Sample Treatment Code (1=Raw, 2=Treated) |
| 34772 | NPDES Number, Cross Reference |
| 45580 | Method of Analysis |
| 74065 | Stream Flow Class |
| 74066 | Annual Runoff |
| 74067 | Soil Classification |
| 74068 | Water Quality Designated Use Classification |

Phase 1 Parameter Screen

Some of the data retrieved from STORET was not suitable for statistical or graphical analysis. Consequently, this screening criterion eliminated all parameters which were not suitable for statistical or graphical analysis within the context of this project. The full list of these parameters is presented in Appendix E. Examples of parameters excluded from statistical and graphical analysis include the administrative parameters mentioned above, land use acreage, encoded values, dates, latitude/longitude, etc. Excluded parameters do, however, appear in the Parameter Period of Record and Station/Parameter Period of Record (two of the "Overview" Tables), as well as in the water quality parameter file included on disk(s) accompanying this report.

Media Type Screen

Water quality samples can be taken in a variety of aqueous media. Water quality data were retrieved from STORET only if the media were WATER or VERT (vertically integrated). WATER and VERT samples comprise the overwhelming majority of samples in STORET. The media screen eliminated the following water quality sampling media:

| Media Screen | Description |
|---|---|
| BOTTOM | Sampled At the Bottom |
| DREDGE | Sampled By Dredge |
| PORE | Pore Sample |
| CORE | Core Sample |

Remark Code Screen

STORET enables the agency collecting water quality samples to provide a qualifying remark for each parameter observation. These remarks provide additional information about the measured or observed value entered into STORET (See Appendix B - Parameter Data File for a complete listing and description of all remark codes). Based on the STORET remark codes, two potential screens were applied to water quality observations based on whether the measured value was used in subsequent analyses: (1) Elimination or (2) Modification/Inclusion.

*Elimination:*
Non-composite water quality parameters with the remark codes presented in Table B were eliminated from the period of record, annual, and seasonal descriptive statistics and graphics. Not including observations with these remarks was justified by the fact that most of the remarks: (A) indicate either less confidence in the measured value; (B) are remarks for nominal or categorical data that doesn't lend itself to statistical analysis; or, (C) complicate the statistical analysis beyond the scope of this effort. Observations containing these remark codes comprise a very small fraction of the data. Although statistical analyses weren't undertaken on this data, all water quality observations, regardless of remark code, are included on disk(s) accompanying this report. If you re-analyze this data in order to replicate the results presented here, be sure to eliminate all non-composite observations with the remark codes presented in Table B.

Table B. Non-composite Parameters With the Following Remark Codes Were Eliminated From Statistical and Graphical Analysis:

| Remark Code | Description of STORET Remark Code |
|---|---|
| F | Female Species. |
| J | Estimated, Not the Result of Analytic Measurement. |
| M | Presence Verified, But Not Quantified, Below Quantification Limit. For Species, Male. For Oxygen Reduction Potential, Indicates Negative Value. |
| N | Presumptive Evidence of Presence. |
| O | Analysis Lost. |
| V | Analyte Was Detected In Sample and Method Blank. |
| W | Less Than Lowest Value Reportable Under Remark "T". |
| Z | Too Many Colonies Were Present to Count (TNTC), Value Represents Filtration Value. |

*Modification/Inclusion:*
Water quality parameter observations with the remark codes presented in Table C were halved prior to inclusion in period of record, annual, and seasonal descriptive statistics and graphics. These remark codes deal with observations that were below the detection limit for the parameter. The common water quality data analysis convention for these remark codes is to use half of the detection limit in statistical analyses (Ward, Loftis, and McBride 1990; Gilbert 1987). Although this is a somewhat defensible treatment of observations below the detection limit, the statistics that may be computed using these halved values may not be defensible. Consequently, any computed statistics in inventory, annual, or seasonal tables that are comprised of 50% or more K, T, and U remark codes are footnoted "Computed with 50% or more of the total observations as values that were half the detection limit." This will provide the user with some caution in using and interpreting these results. Water quality data included on disk(s) accompanying this report that may have these remark codes are stored as the original entry (detection limit). If you re-analyze this data in order to replicate the results presented here, be sure to substitute half the detection limit value in the database whenever these remark codes are encountered.

| Table C. The Value of Water Quality Parameters With the Following Remark Codes Were Halved (Half of the Detection Limit Entered In STORET) Prior to Inclusion In Descriptive Statistics and Graphics: | |
|---|---|
| **Remark Code** | **Description of STORET Remark Code** |
| K | Off-scale Low, Actual Value Not Known, But Known to Be Less Than Value Shown. |
| T | Less Than Detection Criteria. |
| U | Analyzed For But Not Detected, Value is Detection Limit For Process Used. If Species, Undetermined. |

Composite Type Screen

Sometimes data entered in STORET represent something other than a single measurement at one location at one point in time. These samples are typically referred to as composite samples due to the fact that they vary temporally and spatially. Consequently, the observation entered into STORET for composite data is typically a computed value that summarizes the data over time and/or space. Such data complicate statistical and graphical analyses and must be handled separately. Such treatment was beyond the scope of this study; although composite values typically represent only a fraction of STORET observations. The composite type screen eliminates all composite observations from statistical and graphical analyses, except those with a composite type code of "A" that have a one day or less sampling period and those with a composite type code "D". All water quality observations, regardless of composite type code, are included on disk(s) accompanying this report. If you re-analyze this data in order to replicate the results presented here, be sure to exclude all composite observations except those with a code of "A" that have a one day or less sampling period and those with a code of "D". Table D presents a list of possible STORET composite type codes.

Table D. Possible STORET Composite Type Codes

| Composite Type Code | STORET Composite Type Description |
|---|---|
| A | Average |
| H | Maximum |
| L | Minimum |
| N | Number of Observations |
| # | Number of Observations |
| S | Standard Deviation |
| U | Sum of Squares |
| V | Variance |
| C | Coefficient of Error |
| X | Coefficient of Variance |
| E | Skewness |
| F | Kurtosis |
| Z | Number of Obs. That Exceed An Established Limit |
| % | Precision |
| $ | Accuracy |
| B | N/A |
| D | Indicates Replicate Sample |

Phase 2 Parameter Screen

Due to budgetary limitations, the number of graphical plots (time series, annual and seasonal box-and-whiskers) produced had to be manageable - typically no more than 100 total plots. After scrutinizing the results of the pilot tests and the Baseline Water Quality Data Inventory and Analysis Reports produced for the first group of parks, the 19 parameters which, typically, were the most frequently measured at nearly all stations were water temperature, stage, discharge, and various meteorological measurements (See Table E). Consequently, most of the graphical plots produced would be of water temperature, stage, discharge, and meteorological conditions. Although these are important parameters, particularly in conjunction with other water quality parameters, it was felt that plotting resources would be better allocated to other water quality parameters. Consequently the STORET parameter codes listed in Table E never generated graphical plots. It is important to note, however, that these parameters are included in all other aspects of the project, including all applicable period of record, annual, and seasonal descriptive statistics tables.

| Table E. Frequently Measured STORET Codes That Were Prevented From Generating Plots | |
|---|---|
| **STORET Parameter Code** | **STORET Parameter Description** |
| 00003 | Sampling Station Location, Vertical (Feet) |
| 00010 | Water Temperature (Degrees Centigrade) |
| 00020 | Temperature, Air (Degrees Centigrade) |
| 00021 | Temperature, Air (Degrees Fahrenheit) |
| 00025 | Barometric Pressure (MM of HG) |
| 00032 | Cloud Cover (Percent) |
| 00035 | Wind Velocity (Miles Per Hour) |
| 00036 | Wind Direction in Degrees from Trun N (Clockwise) |
| 00040 | Wind Direction (Azimuth) |
| 00045 | Precipitation, Total (Inches Per Day) |
| 00046 | Precipitation, Total (Inches Per Week) |
| 00052 | Humidity, Relative (Percent) |
| 00061 | Stream Flow, Instantaneous (CFS) |
| 00065 | Stream Stage (Feet) |
| 81903 | Depth of Bottom of Water @ Sample Site (Feet) |
| 82553 | Rainfall In 1 Day Inclusive Prior to Sample (Inches) |
| 82554 | Rainfall In 7 Days Inclusive Prior to Sample (Inches) |
| 82371 | Rainfall In 3 Days Inclusive Prior to Sample (Inches) |
| 82372 | Rainfall In 14 Days Inclusive Prior to Sample (Inches) |
| 85599 | Precipitation, Total/Period-Rain Equivalent (Cm/Sample) |

Observations/Period of Record Screen

Despite never plotting water temperature, stage, discharge, and meteorological measurements, the number of plots generated by some parks still exceeded the 100 plot limit. Also, some rationale was needed to plot only those parameters with sufficient data density to make a meaningful statistical graphic. For example, time series plots comprised of only a few observations or annual or seasonal box-and-whiskers plots with limited observations and/or data in only one or two years or seasons are not very informative. Consequently, a number of plotting criteria were developed to limit the number of time series and box-and-whiskers plots to, at most, 100 informative graphics by using each parameter's number of observations and period of record. Similar, albeit less stringent criteria, were used for including results of annual and seasonal analyses in descriptive statistics tables. Consequently, there are more summaries of annual and seasonal results in tables than in graphics. Whenever an entry in an annual or seasonal table generated a plot, this entry was footnoted to notify the reader of the presence of the graphic. Due to differing quantities of data at parks, different screening criteria were employed. The same

criteria for appearance in seasonal and annual tables were used for all parks. Table F presents the least stringent plot screens.

Table F. Least Stringent Plot Screening Criteria Used to Limit the Number of Plots Generated

| |
|---|
| Time Series:<br><br>To generate a time series plot, a station/parameter combination must have a period of record of at least 2 years and a total of at least 8 observations.<br><br>Annual Analysis:<br><br>To generate an annual box-and-whiskers plot, a station/parameter combination must have at least 9 observations in each of at least 4 years. The years do not have to be consecutive.<br><br>Seasonal Analysis:<br><br>To generate a seasonal box-and-whiskers plot, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years. The years do not have to be consecutive. |

The exact three plot screens used varied by park unit and are documented in the Overview section of the Water Quality Results chapter. If your park's plotting criteria deviated from these least stringent criteria, it is because too many plots would have been generated using these criteria.

The criteria used for appearance of station/parameter combinations in annual and seasonal analysis tables are presented in Table G. These tabular criteria, which are actually the least stringent plotting criteria, were constant from park to park.

Table G. Criteria Used for Generating Entries in Annual and Seasonal Analysis Tables

| |
|---|
| Annual Analysis:<br><br>For an entry to appear in an annual table, a station/parameter combination must have at least 9 observations in each of at least 4 years. The years do not have to be consecutive.<br><br>Seasonal Analysis:<br><br>For an entry to appear in a seasonal table, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years. The years do not have to be consecutive. |

**Statistical Definitions**

Since this report is intended only to characterize historical and/or existing water quality at the park rather than address specific water quality problems, only simple descriptive statistics are presented. Inferential and non-parametric statistical analysis to examine relationships and trends were beyond the scope of the study. The complete water quality dataset is provided on disk accompanying this report to afford the opportunity for more detailed exploratory data analysis. The descriptive statistics are included in the inventory, annual, and seasonal tables. Table H provides a brief definition of each descriptive statistic provided for each parameter at a station.


Table H. Definition of Descriptive Statistics Contained in Inventory, Annual, and Seasonal Tables

| | |
|---|---|
| Observations: | The number of samples collected. |
| Median: | The median is the 50th percentile or the value in a dataset sorted in ascending order that exceeds 50% of all observations, yet is also exceeded by the remaining 50% of all observations. |
| Mean: | The sum of all observations collected divided by the number of observations. |
| Maximum: | The maximum value observed. |
| Minimum: | The minimum value observed. |
| Variance: | This is a measure of variability or dispersion of the observations; or, in other words, describes how many observations are close (or far), from the mean. It is calculated as the weighted average of the squared deviations from the mean. |
| Standard Deviation: | The positive square root of the variance. |
| 10th Percentile: | The value in a dataset sorted in ascending order that exceeds 10% of all observations, yet is itself exceeded by the remaining 90% of all observations. |
| 25th Percentile: | The value in a dataset sorted in ascending order that exceeds 25% of all observations, yet is itself exceeded by the remaining 75% of all observations. The 25th percentile is also known as the first quartile. |
| 75th Percentile: | The value in a dataset sorted in ascending order that exceeds 75% of all observations, yet is itself exceeded by the remaining 25% of all observations. The 75th percentile is also known as the third quartile. |
| 90th Percentile: | The value in a dataset sorted in ascending order that exceeds 90% of all observations, yet is itself exceeded by the remaining 10% of all observations. |

As with the tabular descriptive statistics, the scope of the project limited the generation of exploratory graphics to time series plots and annual and seasonal box-and-whiskers plots. Plots were only generated, however, provided the parameter met or exceeded the relevant plotting criteria specified in the previous section.

Time series plots display the parameter concentration on the Y-axis and the date on the X-axis. This provides the user with a visual feeling for not only the parameter's concentration and variability over time, but also the density of data in different time periods. The time series plots provide a visual representation of the data in the basic station inventory. Due to software limitations, a line connects each measured value in sequence regardless of the time period between samples. Readers are cautioned not to assume that the concentration of the parameter between any two data points can be represented by a straight line. It is likely that the concentration varied between any two observations, particularly if the observations are separated by a significant time period.

The annual and seasonal box-and-whisker plots provide a graphical overview of the measured data and give the user a better understanding of the data's distribution and possible outliers. In essence, the box-and-whisker plots provide a visual representation of the data contained in the annual and/or seasonal tables. The interpretation of the boxes is provided in the figure to the right. Each box encompasses the middle 50 percent of measured values (from the 75th to 25th percentiles). The difference between the 75th and 25th percentiles is also known as the interquartile range. The horizontal line inside each box is the median or 50th percentile. The lines which extend out from each end of the box are the whiskers. The whiskers extend out from first quartile (25th percentile) and third quartile (75th percentile) to the smallest data point within 1.5 interquartile ranges from the first and third quartiles. Observations that extend beyond the whiskers are known as outliers. Far outliers are observations whose values lie more than three interquartile ranges below the first quartile or above the third quartile. These are designated with plus signs.



## INTERPRETIVE GUIDE

## TO WATER QUALITY RESULTS

This interpretive guide discusses each of the products presented in the next chapter - Water Quality Results. This chapter highlights how each of the tables and figures were prepared and how they can be used. Each subheading in this chapter corresponds to a particular product in the subsequent Water Quality Results chapter.

### Overview

The Overview provides a brief one-page summary of the results of the various database retrievals for both the study area and the park. The study area results include the park results since the study area encompasses the park and all lands and waters within at least 3 miles upstream and 1 mile downstream of the park. Thus, the GIS estimated acreage of the study area should always be greater than the park acreage. The park acreage was computed from the digital boundary that was obtained for the park. More than likely this acreage will differ, perhaps significantly, from the "official" published acreage for the park due to the spatial and temporal accuracy of the digital boundary, treatment of inholdings, and other concerns. The number of STORET stations is the number of locations within the study area and park where an agency monitored (or intended to monitor) water quality. The number of stations with no data reveals the number of stations created in STORET for which water quality data were never entered. The number of stations with no statistical analysis reports the number of stations in the study area and park that contain data not amenable to normal parametric statistics. The number of longer term stations indicates the number of stations in the study area and park with at least 6 parameters having periods-of-record extending 2 years with an average of at least 1 observation per year over the period-of-record. The date of STORET retrieval is the calendar date when Horizon Systems downloaded all the data from STORET. Thus, the report documents all data entered in STORET prior to the retrieval date. Keep in mind that an agency can upload archival data at any time. Consequently, a retrieval date only guarantees that as of that date, this report contains all the data that had been entered into STORET. The period of record is the earliest date for which water quality data exist in STORET for the study area and park up to the date when the most recent data were entered prior to the retrieval date. The number of parameters measured is the number of unique water quality parameters measured within the study area and park and entered in STORET. The number of water quality observations is the sum of the total number of observations across all parameters within the study area and park. The number of industrial/municipal facilities discharges, drinking water intakes, water gages, and water impoundments are the number of each of these entities found within the study area and park. The number of time series, annual, and seasonal plots are the number of these different types of graphics produced by station/parameter combinations within the study area and park using the plotting criteria described in the previous chapter. The hydrologic seasons, described below, are the seasons used for the seasonal water quality data analysis. The time series, annual, and seasonal criteria are the plot and tabular screening criteria described in the previous chapter.

### Regional Location Map

The Regional Location Map provides a small scale, general representation of the park and study area location within the United States. Digital, reproducible copies of this graphic are included on the disk(s) accompanying this report.

### Water Quality Monitoring Locations Map(s)

The Water Quality Monitoring Locations Map(s) usually provides a larger scale representation of the park and study area than the Regional Location Map. This map indicates the locations within the study area where water quality has been monitored and the data entered into STORET. The water quality monitoring stations are labelled sequentially with the rightmost significant digits. The station names were assigned in numerically ascending order by latitude (for parks with a greater north-south extent than east-west) or longitude (for parks with a greater east-

west extent than north-south). Thus, this map serves as a visual index to the water quality data contained in the report. Since the 1:100,000 scale hydrography (from the River Reach File Ver. 3.0 or other sources) is displayed on the map, users can refer to the map to locate the station number on the reach in which they are interested and then find the appropriate section in the report that documents the water quality at that station. If the scale allows, USGS catalog units are also displayed on the map to provide an approximation of drainage basins. More than one Water Quality Monitoring Location map may be presented if the scale requires breaking the area into multiple maps for legibility. If multiple maps are necessary, an index map showing the geographic extent of each sub-map or panel will be present. Digital, reproducible copies of this graphic are included on the disk(s) accompanying this report. The digital, geo-referenced data files documented in Appendices A and B will allow the park to create water quality monitoring stations as a coverage in their GIS.

**Dischargers, Drinking Intakes, Gages, and Impoundments Map(s)**

The Dischargers, Drinking Intakes, Gages, and Impoundments Map(s) displays the same information as the Water Quality Monitoring Location Map(s) except the water quality stations are replaced by industrial/municipal facilities discharges, drinking water intakes, active and inactive gage locations, and water impoundments. This map also serves as a visual index allowing the user to determine the identification code of each discharger, drinking intake, gage, or impoundment. This number can then be used to obtain additional information about the entity on the following page of the report or to refer to the more detailed database files accompanying the report on disk. These more detailed database files are geo-referenced (See Appendices A and B), thus allowing the park to create these coverages in their GIS. More than one Dischargers, Drinking Intakes, Gages, and Impoundments map may be presented if the scale requires breaking the area into multiple maps for legibility. If multiple maps are necessary, an index map showing the geographic extent of each sub-map or panel will be present. Digital, reproducible copies of this graphic are also included on the disk(s) accompanying this report.

**Industrial Facilities Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Table**

This table provides some additional information about each of the discharges, drinking intakes, water gages, and water impoundments displayed on the previous map(s). This information generally includes the site identification number; the station or facility name; an address or some other indication of location; and some other pertinent information. More detailed information about each of these entities is contained in the database files on disk accompanying the report (See Appendices A and B).

**Representative Mean Annual Hydrograph for Seasonal Analysis**

One component of the water quality data analysis contained in the document is a seasonal analysis of the data (where adequate data exist). In order to undertake this analysis, some representation of the park's seasons was required. Seasons can be based on many factors (eg. hydrologic, climatic, recreational use, etc.). Since project resources did not allow us to contact every park and discuss with resource management staff what appropriate seasons may be for the park, WRD staff elected to adopt primarily a hydrologic/climatic definition of the seasons which uses a process of hydrograph separation to glean seasons from stream discharge patterns. The procedure employed to make these determinations was as follows:

(1) Find the nearest USGS Hydro-Climatic Data Network (HCDN) station (U.S. Geological Survey 1992) to the park that is most representative of streamflow conditions at the park. The HCDN is basically a subset of USGS streamflow stations, including only those stations that are unaffected by artificial diversions, storage, or other disruptions of the natural channel. All HCDN stations generally have at least a 20 year period of record. Consequently, discharge patterns at these stations should reflect only hydrologic and climatic influences. For the most part, selected HCDN sites were typically within 15-20 miles of the park. In some parks where WRD staff were aware of the existence of a stream gage located within the park that would be more representative of park waters even though it wasn't an HCDN site, this gage was selected.

(2) Retrieve the daily discharge values for the selected station from the USGS Daily Values File and generate a mean annual hydrograph and a box-and-whiskers plot of daily flows by month.

(3) Interpret the plots based on our knowledge of the hydrologic regime at these parks and assign seasons.

This approach, used for the majority of parks, assumes that most water quality data at the park will be found in streams and that the discharge pattern of the selected stream is representative of the seasons for all park waterbodies. Although this assumption may be weak for certain parks, project resources did not allow a more thorough investigation. For parks where there wasn't any stream gage (HCDN or otherwise) deemed representative of park waters, precipitation records from a nearby meteorological station were obtained from the National Climatic Data Center. Plotting daily average precipitation and box-and-whiskers of monthly precipitation sums allowed WRD hydrologists to make a rough approximation of climatic seasons for use in analyzing the water quality data.

Again, it is important to note the many ways of defining "seasons" and thus the limitations of the seasonal analysis contained in this document. For certain parks it may be more useful to perform a seasonal analysis with seasons defined by recreational use patterns or some other natural or anthropogenic factor. This option is available to the park since all the water quality data analyzed in this document is contained on disk(s) accompanying this report. Digital, reproducible copies of this seasonal analysis graphic are also included on the disk(s) accompanying this report.

**Contacts for Agency Codes Retrieved**

This table provides a list of the organizations who have entered data into STORET. A contact name at the organization and a phone number are also supplied. The agency code in the first column is the key for identifying which stations belong to that agency. This code will appear in the first line of each station's inventory. Although the agencies listed in this table are potential partners for future water quality monitoring or management endeavors, don't be surprised if the name of the contact and/or the telephone number is out of date. This information is entered when an agency first creates a station. The agency may not update this information when the initial contact moves on or the telephone number changes. Nonetheless, it is likely that the contact or someone else at the agency may be able to provide you with project reports or other information relative to the agency's data. A digital copy of this table accompanies this report on disk (See Appendices A and B).

**Quantity of Data Retrieved by Agency Code**

This table displays the period-of-record; numbers of water quality stations, longer-term stations, and stations without data; total number of water quality observations; and the number of unique water quality parameters measured by each agency within the study area and park boundary. Using this table, a park can quickly determine which agencies collect the most data in and around the park and whether they have monitored recently. A digital copy of this table accompanies this report on disk (See Appendices A and B).

**Station Period of Record Tabulation**

The Station Period of Record Tabulation provides a quick overview of the names of all the stations within the study area where water quality has been monitored and data entered into STORET. It also furnishes the total number of observations taken at each station and the frequency of observations between certain dates: (1) 01/01/85 until the most recent date data were measured; (2) 01/01/75 - 12/31/84; and (3) prior to 01/01/75. The station identification number, the four character park abbreviation code followed by a four digit number, provides the means to jump from a particular station in the table to the statistical and graphical analyses for this station contained in the Station-By-Station Results section. The Station Period of Record Tabulation reveals which water

quality stations were situated within the park as defined by the park's GIS boundary. The Station Period of Record Tabulation also footnotes longer-term water quality stations. Longer-term stations are those that have at least 6 parameters with an average of one or more observations per year for those parameters during a period of record extending at least two years. Note that although a station may not be flagged as longer-term, it can still harbor much important data (albeit for only a few parameters or over a very long term with just a few observations). A digital copy of this table accompanies this report on disk (See Appendices A and B).

**Parameter Period of Record Tabulation**

The Parameter Period of Record Tabulation provides a complete listing of every water quality parameter ever measured in the study area and entered into STORET. This table is a summation of all the water quality observations for each parameter across all stations in the study area. Like the Station Period of Record Tabulation, the total number of observations for each parameter and the frequency of observations between: (1) 01/01/85 until the most recent date data were measured; (2) 01/01/75 - 12/31/84; and (3) prior to 01/01/75 are provided. This table is handy for quickly assessing whether particular parameters have been measured in the study area. The Parameter Period of Record Tabulation also shows how many in-park (and total) water quality stations contained data for each parameter. Some administrative parameters and parameters not suitable for statistical analysis within the context of this project (as discussed in the Screening Methodologies and Procedures section of the Methodology chapter) are listed in the Parameter Period of Record Tabulation, but not in the Station-By-Station Results section. A digital copy of this table accompanies this report on disk (See Appendices A and B).

**Station/Parameter Period of Record Tabulation**

The Station/Parameter Period of Record Tabulation combines the information found in the Station Period of Record Tabulation and the Parameter Period of Record Tabulation. This table provides a listing of all the stations where a particular water quality parameter was measured in the study area and the data entered into STORET. The table provides the start and end dates of the period of record of each parameter at each station; the number of years of measurement (computed from the start and end dates); whether the station/parameter combination occurred within the park boundary; the total number of observations for each parameter at each station, and whether a time series (T), annual (A), and/or seasonal (S) plot was generated for the station/parameter combination in the Station-By-Station Results section. This table is very useful when you need to determine at which locations within the study area (or park) particular parameters were monitored and how much data was collected there. Some administrative parameters and parameters not suitable for statistical analysis within the context of this project (as discussed in the Screening Methodologies and Procedures section of the Methodology chapter) are listed in the Station/Parameter Period of Record Tabulation, but not in the Station-By-Station Results section. A digital copy of this table accompanies this report on disk (See Appendices A and B).

**Station-By-Station Results**

Probably the most voluminous portion of the document is the Station-By-Station Results. Here the results of the water quality analyses for each station are presented in sequence. The results include the station inventory; parameter inventory; EPA water quality criteria analysis; and, as applicable, time series graphics and annual and seasonal tables and box-and-whiskers graphics. Each of these products are discussed below.

*Station Inventory for Station*

Each station's data commences with its Station Inventory. The Station Inventory provides the descriptive attributes about each water quality monitoring station contained in STORET. This includes a variety of locational information such as a verbal description, the Federal Information Processing codes for county and state, latitude and longitude, and other items; the station type (stream, spring, estuary, etc.); monitoring agency; creation date; indices to the River Reach File; whether the station lies within the park boundary; and several other attributes. This water quality station location data is also contained on disk(s) accompanying the report (See Appendices A and B).

*Parameter Inventory for Station*

Following the descriptive attributes about a station is the Parameter Inventory for the station. The Parameter Inventory provides a complete inventory and descriptive summary of all the water quality parameter data for the station. This table furnishes the parameter STORET code and name; the period of record for this parameter at this station; and the descriptive statistics defined in the Statistical Definitions in the previous chapter. Three different footnotes can appear on a parameter's descriptive statistics. Two asterisks (**) in the 10th, 25th, 75th, or 90th percentile columns indicates that there was insufficient data to compute these statistics for this parameter. Percentiles were not computed unless the parameter had at least 9 observations. Two number signs (##) next to the number of observations indicates that more than 50 percent of the observations entered into the computations as values that were taken to be half the detection limit. Caution should be employed in interpreting and using statistical results when more than half the values are set to half the detection limit. The letter "p" following a numeric STORET parameter code in the Parameter Inventory indicates that a time series plot was produced for this parameter at this station. Digital, reproducible copies of the Parameter Inventory tables are contained on the disk(s) accompanying this report.

Two downloaded parameter groups, pH and bacteriological, received special treatment whenever descriptive statistics were computed in the Parameter Inventory (as well as subsequent annual and seasonal tables). Whenever pH appears in a descriptive statistics table, the entry is increased to 3 entries: (1) the original pH entry; (2) pH computed from conversion to and from $\mu$eq/l $H^+$; and (3) $\mu$eq/l $H^+$. The reason for these conversions is that pH is actually the negative logarithm of the hydrogen ion concentration. To be technically correct in computing descriptive statistics, pH values must be converted to $\mu$eq/l $H^+$ (Kunkle and Wilson 1984). Once the descriptive statistics are computed using the pH values expressed as $\mu$eq/l $H^+$, the results can be converted back to pH. The three pH entries in the descriptive statistics table will all have the same STORET code.

Whenever a bacteriological parameter appears in a descriptive statistics table, the entry is increased to 3 entries: (1) the original bacteriological entry; (2) an entry computed using the log of each measured value; and (3) an entry that simply reports the geometric mean. The reason for converting to logs and displaying the geometric mean is convention. Bacteriological water quality standards typically reference the geometric mean rather than the arithmetic. The three bacteriological entries in the descriptive statistics tables will all have the same STORET code.

*EPA Water Quality Criteria Analysis for Station*

The EPA Water Quality Criteria Analysis table follows the Parameter Inventory. This table presents a comparison between the station's STORET water quality data and applicable national water quality criteria for freshwater and marine aquatic organisms; drinking water; and other concerns. Comparison against applicable State water quality criteria was not feasible given project resources. Appendix F provides the relevant national EPA water quality criteria values. In most cases, the EPA water quality criteria values are single sample concentrations that can be directly compared to single sample STORET entries. There are, however, two notable exceptions to this single sample/single value comparison: ammonia and fecal-indicator bacteria. For these two parameters, criteria are either derived from or depend on the results of other chemical characteristics of the water or require a time series statistical treatment of multiple samples to determine whether the criterion has been exceeded. The EPA ammonia criterion is pH and temperature dependent. To calculate the criterion for each ammonia sample value was beyond

the scope of this project. Consequently, ammonia criteria were not included in Appendix F or the EPA Water Quality Criteria Analyses. Un-ionized ammonia criteria can be determined from formula table values included in the EPA Silver Book (Environmental Protection Agency 1995).

For the purposes of this project, fecal-indicator bacteria data were flagged as exceeding criteria when their concentrations exceeded 200, 1000, 126, and 33 (fresh)/35 (salt) colony forming units or most probable number for single samples of fecal coliform, total coliform, E. coli, and enterococci, respectively. These values represent only approximations of the criteria for primary contact recreation waters where criteria are typically expressed in terms of a geometric mean computed with no less than 5 samples during a given month. When a fecal-indicator bacterial observation exceeds a criterion in the EPA Water Quality Criteria Analysis section, the reader should refer to the corresponding geometric mean calculations in the preceding Parameter Inventory. Long-term geometric means that exceed the respective water quality criteria for multiple samples are more indicative of chronic bacteriological problems than single sample values.

Water quality observations carrying non-detection or below-detection limit remark codes (K, T, and U) required special treatment in the EPA Water Quality Criteria Analysis. As with the statistics in the Parameter Inventory, half the detection limit was the value used in the EPA Water Quality Criteria Analysis. For certain observations, however, half the detection limit may exceed a water quality criterion. For those observations it would be inappropriate to classify them as exceeding a criterion since the actual value wasn't known. Thus, it was decided that any below detection limit or non-detect observations that exceed a water quality criterion using half the detection value would be excluded from the EPA Water Quality Criteria Analysis. If non-detect or below detection limit values are excluded from the EPA Water Quality Criteria Analysis for a particular parameter, the total observations for that parameter will be footnoted with an ampersand (&). This will also explain the difference between the total observations in the Parameter Inventory and the EPA Water Quality Criteria Analysis. Non-detect or below detection limit values are included in the EPA Water Quality Criteria Analysis, however, if half the detection limit doesn't exceed the parameter's criterion.

The EPA Water Quality Criteria Analysis for each station lists the parameter; the standard type and value; the total number of observations for the parameter at this station; the number of observations that exceeded the standard value; and the proportion of observations that exceeded the standard value. Water quality observations are considered as having exceeded a criterion regardless of whether the criterion represents a maximum acceptable value or a minimum acceptable value. The table also breaks down the water quality criteria analysis on a seasonal basis to allow the reader to discern whether parameter observations tend to exceed criteria during only certain seasons or year round. Although the EPA Water Quality Criteria Analysis table is a good starting point for assessing potential water quality problems at the station, the reader is strongly encouraged to read the caveat section in the Introduction concerning drawing conclusions about water quality problems from this table. Digital, reproducible copies of these tables accompany the report on disk (See Appendices A and B).

*Time Series Plots for Station*

Following the EPA Water Quality Criteria analysis will be any Time Series Plots for each parameter that met the time series plot screening criterion selected for the park unit. If a time series plot is generated for a particular parameter at a station, a "p" will appear next to the STORET parameter code in the Parameter Inventory. If no time series plots are present for the particular station, the data did not meet the time series screening criterion listed in the Overview section of the Water Quality Results chapter. The x-axis on these plots is the period of record, listing only the 2-digit calendar year for clarity (i.e. 1983 is presented as 83). The y-axis is the concentration of the selected parameter in its measurement units. In general, the units for a given parameter are given either on the y-axis or in the parameter description in the subtitle of the graph. Subtitle and/or y-axis parameter descriptions may be truncated on the plots so as to not exceed the maximum number of plotting characters. Y-axis values less than zero are sometimes shown for better representation of the entire plot. The station identification code, parameter description, and parameter STORET code are presented in the main title. The footnote provides a descriptive location name. Observations on the plot are represented as squares. Lines are drawn connecting each successive observation. As mentioned previously in the Statistical Definitions section of the Methodology chapter, the interconnecting line is drawn only for ease of reading and provides no indication of what the actual parameter

values were between the two observed measurements. Digital, reproducible copies of all time series plots accompany the report on disk (See Appendices A and B).

For time series plots of pH, the original pH values are plotted. For time series plots of bacteriological data, the log of the measured value is plotted. Hence, the y-axis of a time series plot for bacteriological parameters is log-linear.

*Annual Analysis for Station*

If more than 9 observations exist in each of at least 4 years for a particular parameter at a station, an Annual Analysis table will be generated. Entries will be made in the table for each parameter having more than 9 observations in each of at least 4 years. The Annual Analysis presents the same descriptive statistics as the Parameter Inventory table, except that it provides the statistics by year, rather than the entire period of record. Although some of the years may not contain 9 observations, these years still have an entry in the table. A parameter needs only to have 9 observations in any 4 years of its period of record to qualify for the Annual Analysis table. Like the Parameter Inventory, percentiles with fewer than 9 observations are not computed and entries computed with greater than 50 percent of the data values set to half the detection limit are flagged. Entries in the Annual Analysis table that also meet the annual analysis box-and-whisker plot screening criterion will be flagged with a "p" next to the STORET code. Digital, reproducible copies of these tables accompany the report on disk (See Appendices A and B).

*Annual Box-and-Whiskers Plots for Station*

Entries in the Annual Analysis table that meet the annual box-and-whisker plot screening criterion will generate Annual Box-and-Whiskers Plots. The interpretation of box-and-whiskers plots is explained in the Statistical Definitions section of the Methodology chapter. A box is generated for each year of the period of record, even if less than 9 observations were recorded in the year. The axis labeling and plot titling is the same as for the time series plots. Digital, reproducible copies of these graphics accompany the report on disk (See Appendices A and B).

For annual box-and-whiskers plots of pH, $\mu$eq/l $H^+$ are plotted. For annual box-and-whiskers plots of bacteriological data, the log of the measured value is plotted. Hence, the y-axis of an annual box-and-whiskers plot for bacteriological parameters is log-linear.

*Seasonal Analysis for Station*

As explained above, a park's hydrologic seasons for seasonal water quality analysis were determined using a process of hydrograph separation and other techniques. If a parameter has more than 9 observations in each of 2 seasons with a period of record of at least 6 years and observations in at least 3 of the 6 years, a Seasonal Analysis table will be generated for the station. The Seasonal Analysis presents the same descriptive statistics as the Parameter Inventory table, except that it provides the statistics by season, rather than the entire period of record. Although certain parameters for a season at a station may not contain 9 observations, these parameters can still have an entry in the table. A parameter needs only to have 9 observations in each of 2 seasons with a period of record of at least 6 years and observations in at least 3 of the 6 years to qualify for the Seasonal Analysis table. Consequently, some of the parameters could have fewer than 9 observations in a particular season but still generate a table entry. Like the Parameter Inventory and Annual Analysis, percentiles with fewer than 9 observations are not computed and entries computed with greater than 50 percent of the data values set to half the detection limit are flagged. Entries in the Seasonal Analysis table that also meet the seasonal analysis box-and-whisker plot screening criterion will be flagged with a "p" next to the STORET code. Digital, reproducible copies of these tables accompany the report on disk (See Appendices A and B).

*Seasonal Box-and-Whiskers Plots for Station*

Entries in the Seasonal Analysis table that meet the seasonal box-and-whisker plot screening criterion will generate Seasonal Box-and-Whiskers Plots. The interpretation of box-and-whiskers plots is explained in the Statistical Definitions section of the Methodology chapter. A box is generated for each season of the period of record, even if less than 9 observations were recorded in the season. On the x-axis, the seasons are labeled 1 through the number of seasons defined for the park through hydrograph separation. The actual calendar dates that correspond to these numerically labeled seasons exist in the Overview section and the Seasonal Analysis tables in the Water Quality Results chapter. The axis labeling and plot titling are the same as for the time series and annual box-and-whiskers plots. Digital, reproducible copies of these graphics accompany the report on disk (See Appendices A and B).

For seasonal box-and-whiskers plots of pH, $\mu$eq/l $H^+$ are plotted. For seasonal box-and-whiskers plots of bacteriological data, the log of the measured value is plotted. Hence, the y-axis of a seasonal box-and-whiskers plot for bacteriological parameters is log-linear.

**EPA Water Quality Criteria Analysis for Entire Park Study Area**

This table essentially summarizes all the individual station-by-station EPA water quality criteria analyses in the study area. (Refer to the EPA Water Quality Criteria Analysis for Station section above for more detailed information on the treatment of special cases in the EPA Water Quality Criteria Analysis for Entire Park Study Area.) This table presents a comparison between the study area's STORET water quality data and applicable national water quality criteria for freshwater and marine aquatic organisms; drinking water; and other concerns. Comparison against applicable State water quality criteria was not feasible given project resources. Appendix F provides the relevant national EPA water quality criteria values. The EPA Water Quality Criteria Analysis for the Entire Park Study Area lists the parameter; the standard type and value; the total number of observations for the parameter at this station; the number of observations that exceeded the standard value; and the proportion of observations that exceeded the standard value. Water quality observations are considered as having exceeded a criterion regardless of whether the criterion represents a maximum acceptable value or a minimum acceptable value. The table also breaks down the water quality criteria analysis on a seasonal basis to allow the reader to discern whether parameter observations tend to exceed criteria during only certain seasons or year round. Although the EPA Water Quality Criteria Analysis for the Entire Park Study Area is a good starting point for assessing potential water quality problems at the park, the reader is strongly encouraged to read the caveat section in the Introduction before drawing conclusions about water quality problems from this table. A digital, reproducible copy of this table accompanies the report on disk (See Appendices A and B).

**NPS Servicewide Inventory and Monitoring Program**
**Level I Water Quality Inventory Data Evaluation and Analysis (IDEA)**

One of the objectives of this Baseline Water Quality Data Inventory and Analysis project is to perform an IDEA - an Inventory Data Evaluation and Analysis - to determine the presence and/or absence of Servicewide Inventory and Monitoring Program "Level I" water quality parameter groups in the park's study area. The Strategic Plan for Conducting Baseline Natural Resource Inventories in the National Park Service (National Park Service 1993) identified the basic water quality parameters displayed in Table I as the parameters that all parks must have for "key" waterbodies (determined on the basis of size, uniqueness, threats, etc.) within park boundaries. Since these parameters can be measured in different ways and with different units, there are multiple STORET codes associated with each parameter; hence the concept of parameter groups. The Strategic Plan distinguishes between those parameter groups required for all parks and parameter groups required only on a case-by-case basis.

The IDEA basically compares the parameters listed in the Parameter Period of Record Tabulation and Station/Parameter Period of Record Tabulation with the "Level I" Servicewide Inventory and Monitoring water quality parameter groups, listed in Table I and in Appendix G, and notes, not only the presence or absence of each parameter group, but the total number of observations for each parameter present in the group; the number of

observations between certain time periods; and the total number of stations within the study area at which the parameter was measured. The total number of different (unique) stations measuring parameters for the group is in parentheses on each parameter group's summary line.

The first page of the IDEA lists the missing Servicewide Inventory and Monitoring Program "Level I" groups. If a parameter group appears on this list, no data for any of the parameters defining the group (See Appendix G) was retrieved for it within the study area. So-called non-priority parameter groups may appear in the missing list. Non-priority parameters are park-specific parameters (case-by-case) which may not be applicable to your park. Consequently, if you believe a particular parameter, not included in IDEA (See Appendix G), to be important for your park, you will have to consult the Parameter and Station/Parameter Period of Record Tabulations to determine the presence or absence of this parameter for the park. Although considered a "Level I" parameter, biological data, obtained through rapid bioassessment or other means, is not considered in this report which deals specifically with surface water chemistry. Following the Missing Level I Group list is the Present Level I Group list which displays the summary results for each Servicewide Inventory and Monitoring "Level I" water quality parameter group that was found.

Table I. Basic "Level I" Water Quality Parameters Identified as Required and Optional By the Servicewide Inventory and Monitoring Program for "Key" Park Waterbodies

Required Parameter Groups:
(1) Alkalinity
(2) pH
(3) Conductivity
(4) Dissolved Oxygen
(5) Rapid Bioassessment Baseline (EPA/State protocols, involving fish and macroinvertebrates)
(6) Temperature
(7) Flow

Case-By-Case Parameters Groups:
(8) Toxic Elements
(9) Clarity/Turbidity
(10) Nitrate/Nitrogen
(11) Phosphate/Phosphorus
(12) Chlorophyll
(13) Sulfates
(14) Bacteria

The last page of the IDEA summarizes the information from the Missing and Present Level I Group lists. This page provides information on the temporal and spatial distributions of the data. Included in this table are the total number of observations for each parameter group; the number of observations since January 1, 1985; the percent of the total observations since January 1, 1985; the number of stations measuring each parameter group; the percent of the total number of stations with data measuring the parameter group; the number of observations per station with data; the period-of-record for this parameter group; and the average number of observations per year of the period-of-record.

In interpreting the results of the IDEA, the reader should first consult the Missing Level I Group list. For the parameter groups listed, there was no baseline water quality data within the study area entered in STORET. Consequently, these parameter groups could be a higher priority for data collection. It is important, however, to realize that data within these parameter groups may have been already collected but not entered into STORET. The resources for this project did not enable us to pursue thorough literature and file cabinet reviews to dredge up

every last iota of data. If data exists for certain Servicewide Inventory and Monitoring Program "Level I" water quality parameter groups in a park's file cabinet, it is the park's responsibility to factor that data into their IDEA. Consequently, the listing of a parameter group on the Missing "Level I" Group list is not a WRD endorsement to launch a study to collect these data. The IDEA is intended to simply note that no data exist for these parameter groups in STORET for the park. It is the park's responsibility to ascertain whether such data has already been collected by the park or other entities before embarking on a new study. In fact, in the future the WRD will require that any park study plan proposing to collect baseline water quality data show that they have consulted their Baseline Water Quality Data Inventory and Analysis report and searched in other locations (file cabinets, published literature, etc.) for the data they propose to collect. A similar interpretation springs from the Present "Level I" Group list. Insufficient data density in certain time periods for particular parameter groups is not necessarily cause for launching a new inventory and/or monitoring program. The park should still consult with other potential sources of data. Again, the IDEA is designed to provide only a quick check on data in STORET for the Servicewide Inventory and Monitoring Program "Level I" water quality parameter groups.

**Water Quality Observations Outside STORET Edit Criteria for Park**

STORET data entered after November 1983 were subjected to rudimentary edit/bounds checking for 190 common parameters (See the STORET Edit Criteria in Appendix C). None of the data entered into STORET prior to that time has been subjected to edit/bounds checking. Moreover, to maintain exact comparability with USGS WATSTORE data, WATSTORE data entered into STORET has never been subjected to the EPA edit/bounds checking. During the pilot test phase of this project, obviously incorrect data was identified from both USGS and other agency data in STORET. As a consequence, all data downloaded from STORET was filtered through the STORET edit criteria to identify parameter observation values that fall outside any edit criterion ranges. This section documents the station name, parameter, date, time, parameter value, agency, and STORET station name of every observation that fell outside the range of an edit criterion. Not all data falling outside an edit criterion are necessarily incorrect. Such data may represent unique or special conditions. Consequently, every observation falling outside a STORET edit criterion was scrutinized to determine, in our best professional judgement, whether the value was in the realm of possibility or obviously incorrect. Water quality observations that appeared to be obviously incorrect are marked with an "X" in the Disposition column of this table. These values were not retrieved or included in any of the inventory tables or graphs. Water quality values outside a STORET edit criterion but within the realm of possibility were retained and included in inventory tables and graphs. The Water Quality Observations Outside STORET Edit Criteria for Park table documents all values that were outside an edit criterion range. This documentation is also necessitated by the fact that agencies can override the STORET edit criteria for individual observations. Although the edit criteria eliminate some potentially "bad" data from the report, the probability of other incorrect data, for both the 190 parameters that are edit/bound checked and all the other STORET parameters that aren't error checked, is high. Readers should consult the Caveat section in the Introduction for guidelines on the use and interpretation of STORET data. The responsibility for correcting these observations rests with the collecting agency.

# WATER QUALITY RESULTS

## OVERVIEW FOR HOFU

Study Area Boundary Description

The study area includes the park and all areas within at least 3 miles upstream of the park unit boundary and at least 1 mile downstream.

| | Study Area | Park |
|---|---|---|
| GIS Estimated Acreage: | 75825 | 850 |
| # STORET Stations: | 78 | 7 |
| # Stations With No Data: | 5 | 0 |
| # Stations With No Stat. Analysis: | 0 | 0 |
| # Longer Term Stations: | 8 | 0 |
| Date of STORET Retrieval: | 07/01/98 | 07/01/98 |
| Period of Record: | 05/25/50-10/28/96 | 07/09/91-04/28/95 |
| # Parameters Measured: | 706 | 88 |
| # Water Quality Observations: | 14060 | 290 |
| # Industrial/Municipal Facilities: | 12 | 0 |
| # Drinking Water Intakes: | 7 | 0 |
| # Water Gages: | 3 | 0 |
| # Water Impoundments: | 4 | 0 |
| # Total Plots: | 85 | 0 |
| # Time Series: | 35 | 0 |
| # Annual: | 18 | 0 |
| # Seasonal: | 32 | 0 |

Hydrologic Definition of Seasons:

1. August 1 - October 31
2. November 1 - March 31
3. April 1 - July 31

Time Series Plot Criteria:

To be included in the time series plots, a station/parameter combination must have at least 8 years and at least 32 observations.

Annual Analysis Criteria:

To be included in the annual box-and-whisker plots, a station/parameter combination must have at least 9 observations in each of at least 4 years.

To be included in the annual analysis tables, a station/parameter combination must have at least 9 observations in each of at least 4 years.


Seasonal Analysis Criteria:

To be included in the seasonal box-and-whisker plots, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 22 years and observations in at least 4 of the 22 years.

To be included in the seasonal analysis tables, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years.

# Hopewell Furnace National Historic Site


## Regional Location Map



# Hopewell Furnace National Historic Site


## Water Quality Monitoring Locations

## Graphic Panel Index




# Hopewell Furnace National Historic Site

## Water Quality Monitoring Locations




# Hopewell Furnace National Historic Site

## Water Quality Monitoring Locations




# Hopewell Furnace National Historic Site

## Water Quality Monitoring Locations



# Hopewell Furnace National Historic Site


## Water Quality Monitoring Locations



# Hopewell Furnace National Historic Site


## Dischargers, Drinking Intakes, Water Gages, & Water Impoundments

## Graphic Panel Index




# Hopewell Furnace National Historic Site

## Dischargers, Drinking Intakes, Water Gages, & Water Impoundments



# Hopewell Furnace National Historic Site

## Dischargers, Drinking Intakes, Water Gages, & Water Impoundments



# Industrial Facility Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Within the HOFU Study Area

**Industrial Facility Discharges**

| Site ID | Station/Facility Name | Address | City | Facility Receiving Water Name |
|---|---|---|---|---|
| PA0011240 | BERKS ASSOCIATES INC | P O BOX 305 | DOUGLASVILLE | SCHUYLKILL RVR |
| PA0011941 | BIRDSBORO CORPORATION | FURNACE ST | BIRDSBORO | SCHUYLKILL RVR |
| PA0012581 | N L INDUS DOEHLER JARVIS DIV | 1945 SMEAD AVE | TOLEDO | SCHUYLKILL RVR |
| PA0014664 | SWIFT & COMPANY | 115 W JACKSON BLVD | CHICAGO | UNNAMED STREAM |
| PA0021709 | BIRDSBORO BOROUGH | ARMORCAST RD | BIRDSBORO | HAY C |
| PA0032573 | BASILE CORP | 90 BLACKMAT RD | DOUGLASSVILLE | HARVEY RN C |
| PA0050474 | ARROWHEAD FOREST, INC. | ..... | ST PETERS VILLAGE | FRENCH C |
| PA0050512 | BIRCHRUNVILLE GENERAL STORE | HOLLOW RD & FLOWING SPRIN | BIRCHRUNVILLE | BIRCH RN |
| PA0054216 | ROCKWOOD SPRING WATER CO., INC | HARMONYVILLE ROAD | S. COVENTRY TOWNS | TRIBUTARY OF PIGEON CREEK |
| PA0062383 | KLEIN, WILLIAM J. | THREE SPRINGS WATER COMPA | WILKES BARRE | UNT OF PINE CREEK |
| PA0070033 | F.R.+S. LANDFILL CORPORATION | ..... | EXETER TWP | TR TO SCHUYLKILL R |
| YCRCLA149 | DOUGLESVILLE DISP | | DOUGLASSVILLE | |

**Drinking Water Intakes**

| Site ID | Station/Facility Name | City | Population Served | Avg. Daily Production (Gal./Day) |
|---|---|---|---|---|
| 42068001500000P1 | TREATMENT PLANT | BIRDSBORO | 3196 | 9600.00 |
| 42068001500000P1I1 | INDIAN RUN RESE | BIRDSBORO | 3196 | 9600.00 |
| 42068001500000P1I2 | HAY CREEK | BIRDSBORO | 3196 | 9600.00 |
| 42068001500000P1I3 | DYERS QUARRY | BIRDSBORO | 3196 | 9600.00 |
| 42068001500000P1I4 | STINSON RUN | BIRDSBORO | 3196 | 9600.00 |
| 42678001500000P1 | POTTSTOWN TRTMT PLT | POTTSTOWN | 31500 | 0000.00 |
| 42678001500000P1I1 | SCHUYLKILL RIVER | POTTSTOWN | 31500 | 0000.00 |

**Water Gages**


| Site ID | Station Name | Site Type | Drainage Area (Square Miles) | Begin Year | End Year |
|---|---|---|---|---|---|
| USGS01472150 | FRENCH CREEK AT COVE | Stream | 36.90 | | |
| USGS01472157 | FRENCH CREEK NEAR PHOENIXVILLE, PA. | Stream | 59.10 | 1969 | 1998 |
| USGS400847075414701 | 2328 | Well | | | |

**Water Impoundments**

| Site ID | Impoundment Name | Owner | Primary Purpose | Type of Dam | Downstream Hazard | Year Completed |
|---|---|---|---|---|---|---|
| PA00713 | BIRDSBORO RESERVOIR DAM | BIRDSBORO MUNICIPAL AUTH | Supply | Earth | High | 1892 |
| PA00724 | HOPEWELL DAM | COMMONWEALTH OF PA | Rec. | Earth | High | 1937 |
| PA00725 | SCOTTS RUN DAM | PENNDER | Rec. | Earth | High | 1953 |
| PA00967 | RODEBAUGH DAM | EVERETT G RODEBAUGH | Rec. | Earth | Significant | 1937 |

## REPRESENTATIVE MEAN ANNUAL HYDROGRAPH FOR SEASONAL ANALYSIS

HOPEWELL FURNACE NATIONAL HISTORIC SITE
French Creek near Phoenixville, PA
01472157, 26 year record




Representative mean annual hydrograph (top) and distribution of daily flows by month (bottom) for hydrologic season determination. Box and whiskers represent a five number summary; bottom whisker cap is 10th percentile, bottom of box is 25th percentile, internal line is median, top of box is 75th percentile, and top whisker is 90th percentile. Hydrologic seasons for Hopewell Furnace National Historic Site are: Aug. 1 to Oct. 31, Nov. 1 to Mar. 31, and Apr. 1 to July 31.

## CONTACTS FOR AGENCY CODES RETRIEVED FOR HOFU

| AGENCY | PRIMARY CONTACT NAME | ORGANIZATION | PHONE NUMBER(S) | |
|---|---|---|---|---|
| 11NPSWRD | TUCKER, DEAN | NATIONAL PARK SERVICE | (970)225-3516 | (970)225-3518 |
| 112WRD | BRIGGS, JOHN | US GEOLOGICAL SURVEY | (703)648-5624 | |
| 21PA | SCHREFFLER, TAMMY | PENNSYLVANIA DPT ENV PROT | (717)787-1511 | |
| 21PENN | STORET USER ASSISTANCE | USEPA HQ | (202)260-7050 | (800)424-9067 |
| * DATA FOR 21PENN HAS BEEN 'RETIRED' AT THE REQUEST OF STORET USER ASSISTANCE (703)883-8861 ON 03/14/86. | | | | |
| 11131DWQ | KANETSKY, CHARLES | USEPA REGION 3 | (215)597-8176 | |
| 21PAFISH | SCHREFFLER, TAMMY | PENNSYLVANIA DPT ENV PROT | (717)787-1511 | |
| PHILWDPT | BLAIR, DENNIS | CITY OF PHILADELPHIA (PA) | (215)686-8300 | |
| 11121XWQ | KANETSKY, CHARLES | USEPA REGION 3 | (215)597-8176 | |

## QUANTITY OF DATA RETRIEVED FOR HOFU BY AGENCY CODE

## WITHIN THE ENTIRE STUDY AREA (S.A.) AND JUST WITHIN THE PARK

| Agency | Organization | Period of Record | | Water Quality Stations | | Longer Term[1] Stations | | No Data Stations | | Water Quality Observations | | Water Quality Parameters | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Study Area | Park Only | S.A. | Park | S.A. | Park | S.A. | Park | S.A. | Park | S.A. | Park |
| 11NPSWRD | NATIONAL PARK SERVICE | 04/15/69-05/26/95 | 07/09/91-04/28/95 | 40 | 7 | 0 | 0 | 0 | 0 | 1598 | 290 | 110 | 88 |
| 112WRD | US GEOLOGICAL SURVEY | 05/25/50-10/28/96 | No Data in Park | 18 | 0 | 7 | 0 | 0 | 0 | 6400 | 0 | 185 | 0 |
| 21PA | PENNSYLVANIA DPT ENV PROT | 08/27/62-08/06/96 | No Data in Park | 8 | 0 | 1 | 0 | 0 | 0 | 5124 | 0 | 193 | 0 |
| 21PENN | USEPA HQ | No Data in S.A. | No Data in Park | 4 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 |
| 11131DWQ | USEPA REGION 3 | 06/07/72-09/02/86 | No Data in Park | 4 | 0 | 0 | 0 | 0 | 0 | 757 | 0 | 402 | 0 |
| 21PAFISH | PENNSYLVANIA DPT ENV PROT | 09/23/74-05/31/77 | No Data in Park | 2 | 0 | 0 | 0 | 0 | 0 | 71 | 0 | 20 | 0 |
| PHILWDPT | CITY OF PHILADELPHIA (PA) | No Data in S.A. | No Data in Park | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 11121XWQ | USEPA REGION 3 | 06/10/86-06/10/86 | No Data in Park | 1 | 0 | 0 | 0 | 0 | 0 | 110 | 0 | 55 | 0 |
| Totals | | 05/25/50-10/28/96 | 07/09/91-04/28/95 | 78 | 7 | 8 | 0 | 5 | 0 | 14060 | 290 | 706 | 88 |

[1]Station With At Least 6 Parameters Having An Average of 1 Or More Observations Per Year During a Period of Record Extending At Least 2 Years.

# Station Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station Ident. | Location Description | In Park | Total Obs | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 |
|---|---|---|---|---|---|---|
| HOFU0001[1] | FRENCH CRK-.25MI DNSTRM FR WILSON CORNR | No | 3216 | 922 | 2033 | 261 |
| HOFU0002[1] | FRENCH CREEK NEAR PHOENIXVILLE, PA. | No | 1901 | 351 | 446 | 1104 |
| HOFU0003 | BIRCH RUN AT HOLLOW AND FRENCH CK ROADS | No | 34 | 34 | 0 | 0 |
| HOFU0004 | FRENCH CREEK AT HOLLOW/SHEEDER ROAD CROSSING | No | 6 | 6 | 0 | 0 |
| HOFU0005 | BIRCH RUN CK AT SR 1033 AND 1028 INTERSECTION | No | 59 | 59 | 0 | 0 |
| HOFU0006 | PACH528R | No | 12 | 0 | 12 | 0 |
| HOFU0007 | FRENCH CREEK AT SHEEDER MILL ROAD (T-491) | No | 33 | 33 | 0 | 0 |
| HOFU0008 | FRENCH CK AT SHEEDER MILL ROAD BRIDGE | No | 60 | 60 | 0 | 0 |
| HOFU0009[1] | FRENCH CREEK NEAR PUGHTOWN, PA. | No | 948 | 318 | 404 | 226 |
| HOFU0010 | PACH527R | No | 10 | 0 | 10 | 0 |
| HOFU0011[1] | PIGEON CREEK NEAR BUCKTOWN, PA. | No | 445 | 0 | 231 | 214 |
| HOFU0012 | BEAVER RUN 25 YDS UPSTREAM OF SR 4031 CROSSING | No | 33 | 33 | 0 | 0 |
| HOFU0013 | SCHUYLKILL R RTE 422 BR STOWE | No | 9 | 0 | 0 | 9 |
| HOFU0014 | ROBERT JOHNSTON | No | 61 | 61 | 0 | 0 |
| HOFU0015 | PACH520R | No | 12 | 0 | 12 | 0 |
| HOFU0016 | FRENCH CREEK AT WARWICK ROAD CROSSING | No | 16 | 16 | 0 | 0 |
| HOFU0017 | FRENCH CK 100 FT BELOW COVENTRYVILLE BRIDGE | No | 63 | 0 | 0 | 63 |
| HOFU0018 | FRENCH CREEK AT COVENTRYVILLE, PA. | No | 32 | 0 | 0 | 32 |
| HOFU0019 | SCHUYLKILL RIVER AT STOWE NR POTTSTOWN, PA | No | 51 | 0 | 51 | 0 |
| HOFU0020 | FRENCH CK 200 YDS UPSTREAM OF T517 CROSSING | No | 33 | 33 | 0 | 0 |
| HOFU0021 | S BRANCH FRENCH CK 200 YDS UPSTREAM OF MOUTH | No | 33 | 33 | 0 | 0 |
| HOFU0022 | ROCK RUN CK 200 YDS DOWNSTREAM RTE 23 CROSSING | No | 33 | 33 | 0 | 0 |
| HOFU0023 | POTTSTOWN WATER PLANT | No | 728 | 217 | 511 | 0 |
| HOFU0024 | FRENCH CK 200 YDS DOWNSTREAM OF T515 CROSSING | No | 33 | 33 | 0 | 0 |
| HOFU0025[1] | FRENCH CREEK NEAR COVENTRYVILLE, PA. | No | 838 | 280 | 319 | 239 |
| HOFU0026 | S BRANCH FRENCH CK AT BRIDGE SE OF KNAUERTON | No | 101 | 0 | 0 | 101 |
| HOFU0027 | FRENCH CR NR KNAUERTOWN CHESTER CO | No | 33 | 0 | 0 | 33 |
| HOFU0028 | S BRANCH FRENCH CK AT IRON BRIDGE ROAD | No | 34 | 34 | 0 | 0 |
| HOFU0029[1] | SOUTH BRANCH FRENCH CREEK AT COVENTRYVILLE, PA. | No | 769 | 287 | 286 | 196 |
| HOFU0030 | S BR FRENCH CK 100 YDS DWNSTRM T-424 CROSSING | No | 60 | 60 | 0 | 0 |
| HOFU0031 | SCHUYLKILL RIVER | No | 2 | 0 | 1 | 1 |
| HOFU0032 | DOUGLASSVILLE BRIDGE | No | 17 | 0 | 11 | 6 |
| HOFU0033 | SCHUYLKILL RIVER DOWNSTREAM OF DOUGLASSVILLE | No | 69 | 0 | 69 | 0 |
| HOFU0034 | SCHUYLKILL RIVER AT DOUGLASSVILLE | No | 94 | 86 | 8 | 0 |
| HOFU0035 | SCHUYLKILL R AT DOUGLASSVILLE PA | No | 31 | 0 | 31 | 0 |
| HOFU0036 | AMITY BRIDGE | No | 0 | 0 | 0 | 0 |
| HOFU0037 | FRENCH CREEK AT COUNTY PARK ROAD (T-452) | No | 34 | 34 | 0 | 0 |
| HOFU0038 | UNNAMED CK 100 YDS WEST COUNTY PARK ROAD BRIDGE | No | 33 | 33 | 0 | 0 |
| HOFU0039 | FRENCH CREEK AT ROUTE 23 CROSSING | No | 6 | 6 | 0 | 0 |
| HOFU0040 | FRENCH CK AT HIGHWAY BRIDGE S OF KNAUERTOWN | No | 101 | 0 | 0 | 101 |
| HOFU0041 | FRENCH CK ADJACENT TO PARKING AREA | No | 60 | 60 | 0 | 0 |
| HOFU0042[1] | FRENCH CREEK NEAR KNAUERTOWN, PA. | No | 480 | 0 | 215 | 265 |
| HOFU0043 | BAPTISM CK AT EAST HEADHOUSE | Yes | 28 | 28 | 0 | 0 |
| HOFU0044 | PINE CK 100 YDS UPSTREAM OF MOUTH | No | 33 | 33 | 0 | 0 |
| HOFU0045 | FRENCH CK AT INTERSECTION WITH HOFU BOUNDARY | No | 28 | 28 | 0 | 0 |
| HOFU0046 | FRENCH CREEK AT BETHESDA ROAD CROSSING | No | 16 | 16 | 0 | 0 |
| HOFU0047[1] | FRENCH CREEK AT TRYTHALL, PA. | No | 506 | 0 | 334 | 172 |
| HOFU0048 | AT BR ON T6663 N CONFLU SCHUYLKI | No | 0 | 0 | 0 | 0 |
| HOFU0049 | PINE CREEK THREE MILES NW OF ST. PETERS | No | 101 | 0 | 0 | 101 |
| HOFU0050 | AT MONOCACY STATION, UNION TWNSH | No | 0 | 0 | 0 | 0 |
| HOFU0051 | MONOCACY CR NEAR MONOCACY, PA. | No | 26 | 0 | 26 | 0 |
| HOFU0052 | SCHUYLKILL R MONACY STATION BR | No | 10 | 0 | 0 | 10 |
| HOFU0053 | PINE CK 100 YDS UPSTREAM SR 4018 CROSSING | No | 60 | 60 | 0 | 0 |
| HOFU0054 | INTERMITTENT STREAM BELOW CCC DUMP SITE | Yes | 84 | 84 | 0 | 0 |
| HOFU0055 | SCHUYLKILL R AT MONOCACY STA NR BIRDSBORO, PA. | No | 80 | 0 | 80 | 0 |
| HOFU0056 | FRENCH CREEK AT PA ROUTE 345 BRIDGE | Yes | 34 | 34 | 0 | 0 |
| HOFU0057 | SPROUT RUN AT CROSSING PT OF EAST HEADHOUSE | Yes | 28 | 28 | 0 | 0 |
| HOFU0058 | DOWNSTREAM OF TRAILRACE-FRENCH CRK CONFLUENCE | Yes | 28 | 28 | 0 | 0 |
| HOFU0059 | FRENCH CK 200 YDS UPSTREAM OF PA 345 BRIDGE | Yes | 60 | 60 | 0 | 0 |
| HOFU0060 | PINE CREEK AT HARMONYVILLE ROAD | No | 34 | 34 | 0 | 0 |
| HOFU0061 | FRENCH CK 25 METERS DOWNSTREAM OF LAKE HOPEWELL | Yes | 28 | 28 | 0 | 0 |
| HOFU0062 | HOPEWELL LAKE - 20 M FRM DAM BREAST; MID-CHAN | No | 340 | 340 | 0 | 0 |
| HOFU0063 | HOPEWELL LAKE NR ELVERSON, PA. | No | 67 | 0 | 0 | 67 |
| HOFU0064 | S BRANCH FRENCH CREEK AT PA ROUTES 345 AND 401 | No | 33 | 33 | 0 | 0 |
| HOFU0065 | SCOTT'S RUN CK 200 YDS UPSTREAM OF PARK ROAD | No | 33 | 33 | 0 | 0 |
| HOFU0066 | S BR FRENCH CK 100 YDS DWNSTRM OF RTE 345 & 401 | No | 60 | 60 | 0 | 0 |
| HOFU0067 | SCOTTS RUN LAKE NR ELVERSON, PA. | No | 64 | 0 | 0 | 64 |
| HOFU0068 | HAY CREEK AT BIRDSBORO, PA | No | 27 | 0 | 27 | 0 |
| HOFU0069 | AT CONFLU W/ SCHUYLKILL RIVER | No | 0 | 0 | 0 | 0 |
| HOFU0070 | SCHUYLKILL R RTE 82 BR BIRDSBORO | No | 10 | 0 | 0 | 10 |
| HOFU0071 | SCHUYLKILL RIVER AT BIRDSBORO, PA. | No | 73 | 0 | 29 | 44 |

# Station Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station Ident. | Location Description | In Park | Total Obs | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 |
|---|---|---|---|---|---|---|
| HOFU0072 | SCHUYLKILL RIVER AT BIRDSBORO | No | 110 | 110 | 0 | 0 |
| HOFU0073 | INDIAN RUN BIRDSBORO MWA | No | 1335 | 0 | 230 | 1105 |
| HOFU0074 | GEIGERTOWN WAT CO MCGOWAN SPRING | No | 28 | 0 | 28 | 0 |
| HOFU0075 | SCHUYLKILL R AT HEISTERS CR NR BIRDSBORO PA | No | 29 | 0 | 29 | 0 |
| HOFU0076 | DWNSTM FROM SCARLETS MILLS OFF T | No | 0 | 0 | 0 | 0 |
| HOFU0077 | SPRING 051006 | No | 33 | 33 | 0 | 0 |
| HOFU0078 | PABR606R | No | 11 | 0 | 11 | 0 |

[1]Longer Term Station With At Least 6 Parameters Having An Average of 1 Or More Observations Per Year During a Period of Record Extending At Least 2 Years.

# Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Parameter Code | Name | Total Obs | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Stations Total | Stations Park |
|---|---|---|---|---|---|---|---|
| 00002 | X-SEC. LOC., HORIZ (% FROM R BANK LOOK UPSTR.) | 7 | 0 | 0 | 7 | 2 | 0 |
| 00003 | SAMPLING STATION LOCATION, VERTICAL (FEET) | 62 | 45 | 16 | 1 | 5 | 0 |
| 00005 | X-SEC. LOC., VERTICAL (PERCENT OF TOTAL DEPTH) | 7 | 0 | 0 | 7 | 2 | 0 |
| 00008 | NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE | 16 | 11 | 4 | 1 | 3 | 0 |
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 357 | 143 | 100 | 114 | 52 | 2 |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 121 | 44 | 25 | 52 | 12 | 0 |
| 00023 | SAMPLE WEIGHT IN POUNDS | 1 | 0 | 1 | 0 | 1 | 0 |
| 00024 | SAMPLE LENGTH IN INCHES | 1 | 0 | 1 | 0 | 1 | 0 |
| 00027 | CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND. | 140 | 46 | 47 | 47 | 8 | 0 |
| 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 175 | 46 | 65 | 64 | 14 | 0 |
| 00032 | CLOUD COVER (PERCENT) | 4 | 4 | 0 | 0 | 1 | 0 |
| 00040 | WIND DIRECTION, AZIMUTH | 2 | 2 | 0 | 0 | 2 | 0 |
| 00041 | WEATHER (WMO CODE 4501) | 42 | 34 | 8 | 0 | 4 | 0 |
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 1330 | 0 | 225 | 1105 | 1 | 0 |
| 00058 | FLOW, RATE GALLONS/MIN | 4 | 0 | 0 | 4 | 1 | 0 |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 81 | 15 | 20 | 46 | 18 | 1 |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 200 | 82 | 84 | 34 | 14 | 1 |
| 00065 | STAGE, STREAM (FEET) | 115 | 38 | 76 | 1 | 2 | 0 |
| 00070 | TURBIDITY, (JACKSON CANDLE UNITS) | 37 | 0 | 24 | 13 | 3 | 0 |
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 82 | 41 | 41 | 0 | 12 | 5 |
| 00078 | TRANSPARENCY, SECCHI DISC (METERS) | 4 | 4 | 0 | 0 | 1 | 0 |
| 00080 | COLOR (PLATINUM-COBALT UNITS) | 38 | 0 | 2 | 36 | 6 | 0 |
| 00081 | COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS | 15 | 0 | 0 | 15 | 4 | 0 |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 110 | 75 | 32 | 3 | 28 | 2 |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 358 | 92 | 145 | 121 | 32 | 5 |
| 00115 | SAMPLE TREATMENT CODE (1=RAW,2=TREATED) | 1 | 0 | 1 | 0 | 1 | 0 |
| 00205 | DEPTH, MAXIMUM, OF LAKE OR RESERVOIR (METERS) | 4 | 4 | 0 | 0 | 1 | 0 |
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 7 | 7 | 0 | 0 | 7 | 1 |
| 00300 | OXYGEN, DISSOLVED MG/L | 242 | 136 | 71 | 35 | 36 | 1 |
| 00301 | OXYGEN, DISSOLVED, PERCENT OF SATURATION % | 4 | 4 | 0 | 0 | 4 | 0 |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 92 | 37 | 40 | 15 | 12 | 1 |
| 00312 | BOD, 6 DAY, 20 DEG C MG/L | 1 | 1 | 0 | 0 | 1 | 0 |
| 00340 | COD, .25N K2CR2O7 MG/L | 48 | 0 | 10 | 38 | 8 | 0 |
| 00400 | PH (STANDARD UNITS) | 310 | 115 | 76 | 119 | 30 | 5 |
| 00403 | PH, LAB, STANDARD UNITS SU | 207 | 89 | 107 | 11 | 29 | 1 |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 40 | 0 | 18 | 22 | 11 | 0 |
| 00406 | PH, FIELD, STANDARD UNITS SU | 32 | 32 | 0 | 0 | 26 | 2 |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 317 | 103 | 131 | 83 | 47 | 2 |
| 00419 | ALKALINITY,CARBONATE,INCREMENTAL TITR FIELD MG/L | 16 | 16 | 0 | 0 | 4 | 0 |
| 00430 | ALKALINITY, CARBONATE (MG/L AS CACO3) | 2 | 0 | 0 | 2 | 2 | 0 |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 15 | 15 | 0 | 0 | 15 | 1 |
| 00436 | ACIDITY, MINERAL (METHYL ORANGE) (MG/L AS CACO3) | 31 | 0 | 18 | 13 | 2 | 0 |
| 00437 | ACIDITY, CO2 (PHENOLPHTHALEIN) (MG/L AS CACO3) | 36 | 0 | 23 | 13 | 2 | 0 |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 72 | 0 | 18 | 54 | 12 | 0 |
| 00445 | CARBONATE ION (MG/L AS CO3) | 60 | 0 | 18 | 42 | 11 | 0 |
| 00500 | RESIDUE, TOTAL (MG/L) | 32 | 7 | 10 | 15 | 14 | 1 |
| 00505 | RESIDUE, TOTAL VOLATILE (MG/L) | 15 | 0 | 0 | 15 | 4 | 0 |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 169 | 46 | 86 | 37 | 17 | 1 |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 58 | 31 | 27 | 0 | 25 | 2 |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 23 | 7 | 1 | 15 | 12 | 1 |
| 00550 | OIL & GREASE (SOXHLET EXTRACTION) TOTAL,REC.,MG/L | 3 | 0 | 0 | 3 | 1 | 0 |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 37 | 6 | 27 | 4 | 11 | 0 |
| 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 21 | 3 | 18 | 0 | 7 | 0 |
| 00603 | NITROGEN TOTAL, BOTTOM DEPOSITS (MG/KG-N DRY WGT) | 4 | 0 | 4 | 0 | 4 | 0 |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 71 | 0 | 34 | 37 | 10 | 0 |
| 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 12 | 0 | 12 | 0 | 7 | 0 |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 68 | 44 | 22 | 2 | 11 | 0 |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 250 | 76 | 123 | 51 | 38 | 2 |
| 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 66 | 42 | 22 | 2 | 9 | 0 |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 227 | 72 | 112 | 43 | 38 | 2 |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 42 | 12 | 6 | 24 | 16 | 5 |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 252 | 72 | 113 | 67 | 38 | 2 |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 52 | 30 | 22 | 0 | 7 | 0 |
| 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10 | 3 | 7 | 0 | 7 | 0 |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 117 | 63 | 34 | 20 | 38 | 2 |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 39 | 0 | 27 | 12 | 12 | 0 |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 72 | 42 | 28 | 2 | 10 | 0 |
| 00650 | PHOSPHATE, TOTAL (MG/L AS PO4) | 4 | 0 | 4 | 0 | 4 | 0 |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 24 | 0 | 6 | 18 | 10 | 0 |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 289 | 108 | 129 | 52 | 38 | 2 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 58 | 36 | 22 | 0 | 10 | 0 |

# Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Parameter Code | Name | Total Obs | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Stations Total | Stations Park |
|---|---|---|---|---|---|---|---|
| 00668 | PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT) | 4 | 0 | 4 | 0 | 4 | 0 |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 88 | 46 | 22 | 20 | 16 | 0 |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 16 | 7 | 2 | 7 | 11 | 0 |
| 00685 | CARBON, TOTAL INORGANIC (MG/L AS C) | 2 | 0 | 0 | 2 | 2 | 0 |
| 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 9 | 0 | 9 | 0 | 8 | 0 |
| 00687 | CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C) | 5 | 0 | 5 | 0 | 5 | 0 |
| 00690 | CARBON, TOTAL (MG/L AS C) | 2 | 0 | 0 | 2 | 2 | 0 |
| 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 10 | 1 | 9 | 0 | 8 | 0 |
| 00720 | CYANIDE, TOTAL (MG/L AS CN) MG/L | 1 | 1 | 0 | 0 | 1 | 0 |
| 00721 | CYANIDE IN BOTTOM DEPOSITS (MG/KG AS CN DRY WGT) | 1 | 0 | 1 | 0 | 1 | 0 |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 281 | 72 | 124 | 85 | 44 | 2 |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 72 | 0 | 18 | 54 | 13 | 0 |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 181 | 29 | 67 | 85 | 18 | 0 |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 162 | 72 | 62 | 28 | 33 | 2 |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 181 | 29 | 67 | 85 | 18 | 0 |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 162 | 72 | 62 | 28 | 33 | 2 |
| 00929 | SODIUM, TOTAL (MG/L AS NA) | 32 | 3 | 1 | 28 | 10 | 0 |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 114 | 29 | 48 | 37 | 16 | 0 |
| 00931 | SODIUM ADSORPTION RATIO | 88 | 0 | 36 | 52 | 13 | 0 |
| 00932 | SODIUM, PERCENT | 84 | 0 | 35 | 49 | 12 | 0 |
| 00933 | SODIUM,PLUS POTASSIUM (MG/L) | 18 | 0 | 1 | 17 | 2 | 0 |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 110 | 29 | 44 | 37 | 12 | 0 |
| 00937 | POTASSIUM, TOTAL MG/L AS K) | 31 | 3 | 0 | 28 | 9 | 0 |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 348 | 105 | 139 | 104 | 39 | 2 |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 34 | 12 | 4 | 18 | 14 | 5 |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 342 | 101 | 138 | 103 | 40 | 2 |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 30 | 12 | 0 | 18 | 10 | 5 |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 95 | 11 | 42 | 42 | 15 | 0 |
| 00951 | FLUORIDE, TOTAL (MG/L AS F) | 12 | 0 | 12 | 0 | 2 | 0 |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 139 | 29 | 50 | 60 | 16 | 0 |
| 00956 | SILICA, TOTAL (MG/L AS SI02) | 3 | 3 | 0 | 0 | 2 | 0 |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 22 | 0 | 15 | 7 | 9 | 0 |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 34 | 20 | 13 | 1 | 24 | 1 |
| 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 13 | 3 | 10 | 0 | 10 | 0 |
| 01004 | ARSENIC TOTAL IN FISH OR ANIMAL WET WT MG/KG | 3 | 0 | 3 | 0 | 2 | 0 |
| 01007 | BARIUM, TOTAL (UG/L AS BA) | 3 | 3 | 0 | 0 | 2 | 0 |
| 01012 | BERYLLIUM, TOTAL (UG/L AS BE) | 2 | 0 | 2 | 0 | 1 | 0 |
| 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 8 | 2 | 6 | 0 | 7 | 0 |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 64 | 12 | 36 | 16 | 16 | 5 |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 58 | 40 | 16 | 2 | 34 | 2 |
| 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 13 | 3 | 10 | 0 | 10 | 0 |
| 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 13 | 3 | 10 | 0 | 10 | 0 |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 52 | 0 | 36 | 16 | 10 | 0 |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 17 | 15 | 2 | 0 | 16 | 1 |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 84 | 42 | 16 | 26 | 36 | 2 |
| 01035 | COBALT, DISSOLVED (UG/L AS CO) | 51 | 0 | 35 | 16 | 9 | 0 |
| 01037 | COBALT, TOTAL (UG/L AS CO) | 26 | 0 | 0 | 26 | 9 | 0 |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 56 | 4 | 36 | 16 | 11 | 0 |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 79 | 40 | 16 | 23 | 36 | 2 |
| 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 11 | 1 | 10 | 0 | 9 | 0 |
| 01045 | IRON, TOTAL (UG/L AS FE) | 212 | 74 | 89 | 49 | 37 | 2 |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 112 | 45 | 43 | 24 | 19 | 5 |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 68 | 16 | 36 | 16 | 17 | 5 |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 62 | 44 | 16 | 2 | 34 | 2 |
| 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 13 | 3 | 10 | 0 | 10 | 0 |
| 01053 | MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT) | 1 | 1 | 0 | 0 | 1 | 0 |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 89 | 40 | 14 | 35 | 37 | 2 |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 89 | 33 | 47 | 9 | 13 | 0 |
| 01059 | THALLIUM, TOTAL (UG/L AS TL) | 2 | 0 | 2 | 0 | 1 | 0 |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 63 | 12 | 35 | 16 | 15 | 5 |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 73 | 39 | 11 | 23 | 34 | 2 |
| 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 8 | 2 | 6 | 0 | 7 | 0 |
| 01069 | NICKEL, TOTAL IN FISH OR ANIMALS-WET WEIGHT MG/KG | 3 | 0 | 3 | 0 | 2 | 0 |
| 01073 | THALLIUM,TISSUE,WET WEIGHT,MG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 01077 | SILVER, TOTAL (UG/L AS AG) | 2 | 0 | 2 | 0 | 1 | 0 |
| 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 6 | 0 | 6 | 0 | 6 | 0 |
| 01085 | VANADIUM, DISSOLVED (UG/L AS V) | 4 | 0 | 4 | 0 | 4 | 0 |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 56 | 4 | 36 | 16 | 11 | 0 |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 83 | 44 | 16 | 23 | 36 | 2 |
| 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 11 | 1 | 10 | 0 | 9 | 0 |
| 01097 | ANTIMONY, TOTAL (UG/L AS SB) | 2 | 0 | 2 | 0 | 1 | 0 |

# Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Parameter Code | Name | Total Obs | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Stations Total | Stations Park |
|---|---|---|---|---|---|---|---|
| 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 6 | 0 | 6 | 0 | 6 | 0 |
| 01099 | ANTIMONY,TISSUE,WET WEIGHT,MG/KG | 3 | 0 | 3 | 0 | 2 | 0 |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 46 | 39 | 7 | 0 | 25 | 2 |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 58 | 45 | 12 | 1 | 15 | 5 |
| 01132 | LITHIUM, TOTAL (UG/L AS LI) | 21 | 0 | 0 | 21 | 7 | 0 |
| 01147 | SELENIUM, TOTAL (UG/L AS SE) | 9 | 2 | 7 | 0 | 6 | 0 |
| 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 8 | 2 | 6 | 0 | 7 | 0 |
| 01149 | SELENIUM, TOTAL IN FISH OR ANIMALS WET WGT MG/KG | 3 | 0 | 3 | 0 | 2 | 0 |
| 01170 | IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT) | 1 | 1 | 0 | 0 | 1 | 0 |
| 01330 | ODOR, ATMOSPHERIC (SEVERITY) | 36 | 0 | 29 | 7 | 2 | 0 |
| 01351 | FLOW, STRM,1DRY,2LOW,3NORM,4FLOOD,5ABOVE NORM,CODE | 15 | 0 | 0 | 15 | 2 | 0 |
| 22703 | URANIUM, NATURAL, DISSOLVED | 4 | 0 | 4 | 0 | 4 | 0 |
| 30380 | BUTACHLOR UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 30381 | CHLOROBENZILATE UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 30382 | TRIPHENYL PHOSPHATE UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 61 | 17 | 1 | 43 | 20 | 5 |
| 31615 | FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614) | 1 | 0 | 1 | 0 | 1 | 0 |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 163 | 77 | 64 | 22 | 36 | 6 |
| 31673 | FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR | 6 | 0 | 6 | 0 | 1 | 0 |
| 31677 | FECAL STREPTOCOCCI,MPN,AD-EVA, 35C (TUBE 31678) | 1 | 0 | 1 | 0 | 1 | 0 |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 60 | 17 | 0 | 43 | 19 | 5 |
| 32101 | BROMODICHLOROMETHANE,WHOLE WATER,UG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 32102 | CARBON TETRACHLORIDE,WHOLE WATER,UG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 32103 | 1,2-DICHLOROETHANE,WHOLE WATER,UG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 32104 | BROMOFORM,WHOLE WATER,UG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 32105 | DIBROMOCHLOROMETHANE,WHOLE WATER,UG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 32106 | CHLOROFORM,WHOLE WATER,UG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 32218 | PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH. | 2 | 2 | 0 | 0 | 1 | 0 |
| 32230 | CHLOROPHYLL A (MG/L) | 4 | 4 | 0 | 0 | 1 | 0 |
| 32730 | PHENOLICS, TOTAL, RECOVERABLE (UG/L) | 5 | 0 | 2 | 3 | 4 | 0 |
| 32731 | PHENOLICS IN BOTTOM DEPOSITS (MG/KG DRY WGT) | 1 | 0 | 1 | 0 | 1 | 0 |
| 34010 | TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L) | 6 | 4 | 2 | 0 | 1 | 0 |
| 34030 | BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L) | 8 | 6 | 2 | 0 | 2 | 1 |
| 34200 | ACENAPHTHYLENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34203 | ACENAPHTHYLENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34204 | ACENAPHTHYLENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34205 | ACENAPHTHENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34208 | ACENAPHTHENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34209 | ACENAPHTHENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34210 | ACROLEIN TOTWUG/L | 3 | 1 | 2 | 0 | 2 | 1 |
| 34213 | ACROLEIN DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34214 | ACROLEIN WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34215 | ACRYLONITRILE TOTWUG/L | 3 | 1 | 2 | 0 | 2 | 1 |
| 34218 | ACRYLONITRILE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34219 | ACRYLONITRILE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34220 | ANTHRACENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34223 | ANTHRACENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34224 | ANTHRACENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34230 | BENZO(B)FLUORANTHENE,WHOLE WATER,UG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34233 | BENZO(B)FLUORANTHENE,SEDIMENTS,DRY WGT,UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34234 | BENZO(B)FLUORANTHENE,TISSUE,WET WGT,MG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34237 | BENZENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34238 | BENZENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34241 | BENZIDINE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34242 | BENZO(K)FLUORANTHENE, TOTAL, WATER UG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34245 | BENZO(K)FLUORANTHENE, DRY WT, SEDIMENT UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34246 | BENZO(K)FLUORANTHENE, WET WT, TISSUE MG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34247 | BENZO-A-PYRENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34250 | BENZO-A-PYRENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34251 | BENZO-A-PYRENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34252 | BERYLLIUM WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34257 | B-BHC-BETA DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34258 | B-BHC-BETA WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34259 | DELTA BENZENE HEXACHLORIDE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34262 | DELTA BENZENE HEXACHLORIDE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34263 | DELTA BENZENE HEXACHLORIDE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34268 | BIS (CHLOROMETHYL) ETHER TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34271 | BIS (CHLOROMETHYL) ETHER DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34273 | BIS (2-CHLOROETHYL) ETHER TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34276 | BIS (2-CHLOROETHYL) ETHER DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34277 | BIS (2-CHLOROETHYL) ETHER WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |

# Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Parameter Code | Name | Total Obs | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Stations Total | Stations Park |
|---|---|---|---|---|---|---|---|
| 34278 | BIS (2-CHLOROETHOXY) METHANE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34281 | BIS (2-CHLOROETHOXY) METHANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34282 | BIS (2-CHLOROETHOXY) METHANE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34283 | BIS (2-CHLOROISOPROPYL) ETHER TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34286 | BIS (2-CHLOROISOPROPYL) ETHER DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34287 | BIS (2-CHLOROISOPROPYL) ETHER WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34290 | BROMOFORM DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34291 | BROMOFORM WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34292 | N-BUTYL BENZYL PHTHALATE,WHOLE WATER,UG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34295 | N-BUTYL BENZYL PHTHALATE,SEDIMENTS,DRY WGT,UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34296 | N-BUTYL BENZYL PHTHALATE,TISSUE,WET WGT,MG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34299 | CARBON TETRACHLORIDE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34300 | CARBON TETRACHLORIDE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34301 | CHLOROBENZENE TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34304 | CHLOROBENZENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34305 | CHLOROBENZENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34309 | CHLORODIBROMOMETHANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34311 | CHLOROETHANE TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34314 | CHLOROETHANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34315 | CHLOROETHANE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34318 | CHLOROFORM DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34319 | CHLOROFORM WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34320 | CHRYSENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34323 | CHRYSENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34324 | CHRYSENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34326 | CYANIDE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34330 | DICHLOROBROMOMETHANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34331 | DICHLOROBROMOMETHANE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34334 | DICHLORODIFLUOROMETHANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34336 | DIETHYL PHTHALATE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34339 | DIETHYL PHTHALATE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34340 | DIETHYL PHTHALATE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34341 | DIMETHYL PHTHALATE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34344 | DIMETHYL PHTHALATE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34345 | DIMETHYL PHTHALATE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34346 | 1,2-DIPHENYLHYDRAZINE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34349 | 1,2-DIPHENYLHYDRAZINE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34350 | 1,2-DIPHENYLHYDRAZINE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34351 | ENDOSULFAN SULFATE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34354 | ENDOSULFAN SULFATE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34355 | ENDOSULFAN SULFATE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34356 | ENDOSULFAN, BETA TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34359 | ENDOSULFAN, BETA DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34360 | ENDOSULFAN, BETA WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34361 | ENDOSULFAN, ALPHA TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34364 | ENDOSULFAN, ALPHA DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34365 | ENDOSULFAN, ALPHA WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34366 | ENDRIN ALDEHYDE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34369 | ENDRIN ALDEHYDE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34370 | ENDRIN ALDEHYDE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34371 | ETHYLBENZENE TOTWUG/L | 8 | 6 | 2 | 0 | 2 | 1 |
| 34374 | ETHYLBENZENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34375 | ETHYLBENZENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34376 | FLUORANTHENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34379 | FLUORANTHENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34380 | FLUORANTHENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34381 | FLUORENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34384 | FLUORENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34385 | FLUORENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34386 | HEXACHLOROCYCLOPENTADIENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34389 | HEXACHLOROCYCLOPENTADIENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34390 | HEXACHLOROCYCLOPENTADIENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34395 | HEXACHLOROBUTADIENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34396 | HEXACHLOROETHANE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34399 | HEXACHLOROETHANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34400 | HEXACHLOROETHANE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34403 | INDENO (1,2,3-CD) PYRENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34406 | INDENO (1,2,3-CD) PYRENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34407 | INDENO (1,2,3-CD) PYRENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34408 | ISOPHORONE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34411 | ISOPHORONE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |

# Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Parameter Code | Name | Total Obs | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Stations Total | Stations Park |
|---|---|---|---|---|---|---|---|
| 34412 | ISOPHORONE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34413 | METHYL BROMIDE TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34416 | METHYL BROMIDE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34417 | METHYL BROMIDE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34418 | METHYL CHLORIDE TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34421 | METHYL CHLORIDE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34422 | METHYL CHLORIDE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34423 | METHYLENE CHLORIDE TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34426 | METHYLENE CHLORIDE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34427 | METHYLENE CHLORIDE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34428 | N-NITROSODI-N-PROPYLAMINE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34431 | N-NITROSODI-N-PROPYLAMINE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34432 | N-NITROSODI-N-PROPYLAMINE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34433 | N-NITROSODIPHENYLAMINE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34436 | N-NITROSODIPHENYLAMINE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34437 | N-NITROSODIPHENYLAMINE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34441 | N-NITROSODIMETHYLAMINE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34445 | NAPHTHALENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34446 | NAPHTHALENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34447 | NITROBENZENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34450 | NITROBENZENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34451 | NITROBENZENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34452 | PARACHLOROMETA CRESOL TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34455 | PARACHLOROMETA CRESOL DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34456 | PARACHLOROMETA CRESOL WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34461 | PHENANTHRENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34464 | PHENANTHRENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34465 | PHENANTHRENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34468 | PHENOL WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34469 | PYRENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34472 | PYRENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34473 | PYRENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34474 | SILVER WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34475 | TETRACHLOROETHYLENE TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34478 | TETRACHLOROETHYLENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34479 | TETRACHLOROETHYLENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34480 | THALLIUM DRY WGTBOTMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34483 | TOLUENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34484 | TOLUENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34487 | TRICHLOROETHYLENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34488 | TRICHLOROFLUOROMETHANE TOTWUG/L | 3 | 1 | 2 | 0 | 2 | 1 |
| 34491 | TRICHLOROFLUOROMETHANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34495 | VINYL CHLORIDE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34496 | 1,1-DICHLOROETHANE TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34499 | 1,1-DICHLOROETHANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34500 | 1,1-DICHLOROETHANE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34501 | 1,1-DICHLOROETHYLENE TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34504 | 1,1-DICHLOROETHYLENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34505 | 1,1-DICHLOROETHYLENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34506 | 1,1,1-TRICHLOROETHANE TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34509 | 1,1,1-TRICHLOROETHANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34510 | 1,1,1-TRICHLOROETHANE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34511 | 1,1,2-TRICHLOROETHANE TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34514 | 1,1,2-TRICHLOROETHANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34515 | 1,1,2-TRICHLOROETHANE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34516 | 1,1,2,2-TETRACHLOROETHANE TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34519 | 1,1,2,2-TETRACHLOROETHANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34520 | 1,1,2,2-TETRACHLOROETHANE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34521 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34524 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENDRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34525 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENWET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34526 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34529 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENDRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34530 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENWET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34534 | 1,2-DICHLOROETHANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34535 | 1,2-DICHLOROETHANE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34536 | 1,2-DICHLOROBENZENE TOTWUG/L | 7 | 5 | 2 | 0 | 2 | 1 |
| 34539 | 1,2-DICHLOROBENZENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34540 | 1,2-DICHLOROBENZENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34541 | 1,2-DICHLOROPROPANE TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34544 | 1,2-DICHLOROPROPANE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |

# Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Parameter Code | Name | Total Obs | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Stations Total | Stations Park |
|---|---|---|---|---|---|---|---|
| 34545 | 1,2-DICHLOROPROPANE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34546 | TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER UG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34549 | TRANS-1,2-DICHLOROETHENE, IN SED. DRY WT. UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34550 | TRANS-1,2-DICHLOROETHENE, IN TISSUE, WET WT. MG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34551 | 1,2,4-TRICHLOROBENZENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34554 | 1,2,4-TRICHLOROBENZENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34555 | 1,2,4-TRICHLOROBENZENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34556 | 1,2,5,6-DIBENZANTHRACENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34559 | 1,2,5,6-DIBENZANTHRACENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34560 | 1,2,5,6-DIBENZANTHRACENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34566 | 1,3-DICHLOROBENZENE TOTWUG/L | 7 | 5 | 2 | 0 | 2 | 1 |
| 34569 | 1,3-DICHLOROBENZENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34570 | 1,3-DICHLOROBENZENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34571 | 1,4-DICHLOROBENZENE TOTWUG/L | 7 | 5 | 2 | 0 | 2 | 1 |
| 34574 | 1,4-DICHLOROBENZENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34575 | 1,4-DICHLOROBENZENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34576 | 2-CHLOROETHYL VINYL ETHER TOTWUG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34579 | 2-CHLOROETHYL VINYL ETHER DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34580 | 2-CHLOROETHYL VINYL ETHER WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34581 | 2-CHLORONAPHTHALENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34584 | 2-CHLORONAPHTHALENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34585 | 2-CHLORONAPHTHALENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34586 | 2-CHLOROPHENOL TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34589 | 2-CHLOROPHENOL DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34590 | 2-CHLOROPHENOL WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34591 | 2-NITROPHENOL TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34594 | 2-NITROPHENOL DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34595 | 2-NITROPHENOL WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34596 | DI-N-OCTYL PHTHALATE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34599 | DI-N-OCTYL PHTHALATE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34600 | DI-N-OCTYL PHTHALATE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34601 | 2,4-DICHLOROPHENOL TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34604 | 2,4-DICHLOROPHENOL DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34605 | 2,4-DICHLOROPHENOL WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34606 | 2,4-DIMETHYLPHENOL TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34609 | 2,4-DIMETHYLPHENOL DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34610 | 2,4-DIMETHYLPHENOL WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34611 | 2,4-DINITROTOLUENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34614 | 2,4-DINITROTOLUENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34615 | 2,4-DINITROTOLUENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34616 | 2,4-DINITROPHENOL TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34619 | 2,4-DINITROPHENOL DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34620 | 2,4-DINITROPHENOL WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34621 | 2,4,6-TRICHLOROPHENOL TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34624 | 2,4,6-TRICHLOROPHENOL DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34625 | 2,4,6-TRICHLOROPHENOL WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34626 | 2,6-DINITROTOLUENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34629 | 2,6-DINITROTOLUENE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34630 | 2,6-DINITROTOLUENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34631 | 3,3'-DICHLOROBENZIDINE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34634 | 3,3'-DICHLOROBENZIDINE DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34635 | 3,3'-DICHLOROBENZIDINE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34636 | 4-BROMOPHENYL PHENYL ETHER TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34639 | 4-BROMOPHENYL PHENYL ETHER DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34640 | 4-BROMOPHENYL PHENYL ETHER WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34641 | 4-CHLOROPHENYL PHENYL ETHER TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34644 | 4-CHLOROPHENYL PHENYL ETHER DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34645 | 4-CHLOROPHENYL PHENYL ETHER WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34646 | 4-NITROPHENOL TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34649 | 4-NITROPHENOL DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34650 | 4-NITROPHENOL WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34657 | DNOC (4,6-DINITRO-ORTHO-CRESOL) TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34660 | DNOC (4,6-DINITRO-ORTHO-CRESOL) DRY WGTBOTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34661 | DNOC (4,6-DINITRO-ORTHO-CRESOL) WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34668 | DICHLORODIFUOROMETHANE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34669 | PCB - 1248 WET WGTTISMG/KG | 3 | 0 | 3 | 0 | 1 | 0 |
| 34670 | PCB - 1260 WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34671 | PCB - 1016 TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34674 | PCB - 1016 WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34680 | ALDRIN IN FISH TISSUE WET WEIGHT MG/KG | 5 | 4 | 1 | 0 | 2 | 0 |
| 34682 | CHLORDANE(TECH MIX & METABS),TISSUEWET WGTT,MG/KG | 4 | 3 | 1 | 0 | 2 | 0 |

# Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Parameter Code | Name | Total Obs | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Stations Total | Stations Park |
|---|---|---|---|---|---|---|---|
| 34683 | DI-N-BUTYL PHTHALATE,TISSUE,WET WGTWET WGT | 1 | 0 | 1 | 0 | 1 | 0 |
| 34685 | ENDRIN WET WGTTISMG/KG | 8 | 4 | 4 | 0 | 3 | 0 |
| 34686 | HEPTACHLOR EPOXIDE WET WGTTISMG/KG | 2 | 1 | 1 | 0 | 2 | 0 |
| 34687 | HEPTACHLOR WET WGTTISMG/KG | 2 | 1 | 1 | 0 | 2 | 0 |
| 34688 | HEXACHLOROBENZENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34689 | PCB - 1242 WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34690 | PCB - 1254 WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34691 | TOXAPHENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34692 | TRICHLOROETHYLENE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34693 | VINYL CHLORIDE WET WGTTISMG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34694 | PHENOL(C6H5OH)-SINGLE COMPOUND TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34695 | PHENOL(C6H5OH)-SINGLE COMPOUND DRY WGTTUG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34696 | NAPHTHALENE TOTWUG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 34697 | TRANS-1,3-DICHLOROPROPENE SEDIMENT DRY WGT UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34698 | TRANS-1,3-DICHLOROPROPENEFISH TISSUE WET WGT MG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34699 | TRANS-1,3-DICHLOROPROPENETOTAL IN WATER UG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 34702 | CIS-1,3-DICHLOROPROPENE SEDIMENT DRY WEIGHT UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34703 | CIS-1,3-DICHLOROPROPENE FISH TISSUE WET WGT MG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 34704 | CIS-1,3-DICHLOROPROPENE TOTAL IN WATER UG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 31 | 0 | 29 | 2 | 8 | 0 |
| 38823 | ISOPROPALIN SEDDRYWGTUG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 39032 | PCP (PENTACHLOROPHENOL) WHOLE WATER SAMPLE UG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 39034 | PERTHANE IN WHOLE WATER SAMPLE (UG/L) | 1 | 0 | 1 | 0 | 1 | 0 |
| 39060 | PCP (PENTACHLOROPHENOL) IN TISSUE WET WGT UG/G | 1 | 0 | 1 | 0 | 1 | 0 |
| 39061 | PCP (PENTACHLOROPHENOL) IN BOT DEPOS DRY SOL UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 39063 | CHLORDANE-CIS ISOMER,TISSUE WET WGT (UG/G) | 1 | 1 | 0 | 0 | 1 | 0 |
| 39066 | CHLORDANE-TRANS ISOMER,TISSUE WET WGT (UG/G) | 1 | 1 | 0 | 0 | 1 | 0 |
| 39069 | CHLORDANE-NONACHLOR,CIS ISO,TISSUE WET WGT(UG/G) | 1 | 1 | 0 | 0 | 1 | 0 |
| 39072 | CHLORDANE-NONACHLOR,TRANS ISO,TISSUE,WET WT,UG/G | 1 | 1 | 0 | 0 | 1 | 0 |
| 39074 | BHC-ALPHA ISOMER,TISSUE UG/G WET WGT | 5 | 4 | 1 | 0 | 2 | 0 |
| 39076 | BHC-ALPHA ISOMER, BOTTOM DEPOS (UG/KG DRY SOL) | 1 | 0 | 1 | 0 | 1 | 0 |
| 39099 | BIS(2-ETHYLHEXYL)PHTHALATE,TISSUE,WET WGT,MG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 39100 | BIS(2-ETHYLHEXYL) PHTHALATE,WHOLE WATER,UG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 39102 | BIS(2-ETHYLHEXYL) PHTHALATE,SEDIMENT,DRY WGT,UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 39105 | PERCENT FAT HEXANE EXTRACTION | 1 | 1 | 0 | 0 | 1 | 0 |
| 39110 | DI-N-BUTYL PHTHALATE,WHOLE WATER,UG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 39112 | DI-N-BUTYL PHTHALATE,SEDIMENTS,DRY WGT,UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 39120 | BENZIDINE IN WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 | 0 |
| 39121 | BENZIDINE IN BOTTOM DEPOS UG/KG DRY SOLIDS | 1 | 0 | 1 | 0 | 1 | 0 |
| 39175 | VINYL CHLORIDE-WHOLE WATER SAMPLE-UG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 39180 | TRICHLOROETHYLENE-WHOLE WATER SAMPLE-UG/L | 9 | 7 | 2 | 0 | 2 | 1 |
| 39250 | NAPTHALENES, POLYCHLORINATED (UG/L) | 1 | 0 | 1 | 0 | 1 | 0 |
| 39251 | PCNS IN BOTTOM DEPOS (UG/KG DRY SOLIDS) | 5 | 5 | 0 | 0 | 4 | 0 |
| 39300 | P,P' DDT IN WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 | 0 |
| 39301 | P,P' DDT IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 1 | 0 | 1 | 0 | 1 | 0 |
| 39302 | P P DDT IN TISSUE WET WGT (UG/G) | 5 | 4 | 1 | 0 | 2 | 0 |
| 39307 | O P DDT IN TISSUE WET WGT (UG/G) | 4 | 4 | 0 | 0 | 1 | 0 |
| 39310 | P,P' DDD IN WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 | 0 |
| 39311 | P,P' DDD IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 1 | 0 | 1 | 0 | 1 | 0 |
| 39312 | P P DDD IN TISSUE WET WGT (UG/G) | 5 | 4 | 1 | 0 | 2 | 0 |
| 39320 | P,P' DDE IN WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 | 0 |
| 39321 | P,P' DDE IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 1 | 0 | 1 | 0 | 1 | 0 |
| 39322 | P,P'-DDE IN TISSUE WET WGT MG/KG | 5 | 4 | 1 | 0 | 2 | 0 |
| 39325 | O,P DDD IN TISSUE WET WGT (UG/G) | 4 | 4 | 0 | 0 | 1 | 0 |
| 39329 | O,P DDE IN TISSUE, WET WGT(UG/G) | 4 | 4 | 0 | 0 | 1 | 0 |
| 39330 | ALDRIN IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 3 | 0 | 2 | 0 |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 17 | 5 | 10 | 2 | 14 | 0 |
| 39337 | ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP | 2 | 0 | 2 | 0 | 1 | 0 |
| 39338 | BETA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP | 2 | 0 | 2 | 0 | 1 | 0 |
| 39340 | GAMMA-BHC(LINDANE),WHOLE WATER,UG/L | 3 | 0 | 3 | 0 | 2 | 0 |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 19 | 7 | 10 | 2 | 15 | 0 |
| 39350 | CHLORDANE(TECH MIX & METABS),WHOLE WATER,UG/L | 3 | 0 | 3 | 0 | 2 | 0 |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 17 | 5 | 10 | 2 | 14 | 0 |
| 39360 | DDD IN WHOLE WATER SAMPLE (UG/L) | 5 | 0 | 4 | 1 | 3 | 0 |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 16 | 5 | 9 | 2 | 13 | 0 |
| 39365 | DDE IN WHOLE WATER SAMPLE (UG/L) | 5 | 0 | 4 | 1 | 3 | 0 |
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 16 | 5 | 9 | 2 | 13 | 0 |
| 39370 | DDT IN WHOLE WATER SAMPLE (UG/L) | 5 | 0 | 4 | 1 | 3 | 0 |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 16 | 5 | 9 | 2 | 13 | 0 |
| 39380 | DIELDRIN IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 3 | 0 | 2 | 0 |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 17 | 5 | 10 | 2 | 14 | 0 |

# Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Parameter Code | Name | Total Obs | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Stations Total | Stations Park |
|---|---|---|---|---|---|---|---|
| 39388 | ENDOSULFAN IN WHOLE WATER SAMPLE (UG/L) | 1 | 0 | 1 | 0 | 1 | 0 |
| 39389 | ENDOSULFAN IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 5 | 5 | 0 | 0 | 4 | 0 |
| 39390 | ENDRIN IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 3 | 0 | 2 | 0 |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 17 | 5 | 10 | 2 | 14 | 0 |
| 39400 | TOXAPHENE IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 3 | 0 | 2 | 0 |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 17 | 5 | 10 | 2 | 14 | 0 |
| 39404 | DIELDRIN IN TISSUE WET WGT (UG/G) | 8 | 4 | 4 | 0 | 3 | 0 |
| 39410 | HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 3 | 0 | 2 | 0 |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 17 | 5 | 10 | 2 | 14 | 0 |
| 39420 | HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 3 | 0 | 2 | 0 |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 17 | 5 | 10 | 2 | 14 | 0 |
| 39480 | METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L) | 1 | 0 | 1 | 0 | 1 | 0 |
| 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 10 | 5 | 5 | 0 | 9 | 0 |
| 39488 | PCB - 1221 IN THE WHOLE WATER SAMPLE UG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 39492 | PCB - 1232 PCB SERIES WHOLE WATER SAMPLE UG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 39496 | PCB - 1242 PCB SERIES WHOLE WATER SAMPLE UG/L | 6 | 0 | 5 | 1 | 3 | 0 |
| 39499 | PCB - 1242 BOT. DEP.,PCB-SERIES DRY SOL UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 39500 | PCB - 1248 PCB SERIES WHOLE WATER SAMPLE UG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 39504 | PCB - 1254 PCB SERIES WHOLE WATER SAMPLE UG/L | 6 | 0 | 5 | 1 | 3 | 0 |
| 39507 | PCB - 1254 IN BOTTOM DEPOS. DRY SOLIDS UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 39508 | PCB - 1260 PCB SERIES WHOLE WATER SAMPLE UG/L | 2 | 0 | 2 | 0 | 1 | 0 |
| 39511 | PCB - 1260 IN BOTTOM DEPOS. DRY SOLIDS UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 39514 | PCB - 1016 IN BOTTOM SEDIMENTS DRY WT UG/KG | 1 | 0 | 1 | 0 | 1 | 0 |
| 39515 | PCBS (MG/KG) FISH TISSUE MG/KG | 15 | 4 | 11 | 0 | 2 | 0 |
| 39516 | PCBS IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 2 | 1 | 2 | 0 |
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 16 | 5 | 9 | 2 | 13 | 0 |
| 39700 | HEXACHLOROBENZENE IN WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 | 0 |
| 39701 | HEXACHLOROBENZENE IN BOT DEPOS (UG/KG DRY SOLIDS) | 1 | 0 | 1 | 0 | 1 | 0 |
| 39702 | HEXACHLOROBUTADIENE IN WHOLE WATER SAMPLE(UG/L) | 2 | 0 | 2 | 0 | 1 | 0 |
| 39705 | HEXACHLOROBUTADIENE BOT. DEPOS.(UG/KG DRY WGT) | 1 | 0 | 1 | 0 | 1 | 0 |
| 39731 | 2,4-D IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 2 | 0 | 0 | 2 | 2 | 0 |
| 39741 | 2,4,5-T IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 2 | 0 | 0 | 2 | 2 | 0 |
| 39755 | MIREX, TOTAL (UG/L) | 1 | 0 | 1 | 0 | 1 | 0 |
| 39758 | MIREX, BOTTOM MATERIAL (UG/KG DRY SOLIDS) | 5 | 5 | 0 | 0 | 4 | 0 |
| 39761 | SILVEX IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 2 | 0 | 0 | 2 | 2 | 0 |
| 39785 | GAMMA-BHC(LINDANE),TISSUE,WET WEIGHT,MG/KG | 5 | 4 | 1 | 0 | 2 | 0 |
| 46001 | WATER APPEARANCE CODE (BASED ON FIELD ASSESSMENT) | 36 | 0 | 29 | 7 | 1 | 0 |
| 46006 | FAMILY PLANARIIDAE, FLATWORMS | 8 | 1 | 7 | 0 | 1 | 0 |
| 46008 | PHYLUM NEMATODA, NEMATODES | 1 | 0 | 1 | 0 | 1 | 0 |
| 46009 | FAMILY TUBIFICIDAE, SEGMENTED WORMS | 1 | 1 | 0 | 0 | 1 | 0 |
| 46014 | FAMILY HIRUDIDAE, LEECHES | 6 | 1 | 5 | 0 | 1 | 0 |
| 46015 | FAMILY ASELLIDAE, AQUATIC SOW BUG | 4 | 1 | 2 | 1 | 1 | 0 |
| 46018 | FAMILY GAMMARIDAE, SCUD | 5 | 1 | 4 | 0 | 1 | 0 |
| 46019 | FAMILY ASTACIDAE, ALL CRAYFISH | 5 | 2 | 3 | 0 | 1 | 0 |
| 46022 | FAMILY PELTOPERLIDAE, STONEFLY, ROACHLIKE | 5 | 0 | 4 | 1 | 1 | 0 |
| 46023 | FAM NEMOURIDAE, STONEFLY W/PARA & GLOSSAE EQUAL | 1 | 0 | 1 | 0 | 1 | 0 |
| 46024 | FAMILY PERLIDAE, STONEFLY W/GILLS ON THORAX | 13 | 3 | 9 | 1 | 1 | 0 |
| 46025 | FAMILY PERLODIDAE, STONEFLY W/GILLS ON SUBMENTUM | 1 | 1 | 0 | 0 | 1 | 0 |
| 46027 | FAMILY EPHEMERIDAE, MAYFLY W/ TUSKS, BURROWER | 1 | 0 | 1 | 0 | 1 | 0 |
| 46028 | FAMILY BAETIDAE, MAYFLY, HEAD NOT DEPRESSED | 12 | 2 | 9 | 1 | 1 | 0 |
| 46029 | FAMILY HEPTAGENIIDAE MAYFLY W/ DEPRESSED HEAD | 13 | 3 | 9 | 1 | 1 | 0 |
| 46031 | FAMILY LIBELLULIDAE, DRAGONFLY BOTTOM SPRAWLER | 2 | 1 | 1 | 0 | 1 | 0 |
| 46032 | FAMILY GOMPHIDAE, DRAGONFLY 4 SEGMENTED ANTENNAE | 3 | 1 | 2 | 0 | 1 | 0 |
| 46036 | FAM AGRIONIDAE DAMSELFLY 1ST ANT SEGMENT LONGEST | 1 | 0 | 1 | 0 | 1 | 0 |
| 46037 | FAM COENAGRIONIDAE 1ST ANTENNAE SEGMENT SHORT | 1 | 1 | 0 | 0 | 1 | 0 |
| 46041 | FAMILY GERRIDAE, WATER STRIDERS | 2 | 1 | 1 | 0 | 1 | 0 |
| 46049 | FAMILY SIALIDAE, ALDERFLY | 4 | 0 | 4 | 0 | 1 | 0 |
| 46050 | FAMILY CORYDALIDAE, HELLGRAMMITES | 10 | 2 | 7 | 1 | 1 | 0 |
| 46051 | FAMILY HYDROPTILIDAE, CADDISFLY, ABDOMEN WIDE | 10 | 2 | 8 | 0 | 1 | 0 |
| 46052 | FAMILY HELICOPSYCHIDAE, CADDISFLY SNAIL SHELL | 1 | 1 | 0 | 0 | 1 | 0 |
| 46053 | FAMILY HYDROPSYCHIDAE, CADDISFLY W/3 S PLATES | 13 | 3 | 9 | 1 | 1 | 0 |
| 46054 | FAM RHYACOPHILIDAE CADDISFLY;LS W/ DORSAL SHIELD | 3 | 1 | 2 | 0 | 1 | 0 |
| 46055 | FAMILY PHILOPOTAMIDAE, CADDISFLY LAB SOFT | 11 | 3 | 7 | 1 | 1 | 0 |
| 46056 | FAMILY PSYCHOMYIIDAE, LAB SCLEROTIZED | 7 | 1 | 6 | 0 | 1 | 0 |
| 46058 | FAMILY LEPTOCERIDAE, CADDISFLY; ANT. LONG | 3 | 1 | 2 | 0 | 1 | 0 |
| 46063 | FAMILY BRACHYCENTRIDAE, CADDISFLY PRO W/FURROW | 2 | 1 | 1 | 0 | 1 | 0 |
| 46064 | FAMILY LEPTIDOSTOMATIDAE, CADDISFLY | 4 | 0 | 4 | 0 | 1 | 0 |
| 46066 | FAMILY LIMNEPHILIDAE, CADDISFLY | 3 | 2 | 1 | 0 | 1 | 0 |
| 46067 | FAMILY PYRALIDIDAE, AQUATIC MOTHS | 2 | 1 | 1 | 0 | 1 | 0 |
| 46068 | FAMILY GYRINIDAE, WHIRLYGIG BEETLES | 1 | 0 | 1 | 0 | 1 | 0 |
| 46070 | FAMILY DYTISCIDAE, PRED. DIVING BEETLES | 2 | 0 | 2 | 0 | 1 | 0 |

# Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Parameter Code | Name | Total Obs | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Stations Total | Stations Park |
|---|---|---|---|---|---|---|---|
| 46071 | FAMILY PSEPHENIDAE, WATER PENNY BEETLES | 12 | 3 | 8 | 1 | 1 | 0 |
| 46074 | FAMILY DRYOPIDAE, BEETLE | 1 | 1 | 0 | 0 | 1 | 0 |
| 46075 | FAMILY ELMIDAE, BEETLE | 12 | 3 | 8 | 1 | 1 | 0 |
| 46078 | FAMILY TIPULIDAE, CRANE FLY | 13 | 3 | 9 | 1 | 1 | 0 |
| 46084 | FAMILY SIMULIIDAE, BLACK FLIES | 12 | 3 | 8 | 1 | 1 | 0 |
| 46085 | FAMILY EMPIDIDAE | 5 | 1 | 3 | 1 | 1 | 0 |
| 46087 | FAMILY TENDIPEDIDAE (CHIRONOMIDAE), MIDGE FLIES | 13 | 3 | 9 | 1 | 1 | 0 |
| 46089 | FAMILY RHAGIONIDAE, SNIPE FLIES | 1 | 0 | 1 | 0 | 1 | 0 |
| 46090 | FAMILY TABANIDAE, HORSEFLIES | 3 | 1 | 2 | 0 | 1 | 0 |
| 46095 | FAMILY PHYSIDAE, LUNG SNAILS | 9 | 1 | 8 | 0 | 1 | 0 |
| 46096 | FAMILY LYMNAEIDAE, POND SNAILS | 2 | 0 | 2 | 0 | 1 | 0 |
| 46097 | FAMILY PLANORBIDAE, ORB SNAILS | 2 | 1 | 1 | 0 | 1 | 0 |
| 46098 | FAMILY ANCYLIDAE, LIMPETS | 9 | 2 | 7 | 0 | 1 | 0 |
| 46099 | FAMILY AMNICOLIDAE | 1 | 0 | 1 | 0 | 1 | 0 |
| 46102 | FAMILY PLEUROCERIDAE, RIVER SNAIL | 1 | 1 | 0 | 0 | 1 | 0 |
| 46103 | FAMILY UNIONIDAE | 1 | 0 | 1 | 0 | 1 | 0 |
| 46104 | FAMILY SPHAERIIDAE,FINGERNAIL CLAMS | 3 | 1 | 2 | 0 | 1 | 0 |
| 46106 | CLASS OLIGOCHAETA, AQUATIC EARTH WORMS | 10 | 2 | 8 | 0 | 1 | 0 |
| 46124 | FAMILY TAENIOPTERGIDAE STONEFLY NO/FT2 | 1 | 1 | 0 | 0 | 1 | 0 |
| 46125 | FAMILY CAPNIIDAE, STONEFLY NO/FT2 | 1 | 1 | 0 | 0 | 1 | 0 |
| 46130 | FAMILY OLIGONEURIIDAE, MAYFLY NO/FT2 | 2 | 2 | 0 | 0 | 1 | 0 |
| 46138 | FAMILY EPHEMERELLIDAE, MAYFLY NO/FT2 | 1 | 1 | 0 | 0 | 1 | 0 |
| 46141 | FAMILY GLOSSOSOMAIDAE, CADDISFLY NO/FT2 | 1 | 1 | 0 | 0 | 1 | 0 |
| 46471 | CHLORDENE, WET WEIGHT, FISH TISSUE MG/KG | 1 | 1 | 0 | 0 | 1 | 0 |
| 50060 | CHLORINE, TOTAL RESIDUAL (MG/L) | 5 | 4 | 1 | 0 | 5 | 0 |
| 50700 | FLUORINE, DISSOLVED, FILTERED WATER SAMPLE UG/L | 3 | 0 | 3 | 0 | 3 | 0 |
| 70228 | FLOW, SPRING GALLONS/MINUTE | 1 | 1 | 0 | 0 | 1 | 0 |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 130 | 32 | 45 | 53 | 30 | 1 |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 39 | 0 | 18 | 21 | 12 | 0 |
| 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 27 | 0 | 6 | 21 | 7 | 0 |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 80 | 0 | 37 | 43 | 12 | 0 |
| 70320 | MOISTURE CONTENT (PERCENT OF TOTAL WET WEIGHT) | 2 | 2 | 0 | 0 | 2 | 0 |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 81 | 4 | 31 | 46 | 12 | 0 |
| 70508 | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 98 | 36 | 62 | 0 | 1 | 0 |
| 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 9 | 0 | 9 | 0 | 5 | 0 |
| 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 16 | 0 | 14 | 2 | 9 | 0 |
| 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 35 | 0 | 3 | 32 | 6 | 0 |
| 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 5 | 0 | 3 | 2 | 5 | 0 |
| 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 24 | 3 | 18 | 3 | 10 | 0 |
| 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 29 | 0 | 27 | 2 | 8 | 0 |
| 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 15 | 0 | 15 | 0 | 8 | 0 |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 21 | 9 | 12 | 0 | 9 | 0 |
| 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 13 | 3 | 10 | 0 | 10 | 0 |
| 71930 | MERCURY,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 4 | 1 | 3 | 0 | 3 | 0 |
| 71933 | MERCURY TOTAL IN FISH DRY WEIGHT BASIS | 1 | 1 | 0 | 0 | 1 | 0 |
| 71936 | LEAD,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 4 | 1 | 3 | 0 | 3 | 0 |
| 71937 | COPPER,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 4 | 1 | 3 | 0 | 3 | 0 |
| 71938 | ZINC,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 3 | 0 | 3 | 0 | 2 | 0 |
| 71939 | CHROMIUM,TOT IN FISH OR ANIMALS-WET WEIGHT BASIS | 4 | 1 | 3 | 0 | 3 | 0 |
| 71940 | CADMIUM,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 4 | 1 | 3 | 0 | 3 | 0 |
| 71993 | ELEVATION OF GRD WATER WITH REF.TO MEAN SEA L FT | 2 | 2 | 0 | 0 | 2 | 0 |
| 72000 | ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL) | 5 | 2 | 0 | 3 | 3 | 0 |
| 72002 | DEPTH TO TOP OF WATER-BEARING ZONE SAMPLED (FT) | 1 | 1 | 0 | 0 | 1 | 0 |
| 72008 | DEPTH, TOTAL OF WELL (FT BELOW LAND SURFACE DATUM) | 3 | 0 | 0 | 3 | 1 | 0 |
| 72015 | DEPTH TO TOP OF SAMPLE INTERVAL (FT BELOW LSD) | 4 | 0 | 0 | 4 | 1 | 0 |
| 72016 | DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD) | 4 | 0 | 0 | 4 | 1 | 0 |
| 72019 | DEPTH TO WATER LEVEL (FEET BELOW LAND SURFACE) | 2 | 1 | 0 | 1 | 2 | 0 |
| 75039 | TRICHLOROBENZENE,1,2,4 SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75040 | HEXACHLOROBUTADIENE SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75041 | BHC,ALPHA- SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75042 | HEXACHLOROBENZENE SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75043 | PENTACHLOROANISOLE SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75044 | HEPTACHLOR SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75045 | HEPTACHLOR EPOXIDE SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75046 | DDE,P,P'-(4,4'-DDE) SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75047 | DIELDRIN SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75048 | ENDRIN SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75050 | ALACHLOR UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75051 | DICHLOROBIPHENYL,TOTAL SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75052 | OCTACHLOROBIPHENYL,TOTAL SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 75054 | DECACHLOROBIPHENYL,TOTAL SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |

# Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Parameter Code | Name | Total Obs | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Stations Total | Stations Park |
|---|---|---|---|---|---|---|---|
| 75558 | BIPHENYL SEDIMENT,DRY WGT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 77041 | CARBON DISULFIDE WHOLE WATER,UG/L | 4 | 4 | 0 | 0 | 1 | 0 |
| 77093 | CIS-1,2-DICHLOROETHYLENE WHOLE WATER,UG/L | 3 | 3 | 0 | 0 | 1 | 0 |
| 77103 | 2-HEXANONE WHOLE WATER,UG/L | 4 | 4 | 0 | 0 | 1 | 0 |
| 77128 | STYRENE WHOLE WATER,UG/L | 5 | 5 | 0 | 0 | 2 | 1 |
| 77134 | 1,3-DIMETHYLBENZENE(M-XYLENE) WHOLE WATER,UG/L | 3 | 3 | 0 | 0 | 1 | 0 |
| 78032 | PROPANE, 2-METHOXY-2-METHYL- , WATER, WHOLE, UG/L | 2 | 2 | 0 | 0 | 1 | 0 |
| 78131 | TOLUENE IN WHOLE WATER (VOLATILE ANALYSIS) UG/L | 2 | 2 | 0 | 0 | 1 | 1 |
| 78133 | 4-METHYL-2-PENTANONE IN WATER UG/L | 4 | 4 | 0 | 0 | 1 | 0 |
| 78457 | CHLORDENE, ALPHA-, FISH TISSUE, WET WEIGHT, MG/KG | 1 | 1 | 0 | 0 | 1 | 0 |
| 78459 | CHLORDENE, GAMMA-, FISH TISSUE, WET WEIGHT, MG/KG | 1 | 1 | 0 | 0 | 1 | 0 |
| 78657 | NONACHLOR, TRANS, SEDIMENT, DRY WEIGHT, UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 78875 | MONOCHLOROBIPHENYLS TOTAL IN SED DRY WEIGHT UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 78924 | NONACHLOR, CIS, SEDIMENT, DRY WEIGHT UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79785 | TRICHLOROBENZENE,1,3,5- SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79786 | TRICHLOROBENZENE,1,2,3- SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79787 | TETRACHLOROBENZENE,1,2,4,5- SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79789 | TETRACHLOROBENZENE,1,2,3,4- SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79790 | PENTACHLOROBENZENE SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79791 | DIPHENYL DISULFIDE SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79792 | CHLORPYRIFOS SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79793 | OCTACHLOROSTYRENE SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79794 | OXYCHLORDANE SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79795 | CHLORDANE, TRANS SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79796 | CHLORDANE, CIS SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79797 | NITROFEN SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79798 | METHOXYCHLOR SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79799 | DICOFOL (KELTHANE) SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 79800 | MIREX SEDIMENT,DRY,WT,UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 23 | 0 | 0 | 23 | 6 | 0 |
| 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 23 | 0 | 0 | 23 | 6 | 0 |
| 80157 | BED MATERIAL FALL DIAMETER, % FINER THAN .004MM | 1 | 0 | 0 | 1 | 1 | 0 |
| 80158 | BED MATERIAL FALL DIAMETER, % FINER THAN .062MM | 1 | 0 | 0 | 1 | 1 | 0 |
| 80163 | BED MATERIAL FALL DIAMETER, % FINER THAN 2.00MM | 1 | 0 | 0 | 1 | 1 | 0 |
| 80333 | ISOCYANATOBENZENE, WHOLE WATER UG/L | 2 | 2 | 0 | 0 | 1 | 0 |
| 80339 | BENZENE, TRIMETHYL-, ISOMER, WHOLE WATER UG/L | 1 | 1 | 0 | 0 | 1 | 0 |
| 80353 | XYLENE ISOMERS, O+P, WHOLE WATER UG/L | 3 | 3 | 0 | 0 | 1 | 0 |
| 81024 | DRAINAGE AREA IN SQUARE MILES (SQ. MI.) | 1 | 1 | 0 | 0 | 1 | 0 |
| 81551 | XYLENE WHL WATER SMPL UG/L | 1 | 1 | 0 | 0 | 1 | 1 |
| 81552 | ACETONE WHL WATER SMPL UG/L | 4 | 4 | 0 | 0 | 1 | 0 |
| 81595 | METHYL ETHYL KETONE WHL WATER SMPL UG/L | 3 | 3 | 0 | 0 | 1 | 0 |
| 81614 | NUMBER OF INDIVIDUALS IN THE SAMPLE | 12 | 5 | 7 | 0 | 4 | 0 |
| 81615 | NUMBER OF DIFFERENT SPECIES IN THE SAMPLE | 2 | 0 | 2 | 0 | 1 | 0 |
| 81618 | TREFLAN(TRIFLURALIN) IN SEDIMENT DRY WEIGHT UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 81644 | METHOXYCHLOR IN FISH TISSUE,UG/G WET WEIGHT | 4 | 4 | 0 | 0 | 1 | 0 |
| 81645 | MIREX IN FISH TISSUE WET WEIGHT UG/G | 1 | 1 | 0 | 0 | 1 | 0 |
| 81808 | PENTACHLORONITROBENZENE IN SEDIMENT DRY WGT UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 81822 | KEPONE IN FISH TISSUE WET WEIGHT MG/KG | 1 | 1 | 0 | 0 | 1 | 0 |
| 81876 | TRICHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 81878 | TETRACHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 81880 | PENTACHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 81882 | HEXACHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 81884 | HEPTACHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 2 | 2 | 0 | 0 | 1 | 0 |
| 81886 | PERTHANE IN SEDIMENT DRY WEIGHT UG/KG | 7 | 7 | 0 | 0 | 5 | 0 |
| 81944 | DDT(INCLUDES DDE & DDD) IN TISSUE WET WEIGHT MG/KG | 3 | 0 | 3 | 0 | 1 | 0 |
| 82029 | OXYCHLORDANE IN TISSUE SAMPLE WET WEIGHT MG/KG | 1 | 1 | 0 | 0 | 1 | 0 |
| 82038 | POTASSIUM-DISSOLVED UG/L(AS K) | 3 | 0 | 0 | 3 | 3 | 0 |
| 82039 | DISSOLVED-SODIUM UG/L (AS NA) | 3 | 0 | 0 | 3 | 3 | 0 |
| 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 78 | 46 | 32 | 0 | 10 | 1 |
| 82331 | DYSPROSIUM, DISSOLVED AS DY IN WATER UG/L | 4 | 0 | 4 | 0 | 4 | 0 |
| 82398 | SAMPLING METHOD (CODES) | 92 | 44 | 25 | 23 | 6 | 0 |
| 84000 | GEOLOGIC AGE CODE (SEE USGS CATALOG) | 5 | 2 | 1 | 2 | 5 | 0 |
| 84001 | AQUIFER NAME CODE (SEE USGS CATALOG) | 5 | 2 | 1 | 2 | 5 | 0 |
| 84007 | ANATOMY ALPHA CODE | 19 | 5 | 14 | 0 | 4 | 0 |
| 84131 | SAMPLING METHOD, CONFIDENCE CODE (A,B,C,D) CODE | 7 | 7 | 0 | 0 | 1 | 0 |
| 84147 | LAND USE, PREDOMINANT, 1/4 MI.RADIUS OF WELL, CODE | 2 | 2 | 0 | 0 | 2 | 0 |
| 85000 | STREAM MILE, ACTUAL MILES | 15 | 15 | 0 | 0 | 15 | 1 |

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0001 | No | 00002 | X-SEC. LOC., HORIZ (% FROM R BANK LOOK UPSTR.) | 08/13/73-10/03/74 | 1 | 5 | |
| HOFU0002 | No | 00002 | X-SEC. LOC., HORIZ (% FROM R BANK LOOK UPSTR.) | 08/13/73-09/20/73 | 0 | 2 | |
| HOFU0023 | No | 00003 | SAMPLING STATION LOCATION, VERTICAL (FEET) | 03/13/81-04/24/81 | 0 | 3 | |
| HOFU0033 | No | 00003 | SAMPLING STATION LOCATION, VERTICAL (FEET) | 06/15/76-05/31/77 | 0 | 11 | |
| HOFU0034 | No | 00003 | SAMPLING STATION LOCATION, VERTICAL (FEET) | 08/01/79-10/07/94 | 15 | 6 | |
| HOFU0062 | No | 00003 | SAMPLING STATION LOCATION, VERTICAL (FEET) | 07/24/91-08/06/96 | 5 | 41 | |
| HOFU0071 | No | 00003 | SAMPLING STATION LOCATION, VERTICAL (FEET) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0001 | No | 00005 | X-SEC. LOC., VERTICAL (PERCENT OF TOTAL DEPTH) | 08/13/73-10/03/74 | 1 | 5 | |
| HOFU0002 | No | 00005 | X-SEC. LOC., VERTICAL (PERCENT OF TOTAL DEPTH) | 08/13/73-09/20/73 | 0 | 2 | |
| HOFU0011 | No | 00008 | NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0023 | No | 00008 | NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE | 03/13/81-09/02/86 | 5 | 13 | |
| HOFU0072 | No | 00008 | NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0001 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 11/29/72-12/10/87 | 15 | 79 | |
| HOFU0002 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/25/50-10/28/96 | 46 | 65 | |
| HOFU0003 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0004 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0005 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0006 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0007 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/10/69-11/06/95 | 25 | 28 | |
| HOFU0010 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0011 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 11/14/69-10/29/82 | 12 | 12 | |
| HOFU0012 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0013 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0015 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0016 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0017 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0018 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0019 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0020 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/09/69-11/06/95 | 25 | 26 | |
| HOFU0026 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0028 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/09/69-11/06/95 | 25 | 23 | |
| HOFU0030 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0039 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0040 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0041 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/09/69-10/26/82 | 12 | 14 | |
| HOFU0044 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0046 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0047 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 10/25/71-10/26/82 | 11 | 11 | |
| HOFU0049 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0051 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0052 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0053 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0055 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0056 | Yes | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/24/91-08/06/96 | 5 | 34 | |
| HOFU0064 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0068 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0070 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0071 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0078 | No | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/06/77-07/06/77 | 0 | 1 | |
| HOFU0002 | No | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/10/69-10/28/96 | 26 | 21 | |
| HOFU0009 | No | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/10/69-11/06/95 | 25 | 21 | |
| HOFU0011 | No | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 11/14/69-10/29/82 | 12 | 7 | |
| HOFU0017 | No | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0025 | No | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/09/69-11/06/95 | 25 | 21 | |
| HOFU0026 | No | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0029 | No | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/09/69-11/06/95 | 25 | 18 | |
| HOFU0040 | No | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 04/15/69-04/15/70 | 1 | 5 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0042 | No | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/09/69-10/26/82 | 12 | 9 | |
| HOFU0047 | No | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 10/25/71-10/26/82 | 11 | 4 | |
| HOFU0049 | No | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0062 | No | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 07/24/91-09/05/95 | 4 | 2 | |
| HOFU0023 | No | 00023 | SAMPLE WEIGHT IN POUNDS | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 00024 | SAMPLE LENGTH IN INCHES | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0001 | No | 00027 | CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND. | 08/13/73-10/03/74 | 1 | 5 | |
| HOFU0002 | No | 00027 | CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND. | 05/25/50-10/28/96 | 46 | 43 | |
| HOFU0009 | No | 00027 | CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND. | 05/20/70-11/06/95 | 25 | 20 | |
| HOFU0011 | No | 00027 | CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND. | 09/29/70-10/29/82 | 12 | 8 | |
| HOFU0025 | No | 00027 | CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND. | 05/10/71-11/06/95 | 24 | 23 | |
| HOFU0029 | No | 00027 | CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND. | 05/07/70-11/06/95 | 25 | 26 | |
| HOFU0042 | No | 00027 | CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND. | 10/30/72-10/26/82 | 9 | 10 | |
| HOFU0047 | No | 00027 | CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND. | 10/25/71-10/26/82 | 11 | 5 | |
| HOFU0002 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 12/10/69-10/28/96 | 26 | 34 | |
| HOFU0009 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 12/10/69-11/06/95 | 25 | 29 | |
| HOFU0011 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 11/14/69-10/29/82 | 12 | 13 | |
| HOFU0019 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 11/15/79-02/20/80 | 0 | 2 | |
| HOFU0025 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 12/09/69-11/06/95 | 25 | 32 | |
| HOFU0029 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 12/09/69-11/06/95 | 25 | 32 | |
| HOFU0035 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0042 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 12/09/69-10/26/82 | 12 | 18 | |
| HOFU0047 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 10/25/71-10/26/82 | 11 | 8 | |
| HOFU0051 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0068 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0062 | No | 00032 | CLOUD COVER (PERCENT) | 07/24/91-08/06/96 | 5 | 4 | |
| HOFU0016 | No | 00040 | WIND DIRECTION, AZIMUTH | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0046 | No | 00040 | WIND DIRECTION, AZIMUTH | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0002 | No | 00041 | WEATHER (WMO CODE 4501) | 10/20/83-10/28/96 | 13 | 11 | |
| HOFU0009 | No | 00041 | WEATHER (WMO CODE 4501) | 10/20/83-10/27/94 | 11 | 11 | |
| HOFU0025 | No | 00041 | WEATHER (WMO CODE 4501) | 10/18/83-10/27/94 | 11 | 10 | |
| HOFU0029 | No | 00041 | WEATHER (WMO CODE 4501) | 10/18/83-10/27/94 | 11 | 10 | |
| HOFU0073 | No | 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 13 | 1330 | |
| HOFU0002 | No | 00058 | FLOW, RATE GALLONS/MIN | 05/25/50-08/07/67 | 17 | 4 | |
| HOFU0001 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 11/29/72-08/08/78 | 5 | 31 | |
| HOFU0002 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 02/12/69-05/09/72 | 3 | 33 | |
| HOFU0005 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/26/95-05/26/95 | 0 | 1 | |
| HOFU0008 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0012 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0018 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0020 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0030 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0038 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0044 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0053 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0059 | Yes | 00060 | FLOW, STREAM, MEAN DAILY CFS | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0065 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0001 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 11 | 96 | |
| HOFU0002 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/10/69-10/28/96 | 26 | 28 | |
| HOFU0003 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0009 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/10/69-11/06/95 | 25 | 18 | |
| HOFU0011 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 11/14/69-10/29/82 | 12 | 6 | |
| HOFU0025 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/09/69-11/06/95 | 25 | 19 | |
| HOFU0028 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/09/69-11/06/95 | 25 | 17 | |
| HOFU0032 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 09/24/74-06/05/75 | 0 | 2 | |
| HOFU0037 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0042 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/09/69-10/26/82 | 12 | 8 | |
| HOFU0047 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 10/26/82-10/26/82 | 0 | 1 | |
| HOFU0056 | Yes | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0060 | No | 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0001 | No | 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 12 | 109 | |
| HOFU0002 | No | 00065 | STAGE, STREAM (FEET) | 05/27/71-10/28/96 | 25 | 6 | |
| HOFU0001 | No | 00070 | TURBIDITY, (JACKSON CANDLE UNITS) | 11/29/72-08/11/77 | 4 | 26 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0002 | No | 00070 | TURBIDITY, (JACKSON CANDLE UNITS) | 08/13/73-08/19/76 | 3 | 10 | |
| HOFU0074 | No | 00070 | TURBIDITY, (JACKSON CANDLE UNITS) | 04/21/77-04/21/77 | 0 | 1 | |
| HOFU0001 | No | 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/02/77-04/05/82 | 4 | 32 | |
| HOFU0002 | No | 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 10/20/83-10/14/92 | 8 | 10 | |
| HOFU0009 | No | 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 10/20/83-10/14/92 | 8 | 10 | |
| HOFU0025 | No | 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 10/18/83-10/09/91 | 7 | 8 | |
| HOFU0029 | No | 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 10/18/83-10/15/92 | 8 | 9 | |
| HOFU0043 | Yes | 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0054 | Yes | 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0057 | Yes | 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0061 | Yes | 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0074 | No | 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 03/27/78-03/27/78 | 0 | 1 | |
| HOFU0062 | No | 00078 | TRANSPARENCY, SECCHI DISC (METERS) | 07/24/91-08/06/96 | 5 | 4 | |
| HOFU0002 | No | 00080 | COLOR (PLATINUM-COBALT UNITS) | 05/25/50-05/09/72 | 21 | 31 | |
| HOFU0018 | No | 00080 | COLOR (PLATINUM-COBALT UNITS) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0063 | No | 00080 | COLOR (PLATINUM-COBALT UNITS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00080 | COLOR (PLATINUM-COBALT UNITS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00080 | COLOR (PLATINUM-COBALT UNITS) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0074 | No | 00080 | COLOR (PLATINUM-COBALT UNITS) | 04/21/77-03/27/78 | 0 | 2 | |
| HOFU0017 | No | 00081 | COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0026 | No | 00081 | COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0040 | No | 00081 | COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0049 | No | 00081 | COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0001 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 04/23/73-12/10/87 | 14 | 50 | T |
| HOFU0003 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0004 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0005 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0012 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0016 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0020 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0028 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0030 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0039 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0041 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0044 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0046 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0053 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 09/05/95-08/06/96 | 0 | 27 | |
| HOFU0064 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0001 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 15 | 126 | T,A |
| HOFU0002 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 05/25/50-10/28/96 | 46 | 69 | T,S |
| HOFU0006 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0009 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/10/69-11/06/95 | 25 | 29 | S |
| HOFU0010 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0011 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/14/69-10/29/82 | 12 | 12 | |
| HOFU0015 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0017 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0018 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0019 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/09/69-11/06/95 | 25 | 26 | S |
| HOFU0026 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0027 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/09/69-11/06/95 | 25 | 23 | |
| HOFU0040 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0042 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/09/69-10/26/82 | 12 | 14 | |
| HOFU0043 | Yes | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0047 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM 25C) | 05/10/71-10/26/82 | 11 | 13 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0049 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0051 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0054 | Yes | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0055 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0057 | Yes | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0061 | Yes | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0062 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 07/24/91-07/24/91 | 0 | 2 | |
| HOFU0063 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0078 | No | 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 07/06/77-07/06/77 | 0 | 1 | |
| HOFU0074 | No | 00115 | SAMPLE TREATMENT CODE (1=RAW,2=TREATED) | 04/21/77-04/21/77 | 0 | 1 | |
| HOFU0062 | No | 00205 | DEPTH, MAXIMUM, OF LAKE OR RESERVOIR (METERS) | 07/24/91-08/06/96 | 5 | 4 | |
| HOFU0003 | No | 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0007 | No | 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0028 | No | 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0037 | No | 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0056 | Yes | 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0060 | No | 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0064 | No | 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0001 | No | 00300 | OXYGEN, DISSOLVED MG/L | 11/29/72-12/10/87 | 15 | 61 | T |
| HOFU0002 | No | 00300 | OXYGEN, DISSOLVED MG/L | 08/13/73-10/28/96 | 23 | 19 | S |
| HOFU0004 | No | 00300 | OXYGEN, DISSOLVED MG/L | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0005 | No | 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0008 | No | 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 00300 | OXYGEN, DISSOLVED MG/L | 10/25/74-11/06/95 | 21 | 22 | |
| HOFU0011 | No | 00300 | OXYGEN, DISSOLVED MG/L | 10/24/74-10/29/82 | 8 | 6 | |
| HOFU0012 | No | 00300 | OXYGEN, DISSOLVED MG/L | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0013 | No | 00300 | OXYGEN, DISSOLVED MG/L | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0016 | No | 00300 | OXYGEN, DISSOLVED MG/L | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0017 | No | 00300 | OXYGEN, DISSOLVED MG/L | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0020 | No | 00300 | OXYGEN, DISSOLVED MG/L | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00300 | OXYGEN, DISSOLVED MG/L | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00300 | OXYGEN, DISSOLVED MG/L | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00300 | OXYGEN, DISSOLVED MG/L | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00300 | OXYGEN, DISSOLVED MG/L | 10/24/74-11/06/95 | 21 | 19 | |
| HOFU0026 | No | 00300 | OXYGEN, DISSOLVED MG/L | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0029 | No | 00300 | OXYGEN, DISSOLVED MG/L | 10/25/74-11/06/95 | 21 | 18 | |
| HOFU0030 | No | 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0038 | No | 00300 | OXYGEN, DISSOLVED MG/L | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0039 | No | 00300 | OXYGEN, DISSOLVED MG/L | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0040 | No | 00300 | OXYGEN, DISSOLVED MG/L | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0041 | No | 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00300 | OXYGEN, DISSOLVED MG/L | 10/24/74-10/26/82 | 8 | 6 | |
| HOFU0044 | No | 00300 | OXYGEN, DISSOLVED MG/L | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0046 | No | 00300 | OXYGEN, DISSOLVED MG/L | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0047 | No | 00300 | OXYGEN, DISSOLVED MG/L | 05/10/71-10/26/82 | 11 | 9 | |
| HOFU0049 | No | 00300 | OXYGEN, DISSOLVED MG/L | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0052 | No | 00300 | OXYGEN, DISSOLVED MG/L | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0053 | No | 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0059 | Yes | 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0062 | No | 00300 | OXYGEN, DISSOLVED MG/L | 07/24/91-08/06/96 | 5 | 34 | |
| HOFU0065 | No | 00300 | OXYGEN, DISSOLVED MG/L | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0070 | No | 00300 | OXYGEN, DISSOLVED MG/L | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0071 | No | 00300 | OXYGEN, DISSOLVED MG/L | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0004 | No | 00301 | OXYGEN, DISSOLVED, PERCENT OF SATURATION % | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0016 | No | 00301 | OXYGEN, DISSOLVED, PERCENT OF SATURATION % | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0039 | No | 00301 | OXYGEN, DISSOLVED, PERCENT OF SATURATION % | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0046 | No | 00301 | OXYGEN, DISSOLVED, PERCENT OF SATURATION % | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0001 | No | 00310 | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 7 | 70 | A |
| HOFU0003 | No | 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0007 | No | 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0017 | No | 00310 | BOD, 5 DAY, 20 DEG C MG/L | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0026 | No | 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0028 | No | 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0037 | No | 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0040 | No | 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0049 | No | 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0056 | Yes | 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0060 | No | 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0064 | No | 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0001 | No | 00312 | BOD, 6 DAY, 20 DEG C MG/L | 12/26/85-12/26/85 | 0 | 1 | |
| HOFU0001 | No | 00340 | COD, .25N K2CR2O7 MG/L | 04/02/75-01/29/81 | 5 | 9 | |
| HOFU0002 | No | 00340 | COD, .25N K2CR2O7 MG/L | 12/10/69-10/15/75 | 5 | 8 | |
| HOFU0009 | No | 00340 | COD, .25N K2CR2O7 MG/L | 12/10/69-10/30/72 | 2 | 4 | |
| HOFU0011 | No | 00340 | COD, .25N K2CR2O7 MG/L | 11/14/69-10/03/73 | 3 | 6 | |
| HOFU0025 | No | 00340 | COD, .25N K2CR2O7 MG/L | 12/09/69-10/04/73 | 3 | 6 | |
| HOFU0029 | No | 00340 | COD, .25N K2CR2O7 MG/L | 12/09/69-10/03/73 | 3 | 4 | |
| HOFU0042 | No | 00340 | COD, .25N K2CR2O7 MG/L | 12/09/69-10/03/73 | 3 | 7 | |
| HOFU0047 | No | 00340 | COD, .25N K2CR2O7 MG/L | 05/10/71-10/03/73 | 2 | 4 | |
| HOFU0001 | No | 00400 | PH (STANDARD UNITS) | 11/29/72-12/10/87 | 15 | 63 | T |
| HOFU0002 | No | 00400 | PH (STANDARD UNITS) | 05/25/50-10/28/96 | 46 | 62 | T,S |
| HOFU0006 | No | 00400 | PH (STANDARD UNITS) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0009 | No | 00400 | PH (STANDARD UNITS) | 12/10/69-11/06/95 | 25 | 28 | S |
| HOFU0011 | No | 00400 | PH (STANDARD UNITS) | 11/14/69-10/29/82 | 12 | 12 | |
| HOFU0015 | No | 00400 | PH (STANDARD UNITS) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0017 | No | 00400 | PH (STANDARD UNITS) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0018 | No | 00400 | PH (STANDARD UNITS) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0019 | No | 00400 | PH (STANDARD UNITS) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 00400 | PH (STANDARD UNITS) | 12/09/69-11/06/95 | 25 | 26 | S |
| HOFU0026 | No | 00400 | PH (STANDARD UNITS) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0027 | No | 00400 | PH (STANDARD UNITS) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00400 | PH (STANDARD UNITS) | 12/09/69-11/06/95 | 25 | 23 | |
| HOFU0040 | No | 00400 | PH (STANDARD UNITS) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0042 | No | 00400 | PH (STANDARD UNITS) | 12/09/69-10/26/82 | 12 | 14 | |
| HOFU0043 | Yes | 00400 | PH (STANDARD UNITS) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 00400 | PH (STANDARD UNITS) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0047 | No | 00400 | PH (STANDARD UNITS) | 05/10/71-10/26/82 | 11 | 13 | |
| HOFU0049 | No | 00400 | PH (STANDARD UNITS) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0054 | Yes | 00400 | PH (STANDARD UNITS) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0055 | No | 00400 | PH (STANDARD UNITS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0057 | Yes | 00400 | PH (STANDARD UNITS) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 00400 | PH (STANDARD UNITS) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0061 | Yes | 00400 | PH (STANDARD UNITS) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0062 | No | 00400 | PH (STANDARD UNITS) | 09/05/95-08/06/96 | 0 | 27 | |
| HOFU0063 | No | 00400 | PH (STANDARD UNITS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00400 | PH (STANDARD UNITS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 00400 | PH (STANDARD UNITS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 00400 | PH (STANDARD UNITS) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0078 | No | 00400 | PH (STANDARD UNITS) | 07/06/77-07/06/77 | 0 | 1 | |
| HOFU0001 | No | 00403 | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 15 | 126 | T,A |
| HOFU0002 | No | 00403 | PH, LAB, STANDARD UNITS SU | 11/06/80-10/14/92 | 11 | 13 | |
| HOFU0005 | No | 00403 | PH, LAB, STANDARD UNITS SU | 05/26/95-05/26/95 | 0 | 1 | |
| HOFU0008 | No | 00403 | PH, LAB, STANDARD UNITS SU | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0009 | No | 00403 | PH, LAB, STANDARD UNITS SU | 11/06/80-10/14/92 | 11 | 13 | |
| HOFU0011 | No | 00403 | PH, LAB, STANDARD UNITS SU | 10/21/81-10/29/82 | 1 | 2 | |
| HOFU0012 | No | 00403 | PH, LAB, STANDARD UNITS SU | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 00403 | PH, LAB, STANDARD UNITS SU | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0016 | No | 00403 | PH, LAB, STANDARD UNITS SU | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0020 | No | 00403 | PH, LAB, STANDARD UNITS SU | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00403 | PH, LAB, STANDARD UNITS SU | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00403 | PH, LAB, STANDARD UNITS SU | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00403 | PH, LAB, STANDARD UNITS SU | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00403 | PH, LAB, STANDARD UNITS SU | 11/06/80-10/09/91 | 10 | 11 | |
| HOFU0029 | No | 00403 | PH, LAB, STANDARD UNITS SU | 10/21/81-10/15/92 | 10 | 11 | |
| HOFU0030 | No | 00403 | PH, LAB, STANDARD UNITS SU | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0038 | No | 00403 | PH, LAB, STANDARD UNITS SU | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00403 | PH, LAB, STANDARD UNITS SU | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0042 | No | 00403 | PH, LAB, STANDARD UNITS SU | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0044 | No | 00403 | PH, LAB, STANDARD UNITS SU | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0046 | No | 00403 | PH, LAB, STANDARD UNITS SU | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0047 | No | 00403 | PH, LAB, STANDARD UNITS SU | 11/07/80-10/26/82 | 1 | 3 | |
| HOFU0053 | No | 00403 | PH, LAB, STANDARD UNITS SU | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0059 | Yes | 00403 | PH, LAB, STANDARD UNITS SU | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0062 | No | 00403 | PH, LAB, STANDARD UNITS SU | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0065 | No | 00403 | PH, LAB, STANDARD UNITS SU | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00403 | PH, LAB, STANDARD UNITS SU | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0074 | No | 00403 | PH, LAB, STANDARD UNITS SU | 04/21/77-03/27/78 | 0 | 2 | |
| HOFU0077 | No | 00403 | PH, LAB, STANDARD UNITS SU | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 00405 | CARBON DIOXIDE (MG/L AS CO2) | 05/25/50-10/25/74 | 24 | 6 | |
| HOFU0009 | No | 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/04/73-11/01/78 | 5 | 6 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0011 | No | 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/03/73-10/31/78 | 5 | 5 | |
| HOFU0025 | No | 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/04/73-11/01/78 | 5 | 4 | |
| HOFU0027 | No | 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/03/73-10/21/77 | 4 | 4 | |
| HOFU0042 | No | 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/03/73-11/01/78 | 5 | 5 | |
| HOFU0047 | No | 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/03/73-11/01/78 | 5 | 6 | |
| HOFU0063 | No | 00405 | CARBON DIOXIDE (MG/L AS CO2) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00405 | CARBON DIOXIDE (MG/L AS CO2) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00405 | CARBON DIOXIDE (MG/L AS CO2) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0003 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0004 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0005 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0007 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0012 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0016 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0020 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0028 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0030 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0039 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0041 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0044 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0046 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0053 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0064 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0001 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 15 | 126 | T,A |
| HOFU0002 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/25/50-10/27/95 | 45 | 59 | T,S |
| HOFU0003 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0006 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0007 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/04/73-10/15/91 | 18 | 17 | |
| HOFU0011 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/03/73-10/29/82 | 9 | 6 | |
| HOFU0012 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0015 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0017 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0018 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0019 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0020 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/04/73-10/09/91 | 18 | 14 | |
| HOFU0026 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0027 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0028 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/03/73-10/09/91 | 18 | 14 | |
| HOFU0030 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0040 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0041 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0044 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/03/73-10/26/82 | 9 | 8 | |
| HOFU0049 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0053 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0062 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/24/91-08/06/96 | 5 | 8 | |
| HOFU0063 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0074 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 04/21/77-03/27/78 | 0 | 2 | |
| HOFU0077 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0078 | No | 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/06/77-07/06/77 | 0 | 1 | |
| HOFU0002 | No | 00419 | ALKALINITY,CARBONATE,INCREMENTAL TITR FIELD MG/L | 10/14/92-10/28/96 | 4 | 4 | |
| HOFU0009 | No | 00419 | ALKALINITY,CARBONATE,INCREMENTAL TITR FIELD MG/L | 10/14/92-11/06/95 | 3 | 4 | |
| HOFU0025 | No | 00419 | ALKALINITY,CARBONATE,INCREMENTAL TITR FIELD MG/L | 10/15/92-11/06/95 | 3 | 4 | |
| HOFU0029 | No | 00419 | ALKALINITY,CARBONATE,INCREMENTAL TITR FIELD MG/L | 10/15/92-11/06/95 | 3 | 4 | |
| HOFU0063 | No | 00430 | ALKALINITY, CARBONATE (MG/L AS CACO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00430 | ALKALINITY, CARBONATE (MG/L AS CACO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0005 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/26/95-05/26/95 | 0 | 1 | |
| HOFU0008 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0012 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0020 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0030 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0038 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0044 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0053 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0059 | Yes | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0065 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0001 | No | 00436 | ACIDITY, MINERAL (METHYL ORANGE) (MG/L AS CACO3) | 11/29/72-02/15/77 | 4 | 22 | |
| HOFU0002 | No | 00436 | ACIDITY, MINERAL (METHYL ORANGE) (MG/L AS CACO3) | 08/13/73-08/19/76 | 3 | 9 | |
| HOFU0001 | No | 00437 | ACIDITY, CO2 (PHENOLPHTHALEIN) (MG/L AS CACO3) | 11/29/72-08/11/77 | 4 | 26 | |
| HOFU0002 | No | 00437 | ACIDITY, CO2 (PHENOLPHTHALEIN) (MG/L AS CACO3) | 08/13/73-08/19/76 | 3 | 10 | |
| HOFU0002 | No | 00440 | BICARBONATE ION (MG/L AS HCO3) | 05/25/50-10/25/74 | 24 | 36 | T,S |
| HOFU0009 | No | 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/04/73-11/01/78 | 5 | 6 | |
| HOFU0011 | No | 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/03/73-10/31/78 | 5 | 5 | |
| HOFU0018 | No | 00440 | BICARBONATE ION (MG/L AS HCO3) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0025 | No | 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/04/73-11/01/78 | 5 | 4 | |
| HOFU0027 | No | 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/03/73-10/21/77 | 4 | 4 | |
| HOFU0042 | No | 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/03/73-11/01/78 | 5 | 5 | |
| HOFU0047 | No | 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/03/73-11/01/78 | 5 | 6 | |
| HOFU0063 | No | 00440 | BICARBONATE ION (MG/L AS HCO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00440 | BICARBONATE ION (MG/L AS HCO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00440 | BICARBONATE ION (MG/L AS HCO3) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 00445 | CARBONATE ION (MG/L AS CO3) | 05/25/50-10/25/74 | 24 | 25 | S |
| HOFU0009 | No | 00445 | CARBONATE ION (MG/L AS CO3) | 10/04/73-11/01/78 | 5 | 6 | |
| HOFU0011 | No | 00445 | CARBONATE ION (MG/L AS CO3) | 10/03/73-10/31/78 | 5 | 5 | |
| HOFU0018 | No | 00445 | CARBONATE ION (MG/L AS CO3) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0025 | No | 00445 | CARBONATE ION (MG/L AS CO3) | 10/04/73-11/01/78 | 5 | 4 | |
| HOFU0027 | No | 00445 | CARBONATE ION (MG/L AS CO3) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00445 | CARBONATE ION (MG/L AS CO3) | 10/03/73-10/21/77 | 4 | 4 | |
| HOFU0042 | No | 00445 | CARBONATE ION (MG/L AS CO3) | 10/03/73-11/01/78 | 5 | 5 | |
| HOFU0047 | No | 00445 | CARBONATE ION (MG/L AS CO3) | 10/03/73-11/01/78 | 5 | 6 | |
| HOFU0063 | No | 00445 | CARBONATE ION (MG/L AS CO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00445 | CARBONATE ION (MG/L AS CO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0001 | No | 00500 | RESIDUE, TOTAL (MG/L) | 05/17/76-05/30/78 | 2 | 7 | |
| HOFU0002 | No | 00500 | RESIDUE, TOTAL (MG/L) | 05/17/76-07/29/76 | 0 | 2 | |
| HOFU0003 | No | 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0007 | No | 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0017 | No | 00500 | RESIDUE, TOTAL (MG/L) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0026 | No | 00500 | RESIDUE, TOTAL (MG/L) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0028 | No | 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0037 | No | 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0040 | No | 00500 | RESIDUE, TOTAL (MG/L) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0049 | No | 00500 | RESIDUE, TOTAL (MG/L) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0056 | Yes | 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0060 | No | 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0064 | No | 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0074 | No | 00500 | RESIDUE, TOTAL (MG/L) | 04/21/77-04/21/77 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0017 | No | 00505 | RESIDUE, TOTAL VOLATILE (MG/L) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0026 | No | 00505 | RESIDUE, TOTAL VOLATILE (MG/L) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0040 | No | 00505 | RESIDUE, TOTAL VOLATILE (MG/L) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0049 | No | 00505 | RESIDUE, TOTAL VOLATILE (MG/L) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0001 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 12 | 114 | T,A |
| HOFU0002 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 12/10/69-08/19/76 | 6 | 14 | |
| HOFU0003 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0007 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0009 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 12/10/69-10/30/72 | 2 | 5 | |
| HOFU0011 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 11/14/69-10/03/73 | 3 | 6 | |
| HOFU0014 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0025 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 12/09/69-10/30/72 | 2 | 6 | |
| HOFU0028 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 12/09/69-10/30/72 | 2 | 4 | |
| HOFU0037 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0042 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 12/09/69-10/30/72 | 2 | 7 | |
| HOFU0047 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 05/10/71-10/24/72 | 1 | 3 | |
| HOFU0056 | Yes | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0060 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0064 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0077 | No | 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0001 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 01/22/76-12/10/79 | 3 | 20 | |
| HOFU0002 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 01/22/76-08/19/76 | 0 | 7 | |
| HOFU0003 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0012 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0020 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0028 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0030 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0044 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0053 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 09/05/95-09/05/95 | 0 | 2 | |
| HOFU0064 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0001 | No | 00545 | RESIDUE, SETTLEABLE (ML/L) | 02/15/77-02/15/77 | 0 | 1 | |
| HOFU0003 | No | 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0007 | No | 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0017 | No | 00545 | RESIDUE, SETTLEABLE (ML/L) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0026 | No | 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0028 | No | 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0037 | No | 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0040 | No | 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0049 | No | 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0056 | Yes | 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0060 | No | 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0064 | No | 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0002 | No | 00550 | OIL & GREASE (SOXHLET EXTRACTION) TOTAL,REC.,MG/L | 12/06/72-12/06/72 | 0 | 3 | |
| HOFU0002 | No | 00600 | NITROGEN, TOTAL (MG/L AS N) | 11/09/79-10/21/81 | 1 | 3 | |
| HOFU0009 | No | 00600 | NITROGEN, TOTAL (MG/L AS N) | 10/27/76-10/21/81 | 4 | 6 | |
| HOFU0011 | No | 00600 | NITROGEN, TOTAL (MG/L AS N) | 10/26/76-10/21/81 | 4 | 3 | |
| HOFU0025 | No | 00600 | NITROGEN, TOTAL (MG/L AS N) | 11/01/78-10/21/81 | 2 | 3 | |
| HOFU0029 | No | 00600 | NITROGEN, TOTAL (MG/L AS N) | 10/03/73-10/21/81 | 8 | 4 | |
| HOFU0042 | No | 00600 | NITROGEN, TOTAL (MG/L AS N) | 10/27/76-10/22/81 | 4 | 3 | |
| HOFU0047 | No | 00600 | NITROGEN, TOTAL (MG/L AS N) | 10/27/76-10/22/81 | 4 | 6 | |
| HOFU0062 | No | 00600 | NITROGEN, TOTAL (MG/L AS N) | 09/05/95-08/06/96 | 0 | 6 | |
| HOFU0063 | No | 00600 | NITROGEN, TOTAL (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00600 | NITROGEN, TOTAL (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00600 | NITROGEN, TOTAL (MG/L AS N) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/10/85 | 3 | 4 | |
| HOFU0009 | No | 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/11/85 | 3 | 4 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0011 | No | 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/29/82 | 1 | 2 | |
| HOFU0025 | No | 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/10/85 | 3 | 4 | |
| HOFU0029 | No | 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/18/83 | 1 | 3 | |
| HOFU0042 | No | 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0047 | No | 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0002 | No | 00603 | NITROGEN TOTAL, BOTTOM DEPOSITS (MG/KG-N DRY WGT) | 12/28/78-12/28/78 | 0 | 1 | |
| HOFU0051 | No | 00603 | NITROGEN TOTAL, BOTTOM DEPOSITS (MG/KG-N DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 00603 | NITROGEN TOTAL, BOTTOM DEPOSITS (MG/KG-N DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0068 | No | 00603 | NITROGEN TOTAL, BOTTOM DEPOSITS (MG/KG-N DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 10/05/70-10/21/81 | 11 | 8 | |
| HOFU0009 | No | 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 05/10/71-10/21/81 | 10 | 12 | |
| HOFU0011 | No | 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 05/04/71-10/21/81 | 10 | 9 | |
| HOFU0025 | No | 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 10/04/71-10/21/81 | 10 | 9 | |
| HOFU0029 | No | 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 10/04/71-10/21/81 | 10 | 8 | |
| HOFU0042 | No | 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 10/05/70-10/22/81 | 11 | 10 | |
| HOFU0047 | No | 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 05/10/71-10/22/81 | 10 | 12 | |
| HOFU0063 | No | 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/21/81-11/02/82 | 1 | 2 | |
| HOFU0009 | No | 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/21/81-11/02/82 | 1 | 2 | |
| HOFU0011 | No | 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/21/81-10/21/81 | 0 | 1 | |
| HOFU0025 | No | 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/21/81-11/04/82 | 1 | 2 | |
| HOFU0029 | No | 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/21/81-10/21/81 | 0 | 1 | |
| HOFU0042 | No | 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0047 | No | 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0002 | No | 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/21/81-10/28/96 | 15 | 15 | |
| HOFU0009 | No | 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/21/81-11/06/95 | 14 | 15 | |
| HOFU0011 | No | 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/21/81-10/29/82 | 1 | 2 | |
| HOFU0016 | No | 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0025 | No | 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/21/81-11/06/95 | 14 | 14 | |
| HOFU0029 | No | 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/21/81-11/06/95 | 14 | 14 | |
| HOFU0042 | No | 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0046 | No | 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0047 | No | 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0063 | No | 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0001 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 15 | 126 | T,A |
| HOFU0002 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 10/05/70-10/21/81 | 11 | 19 | |
| HOFU0003 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/10/71-10/21/81 | 10 | 12 | |
| HOFU0011 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/04/71-10/21/81 | 10 | 9 | |
| HOFU0012 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0013 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0014 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0020 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 10/04/71-10/21/81 | 10 | 9 | |
| HOFU0028 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 10/04/71-10/21/81 | 10 | 8 | |
| HOFU0030 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/10/71-10/22/81 | 10 | 9 | |
| HOFU0044 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/10/71-10/22/81 | 10 | 12 | |
| HOFU0052 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0053 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/24/91-08/06/96 | 5 | 8 | |
| HOFU0064 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0070 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 06/07/72-06/07/72 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0071 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0074 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 04/21/77-03/27/78 | 0 | 2 | |
| HOFU0077 | No | 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/28/96 | 15 | 15 | |
| HOFU0009 | No | 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-11/06/95 | 14 | 15 | |
| HOFU0011 | No | 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/29/82 | 1 | 2 | |
| HOFU0025 | No | 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-11/06/95 | 14 | 14 | |
| HOFU0029 | No | 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-11/06/95 | 14 | 14 | |
| HOFU0042 | No | 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0047 | No | 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0063 | No | 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0001 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 15 | 126 | T,A |
| HOFU0002 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/05/70-10/21/81 | 11 | 17 | |
| HOFU0003 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/10/71-10/21/81 | 10 | 9 | |
| HOFU0011 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/04/71-10/21/81 | 10 | 7 | |
| HOFU0012 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0016 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0020 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/04/71-10/21/81 | 10 | 6 | |
| HOFU0027 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0028 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/04/71-10/21/81 | 10 | 5 | |
| HOFU0030 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/05/70-10/22/81 | 11 | 8 | |
| HOFU0044 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0046 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0047 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/10/71-10/22/81 | 10 | 9 | |
| HOFU0053 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/24/91-07/24/91 | 0 | 2 | |
| HOFU0064 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0071 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0074 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 04/21/77-03/27/78 | 0 | 2 | |
| HOFU0077 | No | 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 06/29/56-10/20/83 | 27 | 6 | |
| HOFU0009 | No | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/02/82-10/20/83 | 0 | 2 | |
| HOFU0017 | No | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0025 | No | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 10/18/83-10/18/83 | 0 | 1 | |
| HOFU0026 | No | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0029 | No | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/04/82-11/04/82 | 0 | 1 | |
| HOFU0040 | No | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0043 | Yes | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0049 | No | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0054 | Yes | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0057 | Yes | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0061 | Yes | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0063 | No | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0001 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 15 | 126 | T,A |
| HOFU0002 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/25/50-10/21/81 | 31 | 24 | S |
| HOFU0003 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 3 | 2 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0009 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 12/10/69-11/06/80 | 10 | 12 | |
| HOFU0011 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/14/69-10/31/78 | 8 | 10 | |
| HOFU0012 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0016 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0020 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 12/09/69-10/21/81 | 11 | 11 | |
| HOFU0027 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0028 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 12/09/69-10/21/77 | 7 | 8 | |
| HOFU0030 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 12/09/69-11/01/78 | 8 | 11 | |
| HOFU0044 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0046 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0047 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/10/71-11/07/80 | 9 | 10 | |
| HOFU0053 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/24/91-07/24/91 | 0 | 2 | |
| HOFU0064 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0071 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0074 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 04/21/77-03/27/78 | 0 | 2 | |
| HOFU0077 | No | 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/14/92 | 10 | 12 | |
| HOFU0009 | No | 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/14/92 | 10 | 12 | |
| HOFU0011 | No | 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/29/82 | 1 | 2 | |
| HOFU0025 | No | 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/15/92 | 10 | 11 | |
| HOFU0029 | No | 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/15/92 | 10 | 11 | |
| HOFU0042 | No | 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0047 | No | 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0002 | No | 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/21/81-10/10/85 | 3 | 2 | |
| HOFU0009 | No | 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/21/81-10/11/85 | 3 | 2 | |
| HOFU0011 | No | 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/21/81-10/21/81 | 0 | 1 | |
| HOFU0025 | No | 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/21/81-10/10/85 | 3 | 2 | |
| HOFU0029 | No | 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/21/81-10/21/81 | 0 | 1 | |
| HOFU0042 | No | 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/22/81-10/22/81 | 0 | 1 | |
| HOFU0047 | No | 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/22/81-10/22/81 | 0 | 1 | |
| HOFU0002 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/04/73-10/14/92 | 19 | 13 | |
| HOFU0003 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/04/73-10/14/92 | 19 | 17 | |
| HOFU0011 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/03/73-10/21/81 | 8 | 6 | |
| HOFU0012 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0013 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0016 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0020 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/04/73-10/15/92 | 19 | 14 | |
| HOFU0028 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/03/73-10/15/92 | 19 | 13 | |
| HOFU0030 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/03/73-10/22/81 | 8 | 6 | |
| HOFU0044 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0046 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0047 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/03/73-10/22/81 | 8 | 9 | |
| HOFU0052 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 06/07/72-06/07/72 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0053 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/24/91-07/24/91 | 0 | 2 | |
| HOFU0063 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0070 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0071 | No | 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/04/73-10/21/81 | 8 | 4 | |
| HOFU0009 | No | 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/04/73-10/21/81 | 8 | 7 | |
| HOFU0011 | No | 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/03/73-10/21/81 | 8 | 4 | |
| HOFU0013 | No | 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0025 | No | 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/04/73-10/21/81 | 8 | 4 | |
| HOFU0027 | No | 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/03/73-10/21/81 | 8 | 4 | |
| HOFU0042 | No | 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/03/73-10/22/81 | 8 | 4 | |
| HOFU0047 | No | 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/03/73-10/22/81 | 8 | 7 | |
| HOFU0052 | No | 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0070 | No | 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0071 | No | 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 11/09/79-10/28/96 | 16 | 16 | |
| HOFU0009 | No | 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 11/09/79-11/06/95 | 15 | 16 | |
| HOFU0011 | No | 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 10/21/81-10/29/82 | 1 | 2 | |
| HOFU0019 | No | 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 11/09/79-11/06/95 | 15 | 15 | |
| HOFU0029 | No | 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 11/09/79-11/06/95 | 15 | 15 | |
| HOFU0042 | No | 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0047 | No | 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 11/08/79-10/26/82 | 2 | 3 | |
| HOFU0063 | No | 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0002 | No | 00650 | PHOSPHATE, TOTAL (MG/L AS PO4) | 11/06/80-11/06/80 | 0 | 1 | |
| HOFU0009 | No | 00650 | PHOSPHATE, TOTAL (MG/L AS PO4) | 11/06/80-11/06/80 | 0 | 1 | |
| HOFU0025 | No | 00650 | PHOSPHATE, TOTAL (MG/L AS PO4) | 11/06/80-11/06/80 | 0 | 1 | |
| HOFU0047 | No | 00650 | PHOSPHATE, TOTAL (MG/L AS PO4) | 11/07/80-11/07/80 | 0 | 1 | |
| HOFU0002 | No | 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 02/12/69-09/24/71 | 2 | 13 | |
| HOFU0011 | No | 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 10/21/81-10/29/82 | 1 | 2 | |
| HOFU0013 | No | 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0029 | No | 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 11/04/82-11/04/82 | 0 | 1 | |
| HOFU0042 | No | 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 10/26/82-10/26/82 | 0 | 1 | |
| HOFU0047 | No | 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0052 | No | 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0063 | No | 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0070 | No | 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0001 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 15 | 126 | T,A |
| HOFU0002 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 10/05/70-10/14/92 | 22 | 29 | S |
| HOFU0003 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/10/71-10/14/92 | 21 | 22 | |
| HOFU0011 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/04/71-10/21/81 | 10 | 9 | |
| HOFU0012 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0016 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0020 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 10/05/70-10/15/92 | 22 | 19 | S |
| HOFU0028 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 10/04/71-10/15/92 | 21 | 17 | |
| HOFU0030 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 10/05/70-10/22/81 | 11 | 10 | |
| HOFU0044 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 04/28/95-04/28/95 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0046 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0047 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/10/71-10/22/81 | 10 | 12 | |
| HOFU0053 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/24/91-08/06/96 | 5 | 8 | |
| HOFU0063 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0077 | No | 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/14/92 | 10 | 12 | |
| HOFU0009 | No | 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/14/92 | 10 | 12 | |
| HOFU0011 | No | 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/29/82 | 1 | 2 | |
| HOFU0016 | No | 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0025 | No | 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/15/92 | 10 | 11 | |
| HOFU0029 | No | 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/15/92 | 10 | 11 | |
| HOFU0042 | No | 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0046 | No | 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0047 | No | 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0062 | No | 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0002 | No | 00668 | PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT) | 12/28/78-12/28/78 | 0 | 1 | |
| HOFU0051 | No | 00668 | PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 00668 | PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0068 | No | 00668 | PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/21/81-10/28/96 | 15 | 15 | |
| HOFU0009 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/21/81-11/06/95 | 14 | 15 | |
| HOFU0011 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/21/81-10/29/82 | 1 | 2 | |
| HOFU0016 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0017 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0025 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/21/81-11/06/95 | 14 | 14 | |
| HOFU0026 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0029 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/21/81-11/06/95 | 14 | 14 | |
| HOFU0040 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0042 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0046 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0047 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0049 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0062 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 09/05/95-09/05/95 | 0 | 2 | |
| HOFU0063 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0001 | No | 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 07/23/73-10/15/75 | 2 | 2 | |
| HOFU0002 | No | 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 10/15/75-10/15/75 | 0 | 1 | |
| HOFU0013 | No | 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0014 | No | 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0052 | No | 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0062 | No | 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0063 | No | 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0070 | No | 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0071 | No | 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0077 | No | 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0063 | No | 00685 | CARBON, TOTAL INORGANIC (MG/L AS C) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00685 | CARBON, TOTAL INORGANIC (MG/L AS C) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0002 | No | 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 12/28/78-12/28/78 | 0 | 1 | |
| HOFU0019 | No | 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0035 | No | 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0068 | No | 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0019 | No | 00687 | CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0035 | No | 00687 | CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0055 | No | 00687 | CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0071 | No | 00687 | CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 00687 | CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0052 | No | 00690 | CARBON, TOTAL (MG/L AS C) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0070 | No | 00690 | CARBON, TOTAL (MG/L AS C) | 06/07/72-06/07/72 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0002 | No | 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 12/28/78-10/28/94 | 15 | 2 | |
| HOFU0019 | No | 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0035 | No | 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0068 | No | 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 00720 | CYANIDE, TOTAL (MG/L AS CN) MG/L | 03/21/86-03/21/86 | 0 | 1 | |
| HOFU0023 | No | 00721 | CYANIDE IN BOTTOM DEPOSITS (MG/KG AS CN DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0001 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 15 | 125 | T,A |
| HOFU0002 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/25/50-11/02/82 | 32 | 49 | T,S |
| HOFU0003 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/04/73-11/02/82 | 9 | 9 | |
| HOFU0011 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0012 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0017 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0018 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0019 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0020 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/04/73-11/04/82 | 9 | 7 | |
| HOFU0026 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0027 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0028 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/03/73-11/04/82 | 9 | 6 | |
| HOFU0030 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0040 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0041 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0044 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0049 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0053 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0063 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0074 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 04/21/77-03/27/78 | 0 | 2 | |
| HOFU0077 | No | 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 05/25/50-10/25/74 | 24 | 36 | T,S |
| HOFU0009 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/04/73-11/01/78 | 5 | 6 | |
| HOFU0011 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/03/73-10/31/78 | 5 | 5 | |
| HOFU0018 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0019 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/04/73-11/01/78 | 5 | 4 | |
| HOFU0027 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/03/73-10/21/77 | 4 | 4 | |
| HOFU0042 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/03/73-10/27/76 | 3 | 4 | |
| HOFU0047 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/03/73-11/01/78 | 5 | 6 | |
| HOFU0063 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0001 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 11/29/72-08/11/77 | 4 | 26 | |
| HOFU0002 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 05/25/50-10/14/92 | 42 | 59 | T,S |
| HOFU0009 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/04/73-10/14/92 | 19 | 19 | |
| HOFU0011 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0017 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/15/69-04/15/70 | 0 | 3 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0018 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0019 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/04/73-10/09/91 | 18 | 15 | |
| HOFU0026 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0027 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/03/73-10/15/92 | 19 | 15 | |
| HOFU0040 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0042 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0047 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0049 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0063 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0001 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 10 | 98 | T,A |
| HOFU0002 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 12/10/69-10/30/72 | 2 | 6 | |
| HOFU0003 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 02/24/70-10/30/72 | 2 | 4 | |
| HOFU0011 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/04/71-10/09/72 | 1 | 3 | |
| HOFU0012 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0020 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 02/24/70-10/30/72 | 2 | 5 | |
| HOFU0028 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 10/04/71-10/30/72 | 1 | 2 | |
| HOFU0030 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/07/70-10/30/72 | 2 | 5 | |
| HOFU0044 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/10/71-10/24/72 | 1 | 3 | |
| HOFU0053 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0064 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0077 | No | 00916 | CALCIUM, TOTAL (MG/L AS CA) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0001 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 11/29/72-08/11/77 | 4 | 26 | |
| HOFU0002 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 05/25/50-10/14/92 | 42 | 59 | T,S |
| HOFU0009 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/04/73-10/14/92 | 19 | 19 | |
| HOFU0011 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0017 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0018 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0019 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/04/73-10/09/91 | 18 | 15 | |
| HOFU0026 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0027 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/03/73-10/15/92 | 19 | 15 | |
| HOFU0040 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0042 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0047 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0049 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0063 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0001 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 10 | 98 | T,A |
| HOFU0002 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 12/10/69-10/30/72 | 2 | 6 | |
| HOFU0003 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 02/24/70-10/30/72 | 2 | 4 | |
| HOFU0011 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/04/71-10/09/72 | 1 | 3 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0012 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0020 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 02/24/70-10/30/72 | 2 | 5 | |
| HOFU0028 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 10/04/71-10/30/72 | 1 | 2 | |
| HOFU0030 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/07/70-10/30/72 | 2 | 5 | |
| HOFU0044 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/10/71-10/24/72 | 1 | 3 | |
| HOFU0053 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0064 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0077 | No | 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 00929 | SODIUM, TOTAL (MG/L AS NA) | 12/10/69-10/30/72 | 2 | 6 | |
| HOFU0009 | No | 00929 | SODIUM, TOTAL (MG/L AS NA) | 02/24/70-10/30/72 | 2 | 4 | |
| HOFU0011 | No | 00929 | SODIUM, TOTAL (MG/L AS NA) | 05/04/71-10/09/72 | 1 | 3 | |
| HOFU0014 | No | 00929 | SODIUM, TOTAL (MG/L AS NA) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0025 | No | 00929 | SODIUM, TOTAL (MG/L AS NA) | 02/24/70-10/30/72 | 2 | 5 | |
| HOFU0029 | No | 00929 | SODIUM, TOTAL (MG/L AS NA) | 10/04/71-10/30/72 | 1 | 2 | |
| HOFU0042 | No | 00929 | SODIUM, TOTAL (MG/L AS NA) | 05/07/70-10/30/72 | 2 | 5 | |
| HOFU0047 | No | 00929 | SODIUM, TOTAL (MG/L AS NA) | 05/10/71-10/24/72 | 1 | 3 | |
| HOFU0074 | No | 00929 | SODIUM, TOTAL (MG/L AS NA) | 04/21/77-04/21/77 | 0 | 1 | |
| HOFU0077 | No | 00929 | SODIUM, TOTAL (MG/L AS NA) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 05/25/50-10/14/92 | 42 | 34 | T,S |
| HOFU0006 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0009 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/04/73-10/14/92 | 19 | 19 | |
| HOFU0010 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0011 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0015 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0019 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/04/73-10/09/91 | 18 | 15 | |
| HOFU0027 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/03/73-10/15/92 | 19 | 15 | |
| HOFU0042 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0047 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0063 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0078 | No | 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 07/06/77-07/06/77 | 0 | 1 | |
| HOFU0002 | No | 00931 | SODIUM ADSORPTION RATIO | 05/25/50-11/02/82 | 32 | 37 | T,S |
| HOFU0009 | No | 00931 | SODIUM ADSORPTION RATIO | 10/04/73-11/02/82 | 9 | 9 | |
| HOFU0011 | No | 00931 | SODIUM ADSORPTION RATIO | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0018 | No | 00931 | SODIUM ADSORPTION RATIO | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0019 | No | 00931 | SODIUM ADSORPTION RATIO | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 00931 | SODIUM ADSORPTION RATIO | 10/04/73-11/04/82 | 9 | 7 | |
| HOFU0027 | No | 00931 | SODIUM ADSORPTION RATIO | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00931 | SODIUM ADSORPTION RATIO | 10/03/73-11/04/82 | 9 | 6 | |
| HOFU0042 | No | 00931 | SODIUM ADSORPTION RATIO | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0047 | No | 00931 | SODIUM ADSORPTION RATIO | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0063 | No | 00931 | SODIUM ADSORPTION RATIO | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00931 | SODIUM ADSORPTION RATIO | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00931 | SODIUM ADSORPTION RATIO | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 00932 | SODIUM, PERCENT | 05/25/50-11/02/82 | 32 | 36 | T,S |
| HOFU0009 | No | 00932 | SODIUM, PERCENT | 10/04/73-11/02/82 | 9 | 9 | |
| HOFU0011 | No | 00932 | SODIUM, PERCENT | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0019 | No | 00932 | SODIUM, PERCENT | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 00932 | SODIUM, PERCENT | 10/04/73-11/04/82 | 9 | 7 | |
| HOFU0027 | No | 00932 | SODIUM, PERCENT | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00932 | SODIUM, PERCENT | 10/03/73-11/04/82 | 9 | 6 | |
| HOFU0042 | No | 00932 | SODIUM, PERCENT | 10/03/73-10/22/81 | 8 | 5 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0047 | No | 00932 | SODIUM, PERCENT | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0063 | No | 00932 | SODIUM, PERCENT | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00932 | SODIUM, PERCENT | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00932 | SODIUM, PERCENT | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 00933 | SODIUM,PLUS POTASSIUM (MG/L) | 03/01/56-05/09/72 | 16 | 17 | |
| HOFU0019 | No | 00933 | SODIUM,PLUS POTASSIUM (MG/L) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0002 | No | 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 05/25/50-10/14/92 | 42 | 34 | T,S |
| HOFU0009 | No | 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/04/73-10/14/92 | 19 | 19 | |
| HOFU0011 | No | 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0019 | No | 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/04/73-10/09/91 | 18 | 15 | |
| HOFU0027 | No | 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/03/73-10/15/92 | 19 | 15 | |
| HOFU0042 | No | 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0047 | No | 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0063 | No | 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 00937 | POTASSIUM, TOTAL MG/L AS K) | 12/10/69-10/30/72 | 2 | 6 | |
| HOFU0009 | No | 00937 | POTASSIUM, TOTAL MG/L AS K) | 02/24/70-10/30/72 | 2 | 4 | |
| HOFU0011 | No | 00937 | POTASSIUM, TOTAL MG/L AS K) | 05/04/71-10/09/72 | 1 | 3 | |
| HOFU0014 | No | 00937 | POTASSIUM, TOTAL MG/L AS K) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0025 | No | 00937 | POTASSIUM, TOTAL MG/L AS K) | 02/24/70-10/30/72 | 2 | 5 | |
| HOFU0029 | No | 00937 | POTASSIUM, TOTAL MG/L AS K) | 10/04/71-10/30/72 | 1 | 2 | |
| HOFU0042 | No | 00937 | POTASSIUM, TOTAL MG/L AS K) | 05/07/70-10/30/72 | 2 | 5 | |
| HOFU0047 | No | 00937 | POTASSIUM, TOTAL MG/L AS K) | 05/10/71-10/24/72 | 1 | 3 | |
| HOFU0077 | No | 00937 | POTASSIUM, TOTAL MG/L AS K) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0001 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 15 | 126 | T,A |
| HOFU0002 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/25/50-10/28/96 | 46 | 69 | T,S |
| HOFU0003 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 12/10/69-11/06/95 | 25 | 27 | S |
| HOFU0011 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 11/14/69-10/29/82 | 12 | 12 | |
| HOFU0012 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0018 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0019 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0020 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 12/09/69-11/06/95 | 25 | 24 | S |
| HOFU0027 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0028 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 12/09/69-11/06/95 | 25 | 22 | |
| HOFU0030 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 12/09/69-10/26/82 | 12 | 14 | |
| HOFU0044 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/10/71-10/26/82 | 11 | 13 | |
| HOFU0053 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0063 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0074 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 04/21/77-03/27/78 | 0 | 2 | |
| HOFU0077 | No | 00940 | CHLORIDE,TOTAL IN WATER MG/L | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0006 | No | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0010 | No | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0015 | No | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0017 | No | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0026 | No | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0040 | No | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 04/15/69-04/15/70 | 1 | 5 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0043 | Yes | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0049 | No | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0054 | Yes | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0057 | Yes | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0061 | Yes | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0078 | No | 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 07/06/77-07/06/77 | 0 | 1 | |
| HOFU0001 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 15 | 126 | T,A |
| HOFU0002 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/25/50-10/14/92 | 42 | 66 | T,S |
| HOFU0003 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 12/10/69-10/14/92 | 22 | 25 | S |
| HOFU0011 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 11/14/69-10/29/82 | 12 | 12 | |
| HOFU0012 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0018 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0019 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0020 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 12/09/69-10/09/91 | 21 | 22 | |
| HOFU0027 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0028 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 12/09/69-10/15/92 | 22 | 20 | S |
| HOFU0030 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 12/09/69-10/26/82 | 12 | 14 | |
| HOFU0044 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/10/71-10/26/82 | 11 | 13 | |
| HOFU0053 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0063 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0074 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 04/21/77-04/21/77 | 0 | 1 | |
| HOFU0077 | No | 00945 | SULFATE, TOTAL (MG/L AS SO4) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0017 | No | 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0026 | No | 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0040 | No | 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0043 | Yes | 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0049 | No | 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0054 | Yes | 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0057 | Yes | 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0061 | Yes | 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0002 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 05/25/50-10/14/92 | 42 | 30 | S |
| HOFU0009 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/04/73-10/14/92 | 19 | 13 | |
| HOFU0011 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0019 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/04/73-10/09/91 | 18 | 10 | |
| HOFU0026 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 04/15/69-04/15/69 | 0 | 1 | |
| HOFU0027 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/03/73-10/15/92 | 19 | 10 | |
| HOFU0040 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 04/15/69-04/15/69 | 0 | 1 | |
| HOFU0042 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/03/73-10/26/82 | 9 | 7 | |
| HOFU0047 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/03/73-10/26/82 | 9 | 10 | |
| HOFU0049 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 04/15/69-04/15/69 | 0 | 1 | |
| HOFU0063 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 07/11/73-07/11/73 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0071 | No | 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0001 | No | 00951 | FLUORIDE, TOTAL (MG/L AS F) | 05/17/76-05/02/77 | 0 | 8 | |
| HOFU0002 | No | 00951 | FLUORIDE, TOTAL (MG/L AS F) | 05/17/76-08/19/76 | 0 | 4 | |
| HOFU0002 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 05/25/50-10/14/92 | 42 | 40 | T,S |
| HOFU0009 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/04/73-10/14/92 | 19 | 20 | |
| HOFU0011 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0017 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0019 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/04/73-10/09/91 | 18 | 16 | |
| HOFU0026 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0027 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/03/73-10/15/92 | 19 | 16 | |
| HOFU0040 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0042 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/03/73-10/26/82 | 9 | 7 | |
| HOFU0047 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/03/73-10/26/82 | 9 | 10 | |
| HOFU0049 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0063 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0014 | No | 00956 | SILICA, TOTAL (MG/L AS SI02) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0077 | No | 00956 | SILICA, TOTAL (MG/L AS SI02) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/04/73-11/02/82 | 9 | 3 | |
| HOFU0009 | No | 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/04/73-11/02/82 | 9 | 3 | |
| HOFU0011 | No | 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/03/73-10/29/82 | 9 | 3 | |
| HOFU0025 | No | 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/04/73-11/04/82 | 9 | 3 | |
| HOFU0027 | No | 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/03/73-11/04/82 | 9 | 3 | |
| HOFU0042 | No | 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/03/73-10/26/82 | 9 | 3 | |
| HOFU0047 | No | 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0055 | No | 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0001 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 08/21/80-08/13/87 | 6 | 8 | |
| HOFU0002 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0005 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/26/95-05/26/95 | 0 | 1 | |
| HOFU0008 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0009 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0012 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0020 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0023 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0024 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0029 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0030 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0038 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0044 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 10/03/73-11/08/79 | 6 | 2 | |
| HOFU0053 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0059 | Yes | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0065 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0077 | No | 01002 | ARSENIC, TOTAL (UG/L AS AS) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 12/28/78-10/28/94 | 15 | 2 | |
| HOFU0019 | No | 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0035 | No | 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0068 | No | 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0072 | No | 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0075 | No | 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01004 | ARSENIC TOTAL IN FISH OR ANIMAL WET WT MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 01004 | ARSENIC TOTAL IN FISH OR ANIMAL WET WT MG/KG | 06/15/76-06/15/76 | 0 | 2 | |
| HOFU0014 | No | 01007 | BARIUM, TOTAL (UG/L AS BA) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0077 | No | 01007 | BARIUM, TOTAL (UG/L AS BA) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0023 | No | 01012 | BERYLLIUM, TOTAL (UG/L AS BE) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0019 | No | 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0035 | No | 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0055 | No | 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0071 | No | 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0072 | No | 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0075 | No | 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0002 | No | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/04/73-11/02/82 | 9 | 5 | |
| HOFU0009 | No | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/04/73-11/02/82 | 9 | 9 | |
| HOFU0011 | No | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0025 | No | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/04/73-11/04/82 | 9 | 7 | |
| HOFU0027 | No | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/03/73-11/04/82 | 9 | 6 | |
| HOFU0042 | No | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0043 | Yes | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0047 | No | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0054 | Yes | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0055 | No | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0057 | Yes | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0061 | Yes | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0071 | No | 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0001 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 06/23/75-08/13/87 | 12 | 11 | |
| HOFU0002 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0003 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0012 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0020 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0023 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 03/13/81-09/02/86 | 5 | 4 | |
| HOFU0024 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0028 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0030 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0044 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 11/08/79-11/08/79 | 0 | 1 | |
| HOFU0053 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 08/06/96-08/06/96 | 0 | 4 | |
| HOFU0063 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0077 | No | 01027 | CADMIUM, TOTAL (UG/L AS CD) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/28/78-10/28/94 | 15 | 2 | |
| HOFU0019 | No | 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0035 | No | 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0068 | No | 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0072 | No | 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0075 | No | 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0002 | No | 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/28/78-10/28/94 | 15 | 2 | |
| HOFU0019 | No | 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0035 | No | 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0068 | No | 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0072 | No | 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0075 | No | 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0002 | No | 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/04/73-11/02/82 | 9 | 5 | |
| HOFU0009 | No | 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/04/73-11/02/82 | 9 | 9 | |
| HOFU0011 | No | 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0025 | No | 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/04/73-11/04/82 | 9 | 7 | |
| HOFU0027 | No | 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/03/73-11/04/82 | 9 | 6 | |
| HOFU0042 | No | 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0047 | No | 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0055 | No | 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0001 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 08/11/83-09/27/84 | 1 | 2 | |
| HOFU0005 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/26/95-05/26/95 | 0 | 1 | |
| HOFU0008 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0012 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0020 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0030 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0038 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0044 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0053 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0059 | Yes | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0065 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0001 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 06/23/75-08/13/87 | 12 | 11 | |
| HOFU0002 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 02/24/70-11/09/79 | 9 | 5 | |
| HOFU0003 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 02/24/70-11/09/79 | 9 | 5 | |
| HOFU0011 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/04/71-10/09/72 | 1 | 3 | |
| HOFU0012 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0020 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0023 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 03/13/81-09/02/86 | 5 | 6 | |
| HOFU0024 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 02/24/70-11/09/79 | 9 | 5 | |
| HOFU0028 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 10/04/71-11/09/79 | 8 | 3 | |
| HOFU0030 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 10/05/70-10/30/72 | 2 | 4 | |
| HOFU0044 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/10/71-11/08/79 | 8 | 4 | |
| HOFU0053 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 08/06/96-08/06/96 | 0 | 4 | |
| HOFU0063 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0077 | No | 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/04/73-11/02/82 | 9 | 5 | |
| HOFU0009 | No | 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/04/73-11/02/82 | 9 | 9 | |
| HOFU0011 | No | 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0025 | No | 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/04/73-11/04/82 | 9 | 7 | |
| HOFU0027 | No | 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/03/73-11/04/82 | 9 | 6 | |
| HOFU0042 | No | 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0047 | No | 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/03/73-10/26/82 | 9 | 9 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0071 | No | 01035 | COBALT, DISSOLVED (UG/L AS CO) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 01037 | COBALT, TOTAL (UG/L AS CO) | 02/24/70-10/30/72 | 2 | 4 | |
| HOFU0009 | No | 01037 | COBALT, TOTAL (UG/L AS CO) | 02/24/70-10/30/72 | 2 | 4 | |
| HOFU0011 | No | 01037 | COBALT, TOTAL (UG/L AS CO) | 05/04/71-10/09/72 | 1 | 3 | |
| HOFU0025 | No | 01037 | COBALT, TOTAL (UG/L AS CO) | 02/24/70-10/30/72 | 2 | 4 | |
| HOFU0029 | No | 01037 | COBALT, TOTAL (UG/L AS CO) | 10/04/71-10/30/72 | 1 | 2 | |
| HOFU0042 | No | 01037 | COBALT, TOTAL (UG/L AS CO) | 10/05/70-10/30/72 | 2 | 4 | |
| HOFU0047 | No | 01037 | COBALT, TOTAL (UG/L AS CO) | 05/10/71-10/24/72 | 1 | 3 | |
| HOFU0063 | No | 01037 | COBALT, TOTAL (UG/L AS CO) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 01037 | COBALT, TOTAL (UG/L AS CO) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0002 | No | 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/04/73-11/02/82 | 9 | 5 | |
| HOFU0009 | No | 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/04/73-11/02/82 | 9 | 9 | |
| HOFU0011 | No | 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0025 | No | 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/04/73-11/04/82 | 9 | 7 | |
| HOFU0027 | No | 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/03/73-11/04/82 | 9 | 6 | |
| HOFU0042 | No | 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0047 | No | 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0055 | No | 01040 | COPPER, DISSOLVED (UG/L AS CU) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0062 | No | 01040 | COPPER, DISSOLVED (UG/L AS CU) | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0071 | No | 01040 | COPPER, DISSOLVED (UG/L AS CU) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0001 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 06/23/75-08/13/87 | 12 | 11 | |
| HOFU0002 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 10/05/70-11/09/79 | 9 | 4 | |
| HOFU0003 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 05/10/71-11/09/79 | 8 | 4 | |
| HOFU0011 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 05/04/71-10/09/72 | 1 | 3 | |
| HOFU0012 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0020 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0023 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0024 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 10/05/70-11/09/79 | 9 | 4 | |
| HOFU0028 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 10/04/71-11/09/79 | 8 | 3 | |
| HOFU0030 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 10/05/70-10/30/72 | 2 | 4 | |
| HOFU0044 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 05/10/71-11/08/79 | 8 | 4 | |
| HOFU0053 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 09/05/95-08/06/96 | 0 | 6 | |
| HOFU0063 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0077 | No | 01042 | COPPER, TOTAL (UG/L AS CU) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 12/28/78-10/28/94 | 15 | 2 | |
| HOFU0019 | No | 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0035 | No | 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0068 | No | 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0001 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 15 | 126 | T,A |
| HOFU0002 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 03/01/56-08/19/76 | 20 | 18 | |
| HOFU0003 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-05/25/95 | 3 | 2 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0009 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 02/24/70-10/04/73 | 3 | 5 | |
| HOFU0011 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 05/04/71-10/03/73 | 2 | 4 | |
| HOFU0012 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0020 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 02/24/70-10/04/73 | 3 | 5 | |
| HOFU0027 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0028 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 10/04/71-10/03/73 | 1 | 3 | |
| HOFU0030 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 10/05/70-10/03/73 | 2 | 5 | |
| HOFU0044 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 05/10/71-10/24/72 | 1 | 3 | |
| HOFU0053 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 09/05/95-08/06/96 | 0 | 6 | |
| HOFU0063 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0074 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 04/21/77-03/27/78 | 0 | 2 | |
| HOFU0077 | No | 01045 | IRON, TOTAL (UG/L AS FE) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/25/74-10/14/92 | 17 | 14 | |
| HOFU0009 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/25/74-10/14/92 | 17 | 18 | |
| HOFU0011 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/24/74-10/29/82 | 8 | 6 | |
| HOFU0017 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0025 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/24/74-10/09/91 | 16 | 14 | |
| HOFU0026 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0029 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/25/74-10/15/92 | 17 | 14 | |
| HOFU0040 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0042 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/24/74-10/26/82 | 8 | 5 | |
| HOFU0043 | Yes | 01046 | IRON, DISSOLVED (UG/L AS FE) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0047 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0049 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 07/15/69-04/15/70 | 0 | 4 | |
| HOFU0054 | Yes | 01046 | IRON, DISSOLVED (UG/L AS FE) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0057 | Yes | 01046 | IRON, DISSOLVED (UG/L AS FE) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 01046 | IRON, DISSOLVED (UG/L AS FE) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0061 | Yes | 01046 | IRON, DISSOLVED (UG/L AS FE) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0062 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0071 | No | 01046 | IRON, DISSOLVED (UG/L AS FE) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/04/73-11/02/82 | 9 | 5 | |
| HOFU0009 | No | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/04/73-11/02/82 | 9 | 9 | |
| HOFU0011 | No | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0025 | No | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/04/73-11/04/82 | 9 | 7 | |
| HOFU0027 | No | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/03/73-11/04/82 | 9 | 6 | |
| HOFU0042 | No | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0043 | Yes | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0047 | No | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0054 | Yes | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0055 | No | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0057 | Yes | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0061 | Yes | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0062 | No | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0071 | No | 01049 | LEAD, DISSOLVED (UG/L AS PB) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0001 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 06/23/75-08/13/87 | 12 | 11 | |
| HOFU0002 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0003 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0008 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0012 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0020 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0023 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 03/13/81-09/02/86 | 5 | 6 | |
| HOFU0024 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0028 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0030 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0044 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 11/08/79-11/08/79 | 0 | 1 | |
| HOFU0053 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 09/05/95-08/06/96 | 0 | 6 | |
| HOFU0063 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0077 | No | 01051 | LEAD, TOTAL (UG/L AS PB) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 12/28/78-10/28/94 | 15 | 2 | |
| HOFU0019 | No | 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0035 | No | 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0068 | No | 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0072 | No | 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0075 | No | 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0002 | No | 01053 | MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT) | 10/28/94-10/28/94 | 0 | 1 | |
| HOFU0001 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 06/23/75-08/13/87 | 12 | 13 | |
| HOFU0002 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/25/50-07/29/76 | 26 | 10 | |
| HOFU0003 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/10/71-10/04/73 | 2 | 4 | |
| HOFU0011 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/04/71-10/03/73 | 2 | 4 | |
| HOFU0012 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0020 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 10/05/70-10/04/73 | 2 | 4 | |
| HOFU0027 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0028 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 10/04/71-10/03/73 | 1 | 3 | |
| HOFU0030 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 10/05/70-10/03/73 | 2 | 5 | |
| HOFU0044 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/10/71-10/24/72 | 1 | 3 | |
| HOFU0053 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 09/05/95-08/06/96 | 0 | 6 | |
| HOFU0063 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0065 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0074 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 04/21/77-03/27/78 | 0 | 2 | |
| HOFU0077 | No | 01055 | MANGANESE, TOTAL (UG/L AS MN) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/25/74-10/14/92 | 17 | 14 | |
| HOFU0006 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0009 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/25/74-10/14/92 | 17 | 18 | |
| HOFU0010 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0011 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/24/74-10/29/82 | 8 | 6 | |
| HOFU0015 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0025 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/24/74-10/09/91 | 16 | 14 | |
| HOFU0029 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/25/74-10/15/92 | 17 | 14 | |
| HOFU0042 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/24/74-10/26/82 | 8 | 5 | |
| HOFU0047 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0062 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0071 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0078 | No | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 07/06/77-07/06/77 | 0 | 1 | |
| HOFU0023 | No | 01059 | THALLIUM, TOTAL (UG/L AS TL) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0002 | No | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/04/73-11/02/82 | 9 | 5 | |
| HOFU0009 | No | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/04/73-11/02/82 | 9 | 9 | |
| HOFU0011 | No | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0025 | No | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/04/73-11/04/82 | 9 | 7 | |
| HOFU0027 | No | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/03/73-11/04/82 | 9 | 6 | |
| HOFU0042 | No | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0043 | Yes | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0047 | No | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0054 | Yes | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0057 | Yes | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0061 | Yes | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0071 | No | 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0001 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 06/23/75-08/13/87 | 12 | 11 | |
| HOFU0002 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 10/05/70-10/30/72 | 2 | 3 | |
| HOFU0003 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/10/71-10/30/72 | 1 | 3 | |
| HOFU0011 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/04/71-10/09/72 | 1 | 3 | |
| HOFU0012 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0020 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0023 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 03/13/81-09/02/86 | 5 | 6 | |
| HOFU0024 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 10/05/70-10/30/72 | 2 | 3 | |
| HOFU0028 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 10/04/71-10/30/72 | 1 | 2 | |
| HOFU0030 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 10/05/70-10/30/72 | 2 | 4 | |
| HOFU0044 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/10/71-10/24/72 | 1 | 3 | |
| HOFU0053 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 08/06/96-08/06/96 | 0 | 4 | |
| HOFU0063 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0019 | No | 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0035 | No | 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0055 | No | 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0071 | No | 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0072 | No | 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0075 | No | 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01069 | NICKEL, TOTAL IN FISH OR ANIMALS-WET WEIGHT MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 01069 | NICKEL, TOTAL IN FISH OR ANIMALS-WET WEIGHT MG/KG | 06/15/76-06/15/76 | 0 | 2 | |
| HOFU0023 | No | 01073 | THALLIUM,TISSUE,WET WEIGHT,MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 01077 | SILVER, TOTAL (UG/L AS AG) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0019 | No | 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0035 | No | 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0055 | No | 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0071 | No | 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0006 | No | 01085 | VANADIUM, DISSOLVED (UG/L AS V) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0010 | No | 01085 | VANADIUM, DISSOLVED (UG/L AS V) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0015 | No | 01085 | VANADIUM, DISSOLVED (UG/L AS V) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0078 | No | 01085 | VANADIUM, DISSOLVED (UG/L AS V) | 07/06/77-07/06/77 | 0 | 1 | |
| HOFU0002 | No | 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/04/73-11/02/82 | 9 | 5 | |
| HOFU0009 | No | 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/04/73-11/02/82 | 9 | 9 | |
| HOFU0011 | No | 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0025 | No | 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/04/73-11/04/82 | 9 | 7 | |
| HOFU0027 | No | 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/03/73-11/04/82 | 9 | 6 | |
| HOFU0042 | No | 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/03/73-10/26/82 | 9 | 6 | |
| HOFU0047 | No | 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0055 | No | 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0062 | No | 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0071 | No | 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0001 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 06/23/75-08/13/87 | 12 | 11 | |
| HOFU0002 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 10/05/70-11/09/79 | 9 | 4 | |
| HOFU0003 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/10/71-11/09/79 | 8 | 4 | |
| HOFU0011 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/04/71-10/09/72 | 1 | 3 | |
| HOFU0012 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0014 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0020 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0023 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 03/13/81-09/02/86 | 5 | 6 | |
| HOFU0024 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 10/05/70-11/09/79 | 9 | 4 | |
| HOFU0028 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 10/04/71-11/09/79 | 8 | 3 | |
| HOFU0030 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 10/05/70-10/30/72 | 2 | 4 | |
| HOFU0044 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/10/71-11/08/79 | 8 | 4 | |
| HOFU0053 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 09/05/95-08/06/96 | 0 | 6 | |
| HOFU0063 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0064 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0077 | No | 01092 | ZINC, TOTAL (UG/L AS ZN) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 12/28/78-10/28/94 | 15 | 2 | |
| HOFU0019 | No | 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0035 | No | 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0068 | No | 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0075 | No | 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01097 | ANTIMONY, TOTAL (UG/L AS SB) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0019 | No | 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0035 | No | 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0055 | No | 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0071 | No | 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01099 | ANTIMONY,TISSUE,WET WEIGHT,MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 01099 | ANTIMONY,TISSUE,WET WEIGHT,MG/KG | 06/15/76-06/15/76 | 0 | 2 | |
| HOFU0001 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 02/15/77-08/13/87 | 10 | 9 | |
| HOFU0003 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0012 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0020 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0023 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 03/21/86-03/21/86 | 0 | 2 | |
| HOFU0024 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0028 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0030 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0044 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0053 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0059 | Yes | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0062 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 09/05/95-08/06/96 | 0 | 6 | |
| HOFU0064 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0002 | No | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/19/69-10/14/92 | 22 | 11 | |
| HOFU0006 | No | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0009 | No | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 10/20/83-10/14/92 | 8 | 10 | |
| HOFU0010 | No | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0015 | No | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0025 | No | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 10/18/83-10/09/91 | 7 | 8 | |
| HOFU0029 | No | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 10/18/83-10/15/92 | 8 | 9 | |
| HOFU0043 | Yes | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0054 | Yes | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0057 | Yes | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0061 | Yes | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0062 | No | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 07/24/91-09/05/95 | 4 | 4 | |
| HOFU0078 | No | 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 07/06/77-07/06/77 | 0 | 1 | |
| HOFU0002 | No | 01132 | LITHIUM, TOTAL (UG/L AS LI) | 10/05/70-10/30/72 | 2 | 3 | |
| HOFU0009 | No | 01132 | LITHIUM, TOTAL (UG/L AS LI) | 05/10/71-10/30/72 | 1 | 3 | |
| HOFU0011 | No | 01132 | LITHIUM, TOTAL (UG/L AS LI) | 05/04/71-10/09/72 | 1 | 3 | |
| HOFU0025 | No | 01132 | LITHIUM, TOTAL (UG/L AS LI) | 10/05/70-10/30/72 | 2 | 3 | |
| HOFU0029 | No | 01132 | LITHIUM, TOTAL (UG/L AS LI) | 10/04/71-10/30/72 | 1 | 2 | |
| HOFU0042 | No | 01132 | LITHIUM, TOTAL (UG/L AS LI) | 10/05/70-10/30/72 | 2 | 4 | |
| HOFU0047 | No | 01132 | LITHIUM, TOTAL (UG/L AS LI) | 05/10/71-10/24/72 | 1 | 3 | |
| HOFU0002 | No | 01147 | SELENIUM, TOTAL (UG/L AS SE) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0009 | No | 01147 | SELENIUM, TOTAL (UG/L AS SE) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0023 | No | 01147 | SELENIUM, TOTAL (UG/L AS SE) | 03/13/81-09/02/86 | 5 | 4 | |
| HOFU0025 | No | 01147 | SELENIUM, TOTAL (UG/L AS SE) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0029 | No | 01147 | SELENIUM, TOTAL (UG/L AS SE) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0047 | No | 01147 | SELENIUM, TOTAL (UG/L AS SE) | 11/08/79-11/08/79 | 0 | 1 | |
| HOFU0019 | No | 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0035 | No | 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0055 | No | 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0071 | No | 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0072 | No | 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0075 | No | 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 01149 | SELENIUM, TOTAL IN FISH OR ANIMALS WET WGT MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 01149 | SELENIUM, TOTAL IN FISH OR ANIMALS WET WGT MG/KG | 06/15/76-06/15/76 | 0 | 2 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0002 | No | 01170 | IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT) | 10/28/94-10/28/94 | 0 | 1 | |
| HOFU0001 | No | 01330 | ODOR, ATMOSPHERIC (SEVERITY) | 05/23/73-10/31/84 | 11 | 35 | |
| HOFU0002 | No | 01330 | ODOR, ATMOSPHERIC (SEVERITY) | 08/13/73-08/13/73 | 0 | 1 | |
| HOFU0001 | No | 01351 | FLOW, STRM,1DRY,2LOW,3NORM,4FLOOD,5ABOVE NORM,CODE | 08/13/73-10/03/74 | 1 | 5 | |
| HOFU0002 | No | 01351 | FLOW, STRM,1DRY,2LOW,3NORM,4FLOOD,5ABOVE NORM,CODE | 05/25/50-09/20/73 | 23 | 10 | |
| HOFU0006 | No | 22703 | URANIUM, NATURAL, DISSOLVED | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0010 | No | 22703 | URANIUM, NATURAL, DISSOLVED | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0015 | No | 22703 | URANIUM, NATURAL, DISSOLVED | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0078 | No | 22703 | URANIUM, NATURAL, DISSOLVED | 07/06/77-07/06/77 | 0 | 1 | |
| HOFU0072 | No | 30380 | BUTACHLOR UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 30381 | CHLOROBENZILATE UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 30382 | TRIPHENYL PHOSPHATE UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0001 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 04/02/75-04/02/75 | 0 | 1 | |
| HOFU0002 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 12/10/69-10/04/73 | 3 | 7 | |
| HOFU0003 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0007 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0009 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 12/10/69-10/04/73 | 3 | 6 | |
| HOFU0011 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 11/14/69-10/03/73 | 3 | 6 | |
| HOFU0025 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 12/09/69-10/04/73 | 3 | 7 | |
| HOFU0028 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 12/09/69-10/03/73 | 3 | 5 | |
| HOFU0037 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0042 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 12/09/69-10/03/73 | 3 | 8 | |
| HOFU0043 | Yes | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0047 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 05/10/71-10/03/73 | 2 | 4 | |
| HOFU0056 | Yes | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0057 | Yes | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0060 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0061 | Yes | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0064 | No | 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0001 | No | 31615 | FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614) | 06/23/75-06/23/75 | 0 | 1 | |
| HOFU0001 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 12 | 100 | T,A |
| HOFU0002 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 10/04/71-10/30/72 | 1 | 2 | |
| HOFU0003 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0005 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0007 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0008 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/10/71-10/30/72 | 1 | 3 | |
| HOFU0011 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/04/71-10/03/73 | 2 | 4 | |
| HOFU0012 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0020 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 10/04/71-10/30/72 | 1 | 2 | |
| HOFU0028 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 10/04/71-10/03/73 | 1 | 3 | |
| HOFU0030 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0037 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0038 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/10/71-10/03/73 | 2 | 4 | |
| HOFU0043 | Yes | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0044 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0045 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0047 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/10/71-10/03/73 | 2 | 4 | |
| HOFU0053 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0056 | Yes | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0057 | Yes | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0059 | Yes | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0060 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0061 | Yes | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0062 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 09/05/95-09/05/95 | 0 | 2 | |
| HOFU0064 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0065 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0001 | No | 31673 | FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR | 06/23/75-08/08/78 | 3 | 6 | |
| HOFU0001 | No | 31677 | FECAL STREPTOCOCCI,MPN,AD-EVA, 35C (TUBE 31678) | 04/02/75-04/02/75 | 0 | 1 | |
| HOFU0002 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 12/10/69-10/04/73 | 3 | 7 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0003 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0007 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0009 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 12/10/69-10/04/73 | 3 | 6 | |
| HOFU0011 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 11/14/69-10/03/73 | 3 | 6 | |
| HOFU0025 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 12/09/69-10/04/73 | 3 | 7 | |
| HOFU0028 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0029 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 12/09/69-10/03/73 | 3 | 5 | |
| HOFU0037 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0042 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 12/09/69-10/03/73 | 3 | 8 | |
| HOFU0043 | Yes | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0045 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0047 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 05/10/71-10/03/73 | 2 | 4 | |
| HOFU0056 | Yes | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0057 | Yes | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0058 | Yes | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0060 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0061 | Yes | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 11/18/92-03/23/93 | 0 | 2 | |
| HOFU0064 | No | 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0023 | No | 32101 | BROMODICHLOROMETHANE,WHOLE WATER,UG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 32101 | BROMODICHLOROMETHANE,WHOLE WATER,UG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 32102 | CARBON TETRACHLORIDE,WHOLE WATER,UG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 32102 | CARBON TETRACHLORIDE,WHOLE WATER,UG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 32103 | 1,2-DICHLOROETHANE,WHOLE WATER,UG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 32103 | 1,2-DICHLOROETHANE,WHOLE WATER,UG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 32104 | BROMOFORM,WHOLE WATER,UG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 32104 | BROMOFORM,WHOLE WATER,UG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 32105 | DIBROMOCHLOROMETHANE,WHOLE WATER,UG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 32105 | DIBROMOCHLOROMETHANE,WHOLE WATER,UG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 32106 | CHLOROFORM,WHOLE WATER,UG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 32106 | CHLOROFORM,WHOLE WATER,UG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0062 | No | 32218 | PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH. | 07/24/91-09/05/95 | 4 | 2 | |
| HOFU0062 | No | 32230 | CHLOROPHYLL A (MG/L) | 07/24/91-08/06/96 | 5 | 4 | |
| HOFU0013 | No | 32730 | PHENOLICS, TOTAL, RECOVERABLE (UG/L) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0023 | No | 32730 | PHENOLICS, TOTAL, RECOVERABLE (UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0052 | No | 32730 | PHENOLICS, TOTAL, RECOVERABLE (UG/L) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0070 | No | 32730 | PHENOLICS, TOTAL, RECOVERABLE (UG/L) | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0023 | No | 32731 | PHENOLICS IN BOTTOM DEPOSITS (MG/KG DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34010 | TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L) | 03/13/81-06/10/86 | 5 | 6 | |
| HOFU0023 | No | 34030 | BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L) | 03/13/81-06/10/86 | 5 | 6 | |
| HOFU0054 | Yes | 34030 | BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L) | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34200 | ACENAPHTHYLENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34203 | ACENAPHTHYLENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34204 | ACENAPHTHYLENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34205 | ACENAPHTHENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34208 | ACENAPHTHENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34209 | ACENAPHTHENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34210 | ACROLEIN TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0054 | Yes | 34210 | ACROLEIN TOTWUG/L | 11/18/93-11/18/93 | 0 | 1 | |
| HOFU0023 | No | 34213 | ACROLEIN DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34214 | ACROLEIN WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34215 | ACRYLONITRILE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0054 | Yes | 34215 | ACRYLONITRILE TOTWUG/L | 11/18/93-11/18/93 | 0 | 1 | |
| HOFU0023 | No | 34218 | ACRYLONITRILE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34219 | ACRYLONITRILE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34220 | ANTHRACENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34223 | ANTHRACENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34224 | ANTHRACENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34230 | BENZO(B)FLUORANTHENE,WHOLE WATER,UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34233 | BENZO(B)FLUORANTHENE,SEDIMENTS,DRY WGT,UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34234 | BENZO(B)FLUORANTHENE,TISSUE,WET WGT,MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34237 | BENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34238 | BENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34241 | BENZIDINE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34242 | BENZO(K)FLUORANTHENE, TOTAL, WATER UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34245 | BENZO(K)FLUORANTHENE, DRY WT, SEDIMENT UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34246 | BENZO(K)FLUORANTHENE, WET WT, TISSUE MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34247 | BENZO-A-PYRENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34250 | BENZO-A-PYRENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34251 | BENZO-A-PYRENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34252 | BERYLLIUM WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34257 | B-BHC-BETA DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34258 | B-BHC-BETA WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0023 | No | 34259 | DELTA BENZENE HEXACHLORIDE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34262 | DELTA BENZENE HEXACHLORIDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34263 | DELTA BENZENE HEXACHLORIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34268 | BIS (CHLOROMETHYL) ETHER TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34271 | BIS (CHLOROMETHYL) ETHER DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34273 | BIS (2-CHLOROETHYL) ETHER TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34276 | BIS (2-CHLOROETHYL) ETHER DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34277 | BIS (2-CHLOROETHYL) ETHER WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34278 | BIS (2-CHLOROETHOXY) METHANE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34281 | BIS (2-CHLOROETHOXY) METHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34282 | BIS (2-CHLOROETHOXY) METHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34283 | BIS (2-CHLOROISOPROPYL) ETHER TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34286 | BIS (2-CHLOROISOPROPYL) ETHER DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34287 | BIS (2-CHLOROISOPROPYL) ETHER WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34290 | BROMOFORM DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34291 | BROMOFORM WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34292 | N-BUTYL BENZYL PHTHALATE,WHOLE WATER,UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34295 | N-BUTYL BENZYL PHTHALATE,SEDIMENTS,DRY WGT,UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34296 | N-BUTYL BENZYL PHTHALATE,TISSUE,WET WGT,MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34299 | CARBON TETRACHLORIDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34300 | CARBON TETRACHLORIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34301 | CHLOROBENZENE TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34301 | CHLOROBENZENE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34304 | CHLOROBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34305 | CHLOROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34309 | CHLORODIBROMOMETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34311 | CHLOROETHANE TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34311 | CHLOROETHANE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34314 | CHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34315 | CHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34318 | CHLOROFORM DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34319 | CHLOROFORM WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34320 | CHRYSENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34323 | CHRYSENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34324 | CHRYSENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34326 | CYANIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34330 | DICHLOROBROMOMETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34331 | DICHLOROBROMOMETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34334 | DICHLORODIFLUOROMETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34336 | DIETHYL PHTHALATE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34339 | DIETHYL PHTHALATE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34340 | DIETHYL PHTHALATE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34341 | DIMETHYL PHTHALATE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34344 | DIMETHYL PHTHALATE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34345 | DIMETHYL PHTHALATE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34346 | 1,2-DIPHENYLHYDRAZINE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34349 | 1,2-DIPHENYLHYDRAZINE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34350 | 1,2-DIPHENYLHYDRAZINE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34351 | ENDOSULFAN SULFATE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34354 | ENDOSULFAN SULFATE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34355 | ENDOSULFAN SULFATE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34356 | ENDOSULFAN, BETA TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34359 | ENDOSULFAN, BETA DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34360 | ENDOSULFAN, BETA WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34361 | ENDOSULFAN, ALPHA TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34364 | ENDOSULFAN, ALPHA DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34365 | ENDOSULFAN, ALPHA WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34366 | ENDRIN ALDEHYDE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34369 | ENDRIN ALDEHYDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34370 | ENDRIN ALDEHYDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34371 | ETHYLBENZENE TOTWUG/L | 03/13/81-06/10/86 | 5 | 6 | |
| HOFU0054 | Yes | 34371 | ETHYLBENZENE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34374 | ETHYLBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34375 | ETHYLBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34376 | FLUORANTHENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34379 | FLUORANTHENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34380 | FLUORANTHENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34381 | FLUORENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34384 | FLUORENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34385 | FLUORENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34386 | HEXACHLOROCYCLOPENTADIENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34389 | HEXACHLOROCYCLOPENTADIENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0023 | No | 34390 | HEXACHLOROCYCLOPENTADIENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34395 | HEXACHLOROBUTADIENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34396 | HEXACHLOROETHANE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34399 | HEXACHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34400 | HEXACHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34403 | INDENO (1,2,3-CD) PYRENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34406 | INDENO (1,2,3-CD) PYRENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34407 | INDENO (1,2,3-CD) PYRENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34408 | ISOPHORONE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34411 | ISOPHORONE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34412 | ISOPHORONE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34413 | METHYL BROMIDE TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34413 | METHYL BROMIDE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34416 | METHYL BROMIDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34417 | METHYL BROMIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34418 | METHYL CHLORIDE TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34418 | METHYL CHLORIDE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34421 | METHYL CHLORIDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34422 | METHYL CHLORIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34423 | METHYLENE CHLORIDE TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34423 | METHYLENE CHLORIDE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34426 | METHYLENE CHLORIDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34427 | METHYLENE CHLORIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34428 | N-NITROSODI-N-PROPYLAMINE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34431 | N-NITROSODI-N-PROPYLAMINE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34432 | N-NITROSODI-N-PROPYLAMINE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34433 | N-NITROSODIPHENYLAMINE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34436 | N-NITROSODIPHENYLAMINE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34437 | N-NITROSODIPHENYLAMINE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34441 | N-NITROSODIMETHYLAMINE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34445 | NAPHTHALENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34446 | NAPHTHALENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34447 | NITROBENZENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34450 | NITROBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34451 | NITROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34452 | PARACHLOROMETA CRESOL TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34455 | PARACHLOROMETA CRESOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34456 | PARACHLOROMETA CRESOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34461 | PHENANTHRENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34464 | PHENANTHRENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34465 | PHENANTHRENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34468 | PHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34469 | PYRENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34472 | PYRENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34473 | PYRENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34474 | SILVER WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34475 | TETRACHLOROETHYLENE TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34475 | TETRACHLOROETHYLENE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34478 | TETRACHLOROETHYLENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34479 | TETRACHLOROETHYLENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34480 | THALLIUM DRY WGTBOTMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34483 | TOLUENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34484 | TOLUENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34487 | TRICHLOROETHYLENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34488 | TRICHLOROFLUOROMETHANE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0054 | Yes | 34488 | TRICHLOROFLUOROMETHANE TOTWUG/L | 11/18/92-11/18/92 | 0 | 1 | |
| HOFU0023 | No | 34491 | TRICHLOROFLUOROMETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34495 | VINYL CHLORIDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34496 | 1,1-DICHLOROETHANE TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34496 | 1,1-DICHLOROETHANE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34499 | 1,1-DICHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34500 | 1,1-DICHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34501 | 1,1-DICHLOROETHYLENE TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34501 | 1,1-DICHLOROETHYLENE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34504 | 1,1-DICHLOROETHYLENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34505 | 1,1-DICHLOROETHYLENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34506 | 1,1,1-TRICHLOROETHANE TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34506 | 1,1,1-TRICHLOROETHANE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34509 | 1,1,1-TRICHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34510 | 1,1,1-TRICHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34511 | 1,1,2-TRICHLOROETHANE TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34511 | 1,1,2-TRICHLOROETHANE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0023 | No | 34514 | 1,1,2-TRICHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34515 | 1,1,2-TRICHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34516 | 1,1,2,2-TETRACHLOROETHANE TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34516 | 1,1,2,2-TETRACHLOROETHANE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34519 | 1,1,2,2-TETRACHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34520 | 1,1,2,2-TETRACHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34521 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34524 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENDRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34525 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENWET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34526 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34529 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENDRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34530 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENWET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34534 | 1,2-DICHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34535 | 1,2-DICHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34536 | 1,2-DICHLOROBENZENE TOTWUG/L | 03/13/81-06/10/86 | 5 | 6 | |
| HOFU0054 | Yes | 34536 | 1,2-DICHLOROBENZENE TOTWUG/L | 11/18/92-11/18/92 | 0 | 1 | |
| HOFU0023 | No | 34539 | 1,2-DICHLOROBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34540 | 1,2-DICHLOROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34541 | 1,2-DICHLOROPROPANE TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34541 | 1,2-DICHLOROPROPANE TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34544 | 1,2-DICHLOROPROPANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34545 | 1,2-DICHLOROPROPANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34546 | TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER UG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34546 | TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER UG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34549 | TRANS-1,2-DICHLOROETHENE, IN SED. DRY WT. UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34550 | TRANS-1,2-DICHLOROETHENE, IN TISSUE, WET WT. MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34551 | 1,2,4-TRICHLOROBENZENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34554 | 1,2,4-TRICHLOROBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34555 | 1,2,4-TRICHLOROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34556 | 1,2,5,6-DIBENZANTHRACENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34559 | 1,2,5,6-DIBENZANTHRACENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34560 | 1,2,5,6-DIBENZANTHRACENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34566 | 1,3-DICHLOROBENZENE TOTWUG/L | 03/13/81-06/10/86 | 5 | 6 | |
| HOFU0054 | Yes | 34566 | 1,3-DICHLOROBENZENE TOTWUG/L | 11/18/92-11/18/92 | 0 | 1 | |
| HOFU0023 | No | 34569 | 1,3-DICHLOROBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34570 | 1,3-DICHLOROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34571 | 1,4-DICHLOROBENZENE TOTWUG/L | 03/13/81-06/10/86 | 5 | 6 | |
| HOFU0054 | Yes | 34571 | 1,4-DICHLOROBENZENE TOTWUG/L | 11/18/92-11/18/92 | 0 | 1 | |
| HOFU0023 | No | 34574 | 1,4-DICHLOROBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34575 | 1,4-DICHLOROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34576 | 2-CHLOROETHYL VINYL ETHER TOTWUG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34576 | 2-CHLOROETHYL VINYL ETHER TOTWUG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34579 | 2-CHLOROETHYL VINYL ETHER DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34580 | 2-CHLOROETHYL VINYL ETHER WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34581 | 2-CHLORONAPHTHALENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34584 | 2-CHLORONAPHTHALENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34585 | 2-CHLORONAPHTHALENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34586 | 2-CHLOROPHENOL TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34589 | 2-CHLOROPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34590 | 2-CHLOROPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34591 | 2-NITROPHENOL TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34594 | 2-NITROPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34595 | 2-NITROPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34596 | DI-N-OCTYL PHTHALATE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34599 | DI-N-OCTYL PHTHALATE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34600 | DI-N-OCTYL PHTHALATE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34601 | 2,4-DICHLOROPHENOL TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34604 | 2,4-DICHLOROPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34605 | 2,4-DICHLOROPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34606 | 2,4-DIMETHYLPHENOL TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34609 | 2,4-DIMETHYLPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34610 | 2,4-DIMETHYLPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34611 | 2,4-DINITROTOLUENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34614 | 2,4-DINITROTOLUENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34615 | 2,4-DINITROTOLUENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34616 | 2,4-DINITROPHENOL TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34619 | 2,4-DINITROPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34620 | 2,4-DINITROPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34621 | 2,4,6-TRICHLOROPHENOL TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34624 | 2,4,6-TRICHLOROPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34625 | 2,4,6-TRICHLOROPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34626 | 2,6-DINITROTOLUENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0023 | No | 34629 | 2,6-DINITROTOLUENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34630 | 2,6-DINITROTOLUENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34631 | 3,3'-DICHLOROBENZIDINE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34634 | 3,3'-DICHLOROBENZIDINE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34635 | 3,3'-DICHLOROBENZIDINE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34636 | 4-BROMOPHENYL PHENYL ETHER TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34639 | 4-BROMOPHENYL PHENYL ETHER DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34640 | 4-BROMOPHENYL PHENYL ETHER WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34641 | 4-CHLOROPHENYL PHENYL ETHER TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34644 | 4-CHLOROPHENYL PHENYL ETHER DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34645 | 4-CHLOROPHENYL PHENYL ETHER WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34646 | 4-NITROPHENOL TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34649 | 4-NITROPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34650 | 4-NITROPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34657 | DNOC (4,6-DINITRO-ORTHO-CRESOL) TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34660 | DNOC (4,6-DINITRO-ORTHO-CRESOL) DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34661 | DNOC (4,6-DINITRO-ORTHO-CRESOL) WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34668 | DICHLORODIFUOROMETHANE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0033 | No | 34669 | PCB - 1248 WET WGTTISMG/KG | 05/31/77-05/31/77 | 0 | 3 | |
| HOFU0023 | No | 34670 | PCB - 1260 WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34671 | PCB - 1016 TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34674 | PCB - 1016 WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34680 | ALDRIN IN FISH TISSUE WET WEIGHT MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0034 | No | 34680 | ALDRIN IN FISH TISSUE WET WEIGHT MG/KG | 08/30/85-10/07/94 | 9 | 4 | |
| HOFU0023 | No | 34682 | CHLORDANE(TECH MIX & METABS),TISSUEWET WGTT,MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0034 | No | 34682 | CHLORDANE(TECH MIX & METABS),TISSUEWET WGTT,MG/KG | 08/30/85-08/30/85 | 0 | 3 | |
| HOFU0023 | No | 34683 | DI-N-BUTYL PHTHALATE,TISSUE,WET WGTWET WGT | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34685 | ENDRIN WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 34685 | ENDRIN WET WGTTISMG/KG | 06/15/76-06/15/76 | 0 | 3 | |
| HOFU0034 | No | 34685 | ENDRIN WET WGTTISMG/KG | 08/30/85-10/07/94 | 9 | 4 | |
| HOFU0023 | No | 34686 | HEPTACHLOR EPOXIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0034 | No | 34686 | HEPTACHLOR EPOXIDE WET WGTTISMG/KG | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0023 | No | 34687 | HEPTACHLOR WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0034 | No | 34687 | HEPTACHLOR WET WGTTISMG/KG | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0023 | No | 34688 | HEXACHLOROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34689 | PCB - 1242 WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34690 | PCB - 1254 WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34691 | TOXAPHENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34692 | TRICHLOROETHYLENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34693 | VINYL CHLORIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34694 | PHENOL(C6H5OH)-SINGLE COMPOUND TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34695 | PHENOL(C6H5OH)-SINGLE COMPOUND DRY WGTTUG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34696 | NAPHTHALENE TOTWUG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 34697 | TRANS-1,3-DICHLOROPROPENE SEDIMENT DRY WGT UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34698 | TRANS-1,3-DICHLOROPROPENEFISH TISSUE WET WGT MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34699 | TRANS-1,3-DICHLOROPROPENETOTAL IN WATER UG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34699 | TRANS-1,3-DICHLOROPROPENETOTAL IN WATER UG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 34702 | CIS-1,3-DICHLOROPROPENE SEDIMENT DRY WEIGHT UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34703 | CIS-1,3-DICHLOROPROPENE FISH TISSUE WET WGT MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 34704 | CIS-1,3-DICHLOROPROPENE TOTAL IN WATER UG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 34704 | CIS-1,3-DICHLOROPROPENE TOTAL IN WATER UG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0001 | No | 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 02/19/76-05/02/77 | 1 | 7 | |
| HOFU0002 | No | 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 08/07/67-11/02/82 | 15 | 7 | |
| HOFU0009 | No | 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 10/21/77-11/02/82 | 5 | 4 | |
| HOFU0011 | No | 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 10/31/78-10/29/82 | 3 | 2 | |
| HOFU0025 | No | 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 11/01/78-11/04/82 | 4 | 3 | |
| HOFU0029 | No | 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 10/21/77-11/04/82 | 5 | 2 | |
| HOFU0042 | No | 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 11/01/78-10/26/82 | 3 | 2 | |
| HOFU0047 | No | 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 10/21/77-10/26/82 | 5 | 4 | |
| HOFU0072 | No | 38823 | ISOPROPALIN SEDDRYWGTUG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0023 | No | 39032 | PCP (PENTACHLOROPHENOL) WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0055 | No | 39034 | PERTHANE IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0023 | No | 39060 | PCP (PENTACHLOROPHENOL) IN TISSUE WET WGT UG/G | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 39061 | PCP (PENTACHLOROPHENOL) IN BOT DEPOS DRY SOL UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0034 | No | 39063 | CHLORDANE-CIS ISOMER,TISSUE WET WGT (UG/G) | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0034 | No | 39066 | CHLORDANE-TRANS ISOMER,TISSUE WET WGT (UG/G) | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0034 | No | 39069 | CHLORDANE-NONACHLOR,CIS ISO,TISSUE WET WGT(UG/G) | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0034 | No | 39072 | CHLORDANE-NONACHLOR,TRANS ISO,TISSUE,WET WT,UG/G | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0023 | No | 39074 | BHC-ALPHA ISOMER,TISSUE UG/G WET WGT | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0034 | No | 39074 | BHC-ALPHA ISOMER,TISSUE UG/G WET WGT | 08/30/85-10/07/94 | 9 | 4 | |
| HOFU0023 | No | 39076 | BHC-ALPHA ISOMER, BOTTOM DEPOS (UG/KG DRY SOL) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 39099 | BIS(2-ETHYLHEXYL)PHTHALATE,TISSUE,WET WGT,MG/KG | 04/24/81-04/24/81 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0023 | No | 39100 | BIS(2-ETHYLHEXYL) PHTHALATE,WHOLE WATER,UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39102 | BIS(2-ETHYLHEXYL) PHTHALATE,SEDIMENT,DRY WGT,UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0034 | No | 39105 | PERCENT FAT HEXANE EXTRACTION | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0023 | No | 39110 | DI-N-BUTYL PHTHALATE,WHOLE WATER,UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39112 | DI-N-BUTYL PHTHALATE,SEDIMENTS,DRY WGT,UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 39120 | BENZIDINE IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39121 | BENZIDINE IN BOTTOM DEPOS UG/KG DRY SOLIDS | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 39175 | VINYL CHLORIDE-WHOLE WATER SAMPLE-UG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 39175 | VINYL CHLORIDE-WHOLE WATER SAMPLE-UG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 39180 | TRICHLOROETHYLENE-WHOLE WATER SAMPLE-UG/L | 03/13/81-09/02/86 | 5 | 7 | |
| HOFU0054 | Yes | 39180 | TRICHLOROETHYLENE-WHOLE WATER SAMPLE-UG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0055 | No | 39250 | NAPTHALENES, POLYCHLORINATED (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39251 | PCNS IN BOTTOM DEPOS (UG/KG DRY SOLIDS) | 12/05/86-10/28/94 | 7 | 2 | |
| HOFU0009 | No | 39251 | PCNS IN BOTTOM DEPOS (UG/KG DRY SOLIDS) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0025 | No | 39251 | PCNS IN BOTTOM DEPOS (UG/KG DRY SOLIDS) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39251 | PCNS IN BOTTOM DEPOS (UG/KG DRY SOLIDS) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0023 | No | 39300 | P,P' DDT IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39301 | P,P' DDT IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 39302 | P P DDT IN TISSUE WET WGT (UG/G) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0034 | No | 39302 | P P DDT IN TISSUE WET WGT (UG/G) | 08/30/85-10/07/94 | 9 | 4 | |
| HOFU0034 | No | 39307 | O P DDT IN TISSUE WET WGT (UG/G) | 08/30/85-10/07/94 | 9 | 4 | |
| HOFU0023 | No | 39310 | P,P' DDD IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39311 | P,P' DDD IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 39312 | P P DDD IN TISSUE WET WGT (UG/G) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0034 | No | 39312 | P P DDD IN TISSUE WET WGT (UG/G) | 08/30/85-10/07/94 | 9 | 4 | |
| HOFU0023 | No | 39320 | P,P' DDE IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39321 | P,P' DDE IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 39322 | P,P'-DDE IN TISSUE WET WGT MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0034 | No | 39322 | P,P'-DDE IN TISSUE WET WGT MG/KG | 08/30/85-10/07/94 | 9 | 4 | |
| HOFU0034 | No | 39325 | O,P DDD IN TISSUE WET WGT (UG/G) | 08/30/85-10/07/94 | 9 | 4 | |
| HOFU0034 | No | 39329 | O,P DDE IN TISSUE, WET WGT(UG/G) | 08/30/85-10/07/94 | 9 | 4 | |
| HOFU0023 | No | 39330 | ALDRIN IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0055 | No | 39330 | ALDRIN IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/28/78-10/28/94 | 15 | 3 | |
| HOFU0009 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0025 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0063 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39337 | ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39338 | BETA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39340 | GAMMA-BHC(LINDANE),WHOLE WATER,UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0055 | No | 39340 | GAMMA-BHC(LINDANE),WHOLE WATER,UG/L | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 12/28/78-10/28/94 | 15 | 3 | |
| HOFU0009 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0025 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0063 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0072 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0075 | No | 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39350 | CHLORDANE(TECH MIX & METABS),WHOLE WATER,UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0055 | No | 39350 | CHLORDANE(TECH MIX & METABS),WHOLE WATER,UG/L | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 12/28/78-10/28/94 | 15 | 3 | |
| HOFU0009 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 04/24/81-04/24/81 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0025 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0063 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0032 | No | 39360 | DDD IN WHOLE WATER SAMPLE (UG/L) | 09/24/74-06/11/75 | 0 | 3 | |
| HOFU0055 | No | 39360 | DDD IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0073 | No | 39360 | DDD IN WHOLE WATER SAMPLE (UG/L) | 08/05/75-08/05/75 | 0 | 1 | |
| HOFU0002 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/28/78-10/28/94 | 15 | 3 | |
| HOFU0009 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0025 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0063 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0032 | No | 39365 | DDE IN WHOLE WATER SAMPLE (UG/L) | 09/24/74-06/11/75 | 0 | 3 | |
| HOFU0055 | No | 39365 | DDE IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0073 | No | 39365 | DDE IN WHOLE WATER SAMPLE (UG/L) | 08/05/75-08/05/75 | 0 | 1 | |
| HOFU0002 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/28/78-10/28/94 | 15 | 3 | |
| HOFU0009 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0025 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0063 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0032 | No | 39370 | DDT IN WHOLE WATER SAMPLE (UG/L) | 09/24/74-06/11/75 | 0 | 3 | |
| HOFU0055 | No | 39370 | DDT IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0073 | No | 39370 | DDT IN WHOLE WATER SAMPLE (UG/L) | 08/05/75-08/05/75 | 0 | 1 | |
| HOFU0002 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/28/78-10/28/94 | 15 | 3 | |
| HOFU0009 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0025 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0063 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39380 | DIELDRIN IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0055 | No | 39380 | DIELDRIN IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/28/78-10/28/94 | 15 | 3 | |
| HOFU0009 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0025 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0063 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/19/78-12/19/78 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0071 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0055 | No | 39388 | ENDOSULFAN IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39389 | ENDOSULFAN IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 12/05/86-10/28/94 | 7 | 2 | |
| HOFU0009 | No | 39389 | ENDOSULFAN IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0025 | No | 39389 | ENDOSULFAN IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39389 | ENDOSULFAN IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0023 | No | 39390 | ENDRIN IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0055 | No | 39390 | ENDRIN IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/28/78-10/28/94 | 15 | 3 | |
| HOFU0009 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0025 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0063 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39400 | TOXAPHENE IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0055 | No | 39400 | TOXAPHENE IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/28/78-10/28/94 | 15 | 3 | |
| HOFU0009 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0025 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0063 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39404 | DIELDRIN IN TISSUE WET WGT (UG/G) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 39404 | DIELDRIN IN TISSUE WET WGT (UG/G) | 06/15/76-06/15/76 | 0 | 3 | |
| HOFU0034 | No | 39404 | DIELDRIN IN TISSUE WET WGT (UG/G) | 08/30/85-10/07/94 | 9 | 4 | |
| HOFU0023 | No | 39410 | HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0055 | No | 39410 | HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 12/28/78-10/28/94 | 15 | 3 | |
| HOFU0009 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0025 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0063 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39420 | HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0055 | No | 39420 | HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 12/28/78-10/28/94 | 15 | 3 | |
| HOFU0009 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0025 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0063 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 12/19/78-12/19/78 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0071 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0055 | No | 39480 | METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 12/05/86-10/28/94 | 7 | 2 | |
| HOFU0009 | No | 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0025 | No | 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0055 | No | 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0071 | No | 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39488 | PCB - 1221 IN THE WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39492 | PCB - 1232 PCB SERIES WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39496 | PCB - 1242 PCB SERIES WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0032 | No | 39496 | PCB - 1242 PCB SERIES WHOLE WATER SAMPLE UG/L | 09/24/74-06/11/75 | 0 | 3 | |
| HOFU0073 | No | 39496 | PCB - 1242 PCB SERIES WHOLE WATER SAMPLE UG/L | 08/05/75-08/05/75 | 0 | 1 | |
| HOFU0023 | No | 39499 | PCB - 1242 BOT. DEP.,PCB-SERIES DRY SOL UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 39500 | PCB - 1248 PCB SERIES WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39504 | PCB - 1254 PCB SERIES WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0032 | No | 39504 | PCB - 1254 PCB SERIES WHOLE WATER SAMPLE UG/L | 09/24/74-06/11/75 | 0 | 3 | |
| HOFU0073 | No | 39504 | PCB - 1254 PCB SERIES WHOLE WATER SAMPLE UG/L | 08/05/75-08/05/75 | 0 | 1 | |
| HOFU0023 | No | 39507 | PCB - 1254 IN BOTTOM DEPOS. DRY SOLIDS UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 39508 | PCB - 1260 PCB SERIES WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39511 | PCB - 1260 IN BOTTOM DEPOS. DRY SOLIDS UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 39514 | PCB - 1016 IN BOTTOM SEDIMENTS DRY WT UG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 39515 | PCBS (MG/KG) FISH TISSUE MG/KG | 06/15/76-05/31/77 | 0 | 9 | |
| HOFU0034 | No | 39515 | PCBS (MG/KG) FISH TISSUE MG/KG | 08/01/79-10/07/94 | 15 | 6 | |
| HOFU0031 | No | 39516 | PCBS IN WHOLE WATER SAMPLE (UG/L) | 09/23/74-06/05/75 | 0 | 2 | |
| HOFU0055 | No | 39516 | PCBS IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 12/28/78-10/28/94 | 15 | 3 | |
| HOFU0009 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0019 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0025 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0035 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0063 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0068 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0075 | No | 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 39700 | HEXACHLOROBENZENE IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39701 | HEXACHLOROBENZENE IN BOT DEPOS (UG/KG DRY SOLIDS) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0023 | No | 39702 | HEXACHLOROBUTADIENE IN WHOLE WATER SAMPLE(UG/L) | 03/13/81-04/24/81 | 0 | 2 | |
| HOFU0023 | No | 39705 | HEXACHLOROBUTADIENE BOT. DEPOS.(UG/KG DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0063 | No | 39731 | 2,4-D IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39731 | 2,4-D IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0063 | No | 39741 | 2,4,5-T IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39741 | 2,4,5-T IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0055 | No | 39755 | MIREX, TOTAL (UG/L) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0002 | No | 39758 | MIREX, BOTTOM MATERIAL (UG/KG DRY SOLIDS) | 12/05/86-10/28/94 | 7 | 2 | |
| HOFU0009 | No | 39758 | MIREX, BOTTOM MATERIAL (UG/KG DRY SOLIDS) | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0025 | No | 39758 | MIREX, BOTTOM MATERIAL (UG/KG DRY SOLIDS) | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 39758 | MIREX, BOTTOM MATERIAL (UG/KG DRY SOLIDS) | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0063 | No | 39761 | SILVEX IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 39761 | SILVEX IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0023 | No | 39785 | GAMMA-BHC(LINDANE),TISSUE,WET WEIGHT,MG/KG | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0034 | No | 39785 | GAMMA-BHC(LINDANE),TISSUE,WET WEIGHT,MG/KG | 08/30/85-10/07/94 | 9 | 4 | |
| HOFU0001 | No | 46001 | WATER APPEARANCE CODE (BASED ON FIELD ASSESSMENT) | 04/23/73-10/31/84 | 11 | 36 | |
| HOFU0001 | No | 46006 | FAMILY PLANARIIDAE, FLATWORMS | 04/02/75-10/05/87 | 12 | 8 | |
| HOFU0001 | No | 46008 | PHYLUM NEMATODA, NEMATODES | 05/25/82-05/25/82 | 0 | 1 | |
| HOFU0001 | No | 46009 | FAMILY TUBIFICIDAE, SEGMENTED WORMS | 01/09/86-01/09/86 | 0 | 1 | |
| HOFU0001 | No | 46014 | FAMILY HIRUDIDAE, LEECHES | 02/24/81-08/29/86 | 5 | 6 | |
| HOFU0001 | No | 46015 | FAMILY ASELLIDAE, AQUATIC SOW BUG | 09/20/73-01/09/86 | 12 | 4 | |
| HOFU0001 | No | 46018 | FAMILY GAMMARIDAE, SCUD | 12/10/79-08/29/86 | 6 | 5 | |
| HOFU0001 | No | 46019 | FAMILY ASTACIDAE, ALL CRAYFISH | 04/02/75-10/05/87 | 12 | 5 | |
| HOFU0001 | No | 46022 | FAMILY PELTOPERLIDAE, STONEFLY, ROACHLIKE | 09/20/73-07/22/83 | 9 | 5 | |
| HOFU0001 | No | 46023 | FAM NEMOURIDAE, STONEFLY W/PARA & GLOSSAE EQUAL | 12/10/79-12/10/79 | 0 | 1 | |
| HOFU0001 | No | 46024 | FAMILY PERLIDAE, STONEFLY W/GILLS ON THORAX | 09/20/73-10/05/87 | 14 | 13 | |
| HOFU0001 | No | 46025 | FAMILY PERLODIDAE, STONEFLY W/GILLS ON SUBMENTUM | 08/29/86-08/29/86 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0001 | No | 46027 | FAMILY EPHEMERIDAE, MAYFLY W/ TUSKS, BURROWER | 07/22/83-07/22/83 | 0 | 1 | |
| HOFU0001 | No | 46028 | FAMILY BAETIDAE, MAYFLY, HEAD NOT DEPRESSED | 09/20/73-10/05/87 | 14 | 12 | |
| HOFU0001 | No | 46029 | FAMILY HEPTAGENIIDAE MAYFLY W/ DEPRESSED HEAD | 09/20/73-10/05/87 | 14 | 13 | |
| HOFU0001 | No | 46031 | FAMILY LIBELLULIDAE, DRAGONFLY BOTTOM SPRAWLER | 04/02/75-08/29/86 | 11 | 2 | |
| HOFU0001 | No | 46032 | FAMILY GOMPHIDAE, DRAGONFLY 4 SEGMENTED ANTENNAE | 04/02/75-08/29/86 | 11 | 3 | |
| HOFU0001 | No | 46036 | FAM AGRIONIDAE DAMSELFLY 1ST ANT SEGMENT LONGEST | 05/25/82-05/25/82 | 0 | 1 | |
| HOFU0001 | No | 46037 | FAM COENAGRIONIDAE 1ST ANTENNAE SEGMENT SHORT | 01/09/86-01/09/86 | 0 | 1 | |
| HOFU0001 | No | 46041 | FAMILY GERRIDAE, WATER STRIDERS | 05/25/82-10/05/87 | 5 | 2 | |
| HOFU0001 | No | 46049 | FAMILY SIALIDAE, ALDERFLY | 05/27/81-07/22/83 | 2 | 4 | |
| HOFU0001 | No | 46050 | FAMILY CORYDALIDAE, HELLGRAMMITES | 09/20/73-08/29/86 | 12 | 10 | |
| HOFU0001 | No | 46051 | FAMILY HYDROPTILIDAE, CADDISFLY, ABDOMEN WIDE | 12/10/79-10/05/87 | 7 | 10 | |
| HOFU0001 | No | 46052 | FAMILY HELICOPSYCHIDAE, CADDISFLY SNAIL SHELL | 10/05/87-10/05/87 | 0 | 1 | |
| HOFU0001 | No | 46053 | FAMILY HYDROPSYCHIDAE, CADDISFLY W/3 S PLATES | 09/20/73-10/05/87 | 14 | 13 | |
| HOFU0001 | No | 46054 | FAM RHYACOPHILIDAE CADDISFLY;LS W/ DORSAL SHIELD | 04/02/75-08/29/86 | 11 | 3 | |
| HOFU0001 | No | 46055 | FAMILY PHILOPOTAMIDAE, CADDISFLY LAB SOFT | 09/20/73-10/05/87 | 14 | 11 | |
| HOFU0001 | No | 46056 | FAMILY PSYCHOMYIIDAE, LAB SCLEROTIZED | 02/24/81-08/29/86 | 5 | 7 | |
| HOFU0001 | No | 46058 | FAMILY LEPTOCERIDAE, CADDISFLY; ANT. LONG | 05/25/82-08/29/86 | 4 | 3 | |
| HOFU0001 | No | 46063 | FAMILY BRACHYCENTRIDAE, CADDISFLY PRO W/FURROW | 04/02/75-08/29/86 | 11 | 2 | |
| HOFU0001 | No | 46064 | FAMILY LEPTIDOSTOMATIDAE, CADDISFLY | 12/10/79-08/11/81 | 1 | 4 | |
| HOFU0001 | No | 46066 | FAMILY LIMNEPHILIDAE, CADDISFLY | 04/02/75-10/05/87 | 12 | 3 | |
| HOFU0001 | No | 46067 | FAMILY PYRALIDIDAE, AQUATIC MOTHS | 07/22/83-08/29/86 | 3 | 2 | |
| HOFU0001 | No | 46068 | FAMILY GYRINIDAE, WHIRLYGIG BEETLES | 07/22/83-07/22/83 | 0 | 1 | |
| HOFU0001 | No | 46070 | FAMILY DYTISCIDAE, PRED. DIVING BEETLES | 05/25/82-07/22/83 | 1 | 2 | |
| HOFU0001 | No | 46071 | FAMILY PSEPHENIDAE, WATER PENNY BEETLES | 09/20/73-10/05/87 | 14 | 12 | |
| HOFU0001 | No | 46074 | FAMILY DRYOPIDAE, BEETLE | 01/09/86-01/09/86 | 0 | 1 | |
| HOFU0001 | No | 46075 | FAMILY ELMIDAE, BEETLE | 09/20/73-10/05/87 | 14 | 12 | |
| HOFU0001 | No | 46078 | FAMILY TIPULIDAE, CRANE FLY | 09/20/73-10/05/87 | 14 | 13 | |
| HOFU0001 | No | 46084 | FAMILY SIMULIIDAE, BLACK FLIES | 09/20/73-10/05/87 | 14 | 12 | |
| HOFU0001 | No | 46085 | FAMILY EMPIDIDAE | 09/20/73-08/29/86 | 12 | 5 | |
| HOFU0001 | No | 46087 | FAMILY TENDIPEDIDAE (CHIRONOMIDAE), MIDGE FLIES | 09/20/73-10/05/87 | 14 | 13 | |
| HOFU0001 | No | 46089 | FAMILY RHAGIONIDAE, SNIPE FLIES | 07/22/83-07/22/83 | 0 | 1 | |
| HOFU0001 | No | 46090 | FAMILY TABANIDAE, HORSEFLIES | 05/25/82-08/29/86 | 4 | 3 | |
| HOFU0001 | No | 46095 | FAMILY PHYSIDAE, LUNG SNAILS | 04/02/75-08/29/86 | 11 | 9 | |
| HOFU0001 | No | 46096 | FAMILY LYMNAEIDAE, POND SNAILS | 04/02/75-11/19/81 | 6 | 2 | |
| HOFU0001 | No | 46097 | FAMILY PLANORBIDAE, ORB SNAILS | 04/02/75-08/29/86 | 11 | 2 | |
| HOFU0001 | No | 46098 | FAMILY ANCYLIDAE, LIMPETS | 04/02/75-10/05/87 | 12 | 9 | |
| HOFU0001 | No | 46099 | FAMILY AMNICOLIDAE | 04/02/75-04/02/75 | 0 | 1 | |
| HOFU0001 | No | 46102 | FAMILY PLEUROCERIDAE, RIVER SNAIL | 10/05/87-10/05/87 | 0 | 1 | |
| HOFU0001 | No | 46103 | FAMILY UNIONIDAE | 05/25/82-05/25/82 | 0 | 1 | |
| HOFU0001 | No | 46104 | FAMILY SPHAERIIDAE,FINGERNAIL CLAMS | 04/02/75-08/29/86 | 11 | 3 | |
| HOFU0001 | No | 46106 | CLASS OLIGOCHAETA, AQUATIC EARTH WORMS | 04/02/75-10/05/87 | 12 | 10 | |
| HOFU0001 | No | 46124 | FAMILY TAENIOPTERGIDAE STONEFLY NO/FT2 | 01/09/86-01/09/86 | 0 | 1 | |
| HOFU0001 | No | 46125 | FAMILY CAPNIIDAE, STONEFLY NO/FT2 | 01/09/86-01/09/86 | 0 | 1 | |
| HOFU0001 | No | 46130 | FAMILY OLIGONEURIIDAE, MAYFLY NO/FT2 | 01/09/86-10/05/87 | 1 | 2 | |
| HOFU0001 | No | 46138 | FAMILY EPHEMERELLIDAE, MAYFLY NO/FT2 | 01/09/86-01/09/86 | 0 | 1 | |
| HOFU0001 | No | 46141 | FAMILY GLOSSOSOMAIDAE, CADDISFLY NO/FT2 | 10/05/87-10/05/87 | 0 | 1 | |
| HOFU0034 | No | 46471 | CHLORDENE, WET WEIGHT, FISH TISSUE MG/KG | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0001 | No | 50060 | CHLORINE, TOTAL RESIDUAL (MG/L) | 07/30/84-07/30/84 | 0 | 1 | |
| HOFU0004 | No | 50060 | CHLORINE, TOTAL RESIDUAL (MG/L) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0016 | No | 50060 | CHLORINE, TOTAL RESIDUAL (MG/L) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0039 | No | 50060 | CHLORINE, TOTAL RESIDUAL (MG/L) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0046 | No | 50060 | CHLORINE, TOTAL RESIDUAL (MG/L) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0006 | No | 50700 | FLUORINE, DISSOLVED, FILTERED WATER SAMPLE UG/L | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0010 | No | 50700 | FLUORINE, DISSOLVED, FILTERED WATER SAMPLE UG/L | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0015 | No | 50700 | FLUORINE, DISSOLVED, FILTERED WATER SAMPLE UG/L | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0077 | No | 70228 | FLOW, SPRING GALLONS/MINUTE | 06/01/94-06/01/94 | 0 | 1 | |
| HOFU0002 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/25/50-10/14/87 | 37 | 34 | S |
| HOFU0005 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-05/26/95 | 3 | 2 | |
| HOFU0008 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0009 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/25/74-10/14/87 | 12 | 13 | |
| HOFU0011 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/24/74-10/29/82 | 8 | 6 | |
| HOFU0012 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0017 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/15/69-04/15/70 | 0 | 3 | |
| HOFU0019 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0020 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0025 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/24/74-10/16/87 | 12 | 10 | |
| HOFU0026 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0029 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/25/74-10/16/87 | 12 | 9 | |
| HOFU0030 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-05/25/95 | 3 | 2 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0038 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0040 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0041 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0042 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/24/74-10/26/82 | 8 | 6 | |
| HOFU0044 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0047 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/24/74-10/26/82 | 8 | 8 | |
| HOFU0049 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 04/15/69-04/15/70 | 1 | 5 | |
| HOFU0053 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-05/16/95 | 3 | 2 | |
| HOFU0059 | Yes | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-04/28/95 | 3 | 2 | |
| HOFU0063 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0065 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-05/25/95 | 3 | 2 | |
| HOFU0067 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 05/25/50-10/25/74 | 24 | 5 | |
| HOFU0009 | No | 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/04/73-11/01/78 | 5 | 6 | |
| HOFU0011 | No | 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/03/73-10/31/78 | 5 | 5 | |
| HOFU0019 | No | 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/04/73-11/01/78 | 5 | 4 | |
| HOFU0027 | No | 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/03/73-10/21/77 | 4 | 4 | |
| HOFU0042 | No | 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/03/73-10/27/76 | 3 | 4 | |
| HOFU0047 | No | 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/03/73-11/01/78 | 5 | 6 | |
| HOFU0063 | No | 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 02/12/69-05/09/72 | 3 | 21 | |
| HOFU0009 | No | 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 11/02/82-11/02/82 | 0 | 1 | |
| HOFU0011 | No | 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 10/29/82-10/29/82 | 0 | 1 | |
| HOFU0025 | No | 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 11/04/82-11/04/82 | 0 | 1 | |
| HOFU0029 | No | 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 11/04/82-11/04/82 | 0 | 1 | |
| HOFU0042 | No | 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 10/26/82-10/26/82 | 0 | 1 | |
| HOFU0047 | No | 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 10/26/82-10/26/82 | 0 | 1 | |
| HOFU0002 | No | 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 05/25/50-11/02/82 | 32 | 30 | S |
| HOFU0009 | No | 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/04/73-11/02/82 | 9 | 9 | |
| HOFU0011 | No | 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/03/73-10/29/82 | 9 | 7 | |
| HOFU0019 | No | 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 02/20/80-02/20/80 | 0 | 1 | |
| HOFU0025 | No | 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/04/73-11/04/82 | 9 | 7 | |
| HOFU0027 | No | 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/03/73-10/03/73 | 0 | 1 | |
| HOFU0029 | No | 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/03/73-11/04/82 | 9 | 6 | |
| HOFU0042 | No | 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/03/73-10/26/82 | 9 | 7 | |
| HOFU0047 | No | 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/03/73-10/26/82 | 9 | 9 | |
| HOFU0063 | No | 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0071 | No | 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0034 | No | 70320 | MOISTURE CONTENT (PERCENT OF TOTAL WET WEIGHT) | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0062 | No | 70320 | MOISTURE CONTENT (PERCENT OF TOTAL WET WEIGHT) | 08/20/93-08/20/93 | 0 | 1 | |
| HOFU0002 | No | 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 08/07/67-10/21/81 | 14 | 13 | |
| HOFU0009 | No | 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 12/10/69-10/21/81 | 11 | 12 | |
| HOFU0011 | No | 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 02/19/70-10/21/81 | 11 | 10 | |
| HOFU0016 | No | 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0025 | No | 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 10/05/70-10/21/81 | 11 | 9 | |
| HOFU0029 | No | 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 12/09/69-10/21/81 | 11 | 9 | |
| HOFU0042 | No | 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 10/05/70-10/22/81 | 11 | 10 | |
| HOFU0046 | No | 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 08/06/87-08/06/87 | 0 | 1 | |
| HOFU0047 | No | 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 05/10/71-10/22/81 | 10 | 11 | |
| HOFU0062 | No | 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 07/24/91-07/24/91 | 0 | 2 | |
| HOFU0071 | No | 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0074 | No | 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 04/21/77-03/27/78 | 0 | 2 | |
| HOFU0001 | No | 70508 | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 10 | 98 | T,A |
| HOFU0002 | No | 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 11/09/79-11/06/80 | 0 | 2 | |
| HOFU0009 | No | 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 11/09/79-11/06/80 | 0 | 2 | |
| HOFU0025 | No | 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 11/09/79-11/06/80 | 0 | 2 | |
| HOFU0029 | No | 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0047 | No | 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 11/08/79-11/07/80 | 0 | 2 | |
| HOFU0002 | No | 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/21/81-11/02/82 | 1 | 2 | |
| HOFU0009 | No | 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/21/81-11/02/82 | 1 | 2 | |
| HOFU0011 | No | 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/21/81-10/29/82 | 1 | 2 | |
| HOFU0025 | No | 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/21/81-11/04/82 | 1 | 2 | |
| HOFU0029 | No | 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/21/81-11/04/82 | 1 | 2 | |
| HOFU0042 | No | 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0047 | No | 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/22/81-10/26/82 | 1 | 2 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0063 | No | 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0002 | No | 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 06/29/56-11/02/82 | 26 | 29 | S |
| HOFU0009 | No | 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 11/02/82-11/02/82 | 0 | 1 | |
| HOFU0018 | No | 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 05/15/68-09/19/68 | 0 | 2 | |
| HOFU0029 | No | 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 11/04/82-11/04/82 | 0 | 1 | |
| HOFU0063 | No | 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0002 | No | 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 11/02/82-11/02/82 | 0 | 1 | |
| HOFU0009 | No | 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 11/02/82-11/02/82 | 0 | 1 | |
| HOFU0029 | No | 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 11/04/82-11/04/82 | 0 | 1 | |
| HOFU0063 | No | 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0002 | No | 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 11/09/79-10/10/85 | 5 | 4 | |
| HOFU0009 | No | 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 11/09/79-10/11/85 | 5 | 5 | |
| HOFU0011 | No | 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 10/21/81-10/21/81 | 0 | 1 | |
| HOFU0013 | No | 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0025 | No | 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 11/09/79-10/10/85 | 5 | 5 | |
| HOFU0029 | No | 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 11/09/79-10/18/83 | 3 | 3 | |
| HOFU0042 | No | 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 10/22/81-10/22/81 | 0 | 1 | |
| HOFU0047 | No | 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 11/08/79-11/07/80 | 0 | 2 | |
| HOFU0052 | No | 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0070 | No | 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 06/07/72-06/07/72 | 0 | 1 | |
| HOFU0002 | No | 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 11/09/79-10/21/81 | 1 | 3 | |
| HOFU0009 | No | 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 10/27/76-10/21/81 | 4 | 6 | |
| HOFU0011 | No | 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 10/26/76-10/21/81 | 4 | 3 | |
| HOFU0025 | No | 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 11/01/78-10/21/81 | 2 | 3 | |
| HOFU0029 | No | 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 10/03/73-10/21/81 | 8 | 4 | |
| HOFU0042 | No | 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 10/27/76-10/22/81 | 4 | 3 | |
| HOFU0047 | No | 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 10/27/76-10/22/81 | 4 | 6 | |
| HOFU0071 | No | 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 07/30/74-07/30/74 | 0 | 1 | |
| HOFU0002 | No | 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/21/81-11/02/82 | 1 | 2 | |
| HOFU0009 | No | 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/21/81-11/02/82 | 1 | 2 | |
| HOFU0011 | No | 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/21/81-10/29/82 | 1 | 2 | |
| HOFU0025 | No | 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/21/81-11/04/82 | 1 | 2 | |
| HOFU0029 | No | 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/21/81-11/04/82 | 1 | 2 | |
| HOFU0042 | No | 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0047 | No | 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/22/81-10/26/82 | 1 | 2 | |
| HOFU0055 | No | 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0001 | No | 71900 | MERCURY, TOTAL (UG/L AS HG) | 08/21/80-08/13/87 | 6 | 7 | |
| HOFU0002 | No | 71900 | MERCURY, TOTAL (UG/L AS HG) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0009 | No | 71900 | MERCURY, TOTAL (UG/L AS HG) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0014 | No | 71900 | MERCURY, TOTAL (UG/L AS HG) | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0023 | No | 71900 | MERCURY, TOTAL (UG/L AS HG) | 03/13/81-09/02/86 | 5 | 6 | |
| HOFU0025 | No | 71900 | MERCURY, TOTAL (UG/L AS HG) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0029 | No | 71900 | MERCURY, TOTAL (UG/L AS HG) | 11/09/79-11/09/79 | 0 | 1 | |
| HOFU0047 | No | 71900 | MERCURY, TOTAL (UG/L AS HG) | 11/08/79-11/08/79 | 0 | 1 | |
| HOFU0077 | No | 71900 | MERCURY, TOTAL (UG/L AS HG) | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0002 | No | 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 12/28/78-10/28/94 | 15 | 2 | |
| HOFU0019 | No | 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0035 | No | 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0051 | No | 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0055 | No | 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 12/19/78-11/16/79 | 0 | 2 | |
| HOFU0068 | No | 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 12/19/78-12/19/78 | 0 | 1 | |
| HOFU0071 | No | 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0072 | No | 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0075 | No | 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 11/15/79-11/15/79 | 0 | 1 | |
| HOFU0023 | No | 71930 | MERCURY,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 71930 | MERCURY,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 06/15/76-06/15/76 | 0 | 2 | |
| HOFU0034 | No | 71930 | MERCURY,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0062 | No | 71933 | MERCURY TOTAL IN FISH DRY WEIGHT BASIS | 08/20/93-08/20/93 | 0 | 1 | |
| HOFU0023 | No | 71936 | LEAD,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 71936 | LEAD,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 06/15/76-06/15/76 | 0 | 2 | |
| HOFU0034 | No | 71936 | LEAD,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0023 | No | 71937 | COPPER,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 71937 | COPPER,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 06/15/76-06/15/76 | 0 | 2 | |
| HOFU0034 | No | 71937 | COPPER,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0023 | No | 71938 | ZINC,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 71938 | ZINC,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 06/15/76-06/15/76 | 0 | 2 | |
| HOFU0023 | No | 71939 | CHROMIUM,TOT IN FISH OR ANIMALS-WET WEIGHT BASIS | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 71939 | CHROMIUM,TOT IN FISH OR ANIMALS-WET WEIGHT BASIS | 06/15/76-06/15/76 | 0 | 2 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0034 | No | 71939 | CHROMIUM,TOT IN FISH OR ANIMALS-WET WEIGHT BASIS | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0023 | No | 71940 | CADMIUM,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 71940 | CADMIUM,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 06/15/76-06/15/76 | 0 | 2 | |
| HOFU0034 | No | 71940 | CADMIUM,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0014 | No | 71993 | ELEVATION OF GRD WATER WITH REF.TO MEAN SEA L FT | 01/01/91-01/01/91 | 0 | 1 | |
| HOFU0077 | No | 71993 | ELEVATION OF GRD WATER WITH REF.TO MEAN SEA L FT | 06/01/94-06/01/94 | 0 | 1 | |
| HOFU0002 | No | 72000 | ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL) | 05/25/50-08/07/67 | 17 | 3 | |
| HOFU0014 | No | 72000 | ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL) | 01/01/91-01/01/91 | 0 | 1 | |
| HOFU0077 | No | 72000 | ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL) | 06/01/94-06/01/94 | 0 | 1 | |
| HOFU0014 | No | 72002 | DEPTH TO TOP OF WATER-BEARING ZONE SAMPLED (FT) | 01/01/91-01/01/91 | 0 | 1 | |
| HOFU0002 | No | 72008 | DEPTH, TOTAL OF WELL (FT BELOW LAND SURFACE DATUM) | 05/25/50-08/07/67 | 17 | 3 | |
| HOFU0002 | No | 72015 | DEPTH TO TOP OF SAMPLE INTERVAL (FT BELOW LSD) | 05/25/50-08/07/67 | 17 | 4 | |
| HOFU0002 | No | 72016 | DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD) | 05/25/50-08/07/67 | 17 | 4 | |
| HOFU0002 | No | 72019 | DEPTH TO WATER LEVEL (FEET BELOW LAND SURFACE) | 06/29/56-06/29/56 | 0 | 1 | |
| HOFU0014 | No | 72019 | DEPTH TO WATER LEVEL (FEET BELOW LAND SURFACE) | 01/01/91-01/01/91 | 0 | 1 | |
| HOFU0072 | No | 75039 | TRICHLOROBENZENE,1,2,4 SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75040 | HEXACHLOROBUTADIENE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75041 | BHC,ALPHA- SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75042 | HEXACHLOROBENZENE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75043 | PENTACHLOROANISOLE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75044 | HEPTACHLOR SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75045 | HEPTACHLOR EPOXIDE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75046 | DDE,P,P'-(4,4'-DDE) SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75047 | DIELDRIN SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75048 | ENDRIN SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75050 | ALACHLOR UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75051 | DICHLOROBIPHENYL,TOTAL SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75052 | OCTACHLOROBIPHENYL,TOTAL SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75054 | DECACHLOROBIPHENYL,TOTAL SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 75558 | BIPHENYL SEDIMENT,DRY WGT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0023 | No | 77041 | CARBON DISULFIDE WHOLE WATER,UG/L | 03/20/86-06/10/86 | 0 | 4 | |
| HOFU0023 | No | 77093 | CIS-1,2-DICHLOROETHYLENE WHOLE WATER,UG/L | 03/20/86-06/10/86 | 0 | 3 | |
| HOFU0023 | No | 77103 | 2-HEXANONE WHOLE WATER,UG/L | 03/20/86-06/10/86 | 0 | 4 | |
| HOFU0023 | No | 77128 | STYRENE WHOLE WATER,UG/L | 03/20/86-06/10/86 | 0 | 4 | |
| HOFU0054 | Yes | 77128 | STYRENE WHOLE WATER,UG/L | 11/18/92-11/18/92 | 0 | 1 | |
| HOFU0023 | No | 77134 | 1,3-DIMETHYLBENZENE(M-XYLENE) WHOLE WATER,UG/L | 03/20/86-06/10/86 | 0 | 3 | |
| HOFU0023 | No | 78032 | PROPANE, 2-METHOXY-2-METHYL- , WATER, WHOLE, UG/L | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0054 | Yes | 78131 | TOLUENE IN WHOLE WATER (VOLATILE ANALYSIS) UG/L | 11/18/92-11/18/93 | 1 | 2 | |
| HOFU0023 | No | 78133 | 4-METHYL-2-PENTANONE IN WATER UG/L | 03/20/86-06/10/86 | 0 | 4 | |
| HOFU0034 | No | 78457 | CHLORDENE, ALPHA-, FISH TISSUE, WET WEIGHT, MG/KG | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0034 | No | 78459 | CHLORDENE, GAMMA-, FISH TISSUE, WET WEIGHT, MG/KG | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0072 | No | 78657 | NONACHLOR, TRANS, SEDIMENT, DRY WEIGHT, UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 78875 | MONOCHLOROBIPHENYLS TOTAL IN SED DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 78924 | NONACHLOR, CIS, SEDIMENT, DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79785 | TRICHLOROBENZENE,1,3,5- SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79786 | TRICHLOROBENZENE,1,2,3- SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79787 | TETRACHLOROBENZENE,1,2,4,5- SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79789 | TETRACHLOROBENZENE,1,2,3,4- SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79790 | PENTACHLOROBENZENE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79791 | DIPHENYL DISULFIDE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79792 | CHLORPYRIFOS SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79793 | OCTACHLOROSTYRENE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79794 | OXYCHLORDANE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79795 | CHLORDANE, TRANS SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79796 | CHLORDANE, CIS SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79797 | NITROFEN SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79798 | METHOXYCHLOR SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79799 | DICOFOL (KELTHANE) SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 79800 | MIREX SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0002 | No | 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 07/29/69-10/30/72 | 3 | 7 | |
| HOFU0009 | No | 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 05/10/71-10/30/72 | 1 | 3 | |
| HOFU0011 | No | 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 05/04/71-09/28/71 | 0 | 2 | |
| HOFU0025 | No | 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 05/20/70-10/30/72 | 2 | 4 | |
| HOFU0029 | No | 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 10/04/71-10/30/72 | 1 | 2 | |
| HOFU0042 | No | 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 05/07/70-10/30/72 | 2 | 5 | |
| HOFU0002 | No | 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 07/29/69-10/30/72 | 3 | 7 | |
| HOFU0009 | No | 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 05/10/71-10/30/72 | 1 | 3 | |
| HOFU0011 | No | 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 05/04/71-09/28/71 | 0 | 2 | |
| HOFU0025 | No | 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 05/20/70-10/30/72 | 2 | 4 | |
| HOFU0029 | No | 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 10/04/71-10/30/72 | 1 | 2 | |
| HOFU0042 | No | 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 05/07/70-10/30/72 | 2 | 5 | |
| HOFU0063 | No | 80157 | BED MATERIAL FALL DIAMETER, % FINER THAN .004MM | 07/11/73-07/11/73 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0063 | No | 80158 | BED MATERIAL FALL DIAMETER, % FINER THAN .062MM | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0063 | No | 80163 | BED MATERIAL FALL DIAMETER, % FINER THAN 2.00MM | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0023 | No | 80333 | ISOCYANATOBENZENE, WHOLE WATER UG/L | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0023 | No | 80339 | BENZENE, TRIMETHYL-, ISOMER, WHOLE WATER UG/L | 03/20/86-03/20/86 | 0 | 1 | |
| HOFU0023 | No | 80353 | XYLENE ISOMERS, O+P, WHOLE WATER UG/L | 03/20/86-06/10/86 | 0 | 3 | |
| HOFU0025 | No | 81024 | DRAINAGE AREA IN SQUARE MILES (SQ. MI.) | 10/14/93-10/14/93 | 0 | 1 | |
| HOFU0054 | Yes | 81551 | XYLENE WHL WATER SMPL UG/L | 11/18/92-11/18/92 | 0 | 1 | |
| HOFU0023 | No | 81552 | ACETONE WHL WATER SMPL UG/L | 03/20/86-06/10/86 | 0 | 4 | |
| HOFU0023 | No | 81595 | METHYL ETHYL KETONE WHL WATER SMPL UG/L | 03/20/86-06/10/86 | 0 | 3 | |
| HOFU0023 | No | 81614 | NUMBER OF INDIVIDUALS IN THE SAMPLE | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 81614 | NUMBER OF INDIVIDUALS IN THE SAMPLE | 06/15/76-06/15/76 | 0 | 4 | |
| HOFU0034 | No | 81614 | NUMBER OF INDIVIDUALS IN THE SAMPLE | 08/01/79-10/07/94 | 15 | 6 | |
| HOFU0062 | No | 81614 | NUMBER OF INDIVIDUALS IN THE SAMPLE | 08/20/93-08/20/93 | 0 | 1 | |
| HOFU0033 | No | 81615 | NUMBER OF DIFFERENT SPECIES IN THE SAMPLE | 06/15/76-06/15/76 | 0 | 2 | |
| HOFU0072 | No | 81618 | TREFLAN(TRIFLURALIN) IN SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0034 | No | 81644 | METHOXYCHLOR IN FISH TISSUE,UG/G WET WEIGHT | 08/30/85-10/07/94 | 9 | 4 | |
| HOFU0034 | No | 81645 | MIREX IN FISH TISSUE WET WEIGHT UG/G | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0072 | No | 81808 | PENTACHLORONITROBENZENE IN SEDIMENT DRY WGT UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0034 | No | 81822 | KEPONE IN FISH TISSUE WET WEIGHT MG/KG | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0072 | No | 81876 | TRICHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 81878 | TETRACHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 81880 | PENTACHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 81882 | HEXACHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0072 | No | 81884 | HEPTACHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0002 | No | 81886 | PERTHANE IN SEDIMENT DRY WEIGHT UG/KG | 12/05/86-10/28/94 | 7 | 2 | |
| HOFU0009 | No | 81886 | PERTHANE IN SEDIMENT DRY WEIGHT UG/KG | 10/11/85-10/11/85 | 0 | 1 | |
| HOFU0025 | No | 81886 | PERTHANE IN SEDIMENT DRY WEIGHT UG/KG | 10/22/86-10/22/86 | 0 | 1 | |
| HOFU0029 | No | 81886 | PERTHANE IN SEDIMENT DRY WEIGHT UG/KG | 10/10/85-10/10/85 | 0 | 1 | |
| HOFU0072 | No | 81886 | PERTHANE IN SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 0 | 2 | |
| HOFU0033 | No | 81944 | DDT(INCLUDES DDE & DDD) IN TISSUE WET WEIGHT MG/KG | 06/15/76-06/15/76 | 0 | 3 | |
| HOFU0034 | No | 82029 | OXYCHLORDANE IN TISSUE SAMPLE WET WEIGHT MG/KG | 10/07/94-10/07/94 | 0 | 1 | |
| HOFU0026 | No | 82038 | POTASSIUM-DISSOLVED UG/L(AS K) | 04/15/69-04/15/69 | 0 | 1 | |
| HOFU0040 | No | 82038 | POTASSIUM-DISSOLVED UG/L(AS K) | 04/15/69-04/15/69 | 0 | 1 | |
| HOFU0049 | No | 82038 | POTASSIUM-DISSOLVED UG/L(AS K) | 04/15/69-04/15/69 | 0 | 1 | |
| HOFU0026 | No | 82039 | DISSOLVED-SODIUM UG/L (AS NA) | 04/15/69-04/15/69 | 0 | 1 | |
| HOFU0040 | No | 82039 | DISSOLVED-SODIUM UG/L (AS NA) | 04/15/69-04/15/69 | 0 | 1 | |
| HOFU0049 | No | 82039 | DISSOLVED-SODIUM UG/L (AS NA) | 04/15/69-04/15/69 | 0 | 1 | |
| HOFU0001 | No | 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 05/25/82-12/10/87 | 5 | 68 | A |
| HOFU0003 | No | 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0007 | No | 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0014 | No | 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 01/24/91-07/10/91 | 0 | 2 | |
| HOFU0028 | No | 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0037 | No | 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0056 | Yes | 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0060 | No | 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0064 | No | 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 0 | 1 | |
| HOFU0077 | No | 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 03/23/94-03/23/94 | 0 | 1 | |
| HOFU0006 | No | 82331 | DYSPROSIUM, DISSOLVED AS DY IN WATER UG/L | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0010 | No | 82331 | DYSPROSIUM, DISSOLVED AS DY IN WATER UG/L | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0015 | No | 82331 | DYSPROSIUM, DISSOLVED AS DY IN WATER UG/L | 06/27/77-06/27/77 | 0 | 1 | |
| HOFU0078 | No | 82331 | DYSPROSIUM, DISSOLVED AS DY IN WATER UG/L | 07/06/77-07/06/77 | 0 | 1 | |
| HOFU0002 | No | 82398 | SAMPLING METHOD (CODES) | 05/10/71-10/28/96 | 25 | 21 | |
| HOFU0009 | No | 82398 | SAMPLING METHOD (CODES) | 05/20/70-11/06/95 | 25 | 17 | |
| HOFU0011 | No | 82398 | SAMPLING METHOD (CODES) | 09/29/70-11/05/80 | 10 | 5 | |
| HOFU0025 | No | 82398 | SAMPLING METHOD (CODES) | 05/10/71-11/06/95 | 24 | 19 | |
| HOFU0029 | No | 82398 | SAMPLING METHOD (CODES) | 05/07/70-11/06/95 | 25 | 23 | |
| HOFU0042 | No | 82398 | SAMPLING METHOD (CODES) | 10/30/72-11/06/80 | 8 | 7 | |
| HOFU0014 | No | 84000 | GEOLOGIC AGE CODE (SEE USGS CATALOG) | 01/01/91-01/01/91 | 0 | 1 | |
| HOFU0035 | No | 84000 | GEOLOGIC AGE CODE (SEE USGS CATALOG) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0063 | No | 84000 | GEOLOGIC AGE CODE (SEE USGS CATALOG) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 84000 | GEOLOGIC AGE CODE (SEE USGS CATALOG) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0077 | No | 84000 | GEOLOGIC AGE CODE (SEE USGS CATALOG) | 06/01/94-06/01/94 | 0 | 1 | |
| HOFU0014 | No | 84001 | AQUIFER NAME CODE (SEE USGS CATALOG) | 01/01/91-01/01/91 | 0 | 1 | |
| HOFU0035 | No | 84001 | AQUIFER NAME CODE (SEE USGS CATALOG) | 11/16/79-11/16/79 | 0 | 1 | |
| HOFU0063 | No | 84001 | AQUIFER NAME CODE (SEE USGS CATALOG) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0067 | No | 84001 | AQUIFER NAME CODE (SEE USGS CATALOG) | 07/11/73-07/11/73 | 0 | 1 | |
| HOFU0077 | No | 84001 | AQUIFER NAME CODE (SEE USGS CATALOG) | 06/01/94-06/01/94 | 0 | 1 | |
| HOFU0023 | No | 84007 | ANATOMY ALPHA CODE | 04/24/81-04/24/81 | 0 | 1 | |
| HOFU0033 | No | 84007 | ANATOMY ALPHA CODE | 06/15/76-05/31/77 | 0 | 11 | |
| HOFU0034 | No | 84007 | ANATOMY ALPHA CODE | 08/01/79-10/07/94 | 15 | 6 | |
| HOFU0062 | No | 84007 | ANATOMY ALPHA CODE | 08/20/93-08/20/93 | 0 | 1 | |
| HOFU0062 | No | 84131 | SAMPLING METHOD, CONFIDENCE CODE (A,B,C,D) CODE | 07/24/91-08/06/96 | 5 | 7 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station/Parameter Period of Record Tabulation
# From 05/25/50 To 10/28/96

| Station | In Park | Code | Name | Start - End | Years | Obs | Plots[1] |
|---|---|---|---|---|---|---|---|
| HOFU0014 | No | 84147 | LAND USE, PREDOMINANT, 1/4 MI.RADIUS OF WELL, CODE | 01/01/91-01/01/91 | 0 | 1 | |
| HOFU0077 | No | 84147 | LAND USE, PREDOMINANT, 1/4 MI.RADIUS OF WELL, CODE | 06/01/94-06/01/94 | 0 | 1 | |
| HOFU0005 | No | 85000 | STREAM MILE, ACTUAL MILES | 05/26/95-05/26/95 | 0 | 1 | |
| HOFU0008 | No | 85000 | STREAM MILE, ACTUAL MILES | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0012 | No | 85000 | STREAM MILE, ACTUAL MILES | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0020 | No | 85000 | STREAM MILE, ACTUAL MILES | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0021 | No | 85000 | STREAM MILE, ACTUAL MILES | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0022 | No | 85000 | STREAM MILE, ACTUAL MILES | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0024 | No | 85000 | STREAM MILE, ACTUAL MILES | 05/24/95-05/24/95 | 0 | 1 | |
| HOFU0030 | No | 85000 | STREAM MILE, ACTUAL MILES | 05/25/95-05/25/95 | 0 | 1 | |
| HOFU0038 | No | 85000 | STREAM MILE, ACTUAL MILES | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0041 | No | 85000 | STREAM MILE, ACTUAL MILES | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0044 | No | 85000 | STREAM MILE, ACTUAL MILES | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0053 | No | 85000 | STREAM MILE, ACTUAL MILES | 05/16/95-05/16/95 | 0 | 1 | |
| HOFU0059 | Yes | 85000 | STREAM MILE, ACTUAL MILES | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0065 | No | 85000 | STREAM MILE, ACTUAL MILES | 04/28/95-04/28/95 | 0 | 1 | |
| HOFU0066 | No | 85000 | STREAM MILE, ACTUAL MILES | 05/25/95-05/25/95 | 0 | 1 | |

[1]T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

# Station-By-Station Results

# Station Inventory for Station: HOFU0001

NPS Station ID: HOFU0001 LAT/LON: 40.151392/ -75.601670 Agency: 21PA Date Created: 04/19/77
Location: FRENCH CRK-.25MI DNSTRM FR WILSON CORNR FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): WQN0155 /ABMS0155 /01472157
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: DELAWARE RIVER Elevation: 0 Water Body Id:
Minor Basin: FRENCH CREEK ECO Region:
RF1 Index: 02040203019 RF1 Mile Point: 6.770 Distance from RF1: 0.00 On/Off RF1: ON
RF3 Index: 02040203007100.00 RF3 Mile Point: 2.75 Distance from RF3: 0.02 On/Off RF3:
Description:
20 YARDS UPSTREAM FROM BRIDGE WHICH IS 1/4 MILE DOWNSTREAM FROM WILSON'S CORNER IN EAST VINCENT TOWNSHIP, CHESTER COUNTY, AT THE USGS GAGE STATION. SAMPLED BY: PENNADER, NORRISTOWN REGIONAL OFFICE. SAMPLING POINT: MID-CHANNEL. SAMPLING FREQUENCY: QUARTERLY BIOLOGICAL QUARTERLY CHEMICAL. PERIOD OF RECORD: 11-29-72 TO PRESENT.

## Parameter Inventory for Station: HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 11/29/72-12/10/87 | 79 | 14. | 13.415 | 27. | 0. | 62.027 | 7.876 | 2. | 7. | 19.5 | 24. |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 11/29/72-08/08/78 | 31 | 64. | 67.032 | 149. | 22. | 1236.166 | 35.159 | 27. | 32. | 86. | 124.8 |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 96 | 41.5 | 63.26 | 295. | 11. | 2856.089 | 53.442 | 17.4 | 26.25 | 79.5 | 141.6 |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 109 | 4.59 | 4.961 | 44.1 | 2.38 | 14.488 | 3.806 | 4.18 | 4.34 | 4.85 | 5.14 |
| 00070 | TURBIDITY, (JACKSON CANDLE UNITS) | 11/29/72-08/11/77 | 26 | 3. | 4.988 | 40. | 1. | 56.091 | 7.489 | 1.35 | 1.5 | 5.525 | 8.15 |
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/02/77-04/05/82 | 32 | 1.5 | 2.297 | 17. | 0.5 | 8.804 | 2.967 | 0.5 | 1. | 2.5 | 4.35 |
| 00094p | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 04/23/73-12/10/87 | 50 | 105. | 100.12 | 145. | 6. | 708.883 | 26.625 | 70. | 80. | 120. | 130. |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 126 | 139. | 145.23 | 900. | 100. | 5401.603 | 73.496 | 120. | 130. | 145.25 | 155.9 |
| 00300p | OXYGEN, DISSOLVED MG/L | 11/29/72-12/10/87 | 61 | 9.9 | 10.47 | 14.8 | 5.5 | 3.942 | 1.986 | 8.5 | 9.2 | 11.95 | 13.76 |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 70 | 0.75 | 0.884 | 3.6 | 0.1 | 0.478 | 0.691 | 0.11 | 0.375 | 1.2 | 1.96 |
| 00312 | BOD, 6 DAY, 20 DEG C MG/L | 12/26/85-12/26/85 | 1 | 0.4 | 0.4 | 0.4 | 0.4 | 0. | 0. | ** | ** | ** | ** |
| 00340 | COD, .25N K2CR2O7 MG/L | 04/02/75-01/29/81 | 9 | 12. | 11.778 | 20. | 4. | 30.444 | 5.518 | 4. | 7. | 16. | 20. |
| 00400p | PH (STANDARD UNITS) | 11/29/72-12/10/87 | 63 | 7.7 | 7.755 | 9.8 | 6.8 | 0.303 | 0.551 | 7.064 | 7.4 | 8.1 | 8.5 |
| 00400p | CONVERTED PH (STANDARD UNITS) | 11/29/72-12/10/87 | 63 | 7.7 | 7.499 | 9.8 | 6.8 | 0.37 | 0.608 | 7.064 | 7.4 | 8.1 | 8.5 |
| 00400p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 63 | 0.02 | 0.032 | 0.158 | 0. | 0.001 | 0.033 | 0.003 | 0.008 | 0.04 | 0.086 |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 126 | 7. | 7.059 | 8.5 | 6. | 0.367 | 0.606 | 6.3 | 6.6 | 7.425 | 7.9 |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 126 | 7. | 6.722 | 8.5 | 6. | 0.481 | 0.694 | 6.3 | 6.6 | 7.425 | 7.9 |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 126 | 0.1 | 0.19 | 1. | 0.003 | 0.054 | 0.232 | 0.013 | 0.038 | 0.251 | 0.501 |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 126 | 36. | 38.278 | 170. | 1. | 387.466 | 19.684 | 25.4 | 30. | 42. | 46. |
| 00436 | ACIDITY, MINERAL (METHYL ORANGE) (MG/L AS CACO3) | 11/29/72-02/15/77 | 22 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| 00437 | ACIDITY, CO2 (PHENOLPHTHALEIN) (MG/L AS CACO3) | 11/29/72-08/11/77 | 26 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| 00500 | RESIDUE, TOTAL (MG/L) | 05/17/76-05/30/78 | 7 | 120. | 133.714 | 190. | 96. | 1080.571 | 32.872 | ** | ** | ** | ** |
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 114 | 110. | 190.614 | 7902. | 1. | 539816.186 | 734.722 | 87. | 98. | 128. | 147. |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 01/22/76-12/10/79 | 20 | 7. | 10.475 | 30. | 0. | 84.749 | 9.206 | 2.05 | 2.875 | 18. | 27.4 |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 02/15/77-02/15/77 | 1 ## | 0.25 | 0.25 | 0.25 | 0.25 | 0. | 0. | ** | ** | ** | ** |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 126 | 0.04 | 0.049 | 0.26 | 0. | 0.002 | 0.046 | 0.01 | 0.01 | 0.06 | 0.1 |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 126 | 0.008 | 0.016 | 0.2 | 0.002 | 0.001 | 0.023 | 0.004 | 0.004 | 0.02 | 0.037 |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 126 | 1.535 | 1.563 | 3.36 | 0.36 | 0.273 | 0.522 | 0.921 | 1.26 | 1.815 | 2.2 |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 126 | 0.05 | 0.063 | 0.65 | 0.02 | 0.005 | 0.071 | 0.03 | 0.04 | 0.063 | 0.1 |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 07/23/73-10/15/75 | 2 | 6.1 | 6.1 | 7.2 | 5. | 2.42 | 1.556 | ** | ** | ** | ** |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 125 | 46. | 48.232 | 234. | 10. | 354.293 | 18.823 | 38. | 42. | 51. | 57. |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 11/29/72-08/11/77 | 26 | 12. | 13.969 | 48. | 8.8 | 53.567 | 7.319 | 9.6 | 11.2 | 14.4 | 17.28 |
| 00916p | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 98 | 13. | 14.06 | 120. | 1.6 | 128.399 | 11.331 | 9.85 | 11.25 | 14.3 | 15.82 |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 11/29/72-08/11/77 | 26 | 4. | 5.031 | 28.5 | 0. | 27.925 | 5.284 | 0.7 | 2.375 | 6.125 | 7.45 |
| 00927p | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 98 | 4.3 | 4.547 | 40. | 0. | 14.689 | 3.833 | 3.29 | 3.9 | 4.7 | 5.23 |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 126 | 10. | 10.103 | 34. | 5. | 10.589 | 3.254 | 8. | 8. | 11. | 12.3 |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 126 | 14. | 16.944 | 140. | 4. | 207.697 | 14.412 | 5. | 10. | 20. | 29.3 |
| 00951 | FLUORIDE, TOTAL (MG/L AS F) | 05/17/76-05/02/77 | 8 ## | 0.075 | 0.078 | 0.11 | 0.05 | 0.001 | 0.03 | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 08/21/80-08/13/87 | 8 ## | 2.5 | 5.813 | 25. | 2. | 61.638 | 7.851 | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 06/23/75-08/13/87 | 11 ## | 0.5 | 1.023 | 3. | 0.1 | 0.748 | 0.865 | 0.13 | 0.4 | 1.5 | 2.7 |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 08/11/83-09/27/84 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 06/23/75-08/13/87 | 11 ## | 5. | 11.273 | 50. | 2. | 191.018 | 13.821 | 2. | 5. | 10. | 44. |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 06/23/75-08/13/87 | 11 ## | 5. | 11.818 | 30. | 5. | 96.364 | 9.816 | 5. | 5. | 25. | 29. |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 126 | 215. | 421.429 | 12300. | 20. | 1361305.143 | 1166.75 | 110. | 150. | 362.5 | 673. |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 06/23/75-08/13/87 | 11 ## | 5. | 11.045 | 25. | 2. | 123.473 | 11.112 | 2. | 2.5 | 25. | 25. |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 06/23/75-08/13/87 | 13 | 20. | 26.923 | 70. | 5. | 435.577 | 20.87 | 7. | 10. | 40. | 66. |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 06/23/75-08/13/87 | 11 | 20. | 18.636 | 50. | 5. | 190.455 | 13.801 | 5. | 5. | 25. | 46. |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 06/23/75-08/13/87 | 11 | 20. | 41.818 | 120. | 5. | 1591.364 | 39.892 | 5. | 10. | 80. | 114. |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 02/15/77-08/13/87 | 9 | 100. | 272.778 | 1450. | 30. | 208894.444 | 457.05 | 30. | 55. | 295. | 1450. |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 04/02/75-04/02/75 | 1 | 130. | 130. | 130. | 130. | 0. | 0. | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 04/02/75-04/02/75 | 1 | 2.114 | 2.114 | 2.114 | 2.114 | 0. | 0. | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 130. | | | | | | | | |
| 31615 | FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614) | 06/23/75-06/23/75 | 1 | 350. | 350. | 350. | 350. | 0. | 0. | ** | ** | ** | ** |
| 31615 | LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614) | 06/23/75-06/23/75 | 1 | 2.544 | 2.544 | 2.544 | 2.544 | 0. | 0. | ** | ** | ** | ** |
| 31615 | GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614) | GEOMETRIC MEAN = | | | 350. | | | | | | | | |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 100 | 200. | 561.185 | 10000. | 1. | 1684204.64 | 1297.769 | 25. | 76.25 | 340. | 1570. |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 100 | 2.301 | 2.253 | 4. | 0. | 0.416 | 0.645 | 1.398 | 1.882 | 2.531 | 3.195 |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 179.215 | | | | | | | | |
| 31673 | FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR | 06/23/75-08/08/78 | 6 | 85. | 1702.833 | 6000. | 10. | 6924424.167 | 2631.43 | ** | ** | ** | ** |
| 31673 | LOG FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR | 06/23/75-08/08/78 | 6 | 1.858 | 2.277 | 3.778 | 1. | 1.325 | 1.151 | ** | ** | ** | ** |
| 31673 | GM FECAL STREPTOCOCCI, MBR FILT,KF AGAR,35C,48HR | GEOMETRIC MEAN = | | | 189.41 | | | | | | | | |
| 31677 | FECAL STREPTOCOCCI,MPN,AD-EVA, 35C (TUBE 31678) | 04/02/75-04/02/75 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 31677 | LOG FECAL STREPTOCOCCI,MPN,AD-EVA, 35C (TUBE 31678 | 04/02/75-04/02/75 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 31677 | GM FECAL STREPTOCOCCI,MPN,AD-EVA, 35C (TUBE 31678) | GEOMETRIC MEAN = | | | 1. | | | | | | | | |
| 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 02/19/76-05/02/77 | 7 | 0. | 0.001 | 0.005 | 0. | 0. | 0.002 | ** | ** | ** | ** |
| 46015 | FAMILY ASELLIDAE, AQUATIC SOW BUG | 09/20/73-01/09/86 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 46022 | FAMILY PELTOPERLIDAE, STONEFLY, ROACHLIKE | 09/20/73-07/22/83 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 46024 | FAMILY PERLIDAE, STONEFLY W/GILLS ON THORAX | 09/20/73-10/05/87 | 1 | 11. | 11. | 11. | 11. | 0. | 0. | ** | ** | ** | ** |
| 46028 | FAMILY BAETIDAE, MAYFLY, HEAD NOT DEPRESSED | 09/20/73-10/05/87 | 1 | 26. | 26. | 26. | 26. | 0. | 0. | ** | ** | ** | ** |
| 46029 | FAMILY HEPTAGENIIDAE MAYFLY W/ DEPRESSED HEAD | 09/20/73-10/05/87 | 1 | 34. | 34. | 34. | 34. | 0. | 0. | ** | ** | ** | ** |
| 46050 | FAMILY CORYDALIDAE, HELLGRAMMITES | 09/20/73-08/29/86 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 46053 | FAMILY HYDROPSYCHIDAE, CADDISFLY W/3 S PLATES | 09/20/73-10/05/87 | 1 | 51. | 51. | 51. | 51. | 0. | 0. | ** | ** | ** | ** |
| 46055 | FAMILY PHILOPOTAMIDAE, CADDISFLY LAB SOFT | 09/20/73-10/05/87 | 1 | 30. | 30. | 30. | 30. | 0. | 0. | ** | ** | ** | ** |
| 46071 | FAMILY PSEPHENIDAE, WATER PENNY BEETLES | 09/20/73-10/05/87 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 46075 | FAMILY ELMIDAE, BEETLE | 09/20/73-10/05/87 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 46078 | FAMILY TIPULIDAE, CRANE FLY | 09/20/73-10/05/87 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 46084 | FAMILY SIMULIIDAE, BLACK FLIES | 09/20/73-10/05/87 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 46085 | FAMILY EMPIDIDAE | 09/20/73-08/29/86 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 46087 | FAMILY TENDIPEDIDAE (CHIRONOMIDAE), MIDGE FLIES | 09/20/73-10/05/87 | 1 | 23. | 23. | 23. | 23. | 0. | 0. | ** | ** | ** | ** |
| 50060 | CHLORINE, TOTAL RESIDUAL (MG/L) | 07/30/84-07/30/84 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 70508p | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 98 | 0. | 0.857 | 32. | 0. | 17.155 | 4.142 | 0. | 0. | 0. | 0. |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 08/21/80-08/13/87 | 7 ## | 1. | 0.929 | 1. | 0.5 | 0.036 | 0.189 | ** | ** | ** | ** |
| 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 05/25/82-12/10/87 | 68 | 1.65 | 5.147 | 190. | 0.5 | 522.454 | 22.857 | 0.5 | 0.5 | 3.375 | 6.21 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0001


| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00070 | TURBIDITY, JACKSON CANDLE UNITS | Other-Hi Lim. | 50. | 26 | 0 | 0.00 | 7 | 0 | 0.00 | 7 | 0 | 0.00 | 12 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter


# EPA Water Quality Criteria Analysis for Station: HOFU0001

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 32 | 0 | 0.00 | 7 | 0 | 0.00 | 16 | 0 | 0.00 | 9 | 0 | 0.00 | | | |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 61 | 0 | 0.00 | 16 | 0 | 0.00 | 22 | 0 | 0.00 | 23 | 0 | 0.00 | | | |
| 00400 | PH | Fresh Chronic | 9. | 63 | 1 | 0.02 | 17 | 0 | 0.00 | 21 | 0 | 0.00 | 25 | 1 | 0.04 | | | |
| | | Other-Lo Lim. | 6.5 | 63 | 0 | 0.00 | 17 | 0 | 0.00 | 21 | 0 | 0.00 | 25 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 126 | 0 | 0.00 | 32 | 0 | 0.00 | 50 | 0 | 0.00 | 44 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 126 | 28 | 0.22 | 32 | 3 | 0.09 | 50 | 13 | 0.26 | 44 | 12 | 0.27 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 126 | 0 | 0.00 | 32 | 0 | 0.00 | 50 | 0 | 0.00 | 44 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 126 | 0 | 0.00 | 32 | 0 | 0.00 | 50 | 0 | 0.00 | 44 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 126 | 0 | 0.00 | 32 | 0 | 0.00 | 50 | 0 | 0.00 | 44 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 126 | 0 | 0.00 | 32 | 0 | 0.00 | 50 | 0 | 0.00 | 44 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 126 | 0 | 0.00 | 32 | 0 | 0.00 | 50 | 0 | 0.00 | 44 | 0 | 0.00 | | | |
| 00951 | FLUORIDE, TOTAL AS F | Drinking Water | 4. | 8 | 0 | 0.00 | 2 | 0 | 0.00 | 2 | 0 | 0.00 | 4 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 8 | 0 | 0.00 | 6 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 8 | 0 | 0.00 | 6 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 11 | 0 | 0.00 | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 11 | 0 | 0.00 | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 11 | 0 | 0.00 | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 9 & | 1 | 0.11 | 5 | 1 | 0.20 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 11 | 0 | 0.00 | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 11 | 0 | 0.00 | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 7 & | 0 | 0.00 | 5 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 11 | 0 | 0.00 | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 11 | 0 | 0.00 | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 11 | 1 | 0.09 | 7 | 0 | 0.00 | 3 | 1 | 0.33 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 11 | 0 | 0.00 | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31615 | FECAL COLIFORM, MPN | Other-Hi Lim. | 200. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 100 | 51 | 0.51 | 28 | 17 | 0.61 | 38 | 12 | 0.32 | 34 | 22 | 0.65 | | | |
| 50060 | CHLORINE, TOTAL RESIDUAL | Fresh Acute | 0.019 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 71900 | MERCURY, TOTAL | Fresh Acute | 2.4 | 7 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 7 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 82079 | TURBIDITY, LAB | Other-Hi Lim. | 50. | 68 | 1 | 0.01 | 18 | 0 | 0.00 | 27 | 1 | 0.04 | 23 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter





FRENCH CRK-.25MI DNSTRM FR WILSON CORNR





FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00300


OXYGEN, DISSOLVED




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR





FRENCH CRK-.25MI DNSTRM FR WILSON CORNR





FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00410

ALKALINITY, TOTAL (MG/L AS CACO3)





FRENCH CRK-.25MI DNSTRM FR WILSON CORNR




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00610


NITROGEN, AMMONIA, TOTAL (MG/L AS N)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00615


NITRITE NITROGEN, TOTAL (MG/L AS N)





FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00620

NITRATE NITROGEN, TOTAL (MG/L AS N)





FRENCH CRK-.25MI DNSTRM FR WILSON CORNR




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00900


HARDNESS, TOTAL (MG/L AS CACO3)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00916


CALCIUM, TOTAL (MG/L AS CA)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00927


MAGNESIUM, TOTAL (MG/L AS MG)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00940


CHLORIDE,TOTAL IN WATER





FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00945

SULFATE, TOTAL (MG/L AS SO4)





FRENCH CRK-.25MI DNSTRM FR WILSON CORNR




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 31616


LOG FECAL COLIFORM,MEMBR FILTER,M-FC BR




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 70508

ACIDITY, TOTAL, HOT (MG/L AS CACO3)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

## Annual Analysis for 1972 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 1 | 180. | 180. | 180. | 180. | 0. | 0. | ** | ** | ** | ** |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 1 | 7.8 | 7.8 | 7.8 | 7.8 | 0. | 0. | ** | ** | ** | ** |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 1 | 7.8 | 7.8 | 7.8 | 7.8 | 0. | 0. | ** | ** | ** | ** |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 1 | 0.016 | 0.016 | 0.016 | 0.016 | 0. | 0. | ** | ** | ** | ** |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 1 | 30. | 30. | 30. | 30. | 0. | 0. | ** | ** | ** | ** |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 1 | 0.06 | 0.06 | 0.06 | 0.06 | 0. | 0. | ** | ** | ** | ** |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 1 | 2.6 | 2.6 | 2.6 | 2.6 | 0. | 0. | ** | ** | ** | ** |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 1 | 40. | 40. | 40. | 40. | 0. | 0. | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 1 | 12. | 12. | 12. | 12. | 0. | 0. | ** | ** | ** | ** |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 1 | 470. | 470. | 470. | 470. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1973 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 7 | 130. | 167.143 | 410. | 100. | 11823.81 | 108.737 | ** | ** | ** | ** |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 7 | 7.4 | 7.471 | 8.2 | 6.7 | 0.256 | 0.506 | ** | ** | ** | ** |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 7 | 7.4 | 7.235 | 8.2 | 6.7 | 0.321 | 0.567 | ** | ** | ** | ** |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 7 | 0.04 | 0.058 | 0.2 | 0.006 | 0.005 | 0.067 | ** | ** | ** | ** |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 7 | 40. | 54.286 | 157. | 29. | 2078.571 | 45.591 | ** | ** | ** | ** |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 7 | 0.07 | 0.066 | 0.1 | 0.01 | 0.001 | 0.032 | ** | ** | ** | ** |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 7 | 0.02 | 0.026 | 0.064 | 0.014 | 0. | 0.017 | ** | ** | ** | ** |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 7 | 2. | 2.243 | 3.36 | 1.28 | 0.761 | 0.872 | ** | ** | ** | ** |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 7 | 0.06 | 0.106 | 0.36 | 0.05 | 0.013 | 0.114 | ** | ** | ** | ** |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 7 | 47. | 74.571 | 234. | 39. | 5007.619 | 70.765 | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 7 | 7. | 11. | 34. | 5. | 104.333 | 10.214 | ** | ** | ** | ** |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 7 | 18. | 22.571 | 39. | 11. | 147.286 | 12.136 | ** | ** | ** | ** |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 7 | 240. | 257.143 | 530. | 120. | 16690.476 | 129.192 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1974 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 3 | 130. | 126.667 | 140. | 110. | 233.333 | 15.275 | ** | ** | ** | ** |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 3 | 7.9 | 7.933 | 8.4 | 7.5 | 0.203 | 0.451 | ** | ** | ** | ** |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 3 | 7.9 | 7.794 | 8.4 | 7.5 | 0.232 | 0.482 | ** | ** | ** | ** |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 3 | 0.013 | 0.016 | 0.032 | 0.004 | 0. | 0.014 | ** | ** | ** | ** |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 3 | 57. | 65.667 | 98. | 42. | 840.333 | 28.989 | ** | ** | ** | ** |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 3 | 0.03 | 0.037 | 0.05 | 0.03 | 0. | 0.012 | ** | ** | ** | ** |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 3 | 0.02 | 0.023 | 0.036 | 0.012 | 0. | 0.012 | ** | ** | ** | ** |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 3 | 1.44 | 1.453 | 1.76 | 1.16 | 0.09 | 0.3 | ** | ** | ** | ** |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 3 | 0.04 | 0.047 | 0.07 | 0.03 | 0. | 0.021 | ** | ** | ** | ** |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 3 | 46. | 46.333 | 49. | 44. | 6.333 | 2.517 | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 3 | 8. | 8. | 8. | 8. | 0. | 0. | ** | ** | ** | ** |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 3 | 9. | 8. | 9. | 6. | 3. | 1.732 | ** | ** | ** | ** |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 3 | 330. | 506.667 | 1020. | 170. | 204033.333 | 451.7 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1975 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 1 | 4.68 | 4.68 | 4.68 | 4.68 | 0. | 0. | ** | ** | ** | ** |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 3 | 110. | 116.667 | 130. | 110. | 133.333 | 11.547 | ** | ** | ** | ** |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 3 | 7.7 | 7.367 | 7.8 | 6.6 | 0.443 | 0.666 | ** | ** | ** | ** |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 3 | 7.7 | 7.019 | 7.8 | 6.6 | 0.624 | 0.79 | ** | ** | ** | ** |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 3 | 0.02 | 0.096 | 0.251 | 0.016 | 0.018 | 0.135 | ** | ** | ** | ** |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 3 | 38. | 34. | 42. | 22. | 112. | 10.583 | ** | ** | ** | ** |
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 3 | 120. | 110.667 | 124. | 88. | 389.333 | 19.732 | ** | ** | ** | ** |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 3 | 0.02 | 0.033 | 0.06 | 0.02 | 0.001 | 0.023 | ** | ** | ** | ** |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 3 | 0.04 | 0.035 | 0.042 | 0.024 | 0. | 0.01 | ** | ** | ** | ** |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 3 | 1.88 | 1.813 | 1.98 | 1.58 | 0.043 | 0.208 | ** | ** | ** | ** |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 3 | 0.06 | 0.063 | 0.08 | 0.05 | 0. | 0.015 | ** | ** | ** | ** |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 3 | 50. | 52.667 | 64. | 44. | 105.333 | 10.263 | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 3 | 8. | 8.333 | 9. | 8. | 0.333 | 0.577 | ** | ** | ** | ** |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 3 | 18. | 16. | 26. | 4. | 124. | 11.136 | ** | ** | ** | ** |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 3 | 220. | 270. | 410. | 180. | 15100. | 122.882 | ** | ** | ** | ** |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 2 ## | 125.5 | 125.5 | 250. | 1. | 31000.5 | 176.07 | ** | ** | ** | ** |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 2 ## | 1.199 | 1.199 | 2.398 | 0. | 2.875 | 1.696 | ** | ** | ** | ** |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 15.811 | | | | | | | | |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1976 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 3 | 165. | 161.667 | 240. | 80. | 6408.333 | 80.052 | ** | ** | ** | ** |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 7 | 4.75 | 4.84 | 5.5 | 4.32 | 0.17 | 0.412 | ** | ** | ** | ** |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 9 | 150. | 141.111 | 170. | 110. | 436.111 | 20.883 | 110. | 120. | 155. | 170. |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 9 | 7.7 | 7.522 | 8.2 | 6.9 | 0.234 | 0.484 | 6.9 | 7. | 7.9 | 8.2 |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 9 | 7.7 | 7.302 | 8.2 | 6.9 | 0.289 | 0.538 | 6.9 | 7. | 7.9 | 8.2 |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 9 | 0.02 | 0.05 | 0.126 | 0.006 | 0.002 | 0.049 | 0.006 | 0.013 | 0.103 | 0.126 |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 9 | 38. | 58.222 | 170. | 28. | 2292.444 | 47.879 | 28. | 31. | 74. | 170. |
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 9 | 98. | 109.333 | 180. | 90. | 822. | 28.671 | 90. | 91. | 116. | 180. |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 9 | 0.04 | 0.06 | 0.15 | 0.01 | 0.002 | 0.046 | 0.01 | 0.03 | 0.1 | 0.15 |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 9 | 0.038 | 0.044 | 0.112 | 0.02 | 0.001 | 0.028 | 0.02 | 0.025 | 0.049 | 0.112 |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 9 | 1.76 | 1.82 | 2.76 | 1.3 | 0.207 | 0.455 | 1.3 | 1.47 | 2.1 | 2.76 |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 9 | 0.06 | 0.083 | 0.18 | 0.02 | 0.003 | 0.051 | 0.02 | 0.05 | 0.125 | 0.18 |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 9 | 54. | 50.222 | 58. | 30. | 86.194 | 9.284 | 30. | 45. | 56.5 | 58. |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 9 | 11. | 11.556 | 20. | 8. | 14.028 | 3.745 | 8. | 8.5 | 13. | 20. |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 9 | 14. | 27.667 | 140. | 8. | 1790.5 | 42.314 | 8. | 11. | 19. | 140. |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 9 | 180. | 431.111 | 1340. | 20. | 210161.111 | 458.433 | 20. | 155. | 755. | 1340. |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 3 | 310. | 3470. | 10000. | 100. | 31991700. | 5656.121 | ** | ** | ** | ** |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 3 | 2.491 | 2.83 | 4. | 2. | 1.086 | 1.042 | ** | ** | ** | ** |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 676.79 | | | | | | | | |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1977 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 3 | 5.25 | 18.067 | 44.1 | 4.85 | 508.341 | 22.546 | ** | ** | ** | ** |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 4 | 155. | 332.5 | 900. | 120. | 143558.333 | 378.891 | ** | ** | ** | ** |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 4 | 8. | 8. | 8.5 | 7.5 | 0.333 | 0.577 | ** | ** | ** | ** |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 4 | 7.76 | 7.76 | 8.5 | 7.5 | 0.41 | 0.641 | ** | ** | ** | ** |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 4 | 0.017 | 0.017 | 0.032 | 0.003 | 0. | 0.016 | ** | ** | ** | ** |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 4 | 41. | 40.5 | 52. | 28. | 129. | 11.358 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1977 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 4 | 100. | 108.75 | 146. | 89. | 667.583 | 25.838 | ** | ** | ** | ** |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 4 | 0.115 | 0.12 | 0.2 | 0.05 | 0.005 | 0.072 | ** | ** | ** | ** |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 4 | 0.029 | 0.03 | 0.04 | 0.022 | 0. | 0.008 | ** | ** | ** | ** |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 4 | 1.525 | 1.638 | 2.2 | 1.3 | 0.159 | 0.399 | ** | ** | ** | ** |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 4 | 0.06 | 0.063 | 0.1 | 0.03 | 0.001 | 0.03 | ** | ** | ** | ** |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 4 | 46. | 48.75 | 68. | 35. | 202.25 | 14.221 | ** | ** | ** | ** |
| 00916p | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 1 | 15.2 | 15.2 | 15.2 | 15.2 | 0. | 0. | ** | ** | ** | ** |
| 00927p | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 1 | 8.3 | 8.3 | 8.3 | 8.3 | 0. | 0. | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 4 | 11.5 | 12.5 | 17. | 10. | 9.667 | 3.109 | ** | ** | ** | ** |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 4 | 14.5 | 13.5 | 20. | 5. | 39. | 6.245 | ** | ** | ** | ** |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 4 | 265. | 380. | 830. | 160. | 96200. | 310.161 | ** | ** | ** | ** |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 2 | 45. | 45. | 50. | 40. | 50. | 7.071 | ** | ** | ** | ** |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 2 | 1.651 | 1.651 | 1.699 | 1.602 | 0.005 | 0.069 | ** | ** | ** | ** |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 44.721 | | | | | | | | |
| 70508p | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1978 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 4 | 4.79 | 4.768 | 4.99 | 4.5 | 0.065 | 0.254 | ** | ** | ** | ** |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 4 | 130. | 132.5 | 150. | 120. | 158.333 | 12.583 | ** | ** | ** | ** |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 4 | 7.95 | 7.875 | 8.2 | 7.4 | 0.129 | 0.359 | ** | ** | ** | ** |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 4 | 7.925 | 7.758 | 8.2 | 7.4 | 0.148 | 0.384 | ** | ** | ** | ** |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 4 | 0.012 | 0.017 | 0.04 | 0.006 | 0. | 0.015 | ** | ** | ** | ** |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 4 | 38. | 37.5 | 46. | 28. | 65. | 8.062 | ** | ** | ** | ** |
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 4 | 115. | 117.5 | 146. | 94. | 571.667 | 23.91 | ** | ** | ** | ** |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 4 | 0.115 | 0.105 | 0.14 | 0.05 | 0.002 | 0.039 | ** | ** | ** | ** |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 4 | 0.022 | 0.066 | 0.2 | 0.018 | 0.008 | 0.09 | ** | ** | ** | ** |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 4 | 1.77 | 1.76 | 2.2 | 1.3 | 0.136 | 0.368 | ** | ** | ** | ** |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 4 | 0.065 | 0.068 | 0.1 | 0.04 | 0.001 | 0.025 | ** | ** | ** | ** |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 4 | 48.5 | 49.25 | 55. | 45. | 18.917 | 4.349 | ** | ** | ** | ** |
| 00916p | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 3 | 12. | 12.533 | 15.2 | 10.4 | 5.973 | 2.444 | ** | ** | ** | ** |
| 00927p | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 3 | 5.2 | 5.133 | 5.5 | 4.7 | 0.163 | 0.404 | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 4 | 10. | 10. | 12. | 8. | 2.667 | 1.633 | ** | ** | ** | ** |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 4 | 12.5 | 13.25 | 20. | 8. | 28.917 | 5.377 | ** | ** | ** | ** |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 4 | 295. | 287.5 | 380. | 180. | 6891.667 | 83.016 | ** | ** | ** | ** |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 2 | 200. | 200. | 200. | 200. | 0. | 0. | ** | ** | ** | ** |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 2 | 2.301 | 2.301 | 2.301 | 2.301 | 0. | 0. | ** | ** | ** | ** |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 200. | | | | | | | | |
| 70508p | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 3 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1979 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 1 | 72. | 72. | 72. | 72. | 0. | 0. | ** | ** | ** | ** |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 3 | 4.72 | 4.83 | 5.1 | 4.67 | 0.055 | 0.235 | ** | ** | ** | ** |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 3 | 130. | 128.333 | 135. | 120. | 58.333 | 7.638 | ** | ** | ** | ** |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 3 | 7.8 | 7.733 | 8. | 7.4 | 0.093 | 0.306 | ** | ** | ** | ** |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 3 | 7.8 | 7.66 | 8. | 7.4 | 0.101 | 0.318 | ** | ** | ** | ** |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 3 | 0.016 | 0.022 | 0.04 | 0.01 | 0. | 0.016 | ** | ** | ** | ** |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 3 | 34. | 24.333 | 38. | 1. | 412.333 | 20.306 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1979 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 3 | 80. | 79.333 | 90. | 68. | 121.333 | 11.015 | ** | ** | ** | ** |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 3 | 0.03 | 0.037 | 0.06 | 0.02 | 0. | 0.021 | ** | ** | ** | ** |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 3 | 0.01 | 0.01 | 0.016 | 0.004 | 0. | 0.006 | ** | ** | ** | ** |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 3 | 1.85 | 1.617 | 1.9 | 1.1 | 0.201 | 0.448 | ** | ** | ** | ** |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 3 | 0.05 | 0.047 | 0.06 | 0.03 | 0. | 0.015 | ** | ** | ** | ** |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 3 | 32. | 30.667 | 50. | 10. | 401.333 | 20.033 | ** | ** | ** | ** |
| 00916p | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 3 | 12. | 11.2 | 12.8 | 8.8 | 4.48 | 2.117 | ** | ** | ** | ** |
| 00927p | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 3 | 0. | 1.833 | 5.5 | 0. | 10.083 | 3.175 | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 3 | 8. | 9. | 11. | 8. | 3. | 1.732 | ** | ** | ** | ** |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 3 | 10. | 11.667 | 15. | 10. | 8.333 | 2.887 | ** | ** | ** | ** |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 3 | 150. | 146.667 | 160. | 130. | 233.333 | 15.275 | ** | ** | ** | ** |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 1 | 70. | 70. | 70. | 70. | 0. | 0. | ** | ** | ** | ** |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 1 | 1.845 | 1.845 | 1.845 | 1.845 | 0. | 0. | ** | ** | ** | ** |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 70. | | | | | | | | |
| 70508p | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 3 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1980 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 9 | 34. | 37.444 | 69. | 14. | 472.528 | 21.738 | 14. | 17. | 62. | 69. |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 8 | 4.41 | 4.421 | 4.78 | 4.13 | 0.066 | 0.258 | ** | ** | ** | ** |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 8 | 139. | 139.5 | 150. | 130. | 41.714 | 6.459 | ** | ** | ** | ** |
| 00310p | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 4 | 0.75 | 1.375 | 3.6 | 0.4 | 2.229 | 1.493 | ** | ** | ** | ** |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 8 | 7.15 | 7.163 | 7.6 | 6.8 | 0.088 | 0.297 | ** | ** | ** | ** |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 8 | 7.147 | 7.079 | 7.6 | 6.8 | 0.096 | 0.31 | ** | ** | ** | ** |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 8 | 0.071 | 0.083 | 0.158 | 0.025 | 0.003 | 0.052 | ** | ** | ** | ** |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 8 | 41. | 39.75 | 46. | 28. | 46.214 | 6.798 | ** | ** | ** | ** |
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 7 | 116. | 119.143 | 140. | 106. | 146.476 | 12.103 | ** | ** | ** | ** |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 8 | 0.025 | 0.028 | 0.05 | 0.01 | 0. | 0.016 | ** | ** | ** | ** |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 8 | 0.005 | 0.007 | 0.012 | 0.004 | 0. | 0.003 | ** | ** | ** | ** |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 8 | 1.195 | 1.26 | 1.85 | 0.86 | 0.117 | 0.342 | ** | ** | ** | ** |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 8 | 0.035 | 0.036 | 0.05 | 0.02 | 0. | 0.011 | ** | ** | ** | ** |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 8 | 44. | 45.125 | 54. | 42. | 14.411 | 3.796 | ** | ** | ** | ** |
| 00916p | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 8 | 14.8 | 14.6 | 18.4 | 10.4 | 6.171 | 2.484 | ** | ** | ** | ** |
| 00927p | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 8 | 2. | 2.394 | 5. | 0.25 | 3.047 | 1.746 | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 8 | 9. | 9.25 | 15. | 5. | 9.071 | 3.012 | ** | ** | ** | ** |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 8 | 12.5 | 13.125 | 20. | 5. | 28.125 | 5.303 | ** | ** | ** | ** |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 8 | 205. | 848.75 | 4930. | 120. | 2761669.643 | 1661.827 | ** | ** | ** | ** |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 8 | 250. | 526.25 | 2000. | 20. | 497112.5 | 705.062 | ** | ** | ** | ** |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 8 | 2.395 | 2.338 | 3.301 | 1.301 | 0.446 | 0.668 | ** | ** | ** | ** |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 217.6 | | | | | | | | |
| 70508p | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 7 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1981 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 12 | 26.5 | 28.5 | 78. | 11. | 335.182 | 18.308 | 11.3 | 13.75 | 36. | 65.7 |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 12 | 4.35 | 4.253 | 4.9 | 2.38 | 0.429 | 0.655 | 2.89 | 4.128 | 4.72 | 4.882 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 12 | 147.5 | 149.167 | 170. | 135. | 153.788 | 12.401 | 135. | 140. | 158.75 | 170. |
| 00310p | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 10 | 0.9 | 0.77 | 1.2 | 0.2 | 0.218 | 0.467 | 0.2 | 0.275 | 1.2 | 1.2 |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 12 | 6.85 | 7.017 | 8.4 | 6.3 | 0.514 | 0.717 | 6.3 | 6.425 | 7.275 | 8.37 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1981 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 12 | 6.825 | 6.69 | 8.4 | 6.3 | 0.631 | 0.794 | 6.3 | 6.425 | 7.275 | 8.37 |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 12 | 0.15 | 0.204 | 0.501 | 0.004 | 0.035 | 0.187 | 0.004 | 0.053 | 0.378 | 0.501 |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 37. | 38.833 | 48. | 30. | 38.152 | 6.177 | 30. | 34.5 | 44. | 47.4 |
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 12 | 110. | 121. | 272. | 48. | 2839.636 | 53.288 | 60.6 | 98.5 | 126.5 | 234.2 |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.01 | 0.041 | 0.22 | 0.005 | 0.004 | 0.062 | 0.007 | 0.01 | 0.055 | 0.181 |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.009 | 0.009 | 0.022 | 0.002 | 0. | 0.006 | 0.003 | 0.005 | 0.014 | 0.02 |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 1.085 | 1.181 | 1.93 | 0.57 | 0.242 | 0.492 | 0.57 | 0.763 | 1.745 | 1.9 |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 12 | 0.04 | 0.043 | 0.07 | 0.03 | 0. | 0.015 | 0.03 | 0.03 | 0.05 | 0.07 |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 47.5 | 51.583 | 68. | 38. | 112.265 | 10.596 | 38.3 | 43.5 | 60. | 68. |
| 00916p | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 12 | 13.5 | 12.742 | 21.8 | 1.6 | 28.739 | 5.361 | 2.95 | 9.35 | 15.65 | 20.69 |
| 00927p | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 12 | 4.35 | 4.467 | 6.5 | 2. | 1.306 | 1.143 | 2.51 | 3.925 | 4.975 | 6.35 |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 12 | 10.5 | 10.167 | 13. | 8. | 3.606 | 1.899 | 8. | 8. | 12. | 12.7 |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 12 | 12.5 | 18.417 | 70. | 5. | 327.174 | 18.088 | 5. | 6.25 | 23.75 | 57.4 |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 12 | 210. | 233.333 | 440. | 110. | 10733.333 | 103.602 | 116. | 155. | 277.5 | 431. |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 11 | 120. | 580.227 | 5000. | 12.5 | 2163375.568 | 1470.842 | 15. | 25. | 300. | 4080. |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 11 | 2.079 | 2.093 | 3.699 | 1.097 | 0.504 | 0.71 | 1.157 | 1.398 | 2.477 | 3.48 |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 123.883 | | | | | | | | |
| 70508p | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 12 | 0. | 2.333 | 14. | 0. | 29.697 | 5.449 | 0. | 0. | 0. | 14. |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1982 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 12 | 41.5 | 50.083 | 104. | 23. | 551.72 | 23.489 | 24.8 | 32.75 | 66.5 | 95. |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 12 | 4.55 | 4.546 | 4.92 | 4.27 | 0.035 | 0.186 | 4.294 | 4.39 | 4.68 | 4.863 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 12 | 142.5 | 142.833 | 180. | 120. | 228.152 | 15.105 | 123. | 131.25 | 148. | 172.5 |
| 00310p | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 11 | 0.5 | 0.536 | 1.5 | 0.1 | 0.215 | 0.463 | 0.1 | 0.1 | 0.6 | 1.44 |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 12 | 7. | 6.983 | 7.5 | 6.6 | 0.109 | 0.33 | 6.6 | 6.6 | 7.275 | 7.47 |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 12 | 7. | 6.876 | 7.5 | 6.6 | 0.121 | 0.348 | 6.6 | 6.6 | 7.275 | 7.47 |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 12 | 0.1 | 0.133 | 0.251 | 0.032 | 0.008 | 0.091 | 0.034 | 0.053 | 0.251 | 0.251 |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 34. | 32.5 | 42. | 20. | 37.909 | 6.157 | 21.2 | 28.5 | 36. | 40.8 |
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 12 | 103. | 103.833 | 146. | 68. | 542.879 | 23.3 | 69.2 | 89. | 114.5 | 144.2 |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.01 | 0.028 | 0.1 | 0.01 | 0.001 | 0.032 | 0.01 | 0.01 | 0.045 | 0.094 |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.006 | 0.008 | 0.018 | 0.002 | 0. | 0.004 | 0.003 | 0.004 | 0.01 | 0.016 |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 1.415 | 1.468 | 2.85 | 0.36 | 0.314 | 0.56 | 0.588 | 1.323 | 1.593 | 2.529 |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 12 | 0.045 | 0.047 | 0.07 | 0.03 | 0. | 0.016 | 0.03 | 0.03 | 0.06 | 0.07 |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 11 | 46. | 45.091 | 60. | 36. | 41.091 | 6.41 | 36.8 | 40. | 48. | 57.6 |
| 00916p | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 11 | 13. | 23.9 | 120. | 9.9 | 1060.154 | 32.56 | 10.06 | 10.8 | 14.7 | 102.76 |
| 00927p | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 11 | 4.3 | 7.755 | 40. | 3.5 | 115.721 | 10.757 | 3.58 | 4. | 4.5 | 33.58 |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 12 | 9. | 9.583 | 13. | 8. | 3.538 | 1.881 | 8. | 8. | 10.75 | 13. |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 12 | 12.5 | 12.083 | 18. | 5. | 16.265 | 4.033 | 5. | 10. | 15. | 17.1 |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 12 | 200. | 334.167 | 1150. | 150. | 90881.061 | 301.465 | 150. | 162.5 | 415. | 1009. |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 12 | 205. | 307.5 | 1300. | 25. | 116752.273 | 341.69 | 40. | 100. | 375. | 1045. |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 12 | 2.301 | 2.29 | 3.114 | 1.398 | 0.199 | 0.446 | 1.541 | 2. | 2.574 | 2.976 |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 195.204 | | | | | | | | |
| 70508p | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 12 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| 82079p | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 05/25/82-12/10/87 | 8 ## | 0.5 | 0.788 | 2.1 | 0.5 | 0.341 | 0.584 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1983 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 11 | 42. | 73.636 | 167. | 16. | 3566.655 | 59.721 | 16.8 | 20. | 143. | 164.8 |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 11 | 4.47 | 4.655 | 5.42 | 4.11 | 0.223 | 0.472 | 4.126 | 4.19 | 5.18 | 5.382 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 12 | 136. | 135.083 | 155. | 110. | 173.356 | 13.166 | 112.7 | 125.5 | 145. | 152.3 |
| 00310p | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 6 | 0.55 | 0.567 | 1. | 0.1 | 0.087 | 0.294 | ** | ** | ** | ** |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 12 | 6.85 | 6.867 | 7.3 | 6.4 | 0.102 | 0.32 | 6.43 | 6.525 | 7.175 | 7.3 |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 12 | 6.847 | 6.764 | 7.3 | 6.4 | 0.114 | 0.338 | 6.43 | 6.525 | 7.175 | 7.3 |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 12 | 0.142 | 0.172 | 0.398 | 0.05 | 0.014 | 0.119 | 0.05 | 0.067 | 0.3 | 0.374 |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 32. | 30.833 | 42. | 20. | 52.697 | 7.259 | 20.6 | 24. | 36. | 41.4 |
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 12 | 105. | 106.083 | 152. | 52. | 625.902 | 25.018 | 63.4 | 91. | 125.5 | 145.1 |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.01 | 0.018 | 0.08 | 0.005 | 0. | 0.021 | 0.007 | 0.01 | 0.018 | 0.065 |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.006 | 0.006 | 0.014 | 0.002 | 0. | 0.004 | 0.002 | 0.002 | 0.008 | 0.013 |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 1.58 | 1.565 | 1.94 | 1.1 | 0.075 | 0.275 | 1.106 | 1.373 | 1.823 | 1.916 |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 12 | 0.045 | 0.043 | 0.05 | 0.02 | 0. | 0.01 | 0.023 | 0.04 | 0.05 | 0.05 |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 45.5 | 44.917 | 56. | 33. | 40.265 | 6.345 | 34.5 | 40.5 | 48.75 | 55.1 |
| 00916p | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 12 | 11.55 | 11.908 | 14.2 | 9.1 | 2.906 | 1.705 | 9.34 | 10.75 | 13.675 | 14.11 |
| 00927p | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 12 | 4. | 3.933 | 4.6 | 3.2 | 0.157 | 0.396 | 3.23 | 3.725 | 4.175 | 4.51 |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 12 | 9. | 10. | 16. | 7. | 6.182 | 2.486 | 7.3 | 8.25 | 11. | 15.1 |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 12 | 15. | 17.25 | 35. | 10. | 73.477 | 8.572 | 10. | 10.25 | 20. | 34.4 |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 12 | 120. | 160. | 530. | 60. | 18436.364 | 135.781 | 63. | 85. | 150. | 470. |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 12 | 250. | 746.875 | 5000. | 12.5 | 2015230.824 | 1419.588 | 23.75 | 75. | 825. | 3980. |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 12 | 2.398 | 2.343 | 3.699 | 1.097 | 0.506 | 0.711 | 1.278 | 1.875 | 2.869 | 3.551 |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 220.463 | | | | | | | | |
| 70508p | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 12 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| 82079p | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 05/25/82-12/10/87 | 12 | 1.55 | 2.775 | 8.5 | 0.5 | 7.455 | 2.73 | 0.5 | 0.5 | 5.25 | 7.84 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1984 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 12 | 102. | 97.417 | 197. | 28. | 2885.356 | 53.716 | 29.5 | 41.5 | 138. | 182. |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 12 | 4.905 | 4.831 | 5.35 | 4.34 | 0.112 | 0.334 | 4.358 | 4.475 | 5.095 | 5.287 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 12 | 135. | 131.667 | 145. | 115. | 124.242 | 11.146 | 116.5 | 120. | 140. | 145. |
| 00310p | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 9 ## | 0.2 | 0.467 | 1.4 | 0.1 | 0.208 | 0.456 | 0.1 | 0.15 | 0.8 | 1.4 |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 12 | 7. | 6.95 | 7.7 | 6. | 0.225 | 0.474 | 6.06 | 6.8 | 7.275 | 7.61 |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 12 | 7. | 6.678 | 7.7 | 6. | 0.305 | 0.553 | 6.06 | 6.8 | 7.275 | 7.61 |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 12 | 0.1 | 0.21 | 1. | 0.02 | 0.088 | 0.297 | 0.026 | 0.053 | 0.158 | 0.889 |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 31. | 31.167 | 40. | 22. | 33.061 | 5.75 | 22.6 | 26.5 | 36. | 39.4 |
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 12 | 107. | 105.083 | 140. | 69. | 542.811 | 23.298 | 69.3 | 86. | 124. | 135.8 |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.05 | 0.067 | 0.26 | 0.01 | 0.004 | 0.064 | 0.016 | 0.035 | 0.068 | 0.209 |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.008 | 0.007 | 0.01 | 0.002 | 0. | 0.003 | 0.003 | 0.006 | 0.01 | 0.01 |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 1.67 | 1.702 | 2.85 | 0.93 | 0.202 | 0.449 | 1.08 | 1.458 | 1.825 | 2.577 |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 12 | 0.055 | 0.051 | 0.07 | 0.02 | 0. | 0.016 | 0.023 | 0.04 | 0.06 | 0.07 |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 45.5 | 45.667 | 53. | 37. | 29.879 | 5.466 | 37.3 | 41.25 | 51. | 52.7 |
| 00916p | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 12 | 12.5 | 12.075 | 16.5 | 7.9 | 6.762 | 2.6 | 8.29 | 9.525 | 13.9 | 16.14 |
| 00927p | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 12 | 4.25 | 4.2 | 4.7 | 3.5 | 0.244 | 0.494 | 3.5 | 3.675 | 4.7 | 4.7 |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 12 | 9. | 9. | 12. | 7. | 1.818 | 1.348 | 7.3 | 8. | 10. | 11.4 |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 12 | 13.5 | 16.667 | 37. | 5. | 109.106 | 10.445 | 5. | 10.625 | 24.25 | 36.1 |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 12 | 160. | 221.667 | 800. | 50. | 38615.152 | 196.507 | 65. | 115. | 262.5 | 653. |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 11 | 250. | 480.682 | 1800. | 12.5 | 299597.614 | 547.355 | 25. | 180. | 620. | 1680. |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 11 | 2.398 | 2.408 | 3.255 | 1.097 | 0.343 | 0.586 | 1.253 | 2.255 | 2.792 | 3.22 |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 255.667 | | | | | | | | |
| 70508p | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 12 | 0. | 0.667 | 8. | 0. | 5.333 | 2.309 | 0. | 0. | 0. | 5.6 |
| 82079p | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 05/25/82-12/10/87 | 12 | 2.05 | 2.825 | 9.5 | 0.5 | 6.608 | 2.571 | 0.5 | 1.075 | 3.6 | 8.36 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1985 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 12 | 33. | 47.833 | 167. | 14. | 1836.333 | 42.852 | 15.2 | 21. | 68.5 | 139.7 |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 12 | 4.39 | 4.453 | 5.23 | 4.04 | 0.108 | 0.329 | 4.073 | 4.21 | 4.695 | 5.086 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 12 | 135. | 138.333 | 160. | 120. | 101.515 | 10.075 | 123. | 135. | 143.75 | 157. |
| 00310p | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 11 | 0.8 | 0.818 | 1.6 | 0.2 | 0.292 | 0.54 | 0.2 | 0.2 | 1.2 | 1.6 |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 12 | 6.65 | 6.725 | 7.5 | 6. | 0.186 | 0.431 | 6.06 | 6.5 | 7.075 | 7.41 |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 12 | 6.647 | 6.544 | 7.5 | 6. | 0.221 | 0.471 | 6.06 | 6.5 | 7.075 | 7.41 |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 12 | 0.225 | 0.286 | 1. | 0.032 | 0.078 | 0.279 | 0.041 | 0.085 | 0.316 | 0.889 |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 36. | 35.917 | 46. | 17. | 67.356 | 8.207 | 20.9 | 32. | 44. | 45.4 |
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 12 | 128. | 133.167 | 182. | 110. | 396.697 | 19.917 | 111.8 | 117. | 145.5 | 171.8 |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.04 | 0.064 | 0.18 | 0.01 | 0.003 | 0.057 | 0.013 | 0.023 | 0.087 | 0.177 |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.006 | 0.01 | 0.034 | 0.004 | 0. | 0.009 | 0.004 | 0.004 | 0.016 | 0.03 |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 1.405 | 1.521 | 2.85 | 0.72 | 0.368 | 0.607 | 0.807 | 1.11 | 1.643 | 2.748 |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 12 | 0.045 | 0.054 | 0.12 | 0.03 | 0.001 | 0.028 | 0.03 | 0.03 | 0.075 | 0.108 |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 48.5 | 47.167 | 75. | 24. | 149.606 | 12.231 | 26.4 | 43.5 | 51.25 | 68.7 |
| 00916p | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 12 | 12.85 | 13.092 | 17.9 | 8.1 | 5.868 | 2.422 | 9.06 | 11.95 | 14.475 | 17.21 |
| 00927p | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 12 | 4.3 | 4.55 | 6.7 | 3.3 | 0.637 | 0.798 | 3.57 | 4.3 | 4.75 | 6.22 |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 12 | 10. | 11.083 | 23. | 8. | 15.174 | 3.895 | 8.3 | 9.25 | 11. | 19.7 |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 12 | 15. | 16.083 | 31. | 5. | 49.72 | 7.051 | 6.8 | 11. | 21. | 28.3 |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 12 | 155. | 240. | 790. | 50. | 51454.545 | 226.836 | 50. | 67.5 | 390. | 706. |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 12 | 180. | 257.917 | 780. | 25. | 52152.083 | 228.368 | 41.5 | 85. | 415. | 711. |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 12 | 2.253 | 2.245 | 2.892 | 1.398 | 0.177 | 0.421 | 1.549 | 1.927 | 2.609 | 2.847 |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 175.988 | | | | | | | | |
| 70508p | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 12 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| 82079p | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 05/25/82-12/10/87 | 12 ## | 0.5 | 0.992 | 3. | 0.5 | 0.608 | 0.78 | 0.5 | 0.5 | 1.275 | 2.67 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1986 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 12 | 49. | 65.417 | 141. | 15. | 2329.356 | 48.263 | 15.9 | 22.25 | 117. | 139.2 |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 12 | 4.545 | 4.587 | 5.11 | 4.07 | 0.144 | 0.379 | 4.094 | 4.243 | 4.988 | 5.101 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 12 | 136. | 135.583 | 158. | 120. | 176.447 | 13.283 | 120. | 122.75 | 149. | 155.6 |
| 00310p | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 8 | 0.9 | 1.075 | 2.4 | 0.2 | 0.411 | 0.641 | ** | ** | ** | ** |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 12 | 6.5 | 6.433 | 7.1 | 6. | 0.092 | 0.303 | 6.03 | 6.125 | 6.6 | 6.95 |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 12 | 6.5 | 6.347 | 7.1 | 6. | 0.1 | 0.316 | 6.03 | 6.125 | 6.6 | 6.95 |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 12 | 0.316 | 0.45 | 1. | 0.079 | 0.08 | 0.284 | 0.131 | 0.251 | 0.753 | 0.938 |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 35. | 35. | 48. | 24. | 68. | 8.246 | 24.6 | 28. | 42. | 47.4 |
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 12 | 119. | 121.667 | 156. | 102. | 316.242 | 17.783 | 102. | 105. | 133.5 | 153. |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.035 | 0.038 | 0.08 | 0.01 | 0.001 | 0.023 | 0.01 | 0.02 | 0.058 | 0.077 |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.006 | 0.012 | 0.08 | 0.002 | 0. | 0.022 | 0.002 | 0.004 | 0.008 | 0.06 |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 1.33 | 1.333 | 1.91 | 0.77 | 0.146 | 0.383 | 0.779 | 0.955 | 1.678 | 1.865 |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 12 | 0.045 | 0.053 | 0.12 | 0.03 | 0.001 | 0.025 | 0.03 | 0.04 | 0.068 | 0.105 |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 46. | 46.333 | 56. | 39. | 26.97 | 5.193 | 39.3 | 42.25 | 50.25 | 55.1 |
| 00916p | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 12 | 13.3 | 12.95 | 15.5 | 10.6 | 2.85 | 1.688 | 10.69 | 11.175 | 14.3 | 15.32 |
| 00927p | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 12 | 4.35 | 4.333 | 4.9 | 3.7 | 0.175 | 0.419 | 3.73 | 3.925 | 4.675 | 4.9 |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 12 | 10. | 10.167 | 12. | 8. | 1.061 | 1.03 | 8.3 | 10. | 11. | 11.7 |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 12 | 13.5 | 13.583 | 22. | 5. | 30.447 | 5.518 | 5. | 10.5 | 18.75 | 21.7 |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 12 | 365. | 381.667 | 670. | 180. | 25669.697 | 160.218 | 186. | 250. | 485. | 664. |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 12 | 180. | 487.5 | 2000. | 10. | 523002.273 | 723.189 | 13. | 80. | 525. | 2000. |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 12 | 2.253 | 2.258 | 3.301 | 1. | 0.477 | 0.691 | 1.09 | 1.87 | 2.703 | 3.301 |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 181.028 | | | | | | | | |
| 70508p | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 12 | 0. | 4. | 32. | 0. | 98.909 | 9.945 | 0. | 0. | 0. | 27.2 |
| 82079p | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 05/25/82-12/10/87 | 12 | 3.7 | 3.883 | 7.9 | 0.5 | 5.652 | 2.377 | 0.65 | 1.575 | 5.725 | 7.63 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot


# Annual Analysis for 1987 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 12 | 58.5 | 74.833 | 295. | 20. | 5485.061 | 74.061 | 21.5 | 29. | 73.25 | 240.1 |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 12 | 4.62 | 4.651 | 5.68 | 4.2 | 0.153 | 0.391 | 4.227 | 4.343 | 4.725 | 5.464 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 12 | 132.5 | 133. | 140. | 122. | 46.545 | 6.822 | 122.9 | 126.25 | 140. | 140. |
| 00310p | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 11 | 1.6 | 1.6 | 2.5 | 0.4 | 0.37 | 0.608 | 0.48 | 1.2 | 2. | 2.4 |
| 00403p | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 12 | 6.5 | 6.667 | 7.6 | 6. | 0.275 | 0.525 | 6.03 | 6.225 | 7.175 | 7.51 |
| 00403p | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 12 | 6.489 | 6.441 | 7.6 | 6. | 0.331 | 0.575 | 6.03 | 6.225 | 7.175 | 7.51 |
| 00403p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 12 | 0.325 | 0.363 | 1. | 0.025 | 0.102 | 0.319 | 0.033 | 0.067 | 0.599 | 0.938 |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 36. | 36.333 | 48. | 28. | 39.152 | 6.257 | 28.6 | 30. | 41.5 | 46.2 |
| 00515p | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 12 | 130. | 845.583 | 7902. | 1. | 5014807.174 | 2239.377 | 27.1 | 105. | 175.5 | 5851.8 |
| 00610p | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.06 | 0.055 | 0.1 | 0.01 | 0.001 | 0.022 | 0.016 | 0.043 | 0.068 | 0.091 |
| 00615p | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 0.005 | 0.007 | 0.02 | 0.002 | 0. | 0.005 | 0.002 | 0.004 | 0.011 | 0.018 |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 12 | 1.505 | 1.562 | 2.42 | 0.9 | 0.173 | 0.416 | 0.951 | 1.353 | 1.868 | 2.306 |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 12 | 0.075 | 0.14 | 0.65 | 0.04 | 0.035 | 0.188 | 0.04 | 0.04 | 0.108 | 0.572 |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 12 | 47. | 45.75 | 52. | 30. | 38.568 | 6.21 | 33. | 42.75 | 50. | 52. |
| 00916p | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 12 | 13.45 | 13.217 | 14.4 | 10.9 | 1.105 | 1.051 | 11.2 | 12.4 | 14. | 14.34 |
| 00927p | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 12 | 4.35 | 4.517 | 6.3 | 4.1 | 0.369 | 0.607 | 4.1 | 4.125 | 4.5 | 5.88 |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 12 | 10. | 10. | 13. | 8. | 1.818 | 1.348 | 8.3 | 9. | 11. | 12.4 |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 12 | 22. | 21.667 | 34. | 5. | 80.061 | 8.948 | 6.5 | 15.5 | 29. | 33.1 |
| 01045p | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 12 | 275. | 1322.5 | 12300. | 210. | 11971602.273 | 3460. | 213. | 222.5 | 445. | 8823. |
| 31616p | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 12 | 130. | 618.333 | 3700. | 20. | 1414215.152 | 1189.208 | 32. | 65. | 250. | 3340. |
| 31616p | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 12 | 2.102 | 2.237 | 3.568 | 1.301 | 0.431 | 0.656 | 1.444 | 1.809 | 2.397 | 3.517 |
| 31616p | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 172.665 | | | | | | | | |
| 70508p | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 12 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| 82079p | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 05/25/82-12/10/87 | 12 | 2.15 | 18.167 | 190. | 1.3 | 2930.339 | 54.133 | 1.33 | 1.525 | 4.025 | 134.86 |


** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station: HOFU0001 Parameter Code: 00095


SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR





FRENCH CRK-.25MI DNSTRM FR WILSON CORNR




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00410


ALKALINITY, TOTAL (MG/L AS CACO3)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00515


RESIDUE, TOTAL FILTRABLE (DRIED AT 105




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00610


NITROGEN, AMMONIA, TOTAL (MG/L AS N)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00615


NITRITE NITROGEN, TOTAL (MG/L AS N)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00620


NITRATE NITROGEN, TOTAL (MG/L AS N)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00665


PHOSPHORUS, TOTAL (MG/L AS P)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00900


HARDNESS, TOTAL (MG/L AS CACO3)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00916


CALCIUM, TOTAL (MG/L AS CA)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00927


MAGNESIUM, TOTAL (MG/L AS MG)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00940


CHLORIDE,TOTAL IN WATER





FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 00945

SULFATE, TOTAL (MG/L AS SO4)





FRENCH CRK-.25MI DNSTRM FR WILSON CORNR




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 31616


LOG FECAL COLIFORM,MEMBR FILTER,M-FC BR




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 70508


ACIDITY, TOTAL, HOT (MG/L AS CACO3)




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

Station: HOFU0001 Parameter Code: 82079

TURBIDITY,LAB NEPHELOMETRIC TURBIDITY U




FRENCH CRK-.25MI DNSTRM FR WILSON CORNR

## Seasonal Analysis for Season #1: 8/01 to 10/31 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 11/29/72-12/10/87 | 21 | 18. | 17.786 | 27. | 8. | 29.439 | 5.426 | 9.2 | 14. | 20.75 | 26.8 |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 23 | 20. | 23.696 | 68. | 11. | 161.221 | 12.697 | 12.8 | 15. | 29. | 40.2 |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 27 | 4.22 | 5.752 | 44.1 | 4.04 | 58.767 | 7.666 | 4.078 | 4.15 | 4.4 | 4.682 |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 04/23/73-12/10/87 | 15 | 120. | 114.733 | 145. | 6. | 1075.352 | 32.793 | 59.4 | 110. | 130. | 142. |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 32 | 145. | 174.969 | 900. | 110. | 19848.031 | 140.883 | 130. | 140. | 150. | 167. |
| 00300 | OXYGEN, DISSOLVED MG/L | 11/29/72-12/10/87 | 16 | 9.45 | 9.131 | 11.7 | 5.5 | 2.044 | 1.43 | 7.11 | 8.35 | 9.875 | 11.21 |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 18 | 0.65 | 0.733 | 2. | 0.1 | 0.322 | 0.568 | 0.1 | 0.2 | 1.2 | 1.55 |
| 00400 | PH (STANDARD UNITS) | 11/29/72-12/10/87 | 17 | 7.8 | 7.845 | 8.9 | 6.9 | 0.289 | 0.538 | 7.14 | 7.45 | 8.28 | 8.58 |
| 00400 | CONVERTED PH (STANDARD UNITS) | 11/29/72-12/10/87 | 17 | 7.8 | 7.575 | 8.9 | 6.9 | 0.367 | 0.606 | 7.14 | 7.45 | 8.28 | 8.58 |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 17 | 0.016 | 0.027 | 0.126 | 0.001 | 0.001 | 0.031 | 0.003 | 0.006 | 0.036 | 0.076 |
| 00403 | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 32 | 7.05 | 7.241 | 8.5 | 6.1 | 0.424 | 0.651 | 6.53 | 6.65 | 7.675 | 8.27 |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 32 | 7.047 | 6.886 | 8.5 | 6.1 | 0.554 | 0.744 | 6.53 | 6.65 | 7.675 | 8.27 |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 32 | 0.09 | 0.13 | 0.794 | 0.003 | 0.026 | 0.161 | 0.005 | 0.021 | 0.228 | 0.297 |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 32 | 42. | 45.969 | 157. | 34. | 434.16 | 20.837 | 36. | 38.25 | 46. | 50.8 |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 28 | 120. | 118.071 | 156. | 52. | 480.439 | 21.919 | 96.8 | 104.5 | 131. | 146.6 |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 32 | 0.03 | 0.037 | 0.18 | 0.005 | 0.001 | 0.033 | 0.01 | 0.01 | 0.05 | 0.07 |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 32 | 0.006 | 0.015 | 0.2 | 0.002 | 0.001 | 0.035 | 0.002 | 0.004 | 0.014 | 0.024 |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 32 | 1.14 | 1.298 | 3.36 | 0.57 | 0.344 | 0.587 | 0.749 | 0.908 | 1.51 | 1.892 |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 32 | 0.05 | 0.052 | 0.11 | 0.02 | 0. | 0.02 | 0.03 | 0.04 | 0.068 | 0.07 |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 32 | 50. | 56.563 | 234. | 42. | 1090.706 | 33.026 | 45. | 46.25 | 53.75 | 62.8 |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 23 | 14.3 | 14.391 | 21.8 | 6.1 | 7.744 | 2.783 | 11.88 | 13.5 | 15.5 | 17.64 |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 23 | 4.4 | 4.046 | 6.5 | 0.25 | 2.029 | 1.424 | 0.9 | 4.1 | 4.7 | 5.02 |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 32 | 9.5 | 10.031 | 34. | 5. | 21.515 | 4.638 | 8. | 8.25 | 10. | 11. |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 32 | 14. | 18.125 | 70. | 5. | 171.145 | 13.082 | 6.3 | 10. | 20. | 34.7 |
| 01045 | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 32 | 180. | 269.375 | 1150. | 50. | 67806.048 | 260.396 | 73. | 122.5 | 277.5 | 685. |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 28 | 235. | 736.25 | 10000. | 10. | 3527801.157 | 1878.244 | 58. | 110. | 390. | 1640. |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 28 | 2.37 | 2.398 | 4. | 1. | 0.338 | 0.581 | 1.761 | 2.037 | 2.591 | 3.214 |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 250.264 | | | | | | | | |
| 70508 | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 24 | 0. | 1.333 | 32. | 0. | 42.667 | 6.532 | 0. | 0. | 0. | 0. |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #2: 11/01 to 3/31 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 11/29/72-12/10/87 | 28 | 4.5 | 4.893 | 13. | 0. | 14.821 | 3.85 | 0. | 1.25 | 7.375 | 10.1 |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 42 | 71.5 | 86.643 | 295. | 13. | 3935.699 | 62.735 | 29.9 | 36.75 | 130.5 | 166.4 |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 46 | 4.73 | 4.755 | 5.68 | 2.38 | 0.247 | 0.497 | 4.38 | 4.488 | 5.085 | 5.28 |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 04/23/73-12/10/87 | 20 | 80. | 83.25 | 125. | 55. | 284.934 | 16.88 | 65.5 | 70. | 93.75 | 109. |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 50 | 140. | 138.54 | 180. | 100. | 306.621 | 17.511 | 120. | 125. | 146.75 | 169. |
| 00300 | OXYGEN, DISSOLVED MG/L | 11/29/72-12/10/87 | 22 | 12. | 12.177 | 14.8 | 9.2 | 2.836 | 1.684 | 9.32 | 11.275 | 13.85 | 14.51 |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 26 | 0.6 | 0.773 | 2.5 | 0.1 | 0.376 | 0.613 | 0.17 | 0.375 | 1.05 | 1.72 |
| 00400 | PH (STANDARD UNITS) | 11/29/72-12/10/87 | 21 | 7.4 | 7.538 | 8.6 | 6.8 | 0.24 | 0.49 | 7. | 7.15 | 8.05 | 8.2 |
| 00400 | CONVERTED PH (STANDARD UNITS) | 11/29/72-12/10/87 | 21 | 7.4 | 7.331 | 8.6 | 6.8 | 0.286 | 0.534 | 7. | 7.15 | 8.05 | 8.2 |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 21 | 0.04 | 0.047 | 0.158 | 0.003 | 0.002 | 0.041 | 0.006 | 0.009 | 0.071 | 0.1 |
| 00403 | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 50 | 6.9 | 6.958 | 8.1 | 6. | 0.339 | 0.582 | 6.11 | 6.475 | 7.4 | 7.8 |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 50 | 6.9 | 6.627 | 8.1 | 6. | 0.451 | 0.672 | 6.11 | 6.475 | 7.4 | 7.8 |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 50 | 0.126 | 0.236 | 1. | 0.008 | 0.081 | 0.285 | 0.016 | 0.04 | 0.337 | 0.778 |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 50 | 31. | 32.72 | 104. | 1. | 171.349 | 13.09 | 24. | 28. | 36. | 45.6 |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 48 | 109. | 293.854 | 7902. | 69. | 1277368.425 | 1130.207 | 89.8 | 92.5 | 126. | 149.4 |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 50 | 0.035 | 0.056 | 0.26 | 0. | 0.003 | 0.059 | 0.01 | 0.01 | 0.073 | 0.149 |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 50 | 0.006 | 0.014 | 0.112 | 0.002 | 0. | 0.021 | 0.004 | 0.004 | 0.014 | 0.039 |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 50 | 1.8 | 1.811 | 2.85 | 0.36 | 0.234 | 0.484 | 1.313 | 1.555 | 1.963 | 2.591 |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 50 | 0.05 | 0.058 | 0.39 | 0.03 | 0.003 | 0.055 | 0.03 | 0.03 | 0.06 | 0.088 |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 49 | 45. | 45.98 | 68. | 10. | 96.77 | 9.837 | 38. | 42. | 50.5 | 57. |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 43 | 12.3 | 12.672 | 33.8 | 1.6 | 17.573 | 4.192 | 9.14 | 11. | 13.7 | 15.2 |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 43 | 4.3 | 4.353 | 8.3 | 0. | 1.784 | 1.336 | 3.3 | 3.9 | 4.7 | 5.8 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #2: 11/01 to 3/31 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 50 | 11. | 11.2 | 20. | 7. | 5.388 | 2.321 | 9. | 10. | 12. | 13.9 |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 50 | 15. | 16.88 | 37. | 5. | 48.475 | 6.962 | 10. | 12. | 20. | 27. |
| 01045 | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 50 | 220. | 612.2 | 12300. | 20. | 3317972.612 | 1821.53 | 121. | 160. | 372.5 | 778. |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 38 | 100. | 323.882 | 3700. | 12.5 | 512455.303 | 715.86 | 19.25 | 43.75 | 212.5 | 758. |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 38 | 2. | 2.023 | 3.568 | 1.097 | 0.362 | 0.602 | 1.281 | 1.624 | 2.325 | 2.843 |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 105.379 | | | | | | | | |
| 70508 | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 43 | 0. | 0.884 | 16. | 0. | 11.486 | 3.389 | 0. | 0. | 0. | 0. |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #3: 4/01 to 7/31 - Station HOFU0001

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 11/29/72-12/10/87 | 30 | 18. | 18.31 | 27. | 9. | 23.986 | 4.898 | 11.05 | 14. | 22. | 25.3 |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 01/22/76-12/10/87 | 31 | 52. | 60.935 | 167. | 18. | 1576.129 | 39.7 | 21.6 | 28. | 87. | 116.2 |
| 00065 | STAGE, STREAM (FEET) | 10/15/75-12/10/87 | 36 | 4.66 | 4.632 | 5.23 | 4.15 | 0.082 | 0.287 | 4.255 | 4.35 | 4.88 | 4.983 |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 04/23/73-12/10/87 | 15 | 110. | 108. | 145. | 80. | 317.143 | 17.809 | 83. | 90. | 120. | 133. |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/29/72-12/10/87 | 44 | 130. | 131.205 | 155. | 110. | 132.399 | 11.506 | 112.5 | 122.5 | 139. | 150. |
| 00300 | OXYGEN, DISSOLVED MG/L | 11/29/72-12/10/87 | 23 | 9.7 | 9.77 | 13.6 | 6.9 | 1.92 | 1.386 | 8.5 | 9. | 10.2 | 12.08 |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 05/27/80-12/10/87 | 26 | 1.1 | 1.1 | 3.6 | 0.1 | 0.646 | 0.803 | 0.1 | 0.475 | 1.45 | 2.12 |
| 00400 | PH (STANDARD UNITS) | 11/29/72-12/10/87 | 25 | 7.7 | 7.876 | 9.8 | 7.04 | 0.328 | 0.573 | 7.3 | 7.45 | 8.15 | 8.5 |
| 00400 | CONVERTED PH (STANDARD UNITS) | 11/29/72-12/10/87 | 25 | 7.7 | 7.645 | 9.8 | 7.04 | 0.383 | 0.619 | 7.3 | 7.45 | 8.15 | 8.5 |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 25 | 0.02 | 0.023 | 0.091 | 0. | 0. | 0.021 | 0.003 | 0.007 | 0.036 | 0.05 |
| 00403 | PH, LAB, STANDARD UNITS SU | 11/29/72-12/10/87 | 44 | 7.1 | 7.041 | 8.5 | 6. | 0.338 | 0.582 | 6.35 | 6.5 | 7.375 | 7.8 |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 11/29/72-12/10/87 | 44 | 7.1 | 6.745 | 8.5 | 6. | 0.428 | 0.654 | 6.35 | 6.5 | 7.375 | 7.8 |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/29/72-12/10/87 | 44 | 0.079 | 0.18 | 1. | 0.003 | 0.04 | 0.201 | 0.016 | 0.042 | 0.316 | 0.45 |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 44 | 36. | 39. | 170. | 20. | 537.628 | 23.187 | 27. | 30. | 41.5 | 43. |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 04/02/75-12/10/87 | 38 | 112. | 113.658 | 272. | 1. | 1782.123 | 42.215 | 68. | 94.25 | 128.25 | 154.8 |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 44 | 0.05 | 0.05 | 0.16 | 0.01 | 0.001 | 0.036 | 0.01 | 0.02 | 0.07 | 0.1 |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 44 | 0.012 | 0.018 | 0.064 | 0.004 | 0. | 0.014 | 0.006 | 0.008 | 0.022 | 0.04 |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/29/72-12/10/87 | 44 | 1.46 | 1.474 | 3.16 | 0.72 | 0.146 | 0.383 | 1.06 | 1.275 | 1.588 | 1.855 |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 11/29/72-12/10/87 | 44 | 0.05 | 0.078 | 0.65 | 0.02 | 0.011 | 0.103 | 0.03 | 0.04 | 0.08 | 0.12 |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 11/29/72-12/10/87 | 44 | 45. | 44.682 | 64. | 24. | 57.013 | 7.551 | 35.5 | 40. | 48.75 | 55.5 |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 11/02/77-12/10/87 | 32 | 12.4 | 15.688 | 120. | 7.9 | 366.973 | 19.157 | 9.9 | 10.825 | 14.1 | 15.53 |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 11/02/77-12/10/87 | 32 | 4.1 | 5.169 | 40. | 0. | 41.469 | 6.44 | 3.29 | 3.825 | 4.575 | 5.05 |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 11/29/72-12/10/87 | 44 | 8. | 8.909 | 23. | 7. | 6.271 | 2.504 | 7. | 8. | 9. | 11. |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 11/29/72-12/10/87 | 44 | 12. | 16.159 | 140. | 4. | 423.474 | 20.578 | 5. | 9.25 | 15. | 28.5 |
| 01045 | IRON, TOTAL (UG/L AS FE) | 11/29/72-12/10/87 | 44 | 235. | 315.227 | 1340. | 50. | 56388.319 | 237.462 | 115. | 160. | 407.5 | 665. |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 34 | 250. | 682.235 | 5000. | 1. | 1485713.519 | 1218.898 | 55. | 115. | 452.5 | 2150. |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/02/75-12/10/87 | 34 | 2.398 | 2.392 | 3.699 | 0. | 0.467 | 0.684 | 1.739 | 2.059 | 2.656 | 3.327 |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 246.429 | | | | | | | | |
| 70508 | ACIDITY, TOTAL, HOT (MG/L AS CACO3) | 11/02/77-12/10/87 | 31 | 0. | 0.452 | 14. | 0. | 6.323 | 2.514 | 0. | 0. | 0. | 0. |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

# Station Inventory for Station: HOFU0002

NPS Station ID: HOFU0002
LAT/LON: 40.151392/ -75.601670
Agency: 112WRD
Date Created: / /
Location: FRENCH CREEK NEAR PHOENIXVILLE, PA.
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 01472157
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203019
RF1 Mile Point: 6.770
Distance from RF1: 2.80
On/Off RF1: OFF
RF3 Index: 02040205062400.00
RF3 Mile Point: 0.52
Distance from RF3: 0.03
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0002

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/25/50-10/28/96 | 65 | 11.5 | 12.009 | 27. | 0. | 47.058 | 6.86 | 2.2 | 7. | 16.5 | 22. |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/10/69-10/28/96 | 21 | 13.5 | 14.4 | 27. | 3. | 54.915 | 7.41 | 4. | 9.5 | 19.75 | 25.8 |
| 00058 | FLOW, RATE GALLONS/MIN | 05/25/50-08/07/67 | 4 | 170. | 152.5 | 170. | 100. | 1225. | 35. | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 02/12/69-05/09/72 | 33 | 53. | 144.576 | 572. | 15. | 33382.564 | 182.709 | 21.2 | 29. | 193.5 | 505. |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/10/69-10/28/96 | 28 | 46.5 | 55.036 | 150. | 18. | 1119.888 | 33.465 | 23.6 | 28.5 | 70.75 | 120.1 |
| 00065 | STAGE, STREAM (FEET) | 05/27/71-10/28/96 | 6 | 4.515 | 4.512 | 4.95 | 4.19 | 0.072 | 0.269 | ** | ** | ** | ** |
| 00070 | TURBIDITY, (JACKSON CANDLE UNITS) | 08/13/73-08/19/76 | 10 | 2.5 | 6.95 | 40. | 1. | 140.581 | 11.857 | 1.05 | 1.5 | 6.25 | 36.85 |
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 10/20/83-10/14/92 | 10 | 1.05 | 1.1 | 2.7 | 0.5 | 0.391 | 0.625 | 0.5 | 0.65 | 1.2 | 2.55 |
| 00080 | COLOR (PLATINUM-COBALT UNITS) | 05/25/50-05/09/72 | 31 | 5. | 4.645 | 12. | 2. | 5.103 | 2.259 | 2. | 3. | 5. | 7.8 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 05/25/50-10/28/96 | 69 | 136. | 154.783 | 1230. | 70. | 19153.349 | 138.396 | 102. | 122. | 150. | 170. |
| 00300 | OXYGEN, DISSOLVED MG/L | 08/13/73-10/28/96 | 19 | 11.4 | 11.126 | 13.6 | 5.5 | 3.01 | 1.735 | 9.9 | 10.1 | 12. | 13.4 |
| 00340 | COD, .25N K2CR2O7 MG/L | 12/10/69-10/15/75 | 8 | 14.5 | 16.75 | 40. | 4. | 120.786 | 10.99 | ** | ** | ** | ** |
| 00400p | PH (STANDARD UNITS) | 05/25/50-10/28/96 | 62 | 7.4 | 7.303 | 8.3 | 6.4 | 0.185 | 0.43 | 6.63 | 7.075 | 7.6 | 7.8 |
| 00400p | CONVERTED PH (STANDARD UNITS) | 05/25/50-10/28/96 | 62 | 7.4 | 7.077 | 8.3 | 6.4 | 0.237 | 0.487 | 6.63 | 7.075 | 7.6 | 7.8 |
| 00400p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/25/50-10/28/96 | 62 | 0.04 | 0.084 | 0.398 | 0.005 | 0.01 | 0.101 | 0.016 | 0.025 | 0.085 | 0.236 |
| 00403 | PH, LAB, STANDARD UNITS SU | 11/06/80-10/14/92 | 13 | 7.6 | 7.546 | 8.1 | 7.1 | 0.078 | 0.279 | 7.14 | 7.3 | 7.75 | 7.98 |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 11/06/80-10/14/92 | 13 | 7.6 | 7.467 | 8.1 | 7.1 | 0.084 | 0.291 | 7.14 | 7.3 | 7.75 | 7.98 |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/06/80-10/14/92 | 13 | 0.025 | 0.034 | 0.079 | 0.008 | 0. | 0.022 | 0.011 | 0.018 | 0.051 | 0.073 |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 05/25/50-10/25/74 | 6 | 7.75 | 8.333 | 17. | 1.1 | 46.311 | 6.805 | ** | ** | ** | ** |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/25/50-10/27/95 | 59 | 33. | 39.237 | 170. | 11. | 904.46 | 30.074 | 18. | 26. | 40. | 47. |
| 00419 | ALKALINITY,CARBONATE,INCREMENTAL TITR FIELD MG/L | 10/14/92-10/28/96 | 3 | 41. | 52.333 | 82. | 34. | 672.333 | 25.929 | ** | ** | ** | ** |
| 00436 | ACIDITY, MINERAL (METHYL ORANGE) (MG/L AS CACO3) | 08/13/73-08/19/76 | 9 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| 00437 | ACIDITY, CO2 (PHENOLPHTHALEIN) (MG/L AS CACO3) | 08/13/73-08/19/76 | 10 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| 00440p | BICARBONATE ION (MG/L AS HCO3) | 05/25/50-10/25/74 | 36 | 35. | 36.056 | 118. | 13. | 291.94 | 17.086 | 20.1 | 27.25 | 42. | 47.6 |
| 00445 | CARBONATE ION (MG/L AS CO3) | 05/25/50-10/25/74 | 25 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| 00500 | RESIDUE, TOTAL (MG/L) | 05/17/76-07/29/76 | 2 | 143. | 143. | 190. | 96. | 4418. | 66.468 | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 12/10/69-08/19/76 | 14 | 99. | 105.143 | 180. | 55. | 813.516 | 28.522 | 70. | 90. | 121. | 152. |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 01/22/76-08/19/76 | 7 | 10. | 13.5 | 30. | 0. | 127.083 | 11.273 | ** | ** | ** | ** |
| 00550 | OIL & GREASE (SOXHLET EXTRACTION) TOTAL,REC.,MG/L | 12/06/72-12/06/72 | 3 | 95. | 315. | 850. | 0. | 216925. | 465.752 | ** | ** | ** | ** |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 11/09/79-10/21/81 | 3 | 1.4 | 1.433 | 1.8 | 1.1 | 0.123 | 0.351 | ** | ** | ** | ** |
| 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/10/85 | 4 | 1.65 | 1.575 | 1.9 | 1.1 | 0.129 | 0.359 | ** | ** | ** | ** |
| 00603 | NITROGEN TOTAL, BOTTOM DEPOSITS (MG/KG-N DRY WGT) | 12/28/78-12/28/78 | 1 | 340. | 340. | 340. | 340. | 0. | 0. | ** | ** | ** | ** |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 10/05/70-10/21/81 | 8 | 0.28 | 0.293 | 0.63 | 0.005 | 0.035 | 0.187 | ** | ** | ** | ** |
| 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/21/81-11/02/82 | 2 | 0.515 | 0.515 | 0.79 | 0.24 | 0.151 | 0.389 | ** | ** | ** | ** |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/21/81-10/28/96 | 15 | 0.02 | 0.024 | 0.07 | 0.005 | 0. | 0.02 | 0.005 | 0.008 | 0.04 | 0.058 |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 10/05/70-10/21/81 | 19 | 0.04 | 0.047 | 0.15 | 0. | 0.002 | 0.04 | 0.005 | 0.02 | 0.07 | 0.11 |
| 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/28/96 | 15 ## | 0.005 | 0.009 | 0.03 | 0.005 | 0. | 0.009 | 0.005 | 0.005 | 0.01 | 0.03 |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/05/70-10/21/81 | 17 | 0.024 | 0.03 | 0.112 | 0. | 0.001 | 0.028 | 0.002 | 0.005 | 0.044 | 0.07 |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

# Parameter Inventory for Station: HOFU0002

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 06/29/56-10/20/83 | 6 | 0.925 | 0.835 | 1.4 | 0.16 | 0.195 | 0.442 | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/25/50-10/21/81 | 24 | 1.38 | 1.712 | 4.099 | 0.2 | 1.101 | 1.049 | 0.37 | 1.105 | 2.449 | 3.599 |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/14/92 | 12 | 0.3 | 0.349 | 0.8 | 0. | 0.036 | 0.189 | 0.06 | 0.293 | 0.4 | 0.71 |
| 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/21/81-10/10/85 | 2 | 0.015 | 0.015 | 0.03 | 0. | 0. | 0.021 | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/04/73-10/14/92 | 13 | 0.3 | 0.325 | 0.7 | 0.1 | 0.023 | 0.153 | 0.136 | 0.21 | 0.4 | 0.62 |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/04/73-10/21/81 | 4 | 1.15 | 1.173 | 1.6 | 0.79 | 0.112 | 0.334 | ** | ** | ** | ** |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 11/09/79-10/28/96 | 16 | 1.4 | 1.369 | 1.8 | 0.8 | 0.093 | 0.305 | 0.94 | 1.1 | 1.6 | 1.8 |
| 00650 | PHOSPHATE, TOTAL (MG/L AS PO4) | 11/06/80-11/06/80 | 1 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 02/12/69-09/24/71 | 13 | 0.06 | 0.103 | 0.59 | 0. | 0.026 | 0.161 | 0. | 0.015 | 0.09 | 0.458 |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 10/05/70-10/14/92 | 29 | 0.03 | 0.081 | 0.9 | 0.005 | 0.027 | 0.165 | 0.005 | 0.02 | 0.075 | 0.17 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/14/92 | 12 | 0.02 | 0.016 | 0.03 | 0.005 | 0. | 0.011 | 0.005 | 0.005 | 0.028 | 0.03 |
| 00668 | PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT) | 12/28/78-12/28/78 | 1 | 240. | 240. | 240. | 240. | 0. | 0. | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/21/81-10/28/96 | 15 | 0.01 | 0.012 | 0.03 | 0.005 | 0. | 0.008 | 0.005 | 0.005 | 0.02 | 0.024 |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 10/15/75-10/15/75 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 12/28/78-12/28/78 | 1 | 3.4 | 3.4 | 3.4 | 3.4 | 0. | 0. | ** | ** | ** | ** |
| 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 12/28/78-10/28/94 | 2 | 9.25 | 9.25 | 15. | 3.5 | 66.125 | 8.132 | ** | ** | ** | ** |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 05/25/50-11/02/82 | 49 | 48. | 64.429 | 650. | 29. | 8110.875 | 90.06 | 37. | 41. | 54. | 63. |
| 00902p | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 05/25/50-10/25/74 | 36 | 17. | 34.611 | 550. | 6. | 7982.302 | 89.344 | 9.4 | 13.25 | 22. | 39.7 |
| 00915p | CALCIUM, DISSOLVED (MG/L AS CA) | 05/25/50-10/14/92 | 59 | 12. | 16.18 | 233. | 4.8 | 831.553 | 28.837 | 9.4 | 10. | 14.4 | 16. |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 12/10/69-10/30/72 | 6 | 11. | 10.117 | 13. | 3.3 | 11.774 | 3.431 | ** | ** | ** | ** |
| 00925p | MAGNESIUM, DISSOLVED (MG/L AS MG) | 05/25/50-10/14/92 | 59 | 4.4 | 4.995 | 28.5 | 0.2 | 14.357 | 3.789 | 3.2 | 3.8 | 4.7 | 7. |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 12/10/69-10/30/72 | 6 | 3.3 | 2.75 | 3.8 | 0.1 | 1.875 | 1.369 | ** | ** | ** | ** |
| 00929 | SODIUM, TOTAL (MG/L AS NA) | 12/10/69-10/30/72 | 6 | 5.47 | 4.718 | 6.9 | 0.47 | 5.677 | 2.383 | ** | ** | ** | ** |
| 00930p | SODIUM, DISSOLVED (MG/L AS NA) | 05/25/50-10/14/92 | 34 | 6. | 5.932 | 8.7 | 3.4 | 1.279 | 1.131 | 4.8 | 5.175 | 6.6 | 7.4 |
| 00931p | SODIUM ADSORPTION RATIO | 05/25/50-11/02/82 | 37 | 0.4 | 0.424 | 1.2 | 0.2 | 0.033 | 0.182 | 0.28 | 0.3 | 0.5 | 0.7 |
| 00932p | SODIUM, PERCENT | 05/25/50-11/02/82 | 36 | 20.5 | 22.472 | 46. | 15. | 40.313 | 6.349 | 15.7 | 19. | 25. | 31.6 |
| 00933 | SODIUM,PLUS POTASSIUM (MG/L) | 03/01/56-05/09/72 | 17 | 7.4 | 9.312 | 25. | 3. | 29.771 | 5.456 | 4.84 | 6.5 | 10.2 | 21. |
| 00935p | POTASSIUM, DISSOLVED (MG/L AS K) | 05/25/50-10/14/92 | 34 | 1.8 | 1.803 | 3.8 | 0.9 | 0.277 | 0.527 | 1.15 | 1.55 | 2. | 2.4 |
| 00937 | POTASSIUM, TOTAL MG/L AS K) | 12/10/69-10/30/72 | 6 | 1.675 | 1.85 | 3.05 | 1.3 | 0.374 | 0.612 | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 05/25/50-10/28/96 | 69 | 9. | 10.29 | 55. | 3. | 52.032 | 7.213 | 6. | 8. | 10.5 | 14. |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 05/25/50-10/14/92 | 66 | 15. | 26.424 | 558. | 6. | 4706.063 | 68.601 | 11. | 13. | 18. | 23.3 |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 05/25/50-10/14/92 | 30 | 0.1 | 0.138 | 0.4 | 0. | 0.013 | 0.113 | 0. | 0.05 | 0.2 | 0.3 |
| 00951 | FLUORIDE, TOTAL (MG/L AS F) | 05/17/76-08/19/76 | 4 | 0.105 | 0.105 | 0.11 | 0.1 | 0. | 0.006 | ** | ** | ** | ** |
| 00955p | SILICA, DISSOLVED (MG/L AS SI02) | 05/25/50-10/14/92 | 40 | 15.5 | 15.453 | 29. | 6.5 | 11.516 | 3.394 | 12. | 14.25 | 17. | 18. |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/04/73-11/02/82 | 3 | 1. | 0.833 | 1. | 0.5 | 0.083 | 0.289 | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 12/28/78-10/28/94 | 2 | 0.5 | 0.5 | 1. | 0. | 0.5 | 0.707 | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/04/73-11/02/82 | 5 ## | 0.5 | 0.6 | 2. | 0. | 0.675 | 0.822 | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/28/78-10/28/94 | 2 ## | 2.75 | 2.75 | 5. | 0.5 | 10.125 | 3.182 | ** | ** | ** | ** |
| 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/28/78-10/28/94 | 2 | 15. | 15. | 20. | 10. | 50. | 7.071 | ** | ** | ** | ** |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/04/73-11/02/82 | 5 ## | 0.5 | 0.4 | 1. | 0. | 0.175 | 0.418 | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 02/24/70-11/09/79 | 5 ## | 50. | 44. | 50. | 20. | 180. | 13.416 | ** | ** | ** | ** |
| 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/04/73-11/02/82 | 5 ## | 0.5 | 0.4 | 1. | 0. | 0.175 | 0.418 | ** | ** | ** | ** |
| 01037 | COBALT, TOTAL (UG/L AS CO) | 02/24/70-10/30/72 | 4 ## | 100. | 187.5 | 450. | 100. | 30625. | 175. | ** | ** | ** | ** |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/04/73-11/02/82 | 5 | 1. | 0.8 | 2. | 0. | 0.7 | 0.837 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 10/05/70-11/09/79 | 4 ## | 125. | 93.75 | 125. | 0. | 3906.25 | 62.5 | ** | ** | ** | ** |
| 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 12/28/78-10/28/94 | 2 ## | 12.5 | 12.5 | 20. | 5. | 112.5 | 10.607 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 03/01/56-08/19/76 | 18 | 220. | 754.167 | 7700. | 0. | 3136812.5 | 1771.105 | 18. | 101.25 | 512.5 | 1976. |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/25/74-10/14/92 | 14 | 98.5 | 86.857 | 120. | 38. | 887.824 | 29.796 | 40. | 52.5 | 112.5 | 120. |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/04/73-11/02/82 | 5 ## | 0.5 | 0.8 | 2. | 0. | 0.575 | 0.758 | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 12/28/78-10/28/94 | 2 | 25. | 25. | 30. | 20. | 50. | 7.071 | ** | ** | ** | ** |
| 01053 | MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT) | 10/28/94-10/28/94 | 1 | 590. | 590. | 590. | 590. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/25/50-07/29/76 | 10 | 77.5 | 136. | 500. | 0. | 35037.778 | 187.184 | 0. | 0. | 206.25 | 495. |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/25/74-10/14/92 | 14 | 6. | 8.571 | 20. | 3. | 35.495 | 5.958 | 3.5 | 4. | 13. | 20. |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/04/73-11/02/82 | 5 | 0.5 | 0.9 | 3. | 0. | 1.55 | 1.245 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 10/05/70-10/30/72 | 3 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/04/73-11/02/82 | 5 ## | 4. | 5.6 | 10. | 2. | 16.8 | 4.099 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 10/05/70-11/09/79 | 4 ## | 10. | 13.75 | 25. | 10. | 56.25 | 7.5 | ** | ** | ** | ** |
| 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 12/28/78-10/28/94 | 2 | 65. | 65. | 100. | 30. | 2450. | 49.497 | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/19/69-10/14/92 | 11 | 10. | 11.818 | 30. | 0. | 86.364 | 9.293 | 1. | 5. | 20. | 28. |
| 01132 | LITHIUM, TOTAL (UG/L AS LI) | 10/05/70-10/30/72 | 3 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0002

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01147 | SELENIUM, TOTAL (UG/L AS SE) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01170 | IRON IN BOTTOM DEPOSITS (MG/KG AS FE DRY WGT) | 10/28/94-10/28/94 | 1 | 24000. | 24000. | 24000. | 24000. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 12/10/69-10/04/73 | 7 | 6600. | 110880.786 | 730000. | 0.574 | 640738706.821 | 273204.573 | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 12/10/69-10/04/73 | 7 | 3.82 | 3.17 | 5.863 | -0.301 | 4.322 | 2.079 | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 1478.482 | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 10/04/71-10/30/72 | 2 | 535. | 535. | 740. | 330. | 84050. | 289.914 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 10/04/71-10/30/72 | 2 | 2.694 | 2.694 | 2.869 | 2.519 | 0.062 | 0.248 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 494.166 | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 12/10/69-10/04/73 | 7 | 148. | 254.214 | 1140. | 0.5 | 167271.738 | 408.989 | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 12/10/69-10/04/73 | 7 | 2.17 | 1.292 | 3.057 | -0.301 | 2.306 | 1.519 | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 19.606 | | | | | | | | |
| 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 08/07/67-11/02/82 | 7 | 0. | 0.023 | 0.15 | 0. | 0.003 | 0.056 | ** | ** | ** | ** |
| 39251 | PCNS IN BOTTOM DEPOS (UG/KG DRY SOLIDS) | 12/05/86-10/28/94 | 2 | ## 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/28/78-10/28/94 | 3 | ## 0.05 | 0.033 | 0.05 | 0. | 0.001 | 0.029 | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 12/28/78-10/28/94 | 3 | ## 0.05 | 0.033 | 0.05 | 0. | 0.001 | 0.029 | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 12/28/78-10/28/94 | 3 | 0.5 | 0.5 | 1. | 0. | 0.25 | 0.5 | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/28/78-10/28/94 | 3 | 0.05 | 0.05 | 0.1 | 0. | 0.003 | 0.05 | ** | ** | ** | ** |
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/28/78-10/28/94 | 3 | 0.2 | 0.167 | 0.3 | 0. | 0.023 | 0.153 | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/28/78-10/28/94 | 3 | 0.05 | 0.083 | 0.2 | 0. | 0.011 | 0.104 | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/28/78-10/28/94 | 3 | 0.1 | 0.167 | 0.4 | 0. | 0.043 | 0.208 | ** | ** | ** | ** |
| 39389 | ENDOSULFAN IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 12/05/86-10/28/94 | 2 | ## 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/28/78-10/28/94 | 3 | ## 0.05 | 0.033 | 0.05 | 0. | 0.001 | 0.029 | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/28/78-10/28/94 | 3 | ## 5. | 3.333 | 5. | 0. | 8.333 | 2.887 | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 12/28/78-10/28/94 | 3 | ## 0.05 | 0.033 | 0.05 | 0. | 0.001 | 0.029 | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 12/28/78-10/28/94 | 3 | ## 0.05 | 0.033 | 0.05 | 0. | 0.001 | 0.029 | ** | ** | ** | ** |
| 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 12/05/86-10/28/94 | 2 | ## 0.225 | 0.225 | 0.4 | 0.05 | 0.061 | 0.247 | ** | ** | ** | ** |
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 12/28/78-10/28/94 | 3 | 3. | 2.333 | 4. | 0. | 4.333 | 2.082 | ** | ** | ** | ** |
| 39758 | MIREX, BOTTOM MATERIAL (UG/KG DRY SOLIDS) | 12/05/86-10/28/94 | 2 | ## 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 70300p | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/25/50-10/14/87 | 34 | 97.5 | 126.882 | 1040. | 76. | 26361.743 | 162.363 | 82. | 89. | 104.25 | 121.5 |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 05/25/50-10/25/74 | 5 | 82. | 91.2 | 144. | 68. | 954.7 | 30.898 | ** | ** | ** | ** |
| 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 02/12/69-05/09/72 | 21 | 12.5 | 21.308 | 92.1 | 4.25 | 649.045 | 25.476 | 4.6 | 6.73 | 20.85 | 81.08 |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 05/25/50-11/02/82 | 30 | 0.13 | 0.176 | 1.41 | 0.1 | 0.055 | 0.235 | 0.11 | 0.12 | 0.14 | 0.177 |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 08/07/67-10/21/81 | 13 | 0.014 | 0.021 | 0.05 | 0.005 | 0. | 0.014 | 0.007 | 0.01 | 0.031 | 0.046 |
| 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 11/09/79-11/06/80 | 2 | 0.025 | 0.025 | 0.05 | 0. | 0.001 | 0.035 | ** | ** | ** | ** |
| 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/21/81-11/02/82 | 2 | 0.035 | 0.035 | 0.06 | 0.01 | 0.001 | 0.035 | ** | ** | ** | ** |
| 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 06/29/56-11/02/82 | 29 | 4.7 | 4.762 | 8.2 | 0.7 | 3.77 | 1.942 | 2.2 | 3.85 | 6. | 7.7 |
| 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 11/02/82-11/02/82 | 1 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 11/09/79-10/10/85 | 4 | 0.075 | 0.183 | 0.52 | 0.06 | 0.051 | 0.225 | ** | ** | ** | ** |
| 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 11/09/79-10/21/81 | 3 | 6.2 | 6.4 | 8.1 | 4.9 | 2.59 | 1.609 | ** | ** | ** | ** |
| 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/21/81-11/02/82 | 2 | ## 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 11/09/79-11/09/79 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 12/28/78-10/28/94 | 2 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 72008 | DEPTH, TOTAL OF WELL (FT BELOW LAND SURFACE DATUM) | 05/25/50-08/07/67 | 3 | 67. | 67. | 67. | 67. | 0. | 0. | ** | ** | ** | ** |
| 72015 | DEPTH TO TOP OF SAMPLE INTERVAL (FT BELOW LSD) | 05/25/50-08/07/67 | 4 | 58. | 102. | 234. | 58. | 7744. | 88. | ** | ** | ** | ** |
| 72016 | DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD) | 05/25/50-08/07/67 | 4 | 67. | 108.75 | 234. | 67. | 6972.25 | 83.5 | ** | ** | ** | ** |
| 72019 | DEPTH TO WATER LEVEL (FEET BELOW LAND SURFACE) | 06/29/56-06/29/56 | 1 | 17. | 17. | 17. | 17. | 0. | 0. | ** | ** | ** | ** |
| 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 07/29/69-10/30/72 | 7 | 12. | 91.429 | 301. | 1. | 14810.952 | 121.7 | ** | ** | ** | ** |
| 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 07/29/69-10/30/72 | 7 | 1.62 | 127.804 | 428. | 0.08 | 32552.594 | 180.423 | ** | ** | ** | ** |
| 81886 | PERTHANE IN SEDIMENT DRY WEIGHT UG/KG | 12/05/86-10/28/94 | 2 | ## 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0002


| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00070 | TURBIDITY, JACKSON CANDLE UNITS | Other-Hi Lim. | 50. | 10 | 0 | 0.00 | 4 | 0 | 0.00 | 3 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 10 | 0 | 0.00 | 8 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 19 | 0 | 0.00 | 14 | 0 | 0.00 | 5 | 0 | 0.00 | | | | | | |
| 00400 | PH | Fresh Chronic | 9. | 62 | 0 | 0.00 | 27 | 0 | 0.00 | 21 | 0 | 0.00 | 14 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 62 | 5 | 0.08 | 27 | 1 | 0.04 | 21 | 3 | 0.14 | 14 | 1 | 0.07 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter


# EPA Water Quality Criteria Analysis for Station: HOFU0002

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00403 | PH, LAB | Fresh Chronic | 9. | 13 | 0 | 0.00 | 9 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 13 | 0 | 0.00 | 9 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 00613 | NITRITE NITROGEN, DISSOLVED AS N | Drinking Water | 1. | 15 | 0 | 0.00 | 12 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 17 | 0 | 0.00 | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 6 | 0 | 0.00 | 2 | 0 | 0.00 | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 24 | 0 | 0.00 | 11 | 0 | 0.00 | 8 | 0 | 0.00 | 5 | 0 | 0.00 | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. | Drinking Water | 10. | 16 | 0 | 0.00 | 12 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 69 | 0 | 0.00 | 29 | 0 | 0.00 | 23 | 0 | 0.00 | 17 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 69 | 0 | 0.00 | 29 | 0 | 0.00 | 23 | 0 | 0.00 | 17 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 66 | 1 | 0.02 | 27 | 0 | 0.00 | 22 | 0 | 0.00 | 17 | 1 | 0.06 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 30 | 0 | 0.00 | 13 | 0 | 0.00 | 10 | 0 | 0.00 | 7 | 0 | 0.00 | | | |
| 00951 | FLUORIDE, TOTAL AS F | Drinking Water | 4. | 4 | 0 | 0.00 | 1 | 0 | 0.00 | | | | 3 | 0 | 0.00 | | | |
| 01000 | ARSENIC, DISSOLVED | Fresh Acute | 360. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01030 | CHROMIUM, DISSOLVED | Drinking Water | 100. | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01040 | COPPER, DISSOLVED | Fresh Acute | 18. | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 & | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 4 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 3 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 100. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01090 | ZINC, DISSOLVED | Fresh Acute | 120. | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5000. | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 4 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5000. | 4 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01147 | SELENIUM, TOTAL | Fresh Acute | 20. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 7 | 5 | 0.71 | 4 | 4 | 1.00 | 2 | 0 | 0.00 | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 2 | 1.00 | 2 | 2 | 1.00 | | | | | | | | | |
| 71851 | NITRATE NITROGEN, DISSOLVED (AS NO3) | Drinking Water | 44. | 29 | 0 | 0.00 | 7 | 0 | 0.00 | 11 | 0 | 0.00 | 11 | 0 | 0.00 | | | |
| 71856 | NITRITE NITROGEN, DISSOLVED (AS NO2) | Drinking Water | 3.3 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 71890 | MERCURY, DISSOLVED | Fresh Acute | 2.4 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 71900 | MERCURY, TOTAL | Fresh Acute | 2.4 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |


& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter





FRENCH CREEK NEAR PHOENIXVILLE, PA.




FRENCH CREEK NEAR PHOENIXVILLE, PA.





FRENCH CREEK NEAR PHOENIXVILLE, PA.




FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00900


HARDNESS, TOTAL (MG/L AS CACO3)





FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00902

HARDNESS, NON-CARBONATE (MG/L AS CACO3)





FRENCH CREEK NEAR PHOENIXVILLE, PA.





FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00925


MAGNESIUM, DISSOLVED (MG/L AS MG)




FRENCH CREEK NEAR PHOENIXVILLE, PA.





FRENCH CREEK NEAR PHOENIXVILLE, PA.





FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00932

SODIUM, PERCENT





FRENCH CREEK NEAR PHOENIXVILLE, PA.





FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00940

CHLORIDE,TOTAL IN WATER





FRENCH CREEK NEAR PHOENIXVILLE, PA.




FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00955


SILICA, DISSOLVED (MG/L AS SI02)




FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 70300

RESIDUE,TOTAL FILTRABLE (DRIED AT 180C)




FRENCH CREEK NEAR PHOENIXVILLE, PA.

## Seasonal Analysis for Season #1: 8/01 to 10/31 - Station HOFU0002

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/25/50-10/28/96 | 28 | 13.5 | 14.507 | 27. | 5.7 | 28.424 | 5.331 | 9.2 | 10.625 | 17.625 | 22.3 |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/10/69-10/28/96 | 14 | 13.75 | 15.207 | 25. | 6. | 32.001 | 5.657 | 8. | 11.375 | 18.875 | 25. |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/10/69-10/28/96 | 15 | 32. | 44.6 | 121. | 18. | 847.543 | 29.113 | 19.2 | 27. | 47. | 107.8 |
| 00080 | COLOR (PLATINUM-COBALT UNITS) | 05/25/50-05/09/72 | 8 | 4. | 3.625 | 5. | 2. | 1.982 | 1.408 | ** | ** | ** | ** |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 05/25/50-10/28/96 | 29 | 148. | 155.207 | 410. | 70. | 3225.456 | 56.793 | 125. | 133. | 156.5 | 172. |
| 00300p | OXYGEN, DISSOLVED MG/L | 08/13/73-10/28/96 | 14 | 11.35 | 10.7 | 12.1 | 5.5 | 2.842 | 1.686 | 7.7 | 10.075 | 11.625 | 12.05 |
| 00400p | PH (STANDARD UNITS) | 05/25/50-10/28/96 | 27 | 7.4 | 7.372 | 8. | 6.4 | 0.137 | 0.37 | 6.764 | 7.2 | 7.6 | 7.8 |
| 00400p | CONVERTED PH (STANDARD UNITS) | 05/25/50-10/28/96 | 27 | 7.4 | 7.191 | 8. | 6.4 | 0.171 | 0.413 | 6.764 | 7.2 | 7.6 | 7.8 |
| 00400p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/25/50-10/28/96 | 27 | 0.04 | 0.064 | 0.398 | 0.01 | 0.006 | 0.08 | 0.016 | 0.025 | 0.063 | 0.173 |
| 00403 | PH, LAB, STANDARD UNITS SU | 11/06/80-10/14/92 | 9 | 7.6 | 7.611 | 8.1 | 7.1 | 0.081 | 0.285 | 7.1 | 7.45 | 7.8 | 8.1 |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 11/06/80-10/14/92 | 9 | 7.6 | 7.527 | 8.1 | 7.1 | 0.089 | 0.298 | 7.1 | 7.45 | 7.8 | 8.1 |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/06/80-10/14/92 | 9 | 0.025 | 0.03 | 0.079 | 0.008 | 0. | 0.021 | 0.008 | 0.016 | 0.036 | 0.079 |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/25/50-10/27/95 | 23 | 39. | 42.652 | 157. | 18. | 664.692 | 25.782 | 28. | 34. | 42. | 46.6 |
| 00440p | BICARBONATE ION (MG/L AS HCO3) | 05/25/50-10/25/74 | 11 | 44. | 41.455 | 51. | 22. | 69.273 | 8.323 | 24. | 38. | 47. | 50.6 |
| 00445p | CARBONATE ION (MG/L AS CO3) | 05/25/50-10/25/74 | 9 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/21/81-10/28/96 | 12 | 0.02 | 0.023 | 0.07 | 0.005 | 0. | 0.02 | 0.005 | 0.008 | 0.035 | 0.064 |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 10/05/70-10/21/81 | 10 | 0.035 | 0.04 | 0.08 | 0.005 | 0.001 | 0.028 | 0.006 | 0.018 | 0.07 | 0.079 |
| 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/28/96 | 12 ## | 0.005 | 0.01 | 0.03 | 0.005 | 0. | 0.01 | 0.005 | 0.005 | 0.009 | 0.03 |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/05/70-10/21/81 | 9 | 0.018 | 0.015 | 0.028 | 0.003 | 0. | 0.01 | 0.003 | 0.005 | 0.024 | 0.028 |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/25/50-10/21/81 | 11 | 1.299 | 1.69 | 3.839 | 0.34 | 1.295 | 1.138 | 0.426 | 1. | 2.879 | 3.743 |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/14/92 | 9 | 0.3 | 0.299 | 0.4 | 0. | 0.015 | 0.123 | 0. | 0.295 | 0.4 | 0.4 |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/04/73-10/14/92 | 9 | 0.32 | 0.369 | 0.7 | 0.1 | 0.027 | 0.165 | 0.1 | 0.3 | 0.45 | 0.7 |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 11/09/79-10/28/96 | 12 | 1.3 | 1.317 | 1.8 | 0.8 | 0.08 | 0.282 | 0.89 | 1.1 | 1.575 | 1.74 |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 10/05/70-10/14/92 | 18 | 0.03 | 0.033 | 0.11 | 0.005 | 0.001 | 0.027 | 0.005 | 0.009 | 0.05 | 0.065 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/14/92 | 9 | 0.02 | 0.018 | 0.03 | 0.005 | 0. | 0.011 | 0.005 | 0.005 | 0.03 | 0.03 |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/21/81-10/28/96 | 12 | 0.01 | 0.013 | 0.03 | 0.005 | 0. | 0.008 | 0.005 | 0.005 | 0.02 | 0.027 |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 05/25/50-11/02/82 | 16 | 53. | 65.75 | 234. | 42. | 2187.4 | 46.77 | 42.7 | 48. | 61.5 | 138.8 |
| 00902p | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 05/25/50-10/25/74 | 11 | 15. | 20.364 | 80. | 7. | 425.655 | 20.631 | 7.2 | 10. | 21. | 69.4 |
| 00915p | CALCIUM, DISSOLVED (MG/L AS CA) | 05/25/50-10/14/92 | 24 | 14.2 | 13.817 | 21. | 4.8 | 8.615 | 2.935 | 11. | 12. | 15. | 16.5 |
| 00925p | MAGNESIUM, DISSOLVED (MG/L AS MG) | 05/25/50-10/14/92 | 24 | 4.6 | 5.738 | 28.5 | 0.2 | 26.957 | 5.192 | 3.5 | 4.3 | 4.875 | 9.75 |
| 00930p | SODIUM, DISSOLVED (MG/L AS NA) | 05/25/50-10/14/92 | 19 | 6.5 | 6.505 | 8.7 | 5. | 0.924 | 0.961 | 5.4 | 6. | 6.7 | 8.5 |
| 00931p | SODIUM ADSORPTION RATIO | 05/25/50-11/02/82 | 12 | 0.4 | 0.383 | 0.5 | 0.3 | 0.005 | 0.072 | 0.3 | 0.3 | 0.4 | 0.5 |
| 00932p | SODIUM, PERCENT | 05/25/50-11/02/82 | 12 | 19.5 | 19.833 | 27. | 16. | 7.606 | 2.758 | 16.6 | 18. | 20.75 | 25.5 |
| 00935p | POTASSIUM, DISSOLVED (MG/L AS K) | 05/25/50-10/14/92 | 19 | 1.9 | 1.958 | 2.8 | 1.7 | 0.091 | 0.302 | 1.7 | 1.7 | 2. | 2.6 |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 05/25/50-10/28/96 | 29 | 9. | 9.931 | 34. | 5. | 24.424 | 4.942 | 7. | 8. | 10.5 | 12. |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 05/25/50-10/14/92 | 27 | 14. | 16.778 | 66. | 6. | 127.487 | 11.291 | 11. | 12. | 16. | 23. |
| 00950p | FLUORIDE, DISSOLVED (MG/L AS F) | 05/25/50-10/14/92 | 13 | 0.1 | 0.142 | 0.3 | 0. | 0.013 | 0.115 | 0. | 0.025 | 0.25 | 0.3 |
| 00955p | SILICA, DISSOLVED (MG/L AS SI02) | 05/25/50-10/14/92 | 20 | 16. | 16.2 | 20. | 12. | 2.8 | 1.673 | 15. | 15. | 17. | 18.9 |
| 01045 | IRON, TOTAL (UG/L AS FE) | 03/01/56-08/19/76 | 9 | 120. | 155. | 430. | 0. | 16525. | 128.55 | 0. | 62.5 | 220. | 430. |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/25/74-10/14/92 | 10 | 95. | 83.5 | 120. | 38. | 926.278 | 30.435 | 38.4 | 50.25 | 105. | 120. |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/25/74-10/14/92 | 10 | 6. | 7.2 | 20. | 3. | 26.178 | 5.116 | 3.1 | 4. | 7.5 | 19.2 |
| 70300p | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/25/50-10/14/87 | 14 | 100. | 104.571 | 182. | 89. | 537.648 | 23.187 | 89. | 92.75 | 105.25 | 145.5 |
| 70303p | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 05/25/50-11/02/82 | 11 | 0.13 | 0.14 | 0.25 | 0.11 | 0.001 | 0.038 | 0.112 | 0.12 | 0.14 | 0.228 |
| 71851p | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 06/29/56-11/02/82 | 7 | 4. | 4.4 | 6.4 | 2.8 | 1.323 | 1.15 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #2: 11/01 to 3/31 - Station HOFU0002

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/25/50-10/28/96 | 23 | 5. | 5.583 | 14.4 | 0. | 16.412 | 4.051 | 0. | 1. | 8. | 11.8 |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/10/69-10/28/96 | 6 | 6.5 | 10.583 | 27. | 3. | 90.242 | 9.5 | ** | ** | ** | ** |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/10/69-10/28/96 | 9 | 73. | 75.556 | 150. | 24. | 1498.028 | 38.704 | 24. | 47. | 100. | 150. |
| 00080 | COLOR (PLATINUM-COBALT UNITS) | 05/25/50-05/09/72 | 12 | 3.5 | 4.083 | 7. | 2. | 2.265 | 1.505 | 2.3 | 3. | 5. | 6.7 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 05/25/50-10/28/96 | 23 | 130. | 130.348 | 206. | 80. | 876.146 | 29.6 | 90. | 110. | 146. | 173.2 |
| 00300p | OXYGEN, DISSOLVED MG/L | 08/13/73-10/28/96 | 5 | 12.8 | 12.32 | 13.6 | 10.4 | 1.892 | 1.375 | ** | ** | ** | ** |
| 00400p | PH (STANDARD UNITS) | 05/25/50-10/28/96 | 21 | 7.2 | 7.189 | 8.3 | 6.4 | 0.291 | 0.539 | 6.42 | 6.7 | 7.63 | 7.8 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #2: 11/01 to 3/31 - Station HOFU0002

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400p | CONVERTED PH (STANDARD UNITS) | 05/25/50-10/28/96 | 21 | 7.2 | 6.915 | 8.3 | 6.4 | 0.37 | 0.608 | 6.42 | 6.7 | 7.63 | 7.8 |
| 00400p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/25/50-10/28/96 | 21 | 0.063 | 0.122 | 0.398 | 0.005 | 0.016 | 0.128 | 0.016 | 0.023 | 0.2 | 0.382 |
| 00403 | PH, LAB, STANDARD UNITS SU | 11/06/80-10/14/92 | 4 | 7.4 | 7.4 | 7.6 | 7.2 | 0.053 | 0.231 | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 11/06/80-10/14/92 | 4 | 7.355 | 7.355 | 7.6 | 7.2 | 0.056 | 0.237 | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/06/80-10/14/92 | 4 | 0.044 | 0.044 | 0.063 | 0.025 | 0. | 0.022 | ** | ** | ** | ** |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/25/50-10/27/95 | 20 | 28.5 | 33.6 | 140. | 11. | 730.463 | 27.027 | 17. | 22.25 | 31.75 | 58. |
| 00440p | BICARBONATE ION (MG/L AS HCO3) | 05/25/50-10/25/74 | 12 | 29.5 | 28. | 37. | 13. | 53.273 | 7.299 | 15.4 | 21.5 | 34.5 | 36.7 |
| 00445p | CARBONATE ION (MG/L AS CO3) | 05/25/50-10/25/74 | 7 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/21/81-10/28/96 | 3 | 0.02 | 0.027 | 0.05 | 0.01 | 0. | 0.021 | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 10/05/70-10/21/81 | 6 | 0.03 | 0.043 | 0.15 | 0. | 0.003 | 0.055 | ** | ** | ** | ** |
| 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/28/96 | 3 ## | 0.005 | 0.007 | 0.01 | 0.005 | 0. | 0.003 | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/05/70-10/21/81 | 5 | 0.048 | 0.051 | 0.112 | 0. | 0.002 | 0.041 | ** | ** | ** | ** |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/25/50-10/21/81 | 8 | 1.93 | 1.89 | 4.099 | 0.2 | 1.672 | 1.293 | ** | ** | ** | ** |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/14/92 | 3 | 0.5 | 0.5 | 0.8 | 0.2 | 0.09 | 0.3 | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/04/73-10/14/92 | 4 | 0.21 | 0.228 | 0.3 | 0.19 | 0.002 | 0.05 | ** | ** | ** | ** |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 11/09/79-10/28/96 | 4 | 1.65 | 1.525 | 1.8 | 1. | 0.129 | 0.359 | ** | ** | ** | ** |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 10/05/70-10/14/92 | 8 | 0.075 | 0.184 | 0.9 | 0.02 | 0.088 | 0.296 | ** | ** | ** | ** |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/14/92 | 3 ## | 0.005 | 0.01 | 0.02 | 0.005 | 0. | 0.009 | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/21/81-10/28/96 | 3 ## | 0.005 | 0.007 | 0.01 | 0.005 | 0. | 0.003 | ** | ** | ** | ** |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 05/25/50-11/02/82 | 17 | 48. | 45.588 | 57. | 29. | 88.382 | 9.401 | 29.8 | 38.5 | 53. | 56.2 |
| 00902p | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 05/25/50-10/25/74 | 12 | 20.5 | 23.25 | 53. | 14. | 112.75 | 10.618 | 14.3 | 18.25 | 22.75 | 47.3 |
| 00915p | CALCIUM, DISSOLVED (MG/L AS CA) | 05/25/50-10/14/92 | 19 | 12. | 11.779 | 15. | 7.5 | 5.45 | 2.334 | 8.5 | 10. | 14. | 15. |
| 00925p | MAGNESIUM, DISSOLVED (MG/L AS MG) | 05/25/50-10/14/92 | 19 | 4.1 | 4.058 | 7. | 1. | 1.91 | 1.382 | 2.5 | 3.5 | 4.5 | 7. |
| 00930p | SODIUM, DISSOLVED (MG/L AS NA) | 05/25/50-10/14/92 | 9 | 5.6 | 5.511 | 6.4 | 3.5 | 0.884 | 0.94 | 3.5 | 5. | 6.3 | 6.4 |
| 00931p | SODIUM ADSORPTION RATIO | 05/25/50-11/02/82 | 13 | 0.4 | 0.5 | 1.2 | 0.2 | 0.07 | 0.265 | 0.24 | 0.35 | 0.7 | 1. |
| 00932p | SODIUM, PERCENT | 05/25/50-11/02/82 | 12 | 24. | 25.333 | 46. | 15. | 76.061 | 8.721 | 16.2 | 19. | 31.5 | 42.4 |
| 00935p | POTASSIUM, DISSOLVED (MG/L AS K) | 05/25/50-10/14/92 | 9 | 1.6 | 1.778 | 3.8 | 1.1 | 0.649 | 0.806 | 1.1 | 1.3 | 1.85 | 3.8 |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 05/25/50-10/28/96 | 23 | 9. | 12.826 | 55. | 6. | 110.241 | 10.5 | 8. | 8. | 12. | 26. |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 05/25/50-10/14/92 | 22 | 16. | 16.682 | 25. | 7. | 17.084 | 4.133 | 11.6 | 14. | 18.5 | 22.7 |
| 00950p | FLUORIDE, DISSOLVED (MG/L AS F) | 05/25/50-10/14/92 | 10 | 0.1 | 0.14 | 0.4 | 0. | 0.015 | 0.124 | 0.005 | 0.05 | 0.225 | 0.39 |
| 00955p | SILICA, DISSOLVED (MG/L AS SI02) | 05/25/50-10/14/92 | 11 | 15. | 14.227 | 17. | 6.5 | 8.368 | 2.893 | 7.8 | 13. | 16. | 17. |
| 01045 | IRON, TOTAL (UG/L AS FE) | 03/01/56-08/19/76 | 6 | 555. | 1706.667 | 7700. | 20. | 8743666.667 | 2956.969 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/25/74-10/14/92 | 4 | 105. | 95.25 | 120. | 51. | 936.917 | 30.609 | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/25/74-10/14/92 | 4 | 12. | 12. | 20. | 4. | 53.333 | 7.303 | ** | ** | ** | ** |
| 70300p | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/25/50-10/14/87 | 11 | 96. | 97.636 | 131. | 76. | 204.055 | 14.285 | 77.8 | 87. | 101. | 126.8 |
| 70303p | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 05/25/50-11/02/82 | 10 | 0.13 | 0.134 | 0.18 | 0.1 | 0. | 0.021 | 0.102 | 0.12 | 0.143 | 0.177 |
| 71851p | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 06/29/56-11/02/82 | 11 | 5.7 | 5.627 | 8.2 | 1.3 | 4.748 | 2.179 | 1.56 | 4.2 | 7.7 | 8.1 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #3: 4/01 to 7/31 - Station HOFU0002


| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/25/50-10/28/96 | 14 | 19. | 17.571 | 24. | 8. | 25.033 | 5.003 | 9.5 | 13.75 | 22. | 23. |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/10/69-10/28/96 | 1 | 26. | 26. | 26. | 26. | 0. | 0. | ** | ** | ** | ** |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/10/69-10/28/96 | 4 | 53. | 48. | 61. | 25. | 255.333 | 15.979 | ** | ** | ** | ** |
| 00080 | COLOR (PLATINUM-COBALT UNITS) | 05/25/50-05/09/72 | 11 | 5. | 6. | 12. | 2. | 8.2 | 2.864 | 2.2 | 4. | 8. | 11.4 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 05/25/50-10/28/96 | 17 | 125. | 187.118 | 1230. | 80. | 72582.985 | 269.412 | 84.8 | 113.5 | 134.5 | 366. |
| 00400p | PH (STANDARD UNITS) | 05/25/50-10/28/96 | 14 | 7.4 | 7.343 | 7.9 | 6.5 | 0.113 | 0.337 | 6.75 | 7.175 | 7.5 | 7.8 |
| 00400p | CONVERTED PH (STANDARD UNITS) | 05/25/50-10/28/96 | 14 | 7.4 | 7.192 | 7.9 | 6.5 | 0.138 | 0.371 | 6.75 | 7.175 | 7.5 | 7.8 |
| 00400p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/25/50-10/28/96 | 14 | 0.04 | 0.064 | 0.316 | 0.013 | 0.006 | 0.076 | 0.016 | 0.032 | 0.067 | 0.208 |
| 00410p | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/25/50-10/27/95 | 16 | 32. | 41.375 | 170. | 11. | 1531.983 | 39.141 | 13.8 | 25. | 37. | 118.9 |
| 00440p | BICARBONATE ION (MG/L AS HCO3) | 05/25/50-10/25/74 | 13 | 35. | 38.923 | 118. | 14. | 644.41 | 25.385 | 15.6 | 27.5 | 41. | 87.6 |
| 00445p | CARBONATE ION (MG/L AS CO3) | 05/25/50-10/25/74 | 9 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 10/05/70-10/21/81 | 3 | 0.09 | 0.08 | 0.11 | 0.04 | 0.001 | 0.036 | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/05/70-10/21/81 | 3 | 0.04 | 0.043 | 0.05 | 0.038 | 0. | 0.006 | ** | ** | ** | ** |
| 00620p | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/25/50-10/21/81 | 5 | 1.419 | 1.477 | 1.759 | 1.309 | 0.034 | 0.185 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #3: 4/01 to 7/31 - Station HOFU0002

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 10/05/70-10/14/92 | 3 | 0.12 | 0.09 | 0.13 | 0.02 | 0.004 | 0.061 | ** | ** | ** | ** |
| 00900p | HARDNESS, TOTAL (MG/L AS CACO3) | 05/25/50-11/02/82 | 16 | 44. | 83.125 | 650. | 37. | 22896.117 | 151.315 | 38.4 | 40. | 53.25 | 235.6 |
| 00902p | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 05/25/50-10/25/74 | 13 | 15. | 57.154 | 550. | 6. | 21957.974 | 148.182 | 8.4 | 13. | 22. | 341.2 |
| 00915p | CALCIUM, DISSOLVED (MG/L AS CA) | 05/25/50-10/14/92 | 16 | 11. | 24.95 | 233. | 9. | 3080.077 | 55.498 | 9.28 | 10. | 12.95 | 79. |
| 00925p | MAGNESIUM, DISSOLVED (MG/L AS MG) | 05/25/50-10/14/92 | 16 | 3.9 | 4.994 | 16. | 2.8 | 9.894 | 3.145 | 3.08 | 3.6 | 5.625 | 9.7 |
| 00930p | SODIUM, DISSOLVED (MG/L AS NA) | 05/25/50-10/14/92 | 6 | 5. | 4.75 | 5.2 | 3.4 | 0.455 | 0.675 | ** | ** | ** | ** |
| 00931p | SODIUM ADSORPTION RATIO | 05/25/50-11/02/82 | 12 | 0.4 | 0.383 | 0.6 | 0.2 | 0.016 | 0.127 | 0.2 | 0.3 | 0.5 | 0.57 |
| 00932p | SODIUM, PERCENT | 05/25/50-11/02/82 | 12 | 21. | 22.25 | 31. | 15. | 28.023 | 5.294 | 15. | 17.75 | 27.25 | 30.4 |
| 00935p | POTASSIUM, DISSOLVED (MG/L AS K) | 05/25/50-10/14/92 | 6 | 1.3 | 1.35 | 1.8 | 0.9 | 0.123 | 0.351 | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 05/25/50-10/28/96 | 17 | 7. | 7.471 | 16. | 3. | 8.89 | 2.982 | 3.8 | 6. | 8. | 12.8 |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 05/25/50-10/14/92 | 17 | 14. | 54.353 | 558. | 10. | 17772.493 | 133.314 | 10.8 | 12.5 | 19.5 | 223.6 |
| 00950p | FLUORIDE, DISSOLVED (MG/L AS F) | 05/25/50-10/14/92 | 7 | 0.1 | 0.129 | 0.3 | 0. | 0.012 | 0.111 | ** | ** | ** | ** |
| 00955p | SILICA, DISSOLVED (MG/L AS SI02) | 05/25/50-10/14/92 | 9 | 13. | 15.289 | 29. | 9.8 | 35.541 | 5.962 | 9.8 | 10.9 | 18. | 29. |
| 01045 | IRON, TOTAL (UG/L AS FE) | 03/01/56-08/19/76 | 3 | 450. | 646.667 | 1340. | 150. | 383033.333 | 618.897 | ** | ** | ** | ** |
| 70300p | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/25/50-10/14/87 | 9 | 92. | 197.333 | 1040. | 77. | 99982.5 | 316.2 | 77. | 82. | 107.5 | 1040. |
| 70303p | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 05/25/50-11/02/82 | 9 | 0.13 | 0.267 | 1.41 | 0.1 | 0.184 | 0.429 | 0.1 | 0.11 | 0.145 | 1.41 |
| 71851p | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 06/29/56-11/02/82 | 11 | 4.6 | 4.127 | 7.9 | 0.7 | 3.654 | 1.912 | 1. | 2.2 | 4.8 | 7.42 |


** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot





FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00300

OXYGEN, DISSOLVED





FRENCH CREEK NEAR PHOENIXVILLE, PA.





FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00410


ALKALINITY, TOTAL (MG/L AS CACO3)




FRENCH CREEK NEAR PHOENIXVILLE, PA.





FRENCH CREEK NEAR PHOENIXVILLE, PA.




FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00620


NITRATE NITROGEN, TOTAL (MG/L AS N)




FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00665


PHOSPHORUS, TOTAL (MG/L AS P)




FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00900


HARDNESS, TOTAL (MG/L AS CACO3)





FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00902

HARDNESS, NON-CARBONATE (MG/L AS CACO3)





FRENCH CREEK NEAR PHOENIXVILLE, PA.




FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00925


MAGNESIUM, DISSOLVED (MG/L AS MG)





FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00930

SODIUM, DISSOLVED (MG/L AS NA)





FRENCH CREEK NEAR PHOENIXVILLE, PA.





FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00932

SODIUM, PERCENT





FRENCH CREEK NEAR PHOENIXVILLE, PA.





FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00940


CHLORIDE,TOTAL IN WATER




FRENCH CREEK NEAR PHOENIXVILLE, PA.





FRENCH CREEK NEAR PHOENIXVILLE, PA.




FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 00955


SILICA, DISSOLVED (MG/L AS SI02)





FRENCH CREEK NEAR PHOENIXVILLE, PA.

Station: HOFU0002 Parameter Code: 70300


RESIDUE,TOTAL FILTRABLE (DRIED AT 180C)




FRENCH CREEK NEAR PHOENIXVILLE, PA.




FRENCH CREEK NEAR PHOENIXVILLE, PA.




FRENCH CREEK NEAR PHOENIXVILLE, PA.

# Station Inventory for Station: HOFU0003

NPS Station ID: HOFU0003 LAT/LON: 40.147531/ -75.621003 Agency: 11NPSWRD Date Created: 05/02/98
Location: BIRCH RUN AT HOLLOW AND FRENCH CK ROADS FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_BOYER_07
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE PHOENIXVILLE PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON BIRCH RUN AT THE INTERSECTION OF HOLLOW AND FRENCH CREEK ROADS; RIVER MILE 0.08. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE NPS AND PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION TO ASSESS NON-POINT SOURCE POLLUTION IN FRENCH CREEK AND TO DOCUMENT OVERALL WATER QUALITY IN THE BASIN. DATA WERE PUBLISHED IN THE REPORT "AQUATIC BIOLOGY INVESTIGATION; FRENCH CREEK/CHESTER COUNTY; NPS SURVEY" BY MICHAEL R. BOYER (1993). THE REPORT STATED; "CHEMICAL PARAMETERS INDICATED A HEALTHY COLDWATER ECOSYSTEM. COLIFORM LEVELS WERE SLIGHTLY ELEVATED; PROBABLY FROM AGRICULTURAL SOURCES..OVERALL STREAM CONDITIONS WERE SUPPORTIVE OF ITS HQ-TSF DESIGNATION." DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0003

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 1 | 20.8 | 20.8 | 20.8 | 20.8 | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 1 | 118. | 118. | 118. | 118. | 0. | 0. | ** | ** | ** | ** |
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 1 | 9.3 | 9.3 | 9.3 | 9.3 | 0. | 0. | ** | ** | ** | ** |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 1 | 0.4 | 0.4 | 0.4 | 0.4 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 1 | 8.26 | 8.26 | 8.26 | 8.26 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-07/09/91 | 1 | 8.26 | 8.26 | 8.26 | 8.26 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-07/09/91 | 1 | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 50. | 50. | 50. | 50. | 0. | 0. | ** | ** | ** | ** |
| 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 1 | 110. | 110. | 110. | 110. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 1 | 110. | 110. | 110. | 110. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 1 ## | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 ## | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.004 | 0.004 | 0.004 | 0.004 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 1.07 | 1.07 | 1.07 | 1.07 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.19 | 0.19 | 0.19 | 0.19 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 1 | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 50. | 50. | 50. | 50. | 0. | 0. | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 1 | 12.1 | 12.1 | 12.1 | 12.1 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0003

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 1 | 4.2 | 4.2 | 4.2 | 4.2 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 1 | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 1 | 11. | 11. | 11. | 11. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 1 | 250. | 250. | 250. | 250. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 1 | 631. | 631. | 631. | 631. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 1 | 1300. | 1300. | 1300. | 1300. | 0. | 0. | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 07/09/91-07/09/91 | 1 | 3.114 | 3.114 | 3.114 | 3.114 | 0. | 0. | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 1300. | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 120. | 120. | 120. | 120. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 2.079 | 2.079 | 2.079 | 2.079 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 120. | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 1 | 240. | 240. | 240. | 240. | 0. | 0. | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 07/09/91-07/09/91 | 1 | 2.38 | 2.38 | 2.38 | 2.38 | 0. | 0. | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 240. | | | | | | | | |
| 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 1 | 1.4 | 1.4 | 1.4 | 1.4 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0003

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 82079 | TURBIDITY, LAB | Other-Hi Lim. | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0004

NPS Station ID: HOFU0004 LAT/LON: 40.147504/ -75.621393 Agency: 11NPSWRD Date Created: 04/25/98
Location: FRENCH CREEK AT HOLLOW/SHEEDER ROAD CROSSING FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_BWQM_4
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE PHOENIXVILLE PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK AT THE HOLLOW/SHEEDER ROAD CROSSING; RIVER MILE 10.4. THE CREEK WAS SAMPLED AS PART OF A NUTRIENT-RELATED USE IMPAIRMENT SURVEY OF FRENCH CREEK BY THE BUREAU OF WATER QUALITY MANAGEMENT. THE STUDY WAS CONDUCTED TO DETERMINE WHETHER FRENCH CREEK WAS NITROGEN- OR PHOSPHORUS-LIMITED. THE FINAL CONCLUSION OF THE REPORT WAS THAT FRENCH CREEK WAS CO-LIMITED BY NITROGEN AND PHOSPHORUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; NUTRIENT RELATED/ USE IMPAIRMENT SURVEY" BY CYNTHIA L. STEELE (1988). FOR MORE INFORMATION CONTACT HOPEWELL FURNACE NATIONAL HISTORIC SITE'S CHIEF OF RESOURCES AT 2 MARK BIRD LANE; ELVERSON PA 19520 (TEL. 610-582-8773). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; FORT COLLINS CO 80526 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0004

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 08/06/87-08/06/87 | 1 | 19. | 19. | 19. | 19. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 08/06/87-08/06/87 | 1 | 132. | 132. | 132. | 132. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 08/06/87-08/06/87 | 1 | 7.5 | 7.5 | 7.5 | 7.5 | 0. | 0. | ** | ** | ** | ** |
| 00301 | OXYGEN, DISSOLVED, PERCENT OF SATURATION % | 08/06/87-08/06/87 | 1 | 80.8 | 80.8 | 80.8 | 80.8 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 08/06/87-08/06/87 | 1 | 8. | 8. | 8. | 8. | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 08/06/87-08/06/87 | 1 | 8. | 8. | 8. | 8. | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 08/06/87-08/06/87 | 1 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 50060 | CHLORINE, TOTAL RESIDUAL (MG/L) | 08/06/87-08/06/87 | 1 | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0004

| | | | | Total | Exceed | Prop. | 8/01-10/31 | | | 11/01-3/31 | | | 4/01-7/31 | | | n/a | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parameter | | Std. Type | Std. Value | Obs | Standard | Exceeding | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 50060 | CHLORINE, TOTAL RESIDUAL | Fresh Acute | 0.019 | 1 | 1 | 1.00 | 1 | 1 | 1.00 | | | | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0005

NPS Station ID: HOFU0005 LAT/LON: 40.147226/ -75.623059 Agency: 11NPSWRD Date Created: 04/25/98
Location: BIRCH RUN CK AT SR 1033 AND 1028 INTERSECTION FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PADEP_15BI
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE PHOENIXVILLE PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON BIRCH RUN CREEK AT THE INTERSECTION OF HOLLOW ROAD (SR 1033) AND FRENCH CREEK ROAD (SR 1028). THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0005

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-05/26/95 | 2 | 18.65 | 18.65 | 20.8 | 16.5 | 9.245 | 3.041 | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/26/95-05/26/95 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-05/26/95 | 2 | 129.5 | 129.5 | 141. | 118. | 264.5 | 16.263 | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-05/26/95 | 2 | 8.3 | 8.3 | 9.3 | 7.3 | 2. | 1.414 | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 05/26/95-05/26/95 | 1 | 6.6 | 6.6 | 6.6 | 6.6 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 05/26/95-05/26/95 | 1 | 6.6 | 6.6 | 6.6 | 6.6 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/26/95-05/26/95 | 1 | 0.251 | 0.251 | 0.251 | 0.251 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 1 | 8.26 | 8.26 | 8.26 | 8.26 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-07/09/91 | 1 | 8.26 | 8.26 | 8.26 | 8.26 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-07/09/91 | 1 | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-05/26/95 | 2 | 41. | 41. | 50. | 32. | 162. | 12.728 | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/26/95-05/26/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-05/26/95 | 2 ## | 2.5 | 2.5 | 4. | 1. | 4.5 | 2.121 | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-05/26/95 | 2 ## | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/26/95 | 2 | 0.005 | 0.005 | 0.006 | 0.004 | 0. | 0.001 | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/26/95 | 2 | 1.235 | 1.235 | 1.4 | 1.07 | 0.054 | 0.233 | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-05/26/95 | 2 ## | 0.145 | 0.145 | 0.19 | 0.1 | 0.004 | 0.064 | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-05/26/95 | 2 | 0.045 | 0.045 | 0.05 | 0.04 | 0. | 0.007 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-05/26/95 | 2 | 48. | 48. | 50. | 46. | 8. | 2.828 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0005

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-05/26/95 | 2 | 11.9 | 11.9 | 12.1 | 11.7 | 0.08 | 0.283 | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-05/26/95 | 2 | 4.15 | 4.15 | 4.2 | 4.1 | 0.005 | 0.071 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-05/26/95 | 2 | 9.5 | 9.5 | 10. | 9. | 0.5 | 0.707 | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-05/26/95 | 2 | 14.5 | 14.5 | 18. | 11. | 24.5 | 4.95 | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/26/95-05/26/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-05/26/95 | 2 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/26/95-05/26/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-05/26/95 | 2 ## | 13.5 | 13.5 | 25. | 2. | 264.5 | 16.263 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-05/26/95 | 2 ## | 15. | 15. | 25. | 5. | 200. | 14.142 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-05/26/95 | 2 | 274. | 274. | 298. | 250. | 1152. | 33.941 | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-05/26/95 | 2 ## | 1.25 | 1.25 | 2. | 0.5 | 1.125 | 1.061 | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-05/26/95 | 2 ## | 15. | 15. | 25. | 5. | 200. | 14.142 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-05/26/95 | 2 ## | 18.75 | 18.75 | 25. | 12.5 | 78.125 | 8.839 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-05/26/95 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-05/26/95 | 2 ## | 349.25 | 349.25 | 631. | 67.5 | 158766.125 | 398.455 | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/26/95 | 2 | 100. | 100. | 120. | 80. | 800. | 28.284 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/26/95 | 2 | 1.991 | 1.991 | 2.079 | 1.903 | 0.016 | 0.125 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 97.98 | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-05/26/95 | 2 | 121. | 121. | 132. | 110. | 242. | 15.556 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0005

| | | | | Total | Exceed | Prop. | 8/01-10/31 | | | 11/01-3/31 | | | 4/01-7/31 | | | n/a | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parameter | | Std. Type | Std. Value | Obs | Standard | Exceeding | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 & | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0006

NPS Station ID: HOFU0006
LAT/LON: 40.123892/ -75.627310
Agency: 11NPSWRD
Date Created: 05/09/98
Location: PACH528R
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/SPRING
STORET Station ID(s): HOFU_NURE_3 /4069997
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001700.00
RF3 Mile Point: 0.00
Distance from RF3: 0.04
On/Off RF3:
Description:
THE SITE IS LOCATED ON THE DOWNINGTON PA-CHESTER CO. 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE SITE IS AT A SPRING AND IS OUTSIDE OF THE HOPEWELL FURNACE NATIONAL HISTORIC SITE PARK BOUNDARIES. THE SAMPLES WERE FILTERED THROUGH A LESS THAN OR EQUAL TO 0.8 UM FILTER AT THE SITE. DATA ARE FROM THE "U.S. GEOLOGICAL SURVEY NATIONAL GEOCHEMICAL DATA BASE: NATIONAL URANIUM RESOURCE EVALUATION DATA FOR THE CONTERMINOUS UNITED STATES" 1994 CD-ROM BY J.D. HOFFMAN AND K. BUTTLEMAN (USGS DIGITAL DATA SERIES DDS-18-A). THE DATA BASE INCLUDES STREAM SEDIMENT; SOIL; SURFACE WATER; AND GROUND WATER DATA. THE "UNIQID" FIELD ENTRY WAS USED TO CREATE THE SECONDARY STATION NAME. THE "SRLID" FIELD ENTRY (SAVANNAH RIVER LABORATORY SAMPLE NUMBER) WAS USED TO CREATE THE STATION LOCATION. THE SAMPLES WERE ANALYZED BY SAVANNAH RIVER LABORATORY. DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0006

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 06/27/77-06/27/77 | 1 | 22. | 22. | 22. | 22. | 0. | 0. | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 06/27/77-06/27/77 | 1 | 140. | 140. | 140. | 140. | 0. | 0. | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 06/27/77-06/27/77 | 1 | 7.7 | 7.7 | 7.7 | 7.7 | 0. | 0. | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 06/27/77-06/27/77 | 1 | 7.7 | 7.7 | 7.7 | 7.7 | 0. | 0. | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 06/27/77-06/27/77 | 1 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 06/27/77-06/27/77 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 06/27/77-06/27/77 | 1 | 12.93 | 12.93 | 12.93 | 12.93 | 0. | 0. | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 06/27/77-06/27/77 | 1 | 19. | 19. | 19. | 19. | 0. | 0. | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 06/27/77-06/27/77 | 1 | 221. | 221. | 221. | 221. | 0. | 0. | ** | ** | ** | ** |
| 01085 | VANADIUM, DISSOLVED (UG/L AS V) | 06/27/77-06/27/77 | 1 | 0.4 | 0.4 | 0.4 | 0.4 | 0. | 0. | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 06/27/77-06/27/77 | 1 | 49. | 49. | 49. | 49. | 0. | 0. | ** | ** | ** | ** |
| 22703 | URANIUM, NATURAL, DISSOLVED | 06/27/77-06/27/77 | 1 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |
| 50700 | FLUORINE, DISSOLVED, FILTERED WATER SAMPLE UG/L | 06/27/77-06/27/77 | 1 | 56. | 56. | 56. | 56. | 0. | 0. | ** | ** | ** | ** |
| 82331 | DYSPROSIUM, DISSOLVED AS DY IN WATER UG/L | 06/27/77-06/27/77 | 1 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0006

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400 | PH | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 22703 | URANIUM, NATURAL DISSOLVED | Drinking Water | 20. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0007

NPS Station ID: HOFU0007 LAT/LON: 40.150837/ -75.628198 Agency: 11NPSWRD Date Created: 05/02/98
Location: FRENCH CREEK AT SHEEDER MILL ROAD (T-491) FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_BOYER_06
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK AT SHEEDER MILL ROAD (T-491); RIVER MILE 10.00. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE NPS AND PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION TO ASSESS NON-POINT SOURCE POLLUTION IN FRENCH CREEK AND TO DOCUMENT OVERALL WATER QUALITY IN THE BASIN. DATA WERE PUBLISHED IN THE REPORT "AQUATIC BIOLOGY INVESTIGATION; FRENCH CREEK/CHESTER COUNTY; NPS SURVEY" BY MICHAEL R. BOYER (1993). THE REPORT STATED; "CHEMICAL PARAMETERS SHOWED GOOD WATER QUALITY. THE BACTERIA CONCENTRATIONS WERE SLIGHTLY ELEVATED..WATER QUALITY WAS SUPPORTIVE OF THE HQ-TSF DESIGNATION AT STATION 6." DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0007

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 1 | 21.5 | 21.5 | 21.5 | 21.5 | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 1 | 154. | 154. | 154. | 154. | 0. | 0. | ** | ** | ** | ** |
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 1 | 8.8 | 8.8 | 8.8 | 8.8 | 0. | 0. | ** | ** | ** | ** |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 1 | 0.8 | 0.8 | 0.8 | 0.8 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 1 | 8.02 | 8.02 | 8.02 | 8.02 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-07/09/91 | 1 | 8.02 | 8.02 | 8.02 | 8.02 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-07/09/91 | 1 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 50. | 50. | 50. | 50. | 0. | 0. | ** | ** | ** | ** |
| 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 1 | 142. | 142. | 142. | 142. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 1 | 142. | 142. | 142. | 142. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 1 ## | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 1.13 | 1.13 | 1.13 | 1.13 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.33 | 0.33 | 0.33 | 0.33 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 1 | 0.06 | 0.06 | 0.06 | 0.06 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 56. | 56. | 56. | 56. | 0. | 0. | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 1 | 13.9 | 13.9 | 13.9 | 13.9 | 0. | 0. | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 1 | 4.4 | 4.4 | 4.4 | 4.4 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 1 | 9. | 9. | 9. | 9. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 1 | 14. | 14. | 14. | 14. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0007

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 1 | 528. | 528. | 528. | 528. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 1 | 582. | 582. | 582. | 582. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 1 | 1700. | 1700. | 1700. | 1700. | 0. | 0. | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 07/09/91-07/09/91 | 1 | 3.23 | 3.23 | 3.23 | 3.23 | 0. | 0. | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 1700. | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 800. | 800. | 800. | 800. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 2.903 | 2.903 | 2.903 | 2.903 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 800. | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 1 | 120. | 120. | 120. | 120. | 0. | 0. | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 07/09/91-07/09/91 | 1 | 2.079 | 2.079 | 2.079 | 2.079 | 0. | 0. | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 120. | | | | | | | | |
| 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0007

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 82079 | TURBIDITY, LAB | Other-Hi Lim. | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0008

NPS Station ID: HOFU0008 LAT/LON: 40.151115/ -75.629449 Agency: 11NPSWRD Date Created: 04/25/98
Location: FRENCH CK AT SHEEDER MILL ROAD BRIDGE FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PADEP_14FC
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS FRENCH CREEK AT SHEEDER MILL ROAD (T-491) BRIDGE. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0008

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-05/25/95 | 2 | 21.7 | 21.7 | 21.9 | 21.5 | 0.08 | 0.283 | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/25/95-05/25/95 | 1 | 28. | 28. | 28. | 28. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-05/25/95 | 2 | 151.5 | 151.5 | 154. | 149. | 12.5 | 3.536 | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-05/25/95 | 2 | 8.1 | 8.1 | 8.8 | 7.4 | 0.98 | 0.99 | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 05/25/95-05/25/95 | 1 | 6.6 | 6.6 | 6.6 | 6.6 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 05/25/95-05/25/95 | 1 | 6.6 | 6.6 | 6.6 | 6.6 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/25/95-05/25/95 | 1 | 0.251 | 0.251 | 0.251 | 0.251 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-05/25/95 | 2 | 7.85 | 7.85 | 8. | 7.7 | 0.045 | 0.212 | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-05/25/95 | 2 | 7.825 | 7.825 | 8. | 7.7 | 0.046 | 0.215 | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-05/25/95 | 2 | 0.015 | 0.015 | 0.02 | 0.01 | 0. | 0.007 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-05/25/95 | 2 | 45. | 45. | 50. | 40. | 50. | 7.071 | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-05/25/95 | 2 ## | 1.5 | 1.5 | 2. | 1. | 0.5 | 0.707 | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 2 | 0.025 | 0.025 | 0.03 | 0.02 | 0. | 0.007 | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 2 | 0.009 | 0.009 | 0.01 | 0.008 | 0. | 0.001 | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 2 | 1.165 | 1.165 | 1.2 | 1.13 | 0.002 | 0.049 | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-05/25/95 | 2 ## | 0.215 | 0.215 | 0.33 | 0.1 | 0.026 | 0.163 | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-05/25/95 | 2 | 0.055 | 0.055 | 0.06 | 0.05 | 0. | 0.007 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-05/25/95 | 2 | 53. | 53. | 56. | 50. | 18. | 4.243 | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-05/25/95 | 2 | 13.8 | 13.8 | 13.9 | 13.7 | 0.02 | 0.141 | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-05/25/95 | 2 | 4.35 | 4.35 | 4.4 | 4.3 | 0.005 | 0.071 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-05/25/95 | 2 | 8.5 | 8.5 | 9. | 8. | 0.5 | 0.707 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0008

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-05/25/95 | 2 | 13.5 | 13.5 | 14. | 13. | 0.5 | 0.707 | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/25/95-05/25/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-05/25/95 | 2 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/25/95-05/25/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-05/25/95 | 2 ## | 13.5 | 13.5 | 25. | 2. | 264.5 | 16.263 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-05/25/95 | 2 ## | 15. | 15. | 25. | 5. | 200. | 14.142 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-05/25/95 | 2 | 448.5 | 448.5 | 528. | 369. | 12640.5 | 112.43 | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-05/25/95 | 2 ## | 1.25 | 1.25 | 2. | 0.5 | 1.125 | 1.061 | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-05/25/95 | 2 ## | 15. | 15. | 25. | 5. | 200. | 14.142 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-05/25/95 | 2 ## | 18.75 | 18.75 | 25. | 12.5 | 78.125 | 8.839 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-05/25/95 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-05/25/95 | 2 ## | 324.75 | 324.75 | 582. | 67.5 | 132355.125 | 363.806 | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/25/95 | 2 | 440. | 440. | 800. | 80. | 259200. | 509.117 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/25/95 | 2 | 2.403 | 2.403 | 2.903 | 1.903 | 0.5 | 0.707 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 252.982 | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-05/25/95 | 2 | 136. | 136. | 142. | 130. | 72. | 8.485 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0008

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 & | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 1 | 0.50 | | | | | | | 2 | 1 | 0.50 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0009

NPS Station ID: HOFU0009
LAT/LON: 40.154727/ -75.640281
Agency: 112WRD
Date Created: / /
Location: FRENCH CREEK NEAR PUGHTOWN, PA.
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 01472154
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203019
RF1 Mile Point: 10.280
Distance from RF1: 0.00
On/Off RF1: OFF
RF3 Index: 02040203001914.05
RF3 Mile Point: 14.05
Distance from RF3: 0.01
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0009

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/10/69-11/06/95 | 28 | 9.25 | 9.779 | 18. | 4. | 12.88 | 3.589 | 5. | 6.875 | 12.5 | 14.8 |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/10/69-11/06/95 | 21 | 11. | 12.295 | 28. | 4. | 35.115 | 5.926 | 6.2 | 8. | 15.75 | 21.6 |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/10/69-11/06/95 | 18 | 28.5 | 31.056 | 61. | 15. | 197.938 | 14.069 | 15.9 | 19.75 | 38.25 | 60.1 |
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 10/20/83-10/14/92 | 10 | 0.95 | 1.19 | 3.3 | 0.4 | 0.71 | 0.843 | 0.42 | 0.675 | 1.3 | 3.16 |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/10/69-11/06/95 | 29 | 150. | 145.034 | 200. | 70. | 791.32 | 28.13 | 96. | 137.5 | 161.5 | 168. |
| 00300 | OXYGEN, DISSOLVED MG/L | 10/25/74-11/06/95 | 22 | 11.05 | 10.968 | 12.9 | 9. | 1.048 | 1.024 | 9.46 | 10.175 | 11.825 | 12.27 |
| 00340 | COD, .25N K2CR2O7 MG/L | 12/10/69-10/30/72 | 4 | 20. | 25.25 | 44. | 17. | 158.917 | 12.606 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 12/10/69-11/06/95 | 28 | 7.25 | 7.241 | 8.1 | 6.1 | 0.156 | 0.395 | 6.76 | 7.1 | 7.485 | 7.71 |
| 00400 | CONVERTED PH (STANDARD UNITS) | 12/10/69-11/06/95 | 28 | 7.247 | 7.017 | 8.1 | 6.1 | 0.208 | 0.456 | 6.76 | 7.1 | 7.485 | 7.71 |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 12/10/69-11/06/95 | 28 | 0.057 | 0.096 | 0.794 | 0.008 | 0.024 | 0.155 | 0.02 | 0.033 | 0.079 | 0.182 |
| 00403 | PH, LAB, STANDARD UNITS SU | 11/06/80-10/14/92 | 13 | 7.5 | 7.423 | 7.9 | 7.1 | 0.055 | 0.235 | 7.1 | 7.2 | 7.55 | 7.78 |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 11/06/80-10/14/92 | 13 | 7.5 | 7.366 | 7.9 | 7.1 | 0.059 | 0.242 | 7.1 | 7.2 | 7.55 | 7.78 |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/06/80-10/14/92 | 13 | 0.032 | 0.043 | 0.079 | 0.013 | 0.001 | 0.023 | 0.018 | 0.028 | 0.065 | 0.079 |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/04/73-11/01/78 | 6 | 3.15 | 4.35 | 11. | 1.6 | 11.415 | 3.379 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/04/73-10/15/91 | 17 | 40. | 39.647 | 54. | 24. | 62.368 | 7.897 | 30.4 | 33.5 | 43.5 | 52.4 |
| 00419 | ALKALINITY,CARBONATE,INCREMENTAL TITR FIELD MG/L | 10/14/92-11/06/95 | 3 | 41. | 40.667 | 43. | 38. | 6.333 | 2.517 | ** | ** | ** | ** |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/04/73-11/01/78 | 6 | 41. | 41.5 | 44. | 39. | 4.7 | 2.168 | ** | ** | ** | ** |
| 00445 | CARBONATE ION (MG/L AS CO3) | 10/04/73-11/01/78 | 6 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 12/10/69-10/30/72 | 5 | 92. | 92.8 | 111. | 78. | 159.7 | 12.637 | ** | ** | ** | ** |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 10/27/76-10/21/81 | 6 | 1.55 | 1.533 | 2. | 1.1 | 0.087 | 0.294 | ** | ** | ** | ** |
| 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/11/85 | 4 | 1.5 | 1.55 | 2. | 1.2 | 0.17 | 0.412 | ** | ** | ** | ** |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 05/10/71-10/21/81 | 12 | 0.36 | 0.353 | 0.58 | 0.12 | 0.016 | 0.128 | 0.153 | 0.255 | 0.428 | 0.565 |
| 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/21/81-11/02/82 | 2 | 0.345 | 0.345 | 0.43 | 0.26 | 0.014 | 0.12 | ** | ** | ** | ** |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/21/81-11/06/95 | 15 | 0.02 | 0.024 | 0.05 | 0.005 | 0. | 0.016 | 0.005 | 0.008 | 0.04 | 0.05 |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/10/71-10/21/81 | 12 | 0.035 | 0.087 | 0.57 | 0. | 0.024 | 0.155 | 0.003 | 0.015 | 0.085 | 0.429 |
| 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-11/06/95 | 15 ## | 0.005 | 0.008 | 0.03 | 0.005 | 0. | 0.007 | 0.005 | 0.005 | 0.005 | 0.024 |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/10/71-10/21/81 | 9 | 0.005 | 0.006 | 0.01 | 0. | 0. | 0.004 | 0. | 0.003 | 0.01 | 0.01 |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/02/82-10/20/83 | 2 | 1.065 | 1.065 | 1.2 | 0.93 | 0.036 | 0.191 | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 12/10/69-11/06/80 | 12 | 1.15 | 0.95 | 1.6 | 0.2 | 0.235 | 0.485 | 0.236 | 0.373 | 1.323 | 1.54 |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/14/92 | 12 | 0.3 | 0.338 | 0.7 | 0.1 | 0.036 | 0.19 | 0.1 | 0.2 | 0.49 | 0.67 |
| 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/21/81-10/11/85 | 2 | 0.2 | 0.2 | 0.4 | 0. | 0.08 | 0.283 | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/04/73-10/14/92 | 17 | 0.4 | 0.355 | 0.7 | 0.1 | 0.027 | 0.166 | 0.1 | 0.23 | 0.44 | 0.58 |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/04/73-10/21/81 | 7 | 1.2 | 1.161 | 1.5 | 0.7 | 0.077 | 0.278 | ** | ** | ** | ** |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 11/09/79-11/06/95 | 16 | 1.3 | 1.319 | 1.8 | 0.7 | 0.127 | 0.356 | 0.77 | 1.025 | 1.6 | 1.8 |
| 00650 | PHOSPHATE, TOTAL (MG/L AS PO4) | 11/06/80-11/06/80 | 1 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/10/71-10/14/92 | 22 | 0.03 | 0.039 | 0.11 | 0.01 | 0.001 | 0.027 | 0.01 | 0.02 | 0.06 | 0.08 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/14/92 | 12 | 0.02 | 0.021 | 0.08 | 0.005 | 0. | 0.02 | 0.005 | 0.01 | 0.02 | 0.065 |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/21/81-11/06/95 | 15 ## | 0.005 | 0.011 | 0.04 | 0.005 | 0. | 0.01 | 0.005 | 0.005 | 0.02 | 0.028 |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

# Parameter Inventory for Station: HOFU0009

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/04/73-11/02/82 | 9 | 55. | 53.778 | 57. | 46. | 14.194 | 3.768 | 46. | 51. | 57. | 57. |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/04/73-11/01/78 | 6 | 19. | 19. | 24. | 14. | 16.4 | 4.05 | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/04/73-10/14/92 | 19 | 15. | 14.526 | 16. | 11. | 1.596 | 1.264 | 13. | 14. | 15. | 16. |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 02/24/70-10/30/72 | 4 | 12. | 11.925 | 12.5 | 11.2 | 0.289 | 0.538 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/04/73-10/14/92 | 19 | 4.8 | 4.737 | 5.3 | 4. | 0.088 | 0.297 | 4.4 | 4.6 | 4.9 | 5.3 |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 02/24/70-10/30/72 | 4 | 3.85 | 3.75 | 3.9 | 3.4 | 0.057 | 0.238 | ** | ** | ** | ** |
| 00929 | SODIUM, TOTAL (MG/L AS NA) | 02/24/70-10/30/72 | 4 | 5.975 | 5.988 | 6.8 | 5.2 | 0.577 | 0.76 | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/04/73-10/14/92 | 19 | 6.7 | 6.6 | 7.4 | 5.6 | 0.25 | 0.5 | 5.7 | 6.3 | 6.9 | 7.4 |
| 00931 | SODIUM ADSORPTION RATIO | 10/04/73-11/02/82 | 9 | 0.4 | 0.4 | 0.5 | 0.3 | 0.003 | 0.05 | 0.3 | 0.4 | 0.4 | 0.5 |
| 00932 | SODIUM, PERCENT | 10/04/73-11/02/82 | 9 | 20. | 19.889 | 21. | 19. | 0.861 | 0.928 | 19. | 19. | 21. | 21. |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/04/73-10/14/92 | 19 | 2. | 2.011 | 2.8 | 1.5 | 0.121 | 0.348 | 1.6 | 1.8 | 2.3 | 2.5 |
| 00937 | POTASSIUM, TOTAL MG/L AS K) | 02/24/70-10/30/72 | 4 | 1.6 | 1.85 | 3. | 1.2 | 0.73 | 0.854 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 12/10/69-11/06/95 | 27 | 10. | 10. | 20. | 6. | 6.077 | 2.465 | 7.8 | 9. | 11. | 11.4 |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 12/10/69-10/14/92 | 25 | 14. | 14.304 | 19. | 0.6 | 12.76 | 3.572 | 12. | 13. | 16.5 | 18.4 |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/04/73-10/14/92 | 13 | 0.1 | 0.108 | 0.3 | 0.05 | 0.005 | 0.07 | 0.05 | 0.05 | 0.1 | 0.26 |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/04/73-10/14/92 | 20 | 16. | 17.75 | 45. | 15. | 41.776 | 6.463 | 15. | 16. | 17. | 17.9 |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/04/73-11/02/82 | 3 ## | 0.5 | 0.667 | 1. | 0.5 | 0.083 | 0.289 | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/04/73-11/02/82 | 9 ## | 1. | 0.722 | 2. | 0. | 0.444 | 0.667 | 0. | 0. | 1. | 2. |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/04/73-11/02/82 | 9 ## | 0. | 1.611 | 10. | 0. | 11.611 | 3.408 | 0. | 0. | 2.25 | 10. |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 02/24/70-11/09/79 | 5 ## | 50. | 47. | 75. | 10. | 545. | 23.345 | ** | ** | ** | ** |
| 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/04/73-11/02/82 | 9 ## | 0. | 0.444 | 3. | 0. | 0.965 | 0.982 | 0. | 0. | 0.5 | 3. |
| 01037 | COBALT, TOTAL (UG/L AS CO) | 02/24/70-10/30/72 | 4 ## | 100. | 100. | 100. | 100. | 0. | 0. | ** | ** | ** | ** |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/04/73-11/02/82 | 9 ## | 2. | 4.333 | 10. | 0. | 19.25 | 4.387 | 0. | 1. | 10. | 10. |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 05/10/71-11/09/79 | 4 ## | 125. | 93.75 | 125. | 0. | 3906.25 | 62.5 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 02/24/70-10/04/73 | 5 | 310. | 281. | 550. | 75. | 32780. | 181.052 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/25/74-10/14/92 | 18 | 115. | 117.944 | 200. | 53. | 2084.291 | 45.654 | 56.6 | 78.5 | 142.5 | 200. |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/04/73-11/02/82 | 9 | 2. | 2.444 | 7. | 0. | 5.778 | 2.404 | 0. | 0.5 | 4.5 | 7. |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/10/71-10/04/73 | 4 ## | 125. | 95. | 125. | 5. | 3600. | 60. | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/25/74-10/14/92 | 18 | 18.5 | 21.278 | 40. | 8. | 138.212 | 11.756 | 8. | 11.5 | 32.5 | 40. |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/04/73-11/02/82 | 9 ## | 1. | 1.444 | 4. | 0. | 2.215 | 1.488 | 0. | 0.5 | 2.5 | 4. |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/10/71-10/30/72 | 3 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/04/73-11/02/82 | 9 ## | 10. | 7.444 | 20. | 0. | 41.278 | 6.425 | 0. | 1. | 10. | 20. |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/10/71-11/09/79 | 4 ## | 10. | 13.75 | 25. | 10. | 56.25 | 7.5 | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 10/20/83-10/14/92 | 10 | 10. | 12. | 30. | 5. | 73.333 | 8.563 | 5. | 5. | 20. | 29. |
| 01132 | LITHIUM, TOTAL (UG/L AS LI) | 05/10/71-10/30/72 | 3 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01147 | SELENIUM, TOTAL (UG/L AS SE) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 12/10/69-10/04/73 | 6 | 4850. | 12633.333 | 51000. | 2700. | 359854666.667 | 18969.836 | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 12/10/69-10/04/73 | 6 | 3.659 | 3.819 | 4.708 | 3.431 | 0.234 | 0.483 | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 6598.932 | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/10/71-10/30/72 | 3 | 580. | 526.667 | 700. | 300. | 42133.333 | 205.264 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/10/71-10/30/72 | 3 | 2.763 | 2.695 | 2.845 | 2.477 | 0.037 | 0.193 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 495.696 | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 12/10/69-10/04/73 | 6 | 1180. | 1259. | 2600. | 90. | 1189686. | 1090.727 | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 12/10/69-10/04/73 | 6 | 3.061 | 2.815 | 3.415 | 1.954 | 0.439 | 0.663 | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 652.782 | | | | | | | | |
| 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 10/21/77-11/02/82 | 4 | 0. | 0.005 | 0.02 | 0. | 0. | 0.01 | ** | ** | ** | ** |
| 39251 | PCNS IN BOTTOM DEPOS (UG/KG DRY SOLIDS) | 10/11/85-10/11/85 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/11/85-10/11/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 10/11/85-10/11/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 10/11/85-10/11/85 | 1 | 6. | 6. | 6. | 6. | 0. | 0. | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/11/85-10/11/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/11/85-10/11/85 | 1 | 0.6 | 0.6 | 0.6 | 0.6 | 0. | 0. | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/11/85-10/11/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 10/11/85-10/11/85 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 39389 | ENDOSULFAN IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 10/11/85-10/11/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/11/85-10/11/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 10/11/85-10/11/85 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 10/11/85-10/11/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 10/11/85-10/11/85 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 10/11/85-10/11/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0009

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 10/11/85-10/11/85 | 1 | 12. | 12. | 12. | 12. | 0. | 0. | ** | ** | ** | ** |
| 39758 | MIREX, BOTTOM MATERIAL (UG/KG DRY SOLIDS) | 10/11/85-10/11/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/25/74-10/14/87 | 13 | 96. | 98.692 | 111. | 90. | 55.064 | 7.421 | 90.8 | 93. | 106. | 111. |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/04/73-11/01/78 | 6 | 87.5 | 87.5 | 93. | 82. | 14.7 | 3.834 | ** | ** | ** | ** |
| 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 11/02/82-11/02/82 | 1 | 4.72 | 4.72 | 4.72 | 4.72 | 0. | 0. | ** | ** | ** | ** |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/04/73-11/02/82 | 9 | 0.13 | 0.13 | 0.15 | 0.12 | 0. | 0.009 | 0.12 | 0.125 | 0.13 | 0.15 |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 12/10/69-10/21/81 | 12 | 0.01 | 0.011 | 0.02 | 0.005 | 0. | 0.005 | 0.005 | 0.01 | 0.01 | 0.02 |
| 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 11/09/79-11/06/80 | 2 | 0.02 | 0.02 | 0.04 | 0. | 0.001 | 0.028 | ** | ** | ** | ** |
| 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/21/81-11/02/82 | 2 | 0.045 | 0.045 | 0.05 | 0.04 | 0. | 0.007 | ** | ** | ** | ** |
| 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 11/02/82-11/02/82 | 1 | 4.1 | 4.1 | 4.1 | 4.1 | 0. | 0. | ** | ** | ** | ** |
| 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 11/02/82-11/02/82 | 1 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 11/09/79-10/11/85 | 5 | 0.12 | 0.14 | 0.34 | 0.06 | 0.013 | 0.116 | ** | ** | ** | ** |
| 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 10/27/76-10/21/81 | 6 | 6.8 | 6.717 | 8.6 | 4.8 | 1.606 | 1.267 | ** | ** | ** | ** |
| 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/21/81-11/02/82 | 2 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 11/09/79-11/09/79 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 05/10/71-10/30/72 | 3 | 5. | 4.667 | 5. | 4. | 0.333 | 0.577 | ** | ** | ** | ** |
| 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 05/10/71-10/30/72 | 3 | 0.5 | 0.603 | 0.82 | 0.49 | 0.035 | 0.188 | ** | ** | ** | ** |
| 81886 | PERTHANE IN SEDIMENT DRY WEIGHT UG/KG | 10/11/85-10/11/85 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0009

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 10 | 0 | 0.00 | 9 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 22 | 0 | 0.00 | 15 | 0 | 0.00 | 7 | 0 | 0.00 | | | | | | |
| 00400 | PH | Fresh Chronic | 9. | 28 | 0 | 0.00 | 18 | 0 | 0.00 | 9 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 28 | 2 | 0.07 | 18 | 1 | 0.06 | 9 | 1 | 0.11 | 1 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 13 | 0 | 0.00 | 10 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 13 | 0 | 0.00 | 10 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | |
| 00613 | NITRITE NITROGEN, DISSOLVED AS N | Drinking Water | 1. | 15 | 0 | 0.00 | 12 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 9 | 0 | 0.00 | 6 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 12 | 0 | 0.00 | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 7 | 0 | 0.00 | 4 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. | Drinking Water | 10. | 16 | 0 | 0.00 | 12 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 27 | 0 | 0.00 | 17 | 0 | 0.00 | 9 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 27 | 0 | 0.00 | 17 | 0 | 0.00 | 9 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 25 | 0 | 0.00 | 16 | 0 | 0.00 | 8 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 13 | 0 | 0.00 | 7 | 0 | 0.00 | 6 | 0 | 0.00 | | | | | | |
| 01000 | ARSENIC, DISSOLVED | Fresh Acute | 360. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01030 | CHROMIUM, DISSOLVED | Drinking Water | 100. | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 5 | 0 | 0.00 | 2 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01040 | COPPER, DISSOLVED | Fresh Acute | 18. | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 & | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Station: HOFU0009

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01090 | ZINC, DISSOLVED | Fresh Acute | 120. | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5000. | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01147 | SELENIUM, TOTAL | Fresh Acute | 20. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 6 | 6 | 1.00 | 3 | 3 | 1.00 | 2 | 2 | 1.00 | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 3 | 3 | 1.00 | 2 | 2 | 1.00 | | | | 1 | 1 | 1.00 | | | |
| 71851 | NITRATE NITROGEN, DISSOLVED (AS NO3) | Drinking Water | 44. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 71856 | NITRITE NITROGEN, DISSOLVED (AS NO2) | Drinking Water | 3.3 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 71890 | MERCURY, DISSOLVED | Fresh Acute | 2.4 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 71900 | MERCURY, TOTAL | Fresh Acute | 2.4 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

## Seasonal Analysis for Season #1: 8/01 to 10/31 - Station HOFU0009

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/10/69-11/06/95 | 18 | 9.75 | 10.517 | 18. | 6. | 10.417 | 3.228 | 6.45 | 8.5 | 11.5 | 17.55 |
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 10/20/83-10/14/92 | 9 | 0.9 | 1.2 | 3.3 | 0.4 | 0.797 | 0.893 | 0.4 | 0.65 | 1.5 | 3.3 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/10/69-11/06/95 | 19 | 153. | 148.421 | 168. | 70. | 494.924 | 22.247 | 122. | 147. | 160. | 168. |
| 00400p | PH (STANDARD UNITS) | 12/10/69-11/06/95 | 18 | 7.25 | 7.254 | 8.1 | 6.4 | 0.128 | 0.358 | 6.76 | 7.1 | 7.455 | 7.74 |
| 00400p | CONVERTED PH (STANDARD UNITS) | 12/10/69-11/06/95 | 18 | 7.247 | 7.106 | 8.1 | 6.4 | 0.151 | 0.389 | 6.76 | 7.1 | 7.455 | 7.74 |
| 00400p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 12/10/69-11/06/95 | 18 | 0.057 | 0.078 | 0.398 | 0.008 | 0.008 | 0.087 | 0.019 | 0.035 | 0.079 | 0.182 |
| 00403 | PH, LAB, STANDARD UNITS SU | 11/06/80-10/14/92 | 10 | 7.5 | 7.46 | 7.9 | 7.1 | 0.058 | 0.241 | 7.1 | 7.25 | 7.6 | 7.87 |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 11/06/80-10/14/92 | 10 | 7.5 | 7.4 | 7.9 | 7.1 | 0.062 | 0.25 | 7.1 | 7.25 | 7.6 | 7.87 |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/06/80-10/14/92 | 10 | 0.032 | 0.04 | 0.079 | 0.013 | 0.001 | 0.023 | 0.014 | 0.025 | 0.057 | 0.079 |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/04/73-10/15/91 | 12 | 41. | 40.583 | 54. | 32. | 47.902 | 6.921 | 32.3 | 34.5 | 43.75 | 53.1 |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/14/92 | 10 | 0.3 | 0.346 | 0.7 | 0.1 | 0.044 | 0.209 | 0.1 | 0.175 | 0.525 | 0.69 |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/04/73-10/14/92 | 12 | 0.4 | 0.373 | 0.7 | 0.1 | 0.021 | 0.146 | 0.13 | 0.3 | 0.423 | 0.625 |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/10/71-10/14/92 | 16 | 0.035 | 0.039 | 0.08 | 0.01 | 0.001 | 0.024 | 0.01 | 0.02 | 0.06 | 0.08 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/14/92 | 10 | 0.015 | 0.021 | 0.08 | 0.005 | 0. | 0.022 | 0.005 | 0.009 | 0.023 | 0.075 |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/04/73-10/14/92 | 14 | 15. | 14.643 | 16. | 11. | 2.093 | 1.447 | 12. | 13.75 | 16. | 16. |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/04/73-10/14/92 | 14 | 4.8 | 4.793 | 5.3 | 4.4 | 0.07 | 0.264 | 4.5 | 4.6 | 4.925 | 5.3 |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/04/73-10/14/92 | 14 | 6.75 | 6.686 | 7.4 | 5.6 | 0.252 | 0.502 | 5.8 | 6.45 | 6.975 | 7.4 |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/04/73-10/14/92 | 14 | 2. | 2.071 | 2.8 | 1.5 | 0.142 | 0.377 | 1.55 | 1.775 | 2.4 | 2.65 |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 12/10/69-11/06/95 | 17 | 10. | 9.647 | 11. | 7. | 1.493 | 1.222 | 7.8 | 9. | 11. | 11. |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 12/10/69-10/14/92 | 16 | 14.5 | 14.163 | 19. | 0.6 | 18.876 | 4.345 | 8.58 | 12.25 | 17. | 19. |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/04/73-10/14/92 | 14 | 16. | 16.357 | 17. | 15. | 0.401 | 0.633 | 15.5 | 16. | 17. | 17. |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/25/74-10/14/92 | 13 | 110. | 115.231 | 200. | 53. | 2332.359 | 48.295 | 54.6 | 72. | 145. | 200. |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/25/74-10/14/92 | 13 | 16. | 20.154 | 40. | 8. | 151.141 | 12.294 | 8. | 9.5 | 31.5 | 40. |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 10/20/83-10/14/92 | 9 | 10. | 12.222 | 30. | 5. | 81.944 | 9.052 | 5. | 5. | 20. | 30. |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/25/74-10/14/87 | 9 | 99. | 100.667 | 111. | 90. | 67.25 | 8.201 | 90. | 93. | 110. | 111. |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #2: 11/01 to 3/31 - Station HOFU0009

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/10/69-11/06/95 | 9 | 6.5 | 7.944 | 14.5 | 4. | 15.028 | 3.877 | 4. | 5. | 11.5 | 14.5 |
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 10/20/83-10/14/92 | 1 | 1.1 | 1.1 | 1.1 | 1.1 | 0. | 0. | ** | ** | ** | ** |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/10/69-11/06/95 | 9 | 150. | 140.667 | 200. | 70. | 1529. | 39.102 | 70. | 110.5 | 165. | 200. |
| 00400p | PH (STANDARD UNITS) | 12/10/69-11/06/95 | 9 | 7.2 | 7.209 | 7.8 | 6.1 | 0.253 | 0.503 | 6.1 | 7.02 | 7.6 | 7.8 |
| 00400p | CONVERTED PH (STANDARD UNITS) | 12/10/69-11/06/95 | 9 | 7.2 | 6.864 | 7.8 | 6.1 | 0.386 | 0.622 | 6.1 | 7.02 | 7.6 | 7.8 |
| 00400p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 12/10/69-11/06/95 | 9 | 0.063 | 0.137 | 0.794 | 0.016 | 0.062 | 0.249 | 0.016 | 0.025 | 0.096 | 0.794 |
| 00403 | PH, LAB, STANDARD UNITS SU | 11/06/80-10/14/92 | 3 | 7.3 | 7.3 | 7.5 | 7.1 | 0.04 | 0.2 | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 11/06/80-10/14/92 | 3 | 7.3 | 7.27 | 7.5 | 7.1 | 0.041 | 0.203 | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/06/80-10/14/92 | 3 | 0.05 | 0.054 | 0.079 | 0.032 | 0.001 | 0.024 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/04/73-10/15/91 | 5 | 36. | 37.4 | 52. | 24. | 108.8 | 10.431 | ** | ** | ** | ** |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/14/92 | 2 | 0.3 | 0.3 | 0.3 | 0.3 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/04/73-10/14/92 | 5 | 0.26 | 0.314 | 0.55 | 0.1 | 0.048 | 0.22 | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/10/71-10/14/92 | 5 | 0.02 | 0.038 | 0.11 | 0.01 | 0.002 | 0.041 | ** | ** | ** | ** |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/14/92 | 2 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/04/73-10/14/92 | 5 | 14. | 14.2 | 15. | 14. | 0.2 | 0.447 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/04/73-10/14/92 | 5 | 4.7 | 4.58 | 4.9 | 4. | 0.127 | 0.356 | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/04/73-10/14/92 | 5 | 6.5 | 6.36 | 6.8 | 5.7 | 0.208 | 0.456 | ** | ** | ** | ** |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/04/73-10/14/92 | 5 | 1.8 | 1.84 | 2.1 | 1.6 | 0.033 | 0.182 | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 12/10/69-11/06/95 | 9 | 10. | 11.111 | 20. | 8. | 13.111 | 3.621 | 8. | 9. | 12. | 20. |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 12/10/69-10/14/92 | 8 | 14. | 14.125 | 16. | 13. | 1.268 | 1.126 | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/04/73-10/14/92 | 6 | 16.5 | 21. | 45. | 15. | 139.6 | 11.815 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/25/74-10/14/92 | 5 | 130. | 125. | 180. | 65. | 1775. | 42.131 | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/25/74-10/14/92 | 5 | 20. | 24.2 | 40. | 12. | 119.2 | 10.918 | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 10/20/83-10/14/92 | 1 | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/25/74-10/14/87 | 4 | 94.5 | 94.25 | 96. | 92. | 2.917 | 1.708 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot


## Seasonal Analysis for Season #3: 4/01 to 7/31 - Station HOFU0009

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/10/69-11/06/95 | 1 | 13. | 13. | 13. | 13. | 0. | 0. | ** | ** | ** | ** |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/10/69-11/06/95 | 1 | 120. | 120. | 120. | 120. | 0. | 0. | ** | ** | ** | ** |
| 00400p | PH (STANDARD UNITS) | 12/10/69-11/06/95 | 1 | 7.3 | 7.3 | 7.3 | 7.3 | 0. | 0. | ** | ** | ** | ** |
| 00400p | CONVERTED PH (STANDARD UNITS) | 12/10/69-11/06/95 | 1 | 7.3 | 7.3 | 7.3 | 7.3 | 0. | 0. | ** | ** | ** | ** |
| 00400p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 12/10/69-11/06/95 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/10/71-10/14/92 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 12/10/69-11/06/95 | 1 | 6. | 6. | 6. | 6. | 0. | 0. | ** | ** | ** | ** |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 12/10/69-10/14/92 | 1 | 18. | 18. | 18. | 18. | 0. | 0. | ** | ** | ** | ** |


** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station: HOFU0009 Parameter Code: 00095

SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)





FRENCH CREEK NEAR PUGHTOWN, PA.





FRENCH CREEK NEAR PUGHTOWN, PA.

Station: HOFU0009 Parameter Code: 00940

CHLORIDE,TOTAL IN WATER




FRENCH CREEK NEAR PUGHTOWN, PA.




FRENCH CREEK NEAR PUGHTOWN, PA.

# Station Inventory for Station: HOFU0010

NPS Station ID: HOFU0010
LAT/LON: 40.118920/ -75.654309
Agency: 11NPSWRD
Date Created: 05/09/98
Location: PACH527R
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/SPRING
STORET Station ID(s): HOFU_NURE_2 /4069996
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001700.00
RF3 Mile Point: 0.00
Distance from RF3: 0.04
On/Off RF3:
Description:
THE SITE IS LOCATED ON THE DOWNINGTON PA-CHESTER CO. 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE SITE IS AT A SPRING AND IS OUTSIDE OF THE HOPEWELL FURNACE NATIONAL HISTORIC SITE PARK BOUNDARIES. THE SAMPLES WERE FILTERED THROUGH A LESS THAN OR EQUAL TO 0.8 UM FILTER AT THE SITE. DATA ARE FROM THE "U.S. GEOLOGICAL SURVEY NATIONAL GEOCHEMICAL DATA BASE: NATIONAL URANIUM RESOURCE EVALUATION DATA FOR THE CONTERMINOUS UNITED STATES" 1994 CD-ROM BY J.D. HOFFMAN AND K. BUTTLEMAN (USGS DIGITAL DATA SERIES DDS-18-A). THE DATA BASE INCLUDES STREAM SEDIMENT; SOIL; SURFACE WATER; AND GROUND WATER DATA. THE "UNIQID" FIELD ENTRY WAS USED TO CREATE THE SECONDARY STATION NAME. THE "SRLID" FIELD ENTRY (SAVANNAH RIVER LABORATORY SAMPLE NUMBER) WAS USED TO CREATE THE STATION LOCATION. THE SAMPLES WERE ANALYZED BY SAVANNAH RIVER LABORATORY. DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0010

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 06/27/77-06/27/77 | 1 | 24. | 24. | 24. | 24. | 0. | 0. | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 06/27/77-06/27/77 | 1 | 60. | 60. | 60. | 60. | 0. | 0. | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 06/27/77-06/27/77 | 1 | 10.52 | 10.52 | 10.52 | 10.52 | 0. | 0. | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 06/27/77-06/27/77 | 1 | 7. | 7. | 7. | 7. | 0. | 0. | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 06/27/77-06/27/77 | 1 | 219. | 219. | 219. | 219. | 0. | 0. | ** | ** | ** | ** |
| 01085 | VANADIUM, DISSOLVED (UG/L AS V) | 06/27/77-06/27/77 | 1 | 0.7 | 0.7 | 0.7 | 0.7 | 0. | 0. | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 06/27/77-06/27/77 | 1 | 57. | 57. | 57. | 57. | 0. | 0. | ** | ** | ** | ** |
| 22703 | URANIUM, NATURAL, DISSOLVED | 06/27/77-06/27/77 | 1 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |
| 50700 | FLUORINE, DISSOLVED, FILTERED WATER SAMPLE UG/L | 06/27/77-06/27/77 | 1 | 47. | 47. | 47. | 47. | 0. | 0. | ** | ** | ** | ** |
| 82331 | DYSPROSIUM, DISSOLVED AS DY IN WATER UG/L | 06/27/77-06/27/77 | 1 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# EPA Water Quality Criteria Analysis for Station: HOFU0010

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 22703 | URANIUM, NATURAL DISSOLVED | Drinking Water | 20. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0011

NPS Station ID: HOFU0011
LAT/LON: 40.197781/ -75.669448
Agency: 112WRD
Date Created: / /
Location: PIGEON CREEK NEAR BUCKTOWN, PA.
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 01472054
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 11.00
On/Off RF1:
RF3 Index: 02040205058000.00
RF3 Mile Point: 0.00
Distance from RF3: 0.34
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0011

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 11/14/69-10/29/82 | 12 | 10.75 | 10.467 | 16. | 5. | 14.132 | 3.759 | 5. | 7.35 | 12.8 | 16. |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 11/14/69-10/29/82 | 7 | 13.5 | 12.771 | 19. | 7. | 16.016 | 4.002 | ** | ** | ** | ** |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 11/14/69-10/29/82 | 6 | 4. | 3.667 | 6. | 1. | 3.467 | 1.862 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/14/69-10/29/82 | 12 | 120. | 113. | 140. | 80. | 381.455 | 19.531 | 80. | 100.5 | 124.5 | 139.4 |
| 00300 | OXYGEN, DISSOLVED MG/L | 10/24/74-10/29/82 | 6 | 10. | 9.967 | 10.4 | 9.6 | 0.103 | 0.32 | ** | ** | ** | ** |
| 00340 | COD, .25N K2CR2O7 MG/L | 11/14/69-10/03/73 | 6 | 10. | 19.5 | 56. | 1. | 535.1 | 23.132 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 11/14/69-10/29/82 | 12 | 7. | 6.983 | 7.6 | 6. | 0.223 | 0.473 | 6.12 | 6.725 | 7.35 | 7.6 |
| 00400 | CONVERTED PH (STANDARD UNITS) | 11/14/69-10/29/82 | 12 | 7. | 6.718 | 7.6 | 6. | 0.3 | 0.548 | 6.12 | 6.725 | 7.35 | 7.6 |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/14/69-10/29/82 | 12 | 0.1 | 0.192 | 1. | 0.025 | 0.075 | 0.275 | 0.025 | 0.046 | 0.189 | 0.819 |
| 00403 | PH, LAB, STANDARD UNITS SU | 10/21/81-10/29/82 | 2 | 7.1 | 7.1 | 7.2 | 7. | 0.02 | 0.141 | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 10/21/81-10/29/82 | 2 | 7.089 | 7.089 | 7.2 | 7. | 0.02 | 0.142 | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 10/21/81-10/29/82 | 2 | 0.082 | 0.082 | 0.1 | 0.063 | 0.001 | 0.026 | ** | ** | ** | ** |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/03/73-10/31/78 | 5 | 7.1 | 8.68 | 20. | 3.2 | 43.967 | 6.631 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/03/73-10/29/82 | 6 | 25.5 | 24.5 | 26. | 21. | 4.3 | 2.074 | ** | ** | ** | ** |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/03/73-10/31/78 | 5 | 30. | 29.6 | 32. | 26. | 6.8 | 2.608 | ** | ** | ** | ** |
| 00445 | CARBONATE ION (MG/L AS CO3) | 10/03/73-10/31/78 | 5 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 11/14/69-10/03/73 | 6 | 78.5 | 92.5 | 148. | 42. | 2015.9 | 44.899 | ** | ** | ** | ** |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 10/26/76-10/21/81 | 3 | 1.1 | 1.297 | 1.9 | 0.89 | 0.284 | 0.533 | ** | ** | ** | ** |
| 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/29/82 | 2 | 1.25 | 1.25 | 1.3 | 1.2 | 0.005 | 0.071 | ** | ** | ** | ** |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 05/04/71-10/21/81 | 9 | 0.27 | 0.29 | 0.56 | 0.01 | 0.023 | 0.151 | 0.01 | 0.215 | 0.375 | 0.56 |
| 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/21/81-10/21/81 | 1 | 0.44 | 0.44 | 0.44 | 0.44 | 0. | 0. | ** | ** | ** | ** |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/21/81-10/29/82 | 2 ## | 0.078 | 0.078 | 0.15 | 0.005 | 0.011 | 0.103 | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/04/71-10/21/81 | 9 | 0.04 | 0.057 | 0.16 | 0.005 | 0.003 | 0.056 | 0.005 | 0.01 | 0.1 | 0.16 |
| 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/29/82 | 2 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/04/71-10/21/81 | 7 | 0.005 | 0.007 | 0.01 | 0.001 | 0. | 0.004 | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 11/14/69-10/31/78 | 10 | 0.905 | 0.95 | 1.6 | 0.6 | 0.082 | 0.287 | 0.603 | 0.75 | 1.108 | 1.553 |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/29/82 | 2 | 0.595 | 0.595 | 0.6 | 0.59 | 0. | 0.007 | ** | ** | ** | ** |
| 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/21/81-10/21/81 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/03/73-10/21/81 | 6 | 0.375 | 0.388 | 0.56 | 0.25 | 0.016 | 0.128 | ** | ** | ** | ** |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/03/73-10/21/81 | 4 | 0.76 | 0.935 | 1.6 | 0.62 | 0.211 | 0.459 | ** | ** | ** | ** |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 10/21/81-10/29/82 | 2 | 0.65 | 0.65 | 0.7 | 0.6 | 0.005 | 0.071 | ** | ** | ** | ** |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 10/21/81-10/29/82 | 2 | 0.075 | 0.075 | 0.09 | 0.06 | 0. | 0.021 | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/04/71-10/21/81 | 9 | 0.05 | 0.067 | 0.16 | 0.02 | 0.002 | 0.048 | 0.02 | 0.03 | 0.105 | 0.16 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/29/82 | 2 | 0.025 | 0.025 | 0.03 | 0.02 | 0. | 0.007 | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/21/81-10/29/82 | 2 | 0.025 | 0.025 | 0.03 | 0.02 | 0. | 0.007 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/03/73-10/29/82 | 7 | 38. | 38.857 | 44. | 35. | 10.476 | 3.237 | ** | ** | ** | ** |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/03/73-10/31/78 | 5 | 14. | 14.4 | 18. | 13. | 4.3 | 2.074 | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/03/73-10/29/82 | 7 | 10. | 10.329 | 12. | 9.3 | 1.039 | 1.019 | ** | ** | ** | ** |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0011

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/04/71-10/09/72 | 3 | 8.7 | 8.667 | 9. | 8.3 | 0.123 | 0.351 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/03/73-10/29/82 | 7 | 3.3 | 3.2 | 3.5 | 2.5 | 0.11 | 0.332 | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/04/71-10/09/72 | 3 | 2.8 | 2.767 | 2.8 | 2.7 | 0.003 | 0.058 | ** | ** | ** | ** |
| 00929 | SODIUM, TOTAL (MG/L AS NA) | 05/04/71-10/09/72 | 3 | 5. | 5.167 | 5.7 | 4.8 | 0.223 | 0.473 | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/03/73-10/29/82 | 7 | 5.5 | 5.629 | 6.9 | 4.7 | 0.499 | 0.706 | ** | ** | ** | ** |
| 00931 | SODIUM ADSORPTION RATIO | 10/03/73-10/29/82 | 7 | 0.4 | 0.4 | 0.5 | 0.3 | 0.003 | 0.058 | ** | ** | ** | ** |
| 00932 | SODIUM, PERCENT | 10/03/73-10/29/82 | 7 | 23. | 23.143 | 26. | 20. | 4.143 | 2.035 | ** | ** | ** | ** |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/03/73-10/29/82 | 7 | 1.2 | 1.271 | 2. | 0.8 | 0.136 | 0.368 | ** | ** | ** | ** |
| 00937 | POTASSIUM, TOTAL MG/L AS K) | 05/04/71-10/09/72 | 3 | 1.45 | 1.783 | 2.8 | 1.1 | 0.806 | 0.898 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 11/14/69-10/29/82 | 12 | 5. | 5.417 | 14. | 3. | 8.083 | 2.843 | 3.3 | 4. | 5.75 | 11.6 |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 11/14/69-10/29/82 | 12 | 17. | 16.667 | 22. | 11. | 8.606 | 2.934 | 11.9 | 14.25 | 18. | 21.4 |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/03/73-10/29/82 | 7 | 0.1 | 0.179 | 0.7 | 0.05 | 0.056 | 0.236 | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/03/73-10/29/82 | 7 | 14. | 13.571 | 14. | 12. | 0.619 | 0.787 | ** | ** | ** | ** |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/03/73-10/29/82 | 3 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/03/73-10/29/82 | 7 ## | 0.5 | 3.071 | 16. | 0. | 34.536 | 5.877 | ** | ** | ** | ** |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/03/73-10/29/82 | 7 ## | 0. | 1.571 | 10. | 0. | 13.869 | 3.724 | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/04/71-10/09/72 | 3 ## | 50. | 58.333 | 75. | 50. | 208.333 | 14.434 | ** | ** | ** | ** |
| 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/03/73-10/29/82 | 7 ## | 0. | 0.357 | 1. | 0. | 0.226 | 0.476 | ** | ** | ** | ** |
| 01037 | COBALT, TOTAL (UG/L AS CO) | 05/04/71-10/09/72 | 3 ## | 100. | 100. | 100. | 100. | 0. | 0. | ** | ** | ** | ** |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/03/73-10/29/82 | 7 ## | 1. | 3.429 | 10. | 0. | 20.619 | 4.541 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 05/04/71-10/09/72 | 3 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 05/04/71-10/03/73 | 4 | 290. | 273.75 | 440. | 75. | 22556.25 | 150.187 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/24/74-10/29/82 | 6 | 98. | 100.333 | 160. | 20. | 2418.267 | 49.176 | ** | ** | ** | ** |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/03/73-10/29/82 | 7 ## | 1. | 1.714 | 5. | 0. | 3.155 | 1.776 | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/04/71-10/03/73 | 4 ## | 125. | 111.25 | 125. | 70. | 756.25 | 27.5 | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/24/74-10/29/82 | 6 | 45. | 46. | 60. | 32. | 156.8 | 12.522 | ** | ** | ** | ** |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/03/73-10/29/82 | 7 | 3. | 2.714 | 6. | 1. | 2.905 | 1.704 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/04/71-10/09/72 | 3 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/03/73-10/29/82 | 7 ## | 10. | 9.429 | 20. | 0. | 66.286 | 8.142 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/04/71-10/09/72 | 3 ## | 10. | 15. | 25. | 10. | 75. | 8.66 | ** | ** | ** | ** |
| 01132 | LITHIUM, TOTAL (UG/L AS LI) | 05/04/71-10/09/72 | 3 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 11/14/69-10/03/73 | 6 | 6875. | 7061.667 | 14300. | 620. | 47744816.667 | 6909.762 | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 11/14/69-10/03/73 | 6 | 3.553 | 3.502 | 4.155 | 2.792 | 0.471 | 0.686 | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 3177.215 | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/04/71-10/03/73 | 4 | 212.5 | 195. | 265. | 90. | 6016.667 | 77.567 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/04/71-10/03/73 | 4 | 2.324 | 2.256 | 2.423 | 1.954 | 0.045 | 0.212 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 180.392 | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 11/14/69-10/03/73 | 6 | 442. | 476. | 1020. | 30. | 153108.8 | 391.291 | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 11/14/69-10/03/73 | 6 | 2.623 | 2.454 | 3.009 | 1.477 | 0.339 | 0.582 | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 284.17 | | | | | | | | |
| 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 10/31/78-10/29/82 | 2 | 0.01 | 0.01 | 0.02 | 0. | 0. | 0.014 | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/24/74-10/29/82 | 6 | 80.5 | 79.5 | 82. | 74. | 8.3 | 2.881 | ** | ** | ** | ** |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/03/73-10/31/78 | 5 | 69. | 69.6 | 74. | 64. | 19.3 | 4.393 | ** | ** | ** | ** |
| 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 10/29/82-10/29/82 | 1 | 0.3 | 0.3 | 0.3 | 0.3 | 0. | 0. | ** | ** | ** | ** |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/03/73-10/29/82 | 7 | 0.11 | 0.106 | 0.11 | 0.09 | 0. | 0.008 | ** | ** | ** | ** |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 02/19/70-10/21/81 | 10 | 0.025 | 0.022 | 0.04 | 0.002 | 0. | 0.012 | 0.003 | 0.01 | 0.03 | 0.039 |
| 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/21/81-10/29/82 | 2 | 0.1 | 0.1 | 0.19 | 0.01 | 0.016 | 0.127 | ** | ** | ** | ** |
| 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 10/21/81-10/21/81 | 1 | 0.25 | 0.25 | 0.25 | 0.25 | 0. | 0. | ** | ** | ** | ** |
| 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 10/26/76-10/21/81 | 3 | 4.8 | 5.7 | 8.4 | 3.9 | 5.67 | 2.381 | ** | ** | ** | ** |
| 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/21/81-10/29/82 | 2 ## | 0.075 | 0.075 | 0.1 | 0.05 | 0.001 | 0.035 | ** | ** | ** | ** |
| 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 05/04/71-09/28/71 | 2 | 5.5 | 5.5 | 6. | 5. | 0.5 | 0.707 | ** | ** | ** | ** |
| 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 05/04/71-09/28/71 | 2 | 0.075 | 0.075 | 0.08 | 0.07 | 0. | 0.007 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0011

| | | | | Total | Exceed | Prop. | 8/01-10/31 | | | 11/01-3/31 | | | 4/01-7/31 | | | n/a | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parameter | | Std. Type | Std. Value | Obs | Standard | Exceeding | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Station: HOFU0011

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400 | PH | Fresh Chronic | 9. | 12 | 0 | 0.00 | 8 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 12 | 2 | 0.17 | 8 | 2 | 0.25 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| 00613 | NITRITE NITROGEN, DISSOLVED AS N | Drinking Water | 1. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 7 | 0 | 0.00 | 6 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 10 | 0 | 0.00 | 6 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 4 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | | | | |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. | Drinking Water | 10. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 12 | 0 | 0.00 | 8 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 12 | 0 | 0.00 | 8 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 12 | 0 | 0.00 | 8 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 7 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01000 | ARSENIC, DISSOLVED | Fresh Acute | 360. | 3 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 50. | 3 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 7 | 2 | 0.29 | 6 | 2 | 0.33 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 7 | 1 | 0.14 | 6 | 1 | 0.17 | 1 | 0 | 0.00 | | | | | | |
| 01030 | CHROMIUM, DISSOLVED | Drinking Water | 100. | 7 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| 01040 | COPPER, DISSOLVED | Fresh Acute | 18. | 7 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 7 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 1300. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 7 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 7 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 7 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 7 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01090 | ZINC, DISSOLVED | Fresh Acute | 120. | 7 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5000. | 7 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 6 | 4 | 0.67 | 3 | 3 | 1.00 | 2 | 1 | 0.50 | 1 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 4 | 2 | 0.50 | 3 | 2 | 0.67 | | | | 1 | 0 | 0.00 | | | |
| 71890 | MERCURY, DISSOLVED | Fresh Acute | 2.4 | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 2. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0012

NPS Station ID: HOFU0012 LAT/LON: 40.160559/ -75.670559 Agency: 11NPSWRD Date Created: 04/25/98
Location: BEAVER RUN 25 YDS UPSTREAM OF SR 4031 CROSSING FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PADEP_13BE
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON BEAVER RUN CREEK 25 YARDS UPSTREAM OF PRIZER ROAD (SR 4031) CROSSING. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0012

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/25/95-05/25/95 | 1 | 19. | 19. | 19. | 19. | 0. | 0. | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/25/95-05/25/95 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 05/25/95-05/25/95 | 1 | 132. | 132. | 132. | 132. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 05/25/95-05/25/95 | 1 | 7.2 | 7.2 | 7.2 | 7.2 | 0. | 0. | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 05/25/95-05/25/95 | 1 | 6.6 | 6.6 | 6.6 | 6.6 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 05/25/95-05/25/95 | 1 | 6.6 | 6.6 | 6.6 | 6.6 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/25/95-05/25/95 | 1 | 0.251 | 0.251 | 0.251 | 0.251 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 05/25/95-05/25/95 | 1 | 7.7 | 7.7 | 7.7 | 7.7 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 05/25/95-05/25/95 | 1 | 7.7 | 7.7 | 7.7 | 7.7 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/25/95-05/25/95 | 1 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 1 | 30. | 30. | 30. | 30. | 0. | 0. | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 05/25/95-05/25/95 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/25/95-05/25/95 | 1 ## | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/25/95-05/25/95 | 1 | 0.004 | 0.004 | 0.004 | 0.004 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/25/95-05/25/95 | 1 | 1.16 | 1.16 | 1.16 | 1.16 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 05/25/95-05/25/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/25/95-05/25/95 | 1 | 0.06 | 0.06 | 0.06 | 0.06 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 1 | 41. | 41. | 41. | 41. | 0. | 0. | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/25/95-05/25/95 | 1 | 10.7 | 10.7 | 10.7 | 10.7 | 0. | 0. | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/25/95-05/25/95 | 1 | 3.4 | 3.4 | 3.4 | 3.4 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/25/95-05/25/95 | 1 | 9. | 9. | 9. | 9. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0012

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/25/95-05/25/95 | 1 | 13. | 13. | 13. | 13. | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/25/95-05/25/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 05/25/95-05/25/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/25/95-05/25/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/25/95-05/25/95 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 05/25/95-05/25/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 05/25/95-05/25/95 | 1 | 442. | 442. | 442. | 442. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 05/25/95-05/25/95 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/25/95-05/25/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/25/95-05/25/95 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/25/95-05/25/95 | 1 | 11. | 11. | 11. | 11. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 05/25/95-05/25/95 | 1 | 231. | 231. | 231. | 231. | 0. | 0. | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/25/95-05/25/95 | 1 | 50. | 50. | 50. | 50. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/25/95-05/25/95 | 1 | 1.699 | 1.699 | 1.699 | 1.699 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 50. | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/25/95-05/25/95 | 1 | 96. | 96. | 96. | 96. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0012

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0013

NPS Station ID: HOFU0013
LAT/LON: 40.243059/ -75.675837
Agency: 11131DWQ
Date Created: / /
Location: SCHUYLKILL R RTE 422 BR STOWE
FIPS State/County: 42000 PENNSYLVANIA/
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): DEL 089 /089 /SCH 18
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 1
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE
ECO Region:
RF1 Index: 02040203010
RF1 Mile Point: 1.110
Distance from RF1: 0.00
On/Off RF1: ON
RF3 Index: 02040203000814.35
RF3 Mile Point: 18.30
Distance from RF3: 0.03
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0013

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 06/07/72-06/07/72 | 1 | 20.5 | 20.5 | 20.5 | 20.5 | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 06/07/72-06/07/72 | 1 | 7.7 | 7.7 | 7.7 | 7.7 | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 06/07/72-06/07/72 | 1 | 0.15 | 0.15 | 0.15 | 0.15 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 06/07/72-06/07/72 | 1 | 0.64 | 0.64 | 0.64 | 0.64 | 0. | 0. | ** | ** | ** | ** |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 06/07/72-06/07/72 | 1 | 1.98 | 1.98 | 1.98 | 1.98 | 0. | 0. | ** | ** | ** | ** |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 06/07/72-06/07/72 | 1 | 0.56 | 0.56 | 0.56 | 0.56 | 0. | 0. | ** | ** | ** | ** |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 06/07/72-06/07/72 | 1 | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 32730 | PHENOLICS, TOTAL, RECOVERABLE (UG/L) | 06/07/72-06/07/72 | 1 | 35. | 35. | 35. | 35. | 0. | 0. | ** | ** | ** | ** |
| 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 06/07/72-06/07/72 | 1 | 0.37 | 0.37 | 0.37 | 0.37 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0013

| | | | | Total | Exceed | Prop. | 8/01-10/31 | | | 11/01-3/31 | | | 4/01-7/31 | | | n/a | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parameter | | Std. Type | Std. Value | Obs | Standard | Exceeding | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0014

NPS Station ID: HOFU0014
LAT/LON: 40.155837/ -75.687505
Agency: 21PA
Date Created: 02/09/91
Location: ROBERT JOHNSTON
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/DOMEST/SPRING
STORET Station ID(s): GWND03D012 /BASIN056-012
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id: 000GRPC
Minor Basin:
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 5.20
On/Off RF1:
RF3 Index: 02040203038900.00
RF3 Mile Point: 0.74
Distance from RF3: 0.10
On/Off RF3:
Description:
7.5' QUADRANGLE MAP: POTTSTOWN;

## Parameter Inventory for Station: HOFU0014

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00403 | PH, LAB, STANDARD UNITS SU | 01/24/91-07/10/91 | 2 | 6.2 | 6.2 | 6.3 | 6.1 | 0.02 | 0.141 | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 01/24/91-07/10/91 | 2 | 6.189 | 6.189 | 6.3 | 6.1 | 0.02 | 0.142 | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 01/24/91-07/10/91 | 2 | 0.648 | 0.648 | 0.794 | 0.501 | 0.043 | 0.207 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 01/24/91-07/10/91 | 2 | 18. | 18. | 18. | 18. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 01/24/91-07/10/91 | 2 | 151. | 151. | 188. | 114. | 2738. | 52.326 | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 01/24/91-07/10/91 | 2 ## | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 01/24/91-07/10/91 | 2 ## | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 01/24/91-07/10/91 | 2 | 9.68 | 9.68 | 9.68 | 9.68 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 01/24/91-07/10/91 | 2 ## | 0.02 | 0.02 | 0.03 | 0.01 | 0. | 0.014 | ** | ** | ** | ** |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 01/24/91-07/10/91 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 01/24/91-07/10/91 | 2 | 63.5 | 63.5 | 69. | 58. | 60.5 | 7.778 | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 01/24/91-07/10/91 | 2 | 13.6 | 13.6 | 13.8 | 13.4 | 0.08 | 0.283 | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 01/24/91-07/10/91 | 2 | 6.35 | 6.35 | 6.9 | 5.8 | 0.605 | 0.778 | ** | ** | ** | ** |
| 00929 | SODIUM, TOTAL (MG/L AS NA) | 01/24/91-07/10/91 | 2 | 6.52 | 6.52 | 6.72 | 6.32 | 0.08 | 0.283 | ** | ** | ** | ** |
| 00937 | POTASSIUM, TOTAL MG/L AS K) | 01/24/91-07/10/91 | 2 | 0.965 | 0.965 | 1.06 | 0.87 | 0.018 | 0.134 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 01/24/91-07/10/91 | 2 | 11. | 11. | 11. | 11. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 01/24/91-07/10/91 | 2 | 18. | 18. | 21. | 15. | 18. | 4.243 | ** | ** | ** | ** |
| 00956 | SILICA, TOTAL (MG/L AS SI02) | 01/24/91-07/10/91 | 2 | 22.5 | 22.5 | 23. | 22. | 0.5 | 0.707 | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 01/24/91-07/10/91 | 2 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01007 | BARIUM, TOTAL (UG/L AS BA) | 01/24/91-07/10/91 | 2 | 24. | 24. | 25. | 23. | 2. | 1.414 | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 01/24/91-07/10/91 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 01/24/91-07/10/91 | 2 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 01/24/91-07/10/91 | 2 | 228.5 | 228.5 | 263. | 194. | 2380.5 | 48.79 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 01/24/91-07/10/91 | 2 | 39.5 | 39.5 | 45. | 34. | 60.5 | 7.778 | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 01/24/91-07/10/91 | 2 | 6.5 | 6.5 | 9. | 4. | 12.5 | 3.536 | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 01/24/91-07/10/91 | 2 ## | 9. | 9. | 13. | 5. | 32. | 5.657 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 01/24/91-07/10/91 | 2 | 68. | 68. | 96. | 40. | 1568. | 39.598 | ** | ** | ** | ** |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 01/24/91-07/10/91 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 71993 | ELEVATION OF GRD WATER WITH REF.TO MEAN SEA L FT | 01/01/91-01/01/91 | 1 | 400. | 400. | 400. | 400. | 0. | 0. | ** | ** | ** | ** |
| 72019 | DEPTH TO WATER LEVEL (FEET BELOW LAND SURFACE) | 01/01/91-01/01/91 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 01/24/91-07/10/91 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# EPA Water Quality Criteria Analysis for Station: HOFU0014

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00403 | PH, LAB | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 2 | 1.00 | | | | 1 | 1 | 1.00 | 1 | 1 | 1.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01007 | BARIUM, TOTAL | Drinking Water | 2000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 5. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 2 | 2 | 1.00 | | | | 1 | 1 | 1.00 | 1 | 1 | 1.00 | | | |
| | | Drinking Water | 1300. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 71900 | MERCURY, TOTAL | Fresh Acute | 2.4 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 2. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 82079 | TURBIDITY, LAB | Other-Hi Lim. | 50. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0015

NPS Station ID: HOFU0015
LAT/LON: 40.132809/ -75.688393
Agency: 11NPSWRD
Date Created: 05/09/98
Location: PACH520R
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/SPRING
STORET Station ID(s): HOFU_NURE_1 /4069989
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001700.00
RF3 Mile Point: 0.00
Distance from RF3: 0.04
On/Off RF3:
Description:
THE SITE IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE SITE IS AT A SPRING AND IS OUTSIDE OF THE HOPEWELL FURNACE NATIONAL HISTORIC SITE PARK BOUNDARIES. THE SAMPLES WERE FILTERED THROUGH A LESS THAN OR EQUAL TO 0.8 UM FILTER AT THE SITE. DATA ARE FROM THE "U.S. GEOLOGICAL SURVEY NATIONAL GEOCHEMICAL DATA BASE: NATIONAL URANIUM RESOURCE EVALUATION DATA FOR THE CONTERMINOUS UNITED STATES" 1994 CD-ROM BY J.D. HOFFMAN AND K. BUTTLEMAN (USGS DIGITAL DATA SERIES DDS-18-A). THE DATA BASE INCLUDES STREAM SEDIMENT; SOIL; SURFACE WATER; AND GROUND WATER DATA. THE "UNIQID" FIELD ENTRY WAS USED TO CREATE THE SECONDARY STATION NAME. THE "SRLID" FIELD ENTRY (SAVANNAH RIVER LABORATORY SAMPLE NUMBER) WAS USED TO CREATE THE STATION LOCATION. THE SAMPLES WERE ANALYZED BY SAVANNAH RIVER LABORATORY. DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0015

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 06/27/77-06/27/77 | 1 | 17. | 17. | 17. | 17. | 0. | 0. | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 06/27/77-06/27/77 | 1 | 55. | 55. | 55. | 55. | 0. | 0. | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 06/27/77-06/27/77 | 1 | 7.5 | 7.5 | 7.5 | 7.5 | 0. | 0. | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 06/27/77-06/27/77 | 1 | 7.5 | 7.5 | 7.5 | 7.5 | 0. | 0. | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 06/27/77-06/27/77 | 1 | 0.032 | 0.032 | 0.032 | 0.032 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 06/27/77-06/27/77 | 1 | 11. | 11. | 11. | 11. | 0. | 0. | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 06/27/77-06/27/77 | 1 | 11.36 | 11.36 | 11.36 | 11.36 | 0. | 0. | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 06/27/77-06/27/77 | 1 | 9. | 9. | 9. | 9. | 0. | 0. | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 06/27/77-06/27/77 | 1 | 154. | 154. | 154. | 154. | 0. | 0. | ** | ** | ** | ** |
| 01085 | VANADIUM, DISSOLVED (UG/L AS V) | 06/27/77-06/27/77 | 1 | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 06/27/77-06/27/77 | 1 | 75. | 75. | 75. | 75. | 0. | 0. | ** | ** | ** | ** |
| 22703 | URANIUM, NATURAL, DISSOLVED | 06/27/77-06/27/77 | 1 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |
| 50700 | FLUORINE, DISSOLVED, FILTERED WATER SAMPLE UG/L | 06/27/77-06/27/77 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 82331 | DYSPROSIUM, DISSOLVED AS DY IN WATER UG/L | 06/27/77-06/27/77 | 1 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0015

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400 | PH | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 22703 | URANIUM, NATURAL DISSOLVED | Drinking Water | 20. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0016

NPS Station ID: HOFU0016 LAT/LON: 40.170837/ -75.690281 Agency: 11NPSWRD Date Created: 04/25/98
Location: FRENCH CREEK AT WARWICK ROAD CROSSING FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_BWQM_3
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK AT THE WARWICK ROAD CROSSING; RIVER MILE 16.0. THE CREEK WAS SAMPLED AS PART OF A NUTRIENT-RELATED USE IMPAIRMENT SURVEY OF FRENCH CREEK BY THE BUREAU OF WATER QUALITY MANAGEMENT. THE STUDY WAS CONDUCTED TO DETERMINE WHETHER FRENCH CREEK WAS NITROGEN- OR PHOSPHORUS-LIMITED. THE FINAL CONCLUSION OF THE REPORT WAS THAT FRENCH CREEK WAS CO-LIMITED BY NITROGEN AND PHOSPHORUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; NUTRIENT RELATED/ USE IMPAIRMENT SURVEY" BY CYNTHIA L. STEELE (1988). FOR MORE INFORMATION CONTACT HOPEWELL FURNACE NATIONAL HISTORIC SITE'S CHIEF OF RESOURCES AT 2 MARK BIRD LANE; ELVERSON PA 19520 (TEL. 610-582-8773). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; FORT COLLINS CO 80526 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0016

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 08/06/87-08/06/87 | 1 | 21. | 21. | 21. | 21. | 0. | 0. | ** | ** | ** | ** |
| 00040 | WIND DIRECTION, AZIMUTH | 08/06/87-08/06/87 | 1 | 40. | 40. | 40. | 40. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 08/06/87-08/06/87 | 1 | 132. | 132. | 132. | 132. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 08/06/87-08/06/87 | 1 | 8. | 8. | 8. | 8. | 0. | 0. | ** | ** | ** | ** |
| 00301 | OXYGEN, DISSOLVED, PERCENT OF SATURATION % | 08/06/87-08/06/87 | 1 | 89.7 | 89.7 | 89.7 | 89.7 | 0. | 0. | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 08/06/87-08/06/87 | 1 | 7.3 | 7.3 | 7.3 | 7.3 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 08/06/87-08/06/87 | 1 | 7.3 | 7.3 | 7.3 | 7.3 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 08/06/87-08/06/87 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 08/06/87-08/06/87 | 1 | 7.9 | 7.9 | 7.9 | 7.9 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 08/06/87-08/06/87 | 1 | 7.9 | 7.9 | 7.9 | 7.9 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 08/06/87-08/06/87 | 1 | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 08/06/87-08/06/87 | 1 | 0.09 | 0.09 | 0.09 | 0.09 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 08/06/87-08/06/87 | 1 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 08/06/87-08/06/87 | 1 | 1.45 | 1.45 | 1.45 | 1.45 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 08/06/87-08/06/87 | 1 | 0.52 | 0.52 | 0.52 | 0.52 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 08/06/87-08/06/87 | 1 | 0.09 | 0.09 | 0.09 | 0.09 | 0. | 0. | ** | ** | ** | ** |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 08/06/87-08/06/87 | 1 | 0.09 | 0.09 | 0.09 | 0.09 | 0. | 0. | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 08/06/87-08/06/87 | 1 | 0.024 | 0.024 | 0.024 | 0.024 | 0. | 0. | ** | ** | ** | ** |
| 50060 | CHLORINE, TOTAL RESIDUAL (MG/L) | 08/06/87-08/06/87 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 08/06/87-08/06/87 | 1 | 0.025 | 0.025 | 0.025 | 0.025 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# EPA Water Quality Criteria Analysis for Station: HOFU0016

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 50060 | CHLORINE, TOTAL RESIDUAL | Fresh Acute | 0.019 | 1 | 1 | 1.00 | 1 | 1 | 1.00 | | | | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0017

NPS Station ID: HOFU0017 | LAT/LON: 40.171392/ -75.690504 | Agency: 11NPSWRD | Date Created: 05/09/98
Location: FRENCH CK 100 FT BELOW COVENTRYVILLE BRIDGE | FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM | STORET Station ID(s): HOFU_PSU_3
RMI-Indexes: | Within Park Boundary: No
RMI-Miles:
HUC: 02040203 | Depth of Water: 0 | Aquifer:
Major Basin: NORTH ATLANTIC | Elevation: 0 | Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL | ECO Region:
RF1 Index: 02040203 | RF1 Mile Point: 0.000 | Distance from RF1: 0.00 | On/Off RF1:
RF3 Index: 02040203001700.00 | RF3 Mile Point: 0.00 | Distance from RF3: 0.04 | On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION ON FRENCH CREEK 100 FEET BELOW COVENTRYVILLE BRIDGE ON LEGISLATIVE ROUTE 15131 IN THE TOWN OF COVENTRYVILLE. THE SITE WAS LOCATED BETWEEN HOPEWELL FURNACE NATIONAL HISTORIC SITE (HOFU) AND VALLEY FORGE NATIONAL HISTORIC PARK (VAFO). DATA WERE PUBLISHED IN THE DOCTORAL DISSERTATION "A STUDY OF THE RELATIONSHIP BETWEEN CHEMICAL WATER QUALITY AND FISH AND BENTHIC MACROINVERTEBRATE DIVERSITY IN FRENCH CREEK; CHESTER COUNTY; PENNSYLVANIA" BY RALPH D. HEISTER JR. AT THE PENNSYLVANIA STATE UNIVERSITY DEPARTMENT OF BIOLOGY (1971). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0017

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 10/15/69-04/15/70 | 3 | 5.5 | 6.833 | 15. | 0. | 57.583 | 7.588 | ** | ** | ** | ** |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 10/15/69-04/15/70 | 3 | 10. | 7.667 | 15. | -2. | 76.333 | 8.737 | ** | ** | ** | ** |
| 00081 | COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS | 10/15/69-04/15/70 | 3 | 25. | 31.667 | 50. | 20. | 258.333 | 16.073 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 10/15/69-04/15/70 | 3 | 129. | 140.333 | 180. | 112. | 1252.333 | 35.388 | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 10/15/69-04/15/70 | 3 | 11.9 | 11.933 | 13.5 | 10.4 | 2.403 | 1.55 | ** | ** | ** | ** |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 10/15/69-04/15/70 | 3 | 0.8 | 0.767 | 0.9 | 0.6 | 0.023 | 0.153 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 10/15/69-04/15/70 | 3 | 7.15 | 7.317 | 7.9 | 6.9 | 0.271 | 0.52 | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 10/15/69-04/15/70 | 3 | 7.15 | 7.156 | 7.9 | 6.9 | 0.309 | 0.556 | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 10/15/69-04/15/70 | 3 | 0.071 | 0.07 | 0.126 | 0.013 | 0.003 | 0.057 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/15/69-04/15/70 | 3 | 38. | 37.333 | 46. | 28. | 81.333 | 9.018 | ** | ** | ** | ** |
| 00500 | RESIDUE, TOTAL (MG/L) | 10/15/69-04/15/70 | 3 | 140. | 148.667 | 184. | 122. | 1017.333 | 31.896 | ** | ** | ** | ** |
| 00505 | RESIDUE, TOTAL VOLATILE (MG/L) | 10/15/69-04/15/70 | 3 | 62. | 93. | 161. | 56. | 3477. | 58.966 | ** | ** | ** | ** |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 10/15/69-04/15/70 | 3 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 10/15/69-04/15/70 | 3 | 1. | 1.2 | 2.1 | 0.5 | 0.67 | 0.819 | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/15/69-04/15/70 | 3 | 0.28 | 0.323 | 0.57 | 0.12 | 0.052 | 0.228 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/15/69-04/15/70 | 3 | 50. | 44.667 | 52. | 32. | 121.333 | 11.015 | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/15/69-04/15/70 | 3 | 16. | 15.467 | 19.2 | 11.2 | 16.213 | 4.027 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/15/69-04/15/70 | 3 | 1. | 1.467 | 2.4 | 1. | 0.653 | 0.808 | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 10/15/69-04/15/70 | 3 | 18. | 16.333 | 18. | 13. | 8.333 | 2.887 | ** | ** | ** | ** |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 10/15/69-04/15/70 | 3 | 23.5 | 32.333 | 52.5 | 21. | 306.583 | 17.51 | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/15/69-04/15/70 | 3 | 8.6 | 8.533 | 11.4 | 5.6 | 8.413 | 2.901 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/15/69-04/15/70 | 3 | 290. | 343.333 | 500. | 240. | 19033.333 | 137.961 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0017

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/15/69-04/15/70 | 3 | 135. | 141.667 | 175. | 115. | 933.333 | 30.551 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0017

| | | | | Total | Exceed | Prop. | 8/01-10/31 | | | 11/01-3/31 | | | 4/01-7/31 | | | n/a | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parameter | | Std. Type | Std. Value | Obs | Standard | Exceeding | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 3 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00400 | PH | Fresh Chronic | 9. | 3 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 3 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 3 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 3 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00946 | SULFATE, DISSOLVED (AS SO4) | Drinking Water | 250. | 3 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0018

NPS Station ID: HOFU0018
LAT/LON: 40.171116/ -75.690560
Agency: 112WRD
Date Created: / /
Location: FRENCH CREEK AT COVENTRYVILLE, PA.
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 01472150
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203019
RF1 Mile Point: 13.680
Distance from RF1: 0.00
On/Off RF1: OFF
RF3 Index: 02040205061600.15
RF3 Mile Point: 0.30
Distance from RF3: 0.02
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0018

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/15/68-09/19/68 | 2 | 15. | 15. | 18. | 12. | 18. | 4.243 | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/15/68-09/19/68 | 2 | 22. | 22. | 33. | 11. | 242. | 15.556 | ** | ** | ** | ** |
| 00080 | COLOR (PLATINUM-COBALT UNITS) | 05/15/68-09/19/68 | 2 | 3.5 | 3.5 | 5. | 2. | 4.5 | 2.121 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 05/15/68-09/19/68 | 2 | 126.5 | 126.5 | 129. | 124. | 12.5 | 3.536 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 05/15/68-09/19/68 | 2 | 7.6 | 7.6 | 7.9 | 7.3 | 0.18 | 0.424 | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 05/15/68-09/19/68 | 2 | 7.504 | 7.504 | 7.9 | 7.3 | 0.199 | 0.446 | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/15/68-09/19/68 | 2 | 0.031 | 0.031 | 0.05 | 0.013 | 0.001 | 0.027 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/15/68-09/19/68 | 2 | 38.5 | 38.5 | 41. | 36. | 12.5 | 3.536 | ** | ** | ** | ** |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 05/15/68-09/19/68 | 2 | 47. | 47. | 50. | 44. | 18. | 4.243 | ** | ** | ** | ** |
| 00445 | CARBONATE ION (MG/L AS CO3) | 05/15/68-09/19/68 | 2 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/15/68-09/19/68 | 2 | 46. | 46. | 49. | 43. | 18. | 4.243 | ** | ** | ** | ** |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 05/15/68-09/19/68 | 2 | 7.5 | 7.5 | 8. | 7. | 0.5 | 0.707 | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 05/15/68-09/19/68 | 2 | 12. | 12. | 13. | 11. | 2. | 1.414 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 05/15/68-09/19/68 | 2 | 3.9 | 3.9 | 4. | 3.8 | 0.02 | 0.141 | ** | ** | ** | ** |
| 00931 | SODIUM ADSORPTION RATIO | 05/15/68-09/19/68 | 2 | 7.55 | 7.55 | 8. | 7.1 | 0.405 | 0.636 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/15/68-09/19/68 | 2 | 6. | 6. | 6. | 6. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/15/68-09/19/68 | 2 | 13. | 13. | 14. | 12. | 2. | 1.414 | ** | ** | ** | ** |
| 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 05/15/68-09/19/68 | 2 | 3.05 | 3.05 | 3.4 | 2.7 | 0.245 | 0.495 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0018

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400 | PH | Fresh Chronic | 9. | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| 71851 | NITRATE NITROGEN, DISSOLVED (AS NO3) | Drinking Water | 44. | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0019

NPS Station ID: HOFU0019 LAT/LON: 40.236115/ -75.691116 Agency: 112WRD Date Created: 12/02/81
Location: SCHUYLKILL RIVER AT STOWE NR POTTSTOWN, PA FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 01471780
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203000803.80 RF3 Mile Point: 5.41 Distance from RF3: 0.02 On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0019

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 02/20/80-02/20/80 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 02/20/80-02/20/80 | 1 | 495. | 495. | 495. | 495. | 0. | 0. | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 02/20/80-02/20/80 | 1 | 6.6 | 6.6 | 6.6 | 6.6 | 0. | 0. | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 02/20/80-02/20/80 | 1 | 6.6 | 6.6 | 6.6 | 6.6 | 0. | 0. | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 02/20/80-02/20/80 | 1 | 0.251 | 0.251 | 0.251 | 0.251 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 02/20/80-02/20/80 | 1 | 66. | 66. | 66. | 66. | 0. | 0. | ** | ** | ** | ** |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 02/20/80-02/20/80 | 1 | 2.9 | 2.9 | 2.9 | 2.9 | 0. | 0. | ** | ** | ** | ** |
| 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/15/79-11/15/79 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00687 | CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/15/79-11/15/79 | 1 | 60. | 60. | 60. | 60. | 0. | 0. | ** | ** | ** | ** |
| 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 11/15/79-11/15/79 | 1 | 61. | 61. | 61. | 61. | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 02/20/80-02/20/80 | 1 | 180. | 180. | 180. | 180. | 0. | 0. | ** | ** | ** | ** |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 02/20/80-02/20/80 | 1 | 120. | 120. | 120. | 120. | 0. | 0. | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 02/20/80-02/20/80 | 1 | 46. | 46. | 46. | 46. | 0. | 0. | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 02/20/80-02/20/80 | 1 | 17. | 17. | 17. | 17. | 0. | 0. | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 02/20/80-02/20/80 | 1 | 27. | 27. | 27. | 27. | 0. | 0. | ** | ** | ** | ** |
| 00931 | SODIUM ADSORPTION RATIO | 02/20/80-02/20/80 | 1 | 0.9 | 0.9 | 0.9 | 0.9 | 0. | 0. | ** | ** | ** | ** |
| 00932 | SODIUM, PERCENT | 02/20/80-02/20/80 | 1 | 24. | 24. | 24. | 24. | 0. | 0. | ** | ** | ** | ** |
| 00933 | SODIUM,PLUS POTASSIUM (MG/L) | 02/20/80-02/20/80 | 1 | 30. | 30. | 30. | 30. | 0. | 0. | ** | ** | ** | ** |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 02/20/80-02/20/80 | 1 | 2.8 | 2.8 | 2.8 | 2.8 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 02/20/80-02/20/80 | 1 | 35. | 35. | 35. | 35. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 02/20/80-02/20/80 | 1 | 110. | 110. | 110. | 110. | 0. | 0. | ** | ** | ** | ** |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 02/20/80-02/20/80 | 1 | 0.3 | 0.3 | 0.3 | 0.3 | 0. | 0. | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 02/20/80-02/20/80 | 1 | 6.8 | 6.8 | 6.8 | 6.8 | 0. | 0. | ** | ** | ** | ** |
| 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 11/15/79-11/15/79 | 1 | 11. | 11. | 11. | 11. | 0. | 0. | ** | ** | ** | ** |
| 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/15/79-11/15/79 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/15/79-11/15/79 | 1 | 110. | 110. | 110. | 110. | 0. | 0. | ** | ** | ** | ** |
| 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 11/15/79-11/15/79 | 1 | 210. | 210. | 210. | 210. | 0. | 0. | ** | ** | ** | ** |
| 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 11/15/79-11/15/79 | 1 | 270. | 270. | 270. | 270. | 0. | 0. | ** | ** | ** | ** |
| 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/15/79-11/15/79 | 1 | 110. | 110. | 110. | 110. | 0. | 0. | ** | ** | ** | ** |
| 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 11/15/79-11/15/79 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 11/15/79-11/15/79 | 1 | 480. | 480. | 480. | 480. | 0. | 0. | ** | ** | ** | ** |
| 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 11/15/79-11/15/79 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 11/15/79-11/15/79 | 1 | 23. | 23. | 23. | 23. | 0. | 0. | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 5.9 | 5.9 | 5.9 | 5.9 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0019

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 6.9 | 6.9 | 6.9 | 6.9 | 0. | 0. | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 4.5 | 4.5 | 4.5 | 4.5 | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/15/79-11/15/79 | 1 | 1.4 | 1.4 | 1.4 | 1.4 | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 210. | 210. | 210. | 210. | 0. | 0. | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 02/20/80-02/20/80 | 1 | 321. | 321. | 321. | 321. | 0. | 0. | ** | ** | ** | ** |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 02/20/80-02/20/80 | 1 | 297. | 297. | 297. | 297. | 0. | 0. | ** | ** | ** | ** |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 02/20/80-02/20/80 | 1 | 0.44 | 0.44 | 0.44 | 0.44 | 0. | 0. | ** | ** | ** | ** |
| 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0019

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400 | PH | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. | Drinking Water | 10. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0020

NPS Station ID: HOFU0020 LAT/LON: 40.170837/ -75.691116 Agency: 11NPSWRD Date Created: 04/25/98
Location: FRENCH CK 200 YDS UPSTREAM OF T517 CROSSING FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PADEP_12FC
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK 200 YARDS UPSTREAM OF COVENTRYVILLE ROAD (T-517) CROSSING. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0020

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/25/95-05/25/95 | 1 | 20.9 | 20.9 | 20.9 | 20.9 | 0. | 0. | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/25/95-05/25/95 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 05/25/95-05/25/95 | 1 | 148. | 148. | 148. | 148. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 05/25/95-05/25/95 | 1 | 8.4 | 8.4 | 8.4 | 8.4 | 0. | 0. | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 05/25/95-05/25/95 | 1 | 6.7 | 6.7 | 6.7 | 6.7 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 05/25/95-05/25/95 | 1 | 6.7 | 6.7 | 6.7 | 6.7 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/25/95-05/25/95 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 05/25/95-05/25/95 | 1 | 7.2 | 7.2 | 7.2 | 7.2 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 05/25/95-05/25/95 | 1 | 7.2 | 7.2 | 7.2 | 7.2 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/25/95-05/25/95 | 1 | 0.063 | 0.063 | 0.063 | 0.063 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 1 | 38. | 38. | 38. | 38. | 0. | 0. | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 05/25/95-05/25/95 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/25/95-05/25/95 | 1 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/25/95-05/25/95 | 1 | 0.006 | 0.006 | 0.006 | 0.006 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/25/95-05/25/95 | 1 | 1.29 | 1.29 | 1.29 | 1.29 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 05/25/95-05/25/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/25/95-05/25/95 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 1 | 51. | 51. | 51. | 51. | 0. | 0. | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/25/95-05/25/95 | 1 | 12.8 | 12.8 | 12.8 | 12.8 | 0. | 0. | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/25/95-05/25/95 | 1 | 4.3 | 4.3 | 4.3 | 4.3 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/25/95-05/25/95 | 1 | 8. | 8. | 8. | 8. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0020

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/25/95-05/25/95 | 1 | 17. | 17. | 17. | 17. | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/25/95-05/25/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 05/25/95-05/25/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/25/95-05/25/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/25/95-05/25/95 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 05/25/95-05/25/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 05/25/95-05/25/95 | 1 | 307. | 307. | 307. | 307. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 05/25/95-05/25/95 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/25/95-05/25/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/25/95-05/25/95 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/25/95-05/25/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 05/25/95-05/25/95 | 1 | 138. | 138. | 138. | 138. | 0. | 0. | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/25/95-05/25/95 | 1 | 240. | 240. | 240. | 240. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/25/95-05/25/95 | 1 | 2.38 | 2.38 | 2.38 | 2.38 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 240. | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/25/95-05/25/95 | 1 | 116. | 116. | 116. | 116. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0020

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0021

NPS Station ID: HOFU0021 LAT/LON: 40.169170/ -75.693615 Agency: 11NPSWRD Date Created: 04/25/98
Location: S BRANCH FRENCH CK 200 YDS UPSTREAM OF MOUTH FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PADEP_11SB
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON SOUTH BRANCH FRENCH CREEK 200 YARDS UPSTREAM OF THE MOUTH NEAR WARWICK COUNTY PARK BOUNDARY. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0021

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/16/95-05/16/95 | 1 | 11.6 | 11.6 | 11.6 | 11.6 | 0. | 0. | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/16/95-05/16/95 | 1 | 7. | 7. | 7. | 7. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 05/16/95-05/16/95 | 1 | 168. | 168. | 168. | 168. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 05/16/95-05/16/95 | 1 | 8.5 | 8.5 | 8.5 | 8.5 | 0. | 0. | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 05/16/95-05/16/95 | 1 | 7. | 7. | 7. | 7. | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 05/16/95-05/16/95 | 1 | 7. | 7. | 7. | 7. | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/16/95-05/16/95 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 05/16/95-05/16/95 | 1 | 7.8 | 7.8 | 7.8 | 7.8 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 05/16/95-05/16/95 | 1 | 7.8 | 7.8 | 7.8 | 7.8 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/16/95-05/16/95 | 1 | 0.016 | 0.016 | 0.016 | 0.016 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 1 | 40. | 40. | 40. | 40. | 0. | 0. | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 05/16/95-05/16/95 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/16/95-05/16/95 | 1 ## | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/16/95-05/16/95 | 1 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/16/95-05/16/95 | 1 | 1.88 | 1.88 | 1.88 | 1.88 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 05/16/95-05/16/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/16/95-05/16/95 | 1 | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 1 | 57. | 57. | 57. | 57. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0021

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/16/95-05/16/95 | 1 | 16.4 | 16.4 | 16.4 | 16.4 | 0. | 0. | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/16/95-05/16/95 | 1 | 5.2 | 5.2 | 5.2 | 5.2 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/16/95-05/16/95 | 1 | 11. | 11. | 11. | 11. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/16/95-05/16/95 | 1 | 14. | 14. | 14. | 14. | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/16/95-05/16/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 05/16/95-05/16/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/16/95-05/16/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/16/95-05/16/95 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 05/16/95-05/16/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 05/16/95-05/16/95 | 1 | 415. | 415. | 415. | 415. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 05/16/95-05/16/95 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/16/95-05/16/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/16/95-05/16/95 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/16/95-05/16/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 05/16/95-05/16/95 | 1 ## | 67.5 | 67.5 | 67.5 | 67.5 | 0. | 0. | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/16/95-05/16/95 | 1 | 220. | 220. | 220. | 220. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/16/95-05/16/95 | 1 | 2.342 | 2.342 | 2.342 | 2.342 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 220. | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/16/95-05/16/95 | 1 | 136. | 136. | 136. | 136. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0021

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0022

NPS Station ID: HOFU0022 LAT/LON: 40.170837/ -75.694726 Agency: 11NPSWRD Date Created: 04/25/98
Location: ROCK RUN CK 200 YDS DOWNSTREAM RTE 23 CROSSING FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PADEP_07RR
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON ROCK RUN CREEK 200 YARDS DOWNSTREAM OF ROUTE 23 CROSSING AND 100 YARDS EAST OF T-515 IN WARWICK COUNTY PARK. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250 FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0022

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/24/95-05/24/95 | 1 | 20.1 | 20.1 | 20.1 | 20.1 | 0. | 0. | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/24/95-05/24/95 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 05/24/95-05/24/95 | 1 | 111. | 111. | 111. | 111. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 05/24/95-05/24/95 | 1 | 7.8 | 7.8 | 7.8 | 7.8 | 0. | 0. | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 05/24/95-05/24/95 | 1 | 6.8 | 6.8 | 6.8 | 6.8 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 05/24/95-05/24/95 | 1 | 6.8 | 6.8 | 6.8 | 6.8 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/24/95-05/24/95 | 1 | 0.158 | 0.158 | 0.158 | 0.158 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 05/24/95-05/24/95 | 1 | 7.1 | 7.1 | 7.1 | 7.1 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 05/24/95-05/24/95 | 1 | 7.1 | 7.1 | 7.1 | 7.1 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/24/95-05/24/95 | 1 | 0.079 | 0.079 | 0.079 | 0.079 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/24/95-05/24/95 | 1 | 28. | 28. | 28. | 28. | 0. | 0. | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/24/95-05/24/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 05/24/95-05/24/95 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/24/95-05/24/95 | 1 ## | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/24/95-05/24/95 | 1 ## | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/24/95-05/24/95 | 1 | 0.64 | 0.64 | 0.64 | 0.64 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 05/24/95-05/24/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/24/95-05/24/95 | 1 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/24/95-05/24/95 | 1 | 36. | 36. | 36. | 36. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0022

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/24/95-05/24/95 | 1 | 9.3 | 9.3 | 9.3 | 9.3 | 0. | 0. | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/24/95-05/24/95 | 1 | 4.1 | 4.1 | 4.1 | 4.1 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/24/95-05/24/95 | 1 | 6. | 6. | 6. | 6. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/24/95-05/24/95 | 1 | 11. | 11. | 11. | 11. | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/24/95-05/24/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 05/24/95-05/24/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/24/95-05/24/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/24/95-05/24/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 05/24/95-05/24/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 05/24/95-05/24/95 | 1 | 178. | 178. | 178. | 178. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 05/24/95-05/24/95 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/24/95-05/24/95 | 1 | 15. | 15. | 15. | 15. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/24/95-05/24/95 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/24/95-05/24/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 05/24/95-05/24/95 | 1 | 135. | 135. | 135. | 135. | 0. | 0. | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/24/95-05/24/95 | 1 | 80. | 80. | 80. | 80. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/24/95-05/24/95 | 1 | 1.903 | 1.903 | 1.903 | 1.903 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 80. | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/24/95-05/24/95 | 1 | 88. | 88. | 88. | 88. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0022

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0023

NPS Station ID: HOFU0023
LAT/LON: 40.241115/ -75.695142
Agency: 11131DWQ
Date Created: 09/26/81
Location: POTTSTOWN WATER PLANT
FIPS State/County: 42091 PENNSYLVANIA/MONTGOMERY
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): DEL 89A /89A /SCH 18A
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE R.-SCHUYLKILL
ECO Region:
RF1 Index: 02040203009
RF1 Mile Point: 0.450
Distance from RF1: 0.00
On/Off RF1: ON
RF3 Index: 02040203000311.81
RF3 Mile Point: 12.44
Distance from RF3: 0.02
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0023

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00023 | SAMPLE WEIGHT IN POUNDS | 04/24/81-04/24/81 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00024 | SAMPLE LENGTH IN INCHES | 04/24/81-04/24/81 | 1 | 7.5 | 7.5 | 7.5 | 7.5 | 0. | 0. | ** | ** | ** | ** |
| 00720 | CYANIDE, TOTAL (MG/L AS CN) MG/L | 03/21/86-03/21/86 | 1 ## | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00721 | CYANIDE IN BOTTOM DEPOSITS (MG/KG AS CN DRY WGT) | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 03/13/81-04/24/81 | 2 ## | 16.25 | 16.25 | 20. | 12.5 | 28.125 | 5.303 | ** | ** | ** | ** |
| 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 04/24/81-04/24/81 | 1 | 14. | 14. | 14. | 14. | 0. | 0. | ** | ** | ** | ** |
| 01004 | ARSENIC TOTAL IN FISH OR ANIMAL WET WT MG/KG | 04/24/81-04/24/81 | 1 ## | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 01012 | BERYLLIUM, TOTAL (UG/L AS BE) | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 04/24/81-04/24/81 | 1 ## | 1.24 | 1.24 | 1.24 | 1.24 | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 03/13/81-09/02/86 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 04/24/81-04/24/81 | 1 ## | 0.495 | 0.495 | 0.495 | 0.495 | 0. | 0. | ** | ** | ** | ** |
| 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 04/24/81-04/24/81 | 1 | 37.6 | 37.6 | 37.6 | 37.6 | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 03/13/81-09/02/86 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 03/13/81-04/24/81 | 2 | 69. | 69. | 97. | 41. | 1568. | 39.598 | ** | ** | ** | ** |
| 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 04/24/81-04/24/81 | 1 | 54.5 | 54.5 | 54.5 | 54.5 | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 03/13/81-09/02/86 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 04/24/81-04/24/81 | 1 | 139. | 139. | 139. | 139. | 0. | 0. | ** | ** | ** | ** |
| 01059 | THALLIUM, TOTAL (UG/L AS TL) | 03/13/81-04/24/81 | 2 ## | 50. | 50. | 50. | 50. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 03/13/81-09/02/86 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 04/24/81-04/24/81 | 1 | 42.6 | 42.6 | 42.6 | 42.6 | 0. | 0. | ** | ** | ** | ** |
| 01069 | NICKEL, TOTAL IN FISH OR ANIMALS-WET WEIGHT MG/KG | 04/24/81-04/24/81 | 1 ## | 0.25 | 0.25 | 0.25 | 0.25 | 0. | 0. | ** | ** | ** | ** |
| 01073 | THALLIUM,TISSUE,WET WEIGHT,MG/KG | 04/24/81-04/24/81 | 1 ## | 1.25 | 1.25 | 1.25 | 1.25 | 0. | 0. | ** | ** | ** | ** |
| 01077 | SILVER, TOTAL (UG/L AS AG) | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 04/24/81-04/24/81 | 1 ## | 0.495 | 0.495 | 0.495 | 0.495 | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 03/13/81-09/02/86 | 2 | 58. | 58. | 93. | 23. | 2450. | 49.497 | ** | ** | ** | ** |
| 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 04/24/81-04/24/81 | 1 | 189. | 189. | 189. | 189. | 0. | 0. | ** | ** | ** | ** |
| 01097 | ANTIMONY, TOTAL (UG/L AS SB) | 03/13/81-04/24/81 | 2 ## | 16.25 | 16.25 | 20. | 12.5 | 28.125 | 5.303 | ** | ** | ** | ** |
| 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 04/24/81-04/24/81 | 1 ## | 4.5 | 4.5 | 4.5 | 4.5 | 0. | 0. | ** | ** | ** | ** |
| 01099 | ANTIMONY,TISSUE,WET WEIGHT,MG/KG | 04/24/81-04/24/81 | 1 ## | 1.25 | 1.25 | 1.25 | 1.25 | 0. | 0. | ** | ** | ** | ** |
| 01147 | SELENIUM, TOTAL (UG/L AS SE) | 03/13/81-09/02/86 | 2 ## | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 04/24/81-04/24/81 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01149 | SELENIUM, TOTAL IN FISH OR ANIMALS WET WGT MG/KG | 04/24/81-04/24/81 | 1 ## | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 32101 | BROMODICHLOROMETHANE,WHOLE WATER,UG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 32102 | CARBON TETRACHLORIDE,WHOLE WATER,UG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 32103 | 1,2-DICHLOROETHANE,WHOLE WATER,UG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 32104 | BROMOFORM,WHOLE WATER,UG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 32105 | DIBROMOCHLOROMETHANE,WHOLE WATER,UG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 32106 | CHLOROFORM,WHOLE WATER,UG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

# Parameter Inventory for Station: HOFU0023

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 32730 | PHENOLICS, TOTAL, RECOVERABLE (UG/L) | 03/13/81-04/24/81 | 2 | 14.5 | 14.5 | 17. | 12. | 12.5 | 3.536 | ** | ** | ** | ** |
| 32731 | PHENOLICS IN BOTTOM DEPOSITS (MG/KG DRY WGT) | 04/24/81-04/24/81 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34010 | TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L) | 03/13/81-06/10/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34030 | BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L) | 03/13/81-06/10/86 | 2 ## | 0.35 | 0.35 | 0.5 | 0.2 | 0.045 | 0.212 | ** | ** | ** | ** |
| 34200 | ACENAPHTHYLENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34203 | ACENAPHTHYLENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34204 | ACENAPHTHYLENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34205 | ACENAPHTHENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34208 | ACENAPHTHENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34209 | ACENAPHTHENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34210 | ACROLEIN TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 35. | 35. | 50. | 20. | 450. | 21.213 | ** | ** | ** | ** |
| 34213 | ACROLEIN DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1000. | 1000. | 1000. | 1000. | 0. | 0. | ** | ** | ** | ** |
| 34214 | ACROLEIN WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 34215 | ACRYLONITRILE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 27.5 | 27.5 | 50. | 5. | 1012.5 | 31.82 | ** | ** | ** | ** |
| 34218 | ACRYLONITRILE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1000. | 1000. | 1000. | 1000. | 0. | 0. | ** | ** | ** | ** |
| 34219 | ACRYLONITRILE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 34220 | ANTHRACENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34223 | ANTHRACENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34224 | ANTHRACENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34230 | BENZO(B)FLUORANTHENE,WHOLE WATER,UG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34233 | BENZO(B)FLUORANTHENE,SEDIMENTS,DRY WGT,UG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34234 | BENZO(B)FLUORANTHENE,TISSUE,WET WGT,MG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34237 | BENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34238 | BENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 | 0.012 | 0.012 | 0.012 | 0.012 | 0. | 0. | ** | ** | ** | ** |
| 34241 | BENZIDINE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34242 | BENZO(K)FLUORANTHENE, TOTAL, WATER UG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34245 | BENZO(K)FLUORANTHENE, DRY WT, SEDIMENT UG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34246 | BENZO(K)FLUORANTHENE, WET WT, TISSUE MG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34247 | BENZO-A-PYRENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34250 | BENZO-A-PYRENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34251 | BENZO-A-PYRENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34252 | BERYLLIUM WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 34257 | B-BHC-BETA DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34258 | B-BHC-BETA WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4950. | 4950. | 4950. | 4950. | 0. | 0. | ** | ** | ** | ** |
| 34259 | DELTA BENZENE HEXACHLORIDE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 34262 | DELTA BENZENE HEXACHLORIDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34263 | DELTA BENZENE HEXACHLORIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4950. | 4950. | 4950. | 4950. | 0. | 0. | ** | ** | ** | ** |
| 34268 | BIS (CHLOROMETHYL) ETHER TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34271 | BIS (CHLOROMETHYL) ETHER DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 34273 | BIS (2-CHLOROETHYL) ETHER TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34276 | BIS (2-CHLOROETHYL) ETHER DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34277 | BIS (2-CHLOROETHYL) ETHER WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34278 | BIS (2-CHLOROETHOXY) METHANE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34281 | BIS (2-CHLOROETHOXY) METHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34282 | BIS (2-CHLOROETHOXY) METHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34283 | BIS (2-CHLOROISOPROPYL) ETHER TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34286 | BIS (2-CHLOROISOPROPYL) ETHER DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34287 | BIS (2-CHLOROISOPROPYL) ETHER WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34290 | BROMOFORM DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34291 | BROMOFORM WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34292 | N-BUTYL BENZYL PHTHALATE,WHOLE WATER,UG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34295 | N-BUTYL BENZYL PHTHALATE,SEDIMENTS,DRY WGT,UG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34296 | N-BUTYL BENZYL PHTHALATE,TISSUE,WET WGT,MG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34299 | CARBON TETRACHLORIDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34300 | CARBON TETRACHLORIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34301 | CHLOROBENZENE TOTWUG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34304 | CHLOROBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34305 | CHLOROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34309 | CHLORODIBROMOMETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34311 | CHLOROETHANE TOTWUG/L | 03/13/81-09/02/86 | 2 ## | 2.75 | 2.75 | 5. | 0.5 | 10.125 | 3.182 | ** | ** | ** | ** |
| 34314 | CHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 34315 | CHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.125 | 0.125 | 0.125 | 0.125 | 0. | 0. | ** | ** | ** | ** |
| 34318 | CHLOROFORM DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# Parameter Inventory for Station: HOFU0023

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 34319 | CHLOROFORM WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34320 | CHRYSENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34323 | CHRYSENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34324 | CHRYSENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34326 | CYANIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.6 | 0.6 | 0.6 | 0.6 | 0. | 0. | ** | ** | ** | ** |
| 34330 | DICHLOROBROMOMETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34331 | DICHLOROBROMOMETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34334 | DICHLORODIFLUOROMETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 34336 | DIETHYL PHTHALATE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34339 | DIETHYL PHTHALATE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34340 | DIETHYL PHTHALATE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34341 | DIMETHYL PHTHALATE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34344 | DIMETHYL PHTHALATE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34345 | DIMETHYL PHTHALATE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34346 | 1,2-DIPHENYLHYDRAZINE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34349 | 1,2-DIPHENYLHYDRAZINE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34350 | 1,2-DIPHENYLHYDRAZINE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34351 | ENDOSULFAN SULFATE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 0.015 | 0.015 | 0.015 | 0.015 | 0. | 0. | ** | ** | ** | ** |
| 34354 | ENDOSULFAN SULFATE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 34355 | ENDOSULFAN SULFATE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34356 | ENDOSULFAN, BETA TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 34359 | ENDOSULFAN, BETA DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34360 | ENDOSULFAN, BETA WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34361 | ENDOSULFAN, ALPHA TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 0.003 | 0.003 | 0.003 | 0.003 | 0. | 0. | ** | ** | ** | ** |
| 34364 | ENDOSULFAN, ALPHA DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 34365 | ENDOSULFAN, ALPHA WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34366 | ENDRIN ALDEHYDE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 0.012 | 0.012 | 0.012 | 0.012 | 0. | 0. | ** | ** | ** | ** |
| 34369 | ENDRIN ALDEHYDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 34370 | ENDRIN ALDEHYDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34371 | ETHYLBENZENE TOTWUG/L | 03/13/81-06/10/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34374 | ETHYLBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34375 | ETHYLBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 | 0.007 | 0.007 | 0.007 | 0.007 | 0. | 0. | ** | ** | ** | ** |
| 34376 | FLUORANTHENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34379 | FLUORANTHENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34380 | FLUORANTHENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34381 | FLUORENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34384 | FLUORENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34385 | FLUORENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34386 | HEXACHLOROCYCLOPENTADIENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34389 | HEXACHLOROCYCLOPENTADIENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34390 | HEXACHLOROCYCLOPENTADIENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34395 | HEXACHLOROBUTADIENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34396 | HEXACHLOROETHANE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34399 | HEXACHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34400 | HEXACHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34403 | INDENO (1,2,3-CD) PYRENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34406 | INDENO (1,2,3-CD) PYRENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 3000. | 3000. | 3000. | 3000. | 0. | 0. | ** | ** | ** | ** |
| 34407 | INDENO (1,2,3-CD) PYRENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 34408 | ISOPHORONE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34411 | ISOPHORONE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34412 | ISOPHORONE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34413 | METHYL BROMIDE TOTWUG/L | 03/13/81-09/02/86 | 2 ## | 2.75 | 2.75 | 5. | 0.5 | 10.125 | 3.182 | ** | ** | ** | ** |
| 34416 | METHYL BROMIDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 34417 | METHYL BROMIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.125 | 0.125 | 0.125 | 0.125 | 0. | 0. | ** | ** | ** | ** |
| 34418 | METHYL CHLORIDE TOTWUG/L | 03/13/81-09/02/86 | 2 ## | 2.75 | 2.75 | 5. | 0.5 | 10.125 | 3.182 | ** | ** | ** | ** |
| 34421 | METHYL CHLORIDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 34422 | METHYL CHLORIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.125 | 0.125 | 0.125 | 0.125 | 0. | 0. | ** | ** | ** | ** |
| 34423 | METHYLENE CHLORIDE TOTWUG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34426 | METHYLENE CHLORIDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34427 | METHYLENE CHLORIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34428 | N-NITROSODI-N-PROPYLAMINE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34431 | N-NITROSODI-N-PROPYLAMINE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34432 | N-NITROSODI-N-PROPYLAMINE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# Parameter Inventory for Station: HOFU0023

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 34433 | N-NITROSODIPHENYLAMINE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34436 | N-NITROSODIPHENYLAMINE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34437 | N-NITROSODIPHENYLAMINE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34441 | N-NITROSODIMETHYLAMINE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34445 | NAPHTHALENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34446 | NAPHTHALENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34447 | NITROBENZENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34450 | NITROBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34451 | NITROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34452 | PARACHLOROMETA CRESOL TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34455 | PARACHLOROMETA CRESOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 3000. | 3000. | 3000. | 3000. | 0. | 0. | ** | ** | ** | ** |
| 34456 | PARACHLOROMETA CRESOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 34461 | PHENANTHRENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34464 | PHENANTHRENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34465 | PHENANTHRENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34468 | PHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 34469 | PYRENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34472 | PYRENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34473 | PYRENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34474 | SILVER WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 34475 | TETRACHLOROETHYLENE TOTWUG/L | 03/13/81-09/02/86 | 2 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 34478 | TETRACHLOROETHYLENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34479 | TETRACHLOROETHYLENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 34480 | THALLIUM DRY WGTBOTMG/KG | 04/24/81-04/24/81 | 1 ## | 12.4 | 12.4 | 12.4 | 12.4 | 0. | 0. | ** | ** | ** | ** |
| 34483 | TOLUENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34484 | TOLUENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 | 0.027 | 0.027 | 0.027 | 0.027 | 0. | 0. | ** | ** | ** | ** |
| 34487 | TRICHLOROETHYLENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34488 | TRICHLOROFLUOROMETHANE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34491 | TRICHLOROFLUOROMETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34495 | VINYL CHLORIDE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 34496 | 1,1-DICHLOROETHANE TOTWUG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34499 | 1,1-DICHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34500 | 1,1-DICHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34501 | 1,1-DICHLOROETHYLENE TOTWUG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34504 | 1,1-DICHLOROETHYLENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34505 | 1,1-DICHLOROETHYLENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34506 | 1,1,1-TRICHLOROETHANE TOTWUG/L | 03/13/81-09/02/86 | 2 ## | 0.64 | 0.64 | 0.78 | 0.5 | 0.039 | 0.198 | ** | ** | ** | ** |
| 34509 | 1,1,1-TRICHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34510 | 1,1,1-TRICHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 34511 | 1,1,2-TRICHLOROETHANE TOTWUG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34514 | 1,1,2-TRICHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34515 | 1,1,2-TRICHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34516 | 1,1,2,2-TETRACHLOROETHANE TOTWUG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34519 | 1,1,2,2-TETRACHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34520 | 1,1,2,2-TETRACHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34521 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34524 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENDRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 3000. | 3000. | 3000. | 3000. | 0. | 0. | ** | ** | ** | ** |
| 34525 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENWET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 34526 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34529 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENDRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 3000. | 3000. | 3000. | 3000. | 0. | 0. | ** | ** | ** | ** |
| 34530 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENWET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34534 | 1,2-DICHLOROETHANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34535 | 1,2-DICHLOROETHANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34536 | 1,2-DICHLOROBENZENE TOTWUG/L | 03/13/81-06/10/86 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34539 | 1,2-DICHLOROBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34540 | 1,2-DICHLOROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34541 | 1,2-DICHLOROPROPANE TOTWUG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34544 | 1,2-DICHLOROPROPANE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34545 | 1,2-DICHLOROPROPANE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34546 | TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER UG/L | 03/13/81-09/02/86 | 2 ## | 0.47 | 0.47 | 0.5 | 0.44 | 0.002 | 0.042 | ** | ** | ** | ** |
| 34549 | TRANS-1,2-DICHLOROETHENE, IN SED. DRY WT. UG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34550 | TRANS-1,2-DICHLOROETHENE, IN TISSUE, WET WT. MG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34551 | 1,2,4-TRICHLOROBENZENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# Parameter Inventory for Station: HOFU0023

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 34554 | 1,2,4-TRICHLOROBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34555 | 1,2,4-TRICHLOROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34556 | 1,2,5,6-DIBENZANTHRACENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34559 | 1,2,5,6-DIBENZANTHRACENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34560 | 1,2,5,6-DIBENZANTHRACENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 34566 | 1,3-DICHLOROBENZENE TOTWUG/L | 03/13/81-06/10/86 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34569 | 1,3-DICHLOROBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34570 | 1,3-DICHLOROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34571 | 1,4-DICHLOROBENZENE TOTWUG/L | 03/13/81-06/10/86 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34574 | 1,4-DICHLOROBENZENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34575 | 1,4-DICHLOROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34576 | 2-CHLOROETHYL VINYL ETHER TOTWUG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34579 | 2-CHLOROETHYL VINYL ETHER DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34580 | 2-CHLOROETHYL VINYL ETHER WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34581 | 2-CHLORONAPHTHALENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34584 | 2-CHLORONAPHTHALENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34585 | 2-CHLORONAPHTHALENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34586 | 2-CHLOROPHENOL TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34589 | 2-CHLOROPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 3000. | 3000. | 3000. | 3000. | 0. | 0. | ** | ** | ** | ** |
| 34590 | 2-CHLOROPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 34591 | 2-NITROPHENOL TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34594 | 2-NITROPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 3000. | 3000. | 3000. | 3000. | 0. | 0. | ** | ** | ** | ** |
| 34595 | 2-NITROPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 34596 | DI-N-OCTYL PHTHALATE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34599 | DI-N-OCTYL PHTHALATE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34600 | DI-N-OCTYL PHTHALATE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34601 | 2,4-DICHLOROPHENOL TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34604 | 2,4-DICHLOROPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 3000. | 3000. | 3000. | 3000. | 0. | 0. | ** | ** | ** | ** |
| 34605 | 2,4-DICHLOROPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 34606 | 2,4-DIMETHYLPHENOL TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34609 | 2,4-DIMETHYLPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 3000. | 3000. | 3000. | 3000. | 0. | 0. | ** | ** | ** | ** |
| 34610 | 2,4-DIMETHYLPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 34611 | 2,4-DINITROTOLUENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34614 | 2,4-DINITROTOLUENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34615 | 2,4-DINITROTOLUENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34616 | 2,4-DINITROPHENOL TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 34619 | 2,4-DINITROPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 30000. | 30000. | 30000. | 30000. | 0. | 0. | ** | ** | ** | ** |
| 34620 | 2,4-DINITROPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 40. | 40. | 40. | 40. | 0. | 0. | ** | ** | ** | ** |
| 34621 | 2,4,6-TRICHLOROPHENOL TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34624 | 2,4,6-TRICHLOROPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 3000. | 3000. | 3000. | 3000. | 0. | 0. | ** | ** | ** | ** |
| 34625 | 2,4,6-TRICHLOROPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 34626 | 2,6-DINITROTOLUENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34629 | 2,6-DINITROTOLUENE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34630 | 2,6-DINITROTOLUENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34631 | 3,3'-DICHLOROBENZIDINE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34634 | 3,3'-DICHLOROBENZIDINE DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34635 | 3,3'-DICHLOROBENZIDINE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34636 | 4-BROMOPHENYL PHENYL ETHER TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34639 | 4-BROMOPHENYL PHENYL ETHER DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34640 | 4-BROMOPHENYL PHENYL ETHER WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34641 | 4-CHLOROPHENYL PHENYL ETHER TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34644 | 4-CHLOROPHENYL PHENYL ETHER DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 34645 | 4-CHLOROPHENYL PHENYL ETHER WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34646 | 4-NITROPHENOL TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 34649 | 4-NITROPHENOL DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 3000. | 3000. | 3000. | 3000. | 0. | 0. | ** | ** | ** | ** |
| 34650 | 4-NITROPHENOL WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 34657 | DNOC (4,6-DINITRO-ORTHO-CRESOL) TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 34660 | DNOC (4,6-DINITRO-ORTHO-CRESOL) DRY WGTBOTUG/KG | 04/24/81-04/24/81 | 1 ## | 30000. | 30000. | 30000. | 30000. | 0. | 0. | ** | ** | ** | ** |
| 34661 | DNOC (4,6-DINITRO-ORTHO-CRESOL) WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 40. | 40. | 40. | 40. | 0. | 0. | ** | ** | ** | ** |
| 34668 | DICHLORODIFUOROMETHANE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 2.75 | 2.75 | 5. | 0.5 | 10.125 | 3.182 | ** | ** | ** | ** |
| 34670 | PCB - 1260 WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 34671 | PCB - 1016 TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 34674 | PCB - 1016 WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# Parameter Inventory for Station: HOFU0023

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 34680 | ALDRIN IN FISH TISSUE WET WEIGHT MG/KG | 04/24/81-04/24/81 | 1 ## | 4950. | 4950. | 4950. | 4950. | 0. | 0. | ** | ** | ** | ** |
| 34682 | CHLORDANE(TECH MIX & METABS),TISSUEWET WGTT,MG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34683 | DI-N-BUTYL PHTHALATE,TISSUE,WET WGTWET WGT | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34685 | ENDRIN WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34686 | HEPTACHLOR EPOXIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34687 | HEPTACHLOR WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34688 | HEXACHLOROBENZENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 34689 | PCB - 1242 WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34690 | PCB - 1254 WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34691 | TOXAPHENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 34692 | TRICHLOROETHYLENE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 34693 | VINYL CHLORIDE WET WGTTISMG/KG | 04/24/81-04/24/81 | 1 ## | 0.125 | 0.125 | 0.125 | 0.125 | 0. | 0. | ** | ** | ** | ** |
| 34694 | PHENOL(C6H5OH)-SINGLE COMPOUND TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34695 | PHENOL(C6H5OH)-SINGLE COMPOUND DRY WGTTUG/KG | 04/24/81-04/24/81 | 1 ## | 3000. | 3000. | 3000. | 3000. | 0. | 0. | ** | ** | ** | ** |
| 34696 | NAPHTHALENE TOTWUG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34697 | TRANS-1,3-DICHLOROPROPENE SEDIMENT DRY WGT UG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34698 | TRANS-1,3-DICHLOROPROPENEFISH TISSUE WET WGT MG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34699 | TRANS-1,3-DICHLOROPROPENETOTAL IN WATER UG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 34702 | CIS-1,3-DICHLOROPROPENE SEDIMENT DRY WEIGHT UG/KG | 04/24/81-04/24/81 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 34703 | CIS-1,3-DICHLOROPROPENE FISH TISSUE WET WGT MG/KG | 04/24/81-04/24/81 | 1 ## | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 34704 | CIS-1,3-DICHLOROPROPENE TOTAL IN WATER UG/L | 03/13/81-09/02/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 39032 | PCP (PENTACHLOROPHENOL) WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 2 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 39060 | PCP (PENTACHLOROPHENOL) IN TISSUE WET WGT UG/G | 04/24/81-04/24/81 | 1 ## | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 39061 | PCP (PENTACHLOROPHENOL) IN BOT DEPOS DRY SOL UG/KG | 04/24/81-04/24/81 | 1 ## | 3000. | 3000. | 3000. | 3000. | 0. | 0. | ** | ** | ** | ** |
| 39074 | BHC-ALPHA ISOMER,TISSUE UG/G WET WGT | 04/24/81-04/24/81 | 1 ## | 4950. | 4950. | 4950. | 4950. | 0. | 0. | ** | ** | ** | ** |
| 39076 | BHC-ALPHA ISOMER, BOTTOM DEPOS (UG/KG DRY SOL) | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39099 | BIS(2-ETHYLHEXYL)PHTHALATE,TISSUE,WET WGT,MG/KG | 04/24/81-04/24/81 | 1 ## | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 39100 | BIS(2-ETHYLHEXYL) PHTHALATE,WHOLE WATER,UG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 39102 | BIS(2-ETHYLHEXYL) PHTHALATE,SEDIMENT,DRY WGT,UG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 39110 | DI-N-BUTYL PHTHALATE,WHOLE WATER,UG/L | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 39112 | DI-N-BUTYL PHTHALATE,SEDIMENTS,DRY WGT,UG/KG | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 39120 | BENZIDINE IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 39121 | BENZIDINE IN BOTTOM DEPOS UG/KG DRY SOLIDS | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 39175 | VINYL CHLORIDE-WHOLE WATER SAMPLE-UG/L | 03/13/81-09/02/86 | 2 ## | 2.75 | 2.75 | 5. | 0.5 | 10.125 | 3.182 | ** | ** | ** | ** |
| 39180 | TRICHLOROETHYLENE-WHOLE WATER SAMPLE-UG/L | 03/13/81-09/02/86 | 2 | 23.2 | 23.2 | 46. | 0.4 | 1039.68 | 32.244 | ** | ** | ** | ** |
| 39300 | P,P' DDT IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 2 ## | 0.008 | 0.008 | 0.008 | 0.008 | 0. | 0. | ** | ** | ** | ** |
| 39301 | P,P' DDT IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 04/24/81-04/24/81 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39302 | P P DDT IN TISSUE WET WGT (UG/G) | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39310 | P,P' DDD IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 2 ## | 0.006 | 0.006 | 0.006 | 0.006 | 0. | 0. | ** | ** | ** | ** |
| 39311 | P,P' DDD IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 04/24/81-04/24/81 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39312 | P P DDD IN TISSUE WET WGT (UG/G) | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39320 | P,P' DDE IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 2 ## | 0.003 | 0.003 | 0.003 | 0.003 | 0. | 0. | ** | ** | ** | ** |
| 39321 | P,P' DDE IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 04/24/81-04/24/81 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39322 | P,P'-DDE IN TISSUE WET WGT MG/KG | 04/24/81-04/24/81 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39330 | ALDRIN IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 2 ## | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39337 | ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP | 03/13/81-04/24/81 | 2 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |
| 39338 | BETA BENZENE HEXACHLORIDE IN WHOLE WATER SAMP | 03/13/81-04/24/81 | 2 ## | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 39340 | GAMMA-BHC(LINDANE),WHOLE WATER,UG/L | 03/13/81-04/24/81 | 2 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39350 | CHLORDANE(TECH MIX & METABS),WHOLE WATER,UG/L | 03/13/81-04/24/81 | 2 ## | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 04/24/81-04/24/81 | 1 ## | 0.025 | 0.025 | 0.025 | 0.025 | 0. | 0. | ** | ** | ** | ** |
| 39380 | DIELDRIN IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 2 ## | 0.003 | 0.003 | 0.003 | 0.003 | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 04/24/81-04/24/81 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39390 | ENDRIN IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 2 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 04/24/81-04/24/81 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39400 | TOXAPHENE IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 2 ## | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 04/24/81-04/24/81 | 1 ## | 0.025 | 0.025 | 0.025 | 0.025 | 0. | 0. | ** | ** | ** | ** |
| 39404 | DIELDRIN IN TISSUE WET WGT (UG/G) | 04/24/81-04/24/81 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39410 | HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 2 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 04/24/81-04/24/81 | 1 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |
| 39420 | HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 2 ## | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 04/24/81-04/24/81 | 1 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0023

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 39488 | PCB - 1221 IN THE WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 2 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39492 | PCB - 1232 PCB SERIES WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 2 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39496 | PCB - 1242 PCB SERIES WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 2 ## | 0.025 | 0.025 | 0.025 | 0.025 | 0. | 0. | ** | ** | ** | ** |
| 39499 | PCB - 1242 BOT. DEP.,PCB-SERIES DRY SOL UG/KG | 04/24/81-04/24/81 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 39500 | PCB - 1248 PCB SERIES WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 2 ## | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |
| 39504 | PCB - 1254 PCB SERIES WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 2 ## | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |
| 39507 | PCB - 1254 IN BOTTOM DEPOS. DRY SOLIDS UG/KG | 04/24/81-04/24/81 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39508 | PCB - 1260 PCB SERIES WHOLE WATER SAMPLE UG/L | 03/13/81-04/24/81 | 2 ## | 0.075 | 0.075 | 0.075 | 0.075 | 0. | 0. | ** | ** | ** | ** |
| 39511 | PCB - 1260 IN BOTTOM DEPOS. DRY SOLIDS UG/KG | 04/24/81-04/24/81 | 1 | 0.07 | 0.07 | 0.07 | 0.07 | 0. | 0. | ** | ** | ** | ** |
| 39514 | PCB - 1016 IN BOTTOM SEDIMENTS DRY WT UG/KG | 04/24/81-04/24/81 | 1 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |
| 39700 | HEXACHLOROBENZENE IN WHOLE WATER SAMPLE (UG/L) | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 39701 | HEXACHLOROBENZENE IN BOT DEPOS (UG/KG DRY SOLIDS) | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 39702 | HEXACHLOROBUTADIENE IN WHOLE WATER SAMPLE(UG/L) | 03/13/81-04/24/81 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 39705 | HEXACHLOROBUTADIENE BOT. DEPOS.(UG/KG DRY WGT) | 04/24/81-04/24/81 | 1 ## | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 39785 | GAMMA-BHC(LINDANE),TISSUE,WET WEIGHT,MG/KG | 04/24/81-04/24/81 | 1 ## | 4950. | 4950. | 4950. | 4950. | 0. | 0. | ** | ** | ** | ** |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 03/13/81-09/02/86 | 2 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 04/24/81-04/24/81 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 71930 | MERCURY,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 04/24/81-04/24/81 | 1 | 0.06 | 0.06 | 0.06 | 0.06 | 0. | 0. | ** | ** | ** | ** |
| 71936 | LEAD,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 04/24/81-04/24/81 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 71937 | COPPER,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 04/24/81-04/24/81 | 1 | 0.6 | 0.6 | 0.6 | 0.6 | 0. | 0. | ** | ** | ** | ** |
| 71938 | ZINC,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 04/24/81-04/24/81 | 1 | 23.1 | 23.1 | 23.1 | 23.1 | 0. | 0. | ** | ** | ** | ** |
| 71939 | CHROMIUM,TOT IN FISH OR ANIMALS-WET WEIGHT BASIS | 04/24/81-04/24/81 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 71940 | CADMIUM,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 04/24/81-04/24/81 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 81614 | NUMBER OF INDIVIDUALS IN THE SAMPLE | 04/24/81-04/24/81 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0023

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00720 | CYANIDE, TOTAL | Fresh Acute | 0.022 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 0.2 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01012 | BERYLLIUM, TOTAL | Fresh Acute | 130. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 4. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 5. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 2 | 2 | 1.00 | | | | 1 | 1 | 1.00 | 1 | 1 | 1.00 | | | |
| | | Drinking Water | 1300. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01059 | THALLIUM, TOTAL | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 2. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01077 | SILVER, TOTAL | Fresh Acute | 4.1 | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01097 | ANTIMONY, TOTAL | Fresh Acute | 88. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 6. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01147 | SELENIUM, TOTAL | Fresh Acute | 20. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 50. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 32101 | BROMODICHLOROMETHANE, WHOLE WATER | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 32102 | CARBON TETRACHLORIDE, WHOLE WATER | Fresh Acute | 35200. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 32103 | 1,2-DICHLOROETHANE,WHOLE WATER | Fresh Acute | 118000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Station: HOFU0023

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 32104 | BROMOFORM, WHOLE WATER | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 32105 | DIBROMOCHLOROMETHANE, WHOLE WATER | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 32106 | CHLOROFORM, WHOLE WATER | Fresh Acute | 28900. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34010 | TOLUENE IN WTR SMPLE GC-MS, HEXADECONE E | Fresh Acute | 17500. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34205 | ACENAPHTHENE, TOTAL | Fresh Acute | 1700. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34210 | ACROLEIN, TOTAL | Fresh Acute | 68. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34215 | ACRYLONITRILE, TOTAL | Fresh Acute | 7550. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34301 | CHLOROBENZENE, TOTAL | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34346 | 1,2-DIPHENYLHYDRAZINE, TOTAL | Fresh Acute | 270. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34356 | ENDOSULFAN, BETA, TOTAL | Fresh Acute | 0.22 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34361 | ENDOSULFAN, ALPHA, TOTAL | Fresh Acute | 0.22 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34371 | ETHYLBENZENE, TOTAL | Fresh Acute | 32000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 700. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34376 | FLUORANTHENE, TOTAL | Fresh Acute | 3980. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34386 | HEXACHLOROCYCLOPENTADIENE, TOTAL | Fresh Acute | 7. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34396 | HEXACHLOROETHANE, TOTAL | Fresh Acute | 980. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34403 | IDENO (1,2,3-CD) PYRENE | Drinking Water | 0.4 | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 34408 | ISOPHORONE, TOTAL | Fresh Acute | 117000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34423 | METHYLENE CHLORIDE, TOTAL | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34447 | NITROBENZENE, TOTAL | Fresh Acute | 27000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34452 | PARACHLOROMETA CRESOL, TOTAL | Fresh Acute | 30. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34461 | PHENANTHRENE, TOTAL | Fresh Acute | 30. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34475 | TETRACHLOROETHYLENE, TOTAL | Fresh Acute | 5280. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34501 | 1,1-DICHLOROETHYLENE, TOTAL | Drinking Water | 7. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34506 | 1,1,1-TRICHLOROETHANE, TOTAL | Drinking Water | 200. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34511 | 1,1,2-TRICHLOROETHANE, TOTAL | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34536 | 1,2-DICHLOROBENZENE, TOTAL | Drinking Water | 600. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34541 | 1,2-DICHLOROPROPANE, TOTAL | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34546 | TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATE | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34551 | 1,2,4-TRICHLOROBENZENE, TOTAL | Drinking Water | 70. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34566 | 1,3-DICHLOROBENZENE, TOTAL | Drinking Water | 600. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34571 | 1,4-DICHLOROBENZENE, TOTAL | Drinking Water | 75. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34586 | 2-CHLOROPHENOL, TOTAL | Fresh Acute | 4380. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34601 | 2,4-DICHLOROPHENOL, TOTAL | Fresh Acute | 2020. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34606 | 2,4-DIMETHYLPHENOL, TOTAL | Fresh Acute | 2120. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34611 | 2,4-DINITROTOLUENE, TOTAL | Fresh Acute | 330. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34694 | PHENOL (C6H5OH) - SINGLE COMPOUND, TOTAL | Fresh Acute | 10200. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34696 | NAPHTHALENE, TOTAL | Fresh Acute | 2300. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39032 | PCP (PENTACHLOROPHENOL) WHOLE WATER SAMP | Fresh Acute | 20. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 39100 | BIS(2-ETHYLHEXYL) PHTHALATE, WHOLE WATER | Fresh Acute | 2000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 6. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39175 | VINYL CHLORIDE-WHOLE WATER SAMPLE | Drinking Water | 2. | 1 & | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 39180 | TRICHLOROETHYLENE-WHOLE WATER SAMPLE | Fresh Acute | 45000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 2 | 1 | 0.50 | | | | 1 | 0 | 0.00 | 1 | 1 | 1.00 | | | |
| 39300 | P,P' DDT IN WHOLE WATER SAMPLE | Fresh Acute | 1.1 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39310 | P,P' DDD IN WHOLE WATER SAMPLE | Fresh Acute | 0.6 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39320 | P,P' DDE IN WHOLE WATER SAMPLE | Fresh Acute | 1050. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39330 | ALDRIN IN WHOLE WATER SAMPLE | Fresh Acute | 3. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39340 | GAMMA-BHC(LINDANE), WHOLE WATER | Fresh Acute | 2. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 0.2 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39350 | CHLORDANE(TECH MIX & METABS), WHOLE WATE | Fresh Acute | 2.4 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 2. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39380 | DIELDRIN IN WHOLE WATER SAMPLE | Fresh Acute | 2.5 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Station: HOFU0023

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 39390 | ENDRIN IN WHOLE WATER SAMPLE | Fresh Acute | 0.18 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 2. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39400 | TOXAPHENE IN WHOLE WATER SAMPLE | Fresh Acute | 0.73 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 3. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39410 | HEPTACHLOR IN WHOLE WATER SAMPLE | Fresh Acute | 0.52 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 0.4 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39420 | HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE | Fresh Acute | 0.52 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 0.2 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39700 | HEXACHLOROBENZENE IN WHOLE WATER SAMPLE | Fresh Acute | 6. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 39702 | HEXACHLOROBUTADIENE IN WHOLE WATER SAMPL | Fresh Acute | 90. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 71900 | MERCURY, TOTAL | Fresh Acute | 2.4 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 2. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0024

NPS Station ID: HOFU0024 | LAT/LON: 40.170004/ -75.696948 | Agency: 11NPSWRD | Date Created: 04/25/98
Location: FRENCH CK 200 YDS DOWNSTREAM OF T515 CROSSING | FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM | STORET Station ID(s): HOFU_PADEP_08FC
RMI-Indexes: | Within Park Boundary: No
RMI-Miles:
HUC: 02040203 | Depth of Water: 0 | Aquifer:
Major Basin: NORTH ATLANTIC | Elevation: 0 | Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL | ECO Region:
RF1 Index: 02040203 | RF1 Mile Point: 0.000 | Distance from RF1: 0.00 | On/Off RF1:
RF3 Index: 02040203001700.00 | RF3 Mile Point: 0.00 | Distance from RF3: 0.04 | On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK INSIDE WARWICK COUNTY PARK 200 YARDS DOWNSTREAM OF T-515 ROAD CROSSING. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0024

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/24/95-05/24/95 | 1 | 19.2 | 19.2 | 19.2 | 19.2 | 0. | 0. | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/24/95-05/24/95 | 1 | 12. | 12. | 12. | 12. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 05/24/95-05/24/95 | 1 | 118. | 118. | 118. | 118. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 05/24/95-05/24/95 | 1 | 8.2 | 8.2 | 8.2 | 8.2 | 0. | 0. | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 05/24/95-05/24/95 | 1 | 6.9 | 6.9 | 6.9 | 6.9 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 05/24/95-05/24/95 | 1 | 6.9 | 6.9 | 6.9 | 6.9 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/24/95-05/24/95 | 1 | 0.126 | 0.126 | 0.126 | 0.126 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 05/24/95-05/24/95 | 1 | 7.3 | 7.3 | 7.3 | 7.3 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 05/24/95-05/24/95 | 1 | 7.3 | 7.3 | 7.3 | 7.3 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/24/95-05/24/95 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/24/95-05/24/95 | 1 | 34. | 34. | 34. | 34. | 0. | 0. | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/24/95-05/24/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 05/24/95-05/24/95 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/24/95-05/24/95 | 1 ## | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/24/95-05/24/95 | 1 | 0.006 | 0.006 | 0.006 | 0.006 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/24/95-05/24/95 | 1 | 0.56 | 0.56 | 0.56 | 0.56 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 05/24/95-05/24/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/24/95-05/24/95 | 1 | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/24/95-05/24/95 | 1 | 37. | 37. | 37. | 37. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0024

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/24/95-05/24/95 | 1 | 10.6 | 10.6 | 10.6 | 10.6 | 0. | 0. | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/24/95-05/24/95 | 1 | 4.1 | 4.1 | 4.1 | 4.1 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/24/95-05/24/95 | 1 | 6. | 6. | 6. | 6. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/24/95-05/24/95 | 1 | 11. | 11. | 11. | 11. | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/24/95-05/24/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 05/24/95-05/24/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/24/95-05/24/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/24/95-05/24/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 05/24/95-05/24/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 05/24/95-05/24/95 | 1 | 434. | 434. | 434. | 434. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 05/24/95-05/24/95 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/24/95-05/24/95 | 1 | 32. | 32. | 32. | 32. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/24/95-05/24/95 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/24/95-05/24/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 05/24/95-05/24/95 | 1 | 139. | 139. | 139. | 139. | 0. | 0. | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/24/95-05/24/95 | 1 | 240. | 240. | 240. | 240. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/24/95-05/24/95 | 1 | 2.38 | 2.38 | 2.38 | 2.38 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 240. | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/24/95-05/24/95 | 1 | 90. | 90. | 90. | 90. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0024

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0025

NPS Station ID: HOFU0025
LAT/LON: 40.170559/ -75.697226
Agency: 112WRD
Date Created: / /
Location: FRENCH CREEK NEAR COVENTRYVILLE, PA.
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 01472138
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203019
RF1 Mile Point: 13.940
Distance from RF1: 29.90
On/Off RF1: OFF
RF3 Index: 02040203001916.53
RF3 Mile Point: 18.48
Distance from RF3: 0.00
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0025

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/09/69-11/06/95 | 26 | 9.5 | 10.069 | 18. | 5. | 12.273 | 3.503 | 5.85 | 7.85 | 13. | 16.09 |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/09/69-11/06/95 | 21 | 12. | 13.1 | 21. | 4.5 | 28.857 | 5.372 | 5.4 | 8.25 | 18.5 | 20.84 |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/09/69-11/06/95 | 19 | 11. | 15.474 | 32. | 7. | 65.819 | 8.113 | 7. | 10. | 23. | 30. |
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 10/18/83-10/09/91 | 8 | 1. | 1.213 | 2.5 | 0.5 | 0.424 | 0.651 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/09/69-11/06/95 | 26 | 126. | 124.923 | 180. | 60. | 826.474 | 28.748 | 67. | 113.75 | 145. | 155.8 |
| 00300 | OXYGEN, DISSOLVED MG/L | 10/24/74-11/06/95 | 19 | 11. | 10.811 | 12.6 | 7.2 | 1.399 | 1.183 | 9.5 | 10.5 | 11.2 | 12.4 |
| 00340 | COD, .25N K2CR2O7 MG/L | 12/09/69-10/04/73 | 6 | 9. | 10.5 | 23. | 2. | 62.7 | 7.918 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 12/09/69-11/06/95 | 26 | 7.2 | 7.238 | 8. | 6.2 | 0.158 | 0.397 | 6.64 | 7.087 | 7.415 | 7.8 |
| 00400 | CONVERTED PH (STANDARD UNITS) | 12/09/69-11/06/95 | 26 | 7.2 | 7.032 | 8. | 6.2 | 0.202 | 0.449 | 6.64 | 7.087 | 7.415 | 7.8 |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 12/09/69-11/06/95 | 26 | 0.063 | 0.093 | 0.631 | 0.01 | 0.016 | 0.128 | 0.016 | 0.039 | 0.082 | 0.235 |
| 00403 | PH, LAB, STANDARD UNITS SU | 11/06/80-10/09/91 | 11 | 7.5 | 7.391 | 7.7 | 6.8 | 0.059 | 0.243 | 6.88 | 7.3 | 7.5 | 7.68 |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 11/06/80-10/09/91 | 11 | 7.5 | 7.315 | 7.7 | 6.8 | 0.065 | 0.256 | 6.88 | 7.3 | 7.5 | 7.68 |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/06/80-10/09/91 | 11 | 0.032 | 0.048 | 0.158 | 0.02 | 0.001 | 0.039 | 0.021 | 0.032 | 0.05 | 0.139 |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/04/73-11/01/78 | 4 | 3.1 | 2.925 | 4.4 | 1.1 | 2.396 | 1.548 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/04/73-10/09/91 | 14 | 37.5 | 38.429 | 48. | 24. | 42.418 | 6.513 | 28. | 35.25 | 44.5 | 47. |
| 00419 | ALKALINITY,CARBONATE,INCREMENTAL TITR FIELD MG/L | 10/15/92-11/06/95 | 3 | 29. | 31.667 | 40. | 26. | 54.333 | 7.371 | ** | ** | ** | ** |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/04/73-11/01/78 | 4 | 44. | 43. | 44. | 40. | 4. | 2. | ** | ** | ** | ** |
| 00445 | CARBONATE ION (MG/L AS CO3) | 10/04/73-11/01/78 | 4 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 12/09/69-10/30/72 | 6 | 81. | 85.833 | 106. | 77. | 132.567 | 11.514 | ** | ** | ** | ** |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 11/01/78-10/21/81 | 3 | 0.59 | 0.65 | 0.88 | 0.48 | 0.043 | 0.207 | ** | ** | ** | ** |
| 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/10/85 | 4 | 0.865 | 0.96 | 1.5 | 0.61 | 0.181 | 0.425 | ** | ** | ** | ** |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 10/04/71-10/21/81 | 9 | 0.3 | 0.273 | 0.39 | 0.09 | 0.009 | 0.093 | 0.09 | 0.205 | 0.335 | 0.39 |
| 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/21/81-11/04/82 | 2 | 0.285 | 0.285 | 0.29 | 0.28 | 0. | 0.007 | ** | ** | ** | ** |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/21/81-11/06/95 | 14 | 0.02 | 0.026 | 0.12 | 0.005 | 0.001 | 0.03 | 0.005 | 0.009 | 0.025 | 0.085 |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 10/04/71-10/21/81 | 9 | 0.02 | 0.033 | 0.15 | 0. | 0.002 | 0.046 | 0. | 0.01 | 0.04 | 0.15 |
| 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-11/06/95 | 14 ## | 0.005 | 0.008 | 0.05 | 0.005 | 0. | 0.012 | 0.005 | 0.005 | 0.005 | 0.028 |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/04/71-10/21/81 | 6 | 0.005 | 0.005 | 0.01 | 0. | 0. | 0.004 | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 10/18/83-10/18/83 | 1 | 0.81 | 0.81 | 0.81 | 0.81 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 12/09/69-10/21/81 | 11 | 0.57 | 0.626 | 2.7 | 0.08 | 0.531 | 0.728 | 0.09 | 0.14 | 0.68 | 2.304 |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/15/92 | 11 | 0.3 | 0.265 | 0.6 | 0. | 0.023 | 0.151 | 0.02 | 0.2 | 0.3 | 0.544 |
| 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/21/81-10/10/85 | 2 | 0.1 | 0.1 | 0.2 | 0. | 0.02 | 0.141 | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/04/73-10/15/92 | 14 | 0.305 | 0.276 | 0.5 | 0.1 | 0.022 | 0.147 | 0.1 | 0.1 | 0.37 | 0.5 |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/04/73-10/21/81 | 4 | 0.46 | 0.445 | 0.58 | 0.28 | 0.023 | 0.153 | ** | ** | ** | ** |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 11/09/79-11/06/95 | 15 | 0.7 | 0.673 | 1.1 | 0.3 | 0.052 | 0.228 | 0.3 | 0.5 | 0.8 | 0.98 |
| 00650 | PHOSPHATE, TOTAL (MG/L AS PO4) | 11/06/80-11/06/80 | 1 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 10/05/70-10/15/92 | 19 | 0.02 | 0.035 | 0.22 | 0.005 | 0.002 | 0.047 | 0.01 | 0.02 | 0.03 | 0.06 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/15/92 | 11 | 0.01 | 0.013 | 0.03 | 0.005 | 0. | 0.008 | 0.005 | 0.005 | 0.02 | 0.028 |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/21/81-11/06/95 | 14 ## | 0.005 | 0.011 | 0.04 | 0.005 | 0. | 0.01 | 0.005 | 0.005 | 0.013 | 0.03 |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

# Parameter Inventory for Station: HOFU0025

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/04/73-11/04/82 | 7 | 53. | 53.286 | 59. | 47. | 19.571 | 4.424 | ** | ** | ** | ** |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/04/73-11/01/78 | 4 | 16.5 | 15.75 | 19. | 11. | 11.583 | 3.403 | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/04/73-10/09/91 | 15 | 13. | 13.067 | 17. | 11. | 2.781 | 1.668 | 11. | 12. | 14. | 15.8 |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 02/24/70-10/30/72 | 5 | 10. | 10.12 | 12. | 7.6 | 3.672 | 1.916 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/04/73-10/09/91 | 15 | 4.6 | 4.427 | 5.1 | 3. | 0.298 | 0.546 | 3.6 | 4.1 | 4.9 | 5.04 |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 02/24/70-10/30/72 | 5 | 3.5 | 3.8 | 6.2 | 2.5 | 2.09 | 1.446 | ** | ** | ** | ** |
| 00929 | SODIUM, TOTAL (MG/L AS NA) | 02/24/70-10/30/72 | 5 | 6.45 | 5.992 | 9.7 | 3. | 7.89 | 2.809 | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/04/73-10/09/91 | 15 | 5.5 | 5.44 | 6.3 | 4.4 | 0.247 | 0.497 | 4.76 | 5.1 | 5.9 | 6.18 |
| 00931 | SODIUM ADSORPTION RATIO | 10/04/73-11/04/82 | 7 | 0.3 | 0.329 | 0.4 | 0.3 | 0.002 | 0.049 | ** | ** | ** | ** |
| 00932 | SODIUM, PERCENT | 10/04/73-11/04/82 | 7 | 18. | 17.714 | 19. | 16. | 1.238 | 1.113 | ** | ** | ** | ** |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/04/73-10/09/91 | 15 | 1.4 | 1.467 | 1.9 | 1.2 | 0.034 | 0.184 | 1.26 | 1.4 | 1.6 | 1.78 |
| 00937 | POTASSIUM, TOTAL MG/L AS K) | 02/24/70-10/30/72 | 5 | 1.2 | 1.312 | 2. | 0.9 | 0.215 | 0.464 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 12/09/69-11/06/95 | 24 | 8. | 7.958 | 11. | 5. | 1.955 | 1.398 | 6.5 | 7. | 9. | 10. |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 12/09/69-10/09/91 | 22 | 11.5 | 11.955 | 16. | 7. | 6.903 | 2.627 | 8.3 | 10. | 14.25 | 15.7 |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/04/73-10/09/91 | 10 | 0.1 | 0.14 | 0.3 | 0.05 | 0.009 | 0.094 | 0.05 | 0.088 | 0.225 | 0.3 |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/04/73-10/09/91 | 16 | 15.5 | 15.813 | 19. | 14. | 1.629 | 1.276 | 14.7 | 15. | 16. | 18.3 |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/04/73-11/04/82 | 3 ## | 0.5 | 0.667 | 1. | 0.5 | 0.083 | 0.289 | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/04/73-11/04/82 | 7 ## | 0.5 | 0.429 | 1. | 0. | 0.202 | 0.45 | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/04/73-11/04/82 | 7 ## | 0. | 0.214 | 1. | 0. | 0.155 | 0.393 | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 02/24/70-11/09/79 | 5 ## | 50. | 44. | 50. | 20. | 180. | 13.416 | ** | ** | ** | ** |
| 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/04/73-11/04/82 | 7 ## | 0. | 0.357 | 1. | 0. | 0.226 | 0.476 | ** | ** | ** | ** |
| 01037 | COBALT, TOTAL (UG/L AS CO) | 02/24/70-10/30/72 | 4 ## | 100. | 187.5 | 450. | 100. | 30625. | 175. | ** | ** | ** | ** |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/04/73-11/04/82 | 7 ## | 1. | 2.143 | 10. | 0. | 12.81 | 3.579 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 10/05/70-11/09/79 | 4 ## | 125. | 93.75 | 125. | 0. | 3906.25 | 62.5 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 02/24/70-10/04/73 | 5 ## | 125. | 172. | 430. | 50. | 23282.5 | 152.586 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/24/74-10/09/91 | 14 | 120. | 123.571 | 190. | 81. | 841.802 | 29.014 | 83. | 98.5 | 142.5 | 170. |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/04/73-11/04/82 | 7 | 2. | 2. | 6. | 0. | 4.25 | 2.062 | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 10/05/70-10/04/73 | 4 ## | 125. | 98.75 | 125. | 20. | 2756.25 | 52.5 | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/24/74-10/09/91 | 14 | 20.5 | 24.286 | 40. | 10. | 102.835 | 10.141 | 12.5 | 16.75 | 32.5 | 40. |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/04/73-11/04/82 | 7 ## | 0.5 | 0.571 | 2. | 0. | 0.536 | 0.732 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 10/05/70-10/30/72 | 3 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/04/73-11/04/82 | 7 ## | 10. | 7. | 10. | 2. | 14.333 | 3.786 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 10/05/70-11/09/79 | 4 ## | 17.5 | 51.25 | 160. | 10. | 5306.25 | 72.844 | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 10/18/83-10/09/91 | 8 | 15. | 15.625 | 30. | 5. | 67.411 | 8.21 | ** | ** | ** | ** |
| 01132 | LITHIUM, TOTAL (UG/L AS LI) | 10/05/70-10/30/72 | 3 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01147 | SELENIUM, TOTAL (UG/L AS SE) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 12/09/69-10/04/73 | 7 | 1650. | 16582.143 | 73000. | 1205. | 702732448.81 | 26509.101 | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 12/09/69-10/04/73 | 7 | 3.217 | 3.708 | 4.863 | 3.081 | 0.531 | 0.729 | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 5102.598 | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 10/04/71-10/30/72 | 2 | 182.5 | 182.5 | 185. | 180. | 12.5 | 3.536 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 10/04/71-10/30/72 | 2 | 2.261 | 2.261 | 2.267 | 2.255 | 0. | 0.008 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 182.483 | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 12/09/69-10/04/73 | 7 | 300. | 724.429 | 1780. | 84. | 451997.952 | 672.308 | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 12/09/69-10/04/73 | 7 | 2.477 | 2.659 | 3.25 | 1.924 | 0.233 | 0.483 | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 455.595 | | | | | | | | |
| 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 11/01/78-11/04/82 | 3 | 0. | 0.007 | 0.02 | 0. | 0. | 0.012 | ** | ** | ** | ** |
| 39251 | PCNS IN BOTTOM DEPOS (UG/KG DRY SOLIDS) | 10/22/86-10/22/86 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/22/86-10/22/86 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 10/22/86-10/22/86 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 10/22/86-10/22/86 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/22/86-10/22/86 | 1 | 1.2 | 1.2 | 1.2 | 1.2 | 0. | 0. | ** | ** | ** | ** |
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/22/86-10/22/86 | 1 | 1.1 | 1.1 | 1.1 | 1.1 | 0. | 0. | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/22/86-10/22/86 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 10/22/86-10/22/86 | 1 | 0.3 | 0.3 | 0.3 | 0.3 | 0. | 0. | ** | ** | ** | ** |
| 39389 | ENDOSULFAN IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 10/22/86-10/22/86 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/22/86-10/22/86 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 10/22/86-10/22/86 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 10/22/86-10/22/86 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 10/22/86-10/22/86 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 10/22/86-10/22/86 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0025

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 10/22/86-10/22/86 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 39758 | MIREX, BOTTOM MATERIAL (UG/KG DRY SOLIDS) | 10/22/86-10/22/86 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/24/74-10/16/87 | 10 | 86.5 | 89.3 | 108. | 81. | 84.011 | 9.166 | 81. | 81. | 95.5 | 107.2 |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/04/73-11/01/78 | 4 | 80.5 | 82. | 93. | 74. | 63.333 | 7.958 | ** | ** | ** | ** |
| 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 11/04/82-11/04/82 | 1 | 1.86 | 1.86 | 1.86 | 1.86 | 0. | 0. | ** | ** | ** | ** |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/04/73-11/04/82 | 7 | 0.12 | 0.124 | 0.15 | 0.11 | 0. | 0.014 | ** | ** | ** | ** |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 10/05/70-10/21/81 | 9 | 0.01 | 0.014 | 0.03 | 0.005 | 0. | 0.008 | 0.005 | 0.01 | 0.02 | 0.03 |
| 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 11/09/79-11/06/80 | 2 | 0.025 | 0.025 | 0.05 | 0. | 0.001 | 0.035 | ** | ** | ** | ** |
| 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/21/81-11/04/82 | 2 | 0.03 | 0.03 | 0.05 | 0.01 | 0.001 | 0.028 | ** | ** | ** | ** |
| 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 11/09/79-10/10/85 | 5 | 0.06 | 0.188 | 0.67 | 0.06 | 0.073 | 0.27 | ** | ** | ** | ** |
| 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 11/01/78-10/21/81 | 3 | 2.6 | 2.867 | 3.9 | 2.1 | 0.863 | 0.929 | ** | ** | ** | ** |
| 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/21/81-11/04/82 | 2 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 11/09/79-11/09/79 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 05/20/70-10/30/72 | 4 | 4. | 3.75 | 6. | 1. | 6.917 | 2.63 | ** | ** | ** | ** |
| 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 05/20/70-10/30/72 | 4 | 0.21 | 0.235 | 0.49 | 0.03 | 0.042 | 0.204 | ** | ** | ** | ** |
| 81886 | PERTHANE IN SEDIMENT DRY WEIGHT UG/KG | 10/22/86-10/22/86 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0025

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 8 | 0 | 0.00 | 7 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 19 | 0 | 0.00 | 12 | 0 | 0.00 | 7 | 0 | 0.00 | | | | | | |
| 00400 | PH | Fresh Chronic | 9. | 26 | 0 | 0.00 | 16 | 0 | 0.00 | 9 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 26 | 2 | 0.08 | 16 | 1 | 0.06 | 9 | 1 | 0.11 | 1 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 11 | 0 | 0.00 | 8 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 11 | 0 | 0.00 | 8 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | |
| 00613 | NITRITE NITROGEN, DISSOLVED AS N | Drinking Water | 1. | 14 | 0 | 0.00 | 11 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 11 | 0 | 0.00 | 6 | 0 | 0.00 | 5 | 0 | 0.00 | | | | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. | Drinking Water | 10. | 15 | 0 | 0.00 | 11 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 24 | 0 | 0.00 | 14 | 0 | 0.00 | 9 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 24 | 0 | 0.00 | 14 | 0 | 0.00 | 9 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 22 | 0 | 0.00 | 13 | 0 | 0.00 | 8 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 10 | 0 | 0.00 | 4 | 0 | 0.00 | 6 | 0 | 0.00 | | | | | | |
| 01000 | ARSENIC, DISSOLVED | Fresh Acute | 360. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01030 | CHROMIUM, DISSOLVED | Drinking Water | 100. | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01040 | COPPER, DISSOLVED | Fresh Acute | 18. | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 & | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 4 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 3 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 100. | 0 & | 0 | 0.00 | | | | | | | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Station: HOFU0025

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01090 | ZINC, DISSOLVED | Fresh Acute | 120. | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5000. | 7 | 0 | 0.00 | 3 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 4 | 1 | 0.25 | 3 | 0 | 0.00 | 1 | 1 | 1.00 | | | | | | |
| | | Drinking Water | 5000. | 4 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01147 | SELENIUM, TOTAL | Fresh Acute | 20. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 7 | 7 | 1.00 | 4 | 4 | 1.00 | 2 | 2 | 1.00 | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| 71890 | MERCURY, DISSOLVED | Fresh Acute | 2.4 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 71900 | MERCURY, TOTAL | Fresh Acute | 2.4 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

## Seasonal Analysis for Season #1: 8/01 to 10/31 - Station HOFU0025

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/09/69-11/06/95 | 16 | 9.85 | 10.7 | 18. | 7.4 | 8.956 | 2.993 | 7.82 | 8.625 | 12.625 | 16.81 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/09/69-11/06/95 | 16 | 125. | 125.125 | 154. | 60. | 555.45 | 23.568 | 88. | 116.75 | 145. | 149.8 |
| 00400p | PH (STANDARD UNITS) | 12/09/69-11/06/95 | 16 | 7.25 | 7.269 | 7.8 | 6.2 | 0.166 | 0.407 | 6.55 | 7.113 | 7.565 | 7.8 |
| 00400p | CONVERTED PH (STANDARD UNITS) | 12/09/69-11/06/95 | 16 | 7.247 | 7.031 | 7.8 | 6.2 | 0.226 | 0.476 | 6.55 | 7.112 | 7.565 | 7.8 |
| 00400p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 12/09/69-11/06/95 | 16 | 0.057 | 0.093 | 0.631 | 0.016 | 0.022 | 0.15 | 0.016 | 0.028 | 0.077 | 0.329 |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/04/73-10/09/91 | 9 | 38. | 39. | 46. | 32. | 19.5 | 4.416 | 32. | 36. | 43. | 46. |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/15/92 | 9 | 0.3 | 0.258 | 0.6 | 0. | 0.028 | 0.167 | 0. | 0.15 | 0.31 | 0.6 |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/04/73-10/15/92 | 9 | 0.31 | 0.296 | 0.5 | 0.1 | 0.027 | 0.165 | 0.1 | 0.1 | 0.465 | 0.5 |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 10/05/70-10/15/92 | 14 | 0.025 | 0.027 | 0.06 | 0.01 | 0. | 0.013 | 0.01 | 0.02 | 0.033 | 0.05 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/15/92 | 9 | 0.01 | 0.014 | 0.03 | 0.005 | 0. | 0.009 | 0.005 | 0.005 | 0.02 | 0.03 |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/04/73-10/09/91 | 10 | 12. | 13. | 17. | 11. | 3.778 | 1.944 | 11. | 11.75 | 14.25 | 16.8 |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/04/73-10/09/91 | 10 | 4.25 | 4.31 | 5. | 3. | 0.341 | 0.584 | 3.1 | 4.075 | 4.775 | 5. |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/04/73-10/09/91 | 10 | 5.4 | 5.53 | 6.3 | 5. | 0.209 | 0.457 | 5.01 | 5.175 | 6.025 | 6.28 |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/04/73-10/09/91 | 10 | 1.4 | 1.49 | 1.9 | 1.2 | 0.039 | 0.197 | 1.22 | 1.4 | 1.625 | 1.88 |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 12/09/69-11/06/95 | 14 | 8. | 8.071 | 10. | 6. | 1.456 | 1.207 | 6.5 | 7. | 9. | 10. |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 12/09/69-10/09/91 | 13 | 11. | 11.769 | 16. | 7. | 7.026 | 2.651 | 7.8 | 9.5 | 14. | 15.6 |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/04/73-10/09/91 | 10 | 16. | 15.9 | 19. | 15. | 1.433 | 1.197 | 15. | 15. | 16. | 18.7 |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/24/74-10/09/91 | 9 | 130. | 120. | 150. | 81. | 727.75 | 26.977 | 81. | 89.5 | 145. | 150. |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/24/74-10/09/91 | 9 | 18. | 20.444 | 40. | 10. | 75.278 | 8.676 | 10. | 15.5 | 24. | 40. |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #2: 11/01 to 3/31 - Station HOFU0025

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/09/69-11/06/95 | 9 | 6.5 | 8.289 | 15.1 | 5. | 12.801 | 3.578 | 5. | 5.75 | 11.25 | 15.1 |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/09/69-11/06/95 | 9 | 134. | 130.667 | 180. | 60. | 1127. | 33.571 | 60. | 115. | 150. | 180. |
| 00400p | PH (STANDARD UNITS) | 12/09/69-11/06/95 | 9 | 7.2 | 7.097 | 7.4 | 6.5 | 0.086 | 0.294 | 6.5 | 6.91 | 7.35 | 7.4 |
| 00400p | CONVERTED PH (STANDARD UNITS) | 12/09/69-11/06/95 | 9 | 7.2 | 6.994 | 7.4 | 6.5 | 0.098 | 0.313 | 6.5 | 6.91 | 7.35 | 7.4 |
| 00400p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 12/09/69-11/06/95 | 9 | 0.063 | 0.101 | 0.316 | 0.04 | 0.008 | 0.088 | 0.04 | 0.045 | 0.126 | 0.316 |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/04/73-10/09/91 | 5 | 36. | 37.4 | 48. | 24. | 96.8 | 9.839 | ** | ** | ** | ** |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/15/92 | 2 | 0.3 | 0.3 | 0.3 | 0.3 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/04/73-10/15/92 | 5 | 0.3 | 0.242 | 0.35 | 0.1 | 0.014 | 0.118 | ** | ** | ** | ** |
| 00665p | PHOSPHORUS, TOTAL (MG/L AS P) | 10/05/70-10/15/92 | 5 | 0.02 | 0.057 | 0.22 | 0.005 | 0.008 | 0.092 | ** | ** | ** | ** |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/15/92 | 2 ## | 0.008 | 0.008 | 0.01 | 0.005 | 0. | 0.004 | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/04/73-10/09/91 | 5 | 13. | 13.2 | 15. | 12. | 1.2 | 1.095 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/04/73-10/09/91 | 5 | 4.7 | 4.66 | 5.1 | 4. | 0.173 | 0.416 | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/04/73-10/09/91 | 5 | 5.5 | 5.26 | 5.9 | 4.4 | 0.333 | 0.577 | ** | ** | ** | ** |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/04/73-10/09/91 | 5 | 1.4 | 1.42 | 1.7 | 1.3 | 0.027 | 0.164 | ** | ** | ** | ** |
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 12/09/69-11/06/95 | 9 | 8. | 7.889 | 11. | 5. | 3.111 | 1.764 | 5. | 7. | 9. | 11. |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 12/09/69-10/09/91 | 8 | 11.5 | 11.875 | 16. | 8. | 7.268 | 2.696 | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/04/73-10/09/91 | 6 | 15. | 15.667 | 18. | 14. | 2.267 | 1.506 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/24/74-10/09/91 | 5 | 120. | 130. | 190. | 100. | 1200. | 34.641 | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/24/74-10/09/91 | 5 | 30. | 31.2 | 40. | 17. | 90.7 | 9.524 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #3: 4/01 to 7/31 - Station HOFU0025

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/09/69-11/06/95 | 1 | 16. | 16. | 16. | 16. | 0. | 0. | ** | ** | ** | ** |
| 00095p | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/09/69-11/06/95 | 1 | 70. | 70. | 70. | 70. | 0. | 0. | ** | ** | ** | ** |
| 00400p | PH (STANDARD UNITS) | 12/09/69-11/06/95 | 1 | 8. | 8. | 8. | 8. | 0. | 0. | ** | ** | ** | ** |
| 00400p | CONVERTED PH (STANDARD UNITS) | 12/09/69-11/06/95 | 1 | 8. | 8. | 8. | 8. | 0. | 0. | ** | ** | ** | ** |
| 00400p | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 12/09/69-11/06/95 | 1 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot


## Seasonal Analysis for Season #3: 4/01 to 7/31 - Station HOFU0025

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00940p | CHLORIDE,TOTAL IN WATER MG/L | 12/09/69-11/06/95 | 1 | 7. | 7. | 7. | 7. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 12/09/69-10/09/91 | 1 | 15. | 15. | 15. | 15. | 0. | 0. | ** | ** | ** | ** |


** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station: HOFU0025 Parameter Code: 00095

SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)





FRENCH CREEK NEAR COVENTRYVILLE, PA.





FRENCH CREEK NEAR COVENTRYVILLE, PA.

Station: HOFU0025 Parameter Code: 00665

PHOSPHORUS, TOTAL (MG/L AS P)




FRENCH CREEK NEAR COVENTRYVILLE, PA.




FRENCH CREEK NEAR COVENTRYVILLE, PA.

# Station Inventory for Station: HOFU0026

NPS Station ID: HOFU0026 LAT/LON: 40.155004/ -75.714116 Agency: 11NPSWRD Date Created: 05/09/98
Location: S BRANCH FRENCH CK AT BRIDGE SE OF KNAUERTON FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PSU_6
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON THE SOUTH BRANCH OF FRENCH CREEK AT A HIGHWAY BRIDGE ON THE ROAD BETWEEN KNAUERTOWN AND NANTMEAL VILLAGE. THE SITE WAS LOCATED BETWEEN HOPEWELL FURNACE NATIONAL HISTORIC SITE (HOFU) AND VALLEY FORGE NATIONAL HISTORIC PARK (VAFO). DATA WERE PUBLISHED IN THE DOCTORAL DISSERTATION "A STUDY OF THE RELATIONSHIP BETWEEN CHEMICAL WATER QUALITY AND FISH AND BENTHIC MACROINVERTEBRATE DIVERSITY IN FRENCH CREEK; CHESTER COUNTY; PENNSYLVANIA" BY RALPH D. HEISTER JR. AT THE PENNSYLVANIA STATE UNIVERSITY DEPARTMENT OF BIOLOGY (1971). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0026

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 04/15/69-04/15/70 | 5 | 6.8 | 9.66 | 24. | 0. | 107.228 | 10.355 | ** | ** | ** | ** |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 04/15/69-04/15/70 | 5 | 10. | 10.1 | 22. | -2.5 | 111.3 | 10.55 | ** | ** | ** | ** |
| 00081 | COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS | 07/15/69-04/15/70 | 4 | 30. | 38.75 | 75. | 20. | 622.917 | 24.958 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 04/15/69-04/15/70 | 5 | 128. | 144. | 218. | 99. | 2113.5 | 45.973 | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 04/15/69-04/15/70 | 5 | 11.8 | 11.18 | 14. | 7.7 | 5.432 | 2.331 | ** | ** | ** | ** |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/15/69-04/15/70 | 4 | 0.95 | 1.075 | 2. | 0.4 | 0.462 | 0.68 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 04/15/69-04/15/70 | 5 | 7.1 | 7.28 | 8.05 | 7. | 0.191 | 0.437 | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 04/15/69-04/15/70 | 5 | 7.1 | 7.167 | 8.05 | 7. | 0.207 | 0.455 | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 04/15/69-04/15/70 | 5 | 0.079 | 0.068 | 0.1 | 0.009 | 0.001 | 0.036 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/15/69-04/15/70 | 4 | 40. | 38.5 | 46. | 28. | 57. | 7.55 | ** | ** | ** | ** |
| 00500 | RESIDUE, TOTAL (MG/L) | 07/15/69-04/15/70 | 4 | 144. | 155.5 | 228. | 106. | 2699.667 | 51.958 | ** | ** | ** | ** |
| 00505 | RESIDUE, TOTAL VOLATILE (MG/L) | 07/15/69-04/15/70 | 4 | 68. | 94. | 216. | 24. | 7728. | 87.909 | ** | ** | ** | ** |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/15/69-04/15/70 | 4 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 04/15/69-04/15/70 | 5 | 1.9 | 3.06 | 7.9 | 1.3 | 7.608 | 2.758 | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 04/15/69-04/15/70 | 5 | 0.24 | 0.262 | 0.4 | 0.16 | 0.008 | 0.088 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 04/15/69-04/15/70 | 5 | 53. | 51.4 | 60. | 44. | 51.8 | 7.197 | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 04/15/69-04/15/70 | 5 | 15.2 | 16.4 | 20. | 13.6 | 8.96 | 2.993 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 04/15/69-04/15/70 | 5 | 2.4 | 2.48 | 4.2 | 1.4 | 1.092 | 1.045 | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 04/15/69-04/15/70 | 5 | 18. | 19.8 | 38. | 10. | 116.2 | 10.78 | ** | ** | ** | ** |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 04/15/69-04/15/70 | 5 | 18.5 | 50.3 | 165. | 17. | 4154.7 | 64.457 | ** | ** | ** | ** |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 04/15/69-04/15/69 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 04/15/69-04/15/70 | 5 | 15. | 11.16 | 17.2 | 2. | 48.428 | 6.959 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0026

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 07/15/69-04/15/70 | 4 | 325. | 500. | 1080. | 270. | 152200. | 390.128 | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 04/15/69-04/15/70 | 5 | 107. | 131.4 | 223. | 97. | 2761.3 | 52.548 | ** | ** | ** | ** |
| 82038 | POTASSIUM-DISSOLVED UG/L(AS K) | 04/15/69-04/15/69 | 1 | 1700. | 1700. | 1700. | 1700. | 0. | 0. | ** | ** | ** | ** |
| 82039 | DISSOLVED-SODIUM UG/L (AS NA) | 04/15/69-04/15/69 | 1 | 9. | 9. | 9. | 9. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0026

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00400 | PH | Fresh Chronic | 9. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00946 | SULFATE, DISSOLVED (AS SO4) | Drinking Water | 250. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0027

NPS Station ID: HOFU0027
LAT/LON: 40.154727/ -75.714170
Agency: 112WRD
Date Created: 10/31/81
Location: FRENCH CR NR KNAUERTOWN CHESTER CO
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 01472145
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203000805.20
RF3 Mile Point: 10.65
Distance from RF3: 0.01
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0027

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 10/03/73-10/03/73 | 1 | 155. | 155. | 155. | 155. | 0. | 0. | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 10/03/73-10/03/73 | 1 | 7.6 | 7.6 | 7.6 | 7.6 | 0. | 0. | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 10/03/73-10/03/73 | 1 | 7.6 | 7.6 | 7.6 | 7.6 | 0. | 0. | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 10/03/73-10/03/73 | 1 | 0.025 | 0.025 | 0.025 | 0.025 | 0. | 0. | ** | ** | ** | ** |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/03/73-10/03/73 | 1 | 1.8 | 1.8 | 1.8 | 1.8 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/03/73-10/03/73 | 1 | 37. | 37. | 37. | 37. | 0. | 0. | ** | ** | ** | ** |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/03/73-10/03/73 | 1 | 45. | 45. | 45. | 45. | 0. | 0. | ** | ** | ** | ** |
| 00445 | CARBONATE ION (MG/L AS CO3) | 10/03/73-10/03/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/03/73-10/03/73 | 1 | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 10/03/73-10/03/73 | 1 | 2.2 | 2.2 | 2.2 | 2.2 | 0. | 0. | ** | ** | ** | ** |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/03/73-10/03/73 | 1 | 2.2 | 2.2 | 2.2 | 2.2 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/03/73-10/03/73 | 1 | 56. | 56. | 56. | 56. | 0. | 0. | ** | ** | ** | ** |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/03/73-10/03/73 | 1 | 19. | 19. | 19. | 19. | 0. | 0. | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/03/73-10/03/73 | 1 | 14. | 14. | 14. | 14. | 0. | 0. | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/03/73-10/03/73 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/03/73-10/03/73 | 1 | 6.7 | 6.7 | 6.7 | 6.7 | 0. | 0. | ** | ** | ** | ** |
| 00931 | SODIUM ADSORPTION RATIO | 10/03/73-10/03/73 | 1 | 0.4 | 0.4 | 0.4 | 0.4 | 0. | 0. | ** | ** | ** | ** |
| 00932 | SODIUM, PERCENT | 10/03/73-10/03/73 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/03/73-10/03/73 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 10/03/73-10/03/73 | 1 | 9. | 9. | 9. | 9. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 10/03/73-10/03/73 | 1 | 13. | 13. | 13. | 13. | 0. | 0. | ** | ** | ** | ** |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/03/73-10/03/73 | 1 | 0.3 | 0.3 | 0.3 | 0.3 | 0. | 0. | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/03/73-10/03/73 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/03/73-10/03/73 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/03/73-10/03/73 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/03/73-10/03/73 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/03/73-10/03/73 | 1 | 3. | 3. | 3. | 3. | 0. | 0. | ** | ** | ** | ** |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/03/73-10/03/73 | 1 ## | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 10/03/73-10/03/73 | 1 | 280. | 280. | 280. | 280. | 0. | 0. | ** | ** | ** | ** |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/03/73-10/03/73 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 10/03/73-10/03/73 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/03/73-10/03/73 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/03/73-10/03/73 | 1 ## | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/03/73-10/03/73 | 1 | 93. | 93. | 93. | 93. | 0. | 0. | ** | ** | ** | ** |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/03/73-10/03/73 | 1 | 0.13 | 0.13 | 0.13 | 0.13 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# EPA Water Quality Criteria Analysis for Station: HOFU0027

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400 | PH | Fresh Chronic | 9. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 01000 | ARSENIC, DISSOLVED | Fresh Acute | 360. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 01030 | CHROMIUM, DISSOLVED | Drinking Water | 100. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 01040 | COPPER, DISSOLVED | Fresh Acute | 18. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 01090 | ZINC, DISSOLVED | Fresh Acute | 120. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0028

NPS Station ID: HOFU0028 LAT/LON: 40.155004/ -75.714199 Agency: 11NPSWRD Date Created: 05/02/98
Location: S BRANCH FRENCH CK AT IRON BRIDGE ROAD FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_BOYER_05
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON SOUTH BRANCH FRENCH CREEK AT IRON BRIDGE ROAD (T-424); RIVER MILE 2.23. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE NPS AND PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION TO ASSESS NON-POINT SOURCE POLLUTION IN FRENCH CREEK AND TO DOCUMENT OVERALL WATER QUALITY IN THE BASIN. DATA WERE PUBLISHED IN THE REPORT "AQUATIC BIOLOGY INVESTIGATION; FRENCH CREEK/CHESTER COUNTY; NPS SURVEY" BY MICHAEL R. BOYER (1993). THE REPORT STATED; "THE 5-DAY BOD; LEAD; AND BACTERIA LEVELS WERE SLIGHTLY ELEVATED. THE OTHER PARAMETERS INDICATED GOOD WATER QUALITY..THE WATER AT STATION 5 IS OF HIGH ENOUGH QUALITY TO ALLOW ATTAINMENT OF THE HQ-TSF DESIGNATION. PHYSICAL HABITAT IS PROBABLY THE FACTOR LIMITING TROUT REPRODUCTION IN THE SOUTH BRANCH." DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0028

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 1 | 18.3 | 18.3 | 18.3 | 18.3 | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 1 | 155. | 155. | 155. | 155. | 0. | 0. | ** | ** | ** | ** |
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 1 | 9.1 | 9.1 | 9.1 | 9.1 | 0. | 0. | ** | ** | ** | ** |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 1 | 1.2 | 1.2 | 1.2 | 1.2 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 1 | 8.2 | 8.2 | 8.2 | 8.2 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-07/09/91 | 1 | 8.2 | 8.2 | 8.2 | 8.2 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-07/09/91 | 1 | 0.006 | 0.006 | 0.006 | 0.006 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 50. | 50. | 50. | 50. | 0. | 0. | ** | ** | ** | ** |
| 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 1 | 150. | 150. | 150. | 150. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 1 | 150. | 150. | 150. | 150. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 1 ## | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 2.89 | 2.89 | 2.89 | 2.89 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.33 | 0.33 | 0.33 | 0.33 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 1 | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 74. | 74. | 74. | 74. | 0. | 0. | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 1 | 19.5 | 19.5 | 19.5 | 19.5 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0028

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 1 | 6. | 6. | 6. | 6. | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 1 | 13. | 13. | 13. | 13. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 1 | 21. | 21. | 21. | 21. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 1 | 364. | 364. | 364. | 364. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 1 | 775. | 775. | 775. | 775. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 1 | 2200. | 2200. | 2200. | 2200. | 0. | 0. | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 07/09/91-07/09/91 | 1 | 3.342 | 3.342 | 3.342 | 3.342 | 0. | 0. | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 2200. | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 720. | 720. | 720. | 720. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 2.857 | 2.857 | 2.857 | 2.857 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 720. | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 1 | 580. | 580. | 580. | 580. | 0. | 0. | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 07/09/91-07/09/91 | 1 | 2.763 | 2.763 | 2.763 | 2.763 | 0. | 0. | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 580. | | | | | | | | |
| 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 1 | 2.1 | 2.1 | 2.1 | 2.1 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0028

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 82079 | TURBIDITY, LAB | Other-Hi Lim. | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0029

NPS Station ID: HOFU0029 LAT/LON: 40.155004/ -75.714448 Agency: 112WRD Date Created: 02/19/76
Location: SOUTH BRANCH FRENCH CREEK AT COVENTRYVILLE, PA. FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): 01472140
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040205060501.57 RF3 Mile Point: 1.56 Distance from RF3: 0.03 On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0029

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/09/69-11/06/95 | 23 | 10.5 | 10.943 | 18. | 4. | 15.092 | 3.885 | 5.7 | 8. | 13.5 | 16.92 |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/09/69-11/06/95 | 18 | 18.75 | 17.361 | 28. | 7.5 | 42.583 | 6.526 | 8.4 | 10.375 | 22.625 | 26.2 |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/09/69-11/06/95 | 17 | 8. | 8.824 | 19. | 4. | 17.279 | 4.157 | 4. | 6. | 11. | 16.6 |
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 10/18/83-10/15/92 | 9 | 0.6 | 0.756 | 1.5 | 0.3 | 0.205 | 0.453 | 0.3 | 0.45 | 1.2 | 1.5 |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/09/69-11/06/95 | 23 | 182. | 175.652 | 208. | 90. | 841.146 | 29.003 | 128. | 161. | 196. | 202.6 |
| 00300 | OXYGEN, DISSOLVED MG/L | 10/25/74-11/06/95 | 18 | 12. | 11.85 | 13.8 | 9.3 | 1.421 | 1.192 | 10.29 | 10.75 | 12.8 | 13.44 |
| 00340 | COD, .25N K2CR2O7 MG/L | 12/09/69-10/03/73 | 4 | 11.5 | 15.75 | 36. | 4. | 202.917 | 14.245 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 12/09/69-11/06/95 | 23 | 7.3 | 7.45 | 8.5 | 6. | 0.305 | 0.552 | 6.912 | 7.1 | 8. | 8.1 |
| 00400 | CONVERTED PH (STANDARD UNITS) | 12/09/69-11/06/95 | 23 | 7.3 | 7.053 | 8.5 | 6. | 0.47 | 0.685 | 6.912 | 7.1 | 8. | 8.1 |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 12/09/69-11/06/95 | 23 | 0.05 | 0.088 | 1. | 0.003 | 0.041 | 0.202 | 0.008 | 0.01 | 0.079 | 0.123 |
| 00403 | PH, LAB, STANDARD UNITS SU | 10/21/81-10/15/92 | 11 | 7.7 | 7.636 | 7.8 | 7. | 0.063 | 0.25 | 7.08 | 7.5 | 7.8 | 7.8 |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 10/21/81-10/15/92 | 11 | 7.7 | 7.549 | 7.8 | 7. | 0.071 | 0.266 | 7.08 | 7.5 | 7.8 | 7.8 |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 10/21/81-10/15/92 | 11 | 0.02 | 0.028 | 0.1 | 0.016 | 0.001 | 0.025 | 0.016 | 0.016 | 0.032 | 0.088 |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/03/73-10/21/77 | 4 | 3.7 | 3.8 | 6.7 | 1.1 | 6.547 | 2.559 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/03/73-10/09/91 | 14 | 43.5 | 41.143 | 56. | 15. | 126.286 | 11.238 | 21. | 33.75 | 50.25 | 54.5 |
| 00419 | ALKALINITY,CARBONATE,INCREMENTAL TITR FIELD MG/L | 10/15/92-11/06/95 | 3 | 42. | 46.333 | 59. | 38. | 124.333 | 11.15 | ** | ** | ** | ** |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/03/73-10/21/77 | 4 | 41. | 36. | 45. | 17. | 164.667 | 12.832 | ** | ** | ** | ** |
| 00445 | CARBONATE ION (MG/L AS CO3) | 10/03/73-10/21/77 | 4 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 12/09/69-10/30/72 | 4 | 116. | 109.25 | 148. | 57. | 1457.583 | 38.178 | ** | ** | ** | ** |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 10/03/73-10/21/81 | 4 | 2.85 | 3. | 4.1 | 2.2 | 0.633 | 0.796 | ** | ** | ** | ** |
| 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-10/18/83 | 3 | 2.2 | 2.467 | 3.1 | 2.1 | 0.303 | 0.551 | ** | ** | ** | ** |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 10/04/71-10/21/81 | 8 | 0.27 | 0.354 | 0.59 | 0.23 | 0.022 | 0.15 | ** | ** | ** | ** |
| 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/21/81-10/21/81 | 1 | 0.21 | 0.21 | 0.21 | 0.21 | 0. | 0. | ** | ** | ** | ** |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/21/81-11/06/95 | 14 | 0.015 | 0.018 | 0.05 | 0.005 | 0. | 0.013 | 0.005 | 0.008 | 0.02 | 0.045 |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 10/04/71-10/21/81 | 8 | 0.01 | 0.02 | 0.07 | 0.005 | 0. | 0.022 | ** | ** | ** | ** |
| 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/21/81-11/06/95 | 14 ## | 0.005 | 0.006 | 0.01 | 0.005 | 0. | 0.002 | 0.005 | 0.005 | 0.005 | 0.01 |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/04/71-10/21/81 | 5 ## | 0.005 | 0.006 | 0.01 | 0.005 | 0. | 0.002 | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/04/82-11/04/82 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 12/09/69-10/21/77 | 8 | 2.155 | 1.645 | 2.9 | 0.14 | 1.242 | 1.114 | ** | ** | ** | ** |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/15/92 | 11 | 0.4 | 0.385 | 1.2 | 0. | 0.099 | 0.314 | 0.02 | 0.2 | 0.5 | 1.06 |
| 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/21/81-10/21/81 | 1 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/03/73-10/15/92 | 13 | 0.29 | 0.407 | 1.2 | 0.1 | 0.092 | 0.303 | 0.1 | 0.22 | 0.585 | 1. |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/03/73-10/21/81 | 4 | 2.45 | 2.675 | 3.8 | 2. | 0.649 | 0.806 | ** | ** | ** | ** |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 11/09/79-11/06/95 | 15 | 2.8 | 2.907 | 3.8 | 2. | 0.316 | 0.562 | 2. | 2.5 | 3.4 | 3.68 |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 11/04/82-11/04/82 | 1 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 10/04/71-10/15/92 | 17 | 0.03 | 0.055 | 0.4 | 0.005 | 0.008 | 0.091 | 0.005 | 0.02 | 0.045 | 0.152 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/15/92 | 11 | 0.01 | 0.016 | 0.04 | 0.005 | 0. | 0.013 | 0.005 | 0.005 | 0.03 | 0.038 |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/21/81-11/06/95 | 14 | 0.01 | 0.011 | 0.02 | 0.005 | 0. | 0.006 | 0.005 | 0.005 | 0.02 | 0.02 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# Parameter Inventory for Station: HOFU0029

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/03/73-11/04/82 | 6 | 63. | 60.5 | 65. | 52. | 27.5 | 5.244 | ** | ** | ** | ** |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/03/73-10/21/77 | 4 | 30.5 | 29.25 | 37. | 19. | 57.583 | 7.588 | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/03/73-10/15/92 | 15 | 18. | 17.333 | 19. | 13. | 3.095 | 1.759 | 13.6 | 17. | 19. | 19. |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 10/04/71-10/30/72 | 2 | 12.5 | 12.5 | 13. | 12. | 0.5 | 0.707 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/03/73-10/15/92 | 15 | 5.5 | 5.507 | 6.1 | 5. | 0.144 | 0.379 | 5. | 5.1 | 5.8 | 6.04 |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 10/04/71-10/30/72 | 2 | 5.4 | 5.4 | 5.6 | 5.2 | 0.08 | 0.283 | ** | ** | ** | ** |
| 00929 | SODIUM, TOTAL (MG/L AS NA) | 10/04/71-10/30/72 | 2 | 6.31 | 6.31 | 6.42 | 6.2 | 0.024 | 0.156 | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/03/73-10/15/92 | 15 | 7.4 | 7.18 | 8.3 | 4.5 | 0.795 | 0.891 | 5.58 | 7. | 7.6 | 8.24 |
| 00931 | SODIUM ADSORPTION RATIO | 10/03/73-11/04/82 | 6 | 0.4 | 0.383 | 0.5 | 0.3 | 0.006 | 0.075 | ** | ** | ** | ** |
| 00932 | SODIUM, PERCENT | 10/03/73-11/04/82 | 6 | 19. | 18.667 | 21. | 16. | 3.467 | 1.862 | ** | ** | ** | ** |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/03/73-10/15/92 | 15 | 2.1 | 1.963 | 2.8 | 0.05 | 0.396 | 0.629 | 0.74 | 1.9 | 2.2 | 2.56 |
| 00937 | POTASSIUM, TOTAL MG/L AS K) | 10/04/71-10/30/72 | 2 | 3.74 | 3.74 | 4.25 | 3.23 | 0.52 | 0.721 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 12/09/69-11/06/95 | 22 | 12. | 12.318 | 17. | 8. | 5.084 | 2.255 | 9.3 | 11. | 13.25 | 16.4 |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 12/09/69-10/15/92 | 20 | 15. | 14.85 | 21. | 8. | 8.45 | 2.907 | 10.2 | 13. | 17. | 17.9 |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/03/73-10/15/92 | 10 | 0.1 | 0.13 | 0.3 | 0.05 | 0.006 | 0.079 | 0.05 | 0.088 | 0.2 | 0.29 |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/03/73-10/15/92 | 16 | 18.5 | 18.5 | 20. | 15. | 1.733 | 1.317 | 16.4 | 18. | 19.75 | 20. |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/03/73-11/04/82 | 3 | 1. | 1.167 | 2. | 0.5 | 0.583 | 0.764 | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/03/73-11/04/82 | 6 ## | 0.5 | 0.5 | 1. | 0. | 0.2 | 0.447 | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/03/73-11/04/82 | 6 ## | 0. | 0.167 | 0.5 | 0. | 0.067 | 0.258 | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 10/04/71-11/09/79 | 3 ## | 50. | 35. | 50. | 5. | 675. | 25.981 | ** | ** | ** | ** |
| 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/03/73-11/04/82 | 6 ## | 0.25 | 0.667 | 3. | 0. | 1.367 | 1.169 | ** | ** | ** | ** |
| 01037 | COBALT, TOTAL (UG/L AS CO) | 10/04/71-10/30/72 | 2 ## | 100. | 100. | 100. | 100. | 0. | 0. | ** | ** | ** | ** |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/03/73-11/04/82 | 6 ## | 1.5 | 2.667 | 10. | 0. | 14.267 | 3.777 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 10/04/71-11/09/79 | 3 ## | 125. | 86.667 | 125. | 10. | 4408.333 | 66.395 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 10/04/71-10/03/73 | 3 | 510. | 843.333 | 1740. | 280. | 616233.333 | 785.005 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/25/74-10/15/92 | 14 | 74.5 | 90.929 | 160. | 35. | 1447.456 | 38.045 | 44. | 65. | 132.5 | 150. |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/03/73-11/04/82 | 6 | 1.5 | 2.417 | 6. | 0.5 | 4.642 | 2.154 | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 10/04/71-10/03/73 | 3 ## | 125. | 85. | 125. | 5. | 4800. | 69.282 | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/25/74-10/15/92 | 14 | 11. | 18.143 | 50. | 6. | 165.363 | 12.859 | 7. | 9.75 | 30. | 41.5 |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/03/73-11/04/82 | 6 ## | 0.75 | 1.333 | 4. | 0. | 2.167 | 1.472 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 10/04/71-10/30/72 | 2 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/03/73-11/04/82 | 6 ## | 10. | 7.333 | 10. | 2. | 17.067 | 4.131 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 10/04/71-11/09/79 | 3 ## | 10. | 15. | 25. | 10. | 75. | 8.66 | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 10/18/83-10/15/92 | 9 | 10. | 8.889 | 20. | 5. | 23.611 | 4.859 | 5. | 5. | 10. | 20. |
| 01132 | LITHIUM, TOTAL (UG/L AS LI) | 10/04/71-10/30/72 | 2 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01147 | SELENIUM, TOTAL (UG/L AS SE) | 11/09/79-11/09/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 12/09/69-10/03/73 | 5 | 2700. | 6434. | 17000. | 1250. | 46654980. | 6830.445 | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 12/09/69-10/03/73 | 5 | 3.431 | 3.587 | 4.23 | 3.097 | 0.248 | 0.498 | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 3866.917 | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 10/04/71-10/03/73 | 3 | 290. | 301.667 | 440. | 175. | 17658.333 | 132.885 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 10/04/71-10/03/73 | 3 | 2.462 | 2.45 | 2.643 | 2.243 | 0.04 | 0.201 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 281.598 | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 12/09/69-10/03/73 | 5 | 300. | 383.6 | 820. | 150. | 65424.8 | 255.783 | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 12/09/69-10/03/73 | 5 | 2.477 | 2.517 | 2.914 | 2.176 | 0.07 | 0.265 | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 328.507 | | | | | | | | |
| 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 10/21/77-11/04/82 | 2 | 0.015 | 0.015 | 0.03 | 0. | 0. | 0.021 | ** | ** | ** | ** |
| 39251 | PCNS IN BOTTOM DEPOS (UG/KG DRY SOLIDS) | 10/10/85-10/10/85 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/10/85-10/10/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 10/10/85-10/10/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 10/10/85-10/10/85 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/10/85-10/10/85 | 1 | 0.3 | 0.3 | 0.3 | 0.3 | 0. | 0. | ** | ** | ** | ** |
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/10/85-10/10/85 | 1 | 0.4 | 0.4 | 0.4 | 0.4 | 0. | 0. | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/10/85-10/10/85 | 1 | 0.4 | 0.4 | 0.4 | 0.4 | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 10/10/85-10/10/85 | 1 | 4.8 | 4.8 | 4.8 | 4.8 | 0. | 0. | ** | ** | ** | ** |
| 39389 | ENDOSULFAN IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 10/10/85-10/10/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 10/10/85-10/10/85 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 10/10/85-10/10/85 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 10/10/85-10/10/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 10/10/85-10/10/85 | 1 | 0.4 | 0.4 | 0.4 | 0.4 | 0. | 0. | ** | ** | ** | ** |
| 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 10/10/85-10/10/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0029

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 10/10/85-10/10/85 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 39758 | MIREX, BOTTOM MATERIAL (UG/KG DRY SOLIDS) | 10/10/85-10/10/85 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/25/74-10/16/87 | 9 | 121. | 117.444 | 137. | 92. | 183.778 | 13.556 | 92. | 107.5 | 127.5 | 137. |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/03/73-10/21/77 | 4 | 93.5 | 90. | 104. | 69. | 220.667 | 14.855 | ** | ** | ** | ** |
| 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 11/04/82-11/04/82 | 1 | 2.17 | 2.17 | 2.17 | 2.17 | 0. | 0. | ** | ** | ** | ** |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/03/73-11/04/82 | 6 | 0.145 | 0.147 | 0.17 | 0.13 | 0. | 0.016 | ** | ** | ** | ** |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 12/09/69-10/21/81 | 9 | 0.02 | 0.019 | 0.04 | 0.005 | 0. | 0.012 | 0.005 | 0.01 | 0.03 | 0.04 |
| 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 11/09/79-11/09/79 | 1 | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |
| 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/21/81-11/04/82 | 2 | 0.02 | 0.02 | 0.03 | 0.01 | 0. | 0.014 | ** | ** | ** | ** |
| 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 11/04/82-11/04/82 | 1 | 8.9 | 8.9 | 8.9 | 8.9 | 0. | 0. | ** | ** | ** | ** |
| 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 11/04/82-11/04/82 | 1 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 11/09/79-10/18/83 | 3 | 0.12 | 0.48 | 1.2 | 0.12 | 0.389 | 0.624 | ** | ** | ** | ** |
| 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 10/03/73-10/21/81 | 4 | 12.5 | 13.225 | 18. | 9.9 | 11.803 | 3.435 | ** | ** | ** | ** |
| 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/21/81-11/04/82 | 2 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 11/09/79-11/09/79 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 10/04/71-10/30/72 | 2 | 3. | 3. | 4. | 2. | 2. | 1.414 | ** | ** | ** | ** |
| 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 10/04/71-10/30/72 | 2 | 0.08 | 0.08 | 0.1 | 0.06 | 0.001 | 0.028 | ** | ** | ** | ** |
| 81886 | PERTHANE IN SEDIMENT DRY WEIGHT UG/KG | 10/10/85-10/10/85 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0029

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 9 | 0 | 0.00 | 8 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 18 | 0 | 0.00 | 13 | 0 | 0.00 | 5 | 0 | 0.00 | | | | | | |
| 00400 | PH | Fresh Chronic | 9. | 23 | 0 | 0.00 | 16 | 0 | 0.00 | 7 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 23 | 1 | 0.04 | 16 | 0 | 0.00 | 7 | 1 | 0.14 | | | | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 11 | 0 | 0.00 | 9 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 11 | 0 | 0.00 | 9 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 00613 | NITRITE NITROGEN, DISSOLVED AS N | Drinking Water | 1. | 14 | 0 | 0.00 | 11 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 5 | 0 | 0.00 | 5 | 0 | 0.00 | | | | | | | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 8 | 0 | 0.00 | 5 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 4 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. | Drinking Water | 10. | 15 | 0 | 0.00 | 11 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 22 | 0 | 0.00 | 15 | 0 | 0.00 | 7 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 250. | 22 | 0 | 0.00 | 15 | 0 | 0.00 | 7 | 0 | 0.00 | | | | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 20 | 0 | 0.00 | 14 | 0 | 0.00 | 6 | 0 | 0.00 | | | | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 10 | 0 | 0.00 | 6 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | |
| 01000 | ARSENIC, DISSOLVED | Fresh Acute | 360. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01030 | CHROMIUM, DISSOLVED | Drinking Water | 100. | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01040 | COPPER, DISSOLVED | Fresh Acute | 18. | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 & | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Station: HOFU0029

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 100. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01090 | ZINC, DISSOLVED | Fresh Acute | 120. | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5000. | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5000. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01147 | SELENIUM, TOTAL | Fresh Acute | 20. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 5 | 5 | 1.00 | 3 | 3 | 1.00 | 2 | 2 | 1.00 | | | | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 3 | 2 | 0.67 | 3 | 2 | 0.67 | | | | | | | | | |
| 71851 | NITRATE NITROGEN, DISSOLVED (AS NO3) | Drinking Water | 44. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 71856 | NITRITE NITROGEN, DISSOLVED (AS NO2) | Drinking Water | 3.3 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 71890 | MERCURY, DISSOLVED | Fresh Acute | 2.4 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 71900 | MERCURY, TOTAL | Fresh Acute | 2.4 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

## Seasonal Analysis for Season #1: 8/01 to 10/31 - Station HOFU0029

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00403 | PH, LAB, STANDARD UNITS SU | 10/21/81-10/15/92 | 9 | 7.8 | 7.722 | 7.8 | 7.4 | 0.017 | 0.13 | 7.4 | 7.7 | 7.8 | 7.8 |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 10/21/81-10/15/92 | 9 | 7.8 | 7.702 | 7.8 | 7.4 | 0.017 | 0.132 | 7.4 | 7.7 | 7.8 | 7.8 |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 10/21/81-10/15/92 | 9 | 0.016 | 0.02 | 0.04 | 0.016 | 0. | 0.008 | 0.016 | 0.016 | 0.02 | 0.04 |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/03/73-10/09/91 | 10 | 45. | 41.9 | 56. | 15. | 137.878 | 11.742 | 16.8 | 36. | 50.25 | 55.5 |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/15/92 | 9 | 0.4 | 0.414 | 1.2 | 0. | 0.112 | 0.335 | 0. | 0.215 | 0.5 | 1.2 |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/03/73-10/15/92 | 10 | 0.245 | 0.371 | 1.2 | 0.1 | 0.106 | 0.326 | 0.1 | 0.175 | 0.445 | 1.138 |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 10/04/71-10/15/92 | 14 | 0.035 | 0.034 | 0.09 | 0.005 | 0. | 0.022 | 0.005 | 0.018 | 0.043 | 0.07 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/15/92 | 9 | 0.01 | 0.017 | 0.04 | 0.005 | 0. | 0.014 | 0.005 | 0.005 | 0.03 | 0.04 |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/03/73-10/15/92 | 12 | 18. | 17.333 | 19. | 13. | 3.879 | 1.969 | 13.3 | 17. | 19. | 19. |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/03/73-10/15/92 | 12 | 5.5 | 5.525 | 6.1 | 5. | 0.133 | 0.365 | 5. | 5.175 | 5.8 | 6.07 |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/03/73-10/15/92 | 12 | 7.4 | 7.2 | 8.3 | 4.5 | 0.92 | 0.959 | 5.16 | 7.05 | 7.55 | 8.27 |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/03/73-10/15/92 | 12 | 2.15 | 1.946 | 2.8 | 0.05 | 0.494 | 0.703 | 0.395 | 1.925 | 2.275 | 2.68 |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 12/09/69-10/15/92 | 14 | 15.5 | 14.929 | 18. | 10. | 5.148 | 2.269 | 11. | 13. | 17. | 17.5 |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/03/73-10/15/92 | 12 | 19. | 18.5 | 20. | 15. | 2.091 | 1.446 | 15.6 | 18. | 19.75 | 20. |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/25/74-10/15/92 | 11 | 72. | 91.545 | 160. | 35. | 1802.673 | 42.458 | 38.6 | 62. | 140. | 156. |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/25/74-10/15/92 | 11 | 11. | 17.636 | 50. | 6. | 193.655 | 13.916 | 6.4 | 9. | 30. | 46.6 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot


## Seasonal Analysis for Season #2: 11/01 to 3/31 - Station HOFU0029

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00403 | PH, LAB, STANDARD UNITS SU | 10/21/81-10/15/92 | 2 | 7.25 | 7.25 | 7.5 | 7. | 0.125 | 0.354 | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 10/21/81-10/15/92 | 2 | 7.182 | 7.182 | 7.5 | 7. | 0.134 | 0.367 | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 10/21/81-10/15/92 | 2 | 0.066 | 0.066 | 0.1 | 0.032 | 0.002 | 0.048 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/03/73-10/09/91 | 4 | 38.5 | 39.25 | 53. | 27. | 126.917 | 11.266 | ** | ** | ** | ** |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/21/81-10/15/92 | 2 | 0.25 | 0.25 | 0.4 | 0.1 | 0.045 | 0.212 | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/03/73-10/15/92 | 3 | 0.59 | 0.527 | 0.7 | 0.29 | 0.045 | 0.212 | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 10/04/71-10/15/92 | 3 | 0.03 | 0.15 | 0.4 | 0.02 | 0.047 | 0.217 | ** | ** | ** | ** |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/21/81-10/15/92 | 2 ## | 0.013 | 0.013 | 0.02 | 0.005 | 0. | 0.011 | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/03/73-10/15/92 | 3 | 17. | 17.333 | 18. | 17. | 0.333 | 0.577 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/03/73-10/15/92 | 3 | 5.3 | 5.433 | 6. | 5. | 0.263 | 0.513 | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/03/73-10/15/92 | 3 | 7.4 | 7.1 | 7.6 | 6.3 | 0.49 | 0.7 | ** | ** | ** | ** |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/03/73-10/15/92 | 3 | 2.1 | 2.033 | 2.2 | 1.8 | 0.043 | 0.208 | ** | ** | ** | ** |
| 00945p | SULFATE, TOTAL (MG/L AS SO4) | 12/09/69-10/15/92 | 6 | 14.5 | 14.667 | 21. | 8. | 18.667 | 4.32 | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/03/73-10/15/92 | 4 | 18. | 18.5 | 20. | 18. | 1. | 1. | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/25/74-10/15/92 | 3 | 100. | 88.667 | 100. | 66. | 385.333 | 19.63 | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/25/74-10/15/92 | 3 | 20. | 20. | 30. | 10. | 100. | 10. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station: HOFU0029 Parameter Code: 00945

SULFATE, TOTAL (MG/L AS SO4)




SOUTH BRANCH FRENCH CREEK AT COVENTRYVI

# Station Inventory for Station: HOFU0030

NPS Station ID: HOFU0030 LAT/LON: 40.153892/ -75.714726 Agency: 11NPSWRD Date Created: 04/25/98
Location: S BR FRENCH CK 100 YDS DWNSTRM T-424 CROSSING FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PADEP_10SB
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON SOUTH BRANCH FRENCH CREEK 100 YARDS DOWNSTREAM OF IRON BRIDGE ROAD (T-424) CROSSING. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0030

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-05/25/95 | 2 | 19.4 | 19.4 | 20.5 | 18.3 | 2.42 | 1.556 | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/25/95-05/25/95 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-05/25/95 | 2 | 170.5 | 170.5 | 186. | 155. | 480.5 | 21.92 | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-05/25/95 | 2 | 8.7 | 8.7 | 9.1 | 8.3 | 0.32 | 0.566 | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 05/25/95-05/25/95 | 1 | 7.4 | 7.4 | 7.4 | 7.4 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 05/25/95-05/25/95 | 1 | 7.4 | 7.4 | 7.4 | 7.4 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/25/95-05/25/95 | 1 | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-05/25/95 | 2 | 8. | 8. | 8.2 | 7.8 | 0.08 | 0.283 | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-05/25/95 | 2 | 7.955 | 7.955 | 8.2 | 7.8 | 0.084 | 0.29 | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-05/25/95 | 2 | 0.011 | 0.011 | 0.016 | 0.006 | 0. | 0.007 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-05/25/95 | 2 | 46. | 46. | 50. | 42. | 32. | 5.657 | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-05/25/95 | 2 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 2 ## | 0.015 | 0.015 | 0.02 | 0.01 | 0. | 0.007 | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 2 ## | 0.008 | 0.008 | 0.01 | 0.006 | 0. | 0.003 | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 2 | 2.76 | 2.76 | 2.89 | 2.63 | 0.034 | 0.184 | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-05/25/95 | 2 ## | 0.215 | 0.215 | 0.33 | 0.1 | 0.026 | 0.163 | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-05/25/95 | 2 | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-05/25/95 | 2 | 69.5 | 69.5 | 74. | 65. | 40.5 | 6.364 | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-05/25/95 | 2 | 18.4 | 18.4 | 19.5 | 17.3 | 2.42 | 1.556 | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-05/25/95 | 2 | 5.7 | 5.7 | 6. | 5.4 | 0.18 | 0.424 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-05/25/95 | 2 | 13. | 13. | 13. | 13. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0030

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-05/25/95 | 2 | 19. | 19. | 21. | 17. | 8. | 2.828 | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/25/95-05/25/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-05/25/95 | 2 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/25/95-05/25/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-05/25/95 | 2 ## | 13.5 | 13.5 | 25. | 2. | 264.5 | 16.263 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-05/25/95 | 2 ## | 15. | 15. | 25. | 5. | 200. | 14.142 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-05/25/95 | 2 | 296.5 | 296.5 | 364. | 229. | 9112.5 | 95.459 | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-05/25/95 | 2 ## | 2.75 | 2.75 | 5. | 0.5 | 10.125 | 3.182 | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-05/25/95 | 2 ## | 15. | 15. | 25. | 5. | 200. | 14.142 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-05/25/95 | 2 ## | 18.75 | 18.75 | 25. | 12.5 | 78.125 | 8.839 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-05/25/95 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-05/25/95 | 2 ## | 421.25 | 421.25 | 775. | 67.5 | 250278.125 | 500.278 | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/25/95 | 2 | 455. | 455. | 720. | 190. | 140450. | 374.767 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/25/95 | 2 | 2.568 | 2.568 | 2.857 | 2.279 | 0.167 | 0.409 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 369.865 | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-05/25/95 | 2 | 149. | 149. | 150. | 148. | 2. | 1.414 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0030

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 & | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 1 | 0.50 | | | | | | | 2 | 1 | 0.50 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0031

NPS Station ID: HOFU0031
LAT/LON: 40.250005/ -75.724727
Agency: 21PAFISH
Date Created: 07/14/79
Location: SCHUYLKILL RIVER
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): ALFPCBS1
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL
ECO Region:
RF1 Index: 02040203010
RF1 Mile Point: 4.480
Distance from RF1: 0.00
On/Off RF1: ON
RF3 Index: 02040203001014.35
RF3 Mile Point: 14.46
Distance from RF3: 0.01
On/Off RF3:
Description:
PCBS IN PENNSYLVANIA WATERS -DEPT. OF ENVIRONMENTAL RESOURCES- COMMONWEALTH OF PENN.-1974-1977 -SCHUYLKILL RIVER FROM DOUGLASSVILLE BRIDGE (TOWNSHIP ROAD 416)

## Parameter Inventory for Station: HOFU0031

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 39516 | PCBS IN WHOLE WATER SAMPLE (UG/L) | 09/23/74-06/05/75 | 2 ## | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

********** No EPA Water Quality Criteria exist to compare against the data at this station. **********

# Station Inventory for Station: HOFU0032

NPS Station ID: HOFU0032
LAT/LON: 40.249726/ -75.724727
Agency: 21PA
Date Created: 05/31/77
Location: DOUGLASSVILLE BRIDGE
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): PCBS0001
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: DELAWARE RIVER
Elevation: 0
Water Body Id:
Minor Basin: SCHUYLKILL RIVER
ECO Region:
RF1 Index: 02040203010
RF1 Mile Point: 4.480
Distance from RF1: 0.00
On/Off RF1: ON
RF3 Index: 02040203002700.00
RF3 Mile Point: 0.55
Distance from RF3: 0.03
On/Off RF3:
Description:
CENTER OF DOUGLASSVILLE SCHUYLKILL RIVER BRIDGE NEAR INTERSECTION WITH ROUTE 724 TWO AND SIX TENTHS MILES WEST OF POTTSTOWN CORPORATE BOUNDRY

## Parameter Inventory for Station: HOFU0032

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 09/24/74-06/05/75 | 2 | 675. | 675. | 900. | 450. | 101250. | 318.198 | ** | ** | ** | ** |
| 39360 | DDD IN WHOLE WATER SAMPLE (UG/L) | 09/24/74-06/11/75 | 3 | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 39365 | DDE IN WHOLE WATER SAMPLE (UG/L) | 09/24/74-06/11/75 | 3 | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 39370 | DDT IN WHOLE WATER SAMPLE (UG/L) | 09/24/74-06/11/75 | 3 | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 39496 | PCB - 1242 PCB SERIES WHOLE WATER SAMPLE UG/L | 09/24/74-06/11/75 | 3 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 39504 | PCB - 1254 PCB SERIES WHOLE WATER SAMPLE UG/L | 09/24/74-06/11/75 | 3 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0032

| | | | | Total | Exceed | Prop. | 8/01-10/31 | | | 11/01-3/31 | | | 4/01-7/31 | | | n/a | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parameter | | Std. Type | Std. Value | Obs | Standard | Exceeding | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. |
| 39360 | DDD IN WHOLE WATER SAMPLE | Fresh Acute | 0.6 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | |
| 39365 | DDE IN WHOLE WATER SAMPLE | Fresh Acute | 1050. | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | |
| 39370 | DDT IN WHOLE WATER SAMPLE | Fresh Acute | 1.1 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0033

NPS Station ID: HOFU0033 LAT/LON: 40.249170/ -75.725004 Agency: 21PAFISH Date Created: 07/14/79
Location: SCHUYLKILL RIVER DOWNSTREAM OF DOUGLASSVILLE FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): ALFI10 /PFBC6-084
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER - SCHUYLKILL ECO Region:
RF1 Index: 02040203010 RF1 Mile Point: 4.240 Distance from RF1: 3.50 On/Off RF1: ON
RF3 Index: 02040203001021.79 RF3 Mile Point: 22.62 Distance from RF3: 0.04 On/Off RF3:
Description:
PCBS IN PENNSYLVANIA WATERS - DEPT. OF ENVIRONMENTAL RESOURCES - COMMONWEALTH OF PENN. - 1974-1977 -

## Parameter Inventory for Station: HOFU0033

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01004 | ARSENIC TOTAL IN FISH OR ANIMAL WET WT MG/KG | 06/15/76-06/15/76 | 2 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 01069 | NICKEL, TOTAL IN FISH OR ANIMALS-WET WEIGHT MG/KG | 06/15/76-06/15/76 | 2 | 0.195 | 0.195 | 0.29 | 0.1 | 0.018 | 0.134 | ** | ** | ** | ** |
| 01099 | ANTIMONY,TISSUE,WET WEIGHT,MG/KG | 06/15/76-06/15/76 | 2 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 01149 | SELENIUM, TOTAL IN FISH OR ANIMALS WET WGT MG/KG | 06/15/76-06/15/76 | 2 ## | 0.055 | 0.055 | 0.055 | 0.055 | 0. | 0. | ** | ** | ** | ** |
| 34669 | PCB - 1248 WET WGTTISMG/KG | 05/31/77-05/31/77 | 3 | 0.84 | 0.603 | 0.92 | 0.05 | 0.231 | 0.481 | ** | ** | ** | ** |
| 34685 | ENDRIN WET WGTTISMG/KG | 06/15/76-06/15/76 | 3 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39404 | DIELDRIN IN TISSUE WET WGT (UG/G) | 06/15/76-06/15/76 | 3 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39515 | PCBS (MG/KG) FISH TISSUE MG/KG | 06/15/76-05/31/77 | 9 | 1.63 | 2.631 | 6.1 | 0.56 | 4.593 | 2.143 | 0.56 | 0.93 | 4.65 | 6.1 |
| 71930 | MERCURY,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 06/15/76-06/15/76 | 2 | 0.19 | 0.19 | 0.3 | 0.08 | 0.024 | 0.156 | ** | ** | ** | ** |
| 71936 | LEAD,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 06/15/76-06/15/76 | 2 | 0.32 | 0.32 | 0.6 | 0.04 | 0.157 | 0.396 | ** | ** | ** | ** |
| 71937 | COPPER,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 06/15/76-06/15/76 | 2 | 0.645 | 0.645 | 0.83 | 0.46 | 0.068 | 0.262 | ** | ** | ** | ** |
| 71938 | ZINC,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 06/15/76-06/15/76 | 2 | 7.75 | 7.75 | 8.04 | 7.46 | 0.168 | 0.41 | ** | ** | ** | ** |
| 71939 | CHROMIUM,TOT IN FISH OR ANIMALS-WET WEIGHT BASIS | 06/15/76-06/15/76 | 2 | 0.165 | 0.165 | 0.26 | 0.07 | 0.018 | 0.134 | ** | ** | ** | ** |
| 71940 | CADMIUM,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 06/15/76-06/15/76 | 2 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 81614 | NUMBER OF INDIVIDUALS IN THE SAMPLE | 06/15/76-06/15/76 | 4 | 6.5 | 6.25 | 10. | 2. | 18.917 | 4.349 | ** | ** | ** | ** |
| 81615 | NUMBER OF DIFFERENT SPECIES IN THE SAMPLE | 06/15/76-06/15/76 | 2 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 81944 | DDT(INCLUDES DDE & DDD) IN TISSUE WET WEIGHT MG/KG | 06/15/76-06/15/76 | 3 | 0.02 | 0.075 | 0.2 | 0.005 | 0.012 | 0.109 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

********** No EPA Water Quality Criteria exist to compare against the data at this station. **********

# Station Inventory for Station: HOFU0034

NPS Station ID: HOFU0034
LAT/LON: 40.249170/ -75.725004
Agency: 21PA
Date Created: 06/27/92
Location: SCHUYLKILL RIVER AT DOUGLASSVILLE
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/FISH/STREAM/BIO
STORET Station ID(s): WQF00833-058.2 /PFBC6-061
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 17.60
On/Off RF1:
RF3 Index: 02040203040801.16
RF3 Mile Point: 3.25
Distance from RF3: 0.37
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0034

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 34680 | ALDRIN IN FISH TISSUE WET WEIGHT MG/KG | 08/30/85-10/07/94 | 4 ## | 0.003 | 0.003 | 0.003 | 0.003 | 0. | 0. | ** | ** | ** | ** |
| 34682 | CHLORDANE(TECH MIX & METABS),TISSUEWET WGTT,MG/KG | 08/30/85-08/30/85 | 3 ## | 0.01 | 0.014 | 0.022 | 0.01 | 0. | 0.007 | ** | ** | ** | ** |
| 34685 | ENDRIN WET WGTTISMG/KG | 08/30/85-10/07/94 | 4 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 34686 | HEPTACHLOR EPOXIDE WET WGTTISMG/KG | 10/07/94-10/07/94 | 1 ## | 0.003 | 0.003 | 0.003 | 0.003 | 0. | 0. | ** | ** | ** | ** |
| 34687 | HEPTACHLOR WET WGTTISMG/KG | 10/07/94-10/07/94 | 1 ## | 0.003 | 0.003 | 0.003 | 0.003 | 0. | 0. | ** | ** | ** | ** |
| 39063 | CHLORDANE-CIS ISOMER,TISSUE WET WGT (UG/G) | 10/07/94-10/07/94 | 1 ## | 0.003 | 0.003 | 0.003 | 0.003 | 0. | 0. | ** | ** | ** | ** |
| 39066 | CHLORDANE-TRANS ISOMER,TISSUE WET WGT (UG/G) | 10/07/94-10/07/94 | 1 ## | 0.003 | 0.003 | 0.003 | 0.003 | 0. | 0. | ** | ** | ** | ** |
| 39069 | CHLORDANE-NONACHLOR,CIS ISO,TISSUE WET WGT(UG/G) | 10/07/94-10/07/94 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39072 | CHLORDANE-NONACHLOR,TRANS ISO,TISSUE,WET WT,UG/G | 10/07/94-10/07/94 | 1 | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 39074 | BHC-ALPHA ISOMER,TISSUE UG/G WET WGT | 08/30/85-10/07/94 | 4 ## | 0.003 | 0.003 | 0.003 | 0.003 | 0. | 0. | ** | ** | ** | ** |
| 39105 | PERCENT FAT HEXANE EXTRACTION | 10/07/94-10/07/94 | 1 | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 39302 | P P DDT IN TISSUE WET WGT (UG/G) | 08/30/85-10/07/94 | 4 ## | 0.01 | 0.009 | 0.01 | 0.005 | 0. | 0.003 | ** | ** | ** | ** |
| 39307 | O P DDT IN TISSUE WET WGT (UG/G) | 08/30/85-10/07/94 | 4 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39312 | P P DDD IN TISSUE WET WGT (UG/G) | 08/30/85-10/07/94 | 4 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39322 | P,P'-DDE IN TISSUE WET WGT MG/KG | 08/30/85-10/07/94 | 4 ## | 0.028 | 0.033 | 0.07 | 0.005 | 0.001 | 0.033 | ** | ** | ** | ** |
| 39325 | O,P DDD IN TISSUE WET WGT (UG/G) | 08/30/85-10/07/94 | 4 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39329 | O,P DDE IN TISSUE, WET WGT(UG/G) | 08/30/85-10/07/94 | 4 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39404 | DIELDRIN IN TISSUE WET WGT (UG/G) | 08/30/85-10/07/94 | 4 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 39515 | PCBS (MG/KG) FISH TISSUE MG/KG | 08/01/79-10/07/94 | 6 | 0.4 | 0.813 | 2.5 | 0.05 | 0.921 | 0.96 | ** | ** | ** | ** |
| 39785 | GAMMA-BHC(LINDANE),TISSUE,WET WEIGHT,MG/KG | 08/30/85-10/07/94 | 4 ## | 0.003 | 0.003 | 0.003 | 0.003 | 0. | 0. | ** | ** | ** | ** |
| 46471 | CHLORDENE, WET WEIGHT, FISH TISSUE MG/KG | 10/07/94-10/07/94 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 70320 | MOISTURE CONTENT (PERCENT OF TOTAL WET WEIGHT) | 10/07/94-10/07/94 | 1 | 81. | 81. | 81. | 81. | 0. | 0. | ** | ** | ** | ** |
| 71930 | MERCURY,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 10/07/94-10/07/94 | 1 | 0.16 | 0.16 | 0.16 | 0.16 | 0. | 0. | ** | ** | ** | ** |
| 71936 | LEAD,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 10/07/94-10/07/94 | 1 | 0.12 | 0.12 | 0.12 | 0.12 | 0. | 0. | ** | ** | ** | ** |
| 71937 | COPPER,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS | 10/07/94-10/07/94 | 1 | 1.24 | 1.24 | 1.24 | 1.24 | 0. | 0. | ** | ** | ** | ** |
| 71939 | CHROMIUM,TOT IN FISH OR ANIMALS-WET WEIGHT BASIS | 10/07/94-10/07/94 | 1 | 0.15 | 0.15 | 0.15 | 0.15 | 0. | 0. | ** | ** | ** | ** |
| 71940 | CADMIUM,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS | 10/07/94-10/07/94 | 1 | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |
| 78457 | CHLORDENE, ALPHA-, FISH TISSUE, WET WEIGHT, MG/KG | 10/07/94-10/07/94 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 78459 | CHLORDENE, GAMMA-, FISH TISSUE, WET WEIGHT, MG/KG | 10/07/94-10/07/94 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 81614 | NUMBER OF INDIVIDUALS IN THE SAMPLE | 08/01/79-10/07/94 | 6 | 5. | 4.667 | 5. | 3. | 0.667 | 0.816 | ** | ** | ** | ** |
| 81644 | METHOXYCHLOR IN FISH TISSUE,UG/G WET WEIGHT | 08/30/85-10/07/94 | 4 ## | 0.05 | 0.044 | 0.05 | 0.025 | 0. | 0.013 | ** | ** | ** | ** |
| 81645 | MIREX IN FISH TISSUE WET WEIGHT UG/G | 10/07/94-10/07/94 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 81822 | KEPONE IN FISH TISSUE WET WEIGHT MG/KG | 10/07/94-10/07/94 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 82029 | OXYCHLORDANE IN TISSUE SAMPLE WET WEIGHT MG/KG | 10/07/94-10/07/94 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

********** No EPA Water Quality Criteria exist to compare against the data at this station. **********

# Station Inventory for Station: HOFU0035

NPS Station ID: HOFU0035
LAT/LON: 40.249448/ -75.725281
Agency: 112WRD
Date Created: 12/02/81
Location: SCHUYLKILL R AT DOUGLASSVILLE PA
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 401458075433100
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203010
RF1 Mile Point: 4.480
Distance from RF1: 0.00
On/Off RF1: ON
RF3 Index: 02040203002000.00
RF3 Mile Point: 0.41
Distance from RF3: 0.03
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0035

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/16/79-11/16/79 | 1 | 1.7 | 1.7 | 1.7 | 1.7 | 0. | 0. | ** | ** | ** | ** |
| 00687 | CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/16/79-11/16/79 | 1 | 62. | 62. | 62. | 62. | 0. | 0. | ** | ** | ** | ** |
| 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 11/16/79-11/16/79 | 1 | 64. | 64. | 64. | 64. | 0. | 0. | ** | ** | ** | ** |
| 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 11/16/79-11/16/79 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 1 | 110. | 110. | 110. | 110. | 0. | 0. | ** | ** | ** | ** |
| 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 11/16/79-11/16/79 | 1 | 200. | 200. | 200. | 200. | 0. | 0. | ** | ** | ** | ** |
| 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 11/16/79-11/16/79 | 1 | 210. | 210. | 210. | 210. | 0. | 0. | ** | ** | ** | ** |
| 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 1 | 110. | 110. | 110. | 110. | 0. | 0. | ** | ** | ** | ** |
| 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 11/16/79-11/16/79 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 11/16/79-11/16/79 | 1 | 450. | 450. | 450. | 450. | 0. | 0. | ** | ** | ** | ** |
| 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 11/16/79-11/16/79 | 1 | 13. | 13. | 13. | 13. | 0. | 0. | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 7.2 | 7.2 | 7.2 | 7.2 | 0. | 0. | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/16/79-11/16/79 | 1 | 0.8 | 0.8 | 0.8 | 0.8 | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 120. | 120. | 120. | 120. | 0. | 0. | ** | ** | ** | ** |
| 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

********** No EPA Water Quality Criteria exist to compare against the data at this station. **********

# Station Inventory for Station: HOFU0036

NPS Station ID: HOFU0036
Location: AMITY BRIDGE
Station Type: /TYPA/AMBNT/STREAM
RMI-Indexes: 0205001 002650
RMI-Miles: 0092.47 0057.90
HUC: 02040203
Major Basin: N ATLANTIC
Minor Basin: DEL R
RF1 Index: 02040203010
RF3 Index: 02040203001019.94
Description:

LAT/LON: 40.249448/ -75.725281

Depth of Water: 0
Elevation: 0

RF1 Mile Point: 4.480
RF3 Mile Point: 20.32

Agency: PHILWDPT
FIPS State/County: 42011 PENNSYLVANIA/BERKS
STORET Station ID(s): SCH-7
Within Park Boundary: No

Aquifer:
Water Body Id:
ECO Region:
Distance from RF1: 0.00
Distance from RF3: 0.03

Date Created: / /

On/Off RF1: ON
On/Off RF3:

## Parameter Inventory for Station: HOFU0036

| Parameter | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|

******** No Parameter Data Available for this Station ********

# Station Inventory for Station: HOFU0037

NPS Station ID: HOFU0037 | LAT/LON: 40.169865/ -75.725781 | Agency: 11NPSWRD | Date Created: 05/02/98
Location: FRENCH CREEK AT COUNTY PARK ROAD (T-452) | FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM | STORET Station ID(s): HOFU_BOYER_04
RMI-Indexes: | Within Park Boundary: No
RMI-Miles:
HUC: 02040203 | Depth of Water: 0 | Aquifer:
Major Basin: NORTH ATLANTIC | Elevation: 0 | Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL | ECO Region:
RF1 Index: 02040203 | RF1 Mile Point: 0.000 | Distance from RF1: 0.00 | On/Off RF1:
RF3 Index: 02040203001700.00 | RF3 Mile Point: 0.00 | Distance from RF3: 0.04 | On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK AT COUNTY PARK ROAD (T-452); RIVER MILE 17.04. THE CREEK WAS SAMPLED AS PART OFA STUDY BY THE NPS AND PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION TO ASSESS NON-POINT SOURCE POLLUTION IN FRENCH CREEK AND TO DOCUMENT OVERALL WATER QUALITY IN THE BASIN. DATA WERE PUBLISHED IN THE REPORT "AQUATIC BIOLOGY INVESTIGATION; FRENCH CREEK/CHESTER COUNTY; NPS SURVEY" BY MICHAEL R. BOYER (1993). THE REPORT STATED; "SLIGHTLY ELEVATED LEVELS OF LEAD; ZINC; AND ALUMINUM AND BACTERIA CONCENTRATION WERE FOUND. THE LATTER IS PROBABLY FROM AGRICULTURAL RUNOFF. NO SOURCE OF THE METALS WAS EVIDENT..FRENCH CREEK AT STATION 4 HAS THE CHEMICAL AND BIOLOGICAL CHARACTERISTICS TO SUPPORT A HQ-CWF. THE LIMITING FACTOR IS PROBABLY TEMPERATURE OR POSSIBLY SILTATION." DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE; FORT COLLINS CO 80525 TEL(970)-225-3516.

## Parameter Inventory for Station: HOFU0037

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 1 | 22.4 | 22.4 | 22.4 | 22.4 | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 1 | 99. | 99. | 99. | 99. | 0. | 0. | ** | ** | ** | ** |
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 1 | 8.2 | 8.2 | 8.2 | 8.2 | 0. | 0. | ** | ** | ** | ** |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 1 | 0.8 | 0.8 | 0.8 | 0.8 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 1 | 8.98 | 8.98 | 8.98 | 8.98 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-07/09/91 | 1 | 8.98 | 8.98 | 8.98 | 8.98 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-07/09/91 | 1 | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 32. | 32. | 32. | 32. | 0. | 0. | ** | ** | ** | ** |
| 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 1 | 116. | 116. | 116. | 116. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 1 | 106. | 106. | 106. | 106. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 1 | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 1 ## | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.004 | 0.004 | 0.004 | 0.004 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.77 | 0.77 | 0.77 | 0.77 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.36 | 0.36 | 0.36 | 0.36 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 38. | 38. | 38. | 38. | 0. | 0. | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 1 | 10.3 | 10.3 | 10.3 | 10.3 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0037

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 1 | 3.7 | 3.7 | 3.7 | 3.7 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 1 | 7. | 7. | 7. | 7. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 1 | 113. | 113. | 113. | 113. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 1 | 829. | 829. | 829. | 829. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 1 | 9. | 9. | 9. | 9. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 1 | 78. | 78. | 78. | 78. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 1 | 16. | 16. | 16. | 16. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 1 | 1570. | 1570. | 1570. | 1570. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 1 | 1500. | 1500. | 1500. | 1500. | 0. | 0. | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 07/09/91-07/09/91 | 1 | 3.176 | 3.176 | 3.176 | 3.176 | 0. | 0. | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 1500. | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 520. | 520. | 520. | 520. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 2.716 | 2.716 | 2.716 | 2.716 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 520. | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 1 | 720. | 720. | 720. | 720. | 0. | 0. | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 07/09/91-07/09/91 | 1 | 2.857 | 2.857 | 2.857 | 2.857 | 0. | 0. | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 720. | | | | | | | | |
| 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 1 | 2.4 | 2.4 | 2.4 | 2.4 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0037

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 82079 | TURBIDITY, LAB | Other-Hi Lim. | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0038

NPS Station ID: HOFU0038 LAT/LON: 40.170004/ -75.726392 Agency: 11NPSWRD Date Created: 04/25/98
Location: UNNAMED CK 100 YDS WEST COUNTY PARK ROAD BRIDGE FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PADEP_06UN
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON AN UNNAMED TRIBUTARY 100 YARDS WEST OF COUNTY PARK ROAD BRIDGE IN WARWICK COUNTY PARK NEAR THE PARK BOUNDARY. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0038

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 05/16/95-05/16/95 | 1 | 18.1 | 18.1 | 18.1 | 18.1 | 0. | 0. | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/16/95-05/16/95 | 1 | 0.8 | 0.8 | 0.8 | 0.8 | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 05/16/95-05/16/95 | 1 | 186. | 186. | 186. | 186. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 05/16/95-05/16/95 | 1 | 9.3 | 9.3 | 9.3 | 9.3 | 0. | 0. | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 05/16/95-05/16/95 | 1 | 7. | 7. | 7. | 7. | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 05/16/95-05/16/95 | 1 | 7. | 7. | 7. | 7. | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/16/95-05/16/95 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 05/16/95-05/16/95 | 1 | 7.7 | 7.7 | 7.7 | 7.7 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 05/16/95-05/16/95 | 1 | 7.7 | 7.7 | 7.7 | 7.7 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/16/95-05/16/95 | 1 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 1 | 50. | 50. | 50. | 50. | 0. | 0. | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 05/16/95-05/16/95 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/16/95-05/16/95 | 1 ## | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/16/95-05/16/95 | 1 | 0.006 | 0.006 | 0.006 | 0.006 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/16/95-05/16/95 | 1 | 1.82 | 1.82 | 1.82 | 1.82 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 05/16/95-05/16/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/16/95-05/16/95 | 1 | 0.08 | 0.08 | 0.08 | 0.08 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 1 | 69. | 69. | 69. | 69. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0038

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/16/95-05/16/95 | 1 | 18.2 | 18.2 | 18.2 | 18.2 | 0. | 0. | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/16/95-05/16/95 | 1 | 7.4 | 7.4 | 7.4 | 7.4 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/16/95-05/16/95 | 1 | 9. | 9. | 9. | 9. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/16/95-05/16/95 | 1 | 15. | 15. | 15. | 15. | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/16/95-05/16/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 05/16/95-05/16/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/16/95-05/16/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/16/95-05/16/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 05/16/95-05/16/95 | 1 | 15. | 15. | 15. | 15. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 05/16/95-05/16/95 | 1 | 264. | 264. | 264. | 264. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 05/16/95-05/16/95 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/16/95-05/16/95 | 1 | 23. | 23. | 23. | 23. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/16/95-05/16/95 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/16/95-05/16/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 05/16/95-05/16/95 | 1 | 276. | 276. | 276. | 276. | 0. | 0. | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/16/95-05/16/95 | 1 | 120. | 120. | 120. | 120. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/16/95-05/16/95 | 1 | 2.079 | 2.079 | 2.079 | 2.079 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 120. | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 05/16/95-05/16/95 | 1 | 160. | 160. | 160. | 160. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0038

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0039

NPS Station ID: HOFU0039 | LAT/LON: 40.170837/ -75.727226 | Agency: 11NPSWRD | Date Created: 04/25/98
Location: FRENCH CREEK AT ROUTE 23 CROSSING | FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM | STORET Station ID(s): HOFU_BWQM_2
RMI-Indexes: | Within Park Boundary: No
RMI-Miles:
HUC: 02040203 | Depth of Water: 0 | Aquifer:
Major Basin: NORTH ATLANTIC | Elevation: 0 | Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL | ECO Region:
RF1 Index: 02040203 | RF1 Mile Point: 0.000 | Distance from RF1: 0.00 | On/Off RF1:
RF3 Index: 02040203001700.00 | RF3 Mile Point: 0.00 | Distance from RF3: 0.04 | On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK AT THE ROUTE 23 ROAD CROSSING; RIVER MILE 18.6. THE CREEK WAS SAMPLED AS PART OF A NUTRIENT-RELATED USE IMPAIRMENT SURVEY OF FRENCH CREEK BY THE BUREAU OF WATER QUALITY MANAGEMENT. THE STUDY WAS CONDUCTED TO DETERMINE WHETHER FRENCH CREEK WAS NITROGEN- OR PHOSPHORUS-LIMITED. THE FINAL CONCLUSION OF THE REPORT WAS THAT FRENCH CREEK WAS CO-LIMITED BY NITROGEN AND PHOSPHORUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; NUTRIENT RELATED/ USE IMPAIRMENT SURVEY" BY CYNTHIA L. STEELE (1988). FOR MORE INFORMATION CONTACT HOPEWELL FURNACE NATIONAL HISTORIC SITE'S CHIEF OF RESOURCES AT 2 MARK BIRD LANE; ELVERSON PA 19520 (TEL. 610-582-8773). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; FORT COLLINS CO 80526 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0039

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 08/06/87-08/06/87 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 08/06/87-08/06/87 | 1 | 130. | 130. | 130. | 130. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 08/06/87-08/06/87 | 1 | 8.7 | 8.7 | 8.7 | 8.7 | 0. | 0. | ** | ** | ** | ** |
| 00301 | OXYGEN, DISSOLVED, PERCENT OF SATURATION % | 08/06/87-08/06/87 | 1 | 95.7 | 95.7 | 95.7 | 95.7 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 08/06/87-08/06/87 | 1 | 7.8 | 7.8 | 7.8 | 7.8 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 08/06/87-08/06/87 | 1 | 7.8 | 7.8 | 7.8 | 7.8 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 08/06/87-08/06/87 | 1 | 0.016 | 0.016 | 0.016 | 0.016 | 0. | 0. | ** | ** | ** | ** |
| 50060 | CHLORINE, TOTAL RESIDUAL (MG/L) | 08/06/87-08/06/87 | 1 | 0.08 | 0.08 | 0.08 | 0.08 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0039

| | | | | Total | Exceed | Prop. | 8/01-10/31 | | | 11/01-3/31 | | | 4/01-7/31 | | | n/a | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parameter | | Std. Type | Std. Value | Obs | Standard | Exceeding | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 50060 | CHLORINE, TOTAL RESIDUAL | Fresh Acute | 0.019 | 1 | 1 | 1.00 | 1 | 1 | 1.00 | | | | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0040

NPS Station ID: HOFU0040 LAT/LON: 40.169032/ -75.727809 Agency: 11NPSWRD Date Created: 05/09/98
Location: FRENCH CK AT HIGHWAY BRIDGE S OF KNAUERTOWN FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PSU_2
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS IN COUNTY PARK; SOUTH OF THE TOWN OF KNAUERTOWN; AT THE HIGHWAY BRIDGE ON THE NORTH BRANCH OF FRENCH CREEK. THE SITE WAS LOCATED BETWEEN HOPEWELL FURNACE NATIONAL HISTORIC SITE (HOFU) AND VALLEY FORGE NATIONAL HISTORIC PARK (VAFO). DATA WERE PUBLISHED IN THE DOCTORAL DISSERTATION "A STUDY OF THE RELATIONSHIP BETWEEN CHEMICAL WATER QUALITY AND FISH AND BENTHIC MACROINVERTEBRATE DIVERSITY IN FRENCH CREEK; CHESTER COUNTY; PENNSYLVANIA" BY RALPH D. HEISTER JR. AT THE PENNSYLVANIA STATE UNIVERSITY DEPARTMENT OF BIOLOGY (1971). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0040

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 04/15/69-04/15/70 | 5 | 7. | 9.6 | 21. | 0. | 81.8 | 9.044 | ** | ** | ** | ** |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 04/15/69-04/15/70 | 5 | 10.5 | 10.5 | 21.5 | -3. | 96.125 | 9.804 | ** | ** | ** | ** |
| 00081 | COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS | 07/15/69-04/15/70 | 4 | 30. | 36.25 | 65. | 20. | 456.25 | 21.36 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 04/15/69-04/15/70 | 5 | 101. | 105.6 | 135. | 86. | 352.8 | 18.783 | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 04/15/69-04/15/70 | 5 | 11.7 | 11.82 | 14.1 | 8.8 | 4.457 | 2.111 | ** | ** | ** | ** |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/15/69-04/15/70 | 4 | 0.8 | 0.95 | 1.8 | 0.4 | 0.357 | 0.597 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 04/15/69-04/15/70 | 5 | 7.11 | 7.318 | 8.3 | 6.9 | 0.313 | 0.56 | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 04/15/69-04/15/70 | 5 | 7.11 | 7.149 | 8.3 | 6.9 | 0.349 | 0.591 | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 04/15/69-04/15/70 | 5 | 0.078 | 0.071 | 0.126 | 0.005 | 0.002 | 0.044 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/15/69-04/15/70 | 4 | 35. | 31.75 | 36. | 21. | 51.583 | 7.182 | ** | ** | ** | ** |
| 00500 | RESIDUE, TOTAL (MG/L) | 07/15/69-04/15/70 | 4 | 125.5 | 123. | 144. | 97. | 414. | 20.347 | ** | ** | ** | ** |
| 00505 | RESIDUE, TOTAL VOLATILE (MG/L) | 07/15/69-04/15/70 | 4 | 71.5 | 74.75 | 118. | 38. | 1448.917 | 38.065 | ** | ** | ** | ** |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/15/69-04/15/70 | 4 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 04/15/69-04/15/70 | 5 | 1.2 | 1. | 1.6 | 0.2 | 0.385 | 0.62 | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 04/15/69-04/15/70 | 5 | 0.23 | 0.28 | 0.68 | 0.08 | 0.054 | 0.233 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 04/15/69-04/15/70 | 5 | 33. | 35.8 | 52. | 28. | 87.2 | 9.338 | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 04/15/69-04/15/70 | 5 | 8. | 10.18 | 16.8 | 7.2 | 16.162 | 4.02 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 04/15/69-04/15/70 | 5 | 3.2 | 3. | 3.8 | 2.2 | 0.46 | 0.678 | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 04/15/69-04/15/70 | 5 | 16. | 17.4 | 36. | 5. | 140.8 | 11.866 | ** | ** | ** | ** |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 04/15/69-04/15/70 | 5 | 16.5 | 21.8 | 39.5 | 14. | 109.325 | 10.456 | ** | ** | ** | ** |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 04/15/69-04/15/69 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 04/15/69-04/15/70 | 5 | 11. | 8.36 | 14. | 1.4 | 28.148 | 5.305 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0040

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 07/15/69-04/15/70 | 4 | 320. | 420. | 800. | 240. | 65666.667 | 256.255 | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 04/15/69-04/15/70 | 5 | 99. | 100. | 138. | 62. | 767.5 | 27.704 | ** | ** | ** | ** |
| 82038 | POTASSIUM-DISSOLVED UG/L(AS K) | 04/15/69-04/15/69 | 1 | 1000. | 1000. | 1000. | 1000. | 0. | 0. | ** | ** | ** | ** |
| 82039 | DISSOLVED-SODIUM UG/L (AS NA) | 04/15/69-04/15/69 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0040

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00400 | PH | Fresh Chronic | 9. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00946 | SULFATE, DISSOLVED (AS SO4) | Drinking Water | 250. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0041

NPS Station ID: HOFU0041
LAT/LON: 40.178615/ -75.732504
Agency: 11NPSWRD
Date Created: 04/25/98
Location: FRENCH CK ADJACENT TO PARKING AREA
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): HOFU_PADEP_05FC
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001700.00
RF3 Mile Point: 0.00
Distance from RF3: 0.04
On/Off RF3:
Description:
THE STATION IS LOCATED ON THE POTTSTOWN PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK ADJACENT TO SALT PETER'S VILLAGE WEST SIDE PARKING AREA. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0041

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-04/28/95 | 2 | 19.9 | 19.9 | 22.4 | 17.4 | 12.5 | 3.536 | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 04/28/95-04/28/95 | 1 | 8. | 8. | 8. | 8. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-04/28/95 | 2 | 96.5 | 96.5 | 99. | 94. | 12.5 | 3.536 | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-04/28/95 | 2 | 8.25 | 8.25 | 8.3 | 8.2 | 0.005 | 0.071 | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 04/28/95-04/28/95 | 1 | 6.7 | 6.7 | 6.7 | 6.7 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 04/28/95-04/28/95 | 1 | 6.7 | 6.7 | 6.7 | 6.7 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 04/28/95-04/28/95 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-04/28/95 | 2 | 7.85 | 7.85 | 8.2 | 7.5 | 0.245 | 0.495 | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-04/28/95 | 2 | 7.722 | 7.722 | 8.2 | 7.5 | 0.278 | 0.527 | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-04/28/95 | 2 | 0.019 | 0.019 | 0.032 | 0.006 | 0. | 0.018 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-04/28/95 | 2 | 30. | 30. | 32. | 28. | 8. | 2.828 | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-04/28/95 | 2 ## | 5.5 | 5.5 | 10. | 1. | 40.5 | 6.364 | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-04/28/95 | 2 ## | 0.02 | 0.02 | 0.03 | 0.01 | 0. | 0.014 | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-04/28/95 | 2 | 0.005 | 0.005 | 0.006 | 0.004 | 0. | 0.001 | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-04/28/95 | 2 | 0.645 | 0.645 | 0.77 | 0.52 | 0.031 | 0.177 | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-04/28/95 | 2 ## | 0.23 | 0.23 | 0.36 | 0.1 | 0.034 | 0.184 | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-04/28/95 | 2 | 0.07 | 0.07 | 0.09 | 0.05 | 0.001 | 0.028 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-04/28/95 | 2 | 33.5 | 33.5 | 38. | 29. | 40.5 | 6.364 | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-04/28/95 | 2 | 9.5 | 9.5 | 10.3 | 8.7 | 1.28 | 1.131 | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-04/28/95 | 2 | 3.35 | 3.35 | 3.7 | 3. | 0.245 | 0.495 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-04/28/95 | 2 | 5.5 | 5.5 | 7. | 4. | 4.5 | 2.121 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0041

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-04/28/95 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 04/28/95-04/28/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-04/28/95 | 2 ## | 0.15 | 0.15 | 0.2 | 0.1 | 0.005 | 0.071 | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 04/28/95-04/28/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-04/28/95 | 2 ## | 3.5 | 3.5 | 5. | 2. | 4.5 | 2.121 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-04/28/95 | 2 ## | 59. | 59. | 113. | 5. | 5832. | 76.368 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-04/28/95 | 2 | 656. | 656. | 829. | 483. | 59858. | 244.659 | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-04/28/95 | 2 ## | 4.75 | 4.75 | 9. | 0.5 | 36.125 | 6.01 | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-04/28/95 | 2 ## | 41.5 | 41.5 | 78. | 5. | 2664.5 | 51.619 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-04/28/95 | 2 ## | 18.75 | 18.75 | 25. | 12.5 | 78.125 | 8.839 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-04/28/95 | 2 ## | 10.5 | 10.5 | 16. | 5. | 60.5 | 7.778 | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-04/28/95 | 2 | 859.5 | 859.5 | 1570. | 149. | 1009620.5 | 1004.799 | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-04/28/95 | 2 | 390. | 390. | 520. | 260. | 33800. | 183.848 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-04/28/95 | 2 | 2.565 | 2.565 | 2.716 | 2.415 | 0.045 | 0.213 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 367.696 | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-04/28/95 | 2 | 97. | 97. | 106. | 88. | 162. | 12.728 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0041

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 2 | 1 | 0.50 | | | | | | | 2 | 1 | 0.50 | | | |
| | | Drinking Water | 1300. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 2 | 1.00 | | | | | | | 2 | 2 | 1.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0042

NPS Station ID: HOFU0042
LAT/LON: 40.186670/ -75.757781
Agency: 112WRD
Date Created: / /
Location: FRENCH CREEK NEAR KNAUERTOWN, PA.
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 01472129
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 6.20
On/Off RF1:
RF3 Index: 02040203006600.00
RF3 Mile Point: 2.22
Distance from RF3: 0.00
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0042

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/09/69-10/26/82 | 14 | 9.45 | 10.357 | 17.5 | 3. | 17.61 | 4.196 | 4. | 8.075 | 13. | 17.25 |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 12/09/69-10/26/82 | 9 | 12. | 13.167 | 20. | 6. | 19.5 | 4.416 | 6. | 10. | 17.25 | 20. |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 12/09/69-10/26/82 | 8 | 13.5 | 13.125 | 18. | 6. | 16.696 | 4.086 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/09/69-10/26/82 | 14 | 88.5 | 80.286 | 103. | 35. | 433.297 | 20.816 | 42.5 | 66.25 | 95. | 101. |
| 00300 | OXYGEN, DISSOLVED MG/L | 10/24/74-10/26/82 | 6 | 10.25 | 10.55 | 13.2 | 9.1 | 1.907 | 1.381 | ** | ** | ** | ** |
| 00340 | COD, .25N K2CR2O7 MG/L | 12/09/69-10/03/73 | 7 | 11. | 10.286 | 23. | 2. | 56.571 | 7.521 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 12/09/69-10/26/82 | 14 | 7.1 | 7.187 | 8.2 | 6. | 0.38 | 0.617 | 6.3 | 6.765 | 7.65 | 8.15 |
| 00400 | CONVERTED PH (STANDARD UNITS) | 12/09/69-10/26/82 | 14 | 7.1 | 6.807 | 8.2 | 6. | 0.536 | 0.732 | 6.3 | 6.765 | 7.65 | 8.15 |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 12/09/69-10/26/82 | 14 | 0.079 | 0.156 | 1. | 0.006 | 0.066 | 0.256 | 0.007 | 0.023 | 0.176 | 0.626 |
| 00403 | PH, LAB, STANDARD UNITS SU | 10/22/81-10/26/82 | 2 | 7.1 | 7.1 | 7.6 | 6.6 | 0.5 | 0.707 | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 10/22/81-10/26/82 | 2 | 6.86 | 6.86 | 7.6 | 6.6 | 0.616 | 0.785 | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 10/22/81-10/26/82 | 2 | 0.138 | 0.138 | 0.251 | 0.025 | 0.026 | 0.16 | ** | ** | ** | ** |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/03/73-11/01/78 | 5 | 2.5 | 2.16 | 3.8 | 0.3 | 1.748 | 1.322 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/03/73-10/26/82 | 6 | 21.5 | 20.833 | 27. | 14. | 30.167 | 5.492 | ** | ** | ** | ** |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/03/73-11/01/78 | 5 | 30. | 26. | 33. | 17. | 49.5 | 7.036 | ** | ** | ** | ** |
| 00445 | CARBONATE ION (MG/L AS CO3) | 10/03/73-11/01/78 | 5 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 12/09/69-10/30/72 | 7 | 63. | 60.857 | 102. | 33. | 519.476 | 22.792 | ** | ** | ** | ** |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 10/27/76-10/22/81 | 3 | 0.57 | 0.61 | 0.89 | 0.37 | 0.069 | 0.262 | ** | ** | ** | ** |
| 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 2 | 0.61 | 0.61 | 0.91 | 0.31 | 0.18 | 0.424 | ** | ** | ** | ** |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 10/05/70-10/22/81 | 10 | 0.29 | 0.343 | 0.68 | 0.01 | 0.042 | 0.204 | 0.027 | 0.203 | 0.502 | 0.672 |
| 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 2 | 0.295 | 0.295 | 0.48 | 0.11 | 0.068 | 0.262 | ** | ** | ** | ** |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 2 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/10/71-10/22/81 | 9 | 0.05 | 0.051 | 0.11 | 0.01 | 0.001 | 0.035 | 0.01 | 0.02 | 0.08 | 0.11 |
| 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 2 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 10/05/70-10/22/81 | 8 ## | 0.005 | 0.005 | 0.01 | 0.001 | 0. | 0.002 | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 12/09/69-11/01/78 | 11 | 0.27 | 0.278 | 0.52 | 0.05 | 0.029 | 0.171 | 0.058 | 0.1 | 0.43 | 0.514 |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 2 | 0.315 | 0.315 | 0.5 | 0.13 | 0.068 | 0.262 | ** | ** | ** | ** |
| 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/22/81-10/22/81 | 1 | 0.6 | 0.6 | 0.6 | 0.6 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/03/73-10/22/81 | 6 | 0.465 | 0.483 | 0.73 | 0.25 | 0.04 | 0.2 | ** | ** | ** | ** |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/03/73-10/22/81 | 4 | 0.14 | 0.2 | 0.43 | 0.09 | 0.024 | 0.156 | ** | ** | ** | ** |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 10/22/81-10/26/82 | 2 | 0.3 | 0.3 | 0.4 | 0.2 | 0.02 | 0.141 | ** | ** | ** | ** |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 10/26/82-10/26/82 | 1 | 0.06 | 0.06 | 0.06 | 0.06 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 10/05/70-10/22/81 | 10 | 0.03 | 0.029 | 0.05 | 0.005 | 0. | 0.013 | 0.006 | 0.025 | 0.033 | 0.049 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/22/81-10/26/82 | 2 ## | 0.023 | 0.023 | 0.04 | 0.005 | 0.001 | 0.025 | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/22/81-10/26/82 | 2 ## | 0.013 | 0.013 | 0.02 | 0.005 | 0. | 0.011 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/03/73-10/26/82 | 6 | 32. | 31.667 | 38. | 22. | 29.067 | 5.391 | ** | ** | ** | ** |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/03/73-10/27/76 | 4 | 6.5 | 7.25 | 11. | 5. | 6.917 | 2.63 | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/03/73-10/26/82 | 6 | 8.6 | 8.25 | 10. | 5.4 | 2.387 | 1.545 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0042

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/07/70-10/30/72 | 5 | 5.7 | 7.6 | 13. | 4.8 | 11.745 | 3.427 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/03/73-10/26/82 | 6 | 2.65 | 2.6 | 3.1 | 2. | 0.232 | 0.482 | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/07/70-10/30/72 | 5 | 2.2 | 2.9 | 6.2 | 1.7 | 3.495 | 1.869 | ** | ** | ** | ** |
| 00929 | SODIUM, TOTAL (MG/L AS NA) | 05/07/70-10/30/72 | 5 | 3.13 | 3.834 | 6.8 | 2.74 | 2.824 | 1.681 | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/03/73-10/26/82 | 6 | 3.25 | 3.267 | 3.6 | 3. | 0.071 | 0.266 | ** | ** | ** | ** |
| 00931 | SODIUM ADSORPTION RATIO | 10/03/73-10/26/82 | 6 | 0.3 | 0.267 | 0.3 | 0.2 | 0.003 | 0.052 | ** | ** | ** | ** |
| 00932 | SODIUM, PERCENT | 10/03/73-10/22/81 | 5 | 18. | 18. | 22. | 14. | 8.5 | 2.915 | ** | ** | ** | ** |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/03/73-10/26/82 | 6 | 1.15 | 1.108 | 1.7 | 0.05 | 0.354 | 0.595 | ** | ** | ** | ** |
| 00937 | POTASSIUM, TOTAL MG/L AS K) | 05/07/70-10/30/72 | 5 | 1.34 | 1.926 | 4.54 | 1. | 2.163 | 1.471 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 12/09/69-10/26/82 | 14 | 4. | 4.571 | 9. | 1. | 3.956 | 1.989 | 2. | 4. | 5.25 | 8.5 |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 12/09/69-10/26/82 | 14 | 8. | 10. | 19. | 6. | 15.538 | 3.942 | 6.5 | 7. | 13.25 | 17.5 |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/03/73-10/26/82 | 7 | 0.1 | 0.171 | 0.6 | 0.05 | 0.038 | 0.195 | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/03/73-10/26/82 | 7 | 11. | 11.029 | 13. | 9.1 | 2.202 | 1.484 | ** | ** | ** | ** |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/03/73-10/26/82 | 3 | 1. | 0.833 | 1. | 0.5 | 0.083 | 0.289 | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/03/73-10/26/82 | 6 ## | 0.5 | 0.5 | 1. | 0. | 0.2 | 0.447 | ** | ** | ** | ** |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/03/73-10/26/82 | 6 ## | 0.25 | 1.833 | 10. | 0. | 16.067 | 4.008 | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 10/05/70-10/30/72 | 4 ## | 50. | 56.25 | 75. | 50. | 156.25 | 12.5 | ** | ** | ** | ** |
| 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/03/73-10/26/82 | 6 ## | 0. | 0.167 | 0.5 | 0. | 0.067 | 0.258 | ** | ** | ** | ** |
| 01037 | COBALT, TOTAL (UG/L AS CO) | 10/05/70-10/30/72 | 4 ## | 100. | 187.5 | 450. | 100. | 30625. | 175. | ** | ** | ** | ** |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/03/73-10/26/82 | 6 ## | 1. | 2.5 | 10. | 0. | 15.1 | 3.886 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 10/05/70-10/30/72 | 4 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 10/05/70-10/03/73 | 5 ## | 205. | 360. | 1020. | 50. | 148437.5 | 385.276 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/24/74-10/26/82 | 5 | 210. | 226. | 350. | 160. | 6230. | 78.93 | ** | ** | ** | ** |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/03/73-10/26/82 | 6 | 1.5 | 1.917 | 5. | 0. | 3.442 | 1.855 | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 10/05/70-10/03/73 | 5 ## | 125. | 114. | 125. | 70. | 605. | 24.597 | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/24/74-10/26/82 | 5 | 60. | 72.6 | 130. | 51. | 1087.8 | 32.982 | ** | ** | ** | ** |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/03/73-10/26/82 | 6 | 1.5 | 2.333 | 6. | 0. | 5.067 | 2.251 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 10/05/70-10/30/72 | 4 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/03/73-10/26/82 | 6 ## | 10. | 14.333 | 40. | 6. | 160.667 | 12.675 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 10/05/70-10/30/72 | 4 ## | 10. | 13.75 | 25. | 10. | 56.25 | 7.5 | ** | ** | ** | ** |
| 01132 | LITHIUM, TOTAL (UG/L AS LI) | 10/05/70-10/30/72 | 4 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 12/09/69-10/03/73 | 8 | 2325. | 4426.375 | 13600. | 96. | 22474425.125 | 4740.72 | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 12/09/69-10/03/73 | 8 | 3.357 | 3.348 | 4.134 | 1.982 | 0.439 | 0.663 | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 2230.84 | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/10/71-10/03/73 | 4 | 320. | 294. | 380. | 156. | 9530.667 | 97.625 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/10/71-10/03/73 | 4 | 2.504 | 2.445 | 2.58 | 2.193 | 0.03 | 0.173 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 278.854 | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 12/09/69-10/03/73 | 8 | 431. | 575. | 1300. | 12. | 233997.714 | 483.733 | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 12/09/69-10/03/73 | 8 | 2.603 | 2.505 | 3.114 | 1.079 | 0.433 | 0.658 | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 319.658 | | | | | | | | |
| 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 11/01/78-10/26/82 | 2 | 0.015 | 0.015 | 0.03 | 0. | 0. | 0.021 | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/24/74-10/26/82 | 6 | 55.5 | 57.667 | 76. | 45. | 111.467 | 10.558 | ** | ** | ** | ** |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/03/73-10/27/76 | 4 | 54.5 | 53.75 | 59. | 47. | 24.917 | 4.992 | ** | ** | ** | ** |
| 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 10/26/82-10/26/82 | 1 | 3.69 | 3.69 | 3.69 | 3.69 | 0. | 0. | ** | ** | ** | ** |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/03/73-10/26/82 | 7 | 0.07 | 0.076 | 0.1 | 0.06 | 0. | 0.013 | ** | ** | ** | ** |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 10/05/70-10/22/81 | 10 | 0.01 | 0.012 | 0.02 | 0. | 0. | 0.007 | 0.001 | 0.009 | 0.02 | 0.02 |
| 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/22/81-10/26/82 | 2 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 10/22/81-10/22/81 | 1 | 0.09 | 0.09 | 0.09 | 0.09 | 0. | 0. | ** | ** | ** | ** |
| 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 10/27/76-10/22/81 | 3 | 2.5 | 2.667 | 3.9 | 1.6 | 1.343 | 1.159 | ** | ** | ** | ** |
| 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/22/81-10/26/82 | 2 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 80154 | SUSP. SEDIMENT CONCENTRATION-EVAP. AT 110C (MG/L) | 05/07/70-10/30/72 | 5 | 4. | 4.8 | 8. | 2. | 6.7 | 2.588 | ** | ** | ** | ** |
| 80155 | SUSPENDED SEDIMENT DISCHARGE (TONS/DAY) | 05/07/70-10/30/72 | 5 | 0.12 | 0.16 | 0.28 | 0.05 | 0.011 | 0.104 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0042

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Station: HOFU0042

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400 | PH | Fresh Chronic | 9. | 14 | 0 | 0.00 | 8 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 14 | 1 | 0.07 | 8 | 1 | 0.13 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| 00613 | NITRITE NITROGEN, DISSOLVED AS N | Drinking Water | 1. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 8 | 0 | 0.00 | 6 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 11 | 0 | 0.00 | 6 | 0 | 0.00 | 4 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 4 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. | Drinking Water | 10. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 14 | 0 | 0.00 | 8 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 14 | 0 | 0.00 | 8 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 14 | 0 | 0.00 | 8 | 0 | 0.00 | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 7 | 0 | 0.00 | 5 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01000 | ARSENIC, DISSOLVED | Fresh Acute | 360. | 3 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 50. | 3 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01030 | CHROMIUM, DISSOLVED | Drinking Water | 100. | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 4 | 0 | 0.00 | 3 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| 01040 | COPPER, DISSOLVED | Fresh Acute | 18. | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 1300. | 4 | 0 | 0.00 | 3 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 4 | 0 | 0.00 | 3 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01090 | ZINC, DISSOLVED | Fresh Acute | 120. | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5000. | 6 | 0 | 0.00 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 4 | 0 | 0.00 | 3 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 4 | 0 | 0.00 | 3 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 8 | 7 | 0.88 | 4 | 4 | 1.00 | 2 | 2 | 1.00 | 2 | 1 | 0.50 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 4 | 3 | 0.75 | 3 | 2 | 0.67 | | | | 1 | 1 | 1.00 | | | |
| 71890 | MERCURY, DISSOLVED | Fresh Acute | 2.4 | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 2. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0043

NPS Station ID: HOFU0043
LAT/LON: 40.208642/ -75.759281
Agency: 11NPSWRD
Date Created: 04/11/98
Location: BAPTISM CK AT EAST HEADHOUSE
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): HOFU_WESPSU_H4
RMI-Indexes:
Within Park Boundary: Yes
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001700.00
RF3 Mile Point: 0.00
Distance from RF3: 0.04
On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON BAPTISM CREEK INSIDE HOPEWELL FURNACE NATIONAL HISTORIC SITE (HOFU) AT INTERSECTION POINT WITH EAST HEADHOUSE. THE CREEK WAS SAMPLED AS PART OF A WATER RESOURCE MANAGEMENT PLAN STUDY CONDUCTED WITHIN THE PARK BY THE NPS AND PENN STATE ENVIRONMENTAL RESOURCES RESEARCH INSTITUTE. THE STUDY WAS CONDUCTED TO DOCUMENT THE CONDITION OF THE HYDROLOGICAL SYSTEM AND TO RECOMMEND A PROGRAM OF ACTION CONCERNING THE PRESERVATION AND REMEDIATION OF THE SYSTEM. DATA WERE PUBLISHED IN THE REPORT "HOPEWELL FURNACE NATIONAL HISTORIC SITE WATER RESOURCE MANAGEMENT PLAN" BY WILLIAM E. SHARPE (1993). FOR MORE INFORMATION CONTACT HOFU'S CHIEF OF RESOURCES AT 2 MARK BIRD LANE; ELVERSON PA 19520 (TEL. 610-582-8773). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0043

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/18/92-03/23/93 | 2 | 0.65 | 0.65 | 0.7 | 0.6 | 0.005 | 0.071 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/18/92-03/23/93 | 2 | 29.5 | 29.5 | 31. | 28. | 4.5 | 2.121 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 11/18/92-03/23/93 | 2 | 6.87 | 6.87 | 6.94 | 6.8 | 0.01 | 0.099 | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 11/18/92-03/23/93 | 2 | 6.864 | 6.864 | 6.94 | 6.8 | 0.01 | 0.099 | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/18/92-03/23/93 | 2 | 0.137 | 0.137 | 0.158 | 0.115 | 0.001 | 0.031 | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/18/92-03/23/93 | 2 | 0.015 | 0.015 | 0.02 | 0.01 | 0. | 0.007 | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 11/18/92-03/23/93 | 2 | 1.5 | 1.5 | 2. | 1. | 0.5 | 0.707 | ** | ** | ** | ** |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 11/18/92-03/23/93 | 2 | 4.8 | 4.8 | 5.3 | 4.3 | 0.5 | 0.707 | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 11/18/92-03/23/93 | 2 ## | 0.15 | 0.15 | 0.3 | 0. | 0.045 | 0.212 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 11/18/92-03/23/93 | 2 | 17. | 17. | 20. | 14. | 18. | 4.243 | ** | ** | ** | ** |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 11/18/92-03/23/93 | 2 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 11/18/92-03/23/93 | 2 ## | 0.5 | 0.5 | 1. | 0. | 0.5 | 0.707 | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/18/92-03/23/93 | 2 | 42. | 42. | 44. | 40. | 8. | 2.828 | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 11/18/92-03/23/93 | 2 | 18. | 18. | 25. | 11. | 98. | 9.899 | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 11/18/92-03/23/93 | 2 | 1.22 | 1.22 | 1.398 | 1.041 | 0.064 | 0.252 | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 16.583 | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 2 | 2.5 | 2.5 | 3. | 2. | 0.5 | 0.707 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 2 | 0.389 | 0.389 | 0.477 | 0.301 | 0.016 | 0.125 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 2.449 | | | | | | | | |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0043

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 11/18/92-03/23/93 | 2 ## | 3. | 3. | 6. | 0. | 18. | 4.243 | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 11/18/92-03/23/93 | 2 ## | 0.389 | 0.389 | 0.778 | 0. | 0.303 | 0.55 | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 2.449 | | | | | | | | |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0043

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00400 | PH | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00946 | SULFATE, DISSOLVED (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0044

NPS Station ID: HOFU0044
LAT/LON: 40.189727/ -75.759726
Agency: 11NPSWRD
Date Created: 04/25/98
Location: PINE CK 100 YDS UPSTREAM OF MOUTH
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): HOFU_PADEP_04PC
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001700.00
RF3 Mile Point: 0.00
Distance from RF3: 0.04
On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON PINE CREEK 100 YARDS UPSTREAM OF IT'S MOUTH. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250 FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0044

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 04/28/95-04/28/95 | 1 | 16.7 | 16.7 | 16.7 | 16.7 | 0. | 0. | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 04/28/95-04/28/95 | 1 | 3. | 3. | 3. | 3. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 04/28/95-04/28/95 | 1 | 92. | 92. | 92. | 92. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 04/28/95-04/28/95 | 1 | 8.4 | 8.4 | 8.4 | 8.4 | 0. | 0. | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 04/28/95-04/28/95 | 1 | 6.7 | 6.7 | 6.7 | 6.7 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 04/28/95-04/28/95 | 1 | 6.7 | 6.7 | 6.7 | 6.7 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 04/28/95-04/28/95 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 04/28/95-04/28/95 | 1 | 7.6 | 7.6 | 7.6 | 7.6 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 04/28/95-04/28/95 | 1 | 7.6 | 7.6 | 7.6 | 7.6 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 04/28/95-04/28/95 | 1 | 0.025 | 0.025 | 0.025 | 0.025 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 1 | 28. | 28. | 28. | 28. | 0. | 0. | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 04/28/95-04/28/95 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 04/28/95-04/28/95 | 1 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 04/28/95-04/28/95 | 1 | 0.008 | 0.008 | 0.008 | 0.008 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 04/28/95-04/28/95 | 1 | 0.72 | 0.72 | 0.72 | 0.72 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 04/28/95-04/28/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 04/28/95-04/28/95 | 1 | 0.09 | 0.09 | 0.09 | 0.09 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 1 | 30. | 30. | 30. | 30. | 0. | 0. | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 04/28/95-04/28/95 | 1 | 8.8 | 8.8 | 8.8 | 8.8 | 0. | 0. | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 04/28/95-04/28/95 | 1 | 2.7 | 2.7 | 2.7 | 2.7 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 04/28/95-04/28/95 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0044

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 04/28/95-04/28/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 04/28/95-04/28/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 04/28/95-04/28/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 04/28/95-04/28/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 04/28/95-04/28/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 04/28/95-04/28/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 04/28/95-04/28/95 | 1 | 491. | 491. | 491. | 491. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 04/28/95-04/28/95 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 04/28/95-04/28/95 | 1 | 29. | 29. | 29. | 29. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 04/28/95-04/28/95 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 04/28/95-04/28/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 04/28/95-04/28/95 | 1 | 137. | 137. | 137. | 137. | 0. | 0. | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/28/95-04/28/95 | 1 | 460. | 460. | 460. | 460. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/28/95-04/28/95 | 1 | 2.663 | 2.663 | 2.663 | 2.663 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 460. | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 04/28/95-04/28/95 | 1 | 78. | 78. | 78. | 78. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0044

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0045

NPS Station ID: HOFU0045 LAT/LON: 40.196031/ -75.764476 Agency: 11NPSWRD Date Created: 04/11/98
Location: FRENCH CK AT INTERSECTION WITH HOFU BOUNDARY FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_WESPSU_H5
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK INSIDE HOPEWELL FURNACE NATIONAL HISTORIC SITE (HOFU) AT THE INTERSECTION OF FRENCH CK AND DOWNSTREAM HOFU BOUNDARY. THE CREEK WAS SAMPLED AS PART OF A WATER RESOURCE MANAGEMENT PLAN STUDY CONDUCTED WITHIN THE PARK BY THE NPS AND PENN STATE ENVIRONMENTAL RESOURCES RESEARCH INSTITUTE. THE STUDY WAS CONDUCTED TO DOCUMENT THE CONDITION OF THE HYDROLOGICAL SYSTEM AND TO RECOMMEND A PROGRAM OF ACTION CONCERNING THE PRESERVATION AND REMEDIATION OF THE SYSTEM. DATA WERE PUBLISHED IN THE REPORT "HOPEWELL FURNACE NATIONAL HISTORIC SITE WATER RESOURCE MANAGEMENT PLAN" BY WILLIAM E. SHARPE (1993). FOR MORE INFORMATION CONTACT HOFU'S CHIEF OF RESOURCES AT 2 MARK BIRD LANE; ELVERSON PA 19520 (TEL. 610-582-8773). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0045

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/18/92-03/23/93 | 2 | 2.6 | 2.6 | 3.4 | 1.8 | 1.28 | 1.131 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/18/92-03/23/93 | 2 | 74.5 | 74.5 | 84. | 65. | 180.5 | 13.435 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 11/18/92-03/23/93 | 2 | 7.075 | 7.075 | 7.15 | 7. | 0.011 | 0.106 | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 11/18/92-03/23/93 | 2 | 7.069 | 7.069 | 7.15 | 7. | 0.011 | 0.106 | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/18/92-03/23/93 | 2 | 0.085 | 0.085 | 0.1 | 0.071 | 0. | 0.021 | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/18/92-03/23/93 | 2 | 0.23 | 0.23 | 0.31 | 0.15 | 0.013 | 0.113 | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 11/18/92-03/23/93 | 2 | 4.5 | 4.5 | 5. | 4. | 0.5 | 0.707 | ** | ** | ** | ** |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 11/18/92-03/23/93 | 2 | 10.75 | 10.75 | 12.1 | 9.4 | 3.645 | 1.909 | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 11/18/92-03/23/93 | 2 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 11/18/92-03/23/93 | 2 | 58. | 58. | 80. | 36. | 968. | 31.113 | ** | ** | ** | ** |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 11/18/92-03/23/93 | 2 ## | 0.5 | 0.5 | 1. | 0. | 0.5 | 0.707 | ** | ** | ** | ** |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 11/18/92-03/23/93 | 2 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/18/92-03/23/93 | 2 | 50.5 | 50.5 | 60. | 41. | 180.5 | 13.435 | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 11/18/92-03/23/93 | 2 | 92. | 92. | 169. | 15. | 11858. | 108.894 | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 11/18/92-03/23/93 | 2 | 1.702 | 1.702 | 2.228 | 1.176 | 0.553 | 0.744 | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 50.349 | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 2 | 70. | 70. | 82. | 58. | 288. | 16.971 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 2 | 1.839 | 1.839 | 1.914 | 1.763 | 0.011 | 0.106 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 68.964 | | | | | | | | |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0045

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 11/18/92-03/23/93 | 2 | 14. | 14. | 23. | 5. | 162. | 12.728 | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 11/18/92-03/23/93 | 2 | 1.03 | 1.03 | 1.362 | 0.699 | 0.22 | 0.469 | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 10.724 | | | | | | | | |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0045

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00400 | PH | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00946 | SULFATE, DISSOLVED (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0046

NPS Station ID: HOFU0046 LAT/LON: 40.194726/ -75.764448 Agency: 11NPSWRD Date Created: 04/25/98
Location: FRENCH CREEK AT BETHESDA ROAD CROSSING FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_BWQM_1
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK AT THE BETHESDA ROAD CROSSING; RIVER MILE 22.2. THE CREEK WAS SAMPLED AS PART OF A NUTRIENT-RELATED USE IMPAIRMENT SURVEY OF FRENCH CREEK BY THE BUREAU OF WATER QUALITY MANAGEMENT. THE STUDY WAS CONDUCTED TO DETERMINE WHETHER FRENCH CREEK WAS NITROGEN- OR PHOSPHORUS-LIMITED. THE FINAL CONCLUSION OF THE REPORT WAS THAT FRENCH CREEK WAS CO-LIMITED BY NITROGEN AND PHOSPHORUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; NUTRIENT RELATED/ USE IMPAIRMENT SURVEY" BY CYNTHIA L. STEELE (1988). FOR MORE INFORMATION CONTACT HOPEWELL FURNACE NATIONAL HISTORIC SITE'S CHIEF OF RESOURCES AT 2 MARK BIRD LANE; ELVERSON PA 19520 (TEL. 610-582-8773). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; FORT COLLINS CO 80526 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0046

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 08/06/87-08/06/87 | 1 | 17. | 17. | 17. | 17. | 0. | 0. | ** | ** | ** | ** |
| 00040 | WIND DIRECTION, AZIMUTH | 08/06/87-08/06/87 | 1 | 24. | 24. | 24. | 24. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 08/06/87-08/06/87 | 1 | 70. | 70. | 70. | 70. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 08/06/87-08/06/87 | 1 | 7.6 | 7.6 | 7.6 | 7.6 | 0. | 0. | ** | ** | ** | ** |
| 00301 | OXYGEN, DISSOLVED, PERCENT OF SATURATION % | 08/06/87-08/06/87 | 1 | 78.6 | 78.6 | 78.6 | 78.6 | 0. | 0. | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 08/06/87-08/06/87 | 1 | 7. | 7. | 7. | 7. | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 08/06/87-08/06/87 | 1 | 7. | 7. | 7. | 7. | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 08/06/87-08/06/87 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 08/06/87-08/06/87 | 1 | 7.9 | 7.9 | 7.9 | 7.9 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 08/06/87-08/06/87 | 1 | 7.9 | 7.9 | 7.9 | 7.9 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 08/06/87-08/06/87 | 1 | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 08/06/87-08/06/87 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 08/06/87-08/06/87 | 1 | 0.006 | 0.006 | 0.006 | 0.006 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 08/06/87-08/06/87 | 1 | 0.29 | 0.29 | 0.29 | 0.29 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 08/06/87-08/06/87 | 1 | 0.46 | 0.46 | 0.46 | 0.46 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 08/06/87-08/06/87 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 08/06/87-08/06/87 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 08/06/87-08/06/87 | 1 | 0.011 | 0.011 | 0.011 | 0.011 | 0. | 0. | ** | ** | ** | ** |
| 50060 | CHLORINE, TOTAL RESIDUAL (MG/L) | 08/06/87-08/06/87 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 08/06/87-08/06/87 | 1 | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# EPA Water Quality Criteria Analysis for Station: HOFU0046

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 50060 | CHLORINE, TOTAL RESIDUAL | Fresh Acute | 0.019 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0047

NPS Station ID: HOFU0047
LAT/LON: 40.198892/ -75.764727
Agency: 112WRD
Date Created: / /
Location: FRENCH CREEK AT TRYTHALL, PA.
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 01472126
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 14.90
On/Off RF1:
RF3 Index: 02040203005101.23
RF3 Mile Point: 2.06
Distance from RF3: 0.00
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0047

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 10/25/71-10/26/82 | 11 | 11. | 11.382 | 17.5 | 7. | 13.314 | 3.649 | 7. | 8. | 14. | 17.2 |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 10/25/71-10/26/82 | 4 | 16.4 | 14.95 | 20. | 7. | 31.077 | 5.575 | ** | ** | ** | ** |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 10/26/82-10/26/82 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 05/10/71-10/26/82 | 13 | 75. | 70.615 | 100. | 43. | 266.59 | 16.328 | 43.8 | 57.5 | 82.5 | 94. |
| 00300 | OXYGEN, DISSOLVED MG/L | 05/10/71-10/26/82 | 9 | 10.5 | 10.822 | 12.8 | 9.2 | 1.304 | 1.142 | 9.2 | 10. | 11.7 | 12.8 |
| 00340 | COD, .25N K2CR2O7 MG/L | 05/10/71-10/03/73 | 4 | 23.5 | 23.75 | 44. | 4. | 388.25 | 19.704 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 05/10/71-10/26/82 | 13 | 7. | 7.069 | 8.4 | 6.3 | 0.276 | 0.525 | 6.34 | 6.9 | 7.3 | 8.04 |
| 00400 | CONVERTED PH (STANDARD UNITS) | 05/10/71-10/26/82 | 13 | 7. | 6.852 | 8.4 | 6.3 | 0.327 | 0.572 | 6.34 | 6.9 | 7.3 | 8.04 |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/10/71-10/26/82 | 13 | 0.1 | 0.141 | 0.501 | 0.004 | 0.021 | 0.144 | 0.015 | 0.056 | 0.126 | 0.46 |
| 00403 | PH, LAB, STANDARD UNITS SU | 11/07/80-10/26/82 | 3 | 6.8 | 6.867 | 7.2 | 6.6 | 0.093 | 0.306 | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 11/07/80-10/26/82 | 3 | 6.8 | 6.802 | 7.2 | 6.6 | 0.1 | 0.315 | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/07/80-10/26/82 | 3 | 0.158 | 0.158 | 0.251 | 0.063 | 0.009 | 0.094 | ** | ** | ** | ** |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 10/03/73-11/01/78 | 6 | 2.9 | 2.767 | 5. | 0.2 | 3.719 | 1.928 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 10/03/73-10/26/82 | 8 | 19.5 | 18.375 | 21. | 13. | 7.982 | 2.825 | ** | ** | ** | ** |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 10/03/73-11/01/78 | 6 | 23.5 | 22.833 | 25. | 19. | 5.767 | 2.401 | ** | ** | ** | ** |
| 00445 | CARBONATE ION (MG/L AS CO3) | 10/03/73-11/01/78 | 6 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 05/10/71-10/24/72 | 3 | 46. | 46. | 72. | 20. | 676. | 26. | ** | ** | ** | ** |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 10/27/76-10/22/81 | 6 | 0.51 | 2.377 | 12. | 0.17 | 22.279 | 4.72 | ** | ** | ** | ** |
| 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 2 | 0.86 | 0.86 | 0.93 | 0.79 | 0.01 | 0.099 | ** | ** | ** | ** |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 05/10/71-10/22/81 | 12 | 0.265 | 1.272 | 12. | 0.03 | 11.445 | 3.383 | 0.078 | 0.203 | 0.483 | 8.613 |
| 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 2 | 0.695 | 0.695 | 0.77 | 0.62 | 0.011 | 0.106 | ** | ** | ** | ** |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 2 | 0.055 | 0.055 | 0.08 | 0.03 | 0.001 | 0.035 | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 05/10/71-10/22/81 | 12 | 0.03 | 0.035 | 0.1 | 0.005 | 0.001 | 0.027 | 0.005 | 0.013 | 0.05 | 0.088 |
| 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 2 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 05/10/71-10/22/81 | 9 ## | 0.005 | 0.006 | 0.01 | 0. | 0. | 0.003 | 0. | 0.005 | 0.008 | 0.01 |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 05/10/71-11/07/80 | 10 | 0.11 | 0.138 | 0.28 | 0.08 | 0.005 | 0.07 | 0.081 | 0.09 | 0.2 | 0.275 |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 10/22/81-10/26/82 | 2 | 0.75 | 0.75 | 0.8 | 0.7 | 0.005 | 0.071 | ** | ** | ** | ** |
| 00624 | NITROGEN, KJELDAHL, SUSPENDED (MG/L AS N) | 10/22/81-10/22/81 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 10/03/73-10/22/81 | 9 | 0.25 | 1.586 | 12. | 0.08 | 15.271 | 3.908 | 0.08 | 0.22 | 0.485 | 12. |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 10/03/73-10/22/81 | 7 | 0.13 | 0.159 | 0.29 | 0.08 | 0.007 | 0.083 | ** | ** | ** | ** |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 11/08/79-10/26/82 | 3 | 0.09 | 0.093 | 0.1 | 0.09 | 0. | 0.006 | ** | ** | ** | ** |
| 00650 | PHOSPHATE, TOTAL (MG/L AS PO4) | 11/07/80-11/07/80 | 1 | 0.06 | 0.06 | 0.06 | 0.06 | 0. | 0. | ** | ** | ** | ** |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 10/22/81-10/26/82 | 2 | 0.045 | 0.045 | 0.06 | 0.03 | 0. | 0.021 | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 05/10/71-10/22/81 | 12 | 0.03 | 0.075 | 0.49 | 0.005 | 0.019 | 0.136 | 0.007 | 0.02 | 0.06 | 0.388 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10/22/81-10/26/82 | 2 | 0.015 | 0.015 | 0.02 | 0.01 | 0. | 0.007 | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 10/22/81-10/26/82 | 2 | 0.015 | 0.015 | 0.02 | 0.01 | 0. | 0.007 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 10/03/73-10/26/82 | 9 | 25. | 24.333 | 27. | 18. | 6.75 | 2.598 | 18. | 24. | 26. | 27. |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 10/03/73-11/01/78 | 6 | 4.5 | 5. | 9. | 2. | 5.6 | 2.366 | ** | ** | ** | ** |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

# Parameter Inventory for Station: HOFU0047

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 10/03/73-10/26/82 | 9 | 6.4 | 6.433 | 7.1 | 5.5 | 0.235 | 0.485 | 5.5 | 6.15 | 6.85 | 7.1 |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 05/10/71-10/24/72 | 3 | 5.3 | 5. | 5.8 | 3.9 | 0.97 | 0.985 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 10/03/73-10/26/82 | 9 | 2.1 | 2.022 | 2.5 | 1. | 0.172 | 0.415 | 1. | 2. | 2.2 | 2.5 |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 05/10/71-10/24/72 | 3 | 1.9 | 1.933 | 2.5 | 1.4 | 0.303 | 0.551 | ** | ** | ** | ** |
| 00929 | SODIUM, TOTAL (MG/L AS NA) | 05/10/71-10/24/72 | 3 | 2.9 | 2.837 | 3.25 | 2.36 | 0.201 | 0.448 | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 10/03/73-10/26/82 | 9 | 3.4 | 3.389 | 4.3 | 2.5 | 0.301 | 0.549 | 2.5 | 3. | 3.75 | 4.3 |
| 00931 | SODIUM ADSORPTION RATIO | 10/03/73-10/26/82 | 9 | 0.3 | 0.311 | 0.4 | 0.2 | 0.004 | 0.06 | 0.2 | 0.3 | 0.35 | 0.4 |
| 00932 | SODIUM, PERCENT | 10/03/73-10/26/82 | 9 | 22. | 22.111 | 26. | 19. | 4.861 | 2.205 | 19. | 20. | 23.5 | 26. |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 10/03/73-10/26/82 | 9 | 1. | 1.1 | 1.6 | 0.7 | 0.085 | 0.292 | 0.7 | 0.9 | 1.35 | 1.6 |
| 00937 | POTASSIUM, TOTAL MG/L AS K) | 05/10/71-10/24/72 | 3 | 1.05 | 1.067 | 1.2 | 0.95 | 0.016 | 0.126 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/10/71-10/26/82 | 13 | 3. | 3.154 | 5. | 2. | 1.141 | 1.068 | 2. | 2. | 4. | 5. |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/10/71-10/26/82 | 13 | 7. | 9. | 18. | 6. | 16.333 | 4.041 | 6. | 6. | 12. | 16.8 |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 10/03/73-10/26/82 | 10 | 0.1 | 0.09 | 0.2 | 0.05 | 0.002 | 0.046 | 0.05 | 0.05 | 0.1 | 0.19 |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 10/03/73-10/26/82 | 10 | 8.9 | 8.95 | 11. | 6.6 | 1.465 | 1.21 | 6.73 | 8.425 | 9.925 | 10.9 |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 10/22/81-10/26/82 | 2 ## | 0.75 | 0.75 | 1. | 0.5 | 0.125 | 0.354 | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 10/03/73-11/08/79 | 2 | 0.5 | 0.5 | 1. | 0. | 0.5 | 0.707 | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 10/03/73-10/26/82 | 9 ## | 1. | 0.722 | 2. | 0. | 0.444 | 0.667 | 0. | 0. | 1. | 2. |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 11/08/79-11/08/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 10/03/73-10/26/82 | 9 ## | 0. | 1.333 | 10. | 0. | 10.688 | 3.269 | 0. | 0. | 0.75 | 10. |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 05/10/71-11/08/79 | 4 ## | 50. | 48.75 | 75. | 20. | 506.25 | 22.5 | ** | ** | ** | ** |
| 01035 | COBALT, DISSOLVED (UG/L AS CO) | 10/03/73-10/26/82 | 9 ## | 0. | 0.111 | 0.5 | 0. | 0.049 | 0.22 | 0. | 0. | 0.25 | 0.5 |
| 01037 | COBALT, TOTAL (UG/L AS CO) | 05/10/71-10/24/72 | 3 ## | 100. | 100. | 100. | 100. | 0. | 0. | ** | ** | ** | ** |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 10/03/73-10/26/82 | 9 | 2. | 2.556 | 10. | 0. | 9.778 | 3.127 | 0. | 0. | 3.5 | 10. |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 05/10/71-11/08/79 | 4 ## | 125. | 93.75 | 125. | 0. | 3906.25 | 62.5 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 05/10/71-10/24/72 | 3 | 500. | 478.333 | 860. | 75. | 154408.333 | 392.948 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 10/03/73-10/26/82 | 9 | 190. | 204.444 | 320. | 90. | 5277.778 | 72.648 | 90. | 155. | 265. | 320. |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 10/03/73-10/26/82 | 9 | 2. | 3.333 | 10. | 0. | 13. | 3.606 | 0. | 0.5 | 6.5 | 10. |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 11/08/79-11/08/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 05/10/71-10/24/72 | 3 ## | 125. | 206.667 | 370. | 125. | 20008.333 | 141.451 | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 10/03/73-10/26/82 | 9 | 70. | 64.111 | 80. | 40. | 179.611 | 13.402 | 40. | 53.5 | 75. | 80. |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 10/03/73-10/26/82 | 9 | 1. | 1.444 | 5. | 0. | 2.528 | 1.59 | 0. | 0.5 | 2. | 5. |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 05/10/71-10/24/72 | 3 ## | 125. | 125. | 125. | 125. | 0. | 0. | ** | ** | ** | ** |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 10/03/73-10/26/82 | 9 ## | 10. | 11.444 | 30. | 7. | 50.028 | 7.073 | 7. | 8. | 10. | 30. |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 05/10/71-11/08/79 | 4 ## | 17.5 | 46.25 | 140. | 10. | 3956.25 | 62.899 | ** | ** | ** | ** |
| 01132 | LITHIUM, TOTAL (UG/L AS LI) | 05/10/71-10/24/72 | 3 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01147 | SELENIUM, TOTAL (UG/L AS SE) | 11/08/79-11/08/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 05/10/71-10/03/73 | 4 | 5750. | 7425. | 15800. | 2400. | 38002500. | 6164.617 | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 05/10/71-10/03/73 | 4 | 3.712 | 3.751 | 4.199 | 3.38 | 0.142 | 0.377 | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 5633.446 | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/10/71-10/03/73 | 4 | 295. | 381.25 | 655. | 280. | 33506.25 | 183.047 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 05/10/71-10/03/73 | 4 | 2.469 | 2.55 | 2.816 | 2.447 | 0.032 | 0.178 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 355.206 | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 05/10/71-10/03/73 | 4 | 510. | 856. | 2300. | 104. | 992757.333 | 996.372 | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 05/10/71-10/03/73 | 4 | 2.667 | 2.678 | 3.362 | 2.017 | 0.326 | 0.571 | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 476.764 | | | | | | | | |
| 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 10/21/77-10/26/82 | 4 | 0. | 0.005 | 0.02 | 0. | 0. | 0.01 | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 10/24/74-10/26/82 | 8 | 53.5 | 52.5 | 60. | 43. | 30. | 5.477 | ** | ** | ** | ** |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 10/03/73-11/01/78 | 6 | 43.5 | 45. | 55. | 38. | 32.4 | 5.692 | ** | ** | ** | ** |
| 70302 | SOLIDS, DISSOLVED-TONS PER DAY | 10/26/82-10/26/82 | 1 | 0.68 | 0.68 | 0.68 | 0.68 | 0. | 0. | ** | ** | ** | ** |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 10/03/73-10/26/82 | 9 | 0.07 | 0.07 | 0.08 | 0.06 | 0. | 0.009 | 0.06 | 0.06 | 0.08 | 0.08 |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 05/10/71-10/22/81 | 11 | 0.01 | 0.009 | 0.02 | 0.005 | 0. | 0.004 | 0.005 | 0.005 | 0.01 | 0.018 |
| 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 11/08/79-11/07/80 | 2 | 0.065 | 0.065 | 0.07 | 0.06 | 0. | 0.007 | ** | ** | ** | ** |
| 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 10/22/81-10/26/82 | 2 | 0.07 | 0.07 | 0.1 | 0.04 | 0.002 | 0.042 | ** | ** | ** | ** |
| 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 11/08/79-11/07/80 | 2 | 0.075 | 0.075 | 0.09 | 0.06 | 0. | 0.021 | ** | ** | ** | ** |
| 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 10/27/76-10/22/81 | 6 | 2.3 | 10.7 | 54. | 0.8 | 451.016 | 21.237 | ** | ** | ** | ** |
| 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10/22/81-10/26/82 | 2 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 11/08/79-11/08/79 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# EPA Water Quality Criteria Analysis for Station: HOFU0047

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 9 | 0 | 0.00 | 5 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00400 | PH | Fresh Chronic | 9. | 13 | 0 | 0.00 | 9 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 13 | 2 | 0.15 | 9 | 2 | 0.22 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 00613 | NITRITE NITROGEN, DISSOLVED AS N | Drinking Water | 1. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 9 | 0 | 0.00 | 6 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 10 | 0 | 0.00 | 7 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 7 | 0 | 0.00 | 4 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. | Drinking Water | 10. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 13 | 0 | 0.00 | 9 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 13 | 0 | 0.00 | 9 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 13 | 0 | 0.00 | 9 | 0 | 0.00 | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 10 | 0 | 0.00 | 7 | 0 | 0.00 | 3 | 0 | 0.00 | | | | | | |
| 01000 | ARSENIC, DISSOLVED | Fresh Acute | 360. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 50. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 9 | 0 | 0.00 | 7 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 9 | 0 | 0.00 | 7 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01030 | CHROMIUM, DISSOLVED | Drinking Water | 100. | 9 | 0 | 0.00 | 7 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01040 | COPPER, DISSOLVED | Fresh Acute | 18. | 9 | 0 | 0.00 | 7 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 9 | 0 | 0.00 | 7 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 & | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 9 | 0 | 0.00 | 7 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 9 | 0 | 0.00 | 7 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 9 | 0 | 0.00 | 7 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 9 | 0 | 0.00 | 7 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01090 | ZINC, DISSOLVED | Fresh Acute | 120. | 9 | 0 | 0.00 | 7 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5000. | 9 | 0 | 0.00 | 7 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 4 | 1 | 0.25 | 2 | 0 | 0.00 | 1 | 1 | 1.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01147 | SELENIUM, TOTAL | Fresh Acute | 20. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 4 | 4 | 1.00 | 3 | 3 | 1.00 | | | | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 4 | 4 | 1.00 | 3 | 3 | 1.00 | | | | 1 | 1 | 1.00 | | | |
| 71890 | MERCURY, DISSOLVED | Fresh Acute | 2.4 | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 2. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |
| 71900 | MERCURY, TOTAL | Fresh Acute | 2.4 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

## Seasonal Analysis for Season #1: 8/01 to 10/31 - Station HOFU0047

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 10/25/71-10/26/82 | 9 | 13. | 12.244 | 17.5 | 7. | 11.975 | 3.461 | 7. | 9.1 | 15. | 17.5 |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 05/10/71-10/26/82 | 9 | 70. | 70. | 100. | 45. | 250. | 15.811 | 45. | 57.5 | 77.5 | 100. |
| 00400 | PH (STANDARD UNITS) | 05/10/71-10/26/82 | 9 | 7. | 7.056 | 8.4 | 6.3 | 0.383 | 0.619 | 6.3 | 6.65 | 7.3 | 8.4 |
| 00400 | CONVERTED PH (STANDARD UNITS) | 05/10/71-10/26/82 | 9 | 7. | 6.788 | 8.4 | 6.3 | 0.463 | 0.681 | 6.3 | 6.65 | 7.3 | 8.4 |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/10/71-10/26/82 | 9 | 0.1 | 0.163 | 0.501 | 0.004 | 0.029 | 0.17 | 0.004 | 0.056 | 0.262 | 0.501 |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/10/71-10/26/82 | 9 | 3. | 3. | 5. | 2. | 1. | 1. | 2. | 2. | 3.5 | 5. |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/10/71-10/26/82 | 9 | 7. | 9.222 | 18. | 6. | 19.194 | 4.381 | 6. | 6. | 12.5 | 18. |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #2: 11/01 to 3/31 - Station HOFU0047

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 10/25/71-10/26/82 | 2 | 7.5 | 7.5 | 8. | 7. | 0.5 | 0.707 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 05/10/71-10/26/82 | 3 | 85. | 71. | 85. | 43. | 588. | 24.249 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 05/10/71-10/26/82 | 3 | 6.9 | 6.967 | 7.1 | 6.9 | 0.013 | 0.115 | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 05/10/71-10/26/82 | 3 | 6.9 | 6.957 | 7.1 | 6.9 | 0.013 | 0.116 | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/10/71-10/26/82 | 3 | 0.126 | 0.11 | 0.126 | 0.079 | 0.001 | 0.027 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/10/71-10/26/82 | 3 | 3. | 3. | 4. | 2. | 1. | 1. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/10/71-10/26/82 | 3 | 7. | 6.667 | 7. | 6. | 0.333 | 0.577 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #3: 4/01 to 7/31 - Station HOFU0047

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 05/10/71-10/26/82 | 1 | 75. | 75. | 75. | 75. | 0. | 0. | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 05/10/71-10/26/82 | 1 | 7.5 | 7.5 | 7.5 | 7.5 | 0. | 0. | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 05/10/71-10/26/82 | 1 | 7.5 | 7.5 | 7.5 | 7.5 | 0. | 0. | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/10/71-10/26/82 | 1 | 0.032 | 0.032 | 0.032 | 0.032 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 05/10/71-10/26/82 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 05/10/71-10/26/82 | 1 | 14. | 14. | 14. | 14. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

# Station Inventory for Station: HOFU0048

NPS Station ID: HOFU0048
LAT/LON: 40.263948/ -75.767337
Agency: 21PENN
Date Created: 10/25/78
Location: AT BR ON T6663 N CONFLU SCHUYLKI
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): MON000
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 999
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER - SCHUYLKILL
ECO Region:
RF1 Index: 02040203010
RF1 Mile Point: 7.340
Distance from RF1: 0.00
On/Off RF1: OFF
RF3 Index: 02040203009000.00
RF3 Mile Point: 0.00
Distance from RF3: 0.77
On/Off RF3:
Description:
DATA FROM "SCHULKILL RIVER BASIN WATER QUALITY" REPORT SEDIMENT ANALYZED FOR TOXICS
SAMPLE TAKEN FROM MONOCACY CREEK - AT BRIDGE ON T6663 NEAR THE CONFLUENC E WITH SCHUYLKILL RIVER IN AMITY TOWNSHIP, BERKS COUNTY

## Parameter Inventory for Station: HOFU0048

| Parameter | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|

******** No Parameter Data Available for this Station ********

# Station Inventory for Station: HOFU0049

NPS Station ID: HOFU0049 LAT/LON: 40.188059/ -75.767531 Agency: 11NPSWRD Date Created: 05/09/98
Location: PINE CREEK THREE MILES NW OF ST. PETERS FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PSU_1
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON PINE CREEK ABOUT THREE MILES NORTHWEST OF ST. PETERS WHERE THE ROAD FROM ST. PETERS TO JOANNA CROSSES PINE CREEK. THE SITE WAS LOCATED SOUTH OF HOPEWELL FURNACE NATIONAL HISTORIC SITE (HOFU). DATA WERE PUBLISHED IN THE DOCTORAL DISSERTATION "A STUDY OF THE RELATIONSHIP BETWEEN CHEMICAL WATER QUALITY AND FISH AND BENTHIC MACROINVERTEBRATE DIVERSITY IN FRENCH CREEK; CHESTER COUNTY; PENNSYLVANIA" BY RALPH D. HEISTER JR. AT THE PENNSYLVANIA STATE UNIVERSITY DEPARTMENT OF BIOLOGY (1971). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0049

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 04/15/69-04/15/70 | 5 | 8. | 9.1 | 20. | 0. | 73.55 | 8.576 | ** | ** | ** | ** |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 04/15/69-04/15/70 | 5 | 12. | 12.3 | 28. | -3. | 142.95 | 11.956 | ** | ** | ** | ** |
| 00081 | COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS | 07/15/69-04/15/70 | 4 | 40. | 40. | 65. | 15. | 483.333 | 21.985 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 04/15/69-04/15/70 | 5 | 89. | 100. | 172. | 72. | 1673.5 | 40.908 | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 04/15/69-04/15/70 | 5 | 11. | 10.94 | 13.7 | 7.8 | 6.188 | 2.488 | ** | ** | ** | ** |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/15/69-04/15/70 | 4 | 1.2 | 1.125 | 1.7 | 0.4 | 0.316 | 0.562 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 04/15/69-04/15/70 | 5 | 6.95 | 7.058 | 7.5 | 6.7 | 0.092 | 0.304 | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 04/15/69-04/15/70 | 5 | 6.95 | 6.982 | 7.5 | 6.7 | 0.1 | 0.316 | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 04/15/69-04/15/70 | 5 | 0.112 | 0.104 | 0.2 | 0.032 | 0.004 | 0.064 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/15/69-04/15/70 | 4 | 26. | 26.5 | 34. | 20. | 43.667 | 6.608 | ** | ** | ** | ** |
| 00500 | RESIDUE, TOTAL (MG/L) | 07/15/69-04/15/70 | 4 | 107. | 119.5 | 176. | 88. | 1649. | 40.608 | ** | ** | ** | ** |
| 00505 | RESIDUE, TOTAL VOLATILE (MG/L) | 07/15/69-04/15/70 | 4 | 63. | 82.5 | 172. | 32. | 4126.333 | 64.237 | ** | ** | ** | ** |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/15/69-04/15/70 | 4 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 04/15/69-04/15/70 | 5 | 1.1 | 1.2 | 2.3 | 0.2 | 0.56 | 0.748 | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 04/15/69-04/15/70 | 5 | 0.18 | 0.23 | 0.62 | 0.04 | 0.051 | 0.226 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 04/15/69-04/15/70 | 5 | 32. | 30.4 | 36. | 22. | 30.8 | 5.55 | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 04/15/69-04/15/70 | 5 | 8. | 8.8 | 12. | 6.4 | 7.04 | 2.653 | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 04/15/69-04/15/70 | 5 | 2.8 | 2.48 | 3.8 | 1.4 | 1.037 | 1.018 | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 04/15/69-04/15/70 | 5 | 16. | 16.8 | 40. | 4. | 195.2 | 13.971 | ** | ** | ** | ** |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 04/15/69-04/15/70 | 5 | 21. | 24.1 | 54. | 11. | 301.3 | 17.358 | ** | ** | ** | ** |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 04/15/69-04/15/69 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 04/15/69-04/15/70 | 5 | 7.6 | 6.74 | 9.6 | 1.3 | 11.443 | 3.383 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 07/15/69-04/15/70 | 4 | 340. | 430. | 800. | 240. | 63133.333 | 251.263 | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 04/15/69-04/15/70 | 5 | 81. | 93.6 | 170. | 58. | 1925.3 | 43.878 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0049

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 82038 | POTASSIUM-DISSOLVED UG/L(AS K) | 04/15/69-04/15/69 | 1 | 1600. | 1600. | 1600. | 1600. | 0. | 0. | ** | ** | ** | ** |
| 82039 | DISSOLVED-SODIUM UG/L (AS NA) | 04/15/69-04/15/69 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0049

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00400 | PH | Fresh Chronic | 9. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00946 | SULFATE, DISSOLVED (AS SO4) | Drinking Water | 250. | 5 | 0 | 0.00 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0050

NPS Station ID: HOFU0050
LAT/LON: 40.258698/ -75.767921
Agency: 21PENN
Date Created: 10/25/78
Location: AT MONOCACY STATION, UNION TWNSH
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): SCH061
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 999
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER - SCHUYLKILL
ECO Region:
RF1 Index: 02040203010
RF1 Mile Point: 6.720
Distance from RF1: 0.00
On/Off RF1: ON
RF3 Index: 020402030006103.85
RF3 Mile Point: 4.56
Distance from RF3: 0.02
On/Off RF3:
Description:
DATA FROM " SCHULKILL RIVER BASIN WATER QUALITY" REPORT SEDIMENT ANALYZED FOR TOXICS
SAMPLE TAKEN FROM SCHUYLKILL RIVER - AT MONOCACY STATION, UNION TOWNSHIP BERKS COUNTY

## Parameter Inventory for Station: HOFU0050

| Parameter | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|

******** No Parameter Data Available for this Station ********

# Station Inventory for Station: HOFU0051

NPS Station ID: HOFU0051
LAT/LON: 40.263615/ -75.767781
Agency: 112WRD
Date Created: 05/19/79
Location: MONOCACY CR NEAR MONOCACY, PA.
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 01471740
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203010
RF1 Mile Point: 7.340
Distance from RF1: 0.00
On/Off RF1: OFF
RF3 Index: 02040203003200.00
RF3 Mile Point: 0.14
Distance from RF3: 0.04
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0051

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/19/78-12/19/78 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/19/78-12/19/78 | 1 | 450. | 450. | 450. | 450. | 0. | 0. | ** | ** | ** | ** |
| 00603 | NITROGEN TOTAL, BOTTOM DEPOSITS (MG/KG-N DRY WGT) | 12/19/78-12/19/78 | 1 | 2400. | 2400. | 2400. | 2400. | 0. | 0. | ** | ** | ** | ** |
| 00668 | PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT) | 12/19/78-12/19/78 | 1 | 360. | 360. | 360. | 360. | 0. | 0. | ** | ** | ** | ** |
| 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 12/19/78-12/19/78 | 1 | 0.8 | 0.8 | 0.8 | 0.8 | 0. | 0. | ** | ** | ** | ** |
| 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 12/19/78-12/19/78 | 1 | 7.4 | 7.4 | 7.4 | 7.4 | 0. | 0. | ** | ** | ** | ** |
| 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/19/78-12/19/78 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/19/78-12/19/78 | 1 | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 12/19/78-12/19/78 | 1 | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 12/19/78-12/19/78 | 1 | 40. | 40. | 40. | 40. | 0. | 0. | ** | ** | ** | ** |
| 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 12/19/78-12/19/78 | 1 | 50. | 50. | 50. | 50. | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

********** No EPA Water Quality Criteria exist to compare against the data at this station. **********

# Station Inventory for Station: HOFU0052

NPS Station ID: HOFU0052
LAT/LON: 40.258337/ -75.768059
Agency: 11131DWQ
Date Created: / /
Location: SCHUYLKILL R MONACY STATION BR
FIPS State/County: 10000 DELAWARE/
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): DEL 090 /090 /SCH 19
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 1
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE
ECO Region:
RF1 Index: 02040203010
RF1 Mile Point: 6.720
Distance from RF1: 0.00
On/Off RF1: ON
RF3 Index: 02040205056408.65
RF3 Mile Point: 8.65
Distance from RF3: 0.01
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0052

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 06/07/72-06/07/72 | 1 | 22. | 22. | 22. | 22. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 06/07/72-06/07/72 | 1 | 7.7 | 7.7 | 7.7 | 7.7 | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 06/07/72-06/07/72 | 1 | 0.265 | 0.265 | 0.265 | 0.265 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 06/07/72-06/07/72 | 1 | 0.66 | 0.66 | 0.66 | 0.66 | 0. | 0. | ** | ** | ** | ** |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 06/07/72-06/07/72 | 1 | 1.97 | 1.97 | 1.97 | 1.97 | 0. | 0. | ** | ** | ** | ** |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 06/07/72-06/07/72 | 1 | 0.75 | 0.75 | 0.75 | 0.75 | 0. | 0. | ** | ** | ** | ** |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 06/07/72-06/07/72 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00690 | CARBON, TOTAL (MG/L AS C) | 06/07/72-06/07/72 | 1 | 12.8 | 12.8 | 12.8 | 12.8 | 0. | 0. | ** | ** | ** | ** |
| 32730 | PHENOLICS, TOTAL, RECOVERABLE (UG/L) | 06/07/72-06/07/72 | 1 | 35. | 35. | 35. | 35. | 0. | 0. | ** | ** | ** | ** |
| 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 06/07/72-06/07/72 | 1 | 0.55 | 0.55 | 0.55 | 0.55 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0052

| | | | | Total | Exceed | Prop. | ----------8/01-10/31---------- | | | ----------11/01-3/31---------- | | | ----------4/01-7/31---------- | | | ----------n/a---------- | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parameter | | Std. Type | Std. Value | Obs | Standard | Exceeding | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0053

NPS Station ID: HOFU0053 | LAT/LON: 40.187781/ -75.768059 | Agency: 11NPSWRD | Date Created: 04/25/98
Location: PINE CK 100 YDS UPSTREAM SR 4018 CROSSING | FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM | STORET Station ID(s): HOFU_PADEP_03PC
RMI-Indexes: | Within Park Boundary: No
RMI-Miles:
HUC: 02040203 | Depth of Water: 0 | Aquifer:
Major Basin: NORTH ATLANTIC | Elevation: 0 | Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL | ECO Region:
RF1 Index: 02040203 | RF1 Mile Point: 0.000 | Distance from RF1: 0.00 | On/Off RF1:
RF3 Index: 02040203001700.00 | RF3 Mile Point: 0.00 | Distance from RF3: 0.04 | On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON PINE CREEK 100 YARDS UPSTREAM OF HARMONYVILLE ROAD (SR 4018) CROSSING. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0053

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-05/16/95 | 2 | 16.5 | 16.5 | 19.5 | 13.5 | 18. | 4.243 | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/16/95-05/16/95 | 1 | 3. | 3. | 3. | 3. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-05/16/95 | 2 | 82.5 | 82.5 | 90. | 75. | 112.5 | 10.607 | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-05/16/95 | 2 | 7.95 | 7.95 | 8.5 | 7.4 | 0.605 | 0.778 | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 05/16/95-05/16/95 | 1 | 6.7 | 6.7 | 6.7 | 6.7 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 05/16/95-05/16/95 | 1 | 6.7 | 6.7 | 6.7 | 6.7 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/16/95-05/16/95 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-05/16/95 | 2 | 7.95 | 7.95 | 8.5 | 7.4 | 0.605 | 0.778 | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-05/16/95 | 2 | 7.668 | 7.668 | 8.5 | 7.4 | 0.764 | 0.874 | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-05/16/95 | 2 | 0.021 | 0.021 | 0.04 | 0.003 | 0.001 | 0.026 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-05/16/95 | 2 | 29. | 29. | 30. | 28. | 2. | 1.414 | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/16/95-05/16/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-05/16/95 | 2 | 11. | 11. | 16. | 6. | 50. | 7.071 | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-05/16/95 | 2 ## | 0.02 | 0.02 | 0.03 | 0.01 | 0. | 0.014 | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/16/95 | 2 | 0.006 | 0.006 | 0.008 | 0.004 | 0. | 0.003 | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/16/95 | 2 | 0.755 | 0.755 | 0.77 | 0.74 | 0. | 0.021 | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-05/16/95 | 2 ## | 0.26 | 0.26 | 0.42 | 0.1 | 0.051 | 0.226 | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-05/16/95 | 2 | 0.085 | 0.085 | 0.1 | 0.07 | 0. | 0.021 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-05/16/95 | 2 | 30.5 | 30.5 | 32. | 29. | 4.5 | 2.121 | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-05/16/95 | 2 | 8.65 | 8.65 | 8.7 | 8.6 | 0.005 | 0.071 | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-05/16/95 | 2 | 3.1 | 3.1 | 3.6 | 2.6 | 0.5 | 0.707 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-05/16/95 | 2 | 5. | 5. | 6. | 4. | 2. | 1.414 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0053

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-05/16/95 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/16/95-05/16/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-05/16/95 | 2 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/16/95-05/16/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-05/16/95 | 2 ## | 3.5 | 3.5 | 5. | 2. | 4.5 | 2.121 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-05/16/95 | 2 ## | 15. | 15. | 25. | 5. | 200. | 14.142 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-05/16/95 | 2 | 697. | 697. | 873. | 521. | 61952. | 248.902 | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-05/16/95 | 2 ## | 1.25 | 1.25 | 2. | 0.5 | 1.125 | 1.061 | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-05/16/95 | 2 ## | 27.5 | 27.5 | 30. | 25. | 12.5 | 3.536 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-05/16/95 | 2 ## | 18.75 | 18.75 | 25. | 12.5 | 78.125 | 8.839 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-05/16/95 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-05/16/95 | 2 | 280.5 | 280.5 | 393. | 168. | 25312.5 | 159.099 | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/16/95 | 2 | 430. | 430. | 700. | 160. | 145800. | 381.838 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/16/95 | 2 | 2.525 | 2.525 | 2.845 | 2.204 | 0.205 | 0.453 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 334.664 | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-05/16/95 | 2 | 69. | 69. | 78. | 60. | 162. | 12.728 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0053

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 & | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 1 | 0.50 | | | | | | | 2 | 1 | 0.50 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0054

NPS Station ID: HOFU0054 LAT/LON: 40.196948/ -75.768754 Agency: 11NPSWRD Date Created: 04/11/98
Location: INTERMITTENT STREAM BELOW CCC DUMP SITE FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_WESPSU_H6
RMI-Indexes: Within Park Boundary: Yes
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON AN INTERMITTENT STREAM INSIDE HOPEWELL FURNACE NATIONAL HISTORIC SITE (HOFU) DIRECTLY BELOW THE CIVILIAN CONSERVATION CORP'S DUMP SITE. THE CREEK WAS SAMPLED AS PART OF A WATER RESOURCE MANAGEMENT PLAN STUDY CONDUCTED WITHIN THE PARK BY THE NPS AND PENN STATE ENVIRONMENTAL RESOURCES RESEARCH INSTITUTE. THE STUDY WAS CONDUCTED TO DOCUMENT THE CONDITION OF THE HYDROLOGICAL SYSTEM AND TO RECOMMEND A PROGRAM OF ACTION CONCERNING THE PRESERVATION AND REMEDIATION OF THE SYSTEM. DATA WERE PUBLISHED IN THE REPORT "HOPEWELL FURNACE NATIONAL HISTORIC SITE WATER RESOURCE MANAGEMENT PLAN" BY WILLIAM E. SHARPE (1993). FOR MORE INFORMATION CONTACT HOFU'S CHIEF OF RESOURCES AT 2 MARK BIRD LANE; ELVERSON PA 19520 (TEL. 610-582-8773). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0054

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/18/92-03/23/93 | 2 | 3.05 | 3.05 | 3.6 | 2.5 | 0.605 | 0.778 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/18/92-03/23/93 | 2 | 88.5 | 88.5 | 107. | 70. | 684.5 | 26.163 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 11/18/92-03/23/93 | 2 | 6.58 | 6.58 | 6.79 | 6.37 | 0.088 | 0.297 | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 11/18/92-03/23/93 | 2 | 6.531 | 6.531 | 6.79 | 6.37 | 0.093 | 0.305 | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/18/92-03/23/93 | 2 | 0.294 | 0.294 | 0.427 | 0.162 | 0.035 | 0.187 | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/18/92-03/23/93 | 2 | 1.015 | 1.015 | 1.6 | 0.43 | 0.684 | 0.827 | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 11/18/92-03/23/93 | 2 | 2. | 2. | 3. | 1. | 2. | 1.414 | ** | ** | ** | ** |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 11/18/92-03/23/93 | 2 | 16.15 | 16.15 | 17.1 | 15.2 | 1.805 | 1.344 | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 11/18/92-03/23/93 | 2 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 11/18/92-03/23/93 | 2 | 36. | 36. | 62. | 10. | 1352. | 36.77 | ** | ** | ** | ** |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 11/18/92-03/23/93 | 2 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 11/18/92-03/23/93 | 2 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/18/92-03/23/93 | 2 | 28. | 28. | 50. | 6. | 968. | 31.113 | ** | ** | ** | ** |
| 32101 | BROMODICHLOROMETHANE,WHOLE WATER,UG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 32102 | CARBON TETRACHLORIDE,WHOLE WATER,UG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 32103 | 1,2-DICHLOROETHANE,WHOLE WATER,UG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 32104 | BROMOFORM,WHOLE WATER,UG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 32105 | DIBROMOCHLOROMETHANE,WHOLE WATER,UG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 32106 | CHLOROFORM,WHOLE WATER,UG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0054

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 34030 | BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L) | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34210 | ACROLEIN TOTWUG/L | 11/18/93-11/18/93 | 1 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34215 | ACRYLONITRILE TOTWUG/L | 11/18/93-11/18/93 | 1 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34301 | CHLOROBENZENE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34311 | CHLOROETHANE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34371 | ETHYLBENZENE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34413 | METHYL BROMIDE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34418 | METHYL CHLORIDE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 34423 | METHYLENE CHLORIDE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34475 | TETRACHLOROETHYLENE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34488 | TRICHLOROFLUOROMETHANE TOTWUG/L | 11/18/92-11/18/92 | 1 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34496 | 1,1-DICHLOROETHANE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34501 | 1,1-DICHLOROETHYLENE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34506 | 1,1,1-TRICHLOROETHANE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34511 | 1,1,2-TRICHLOROETHANE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34516 | 1,1,2,2-TETRACHLOROETHANE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34536 | 1,2-DICHLOROBENZENE TOTWUG/L | 11/18/92-11/18/92 | 1 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34541 | 1,2-DICHLOROPROPANE TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34546 | TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER UG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34566 | 1,3-DICHLOROBENZENE TOTWUG/L | 11/18/92-11/18/92 | 1 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34571 | 1,4-DICHLOROBENZENE TOTWUG/L | 11/18/92-11/18/92 | 1 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34576 | 2-CHLOROETHYL VINYL ETHER TOTWUG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34699 | TRANS-1,3-DICHLOROPROPENETOTAL IN WATER UG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 34704 | CIS-1,3-DICHLOROPROPENE TOTAL IN WATER UG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 39175 | VINYL CHLORIDE-WHOLE WATER SAMPLE-UG/L | 11/18/92-11/18/93 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 39180 | TRICHLOROETHYLENE-WHOLE WATER SAMPLE-UG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 77128 | STYRENE WHOLE WATER,UG/L | 11/18/92-11/18/92 | 1 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 78131 | TOLUENE IN WHOLE WATER (VOLATILE ANALYSIS) UG/L | 11/18/92-11/18/93 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 81551 | XYLENE WHL WATER SMPL UG/L | 11/18/92-11/18/92 | 1 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0054

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00400 | PH | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 1 | 0.50 | | | | 2 | 1 | 0.50 | | | | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00946 | SULFATE, DISSOLVED (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 32101 | BROMODICHLOROMETHANE, WHOLE WATER | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 32102 | CARBON TETRACHLORIDE, WHOLE WATER | Fresh Acute | 35200. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 32103 | 1,2-DICHLOROETHANE,WHOLE WATER | Fresh Acute | 118000. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 32104 | BROMOFORM, WHOLE WATER | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 32105 | DIBROMOCHLOROMETHANE, WHOLE WATER | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 32106 | CHLOROFORM, WHOLE WATER | Fresh Acute | 28900. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 34210 | ACROLEIN, TOTAL | Fresh Acute | 68. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 34215 | ACRYLONITRILE, TOTAL | Fresh Acute | 7550. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Station: HOFU0054

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 34301 | CHLOROBENZENE, TOTAL | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 34371 | ETHYLBENZENE, TOTAL | Fresh Acute | 32000. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 700. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 34423 | METHYLENE CHLORIDE, TOTAL | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 34475 | TETRACHLOROETHYLENE, TOTAL | Fresh Acute | 5280. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 34501 | 1,1-DICHLOROETHYLENE, TOTAL | Drinking Water | 7. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 34506 | 1,1,1-TRICHLOROETHANE, TOTAL | Drinking Water | 200. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 34511 | 1,1,2-TRICHLOROETHANE, TOTAL | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 34536 | 1,2-DICHLOROBENZENE, TOTAL | Drinking Water | 600. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 34541 | 1,2-DICHLOROPROPANE, TOTAL | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 34546 | TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATE | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 34566 | 1,3-DICHLOROBENZENE, TOTAL | Drinking Water | 600. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 34571 | 1,4-DICHLOROBENZENE, TOTAL | Drinking Water | 75. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39175 | VINYL CHLORIDE-WHOLE WATER SAMPLE | Drinking Water | 2. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 39180 | TRICHLOROETHYLENE-WHOLE WATER SAMPLE | Fresh Acute | 45000. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 77128 | STYRENE, WHOLE WATER | Drinking Water | 100. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0055

NPS Station ID: HOFU0055
LAT/LON: 40.258615/ -75.768892
Agency: 112WRD
Date Created: 03/16/79
Location: SCHUYLKILL R AT MONOCACY STA NR BIRDSBORO, PA.
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 01471680
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203010
RF1 Mile Point: 6.720
Distance from RF1: 30.70
On/Off RF1: ON
RF3 Index: 02040203043403.29
RF3 Mile Point: 3.82
Distance from RF3: 0.01
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0055

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/19/78-12/19/78 | 1 | 3. | 3. | 3. | 3. | 0. | 0. | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/19/78-12/19/78 | 1 | 320. | 320. | 320. | 320. | 0. | 0. | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 12/19/78-12/19/78 | 1 | 7.5 | 7.5 | 7.5 | 7.5 | 0. | 0. | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 12/19/78-12/19/78 | 1 | 7.5 | 7.5 | 7.5 | 7.5 | 0. | 0. | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 12/19/78-12/19/78 | 1 | 0.032 | 0.032 | 0.032 | 0.032 | 0. | 0. | ** | ** | ** | ** |
| 00603 | NITROGEN TOTAL, BOTTOM DEPOSITS (MG/KG-N DRY WGT) | 12/19/78-12/19/78 | 1 | 8700. | 8700. | 8700. | 8700. | 0. | 0. | ** | ** | ** | ** |
| 00668 | PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT) | 12/19/78-12/19/78 | 1 | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 12/19/78-11/16/79 | 2 | 2.9 | 2.9 | 4. | 1.8 | 2.42 | 1.556 | ** | ** | ** | ** |
| 00687 | CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/16/79-11/16/79 | 1 | 50. | 50. | 50. | 50. | 0. | 0. | ** | ** | ** | ** |
| 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 12/19/78-11/16/79 | 2 | 65.5 | 65.5 | 79. | 52. | 364.5 | 19.092 | ** | ** | ** | ** |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 12/19/78-12/19/78 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 12/19/78-11/16/79 | 2 | 0.5 | 0.5 | 1. | 0. | 0.5 | 0.707 | ** | ** | ** | ** |
| 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 11/16/79-11/16/79 | 1 | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 12/19/78-12/19/78 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/19/78-11/16/79 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/19/78-11/16/79 | 2 | 105. | 105. | 160. | 50. | 6050. | 77.782 | ** | ** | ** | ** |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 12/19/78-12/19/78 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 12/19/78-12/19/78 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 12/19/78-11/16/79 | 2 | 315. | 315. | 330. | 300. | 450. | 21.213 | ** | ** | ** | ** |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 12/19/78-12/19/78 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 12/19/78-11/16/79 | 2 | 285. | 285. | 310. | 260. | 1250. | 35.355 | ** | ** | ** | ** |
| 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 1 | 160. | 160. | 160. | 160. | 0. | 0. | ** | ** | ** | ** |
| 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 11/16/79-11/16/79 | 1 | 3. | 3. | 3. | 3. | 0. | 0. | ** | ** | ** | ** |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 12/19/78-12/19/78 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 12/19/78-11/16/79 | 2 | 610. | 610. | 700. | 520. | 16200. | 127.279 | ** | ** | ** | ** |
| 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 11/16/79-11/16/79 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 39034 | PERTHANE IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39250 | NAPTHALENES, POLYCHLORINATED (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39330 | ALDRIN IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-11/16/79 | 2 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39340 | GAMMA-BHC(LINDANE),WHOLE WATER,UG/L | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 12/19/78-11/16/79 | 2 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39350 | CHLORDANE(TECH MIX & METABS),WHOLE WATER,UG/L | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 12/19/78-11/16/79 | 2 | 26. | 26. | 28. | 24. | 8. | 2.828 | ** | ** | ** | ** |
| 39360 | DDD IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-11/16/79 | 2 | 6.45 | 6.45 | 9. | 3.9 | 13.005 | 3.606 | ** | ** | ** | ** |
| 39365 | DDE IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0055

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-11/16/79 | 2 | 7. | 7. | 14. | 0. | 98. | 9.899 | ** | ** | ** | ** |
| 39370 | DDT IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-11/16/79 | 2 | 9.2 | 9.2 | 14. | 4.4 | 46.08 | 6.788 | ** | ** | ** | ** |
| 39380 | DIELDRIN IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/19/78-11/16/79 | 2 | 0.5 | 0.5 | 1. | 0. | 0.5 | 0.707 | ** | ** | ** | ** |
| 39388 | ENDOSULFAN IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39390 | ENDRIN IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-11/16/79 | 2 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39400 | TOXAPHENE IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/19/78-11/16/79 | 2 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39410 | HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-11/16/79 | 2 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39420 | HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 12/19/78-11/16/79 | 2 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39480 | METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39516 | PCBS IN WHOLE WATER SAMPLE (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 12/19/78-11/16/79 | 2 | 225. | 225. | 310. | 140. | 14450. | 120.208 | ** | ** | ** | ** |
| 39755 | MIREX, TOTAL (UG/L) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 12/19/78-12/19/78 | 1 ## | 0.25 | 0.25 | 0.25 | 0.25 | 0. | 0. | ** | ** | ** | ** |
| 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 12/19/78-11/16/79 | 2 | 0.1 | 0.1 | 0.2 | 0. | 0.02 | 0.141 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0055

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400 | PH | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01000 | ARSENIC, DISSOLVED | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01030 | CHROMIUM, DISSOLVED | Drinking Water | 100. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01040 | COPPER, DISSOLVED | Fresh Acute | 18. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01090 | ZINC, DISSOLVED | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39330 | ALDRIN IN WHOLE WATER SAMPLE | Fresh Acute | 3. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39340 | GAMMA-BHC(LINDANE), WHOLE WATER | Fresh Acute | 2. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 0.2 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39350 | CHLORDANE(TECH MIX & METABS), WHOLE WATE | Fresh Acute | 2.4 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39360 | DDD IN WHOLE WATER SAMPLE | Fresh Acute | 0.6 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39365 | DDE IN WHOLE WATER SAMPLE | Fresh Acute | 1050. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39370 | DDT IN WHOLE WATER SAMPLE | Fresh Acute | 1.1 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39380 | DIELDRIN IN WHOLE WATER SAMPLE | Fresh Acute | 2.5 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39388 | ENDOSULFAN IN WHOLE WATER SAMPLE | Fresh Acute | 0.22 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39390 | ENDRIN IN WHOLE WATER SAMPLE | Fresh Acute | 0.18 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39400 | TOXAPHENE IN WHOLE WATER SAMPLE | Fresh Acute | 0.73 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 3. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39410 | HEPTACHLOR IN WHOLE WATER SAMPLE | Fresh Acute | 0.52 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 0.4 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39420 | HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE | Fresh Acute | 0.52 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 0.2 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39480 | METHOXYCHLOR IN WHOLE WATER SAMPLE | Drinking Water | 40. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Station: HOFU0055

| Parameter | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 71890 MERCURY, DISSOLVED | Fresh Acute | 2.4 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | Drinking Water | 2. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0056

NPS Station ID: HOFU0056
LAT/LON: 40.203420/ -75.769642
Agency: 11NPSWRD
Date Created: 05/02/98
Location: FRENCH CREEK AT PA ROUTE 345 BRIDGE
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): HOFU_BOYER_01
RMI-Indexes:
Within Park Boundary: Yes
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001700.00
RF3 Mile Point: 0.00
Distance from RF3: 0.04
On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPO- GRAPHIC) QUADRANGLE. THE STATION WAS INSIDE HOPEWELL FURNACE NATIONAL HISTORIC SITE (HOFU) ON FRENCH CREEK AT PENNSYLVANIA ROUTE 345 BRIDGE; RIVER MILE 21.87. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE NPS AND PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION TO ASSESS NON- POINT SOURCE POLLUTION IN FRENCH CREEK AND TO DOCUMENT OVERALL WATER QUALITY IN THE BASIN. DATA WERE PUBLISHED IN THE REPORT "AQUATIC BIOLOGY INVESTIGATION; FRENCH CREEK/CHESTER COUNTY; NPS SURVEY" (MICHAEL R. BOYER; 1993). THE REPORT STATED; "OVERALL STREAM CONDITIONS AT STATION 1 ARE GOOD ALTHOUGH THE HQ-CWF CLASSIFICATION IS NOT BEING ATTAINED. THE REASON..APPEARS TO BE THE PRESENCE OF HOPEWELL LAKE AND THE AGRICULTURAL LAND USE IN THE VICINITY.." FOR MORE INFO. CONTACT HOFU'S NATURAL RESOURCES AT 2 MARK BIRD LANE; ELVERSON PA 19520. TEL. 610-582-8773. DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NPS-WRD; 1201 OAK RIDGE DR.; FORT COLLINS CO 80525. TEL. 970-225-3516.

## Parameter Inventory for Station: HOFU0056

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 1 | 24. | 24. | 24. | 24. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 1 | 55. | 55. | 55. | 55. | 0. | 0. | ** | ** | ** | ** |
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 1 | 7.5 | 7.5 | 7.5 | 7.5 | 0. | 0. | ** | ** | ** | ** |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 1 | 1.2 | 1.2 | 1.2 | 1.2 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 1 | 7.88 | 7.88 | 7.88 | 7.88 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-07/09/91 | 1 | 7.88 | 7.88 | 7.88 | 7.88 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-07/09/91 | 1 | 0.013 | 0.013 | 0.013 | 0.013 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 1 | 68. | 68. | 68. | 68. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 1 | 56. | 56. | 56. | 56. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 1 | 12. | 12. | 12. | 12. | 0. | 0. | ** | ** | ** | ** |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 1 ## | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 ## | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.11 | 0.11 | 0.11 | 0.11 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.34 | 0.34 | 0.34 | 0.34 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 1 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 23. | 23. | 23. | 23. | 0. | 0. | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 1 | 6.1 | 6.1 | 6.1 | 6.1 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0056

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 1 | 1.9 | 1.9 | 1.9 | 1.9 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 1 | 496. | 496. | 496. | 496. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 1 | 83. | 83. | 83. | 83. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 1 | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 1 | 409. | 409. | 409. | 409. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 1 | 1400. | 1400. | 1400. | 1400. | 0. | 0. | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 07/09/91-07/09/91 | 1 | 3.146 | 3.146 | 3.146 | 3.146 | 0. | 0. | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 1400. | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 440. | 440. | 440. | 440. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 2.643 | 2.643 | 2.643 | 2.643 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 440. | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 1 | 950. | 950. | 950. | 950. | 0. | 0. | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 07/09/91-07/09/91 | 1 | 2.978 | 2.978 | 2.978 | 2.978 | 0. | 0. | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 950. | | | | | | | | |
| 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 1 | 2.4 | 2.4 | 2.4 | 2.4 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0056

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 82079 | TURBIDITY, LAB | Other-Hi Lim. | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0057

NPS Station ID: HOFU0057 LAT/LON: 40.208142/ -75.770476 Agency: 11NPSWRD Date Created: 04/11/98
Location: SPROUT RUN AT CROSSING PT OF EAST HEADHOUSE FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_WESPSU_H3
RMI-Indexes: Within Park Boundary: Yes
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON SPROUT RUN INSIDE HOPEWELL FURNACE NATIONAL HISTORIC SITE (HOFU) AT CROSSING POINT OF EAST HEADHOUSE. THE CREEK WAS SAMPLED AS PART OF A WATER RESOURCE MANAGEMENT PLAN STUDY CONDUCTED WITHIN THE PARK BY THE NPS AND PENN STATE ENVIRONMENTAL RESOURCES RESEARCH INSTITUTE. THE STUDY WAS CONDUCTED TO DOCUMENT THE CONDITION OF THE HYDROLOGICAL SYSTEM AND TO RECOMMEND A PROGRAM OF ACTION CONCERNING THE PRESERVATION AND REMEDIATION OF THE SYSTEM. DATA WERE PUBLISHED IN THE REPORT "HOPEWELL FURNACE NATIONAL HISTORIC SITE WATER RESOURCE MANAGEMENT PLAN" BY WILLIAM E. SHARPE (1993). FOR MORE INFORMATION CONTACT HOFU'S CHIEF OF RESOURCES AT 2 MARK BIRD LANE; ELVERSON PA 19520 (TEL. 610-582-8773). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0057

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/18/92-03/23/93 | 2 | 1.35 | 1.35 | 1.7 | 1. | 0.245 | 0.495 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/18/92-03/23/93 | 2 | 65.5 | 65.5 | 69. | 62. | 24.5 | 4.95 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 11/18/92-03/23/93 | 2 | 6.95 | 6.95 | 7.13 | 6.77 | 0.065 | 0.255 | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 11/18/92-03/23/93 | 2 | 6.914 | 6.914 | 7.13 | 6.77 | 0.067 | 0.26 | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/18/92-03/23/93 | 2 | 0.122 | 0.122 | 0.17 | 0.074 | 0.005 | 0.068 | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/18/92-03/23/93 | 2 | 0.095 | 0.095 | 0.1 | 0.09 | 0. | 0.007 | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 11/18/92-03/23/93 | 2 | 6. | 6. | 8. | 4. | 8. | 2.828 | ** | ** | ** | ** |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 11/18/92-03/23/93 | 2 | 9.5 | 9.5 | 9.9 | 9.1 | 0.32 | 0.566 | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 11/18/92-03/23/93 | 2 ## | 0.15 | 0.15 | 0.3 | 0. | 0.045 | 0.212 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 11/18/92-03/23/93 | 2 | 19.5 | 19.5 | 29. | 10. | 180.5 | 13.435 | ** | ** | ** | ** |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 11/18/92-03/23/93 | 2 ## | 1. | 1. | 2. | 0. | 2. | 1.414 | ** | ** | ** | ** |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 11/18/92-03/23/93 | 2 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/18/92-03/23/93 | 2 | 18. | 18. | 20. | 16. | 8. | 2.828 | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 11/18/92-03/23/93 | 2 | 40. | 40. | 48. | 32. | 128. | 11.314 | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 11/18/92-03/23/93 | 2 | 1.593 | 1.593 | 1.681 | 1.505 | 0.016 | 0.125 | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 39.192 | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 2 | 15.5 | 15.5 | 21. | 10. | 60.5 | 7.778 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 2 | 1.161 | 1.161 | 1.322 | 1. | 0.052 | 0.228 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 14.491 | | | | | | | | |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0057

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 11/18/92-03/23/93 | 2 | 13. | 13. | 22. | 4. | 162. | 12.728 | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 11/18/92-03/23/93 | 2 | 0.972 | 0.972 | 1.342 | 0.602 | 0.274 | 0.524 | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 9.381 | | | | | | | | |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0057

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00400 | PH | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00946 | SULFATE, DISSOLVED (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0058

NPS Station ID: HOFU0058 | LAT/LON: 40.205504/ -75.773032 | Agency: 11NPSWRD | Date Created: 04/11/98
Location: DOWNSTREAM OF TRAILRACE-FRENCH CRK CONFLUENCE | FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM | STORET Station ID(s): HOFU_WESPSU_H2
RMI-Indexes: | Within Park Boundary: Yes
RMI-Miles:
HUC: 02040203 | Depth of Water: 0 | Aquifer:
Major Basin: NORTH ATLANTIC | Elevation: 0 | Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL | ECO Region:
RF1 Index: 02040203 | RF1 Mile Point: 0.000 | Distance from RF1: 0.00 | On/Off RF1:
RF3 Index: 02040203001700.00 | RF3 Mile Point: 0.00 | Distance from RF3: 0.04 | On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK INSIDE HOPEWELL FURNACE NATIONAL HISTORIC SITE (HOFU) 20 METERS DOWNSTREAM OF THE TRAILRACE AND FRENCH CREEK CONFLUENCE. THE CREEK WAS SAMPLED AS PART OF A WATER RESOURCE MANAGEMENT PLAN STUDY CONDUCTED WITHIN THE PARK BY THE NPS AND PENN STATE ENVIRONMENTAL RESOURCES RESEARCH INSTITUTE. THE STUDY WAS CONDUCTED TO DOCUMENT THE CONDITION OF THE HYDROLOGICAL SYSTEM AND TO RECOMMEND A PROGRAM OF ACTION CONCERNING THE PRESERVATION AND REMEDIATION OF SYSTEM. DATA WERE PUBLISHED IN THE REPORT "HOPEWELL FURNACE NATIONAL HISTORIC SITE WATER RESOURCE MANAGEMENT PLAN" BY WILLIAM E. SHARPE (1993). FOR MORE INFORMATION CONTACT HOFU'S CHIEF OF RESOURCES AT 2 MARK BIRD LANE; ELVERSON PA 19520 (TEL. 610-582-8773). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0058

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/18/92-03/23/93 | 2 | 4.5 | 4.5 | 6.2 | 2.8 | 5.78 | 2.404 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/18/92-03/23/93 | 2 | 74. | 74. | 86. | 62. | 288. | 16.971 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 11/18/92-03/23/93 | 2 | 6.955 | 6.955 | 6.99 | 6.92 | 0.002 | 0.049 | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 11/18/92-03/23/93 | 2 | 6.954 | 6.954 | 6.99 | 6.92 | 0.002 | 0.05 | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/18/92-03/23/93 | 2 | 0.111 | 0.111 | 0.12 | 0.102 | 0. | 0.013 | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/18/92-03/23/93 | 2 | 0.185 | 0.185 | 0.23 | 0.14 | 0.004 | 0.064 | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 11/18/92-03/23/93 | 2 | 3.5 | 3.5 | 5. | 2. | 4.5 | 2.121 | ** | ** | ** | ** |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 11/18/92-03/23/93 | 2 | 12.15 | 12.15 | 15.1 | 9.2 | 17.405 | 4.172 | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 11/18/92-03/23/93 | 2 ## | 0.15 | 0.15 | 0.3 | 0. | 0.045 | 0.212 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 11/18/92-03/23/93 | 2 | 53. | 53. | 80. | 26. | 1458. | 38.184 | ** | ** | ** | ** |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 11/18/92-03/23/93 | 2 ## | 0.5 | 0.5 | 1. | 0. | 0.5 | 0.707 | ** | ** | ** | ** |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 11/18/92-03/23/93 | 2 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/18/92-03/23/93 | 2 | 14. | 14. | 18. | 10. | 32. | 5.657 | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 11/18/92-03/23/93 | 2 | 7. | 7. | 10. | 4. | 18. | 4.243 | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 11/18/92-03/23/93 | 2 | 0.801 | 0.801 | 1. | 0.602 | 0.079 | 0.281 | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 6.325 | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 2 | 50.5 | 50.5 | 86. | 15. | 2520.5 | 50.205 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 2 | 1.555 | 1.555 | 1.934 | 1.176 | 0.288 | 0.536 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 35.917 | | | | | | | | |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0058

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 11/18/92-03/23/93 | 2 ## | 53.5 | 53.5 | 107. | 0. | 5724.5 | 75.66 | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 11/18/92-03/23/93 | 2 ## | 1.015 | 1.015 | 2.029 | 0. | 2.059 | 1.435 | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 10.344 | | | | | | | | |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0058

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00400 | PH | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00946 | SULFATE, DISSOLVED (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0059

NPS Station ID: HOFU0059 LAT/LON: 40.204726/ -75.773616 Agency: 11NPSWRD Date Created: 04/25/98
Location: FRENCH CK 200 YDS UPSTREAM OF PA 345 BRIDGE FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PADEP_02FC
RMI-Indexes: Within Park Boundary: Yes
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK INSIDE HOPEWELL NATIONAL HISTORIC SITE 200 YARDS UPSTREAM OF THE PA ROUTE 345 BRIDGE. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW" BY THE BUREAU OF WATERSHED CONSERVATION (1996). FOR MORE INFORMATION CONTACT HOPEWELL FURNACE NATIONAL HISTORIC CHIEF OF RESOURCES AT 2 MARK BIRD LANE; ELVERSON PA 19520 (TEL. 610-582-8773). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0059

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-04/28/95 | 2 | 20.75 | 20.75 | 24. | 17.5 | 21.125 | 4.596 | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 04/28/95-04/28/95 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-04/28/95 | 2 | 42.5 | 42.5 | 55. | 30. | 312.5 | 17.678 | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-04/28/95 | 2 | 7.65 | 7.65 | 7.8 | 7.5 | 0.045 | 0.212 | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 04/28/95-04/28/95 | 1 | 6.8 | 6.8 | 6.8 | 6.8 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 04/28/95-04/28/95 | 1 | 6.8 | 6.8 | 6.8 | 6.8 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 04/28/95-04/28/95 | 1 | 0.158 | 0.158 | 0.158 | 0.158 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-04/28/95 | 2 | 7.54 | 7.54 | 7.88 | 7.2 | 0.231 | 0.481 | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-04/28/95 | 2 | 7.419 | 7.419 | 7.88 | 7.2 | 0.261 | 0.511 | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-04/28/95 | 2 | 0.038 | 0.038 | 0.063 | 0.013 | 0.001 | 0.035 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-04/28/95 | 2 | 19. | 19. | 20. | 18. | 2. | 1.414 | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-04/28/95 | 2 ## | 6.5 | 6.5 | 12. | 1. | 60.5 | 7.778 | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-04/28/95 | 2 ## | 0.025 | 0.025 | 0.04 | 0.01 | 0. | 0.021 | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-04/28/95 | 2 ## | 0.004 | 0.004 | 0.006 | 0.002 | 0. | 0.003 | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-04/28/95 | 2 | 0.085 | 0.085 | 0.11 | 0.06 | 0.001 | 0.035 | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-04/28/95 | 2 ## | 0.22 | 0.22 | 0.34 | 0.1 | 0.029 | 0.17 | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-04/28/95 | 2 | 0.055 | 0.055 | 0.08 | 0.03 | 0.001 | 0.035 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-04/28/95 | 2 | 20.5 | 20.5 | 23. | 18. | 12.5 | 3.536 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0059

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-04/28/95 | 2 | 6.05 | 6.05 | 6.1 | 6. | 0.005 | 0.071 | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-04/28/95 | 2 | 1.75 | 1.75 | 1.9 | 1.6 | 0.045 | 0.212 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-04/28/95 | 2 | 3.5 | 3.5 | 4. | 3. | 0.5 | 0.707 | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-04/28/95 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 04/28/95-04/28/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-04/28/95 | 2 ## | 1.05 | 1.05 | 2. | 0.1 | 1.805 | 1.344 | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 04/28/95-04/28/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-04/28/95 | 2 ## | 3.5 | 3.5 | 5. | 2. | 4.5 | 2.121 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-04/28/95 | 2 ## | 15. | 15. | 25. | 5. | 200. | 14.142 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-04/28/95 | 2 | 394.5 | 394.5 | 496. | 293. | 20604.5 | 143.543 | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-04/28/95 | 2 ## | 1.25 | 1.25 | 2. | 0.5 | 1.125 | 1.061 | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-04/28/95 | 2 | 65. | 65. | 83. | 47. | 648. | 25.456 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-04/28/95 | 2 ## | 18.75 | 18.75 | 25. | 12.5 | 78.125 | 8.839 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-04/28/95 | 2 ## | 7.5 | 7.5 | 10. | 5. | 12.5 | 3.536 | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-04/28/95 | 2 ## | 238.25 | 238.25 | 409. | 67.5 | 58311.125 | 241.477 | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-04/28/95 | 2 ## | 225. | 225. | 440. | 10. | 92450. | 304.056 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-04/28/95 | 2 ## | 1.822 | 1.822 | 2.643 | 1. | 1.35 | 1.162 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 66.332 | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-04/28/95 | 2 | 44. | 44. | 56. | 32. | 288. | 16.971 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0059

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 & | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 1 | 0.50 | | | | | | | 2 | 1 | 0.50 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0060

NPS Station ID: HOFU0060
LAT/LON: 40.187837/ -75.774337
Agency: 11NPSWRD
Date Created: 05/02/98
Location: PINE CREEK AT HARMONYVILLE ROAD
FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): HOFU_BOYER_02
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001700.00
RF3 Mile Point: 0.00
Distance from RF3: 0.04
On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS SOUTH OF HOPEWELL FURNACE NATIONAL HISTORIC SITE ON PINE CREEK AT HARMONYVILLE ROAD; RIVER MILE 21.87. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE NPS AND THE PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION TO ASSESS NON-POINT SOURCE POLLUTION IN FRENCH CREEK AND TO DOCUMENT OVERALL WATER QUALITY IN THE BASIN. DATA WERE PUBLISHED IN THE REPORT "AQUATIC BIOLOGY INVESTIGATION; FRENCH CREEK; CHESTER COUNTY; NPS SURVEY" BY MICHAEL R. BOYER (1993). THE REPORT STATED; "FIELD CHEMISTRIES WERE TYPICAL OF A HEALTHY COLD WATER STREAM..THE PRESENCE OF WILD BROOK TROUT AND A DIVERSE AND SENSITIVE BENTHIC COMMUNITY INDICATE EXCELLENT WATER QUALITY. SILTATION FROM AGRICULTURAL SOURCES IS PROBABLY LIMITING THE BROOK TROUT POPULATION." DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0060

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 1 | 19.5 | 19.5 | 19.5 | 19.5 | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 1 | 75. | 75. | 75. | 75. | 0. | 0. | ** | ** | ** | ** |
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 1 | 8.5 | 8.5 | 8.5 | 8.5 | 0. | 0. | ** | ** | ** | ** |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 1 | 0.8 | 0.8 | 0.8 | 0.8 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 1 | 8.5 | 8.5 | 8.5 | 8.5 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-07/09/91 | 1 | 8.5 | 8.5 | 8.5 | 8.5 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-07/09/91 | 1 | 0.003 | 0.003 | 0.003 | 0.003 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 30. | 30. | 30. | 30. | 0. | 0. | ** | ** | ** | ** |
| 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 1 | 94. | 94. | 94. | 94. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 1 | 78. | 78. | 78. | 78. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 1 | 16. | 16. | 16. | 16. | 0. | 0. | ** | ** | ** | ** |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 1 ## | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.03 | 0.03 | 0.03 | 0.03 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.004 | 0.004 | 0.004 | 0.004 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.77 | 0.77 | 0.77 | 0.77 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.42 | 0.42 | 0.42 | 0.42 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 1 | 0.07 | 0.07 | 0.07 | 0.07 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 32. | 32. | 32. | 32. | 0. | 0. | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 1 | 8.6 | 8.6 | 8.6 | 8.6 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0060

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 1 | 3.6 | 3.6 | 3.6 | 3.6 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 1 | 6. | 6. | 6. | 6. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 1 | 873. | 873. | 873. | 873. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 1 | 393. | 393. | 393. | 393. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 1 | 2300. | 2300. | 2300. | 2300. | 0. | 0. | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 07/09/91-07/09/91 | 1 | 3.362 | 3.362 | 3.362 | 3.362 | 0. | 0. | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 2300. | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 700. | 700. | 700. | 700. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 2.845 | 2.845 | 2.845 | 2.845 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 700. | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 1 | 580. | 580. | 580. | 580. | 0. | 0. | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 07/09/91-07/09/91 | 1 | 2.763 | 2.763 | 2.763 | 2.763 | 0. | 0. | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 580. | | | | | | | | |
| 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0060

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 82079 | TURBIDITY, LAB | Other-Hi Lim. | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0061

NPS Station ID: HOFU0061 LAT/LON: 40.204503/ -75.777059 Agency: 11NPSWRD Date Created: 04/11/98
Location: FRENCH CK 25 METERS DOWNSTREAM OF LAKE HOPEWELL FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_WESPSU_H1
RMI-Indexes: Within Park Boundary: Yes
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON FRENCH CREEK INSIDE HOPEWELL FURNACE NATIONAL HISTORIC SITE (HOFU) 25 METERS DOWNSTREAM OF THE OLD SPILLWAY AT HOPEWELL LAKE. THE CREEK WAS SAMPLED AS PART OF A WATER RESOURCE MANAGEMENT PLAN STUDY CONDUCTED WITHIN THE PARK BY THE NPS AND PENN STATE ENVIRONMENTAL RESOURCES RESEARCH INSTITUTE. THE STUDY WAS CONDUCTED TO DOCUMENT THE CONDITION OF THE HYDROLOGICAL SYSTEM AND TO RECOMMEND A PROGRAM OF ACTION CONCERNING THE PRESERVATION AND REMEDIATION OF THE SYSTEM. DATA WERE PUBLISHED IN THE REPORT "HOPEWELL FURNACE NATIONAL HISTORIC SITE WATER RESOURCE MANAGEMENT PLAN" BY WILLIAM E. SHARPE (1993). FOR MORE INFORMATION CONTACT HOFU'S CHIEF OF RESOURCES AT 2 MARK BIRD LANE; ELVERSON PA 19520 (TEL. 610-582-8773). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0061

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 11/18/92-03/23/93 | 2 | 4.95 | 4.95 | 8.2 | 1.7 | 21.125 | 4.596 | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 11/18/92-03/23/93 | 2 | 66.5 | 66.5 | 77. | 56. | 220.5 | 14.849 | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 11/18/92-03/23/93 | 2 | 6.97 | 6.97 | 6.99 | 6.95 | 0.001 | 0.028 | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 11/18/92-03/23/93 | 2 | 6.97 | 6.97 | 6.99 | 6.95 | 0.001 | 0.028 | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 11/18/92-03/23/93 | 2 | 0.107 | 0.107 | 0.112 | 0.102 | 0. | 0.007 | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 11/18/92-03/23/93 | 2 | 0.13 | 0.13 | 0.17 | 0.09 | 0.003 | 0.057 | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 11/18/92-03/23/93 | 2 | 4. | 4. | 6. | 2. | 8. | 2.828 | ** | ** | ** | ** |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 11/18/92-03/23/93 | 2 | 11.65 | 11.65 | 14.9 | 8.4 | 21.125 | 4.596 | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 11/18/92-03/23/93 | 2 | 0.5 | 0.5 | 0.6 | 0.4 | 0.02 | 0.141 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 11/18/92-03/23/93 | 2 | 67.5 | 67.5 | 120. | 15. | 5512.5 | 74.246 | ** | ** | ** | ** |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 11/18/92-03/23/93 | 2 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 11/18/92-03/23/93 | 2 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 11/18/92-03/23/93 | 2 | 11.5 | 11.5 | 13. | 10. | 4.5 | 2.121 | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 11/18/92-03/23/93 | 2 ## | 10. | 10. | 20. | 0. | 200. | 14.142 | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 11/18/92-03/23/93 | 2 ## | 0.651 | 0.651 | 1.301 | 0. | 0.846 | 0.92 | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 4.472 | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 2 ## | 32. | 32. | 64. | 0. | 2048. | 45.255 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 11/18/92-03/23/93 | 2 ## | 0.903 | 0.903 | 1.806 | 0. | 1.631 | 1.277 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 8. | | | | | | | | |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0061

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 11/18/92-03/23/93 | 2 ## | 61. | 61. | 122. | 0. | 7442. | 86.267 | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 11/18/92-03/23/93 | 2 ## | 1.043 | 1.043 | 2.086 | 0. | 2.176 | 1.475 | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 11.045 | | | | | | | | |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0061

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00400 | PH | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 00946 | SULFATE, DISSOLVED (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0062

NPS Station ID: HOFU0062 LAT/LON: 40.204170/ -75.778615 Agency: 21PA Date Created: 11/02/91
Location: HOPEWELL LAKE - 20 M FRM DAM BREAST; MID-CHAN FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/LAKE/BIO STORET Station ID(s): WQNL102 /PFBC6-107
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: Elevation: 0 Water Body Id:
Minor Basin: ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.80 On/Off RF1:
RF3 Index: 02040203001218.94 RF3 Mile Point: 19.47 Distance from RF3: 0.06 On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0062

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/24/91-08/06/96 | 34 | 24. | 22.488 | 29. | 12.8 | 23.253 | 4.822 | 15.05 | 17.475 | 26.2 | 28.3 |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 07/24/91-09/05/95 | 2 | 27.9 | 27.9 | 29. | 26.8 | 2.42 | 1.556 | ** | ** | ** | ** |
| 00032 | CLOUD COVER (PERCENT) | 07/24/91-08/06/96 | 4 | 25. | 31.25 | 50. | 25. | 156.25 | 12.5 | ** | ** | ** | ** |
| 00078 | TRANSPARENCY, SECCHI DISC (METERS) | 07/24/91-08/06/96 | 4 | 1.6 | 1.413 | 1.85 | 0.6 | 0.314 | 0.56 | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 09/05/95-08/06/96 | 27 | 60. | 100.889 | 303. | 56. | 4709.179 | 68.623 | 56.8 | 58. | 143. | 207. |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 07/24/91-07/24/91 | 2 | 78.5 | 78.5 | 96. | 61. | 612.5 | 24.749 | ** | ** | ** | ** |
| 00205 | DEPTH, MAXIMUM, OF LAKE OR RESERVOIR (METERS) | 07/24/91-08/06/96 | 4 | 5.95 | 5.175 | 6. | 2.8 | 2.509 | 1.584 | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 07/24/91-08/06/96 | 34 | 4.8 | 5.136 | 10.8 | 0.05 | 19.736 | 4.443 | 0.075 | 0.175 | 10.15 | 10.7 |
| 00400 | PH (STANDARD UNITS) | 09/05/95-08/06/96 | 27 | 7.32 | 7.557 | 9.44 | 6.35 | 0.822 | 0.907 | 6.498 | 6.7 | 8.44 | 8.766 |
| 00400 | CONVERTED PH (STANDARD UNITS) | 09/05/95-08/06/96 | 27 | 7.32 | 6.984 | 9.44 | 6.35 | 1.164 | 1.079 | 6.498 | 6.7 | 8.44 | 8.766 |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 09/05/95-08/06/96 | 27 | 0.048 | 0.104 | 0.447 | 0. | 0.017 | 0.13 | 0.002 | 0.004 | 0.2 | 0.318 |
| 00403 | PH, LAB, STANDARD UNITS SU | 07/24/91-09/05/95 | 4 | 7.7 | 7.575 | 8.4 | 6.5 | 0.789 | 0.888 | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 07/24/91-09/05/95 | 4 | 7.46 | 7.011 | 8.4 | 6.5 | 1.213 | 1.101 | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/24/91-09/05/95 | 4 | 0.035 | 0.097 | 0.316 | 0.004 | 0.022 | 0.148 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/24/91-08/06/96 | 8 | 19.5 | 28.625 | 54. | 16. | 269.982 | 16.431 | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 09/05/95-09/05/95 | 2 ## | 1.5 | 1.5 | 2. | 1. | 0.5 | 0.707 | ** | ** | ** | ** |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 09/05/95-08/06/96 | 6 | 0.615 | 0.825 | 1.82 | 0.35 | 0.346 | 0.588 | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/24/91-08/06/96 | 8 ## | 0.015 | 0.215 | 0.94 | 0.01 | 0.135 | 0.367 | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/24/91-07/24/91 | 2 ## | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/24/91-07/24/91 | 2 ## | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/24/91-07/24/91 | 2 | 0.73 | 0.73 | 1.03 | 0.43 | 0.18 | 0.424 | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/24/91-08/06/96 | 8 | 0.035 | 0.037 | 0.08 | 0.01 | 0.001 | 0.028 | ** | ** | ** | ** |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 07/24/91-09/05/95 | 4 | 0.027 | 0.027 | 0.034 | 0.02 | 0. | 0.006 | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 09/05/95-09/05/95 | 2 | 0.005 | 0.005 | 0.008 | 0.002 | 0. | 0.004 | ** | ** | ** | ** |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 07/24/91-09/05/95 | 4 | 5.5 | 6.5 | 11.3 | 3.7 | 11.387 | 3.374 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/24/91-09/05/95 | 4 | 25. | 26. | 42. | 12. | 175.333 | 13.241 | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/24/91-09/05/95 | 4 | 7.6 | 8.1 | 11.3 | 5.9 | 5.733 | 2.394 | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/24/91-09/05/95 | 4 | 2.15 | 2.275 | 3. | 1.8 | 0.263 | 0.512 | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/24/91-09/05/95 | 4 | 8.5 | 11.25 | 25. | 3. | 94.917 | 9.743 | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 08/06/96-08/06/96 | 4 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 08/06/96-08/06/96 | 4 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 07/24/91-09/05/95 | 4 ## | 13.5 | 39.75 | 130. | 2. | 3737.583 | 61.136 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 09/05/95-08/06/96 | 6 | 30.5 | 23. | 37. | 2. | 276.8 | 16.637 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 09/05/95-08/06/96 | 6 | 234.5 | 2801.5 | 12300. | 127. | 23697933.9 | 4868.052 | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 07/24/91-09/05/95 | 4 | 1600.5 | 3013.75 | 8750. | 104. | 16503360.25 | 4062.433 | ** | ** | ** | ** |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 07/24/91-09/05/95 | 4 ## | 1.25 | 3.5 | 11. | 0.5 | 25.5 | 5.05 | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 09/05/95-08/06/96 | 6 | 3.5 | 2.667 | 4. | 0.5 | 2.967 | 1.722 | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 09/05/95-08/06/96 | 6 | 58.95 | 1162.983 | 4330. | 20. | 3358522.602 | 1832.627 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0062

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 07/24/91-09/05/95 | 4 | 1202.5 | 1857.5 | 5020. | 5. | 5688075. | 2384.969 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 08/06/96-08/06/96 | 4 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 07/24/91-09/05/95 | 4 | 26. | 24.125 | 42. | 2.5 | 414.729 | 20.365 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 09/05/95-08/06/96 | 6 ## | 5. | 4.167 | 5. | 2.5 | 1.667 | 1.291 | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 09/05/95-08/06/96 | 6 | 253.5 | 287.083 | 549. | 60. | 60142.842 | 245.24 | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 07/24/91-09/05/95 | 4 | 183.5 | 504. | 1630. | 19. | 585634. | 765.267 | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 09/05/95-09/05/95 | 2 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 09/05/95-09/05/95 | 2 | 1.301 | 1.301 | 1.301 | 1.301 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 20. | | | | | | | | |
| 32218 | PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH. | 07/24/91-09/05/95 | 2 | 5.35 | 5.35 | 9.8 | 0.9 | 39.605 | 6.293 | ** | ** | ** | ** |
| 32230 | CHLOROPHYLL A (MG/L) | 07/24/91-08/06/96 | 4 | 0.014 | 0.017 | 0.035 | 0.006 | 0. | 0.013 | ** | ** | ** | ** |
| 70320 | MOISTURE CONTENT (PERCENT OF TOTAL WET WEIGHT) | 08/20/93-08/20/93 | 1 | 78. | 78. | 78. | 78. | 0. | 0. | ** | ** | ** | ** |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 07/24/91-07/24/91 | 2 | 0.008 | 0.008 | 0.012 | 0.003 | 0. | 0.006 | ** | ** | ** | ** |
| 71933 | MERCURY TOTAL IN FISH DRY WEIGHT BASIS | 08/20/93-08/20/93 | 1 | 0.808 | 0.808 | 0.808 | 0.808 | 0. | 0. | ** | ** | ** | ** |
| 81614 | NUMBER OF INDIVIDUALS IN THE SAMPLE | 08/20/93-08/20/93 | 1 | 7. | 7. | 7. | 7. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0062

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 34 | 17 | 0.50 | 27 | 13 | 0.48 | | | | 7 | 4 | 0.57 | | | |
| 00400 | PH | Fresh Chronic | 9. | 27 | 2 | 0.07 | 27 | 2 | 0.07 | | | | | | | | | |
| | | Other-Lo Lim. | 6.5 | 27 | 2 | 0.07 | 27 | 2 | 0.07 | | | | | | | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 4 | 1 | 0.25 | 2 | 1 | 0.50 | | | | 2 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 5. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 4 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | | | | |
| 01040 | COPPER, DISSOLVED | Fresh Acute | 18. | 3 & | 1 | 0.33 | 2 | 0 | 0.00 | | | | 1 | 1 | 1.00 | | | |
| | | Drinking Water | 1300. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 6 | 4 | 0.67 | 6 | 4 | 0.67 | | | | | | | | | |
| | | Drinking Water | 1300. | 6 | 0 | 0.00 | 6 | 0 | 0.00 | | | | | | | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 6 | 0 | 0.00 | 6 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 15. | 6 | 0 | 0.00 | 6 | 0 | 0.00 | | | | | | | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 4 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 100. | 4 | 0 | 0.00 | 4 | 0 | 0.00 | | | | | | | | | |
| 01090 | ZINC, DISSOLVED | Fresh Acute | 120. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 4 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 2 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 6 | 0 | 0.00 | 6 | 0 | 0.00 | | | | | | | | | |
| | | Drinking Water | 5000. | 6 | 0 | 0.00 | 6 | 0 | 0.00 | | | | | | | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 0 | 0.00 | 2 | 0 | 0.00 | | | | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0063

NPS Station ID: HOFU0063
LAT/LON: 40.204448/ -75.778615
Agency: 112WRD
Date Created: 08/30/76
Location: HOPEWELL LAKE NR ELVERSON, PA.
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/LAKE
STORET Station ID(s): 401216075464300
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001604.41
RF3 Mile Point: 6.59
Distance from RF3: 0.02
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0063

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00080 | COLOR (PLATINUM-COBALT UNITS) | 07/11/73-07/11/73 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 07/11/73-07/11/73 | 1 | 46. | 46. | 46. | 46. | 0. | 0. | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 07/11/73-07/11/73 | 1 | 6.8 | 6.8 | 6.8 | 6.8 | 0. | 0. | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 07/11/73-07/11/73 | 1 | 6.8 | 6.8 | 6.8 | 6.8 | 0. | 0. | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/11/73-07/11/73 | 1 | 0.158 | 0.158 | 0.158 | 0.158 | 0. | 0. | ** | ** | ** | ** |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 07/11/73-07/11/73 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/11/73-07/11/73 | 1 | 11. | 11. | 11. | 11. | 0. | 0. | ** | ** | ** | ** |
| 00430 | ALKALINITY, CARBONATE (MG/L AS CACO3) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 07/11/73-07/11/73 | 1 | 14. | 14. | 14. | 14. | 0. | 0. | ** | ** | ** | ** |
| 00445 | CARBONATE ION (MG/L AS CO3) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 07/11/73-07/11/73 | 1 | 0.23 | 0.23 | 0.23 | 0.23 | 0. | 0. | ** | ** | ** | ** |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 07/11/73-07/11/73 | 1 | 0.13 | 0.13 | 0.13 | 0.13 | 0. | 0. | ** | ** | ** | ** |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 07/11/73-07/11/73 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 07/11/73-07/11/73 | 1 | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/11/73-07/11/73 | 1 | 0.23 | 0.23 | 0.23 | 0.23 | 0. | 0. | ** | ** | ** | ** |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 07/11/73-07/11/73 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/11/73-07/11/73 | 1 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 07/11/73-07/11/73 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 07/11/73-07/11/73 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00685 | CARBON, TOTAL INORGANIC (MG/L AS C) | 07/11/73-07/11/73 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/11/73-07/11/73 | 1 | 15. | 15. | 15. | 15. | 0. | 0. | ** | ** | ** | ** |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 07/11/73-07/11/73 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 07/11/73-07/11/73 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 07/11/73-07/11/73 | 1 | 1.3 | 1.3 | 1.3 | 1.3 | 0. | 0. | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 07/11/73-07/11/73 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00931 | SODIUM ADSORPTION RATIO | 07/11/73-07/11/73 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00932 | SODIUM, PERCENT | 07/11/73-07/11/73 | 1 | 21. | 21. | 21. | 21. | 0. | 0. | ** | ** | ** | ** |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 07/11/73-07/11/73 | 1 | 0.7 | 0.7 | 0.7 | 0.7 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/11/73-07/11/73 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/11/73-07/11/73 | 1 | 6. | 6. | 6. | 6. | 0. | 0. | ** | ** | ** | ** |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 07/11/73-07/11/73 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 07/11/73-07/11/73 | 1 | 4.4 | 4.4 | 4.4 | 4.4 | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/11/73-07/11/73 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/11/73-07/11/73 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01037 | COBALT, TOTAL (UG/L AS CO) | 07/11/73-07/11/73 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/11/73-07/11/73 | 1 | 40. | 40. | 40. | 40. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0063

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/11/73-07/11/73 | 1 | 140. | 140. | 140. | 140. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/11/73-07/11/73 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/11/73-07/11/73 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/11/73-07/11/73 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/11/73-07/11/73 | 1 | 40. | 40. | 40. | 40. | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 07/11/73-07/11/73 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 9.3 | 9.3 | 9.3 | 9.3 | 0. | 0. | ** | ** | ** | ** |
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 4.2 | 4.2 | 4.2 | 4.2 | 0. | 0. | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 39731 | 2,4-D IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39741 | 2,4,5-T IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39761 | SILVEX IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/11/73-07/11/73 | 1 | 36. | 36. | 36. | 36. | 0. | 0. | ** | ** | ** | ** |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 07/11/73-07/11/73 | 1 | 28. | 28. | 28. | 28. | 0. | 0. | ** | ** | ** | ** |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 07/11/73-07/11/73 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 07/11/73-07/11/73 | 1 | 0.13 | 0.13 | 0.13 | 0.13 | 0. | 0. | ** | ** | ** | ** |
| 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 07/11/73-07/11/73 | 1 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 80157 | BED MATERIAL FALL DIAMETER, % FINER THAN .004MM | 07/11/73-07/11/73 | 1 | 49. | 49. | 49. | 49. | 0. | 0. | ** | ** | ** | ** |
| 80158 | BED MATERIAL FALL DIAMETER, % FINER THAN .062MM | 07/11/73-07/11/73 | 1 | 50. | 50. | 50. | 50. | 0. | 0. | ** | ** | ** | ** |
| 80163 | BED MATERIAL FALL DIAMETER, % FINER THAN 2.00MM | 07/11/73-07/11/73 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0063

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400 | PH | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00613 | NITRITE NITROGEN, DISSOLVED AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 71851 | NITRATE NITROGEN, DISSOLVED (AS NO3) | Drinking Water | 44. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 71856 | NITRITE NITROGEN, DISSOLVED (AS NO2) | Drinking Water | 3.3 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0064

NPS Station ID: HOFU0064 LAT/LON: 40.147920/ -75.793781 Agency: 11NPSWRD Date Created: 05/02/98
Location: S BRANCH FRENCH CREEK AT PA ROUTES 345 AND 401 FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_BOYER_03
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON SOUTH BRANCH FRENCH CREEK AT THE INTERSECTION OF PA ROUTES 345 AND 401; RIVER MILE 7.76. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE NPS AND PENNSYLVANIA DEPT. OF ENVIRONMENTAL PROTECTION TO ASSESS NON-POINT SOURCE POLLUTION IN FRENCH CREEK AND TO DOCUMENT OVERALL WATER QUALITY IN THE BASIN. DATA WERE PUBLISHED IN THE REPORT "AQUATIC BIOLOGY INVESTIGATION; FRENCH CREEK; CHESTER COUNTY; NPS SURVEY" BY MICHAEL R. BOYER (1993). THE REPORT STATED; "ALTHOUGH NO TROUT WERE CAPTURED AT STATION 3 THE CHEMICAL PARAMETERS AND BIOTA FOUND INDICATE THAT THE DESIGNATED CLASSIFICATION COULD BE ATTAINED. THE SOUTH BRANCH IS NOT STOCKED WITH TROUT AT THE PRESENT TIME." DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0064

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-07/09/91 | 1 | 20.8 | 20.8 | 20.8 | 20.8 | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-07/09/91 | 1 | 220. | 220. | 220. | 220. | 0. | 0. | ** | ** | ** | ** |
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L | 07/09/91-07/09/91 | 1 | 8.8 | 8.8 | 8.8 | 8.8 | 0. | 0. | ** | ** | ** | ** |
| 00310 | BOD, 5 DAY, 20 DEG C MG/L | 07/09/91-07/09/91 | 1 | 0.8 | 0.8 | 0.8 | 0.8 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-07/09/91 | 1 | 7.85 | 7.85 | 7.85 | 7.85 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-07/09/91 | 1 | 7.85 | 7.85 | 7.85 | 7.85 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-07/09/91 | 1 | 0.014 | 0.014 | 0.014 | 0.014 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 52. | 52. | 52. | 52. | 0. | 0. | ** | ** | ** | ** |
| 00500 | RESIDUE, TOTAL (MG/L) | 07/09/91-07/09/91 | 1 | 242. | 242. | 242. | 242. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 07/09/91-07/09/91 | 1 | 232. | 232. | 232. | 232. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-07/09/91 | 1 | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 07/09/91-07/09/91 | 1 ## | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.008 | 0.008 | 0.008 | 0.008 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-07/09/91 | 1 | 4.83 | 4.83 | 4.83 | 4.83 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-07/09/91 | 1 | 0.46 | 0.46 | 0.46 | 0.46 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-07/09/91 | 1 | 0.08 | 0.08 | 0.08 | 0.08 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-07/09/91 | 1 | 88. | 88. | 88. | 88. | 0. | 0. | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-07/09/91 | 1 | 23.7 | 23.7 | 23.7 | 23.7 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0064

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-07/09/91 | 1 | 8.7 | 8.7 | 8.7 | 8.7 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-07/09/91 | 1 | 23. | 23. | 23. | 23. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-07/09/91 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-07/09/91 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-07/09/91 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-07/09/91 | 1 | 841. | 841. | 841. | 841. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-07/09/91 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-07/09/91 | 1 | 54. | 54. | 54. | 54. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-07/09/91 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-07/09/91 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-07/09/91 | 1 | 863. | 863. | 863. | 863. | 0. | 0. | ** | ** | ** | ** |
| 31501 | COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,35C | 07/09/91-07/09/91 | 1 | 2000. | 2000. | 2000. | 2000. | 0. | 0. | ** | ** | ** | ** |
| 31501 | LOG COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, | 07/09/91-07/09/91 | 1 | 3.301 | 3.301 | 3.301 | 3.301 | 0. | 0. | ** | ** | ** | ** |
| 31501 | GM COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO MED,3 | GEOMETRIC MEAN = | | | 2000. | | | | | | | | |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 780. | 780. | 780. | 780. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-07/09/91 | 1 | 2.892 | 2.892 | 2.892 | 2.892 | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 780. | | | | | | | | |
| 31679 | FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,48H | 07/09/91-07/09/91 | 1 | 650. | 650. | 650. | 650. | 0. | 0. | ** | ** | ** | ** |
| 31679 | LOG FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C, | 07/09/91-07/09/91 | 1 | 2.813 | 2.813 | 2.813 | 2.813 | 0. | 0. | ** | ** | ** | ** |
| 31679 | GM FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,35C,4 | GEOMETRIC MEAN = | | | 650. | | | | | | | | |
| 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 07/09/91-07/09/91 | 1 | 3.6 | 3.6 | 3.6 | 3.6 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0064

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 82079 | TURBIDITY, LAB | Other-Hi Lim. | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0065

NPS Station ID: HOFU0065 LAT/LON: 40.207781/ -75.795004 Agency: 11NPSWRD Date Created: 04/25/98
Location: SCOTT'S RUN CK 200 YDS UPSTREAM OF PARK ROAD FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PADEP_01SR
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON SCOTT'S RUN CREEK 200 YARDS UPSTREAM OF PARK ROAD CROSSING; MIDWAY BETWEEN SCOTT'S RUN LAKE AND HOPEWELL LAKE. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT; WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250 FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0065

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 04/28/95-04/28/95 | 1 | 14.6 | 14.6 | 14.6 | 14.6 | 0. | 0. | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 04/28/95-04/28/95 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 04/28/95-04/28/95 | 1 | 42. | 42. | 42. | 42. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 04/28/95-04/28/95 | 1 | 3.3 | 3.3 | 3.3 | 3.3 | 0. | 0. | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 04/28/95-04/28/95 | 1 | 6.6 | 6.6 | 6.6 | 6.6 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 04/28/95-04/28/95 | 1 | 6.6 | 6.6 | 6.6 | 6.6 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 04/28/95-04/28/95 | 1 | 0.251 | 0.251 | 0.251 | 0.251 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 04/28/95-04/28/95 | 1 | 7.1 | 7.1 | 7.1 | 7.1 | 0. | 0. | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 04/28/95-04/28/95 | 1 | 7.1 | 7.1 | 7.1 | 7.1 | 0. | 0. | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 04/28/95-04/28/95 | 1 | 0.079 | 0.079 | 0.079 | 0.079 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 1 | 12. | 12. | 12. | 12. | 0. | 0. | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 04/28/95-04/28/95 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 04/28/95-04/28/95 | 1 ## | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 04/28/95-04/28/95 | 1 ## | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 04/28/95-04/28/95 | 1 | 0.07 | 0.07 | 0.07 | 0.07 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 04/28/95-04/28/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 04/28/95-04/28/95 | 1 | 0.07 | 0.07 | 0.07 | 0.07 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 04/28/95-04/28/95 | 1 | 11. | 11. | 11. | 11. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0065

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 04/28/95-04/28/95 | 1 | 3.5 | 3.5 | 3.5 | 3.5 | 0. | 0. | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 04/28/95-04/28/95 | 1 | 1.3 | 1.3 | 1.3 | 1.3 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 04/28/95-04/28/95 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 04/28/95-04/28/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 04/28/95-04/28/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 04/28/95-04/28/95 | 1 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 04/28/95-04/28/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 04/28/95-04/28/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 04/28/95-04/28/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 04/28/95-04/28/95 | 1 | 153. | 153. | 153. | 153. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 04/28/95-04/28/95 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 04/28/95-04/28/95 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 04/28/95-04/28/95 | 1 ## | 12.5 | 12.5 | 12.5 | 12.5 | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 04/28/95-04/28/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 04/28/95-04/28/95 | 1 ## | 67.5 | 67.5 | 67.5 | 67.5 | 0. | 0. | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/28/95-04/28/95 | 1 ## | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 04/28/95-04/28/95 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 10. | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 04/28/95-04/28/95 | 1 | 24. | 24. | 24. | 24. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0065

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0066

NPS Station ID: HOFU0066 LAT/LON: 40.148059/ -75.795281 Agency: 11NPSWRD Date Created: 04/25/98
Location: S BR FRENCH CK 100 YDS DWNSTRM OF RTE 345 & 401 FIPS State/County: 42029 PENNSYLVANIA/CHESTER
Station Type: /TYPA/AMBNT/STREAM STORET Station ID(s): HOFU_PADEP_09SB
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: NORTH ATLANTIC Elevation: 0 Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203001700.00 RF3 Mile Point: 0.00 Distance from RF3: 0.04 On/Off RF3:
Description:
THE STATION IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE STATION WAS ON SOUTH BRANCH FRENCH CREEK 100 YARDS DOWNSTREAM OF THE ROUTE 345 AND ROUTE 401 INTERSECTION. THE CREEK WAS SAMPLED AS PART OF A STUDY BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION/BUREAU OF WATERSHED CONSERVATION IN RESPONSE TO A PETITION BY THE GREEN VALLEYS ASSOCIATION FOR REDESIGNATION OF THE FRENCH CREEK-CHESTER COUNTY DRAINAGE BASIN TO EXCEPTIONAL VALUE WATERS STATUS. DATA WERE PUBLISHED IN THE REPORT "FRENCH CREEK; CHESTER COUNTY; SPECIAL PROTECTION EVALUATION REPORT WATER QUALITY STANDARDS REVIEW; SEGMENT: BASIN - FROM THE HEADWATERS TO THE JUNCTION OF THE WEST VINCENT; EAST VINCENT AND EAST PIKELAND TOWNSHIP BORDERS" BY THE BUREAU OF WATERSHED CONSERVATION (1996). DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0066

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/09/91-05/25/95 | 2 | 19.55 | 19.55 | 20.8 | 18.3 | 3.125 | 1.768 | ** | ** | ** | ** |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 05/25/95-05/25/95 | 1 | 3. | 3. | 3. | 3. | 0. | 0. | ** | ** | ** | ** |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 07/09/91-05/25/95 | 2 | 209.5 | 209.5 | 220. | 199. | 220.5 | 14.849 | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 07/09/91-05/25/95 | 2 | 8.2 | 8.2 | 8.8 | 7.6 | 0.72 | 0.849 | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 05/25/95-05/25/95 | 1 | 7.4 | 7.4 | 7.4 | 7.4 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 05/25/95-05/25/95 | 1 | 7.4 | 7.4 | 7.4 | 7.4 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 05/25/95-05/25/95 | 1 | 0.04 | 0.04 | 0.04 | 0.04 | 0. | 0. | ** | ** | ** | ** |
| 00406 | PH, FIELD, STANDARD UNITS SU | 07/09/91-05/25/95 | 2 | 7.825 | 7.825 | 7.85 | 7.8 | 0.001 | 0.035 | ** | ** | ** | ** |
| 00406 | CONVERTED PH, FIELD, STANDARD UNITS | 07/09/91-05/25/95 | 2 | 7.824 | 7.824 | 7.85 | 7.8 | 0.001 | 0.035 | ** | ** | ** | ** |
| 00406 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/09/91-05/25/95 | 2 | 0.015 | 0.015 | 0.016 | 0.014 | 0. | 0.001 | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/09/91-05/25/95 | 2 | 49. | 49. | 52. | 46. | 18. | 4.243 | ** | ** | ** | ** |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 05/25/95-05/25/95 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 07/09/91-05/25/95 | 2 ## | 5.5 | 5.5 | 10. | 1. | 40.5 | 6.364 | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 2 ## | 0.015 | 0.015 | 0.02 | 0.01 | 0. | 0.007 | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 2 | 0.012 | 0.012 | 0.016 | 0.008 | 0. | 0.006 | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/09/91-05/25/95 | 2 | 4.585 | 4.585 | 4.83 | 4.34 | 0.12 | 0.346 | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/09/91-05/25/95 | 2 | 0.41 | 0.41 | 0.46 | 0.36 | 0.005 | 0.071 | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/09/91-05/25/95 | 2 | 0.075 | 0.075 | 0.08 | 0.07 | 0. | 0.007 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/09/91-05/25/95 | 2 | 85. | 85. | 88. | 82. | 18. | 4.243 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0066

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 07/09/91-05/25/95 | 2 | 22.3 | 22.3 | 23.7 | 20.9 | 3.92 | 1.98 | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 07/09/91-05/25/95 | 2 | 8.2 | 8.2 | 8.7 | 7.7 | 0.5 | 0.707 | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/09/91-05/25/95 | 2 | 22.5 | 22.5 | 23. | 22. | 0.5 | 0.707 | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/09/91-05/25/95 | 2 ## | 11.5 | 11.5 | 18. | 5. | 84.5 | 9.192 | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 05/25/95-05/25/95 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/09/91-05/25/95 | 2 ## | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 05/25/95-05/25/95 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/09/91-05/25/95 | 2 ## | 13.5 | 13.5 | 25. | 2. | 264.5 | 16.263 | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/09/91-05/25/95 | 2 ## | 15. | 15. | 25. | 5. | 200. | 14.142 | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/09/91-05/25/95 | 2 | 759. | 759. | 841. | 677. | 13448. | 115.966 | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/09/91-05/25/95 | 2 ## | 1.25 | 1.25 | 2. | 0.5 | 1.125 | 1.061 | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/09/91-05/25/95 | 2 ## | 29.5 | 29.5 | 54. | 5. | 1200.5 | 34.648 | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/09/91-05/25/95 | 2 ## | 18.75 | 18.75 | 25. | 12.5 | 78.125 | 8.839 | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/09/91-05/25/95 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 07/09/91-05/25/95 | 2 | 529. | 529. | 863. | 195. | 223112. | 472.347 | ** | ** | ** | ** |
| 31616 | FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/25/95 | 2 | 680. | 680. | 780. | 580. | 20000. | 141.421 | ** | ** | ** | ** |
| 31616 | LOG FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | 07/09/91-05/25/95 | 2 | 2.828 | 2.828 | 2.892 | 2.763 | 0.008 | 0.091 | ** | ** | ** | ** |
| 31616 | GM FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C | GEOMETRIC MEAN = | | | 672.607 | | | | | | | | |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/09/91-05/25/95 | 2 | 231. | 231. | 232. | 230. | 2. | 1.414 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0066

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 & | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 2 | 0 | 0.00 | | | | | | | 2 | 0 | 0.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 2 | 2 | 1.00 | | | | | | | 2 | 2 | 1.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0067

NPS Station ID: HOFU0067
LAT/LON: 40.209171/ -75.796949
Agency: 112WRD
Date Created: 11/18/75
Location: SCOTTS RUN LAKE NR ELVERSON, PA.
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/LAKE
STORET Station ID(s): 401233075474900
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001015.29
RF3 Mile Point: 18.86
Distance from RF3: 0.01
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0067

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00080 | COLOR (PLATINUM-COBALT UNITS) | 07/11/73-07/11/73 | 1 | 15. | 15. | 15. | 15. | 0. | 0. | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 07/11/73-07/11/73 | 1 | 38. | 38. | 38. | 38. | 0. | 0. | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 07/11/73-07/11/73 | 1 | 6.7 | 6.7 | 6.7 | 6.7 | 0. | 0. | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 07/11/73-07/11/73 | 1 | 6.7 | 6.7 | 6.7 | 6.7 | 0. | 0. | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/11/73-07/11/73 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 07/11/73-07/11/73 | 1 | 3. | 3. | 3. | 3. | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/11/73-07/11/73 | 1 | 8. | 8. | 8. | 8. | 0. | 0. | ** | ** | ** | ** |
| 00430 | ALKALINITY, CARBONATE (MG/L AS CACO3) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 07/11/73-07/11/73 | 1 | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 00445 | CARBONATE ION (MG/L AS CO3) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 07/11/73-07/11/73 | 1 | 0.29 | 0.29 | 0.29 | 0.29 | 0. | 0. | ** | ** | ** | ** |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 07/11/73-07/11/73 | 1 | 0.16 | 0.16 | 0.16 | 0.16 | 0. | 0. | ** | ** | ** | ** |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 07/11/73-07/11/73 | 1 | 0.13 | 0.13 | 0.13 | 0.13 | 0. | 0. | ** | ** | ** | ** |
| 00613 | NITRITE NITROGEN, DISSOLVED (MG/L AS N) | 07/11/73-07/11/73 | 1 | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/11/73-07/11/73 | 1 | 0.29 | 0.29 | 0.29 | 0.29 | 0. | 0. | ** | ** | ** | ** |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 07/11/73-07/11/73 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/11/73-07/11/73 | 1 | 0.014 | 0.014 | 0.014 | 0.014 | 0. | 0. | ** | ** | ** | ** |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 07/11/73-07/11/73 | 1 ## | 0.005 | 0.005 | 0.005 | 0.005 | 0. | 0. | ** | ** | ** | ** |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 07/11/73-07/11/73 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00685 | CARBON, TOTAL INORGANIC (MG/L AS C) | 07/11/73-07/11/73 | 1 | 4. | 4. | 4. | 4. | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/11/73-07/11/73 | 1 | 13. | 13. | 13. | 13. | 0. | 0. | ** | ** | ** | ** |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 07/11/73-07/11/73 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 07/11/73-07/11/73 | 1 | 3.2 | 3.2 | 3.2 | 3.2 | 0. | 0. | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 07/11/73-07/11/73 | 1 | 1.2 | 1.2 | 1.2 | 1.2 | 0. | 0. | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 07/11/73-07/11/73 | 1 | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 00931 | SODIUM ADSORPTION RATIO | 07/11/73-07/11/73 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00932 | SODIUM, PERCENT | 07/11/73-07/11/73 | 1 | 19. | 19. | 19. | 19. | 0. | 0. | ** | ** | ** | ** |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 07/11/73-07/11/73 | 1 | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/11/73-07/11/73 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/11/73-07/11/73 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 07/11/73-07/11/73 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 07/11/73-07/11/73 | 1 | 3. | 3. | 3. | 3. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 07/11/73-07/11/73 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 07/11/73-07/11/73 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01037 | COBALT, TOTAL (UG/L AS CO) | 07/11/73-07/11/73 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 07/11/73-07/11/73 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0067

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01045 | IRON, TOTAL (UG/L AS FE) | 07/11/73-07/11/73 | 1 | 240. | 240. | 240. | 240. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 07/11/73-07/11/73 | 1 ## | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 07/11/73-07/11/73 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 07/11/73-07/11/73 | 1 | 3. | 3. | 3. | 3. | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 07/11/73-07/11/73 | 1 | 40. | 40. | 40. | 40. | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 07/11/73-07/11/73 | 1 | 8. | 8. | 8. | 8. | 0. | 0. | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 16. | 16. | 16. | 16. | 0. | 0. | ** | ** | ** | ** |
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 3.1 | 3.1 | 3.1 | 3.1 | 0. | 0. | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0.4 | 0.4 | 0.4 | 0.4 | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 07/11/73-07/11/73 | 1 | 0.3 | 0.3 | 0.3 | 0.3 | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 39731 | 2,4-D IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39741 | 2,4,5-T IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39761 | SILVEX IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/11/73-07/11/73 | 1 | 34. | 34. | 34. | 34. | 0. | 0. | ** | ** | ** | ** |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 07/11/73-07/11/73 | 1 | 21. | 21. | 21. | 21. | 0. | 0. | ** | ** | ** | ** |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 07/11/73-07/11/73 | 1 | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 07/11/73-07/11/73 | 1 | 0.17 | 0.17 | 0.17 | 0.17 | 0. | 0. | ** | ** | ** | ** |
| 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 07/11/73-07/11/73 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 07/11/73-07/11/73 | 1 | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0067

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400 | PH | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00613 | NITRITE NITROGEN, DISSOLVED AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 71851 | NITRATE NITROGEN, DISSOLVED (AS NO3) | Drinking Water | 44. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 71856 | NITRITE NITROGEN, DISSOLVED (AS NO2) | Drinking Water | 3.3 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0068

NPS Station ID: HOFU0068
LAT/LON: 40.266670/ -75.806115
Agency: 112WRD
Date Created: 05/19/79
Location: HAY CREEK AT BIRDSBORO, PA
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 01471670
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 13.00
On/Off RF1:
RF3 Index: 02040203002200.00
RF3 Mile Point: 0.65
Distance from RF3: 0.01
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0068

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 12/19/78-12/19/78 | 1 | 3. | 3. | 3. | 3. | 0. | 0. | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 12/19/78-12/19/78 | 1 | 160. | 160. | 160. | 160. | 0. | 0. | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 12/19/78-12/19/78 | 1 | 6.8 | 6.8 | 6.8 | 6.8 | 0. | 0. | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 12/19/78-12/19/78 | 1 | 6.8 | 6.8 | 6.8 | 6.8 | 0. | 0. | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 12/19/78-12/19/78 | 1 | 0.158 | 0.158 | 0.158 | 0.158 | 0. | 0. | ** | ** | ** | ** |
| 00603 | NITROGEN TOTAL, BOTTOM DEPOSITS (MG/KG-N DRY WGT) | 12/19/78-12/19/78 | 1 | 590. | 590. | 590. | 590. | 0. | 0. | ** | ** | ** | ** |
| 00668 | PHOSPHORUS,TOTAL,BOTTOM DEPOSIT (MG/KG-P DRY WGT) | 12/19/78-12/19/78 | 1 | 72. | 72. | 72. | 72. | 0. | 0. | ** | ** | ** | ** |
| 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 12/19/78-12/19/78 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 12/19/78-12/19/78 | 1 | 2.9 | 2.9 | 2.9 | 2.9 | 0. | 0. | ** | ** | ** | ** |
| 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/19/78-12/19/78 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 12/19/78-12/19/78 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 12/19/78-12/19/78 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 12/19/78-12/19/78 | 1 | 120. | 120. | 120. | 120. | 0. | 0. | ** | ** | ** | ** |
| 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 12/19/78-12/19/78 | 1 | 30. | 30. | 30. | 30. | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 12/19/78-12/19/78 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 0.4 | 0.4 | 0.4 | 0.4 | 0. | 0. | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 12/19/78-12/19/78 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

# EPA Water Quality Criteria Analysis for Station: HOFU0068

| Parameter | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400 PH | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0069

NPS Station ID: HOFU0069
LAT/LON: 40.267199/ -75.806976
Agency: 21PENN
Date Created: 10/27/78
Location: AT CONFLU W/ SCHUYLKILL RIVER
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): HAY000
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 999
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER - SCHUYLKILL
ECO Region:
RF1 Index: 02040203010
RF1 Mile Point: 9.050
Distance from RF1: 0.00
On/Off RF1: OFF
RF3 Index: 02040203050100.00
RF3 Mile Point: 1.76
Distance from RF3: 0.00
On/Off RF3:
Description:
DATA FROM "SCHULKILL RIVER BASIN WATER QUALITY" REPORT SEDIMENT ANALYZED FOR TOXICS
SAMPLE TAKEN FROM HAY CREEK - AT CONFLUENCE WITH SCHUYLKILL RIVER

## Parameter Inventory for Station: HOFU0069

| Parameter | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|

******** No Parameter Data Available for this Station ********

# Station Inventory for Station: HOFU0070

NPS Station ID: HOFU0070
LAT/LON: 40.268059/ -75.808337
Agency: 11131DWQ
Date Created: / /
Location: SCHUYLKILL R RTE 82 BR BIRDSBORO
FIPS State/County: 10000 DELAWARE/
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): DEL 091 /091 /SCH 20
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 1
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE
ECO Region:
RF1 Index: 02040203010
RF1 Mile Point: 9.050
Distance from RF1: 0.00
On/Off RF1: ON
RF3 Index: 02040203001004.12
RF3 Mile Point: 4.12
Distance from RF3: 0.01
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0070

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 06/07/72-06/07/72 | 1 | 22. | 22. | 22. | 22. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 06/07/72-06/07/72 | 1 | 7.4 | 7.4 | 7.4 | 7.4 | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 06/07/72-06/07/72 | 1 | 0.37 | 0.37 | 0.37 | 0.37 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 06/07/72-06/07/72 | 1 | 0.79 | 0.79 | 0.79 | 0.79 | 0. | 0. | ** | ** | ** | ** |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 06/07/72-06/07/72 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 06/07/72-06/07/72 | 1 | 0.56 | 0.56 | 0.56 | 0.56 | 0. | 0. | ** | ** | ** | ** |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 06/07/72-06/07/72 | 1 | 4.6 | 4.6 | 4.6 | 4.6 | 0. | 0. | ** | ** | ** | ** |
| 00690 | CARBON, TOTAL (MG/L AS C) | 06/07/72-06/07/72 | 1 | 16.4 | 16.4 | 16.4 | 16.4 | 0. | 0. | ** | ** | ** | ** |
| 32730 | PHENOLICS, TOTAL, RECOVERABLE (UG/L) | 06/07/72-06/07/72 | 1 | 35. | 35. | 35. | 35. | 0. | 0. | ** | ** | ** | ** |
| 71886 | PHOSPHORUS, TOTAL, AS PO4 - MG/L | 06/07/72-06/07/72 | 1 | 0.6 | 0.6 | 0.6 | 0.6 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0070

| | | | | Total | Exceed | Prop. | 8/01-10/31 | | | 11/01-3/31 | | | 4/01-7/31 | | | n/a | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parameter | | Std. Type | Std. Value | Obs | Standard | Exceeding | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0071

NPS Station ID: HOFU0071
LAT/LON: 40.268059/ -75.808893
Agency: 112WRD
Date Created: / /
Location: SCHUYLKILL RIVER AT BIRDSBORO, PA.
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 01471660
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001700.00
RF3 Mile Point: 0.00
Distance from RF3: 0.04
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0071

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/30/74-07/30/74 | 1 | 29. | 29. | 29. | 29. | 0. | 0. | ** | ** | ** | ** |
| 00080 | COLOR (PLATINUM-COBALT UNITS) | 07/30/74-07/30/74 | 1 | 3. | 3. | 3. | 3. | 0. | 0. | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 07/30/74-07/30/74 | 1 | 440. | 440. | 440. | 440. | 0. | 0. | ** | ** | ** | ** |
| 00300 | OXYGEN, DISSOLVED MG/L | 07/30/74-07/30/74 | 1 | 6.4 | 6.4 | 6.4 | 6.4 | 0. | 0. | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 07/30/74-07/30/74 | 1 | 7.7 | 7.7 | 7.7 | 7.7 | 0. | 0. | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 07/30/74-07/30/74 | 1 | 7.7 | 7.7 | 7.7 | 7.7 | 0. | 0. | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/30/74-07/30/74 | 1 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 07/30/74-07/30/74 | 1 | 2.3 | 2.3 | 2.3 | 2.3 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/30/74-07/30/74 | 1 | 58. | 58. | 58. | 58. | 0. | 0. | ** | ** | ** | ** |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 07/30/74-07/30/74 | 1 | 71. | 71. | 71. | 71. | 0. | 0. | ** | ** | ** | ** |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 07/30/74-07/30/74 | 1 | 2.9 | 2.9 | 2.9 | 2.9 | 0. | 0. | ** | ** | ** | ** |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 07/30/74-07/30/74 | 1 | 0.31 | 0.31 | 0.31 | 0.31 | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 07/30/74-07/30/74 | 1 | 0.3 | 0.3 | 0.3 | 0.3 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 07/30/74-07/30/74 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 07/30/74-07/30/74 | 1 | 2.2 | 2.2 | 2.2 | 2.2 | 0. | 0. | ** | ** | ** | ** |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 07/30/74-07/30/74 | 1 | 0.61 | 0.61 | 0.61 | 0.61 | 0. | 0. | ** | ** | ** | ** |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 07/30/74-07/30/74 | 1 | 2.3 | 2.3 | 2.3 | 2.3 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 07/30/74-07/30/74 | 1 | 0.26 | 0.26 | 0.26 | 0.26 | 0. | 0. | ** | ** | ** | ** |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 07/30/74-07/30/74 | 1 | 16. | 16. | 16. | 16. | 0. | 0. | ** | ** | ** | ** |
| 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/16/79-11/16/79 | 1 | 4.3 | 4.3 | 4.3 | 4.3 | 0. | 0. | ** | ** | ** | ** |
| 00687 | CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/16/79-11/16/79 | 1 | 54. | 54. | 54. | 54. | 0. | 0. | ** | ** | ** | ** |
| 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 11/16/79-11/16/79 | 1 | 58. | 58. | 58. | 58. | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 07/30/74-07/30/74 | 1 | 160. | 160. | 160. | 160. | 0. | 0. | ** | ** | ** | ** |
| 00902 | HARDNESS, NON-CARBONATE (MG/L AS CACO3) | 07/30/74-07/30/74 | 1 | 110. | 110. | 110. | 110. | 0. | 0. | ** | ** | ** | ** |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 07/30/74-07/30/74 | 1 | 39. | 39. | 39. | 39. | 0. | 0. | ** | ** | ** | ** |
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 07/30/74-07/30/74 | 1 | 16. | 16. | 16. | 16. | 0. | 0. | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 07/30/74-07/30/74 | 1 | 18. | 18. | 18. | 18. | 0. | 0. | ** | ** | ** | ** |
| 00931 | SODIUM ADSORPTION RATIO | 07/30/74-07/30/74 | 1 | 0.6 | 0.6 | 0.6 | 0.6 | 0. | 0. | ** | ** | ** | ** |
| 00932 | SODIUM, PERCENT | 07/30/74-07/30/74 | 1 | 19. | 19. | 19. | 19. | 0. | 0. | ** | ** | ** | ** |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 07/30/74-07/30/74 | 1 | 2.6 | 2.6 | 2.6 | 2.6 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 07/30/74-07/30/74 | 1 | 21. | 21. | 21. | 21. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 07/30/74-07/30/74 | 1 | 110. | 110. | 110. | 110. | 0. | 0. | ** | ** | ** | ** |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 07/30/74-07/30/74 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 07/30/74-07/30/74 | 1 | 6.3 | 6.3 | 6.3 | 6.3 | 0. | 0. | ** | ** | ** | ** |
| 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 11/16/79-11/16/79 | 1 | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 07/30/74-07/30/74 | 1 | 9. | 9. | 9. | 9. | 0. | 0. | ** | ** | ** | ** |
| 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## Parameter Inventory for Station: HOFU0071

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 1 | 130. | 130. | 130. | 130. | 0. | 0. | ** | ** | ** | ** |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 07/30/74-07/30/74 | 1 ## | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 01035 | COBALT, DISSOLVED (UG/L AS CO) | 07/30/74-07/30/74 | 1 ## | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 07/30/74-07/30/74 | 1 | 60. | 60. | 60. | 60. | 0. | 0. | ** | ** | ** | ** |
| 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 11/16/79-11/16/79 | 1 | 280. | 280. | 280. | 280. | 0. | 0. | ** | ** | ** | ** |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 07/30/74-07/30/74 | 1 | 70. | 70. | 70. | 70. | 0. | 0. | ** | ** | ** | ** |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 07/30/74-07/30/74 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 11/16/79-11/16/79 | 1 | 400. | 400. | 400. | 400. | 0. | 0. | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 07/30/74-07/30/74 | 1 | 180. | 180. | 180. | 180. | 0. | 0. | ** | ** | ** | ** |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 07/30/74-07/30/74 | 1 | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/16/79-11/16/79 | 1 | 150. | 150. | 150. | 150. | 0. | 0. | ** | ** | ** | ** |
| 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 11/16/79-11/16/79 | 1 | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 07/30/74-07/30/74 | 1 ## | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 11/16/79-11/16/79 | 1 | 650. | 650. | 650. | 650. | 0. | 0. | ** | ** | ** | ** |
| 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 11/16/79-11/16/79 | 1 | 20. | 20. | 20. | 20. | 0. | 0. | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 6. | 6. | 6. | 6. | 0. | 0. | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 8.8 | 8.8 | 8.8 | 8.8 | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 11/16/79-11/16/79 | 1 | 170. | 170. | 170. | 170. | 0. | 0. | ** | ** | ** | ** |
| 70300 | RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L | 07/30/74-07/30/74 | 1 | 287. | 287. | 287. | 287. | 0. | 0. | ** | ** | ** | ** |
| 70301 | SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L) | 07/30/74-07/30/74 | 1 | 248. | 248. | 248. | 248. | 0. | 0. | ** | ** | ** | ** |
| 70303 | SOLIDS, DISSOLVED-TONS PER ACRE-FT | 07/30/74-07/30/74 | 1 | 0.39 | 0.39 | 0.39 | 0.39 | 0. | 0. | ** | ** | ** | ** |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 07/30/74-07/30/74 | 1 | 0.2 | 0.2 | 0.2 | 0.2 | 0. | 0. | ** | ** | ** | ** |
| 71887 | NITROGEN, TOTAL, AS NO3 - MG/L | 07/30/74-07/30/74 | 1 | 13. | 13. | 13. | 13. | 0. | 0. | ** | ** | ** | ** |
| 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 11/16/79-11/16/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0071

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00400 | PH | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| | | Drinking Water | 5. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 01030 | CHROMIUM, DISSOLVED | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01040 | COPPER, DISSOLVED | Fresh Acute | 18. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Station: HOFU0071

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01090 | ZINC, DISSOLVED | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0072

NPS Station ID: HOFU0072
LAT/LON: 40.267781/ -75.812505
Agency: 11121XWQ
Date Created: 05/13/89
Location: SCHUYLKILL RIVER AT BIRDSBORO
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM/SOLIDS
STORET Station ID(s): S103
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER - SCHUYLKILL
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 1.10
On/Off RF1:
RF3 Index: 02040203001015.29
RF3 Mile Point: 18.40
Distance from RF3: 0.02
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0072

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 06/10/86-06/10/86 | 2 | 0.4 | 0.4 | 0.52 | 0.28 | 0.029 | 0.17 | ** | ** | ** | ** |
| 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 06/10/86-06/10/86 | 2 | 1.13 | 1.13 | 1.13 | 1.13 | 0. | 0. | ** | ** | ** | ** |
| 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 06/10/86-06/10/86 | 2 | 3.005 | 3.005 | 3.66 | 2.35 | 0.858 | 0.926 | ** | ** | ** | ** |
| 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 06/10/86-06/10/86 | 2 | 21.6 | 21.6 | 21.6 | 21.6 | 0. | 0. | ** | ** | ** | ** |
| 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 06/10/86-06/10/86 | 2 | 115. | 115. | 119. | 111. | 32. | 5.657 | ** | ** | ** | ** |
| 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 06/10/86-06/10/86 | 2 | 46.85 | 46.85 | 55.7 | 38. | 156.645 | 12.516 | ** | ** | ** | ** |
| 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 06/10/86-06/10/86 | 2 ## | 0.15 | 0.15 | 0.15 | 0.15 | 0. | 0. | ** | ** | ** | ** |
| 30380 | BUTACHLOR UG/KG | 06/10/86-06/10/86 | 2 | 34.5 | 34.5 | 34.7 | 34.3 | 0.08 | 0.283 | ** | ** | ** | ** |
| 30381 | CHLOROBENZILATE UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 30382 | TRIPHENYL PHOSPHATE UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 38823 | ISOPROPALIN SEDDRYWGTUG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 06/10/86-06/10/86 | 2 ## | 0.175 | 0.175 | 0.2 | 0.15 | 0.001 | 0.035 | ** | ** | ** | ** |
| 75039 | TRICHLOROBENZENE,1,2,4 SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 2.5 | 2.5 | 2.85 | 2.15 | 0.245 | 0.495 | ** | ** | ** | ** |
| 75040 | HEXACHLOROBUTADIENE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 2.5 | 2.5 | 2.85 | 2.15 | 0.245 | 0.495 | ** | ** | ** | ** |
| 75041 | BHC,ALPHA- SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 75042 | HEXACHLOROBENZENE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 75043 | PENTACHLOROANISOLE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 75044 | HEPTACHLOR SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 75045 | HEPTACHLOR EPOXIDE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 75046 | DDE,P,P'-(4,4'-DDE) SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 75047 | DIELDRIN SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 75048 | ENDRIN SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 75050 | ALACHLOR UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 75051 | DICHLOROBIPHENYL,TOTAL SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 75052 | OCTACHLOROBIPHENYL,TOTAL SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 75054 | DECACHLOROBIPHENYL,TOTAL SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 75558 | BIPHENYL SEDIMENT,DRY WGT,UG/KG | 06/10/86-06/10/86 | 2 | 14.3 | 14.3 | 19.3 | 9.3 | 50. | 7.071 | ** | ** | ** | ** |
| 78657 | NONACHLOR, TRANS, SEDIMENT, DRY WEIGHT, UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 78875 | MONOCHLOROBIPHENYLS TOTAL IN SED DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 78924 | NONACHLOR, CIS, SEDIMENT, DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 79785 | TRICHLOROBENZENE,1,3,5- SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 2.5 | 2.5 | 2.85 | 2.15 | 0.245 | 0.495 | ** | ** | ** | ** |
| 79786 | TRICHLOROBENZENE,1,2,3- SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 2.5 | 2.5 | 2.85 | 2.15 | 0.245 | 0.495 | ** | ** | ** | ** |
| 79787 | TETRACHLOROBENZENE,1,2,4,5- SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 2.5 | 2.5 | 2.85 | 2.15 | 0.245 | 0.495 | ** | ** | ** | ** |
| 79789 | TETRACHLOROBENZENE,1,2,3,4- SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 2.5 | 2.5 | 2.85 | 2.15 | 0.245 | 0.495 | ** | ** | ** | ** |
| 79790 | PENTACHLOROBENZENE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 2.5 | 2.5 | 2.85 | 2.15 | 0.245 | 0.495 | ** | ** | ** | ** |
| 79791 | DIPHENYL DISULFIDE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 79792 | CHLORPYRIFOS SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

# Parameter Inventory for Station: HOFU0072

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 79793 | OCTACHLOROSTYRENE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 79794 | OXYCHLORDANE SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 79795 | CHLORDANE, TRANS SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 79796 | CHLORDANE, CIS SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 79797 | NITROFEN SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 12.5 | 12.5 | 14.2 | 10.8 | 5.78 | 2.404 | ** | ** | ** | ** |
| 79798 | METHOXYCHLOR SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 79799 | DICOFOL (KELTHANE) SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 25. | 25. | 28.45 | 21.55 | 23.805 | 4.879 | ** | ** | ** | ** |
| 79800 | MIREX SEDIMENT,DRY,WT,UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 81618 | TREFLAN(TRIFLURALIN) IN SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 81808 | PENTACHLORONITROBENZENE IN SEDIMENT DRY WGT UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |
| 81876 | TRICHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 2 ## | 1. | 1. | 1.5 | 0.5 | 0.5 | 0.707 | ** | ** | ** | ** |
| 81878 | TETRACHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 2 ## | 4.55 | 4.55 | 8.6 | 0.5 | 32.805 | 5.728 | ** | ** | ** | ** |
| 81880 | PENTACHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 2 ## | 2.25 | 2.25 | 4. | 0.5 | 6.125 | 2.475 | ** | ** | ** | ** |
| 81882 | HEXACHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 2 ## | 1.4 | 1.4 | 2.3 | 0.5 | 1.62 | 1.273 | ** | ** | ** | ** |
| 81884 | HEPTACHLOROBIPHENYL SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 2 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 81886 | PERTHANE IN SEDIMENT DRY WEIGHT UG/KG | 06/10/86-06/10/86 | 2 ## | 6.25 | 6.25 | 7.1 | 5.4 | 1.445 | 1.202 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

********** No EPA Water Quality Criteria exist to compare against the data at this station. **********

# Station Inventory for Station: HOFU0073

NPS Station ID: HOFU0073
LAT/LON: 40.239448/ -75.817505
Agency: 21PA
Date Created: 05/31/77
Location: INDIAN RUN BIRDSBORO MWA
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/MUN/INTAKE/AMBNT/STREAM
STORET Station ID(s): PCBS0008
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: DELAWARE RIVER
Elevation: 0
Water Body Id:
Minor Basin: SCHUYLKILL RIVER
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001203.01
RF3 Mile Point: 3.00
Distance from RF3: 0.10
On/Off RF3:
Description:
BIRDSBORO MUNICIPAL WATER AUTHORITY RAW WATER INTAKE AT INDIAN RUN

## Parameter Inventory for Station: HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 1330 | 0.14 | 0.317 | 3.5 | 0. | 0.187 | 0.432 | 0.01 | 0.03 | 0.42 | 0.899 |
| 39360 | DDD IN WHOLE WATER SAMPLE (UG/L) | 08/05/75-08/05/75 | 1 | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 39365 | DDE IN WHOLE WATER SAMPLE (UG/L) | 08/05/75-08/05/75 | 1 | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 39370 | DDT IN WHOLE WATER SAMPLE (UG/L) | 08/05/75-08/05/75 | 1 | 0.002 | 0.002 | 0.002 | 0.002 | 0. | 0. | ** | ** | ** | ** |
| 39496 | PCB - 1242 PCB SERIES WHOLE WATER SAMPLE UG/L | 08/05/75-08/05/75 | 1 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |
| 39504 | PCB - 1254 PCB SERIES WHOLE WATER SAMPLE UG/L | 08/05/75-08/05/75 | 1 | 0.02 | 0.02 | 0.02 | 0.02 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations  ## - Computed with 50% or more of the total observations as values that were half the detection limit  p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0073

| | | | | Total | Exceed | Prop. | 8/01-10/31 | | | 11/01-3/31 | | | 4/01-7/31 | | | n/a | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parameter | | Std. Type | Std. Value | Obs | Standard | Exceeding | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. | Obs | Exceed | Prop. |
| 39360 | DDD IN WHOLE WATER SAMPLE | Fresh Acute | 0.6 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 39365 | DDE IN WHOLE WATER SAMPLE | Fresh Acute | 1050. | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |
| 39370 | DDT IN WHOLE WATER SAMPLE | Fresh Acute | 1.1 | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

## Annual Analysis for 1962 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 43 | 0.21 | 0.358 | 1.58 | 0.01 | 0.162 | 0.403 | 0.014 | 0.06 | 0.52 | 1.118 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1963 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 104 | 0.165 | 0.341 | 3.06 | 0.01 | 0.213 | 0.462 | 0.015 | 0.04 | 0.483 | 0.87 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1964 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 105 | 0.19 | 0.333 | 1.54 | 0.01 | 0.136 | 0.369 | 0.02 | 0.05 | 0.565 | 0.93 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1965 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 111 | 0.12 | 0.276 | 1.75 | 0.01 | 0.125 | 0.353 | 0.01 | 0.05 | 0.39 | 0.7 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1966 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 97 | 0.16 | 0.35 | 2.05 | 0.01 | 0.207 | 0.455 | 0.02 | 0.05 | 0.47 | 1.1 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1967 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 115 | 0.2 | 0.376 | 3.5 | 0.01 | 0.243 | 0.493 | 0.02 | 0.06 | 0.42 | 1.044 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1968 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 109 | 0.17 | 0.353 | 2.52 | 0.01 | 0.191 | 0.437 | 0.02 | 0.05 | 0.455 | 0.97 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1969 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 119 | 0.21 | 0.347 | 3. | 0.01 | 0.193 | 0.44 | 0.02 | 0.05 | 0.48 | 0.75 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1970 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 117 | 0.18 | 0.354 | 2.33 | 0.01 | 0.213 | 0.462 | 0.02 | 0.05 | 0.48 | 1.022 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1974 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 185 | 0.04 | 0.249 | 2.92 | 0. | 0.184 | 0.429 | 0. | 0. | 0.325 | 0.872 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1975 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 165 | 0.09 | 0.297 | 2.04 | 0. | 0.21 | 0.458 | 0. | 0. | 0.4 | 0.948 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Annual Analysis for 1976 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 60 | 0.08 | 0.197 | 1.61 | 0. | 0.077 | 0.277 | 0. | 0.01 | 0.3 | 0.519 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #1: 8/01 to 10/31 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 282 | 0.18 | 0.407 | 3.06 | 0. | 0.269 | 0.519 | 0.01 | 0.038 | 0.597 | 1.217 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #2: 11/01 to 3/31 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 595 | 0.13 | 0.284 | 2.05 | 0. | 0.132 | 0.364 | 0.01 | 0.03 | 0.39 | 0.824 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

## Seasonal Analysis for Season #3: 4/01 to 7/31 - Station HOFU0073

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 08/27/62-05/24/76 | 453 | 0.14 | 0.306 | 3.5 | 0. | 0.201 | 0.449 | 0.01 | 0.04 | 0.385 | 0.846 |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

# Station Inventory for Station: HOFU0074

NPS Station ID: HOFU0074 LAT/LON: 40.194448/ -75.830977 Agency: 21PA Date Created: 10/27/79
Location: GEIGERTOWN WAT CO MCGOWAN SPRING FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/MUN/INTAKE/AMBNT/SPRING STORET Station ID(s): ID0695410101301/231SCKN-1180
RMI-Indexes: Within Park Boundary: No
RMI-Miles:
HUC: 02040203 Depth of Water: 0 Aquifer:
Major Basin: STOCKTON FORMATION Elevation: 0 Water Body Id:
Minor Basin: UPPER TRIASSIC ECO Region:
RF1 Index: 02040203 RF1 Mile Point: 0.000 Distance from RF1: 0.00 On/Off RF1:
RF3 Index: 02040203079200.00 RF3 Mile Point: 1.12 Distance from RF3: 0.37 On/Off RF3:
Description:
QUADRANGLE: 08-20-1 PUMP CAPACITY: NO PUMP SPECIFIC CAPACITY: .0099 MGD
LOCATION: IN THE BOTTOM OF THE 35,000 GALLON CAPACITY MASONRY RESERVOIR. THE RESERVOIR IS COVERED AND SERVES AS A COMBINATION SPRINGHOUSE-IMPOUNDMENT.

## Parameter Inventory for Station: HOFU0074

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00070 | TURBIDITY, (JACKSON CANDLE UNITS) | 04/21/77-04/21/77 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 03/27/78-03/27/78 | 1 | 1.5 | 1.5 | 1.5 | 1.5 | 0. | 0. | ** | ** | ** | ** |
| 00080 | COLOR (PLATINUM-COBALT UNITS) | 04/21/77-03/27/78 | 2 ## | 2.5 | 2.5 | 2.5 | 2.5 | 0. | 0. | ** | ** | ** | ** |
| 00403 | PH, LAB, STANDARD UNITS SU | 04/21/77-03/27/78 | 2 | 5.9 | 5.9 | 5.9 | 5.9 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 04/21/77-03/27/78 | 2 | 5.9 | 5.9 | 5.9 | 5.9 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 04/21/77-03/27/78 | 2 | 1.259 | 1.259 | 1.259 | 1.259 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 04/21/77-03/27/78 | 2 | 16. | 16. | 16. | 16. | 0. | 0. | ** | ** | ** | ** |
| 00500 | RESIDUE, TOTAL (MG/L) | 04/21/77-04/21/77 | 1 | 56. | 56. | 56. | 56. | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 04/21/77-03/27/78 | 2 ## | 0.06 | 0.06 | 0.11 | 0.01 | 0.005 | 0.071 | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 04/21/77-03/27/78 | 2 ## | 0.008 | 0.008 | 0.014 | 0.001 | 0. | 0.009 | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 04/21/77-03/27/78 | 2 | 2.1 | 2.1 | 2.2 | 2. | 0.02 | 0.141 | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 04/21/77-03/27/78 | 2 | 22.5 | 22.5 | 25. | 20. | 12.5 | 3.536 | ** | ** | ** | ** |
| 00929 | SODIUM, TOTAL (MG/L AS NA) | 04/21/77-04/21/77 | 1 | 4.6 | 4.6 | 4.6 | 4.6 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 04/21/77-03/27/78 | 2 | 8. | 8. | 8. | 8. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 04/21/77-04/21/77 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 04/21/77-03/27/78 | 2 | 100. | 100. | 150. | 50. | 5000. | 70.711 | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 04/21/77-03/27/78 | 2 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 70507 | PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 04/21/77-03/27/78 | 2 | 0.03 | 0.03 | 0.04 | 0.02 | 0. | 0.014 | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

## EPA Water Quality Criteria Analysis for Station: HOFU0074

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00070 | TURBIDITY, JACKSON CANDLE UNITS | Other-Hi Lim. | 50. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 2 | 2 | 1.00 | | | | 1 | 1 | 1.00 | 1 | 1 | 1.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Station: HOFU0074

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0075

NPS Station ID: HOFU0075
LAT/LON: 40.275559/ -75.833615
Agency: 112WRD
Date Created: 12/02/81
Location: SCHUYLKILL R AT HEISTERS CR NR BIRDSBORO PA
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): 401632075500100
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id:
Minor Basin:
ECO Region:
RF1 Index: 02040203010
RF1 Mile Point: 10.640
Distance from RF1: 0.00
On/Off RF1: ON
RF3 Index: 02040203001004.12
RF3 Mile Point: 4.12
Distance from RF3: 0.03
On/Off RF3:
Description:

## Parameter Inventory for Station: HOFU0075

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00686 | CARBON, INORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/15/79-11/15/79 | 1 | 1.9 | 1.9 | 1.9 | 1.9 | 0. | 0. | ** | ** | ** | ** |
| 00687 | CARBON, ORGANIC, IN BED MATERIAL (GM/KG AS C) | 11/15/79-11/15/79 | 1 | 78. | 78. | 78. | 78. | 0. | 0. | ** | ** | ** | ** |
| 00693 | CARBON, ORGANIC+INORG.-BOTTOM MAT. (GM/KG) | 11/15/79-11/15/79 | 1 | 80. | 80. | 80. | 80. | 0. | 0. | ** | ** | ** | ** |
| 01003 | ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01013 | BERYLLIUM IN BOTTOM DEPOSITS(MG/KG AS BE DRY WGT) | 11/15/79-11/15/79 | 1 | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01028 | CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/15/79-11/15/79 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01029 | CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/15/79-11/15/79 | 1 | 110. | 110. | 110. | 110. | 0. | 0. | ** | ** | ** | ** |
| 01043 | COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT) | 11/15/79-11/15/79 | 1 | 230. | 230. | 230. | 230. | 0. | 0. | ** | ** | ** | ** |
| 01052 | LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT) | 11/15/79-11/15/79 | 1 | 330. | 330. | 330. | 330. | 0. | 0. | ** | ** | ** | ** |
| 01068 | NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT) | 11/15/79-11/15/79 | 1 | 140. | 140. | 140. | 140. | 0. | 0. | ** | ** | ** | ** |
| 01078 | SILVER IN BOTTOM DEPOSITS (MG/KG AS AG DRY WGT) | 11/15/79-11/15/79 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 01093 | ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT) | 11/15/79-11/15/79 | 1 | 570. | 570. | 570. | 570. | 0. | 0. | ** | ** | ** | ** |
| 01098 | ANTIMONY IN BOTTOM DEPOSITS (MG/KG AS SB DRY WGT) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 01148 | SELENIUM IN BOTTOM DEPOSITS (MG/KG AS SE DRY WGT) | 11/15/79-11/15/79 | 1 | 1. | 1. | 1. | 1. | 0. | 0. | ** | ** | ** | ** |
| 39333 | ALDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39343 | GAMMA-BHC(LINDANE),SEDIMENTS,DRY WGT,UG/KG | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39351 | CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG | 11/15/79-11/15/79 | 1 | 23. | 23. | 23. | 23. | 0. | 0. | ** | ** | ** | ** |
| 39363 | DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 7.5 | 7.5 | 7.5 | 7.5 | 0. | 0. | ** | ** | ** | ** |
| 39368 | DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 10. | 10. | 10. | 10. | 0. | 0. | ** | ** | ** | ** |
| 39373 | DDT IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 3.6 | 3.6 | 3.6 | 3.6 | 0. | 0. | ** | ** | ** | ** |
| 39383 | DIELDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/15/79-11/15/79 | 1 | 0.9 | 0.9 | 0.9 | 0.9 | 0. | 0. | ** | ** | ** | ** |
| 39393 | ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39403 | TOXAPHENE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOL.) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39413 | HEPTACHLOR IN BOT. DEP. (UG/KILOGRAM DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39423 | HEPTACHLOR EPOXIDE IN BOT. DEP. (UG/KG DRY SOL.) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39481 | METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |
| 39519 | PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS) | 11/15/79-11/15/79 | 1 | 150. | 150. | 150. | 150. | 0. | 0. | ** | ** | ** | ** |
| 71921 | MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT) | 11/15/79-11/15/79 | 1 | 0. | 0. | 0. | 0. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

********** No EPA Water Quality Criteria exist to compare against the data at this station. **********

# Station Inventory for Station: HOFU0076

NPS Station ID: HOFU0076
LAT/LON: 40.231059/ -75.845282
Agency: 21PENN
Date Created: 10/25/78
Location: DWNSTM FROM SCARLETS MILLS OFF T
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/STREAM
STORET Station ID(s): HAY002
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 999
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER - SCHUYLKILL
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203003200.00
RF3 Mile Point: 0.13
Distance from RF3: 0.02
On/Off RF3:
Description:
DATA FROM "SCHULKILL RIVER BASIN WATER QUALITY" REPORT SEDIMENT ANALYZED FOR TOXICS
SAMPLE TAKEN FROM HAY CREEK - DOWNSTREAM FROM SCARLETS MILLS OFF T 348

## Parameter Inventory for Station: HOFU0076

| Parameter | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|

******** No Parameter Data Available for this Station ********

# Station Inventory for Station: HOFU0077

NPS Station ID: HOFU0077
LAT/LON: 40.191310/ -75.855920
Agency: 21PA
Date Created: 06/25/94
Location: SPRING 051006
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/SPRING
STORET Station ID(s): GWND03C006 /BASIN051-006
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin:
Elevation: 0
Water Body Id: 231HMCK
Minor Basin:
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001700.00
RF3 Mile Point: 0.00
Distance from RF3: 0.04
On/Off RF3:
Description:
7.5' QUADRANGLE MAP: ELVERSON

## Parameter Inventory for Station: HOFU0077

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00403 | PH, LAB, STANDARD UNITS SU | 03/23/94-03/23/94 | 1 | 5.7 | 5.7 | 5.7 | 5.7 | 0. | 0. | ** | ** | ** | ** |
| 00403 | CONVERTED PH, LAB, STANDARD UNITS | 03/23/94-03/23/94 | 1 | 5.7 | 5.7 | 5.7 | 5.7 | 0. | 0. | ** | ** | ** | ** |
| 00403 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 03/23/94-03/23/94 | 1 | 1.995 | 1.995 | 1.995 | 1.995 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 03/23/94-03/23/94 | 1 | 15. | 15. | 15. | 15. | 0. | 0. | ** | ** | ** | ** |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L | 03/23/94-03/23/94 | 1 | 146. | 146. | 146. | 146. | 0. | 0. | ** | ** | ** | ** |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 03/23/94-03/23/94 | 1 ## | 0.01 | 0.01 | 0.01 | 0.01 | 0. | 0. | ** | ** | ** | ** |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 03/23/94-03/23/94 | 1 | 0.004 | 0.004 | 0.004 | 0.004 | 0. | 0. | ** | ** | ** | ** |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 03/23/94-03/23/94 | 1 | 2.18 | 2.18 | 2.18 | 2.18 | 0. | 0. | ** | ** | ** | ** |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 03/23/94-03/23/94 | 1 | 0.09 | 0.09 | 0.09 | 0.09 | 0. | 0. | ** | ** | ** | ** |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 03/23/94-03/23/94 | 1 | 1.1 | 1.1 | 1.1 | 1.1 | 0. | 0. | ** | ** | ** | ** |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 03/23/94-03/23/94 | 1 | 65. | 65. | 65. | 65. | 0. | 0. | ** | ** | ** | ** |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 03/23/94-03/23/94 | 1 | 18.6 | 18.6 | 18.6 | 18.6 | 0. | 0. | ** | ** | ** | ** |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 03/23/94-03/23/94 | 1 | 5.1 | 5.1 | 5.1 | 5.1 | 0. | 0. | ** | ** | ** | ** |
| 00929 | SODIUM, TOTAL (MG/L AS NA) | 03/23/94-03/23/94 | 1 | 12.8 | 12.8 | 12.8 | 12.8 | 0. | 0. | ** | ** | ** | ** |
| 00937 | POTASSIUM, TOTAL MG/L AS K) | 03/23/94-03/23/94 | 1 | 0.94 | 0.94 | 0.94 | 0.94 | 0. | 0. | ** | ** | ** | ** |
| 00940 | CHLORIDE,TOTAL IN WATER MG/L | 03/23/94-03/23/94 | 1 | 19. | 19. | 19. | 19. | 0. | 0. | ** | ** | ** | ** |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 03/23/94-03/23/94 | 1 | 40. | 40. | 40. | 40. | 0. | 0. | ** | ** | ** | ** |
| 00956 | SILICA, TOTAL (MG/L AS SI02) | 03/23/94-03/23/94 | 1 | 14.1 | 14.1 | 14.1 | 14.1 | 0. | 0. | ** | ** | ** | ** |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 03/23/94-03/23/94 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01007 | BARIUM, TOTAL (UG/L AS BA) | 03/23/94-03/23/94 | 1 | 39. | 39. | 39. | 39. | 0. | 0. | ** | ** | ** | ** |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 03/23/94-03/23/94 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 03/23/94-03/23/94 | 1 ## | 25. | 25. | 25. | 25. | 0. | 0. | ** | ** | ** | ** |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 03/23/94-03/23/94 | 1 ## | 5. | 5. | 5. | 5. | 0. | 0. | ** | ** | ** | ** |
| 01045 | IRON, TOTAL (UG/L AS FE) | 03/23/94-03/23/94 | 1 | 2400. | 2400. | 2400. | 2400. | 0. | 0. | ** | ** | ** | ** |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 03/23/94-03/23/94 | 1 ## | 2. | 2. | 2. | 2. | 0. | 0. | ** | ** | ** | ** |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 03/23/94-03/23/94 | 1 | 72. | 72. | 72. | 72. | 0. | 0. | ** | ** | ** | ** |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 03/23/94-03/23/94 | 1 | 15. | 15. | 15. | 15. | 0. | 0. | ** | ** | ** | ** |
| 70228 | FLOW, SPRING GALLONS/MINUTE | 06/01/94-06/01/94 | 1 | 50. | 50. | 50. | 50. | 0. | 0. | ** | ** | ** | ** |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 03/23/94-03/23/94 | 1 ## | 0.5 | 0.5 | 0.5 | 0.5 | 0. | 0. | ** | ** | ** | ** |
| 71993 | ELEVATION OF GRD WATER WITH REF.TO MEAN SEA L FT | 06/01/94-06/01/94 | 1 | 485. | 485. | 485. | 485. | 0. | 0. | ** | ** | ** | ** |
| 82079 | TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 03/23/94-03/23/94 | 1 | 30. | 30. | 30. | 30. | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# EPA Water Quality Criteria Analysis for Station: HOFU0077

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00403 | PH, LAB | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 1 | 1.00 | | | | 1 | 1 | 1.00 | | | | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01007 | BARIUM, TOTAL | Drinking Water | 2000. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 5. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 1300. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 15. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 5000. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 71900 | MERCURY, TOTAL | Fresh Acute | 2.4 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 82079 | TURBIDITY, LAB | Other-Hi Lim. | 50. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# Station Inventory for Station: HOFU0078

NPS Station ID: HOFU0078
LAT/LON: 40.199115/ -75.862504
Agency: 11NPSWRD
Date Created: 05/09/98
Location: PABR606R
FIPS State/County: 42011 PENNSYLVANIA/BERKS
Station Type: /TYPA/AMBNT/SPRING
STORET Station ID(s): HOFU_NURE_9 /4069440
RMI-Indexes:
Within Park Boundary: No
RMI-Miles:
HUC: 02040203
Depth of Water: 0
Aquifer:
Major Basin: NORTH ATLANTIC
Elevation: 0
Water Body Id:
Minor Basin: DELAWARE RIVER-SCHUYLKILL
ECO Region:
RF1 Index: 02040203
RF1 Mile Point: 0.000
Distance from RF1: 0.00
On/Off RF1:
RF3 Index: 02040203001700.00
RF3 Mile Point: 0.00
Distance from RF3: 0.04
On/Off RF3:
Description:
THE SITE IS LOCATED ON THE ELVERSON PENNSYLVANIA 7.5' SERIES (TOPOGRAPHIC) QUADRANGLE. THE SITE IS AT A SPRING AND IS OUTSIDE OF THE HOPEWELL FURNACE NATIONAL HISTORIC SITE PARK BOUNDARIES. THE SAMPLES WERE FILTERED THROUGH A LESS THAN OR EQUAL TO 0.8 UM FILTER AT THE SITE. DATA ARE FROM THE "U.S. GEOLOGICAL SURVEY NATIONAL GEOCHEMICAL DATA BASE: NATIONAL URANIUM RESOURCE EVALUATION DATA FOR THE CONTERMINOUS UNITED STATES" 1994 CD-ROM BY J.D. HOFFMAN AND K. BUTTLEMAN (USGS DIGITAL DATA SERIES DDS-18-A). THE DATA BASE INCLUDES STREAM SEDIMENT; SOIL; SURFACE WATER; AND GROUND WATER DATA. THE "UNIQID" FIELD ENTRY WAS USED TO CREATE THE SECONDARY STATION NAME. THE "SRLID" FIELD ENTRY (SAVANNAH RIVER LABORATORY SAMPLE NUMBER) WAS USED TO CREATE THE STATION LOCATION. THE SAMPLES WERE ANALYZED BY SAVANNAH RIVER LABORATORY. DATA WERE PROCESSED AND UPLOADED TO STORET BY RYAN SHY; NATIONAL PARK SERVICE WATER RESOURCES DIVISION; 1201 OAK RIDGE DRIVE SUITE 250; FORT COLLINS CO 80525 (TEL. 970-225-3516).

## Parameter Inventory for Station: HOFU0078

| Parameter | | Period of Record | Obs | Median | Mean | Maximum | Minimum | Variance | Std. Dev. | 10th | 25th | 75th | 90th |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 07/06/77-07/06/77 | 1 | 22. | 22. | 22. | 22. | 0. | 0. | ** | ** | ** | ** |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 07/06/77-07/06/77 | 1 | 215. | 215. | 215. | 215. | 0. | 0. | ** | ** | ** | ** |
| 00400 | PH (STANDARD UNITS) | 07/06/77-07/06/77 | 1 | 6.2 | 6.2 | 6.2 | 6.2 | 0. | 0. | ** | ** | ** | ** |
| 00400 | CONVERTED PH (STANDARD UNITS) | 07/06/77-07/06/77 | 1 | 6.2 | 6.2 | 6.2 | 6.2 | 0. | 0. | ** | ** | ** | ** |
| 00400 | MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH | 07/06/77-07/06/77 | 1 | 0.631 | 0.631 | 0.631 | 0.631 | 0. | 0. | ** | ** | ** | ** |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 07/06/77-07/06/77 | 1 | 33. | 33. | 33. | 33. | 0. | 0. | ** | ** | ** | ** |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 07/06/77-07/06/77 | 1 | 13.62 | 13.62 | 13.62 | 13.62 | 0. | 0. | ** | ** | ** | ** |
| 00941 | CHLORIDE, DISSOLVED IN WATER MG/L | 07/06/77-07/06/77 | 1 | 35. | 35. | 35. | 35. | 0. | 0. | ** | ** | ** | ** |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 07/06/77-07/06/77 | 1 | 230. | 230. | 230. | 230. | 0. | 0. | ** | ** | ** | ** |
| 01085 | VANADIUM, DISSOLVED (UG/L AS V) | 07/06/77-07/06/77 | 1 ## | 0.05 | 0.05 | 0.05 | 0.05 | 0. | 0. | ** | ** | ** | ** |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 07/06/77-07/06/77 | 1 | 65. | 65. | 65. | 65. | 0. | 0. | ** | ** | ** | ** |
| 22703 | URANIUM, NATURAL, DISSOLVED | 07/06/77-07/06/77 | 1 | 0.182 | 0.182 | 0.182 | 0.182 | 0. | 0. | ** | ** | ** | ** |
| 82331 | DYSPROSIUM, DISSOLVED AS DY IN WATER UG/L | 07/06/77-07/06/77 | 1 ## | 0.001 | 0.001 | 0.001 | 0.001 | 0. | 0. | ** | ** | ** | ** |

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

# EPA Water Quality Criteria Analysis for Station: HOFU0078

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00400 | PH | Fresh Chronic | 9. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 22703 | URANIUM, NATURAL DISSOLVED | Drinking Water | 20. | 1 | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Entire HOFU Study Area

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00070 | TURBIDITY, JACKSON CANDLE UNITS | Other-Hi Lim. | 50. | 37 | 0 | 0.00 | 11 | 0 | 0.00 | 10 | 0 | 0.00 | 16 | 0 | 0.00 | | | |
| 00076 | TURBIDITY, HACH TURBIDIMETER | Other-Hi Lim. | 50. | 82 | 0 | 0.00 | 39 | 0 | 0.00 | 34 | 0 | 0.00 | 9 | 0 | 0.00 | | | |
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE | Other-Lo Lim. | 4. | 7 | 0 | 0.00 | | | | | | | 7 | 0 | 0.00 | | | |
| 00300 | OXYGEN, DISSOLVED | Other-Lo Lim. | 4. | 242 | 18 | 0.07 | 119 | 13 | 0.11 | 56 | 0 | 0.00 | 67 | 5 | 0.07 | | | |
| 00400 | PH | Fresh Chronic | 9. | 310 | 3 | 0.01 | 152 | 2 | 0.01 | 96 | 0 | 0.00 | 62 | 1 | 0.02 | | | |
| | | Other-Lo Lim. | 6.5 | 310 | 19 | 0.06 | 152 | 10 | 0.07 | 96 | 7 | 0.07 | 62 | 2 | 0.03 | | | |
| 00403 | PH, LAB | Fresh Chronic | 9. | 207 | 0 | 0.00 | 78 | 0 | 0.00 | 66 | 0 | 0.00 | 63 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 207 | 34 | 0.16 | 78 | 4 | 0.05 | 66 | 16 | 0.24 | 63 | 14 | 0.22 | | | |
| 00406 | PH, FIELD | Fresh Chronic | 9. | 32 | 0 | 0.00 | 4 | 0 | 0.00 | | | | 28 | 0 | 0.00 | | | |
| | | Other-Lo Lim. | 6.5 | 32 | 0 | 0.00 | 4 | 0 | 0.00 | | | | 28 | 0 | 0.00 | | | |
| 00613 | NITRITE NITROGEN, DISSOLVED AS N | Drinking Water | 1. | 66 | 0 | 0.00 | 52 | 0 | 0.00 | 12 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| 00615 | NITRITE NITROGEN, TOTAL AS N | Drinking Water | 1. | 227 | 0 | 0.00 | 77 | 0 | 0.00 | 65 | 0 | 0.00 | 85 | 0 | 0.00 | | | |
| 00618 | NITRATE NITROGEN, DISSOLVED AS N | Drinking Water | 10. | 42 | 0 | 0.00 | 8 | 0 | 0.00 | 20 | 0 | 0.00 | 14 | 0 | 0.00 | | | |
| 00620 | NITRATE NITROGEN, TOTAL AS N | Drinking Water | 10. | 252 | 0 | 0.00 | 82 | 0 | 0.00 | 83 | 0 | 0.00 | 87 | 0 | 0.00 | | | |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. | Drinking Water | 10. | 39 | 0 | 0.00 | 23 | 0 | 0.00 | 12 | 0 | 0.00 | 4 | 0 | 0.00 | | | |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. | Drinking Water | 10. | 72 | 0 | 0.00 | 52 | 0 | 0.00 | 18 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| 00720 | CYANIDE, TOTAL | Fresh Acute | 0.022 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 0.2 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 00940 | CHLORIDE,TOTAL IN WATER | Fresh Acute | 860. | 348 | 0 | 0.00 | 134 | 0 | 0.00 | 112 | 0 | 0.00 | 102 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 348 | 0 | 0.00 | 134 | 0 | 0.00 | 112 | 0 | 0.00 | 102 | 0 | 0.00 | | | |
| 00941 | CHLORIDE, DISSOLVED IN WATER | Fresh Acute | 860. | 34 | 0 | 0.00 | 4 | 0 | 0.00 | 16 | 0 | 0.00 | 14 | 0 | 0.00 | | | |
| | | Drinking Water | 250. | 34 | 0 | 0.00 | 4 | 0 | 0.00 | 16 | 0 | 0.00 | 14 | 0 | 0.00 | | | |
| 00945 | SULFATE, TOTAL (AS SO4) | Drinking Water | 250. | 342 | 1 | 0.00 | 131 | 0 | 0.00 | 107 | 0 | 0.00 | 104 | 1 | 0.01 | | | |
| 00946 | SULFATE, DISSOLVED (AS SO4) | Drinking Water | 250. | 30 | 0 | 0.00 | 4 | 0 | 0.00 | 16 | 0 | 0.00 | 10 | 0 | 0.00 | | | |
| 00950 | FLUORIDE, DISSOLVED AS F | Drinking Water | 4. | 95 | 0 | 0.00 | 49 | 0 | 0.00 | 33 | 0 | 0.00 | 13 | 0 | 0.00 | | | |
| 00951 | FLUORIDE, TOTAL AS F | Drinking Water | 4. | 12 | 0 | 0.00 | 3 | 0 | 0.00 | 2 | 0 | 0.00 | 7 | 0 | 0.00 | | | |
| 01000 | ARSENIC, DISSOLVED | Fresh Acute | 360. | 22 | 0 | 0.00 | 17 | 0 | 0.00 | 5 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 22 | 0 | 0.00 | 17 | 0 | 0.00 | 5 | 0 | 0.00 | | | | | | |
| 01002 | ARSENIC, TOTAL | Fresh Acute | 360. | 34 | 0 | 0.00 | 7 | 0 | 0.00 | 10 | 0 | 0.00 | 17 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 34 | 0 | 0.00 | 7 | 0 | 0.00 | 10 | 0 | 0.00 | 17 | 0 | 0.00 | | | |
| 01007 | BARIUM, TOTAL | Drinking Water | 2000. | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01012 | BERYLLIUM, TOTAL | Fresh Acute | 130. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 4. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01025 | CADMIUM, DISSOLVED | Fresh Acute | 3.9 | 64 | 3 | 0.05 | 34 | 2 | 0.06 | 29 | 0 | 0.00 | 1 | 1 | 1.00 | | | |
| | | Drinking Water | 5. | 64 | 2 | 0.03 | 34 | 1 | 0.03 | 29 | 0 | 0.00 | 1 | 1 | 1.00 | | | |
| 01027 | CADMIUM, TOTAL | Fresh Acute | 3.9 | 47 & | 0 | 0.00 | 7 | 0 | 0.00 | 8 | 0 | 0.00 | 32 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 47 & | 0 | 0.00 | 7 | 0 | 0.00 | 8 | 0 | 0.00 | 32 | 0 | 0.00 | | | |
| 01030 | CHROMIUM, DISSOLVED | Drinking Water | 100. | 52 | 0 | 0.00 | 34 | 0 | 0.00 | 17 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01032 | CHROMIUM, HEXAVALENT | Fresh Acute | 16. | 17 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 15 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 17 | 0 | 0.00 | 2 | 0 | 0.00 | | | | 15 | 0 | 0.00 | | | |
| 01034 | CHROMIUM, TOTAL | Drinking Water | 100. | 80 | 0 | 0.00 | 28 | 0 | 0.00 | 14 | 0 | 0.00 | 38 | 0 | 0.00 | | | |
| 01040 | COPPER, DISSOLVED | Fresh Acute | 18. | 55 & | 2 | 0.04 | 36 | 0 | 0.00 | 17 | 0 | 0.00 | 2 | 2 | 1.00 | | | |
| | | Drinking Water | 1300. | 56 | 0 | 0.00 | 36 | 0 | 0.00 | 17 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 01042 | COPPER, TOTAL | Fresh Acute | 18. | 44 & | 12 | 0.27 | 11 | 5 | 0.45 | 11 | 2 | 0.18 | 22 | 5 | 0.23 | | | |
| | | Drinking Water | 1300. | 79 | 0 | 0.00 | 30 | 0 | 0.00 | 11 | 0 | 0.00 | 38 | 0 | 0.00 | | | |
| 01049 | LEAD, DISSOLVED | Fresh Acute | 82. | 68 | 0 | 0.00 | 36 | 0 | 0.00 | 29 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 68 | 0 | 0.00 | 36 | 0 | 0.00 | 29 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 01051 | LEAD, TOTAL | Fresh Acute | 82. | 58 | 0 | 0.00 | 13 | 0 | 0.00 | 11 | 0 | 0.00 | 34 | 0 | 0.00 | | | |
| | | Drinking Water | 15. | 54 & | 0 | 0.00 | 11 | 0 | 0.00 | 10 | 0 | 0.00 | 33 | 0 | 0.00 | | | |
| 01059 | THALLIUM, TOTAL | Fresh Acute | 1400. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 2. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01065 | NICKEL, DISSOLVED | Fresh Acute | 1400. | 63 | 0 | 0.00 | 34 | 0 | 0.00 | 28 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 63 | 0 | 0.00 | 34 | 0 | 0.00 | 28 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01067 | NICKEL, TOTAL | Fresh Acute | 1400. | 69 | 0 | 0.00 | 28 | 0 | 0.00 | 4 | 0 | 0.00 | 37 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 48 & | 0 | 0.00 | 11 | 0 | 0.00 | 4 | 0 | 0.00 | 33 | 0 | 0.00 | | | |
| 01077 | SILVER, TOTAL | Fresh Acute | 4.1 | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| | | Drinking Water | 100. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 01090 | ZINC, DISSOLVED | Fresh Acute | 120. | 56 | 0 | 0.00 | 36 | 0 | 0.00 | 17 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 56 | 0 | 0.00 | 36 | 0 | 0.00 | 17 | 0 | 0.00 | 3 | 0 | 0.00 | | | |
| 01092 | ZINC, TOTAL | Fresh Acute | 120. | 79 | 3 | 0.04 | 30 | 0 | 0.00 | 11 | 3 | 0.27 | 38 | 0 | 0.00 | | | |
| | | Drinking Water | 5000. | 79 | 0 | 0.00 | 30 | 0 | 0.00 | 11 | 0 | 0.00 | 38 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Entire HOFU Study Area

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01097 | ANTIMONY, TOTAL | Fresh Acute | 88. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 6. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 01147 | SELENIUM, TOTAL | Fresh Acute | 20. | 5 & | 0 | 0.00 | | | | 5 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 50. | 7 | 0 | 0.00 | | | | 6 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 22703 | URANIUM, NATURAL DISSOLVED | Drinking Water | 20. | 4 | 0 | 0.00 | | | | | | | 4 | 0 | 0.00 | | | |
| 31501 | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | Other-Hi Lim. | 1000. | 61 | 45 | 0.74 | 24 | 24 | 1.00 | 22 | 9 | 0.41 | 15 | 12 | 0.80 | | | |
| 31615 | FECAL COLIFORM, MPN | Other-Hi Lim. | 200. | 1 | 1 | 1.00 | | | | | | | 1 | 1 | 1.00 | | | |
| 31616 | FECAL COLIFORM, MEMBRANE FILTER, BROTH | Other-Hi Lim. | 200. | 163 | 85 | 0.52 | 48 | 30 | 0.63 | 48 | 12 | 0.25 | 67 | 43 | 0.64 | | | |
| 32101 | BROMODICHLOROMETHANE, WHOLE WATER | Drinking Water | 100. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 32102 | CARBON TETRACHLORIDE, WHOLE WATER | Fresh Acute | 35200. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 32103 | 1,2-DICHLOROETHANE,WHOLE WATER | Fresh Acute | 118000. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 32104 | BROMOFORM, WHOLE WATER | Drinking Water | 100. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 32105 | DIBROMOCHLOROMETHANE, WHOLE WATER | Drinking Water | 100. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 32106 | CHLOROFORM, WHOLE WATER | Fresh Acute | 28900. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 100. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34010 | TOLUENE IN WTR SMPLE GC-MS, HEXADECONE E | Fresh Acute | 17500. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34205 | ACENAPHTHENE, TOTAL | Fresh Acute | 1700. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34210 | ACROLEIN, TOTAL | Fresh Acute | 68. | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34215 | ACRYLONITRILE, TOTAL | Fresh Acute | 7550. | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34301 | CHLOROBENZENE, TOTAL | Drinking Water | 100. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34346 | 1,2-DIPHENYLHYDRAZINE, TOTAL | Fresh Acute | 270. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34356 | ENDOSULFAN, BETA, TOTAL | Fresh Acute | 0.22 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34361 | ENDOSULFAN, ALPHA, TOTAL | Fresh Acute | 0.22 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34371 | ETHYLBENZENE, TOTAL | Fresh Acute | 32000. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 700. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34376 | FLUORANTHENE, TOTAL | Fresh Acute | 3980. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34386 | HEXACHLOROCYCLOPENTADIENE, TOTAL | Fresh Acute | 7. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 50. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34396 | HEXACHLOROETHANE, TOTAL | Fresh Acute | 980. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34403 | IDENO (1,2,3-CD) PYRENE | Drinking Water | 0.4 | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 34408 | ISOPHORONE, TOTAL | Fresh Acute | 117000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34423 | METHYLENE CHLORIDE, TOTAL | Drinking Water | 5. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34447 | NITROBENZENE, TOTAL | Fresh Acute | 27000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34452 | PARACHLOROMETA CRESOL, TOTAL | Fresh Acute | 30. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34461 | PHENANTHRENE, TOTAL | Fresh Acute | 30. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34475 | TETRACHLOROETHYLENE, TOTAL | Fresh Acute | 5280. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34501 | 1,1-DICHLOROETHYLENE, TOTAL | Drinking Water | 7. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34506 | 1,1,1-TRICHLOROETHANE, TOTAL | Drinking Water | 200. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34511 | 1,1,2-TRICHLOROETHANE, TOTAL | Drinking Water | 5. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34536 | 1,2-DICHLOROBENZENE, TOTAL | Drinking Water | 600. | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34541 | 1,2-DICHLOROPROPANE, TOTAL | Drinking Water | 5. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34546 | TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATE | Drinking Water | 100. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34551 | 1,2,4-TRICHLOROBENZENE, TOTAL | Drinking Water | 70. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34566 | 1,3-DICHLOROBENZENE, TOTAL | Drinking Water | 600. | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34571 | 1,4-DICHLOROBENZENE, TOTAL | Drinking Water | 75. | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34586 | 2-CHLOROPHENOL, TOTAL | Fresh Acute | 4380. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34601 | 2,4-DICHLOROPHENOL, TOTAL | Fresh Acute | 2020. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34606 | 2,4-DIMETHYLPHENOL, TOTAL | Fresh Acute | 2120. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34611 | 2,4-DINITROTOLUENE, TOTAL | Fresh Acute | 330. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34694 | PHENOL (C6H5OH) - SINGLE COMPOUND, TOTAL | Fresh Acute | 10200. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 34696 | NAPHTHALENE, TOTAL | Fresh Acute | 2300. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39032 | PCP (PENTACHLOROPHENOL) WHOLE WATER SAMP | Fresh Acute | 20. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 39100 | BIS(2-ETHYLHEXYL) PHTHALATE, WHOLE WATER | Fresh Acute | 2000. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 6. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39175 | VINYL CHLORIDE-WHOLE WATER SAMPLE | Drinking Water | 2. | 1 & | 0 | 0.00 | | | | | | | 1 | 0 | 0.00 | | | |
| 39180 | TRICHLOROETHYLENE-WHOLE WATER SAMPLE | Fresh Acute | 45000. | 4 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 5. | 4 | 1 | 0.25 | | | | 3 | 0 | 0.00 | 1 | 1 | 1.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

# EPA Water Quality Criteria Analysis for Entire HOFU Study Area

| Parameter | | Std. Type | Std. Value | Total Obs | Exceed Standard | Prop. Exceeding | 8/01-10/31 Obs | 8/01-10/31 Exceed | 8/01-10/31 Prop. | 11/01-3/31 Obs | 11/01-3/31 Exceed | 11/01-3/31 Prop. | 4/01-7/31 Obs | 4/01-7/31 Exceed | 4/01-7/31 Prop. | n/a Obs | n/a Exceed | n/a Prop. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 39300 | P,P' DDT IN WHOLE WATER SAMPLE | Fresh Acute | 1.1 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39310 | P,P' DDD IN WHOLE WATER SAMPLE | Fresh Acute | 0.6 | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39320 | P,P' DDE IN WHOLE WATER SAMPLE | Fresh Acute | 1050. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39330 | ALDRIN IN WHOLE WATER SAMPLE | Fresh Acute | 3. | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39340 | GAMMA-BHC(LINDANE), WHOLE WATER | Fresh Acute | 2. | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 0.2 | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39350 | CHLORDANE(TECH MIX & METABS), WHOLE WATE | Fresh Acute | 2.4 | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 2. | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39360 | DDD IN WHOLE WATER SAMPLE | Fresh Acute | 0.6 | 5 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| 39365 | DDE IN WHOLE WATER SAMPLE | Fresh Acute | 1050. | 5 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| 39370 | DDT IN WHOLE WATER SAMPLE | Fresh Acute | 1.1 | 5 | 0 | 0.00 | 2 | 0 | 0.00 | 1 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| 39380 | DIELDRIN IN WHOLE WATER SAMPLE | Fresh Acute | 2.5 | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39388 | ENDOSULFAN IN WHOLE WATER SAMPLE | Fresh Acute | 0.22 | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39390 | ENDRIN IN WHOLE WATER SAMPLE | Fresh Acute | 0.18 | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 2. | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39400 | TOXAPHENE IN WHOLE WATER SAMPLE | Fresh Acute | 0.73 | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 3. | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39410 | HEPTACHLOR IN WHOLE WATER SAMPLE | Fresh Acute | 0.52 | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 0.4 | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39420 | HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE | Fresh Acute | 0.52 | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 0.2 | 3 | 0 | 0.00 | | | | 2 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 39480 | METHOXYCHLOR IN WHOLE WATER SAMPLE | Drinking Water | 40. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 39700 | HEXACHLOROBENZENE IN WHOLE WATER SAMPLE | Fresh Acute | 6. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| | | Drinking Water | 1. | 0 & | 0 | 0.00 | | | | | | | | | | | | |
| 39702 | HEXACHLOROBUTADIENE IN WHOLE WATER SAMPL | Fresh Acute | 90. | 2 | 0 | 0.00 | | | | 1 | 0 | 0.00 | 1 | 0 | 0.00 | | | |
| 50060 | CHLORINE, TOTAL RESIDUAL | Fresh Acute | 0.019 | 5 | 3 | 0.60 | 4 | 3 | 0.75 | | | | 1 | 0 | 0.00 | | | |
| 71851 | NITRATE NITROGEN, DISSOLVED (AS NO3) | Drinking Water | 44. | 35 | 0 | 0.00 | 8 | 0 | 0.00 | 13 | 0 | 0.00 | 14 | 0 | 0.00 | | | |
| 71856 | NITRITE NITROGEN, DISSOLVED (AS NO2) | Drinking Water | 3.3 | 5 | 0 | 0.00 | | | | 3 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| 71890 | MERCURY, DISSOLVED | Fresh Acute | 2.4 | 15 | 0 | 0.00 | 10 | 0 | 0.00 | 5 | 0 | 0.00 | | | | | | |
| | | Drinking Water | 2. | 15 | 0 | 0.00 | 10 | 0 | 0.00 | 5 | 0 | 0.00 | | | | | | |
| 71900 | MERCURY, TOTAL | Fresh Acute | 2.4 | 17 | 0 | 0.00 | 6 | 0 | 0.00 | 9 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| | | Drinking Water | 2. | 17 | 0 | 0.00 | 6 | 0 | 0.00 | 9 | 0 | 0.00 | 2 | 0 | 0.00 | | | |
| 77128 | STYRENE, WHOLE WATER | Drinking Water | 100. | 1 | 0 | 0.00 | | | | 1 | 0 | 0.00 | | | | | | |
| 82079 | TURBIDITY, LAB | Other-Hi Lim. | 50. | 78 | 1 | 0.01 | 18 | 0 | 0.00 | 29 | 1 | 0.03 | 31 | 0 | 0.00 | | | |

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

**NPS Servicewide Inventory and Monitoring Program Level I**

**Water Quality Parameter Inventory Data Evaluation and Analysis:**

**Missing Level I Groups**

| |
|---|
| There are STORET Data for Every Level I I&M Parameter Group Within<br>the HOFU Study Area |

# NPS Servicewide Inventory and Monitoring Program Level I

# Water Quality Parameter Inventory Data Evaluation and Analysis:

# Present Level I Groups

STORET Data Within the HOFU Study Area Exist for These Groups:

| Alkalinity | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 317 | 103 | 131 | 83 | 47 |
| 00430 | ALKALINITY, CARBONATE (MG/L AS CACO3) | 2 | 0 | 0 | 2 | 2 |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 15 | 15 | 0 | 0 | 15 |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 72 | 0 | 18 | 54 | 12 |
| 00445 | CARBONATE ION (MG/L AS CO3) | 60 | 0 | 18 | 42 | 11 |
| | | 466 | 118 | 167 | 181 | 87 (47)[1] |

| pH | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 00400 | PH (STANDARD UNITS) | 310 | 115 | 76 | 119 | 30 |
| 00403 | PH, LAB (STANDARD UNITS) | 207 | 89 | 107 | 11 | 29 |
| 00406 | PH, FIELD (STANDARD UNITS) | 32 | 32 | 0 | 0 | 26 |
| | | 549 | 236 | 183 | 130 | 85 (59)[1] |

| Conductivity | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 00094 | SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C) | 110 | 75 | 32 | 3 | 28 |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 358 | 92 | 145 | 121 | 32 |
| | | 468 | 167 | 177 | 124 | 60 (58)[1] |

| Dissolved Oxygen | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE (MG/L) | 7 | 7 | 0 | 0 | 7 |
| 00300 | OXYGEN, DISSOLVED (MG/L) | 242 | 136 | 71 | 35 | 36 |
| 00301 | OXYGEN, DISSOLVED, PERCENT OF SATURATION | 4 | 4 | 0 | 0 | 4 |
| | | 253 | 147 | 71 | 35 | 47 (43)[1] |

| Water Temperature | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 357 | 143 | 100 | 114 | 52 |
| | | 357 | 143 | 100 | 114 | 52 (52)[1] |

| Flow | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 00058 | FLOW RATE, GALLONS/MIN. | 4 | 0 | 0 | 4 | 1 |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | 81 | 15 | 20 | 46 | 18 |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | 200 | 82 | 84 | 34 | 14 |
| 00065 | STAGE, STREAM (FEET) | 115 | 38 | 76 | 1 | 2 |
| 70228 | FLOW, SPRING, GALLONS/MINUTE | 1 | 1 | 0 | 0 | 1 |
| | | 401 | 136 | 180 | 85 | 36 (31)[1] |

[1]Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

| Clarity/Turbidity | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 00070 | TURBIDITY, (JACKSON CANDLE UNITS) | 37 | 0 | 24 | 13 | 3 |
| 00076 | TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 82 | 41 | 41 | 0 | 12 |
| 00078 | TRANSPARENCY, SECCHI DISC (METERS) | 4 | 4 | 0 | 0 | 1 |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 58 | 31 | 27 | 0 | 25 |
| 82079 | TURBIDITY, LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | 78 | 46 | 32 | 0 | 10 |
| | | 259 | 122 | 124 | 13 | 51 (37)[1] |

| Nitrate/Nitrogen | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 37 | 6 | 27 | 4 | 11 |
| 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 21 | 3 | 18 | 0 | 7 |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 71 | 0 | 34 | 37 | 10 |
| 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 12 | 0 | 12 | 0 | 7 |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 68 | 44 | 22 | 2 | 11 |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 250 | 76 | 123 | 51 | 38 |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 42 | 12 | 6 | 24 | 16 |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 252 | 72 | 113 | 67 | 38 |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 52 | 30 | 22 | 0 | 7 |
| 00625 | NITROGEN, KJELDAHL, TOTAL (MG/L AS N) | 117 | 63 | 34 | 20 | 38 |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 39 | 0 | 27 | 12 | 12 |
| 00631 | NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N) | 72 | 42 | 28 | 2 | 10 |
| 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 9 | 0 | 9 | 0 | 5 |
| 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 16 | 0 | 14 | 2 | 9 |
| 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 35 | 0 | 3 | 32 | 6 |
| 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 5 | 0 | 3 | 2 | 5 |
| | | 1098 | 348 | 495 | 255 | 230 (55)[1] |

| Phosphate/Phosphorus | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 00650 | PHOSPHATE, TOTAL (MG/L AS PO4) | 4 | 0 | 4 | 0 | 4 |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 24 | 0 | 6 | 18 | 10 |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 289 | 108 | 129 | 52 | 38 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 58 | 36 | 22 | 0 | 10 |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 88 | 46 | 22 | 20 | 16 |
| 70507 | PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 81 | 4 | 31 | 46 | 12 |
| | | 544 | 194 | 214 | 136 | 90 (46)[1] |

| Chlorophyll | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 32230 | CHLOROPHYLL A (MG/L) | 4 | 4 | 0 | 0 | 1 |
| | | 4 | 4 | 0 | 0 | 1 (1)[1] |

| Sulfates/Total Dissolved Solids/Hardness | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 281 | 72 | 124 | 85 | 44 |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 342 | 101 | 138 | 103 | 40 |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 30 | 12 | 0 | 18 | 10 |
| 70300 | RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), (MG/L) | 130 | 32 | 45 | 53 | 30 |
| | | 783 | 217 | 307 | 259 | 124 (50)[1] |

[1]Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

| Bacteria | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 31501 | COLIFORM, TOT, MEMBRANE FILTER,IMMED.M-ENDOMED,35C | 61 | 17 | 1 | 43 | 20 |
| 31615 | FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614) | 1 | 0 | 1 | 0 | 1 |
| 31616 | FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5C | 163 | 77 | 64 | 22 | 36 |
| 31673 | FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR | 6 | 0 | 6 | 0 | 1 |
| 31677 | FECAL STREPTOCOCCI, MPN, AD-EVA, 35C (TUBE 31678) | 1 | 0 | 1 | 0 | 1 |
| | | 232 | 94 | 73 | 65 | 59 (36)[1] |

[1]Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

| Toxic Elements | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 01097 | ANTIMONY, TOTAL (UG/L AS SB) | 2 | 0 | 2 | 0 | 1 |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 22 | 0 | 15 | 7 | 9 |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 34 | 20 | 13 | 1 | 24 |
| 01012 | BERYLLIUM, TOTAL (UG/L AS BE) | 2 | 0 | 2 | 0 | 1 |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 64 | 12 | 36 | 16 | 16 |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 58 | 40 | 16 | 2 | 34 |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 52 | 0 | 36 | 16 | 10 |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 17 | 15 | 2 | 0 | 16 |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 84 | 42 | 16 | 26 | 36 |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 56 | 4 | 36 | 16 | 11 |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 79 | 40 | 16 | 23 | 36 |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 68 | 16 | 36 | 16 | 17 |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 62 | 44 | 16 | 2 | 34 |
| 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 15 | 0 | 15 | 0 | 8 |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 21 | 9 | 12 | 0 | 9 |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 63 | 12 | 35 | 16 | 15 |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 73 | 39 | 11 | 23 | 34 |
| 01147 | SELENIUM, TOTAL (UG/L AS SE) | 9 | 2 | 7 | 0 | 6 |
| 01077 | SILVER, TOTAL (UG/L AS AG) | 2 | 0 | 2 | 0 | 1 |
| 01059 | THALLIUM, TOTAL (UG/L AS TL) | 2 | 0 | 2 | 0 | 1 |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 56 | 4 | 36 | 16 | 11 |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 83 | 44 | 16 | 23 | 36 |
| 00720 | CYANIDE, TOTAL (MG/L AS CN) | 1 | 1 | 0 | 0 | 1 |
| 34210 | ACROLEIN, TOTAL (UG/L) | 3 | 1 | 2 | 0 | 2 |
| 34215 | ACRYLONITRILE, TOTAL (UG/L) | 3 | 1 | 2 | 0 | 2 |
| 34030 | BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXT. (UG/L) | 8 | 6 | 2 | 0 | 2 |
| 32104 | BROMOFORM, WHOLE WATER, (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 32102 | CARBON TETRACHLORIDE, WHOLE WATER, (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34301 | CHLOROBENZENE, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 32105 | DIBROMOCHLOROMETHANE, WHOLE WATER, (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34311 | CHLOROETHANE, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34576 | 2-CHLOROETHYL VINYL ETHER, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 32106 | CHLOROFORM, WHOLE WATER (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 32101 | BROMODICHLOROMETHANE, WHOLE WATER (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34496 | 1,1-DICHLOROETHANE, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 32103 | 1,2-DICHLOROETHANE, WHOLE WATER (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34501 | 1,1-DICHLOROETHYLENE, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34541 | 1,2-DICHLOROPROPANE, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34371 | ETHYLBENZENE, TOTAL (UG/L) | 8 | 6 | 2 | 0 | 2 |
| 34413 | METHYL BROMIDE, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34418 | METHYL CHLORIDE, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34423 | METHYLENE CHLORIDE, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34506 | 1,1,1-TRICHLOROETHANE, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34475 | TETRACHLOROETHYLENE, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34010 | TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXT. (UG/L) | 6 | 4 | 2 | 0 | 1 |
| 78131 | TOLUENE IN WHOLE WATER (VOLATILE ANALYSIS) (UG/L) | 2 | 2 | 0 | 0 | 1 |
| 34546 | TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34516 | 1,1,2,2-TETRACHLOROETHANE, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34511 | 1,1,2-TRICHLOROETHANE, TOTAL (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 39180 | TRICHLOROETHYLENE-WHOLE WATER SAMPLE (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 39175 | VINYL CHLORIDE-WHOLE WATER SAMPLE (UG/L) | 9 | 7 | 2 | 0 | 2 |
| 34586 | 2-CHLOROPHENOL, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34601 | 2,4-DICHLOROPHENOL, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34606 | 2,4-DIMETHYLPHENOL, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34657 | DNOC (4,6-DINITRO-ORTHO-CRESOL), TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |

[1]Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

| | Toxic Elements - Continued ... | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 34616 | 2,4-DINITROPHENOL, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34591 | 2-NITROPHENOL, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34646 | 4-NITROPHENOL, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34452 | PARACHLOROMETA CRESOL, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39032 | PCP (PENTACHLOROPHENOL) WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34694 | PHENOL(C6H5OH)-SINGLE COMPOUND TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34621 | 2,4,6-TRICHLOROPHENOL, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34205 | ACENAPHTHENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34200 | ACENAPHTHYLENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34220 | ANTHRACENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39120 | BENZIDINE IN WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34526 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34247 | BENZO-A-PYRENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34230 | BENZO(B)FLUORANTHENE, WHOLE WATER (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34521 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34242 | BENZO(K)FLUORANTHENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34278 | BIS (2-CHLOROETHOXY) METHANE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34273 | BIS (2-CHLOROETHYL) ETHER, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39100 | BIS(2-ETHYLHEXYL) PHTHALATE, WHOLE WATER (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34636 | 4-BROMOPHENYL PHENYL ETHER, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34292 | N-BUTYL BENZYL PHTHALATE, WHOLE WATER (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34581 | 2-CHLORONAPHTHALENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34641 | 4-CHLOROPHENYL PHENYL ETHER, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34320 | CHRYSENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34556 | 1,2,5,6-DIBENZANTHRACENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34536 | 1,2-DICHLOROBENZENE, TOTAL (UG/L) | 7 | 5 | 2 | 0 | 2 |
| 34566 | 1,3-DICHLOROBENZENE, TOTAL (UG/L) | 7 | 5 | 2 | 0 | 2 |
| 34571 | 1,4-DICHLOROBENZENE, TOTAL (UG/L) | 7 | 5 | 2 | 0 | 2 |
| 34631 | 3,3'-DICHLOROBENZIDINE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34336 | DIETHYL PHTHALATE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34341 | DIMETHYL PHTHALATE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39110 | DI-N-BUTYL PHTHALATE, WHOLE WATER (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34611 | 2,4-DINITROTOLUENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34626 | 2,6-DINITROTOLUENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34596 | DI-N-OCTYL PHTHALATE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34346 | 1,2-DIPHENYLHYDRAZINE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34376 | FLUORANTHENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34381 | FLUORENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39700 | HEXACHLOROBENZENE IN WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39702 | HEXACHLOROBUTADIENE IN WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34386 | HEXACHLOROCYCLOPENTADIENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34396 | HEXACHLOROETHANE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34403 | INDENO (1,2,3-CD) PYRENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34408 | ISOPHORONE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34696 | NAPHTHALENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34447 | NITROBENZENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34428 | N-NITROSODI-N-PROPYLAMINE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34433 | N-NITROSODIPHENYLAMINE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34461 | PHENANTHRENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34469 | PYRENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34551 | 1,2,4-TRICHLOROBENZENE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39330 | ALDRIN IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 3 | 0 | 2 |
| 39337 | ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39338 | BETA BENZENE HEXACHLORIDE IN WHOLE WATER (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39340 | GAMMA-BHC(LINDANE), WHOLE WATER (UG/L) | 3 | 0 | 3 | 0 | 2 |

[1]Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

| Toxic Elements - Continued ... | | Total Obs. | 01/01/85 to 10/28/96 | 01/01/75 to 12/31/84 | Before 01/01/75 | Total Stations |
|---|---|---|---|---|---|---|
| 34259 | DELTA BENZENE HEXACHLORIDE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39350 | CHLORDANE(TECH MIX & METABS), WHOLE WATER (UG/L) | 3 | 0 | 3 | 0 | 2 |
| 39300 | P,P' DDT IN WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39370 | DDT IN WHOLE WATER SAMPLE (UG/L) | 5 | 0 | 4 | 1 | 3 |
| 39320 | P,P' DDE IN WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39365 | DDE IN WHOLE WATER SAMPLE (UG/L) | 5 | 0 | 4 | 1 | 3 |
| 39310 | P,P' DDD IN WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39360 | DDD IN WHOLE WATER SAMPLE (UG/L) | 5 | 0 | 4 | 1 | 3 |
| 39380 | DIELDRIN IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 3 | 0 | 2 |
| 34361 | ENDOSULFAN, ALPHA, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34356 | ENDOSULFAN, BETA, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34351 | ENDOSULFAN SULFATE, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39390 | ENDRIN IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 3 | 0 | 2 |
| 39410 | HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 3 | 0 | 2 |
| 39420 | HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 3 | 0 | 2 |
| 39496 | PCB - 1242 PCB SERIES WHOLE WATER SAMPLE (UG/L) | 6 | 0 | 5 | 1 | 3 |
| 39504 | PCB - 1254 PCB SERIES WHOLE WATER SAMPLE (UG/L) | 6 | 0 | 5 | 1 | 3 |
| 39488 | PCB - 1221 IN THE WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39492 | PCB - 1232 PCB SERIES WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39500 | PCB - 1248 PCB SERIES WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39508 | PCB - 1260 PCB SERIES WHOLE WATER SAMPLE (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 34671 | PCB - 1016, TOTAL (UG/L) | 2 | 0 | 2 | 0 | 1 |
| 39400 | TOXAPHENE IN WHOLE WATER SAMPLE (UG/L) | 3 | 0 | 3 | 0 | 2 |
| | | 1357 | 533 | 616 | 208 | 524 (47)[1] |

[1]Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

## NPS Servicewide Inventory and Monitoring Program Level I

## Water Quality Parameter Inventory Data Evaluation and Analysis:

## Park Summary: Level I Group Currentness and Distribution

| Parameter Group | Total Obs. | Obs. Since 1985 | % Obs. Since 1985 | Stations Measuring This Group | % of Total Stations Measuring This Group | Obs. Per Station Measuring This Group | Period of Record For This Group | Observations Per Year of Period of Record |
|---|---|---|---|---|---|---|---|---|
| Alkalinity | 466 | 118 | 25.3 | 47 | 64.4 | 9.9 | 05/25/50-08/06/96 | 10.1 |
| pH | 549 | 236 | 43.0 | 59 | 80.8 | 9.3 | 05/25/50-10/28/96 | 11.8 |
| Conductivity | 468 | 167 | 35.7 | 58 | 79.5 | 8.1 | 05/25/50-10/28/96 | 10.1 |
| Dissolved Oxygen | 253 | 147 | 58.1 | 43 | 58.9 | 5.9 | 04/15/69-10/28/96 | 9.2 |
| Water Temperature | 357 | 143 | 40.1 | 52 | 71.2 | 6.9 | 05/25/50-10/28/96 | 7.7 |
| Flow | 401 | 136 | 33.9 | 31 | 42.5 | 12.9 | 05/25/50-10/28/96 | 8.6 |
| Clarity/Turbidity | 259 | 122 | 47.1 | 37 | 50.7 | 7.0 | 11/29/72-08/06/96 | 10.9 |
| Nitrate/Nitrogen | 1098 | 348 | 31.7 | 55 | 75.3 | 20.0 | 05/25/50-10/28/96 | 23.6 |
| Phosphate/Phosphorus | 544 | 194 | 35.7 | 46 | 63.0 | 11.8 | 08/07/67-10/28/96 | 18.6 |
| Chlorophyll | 4 | 4 | 100.0 | 1 | 1.4 | 4.0 | 07/24/91-08/06/96 | 0.8 |
| Sulfates/Total Dissolved Solids/Hardness | 783 | 217 | 27.7 | 50 | 68.5 | 15.7 | 05/25/50-09/05/95 | 17.3 |
| Bacteria | 232 | 94 | 40.5 | 36 | 49.3 | 6.4 | 11/14/69-09/05/95 | 9.0 |
| Toxic Elements | 1357 | 533 | 39.3 | 47 | 64.4 | 28.9 | 02/24/70-08/06/96 | 51.3 |

# Water Quality Observations
# Outside STORET Edit Criteria for HOFU

## (Disposition: X = Discarded, Blank = Retained)

| NPS Station ID | Parameter | | Date | Time | Parameter Value | Agency | STORET Station ID | Disposition |
|---|---|---|---|---|---|---|---|---|
| HOFU0002 | 00550 | OIL & GREASE (SOXHLET EXTRACTION) TOTAL,REC.,MG/L | 721206 | 1600 | 850.0000000 | 112WRD | 01472157 | |
| HOFU0023 | 00720 | CYANIDE, TOTAL (MG/L AS CN) MG/L | 810313 | 0825 | 20.0000000 | 11131DWQ | DEL 89A | X |
| HOFU0023 | 00720 | CYANIDE, TOTAL (MG/L AS CN) MG/L | 810424 | 0900 | 20.0000000 | 11131DWQ | DEL 89A | X |
| HOFU0047 | 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 710510 | | 50.0000000 | 112WRD | 01472126 | X |
| HOFU0047 | 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 710510 | | 54.0000000 | 112WRD | 01472126 | X |
| HOFU0062 | 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 910724 | 1025 | 5020.0000000 | 21PA | WQNL102 | |

# APPENDICES

**Appendix A**

**Computer Files Transmitted With**

**Park Baseline Water Quality Data Inventory and Analysis**

Computer disk(s) accompanying this report include up to seven (depending on the presence or absence of certain data elements) compressed (ZIP) files containing digital copies of nearly all the tables, figures, and other materials used to produce this report. To decompress these files, you must use the commonly available shareware program PKUNZIP. The command to type at the DOS prompt is:

PKUNZIP -E *COMPRESS.ZIP FILENAME.EXT*

where COMPRESS.ZIP is the name of one of the seven compressed (ZIP) files listed below and FILENAME.EXT is the name of the file you wish to extract. If you want to decompress all of the files in COMPRESS.ZIP, simply omit the FILENAME.EXT. To obtain a listing of all the files compressed into a particular ZIP file, type the following:

PKUNZIP -V *COMPRESS.ZIP* |MORE

where COMPRESS.ZIP is the name of one of the seven compressed ZIP files listed below. If a ZIP file spans multiple disks, use the last disk of the series (span) when obtaining a listing of all the files compressed into a particular ZIP file. Once you see the file you wish to obtain, substitute this file name for FILENAME.EXT in the first command line above to extract and decompress this particular file.

Included on one of the disk(s) accompanying this report is a program named PRINTZIP. This program will decompress ZIP files which don't span multiple disks and print certain files to a Hewlett-Packard (or compatible) Laser Printer. To use PRINTZIP, however, you must still have a copy of PKUNZIP in a directory listed in your path or in the same directory as the PRINTZIP program. PRINTZIP provides an easy, menu-driven interface for using PKUNZIP to decompress files and then send them to the printer. PRINTZIP allows you to send individual files, groups of files, or all files to the printer. PRINTZIP will not work with ZIP files that span multiple disks.

The following compressed (ZIP) files are included on the disk(s) accompanying this report:

(1) HOFUTABS.ZIP

This compressed file contains all the tables presented in the report. The files compressed into this file include:

(a) HOFUSITE.DOC - Descriptive listing of select fields from the industrial facilities discharges, drinking water intakes, and EPA-USGS stream gages databases.

(b) HOFUAGNC.DOC - Contacts for agencies whose data were retrieved within the study area.

(c) HOFUAGNQ.DOC - Number of stations, observations, and parameters retrieved by agency code within the study area and park.

(d) HOFUOV0.DOC - Overview of park and retrieved data.

(e) HOFUOV1.DOC - Station period of record table.

(f) HOFUOV2.DOC - Parameter period of record table.

(g) HOFUOV3.DOC - Station/parameter period of record table.

(h) HOFUINV.DOC - Station by station descriptive statistics over the entire period of record and comparison against EPA Water Quality Criteria for each station.

(i) HOFUSEAN.DOC - Seasonal and annual water quality descriptive statistics at stations with water quality data meeting the default seasonal and annual criteria.

(j) HOFUEPAS.DOC - EPA Water Quality Criteria comparison for data at all stations combined within the study area.

(k) HOFUIDEA.DOC - Comparison of downloaded STORET data with NPS Servicewide Inventory and Monitoring Program "Level I" water quality parameters.

(l) HOFUBAD.DOC - Water quality observation values that were outside the range of one of 190 STORET edit criteria and were either discarded or retained.

All these compressed document files are in ASCII format and contain printer codes appropriate to Hewlett-Packard (or compatible) Laser Printers. While at the DOS prompt, any of these document files may be printed directly to a Hewlett-Packard (or compatible) Laser Printer by using the PRINT command. For example, if the document HOFUOV1.DOC is in the subdirectory C:\WATER, you could type: PRINT C:\WATER\HOFUOV1.DOC. This will print the file to your local or networked Hewlett-Packard (or compatible) Laser Printer attached to parallel port one (LPT1:). Alternatively, you can use the PRINTZIP program to decompress and print any of these files provided the ZIP file doesn't span multiple disks. These ASCII files can also be imported into word-processed documents, but the printer codes will then have to be removed.

(2) HOFUFIGS.ZIP

This compressed file contains graphics files for all the statistical figures (time series plots; annual box and whiskers plots; seasonal box and whiskers plots) in the report in two different formats: Computer Graphic Metafile (CGM) and Hewlett-Packard Printer Control Language (PCL). The files are named with the last three digits of the Station Name followed by the five digit STORET code. The file name extension begins with either a 1 (time series), 2 (annual), or 3 (seasonal) and then either GM for CGM or CL for PCL. For example, 00100300.2GM would denote the file contains an annual box and whiskers plot in CGM format for parameter 00300 (dissolved oxygen) at station HOFU0001. While at the DOS prompt, any PCL file can be printed directly to a Hewlett-Packard (or compatible) Laser Printer by using the COPY command. For example, if the graphic 00100300.2CL (an annual box and whiskers plot of parameter 00300, dissolved oxygen, at station HOFU0001) is in the subirectory C:\WATER, you would type: COPY C:\WATER\00100300.2CL LPT1: /B. This will print the file to your local or networked Hewlett-Packard (or compatible) Laser Printer attached to parallel port one (LPT1:). The /B is necessary because the PCL file is in a binary format. Alternatively, you can use the PRINTZIP program to decompress and print any of the PCL files provided the ZIP file doesn't span multiple disks. The CGM files can be imported and/or edited in most graphics packages, including WordPerfect.

(3) HOFUPARM.ZIP

This file compresses HOFUPARM.DBF which contains all the actual values (raw data) of all the water quality data downloaded from STORET and summarized in the report. The detailed database structure for this file is contained in Appendix B.

(4) HOFUSITE.ZIP

This compressed file contains up to five geo-referenced, DBASE III+ compatible site (point location) files documenting the location in the study area of water quality monitoring stations, industrial facilities discharges, drinking water intakes, water gages, and water impoundments. These files include:

(a) HOFUWQ.DBF - All water quality monitoring station locations within the project's study area downloaded from STORET.

(b) HOFUIFD.DBF - All municipal and industrial facility discharges within the project's study area downloaded from the IFD database.

(c) HOFUDRIN.DBF - All drinking water intakes within the project's study area downloaded from the DRINKS database.

(d) HOFUGAGE.DBF - All water gages within the project's study area downloaded from the GAGES database.

(e) HOFUDAMS.DBF - All water impoundments within the project's study area downloaded from the DAMS database.

The absence of any of these files indicates that none of the particular sites were found within the study area. Detailed database structures for each of these files are contained in Appendix B.

(5) HOFUMISC.ZIP

This compressed file contains a variety of graphic and document files that are contained in the report. They are grouped into this miscellaneous compressed (ZIP) file because they don't fit neatly into any of the other compressed files. The files contained in this compressed file include:

(a) HOFUEXEC.DOC - WordPerfect Ver. 5.1 copy of the Executive Summary in the report.

(b) HOFUTOC.DOC - WordPerfect Ver. 5.1 copy of the report's Table of Contents.

(c) INTRO.DOC - WordPerfect Ver. 5.1 copy of all the text in the report from the Introduction through the Interpretive Guide to Water Quality Results.

(d) APPENDIX.DOC - WordPerfect Ver. 5.1 copy of all the Appendices in the report.

(e) HOFUREGI - PCL and CLP (Windows Clipboard) copies of map displaying the regional location of the park and study area.

(f) HOFUWQ - PCL and CLP (Windows Clipboard) copies of park maps displaying water quality station locations within the park's study area. If, due to scaling and aesthetic concerns, multiple maps were needed, these files will have alphabetically ordered suffixes (HOFUWQA, HOFUWQB, HOFUWQC, etc.) and the index map name will end with an ampersand (&).

(g) HOFUIDG - PCL and CLP (Windows Clipboard) copies of park maps displaying locations of industrial facilities discharges, drinking water intakes, and stream gages within the park's study area. If, due to scaling and aesthetic concerns, multiple maps were needed, these files will have alphabetically ordered suffixes (HOFUIDGA, HOFUIDGB, HOFUIDGC, etc.) and the index map name will end with an ampersand (&). If no industrial facilities discharges, drinking water intakes, water gages, or water impoundments exist within the park's study area, these files will not be in the compressed (ZIP) file.

(h) HOFUSEHY - PCL and CLP (Windows Clipboard) copies of the hydrographs or other materials used by WRD staff as the basis for a first attempt at a seasonal analysis of the park's water quality data.

Other materials may also be included in this miscellaneous compressed (ZIP) file as warranted by conditions at the park. As with HOFUFIGS.ZIP and HOFUTABS.ZIP, you can use the PRINTZIP program to print any of the PCL files in HOFUMISC.ZIP provided the ZIP file doesn't span multiple disks. You should not, however, use PRINTZIP to print the WordPerfect document files. The CLP (Windows Clipboard) files can be imported (pasted) and/or edited in most Windows-based word processors and graphics packages.

(6) HOFURF3.ZIP

This compressed file contains the Environmental Protection Agency's River Reach File Ver. 3.0 provisional data for the USGS catalog unit(s) encompassing the study area. The attribute data exist in both ASCII and DBASE III+ format, while the geographic traces exist in ASCII format. This compressed file contains four files for each catalog unit that touches the study area. Catalog units are identified by unique 8-character numeric names which identify the region, subregion, accounting unit, and catalog unit. Examples (your 8-character numeric names will be different) of the file types included in this compressed file are:

(a) 12345678.RF3 - ASCII formatted attribute file from the River Reach File for all hydrographic traces within the catalog unit.

(b) 12345678.DBF - DBASE III+ formatted attribute file from the River Reach File for all hydrographic traces within the catalog unit.

(c) 12345678.TRC - ASCII formatted geographic file from the River Reach File containing digital, geo-referenced descriptions of all hydrographic traces within the catalog unit at a scale of 1:100,000 suitable for import into a geographic information system.

(d) 12345678.CUB - ASCII formatted geographic file from the River Reach File containing a digital, geo-referenced description of the catalog unit boundary suitable for import into a geographic information system.

Detailed database structures for RF3-related files are contained in Appendix B.

(7) HOFUWQMW.ZIP

Between 2000 and 2002, all Baseline Water Quality Data Inventory and Analysis Reports were compiled or re-compiled in Microsoft Word 2000 (Ver. 9.0) format. This complete, digital version of the report will be made available through various means, including the Internet. Although the reports can be opened in Microsoft Word 1997 (Ver. 8.0), the time series and annual and seasonal box-plots may not be centered appropriately on a page due to discrepancies with how Word 2000 formats pictures and how Word 1997 formatted pictures. Consequently, Word 2000 is the recommended software for viewing the report. Prior to printing the report from Word, be sure to enable "Print Text as Graphics" or "Print True Type Font as Graphics" in the Printer Properties. This ensures a more faithful reproduction of the maps included in the Word document.

The Microsoft Word version of the Baseline Water Quality Data Inventory and Analysis Report may differ slightly from the original analog version. Reports issued during 1994-1996 didn't have as many "bells-and-whistles" as subsequent reports. In compiling digital Microsoft Word versions of these earlier reports, attempts were made to bring these 1994-1996 reports up to the current standard wherever feasible and practicable. Unfortunately, some changes were not feasible or practicable. For example, water quality criteria screens were added or modified over time when newer criteria became available. The digital Microsoft Word version of Appendix F presents the latest criteria screening parameters and values. Some of these parameters and/or values may not have been screened against in the EPA water quality criteria analyses for each station and the entire study area in the 1994-1996 analog versions of the report. Similarly, the Introduction, Methodology, and Interpretive Guide to Water Quality Results may mention certain features that aren't included in the 1994-1996 reports. Additionally, to prepare a Microsoft Word version of this report, data were processed through different versions of software than used originally. Consequently, some results presented in the Overview and Executive Summary may differ slightly from those presented in the analog report (eg. # of In Park and Longer Term Stations).

## Appendix B

## Water Quality Database File Structures

The following table provides the DBASE III+ database field structure for all the water quality parameter data downloaded from STORET. This data will allow parks or other interested parties to replicate the statistical analyses and graphics contained in this report; perform more sophisticated analyses; or to establish a baseline park water quality database.

| **Parameter Data File: HOFUPARM.DBF in HOFUPARM.ZIP** | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| NPSSTATID | 1 | 8 | 8 | NPS Station ID (NPS park code + 4 digit sequence number) |
| BEGDATE | 9 | 14 | 6 | Measurement Start Date [yymmdd] |
| BEGTIME | 15 | 18 | 4 | Measurement Start Time [hhmm] |
| PARMCODE | 19 | 23 | 5 | STORET Parameter Code |
| PARMVALU | 24 | 39 | 16.7 | Parameter Value |
| REMARK | 40 | 40 | 1 | Parameter Remark Value |
| | | | | A=Value is Mean of 2 or More Determinations |
| | | | | B=Results Based Upon Colony Counts Outside Acceptable Range |
| | | | | C=Value Calculated |
| | | | | D=Field Measurement |
| | | | | E=Extra Sample Taken in Compositing Process |
| | | | | F=Female Species |
| | | | | G=Maximum of 2 or More Determinations |
| | | | | H=Based on Field Kit Determination |
| | | | | I=Value is Less Than Practical Quantitation Limit and Greater Than or Equal to the Method Detection Limit |
| | | | | J=Estimated, Not the Result of Analytic Measurement |
| | | | | K=Off-scale Low, Actual Value Not Known, But Known to be Less Than Value Shown |
| | | | | L=Off-scale High, Actual Value Not Known, But Known to be Greater Than Value Shown |

| Parameter Data File: HOFUPARM.DBF in HOFUPARM.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| | | | | M=Presence Verified, But Not Quantified, Below Quantification Limit; For Species, Male; For Oxygen Reduction Potential, Indicates a Negative Value |
| | | | | N=Presumptive Evidence of Presence |
| | | | | O=Analysis Lost |
| | | | | P=Too Numerous to Count |
| | | | | Q=Exceeded Normal Holding Time |
| | | | | R=Significant Rain in Last 48 Hours |
| | | | | S=Laboratory test |
| | | | | T=Less Than Detection Criteria |
| | | | | U=Analyzed For But Not Detected, Value is Detection Limit For Process Used; If Species, Undetermined |
| | | | | V=Analyte was Detected in Sample and Method Blank |
| | | | | W=Less Than Lowest Value Reportable Under Remark "T" |
| | | | | X=Quasi Vertically-Integrated Sample |
| | | | | Y=Analysis of Unpreserved Sample |
| | | | | Z=Too Many Colonies Were Present to Count (TNTC), Value Represents Filtration Value |
| | | | | $=Calculated By Retrieval Software |
| MEDIA | 41 | 46 | 6 | Sample Media |
| DEPTH | 47 | 55 | 9.3 | Depth of Sample [in feet] |
| ENDDATE | 56 | 61 | 6 | Measurement End Date [yymmdd] [all composite samples] |
| ENDTIME | 62 | 65 | 4 | Measurement End Time [hhmm] [all composite samples] |
| SAMPTYPE | 66 | 69 | 4 | Type of Sample ["sophisticated" composite samples] |
| | | | | C=Continuous Collection |
| | | | | G=Collection of Individual Grab Samples |
| | | | | GNxx=xx is the Number of Individual Grab Samples |
| | | | | B=N/A |

| Parameter Data File: HOFUPARM.DBF in HOFUPARM.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| COMPTYPE | 70 | 70 | 1 | Composite Value Type ["sophisticated" composite samples] |
| | | | | A=Average |
| | | | | H=Maximum |
| | | | | L=Minimum |
| | | | | N=Number of Observations |
| | | | | #=Number of Observations |
| | | | | S=Standard Deviation |
| | | | | U=Sum of Squares |
| | | | | V=Variance |
| | | | | C=Coefficient of Error |
| | | | | X=Coefficient of Variance |
| | | | | E=Skewness |
| | | | | F=Kurtosis |
| | | | | Z=Number of Observations That Exceed an Established Limit |
| | | | | %=Precision |
| | | | | $=Accuracy |
| | | | | B=N/A |
| | | | | D=Indicates Replicate Sample |
| COMPST | 71 | 71 | 1 | Composite Space/Time Indicator |
| | | | | S=Space |
| | | | | T=Time |
| | | | | B=Space and Time |
| | | | | F=Flow Proportional |
| | | | | 1-9=Replicate Number |

Note: DBASE III+ record lengths will be one greater than the last stop column displayed (71 here) because DBASE III+ reserves the first space/column of every record for a deletion flag. Hence, DBASE III+ will display a record length of 72 for this database.

The following table provides the DBASE III+ database field structure for all the water quality station locations downloaded from STORET. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

| **Water Quality Station Data File: HOFUWQ.DBF in HOFUSITE.ZIP** | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| NPSSTATID | 1 | 8 | 8 | NPS Station ID (NPS park code + 4 digit sequence number) |
| AGENCY | 9 | 16 | 8 | Agency Code of Station Owner |
| STORIDP | 17 | 31 | 15 | STORET Primary Station Code |
| STORIDS1 | 32 | 43 | 12 | STORET First Secondary Station Code |
| STORIDS2 | 44 | 55 | 12 | STORET Second Secondary Station Code |
| STORIDS3 | 56 | 65 | 10 | STORET Third Secondary Station Code |
| LATITUDE | 66 | 73 | 8 | Station Latitude [degrees:minutes:seconds] |
| LONGITUDE | 74 | 82 | 9 | Station Longitude [degrees:minutes:seconds] |
| LAT | 83 | 93 | 11.6 | Station Latitude [decimal degrees, (-) below equator] |
| LON | 94 | 104 | 11.6 | Station Longitude [decimal degrees, (-) western hemisphere] |
| LLPREC | 105 | 105 | 1 | Latitude/Longitude Precision Code |
| RMI | 106 | 329 | 224 | River Mile Index |
| STATLOC | 330 | 377 | 48 | Station Location Description |
| CNTYCODE | 378 | 382 | 5 | FIPS State/County Code |
| STNAME | 383 | 398 | 16 | State Name |
| CNTYNAME | 399 | 418 | 20 | County Name |
| HYDUNIT | 419 | 426 | 8 | Hydrologic Unit Code (MAJ/MIN/SUB = Catalog Unit) |
| MAJBASN | 427 | 450 | 24 | Major Basin Name |
| MINBASN | 451 | 490 | 40 | Minor Basin Name |
| STATTYPE | 491 | 550 | 60 | Station Type |
| STORDATE | 551 | 556 | 6 | Date Station was Stored in STORET |
| RF1INDEX | 557 | 567 | 11 | RF1 Reach Number Location [2] |
| RF1MILE | 568 | 575 | 8.3 | Mile Point on RF1 Reach [2] |
| RF1LOC | 576 | 578 | 3 | Indicates the Location as ON or OFF RF1 Reach [2] |
| RF1DIST | 579 | 584 | 6.2 | Distance From RF1 Reach |

| Water Quality Station Data File: HOFUWQ.DBF in HOFUSITE.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| RF3INDEX | 585 | 601 | 17 | RF3 Reach Number Location [3] |
| RF3MILE | 602 | 607 | 6.2 | Mile point on RF3 Reach [3] |
| RF3LOC | 608 | 610 | 3 | Indicates the Location as ON or OFF RF3 Reach [2] |
| RF3DIST | 611 | 616 | 6.2 | Distance From RF3 Reach |
| DEPH2O | 617 | 620 | 4 | Depth of Water at Station Location [in feet] |
| ELEV | 621 | 625 | 5 | Station Elevation |
| ECOREG | 626 | 628 | 3 | ECO Region |
| H2OBODY | 629 | 678 | 50 | Waterbody ID |
| AQUIFERS | 679 | 718 | 40 | Aquifer Description |
| STATDESC1 | 719 | 790 | 72 | Station Sentence Description |
| STATDESC2 | 791 | 862 | 72 | Station Sentence Description |
| STATDESC3 | 863 | 934 | 72 | Station Sentence Description |
| STATDESC4 | 935 | 1006 | 72 | Station Sentence Description |
| STATDESC5 | 1007 | 1078 | 72 | Station Sentence Description |
| STATDESC6 | 1079 | 1150 | 72 | Station Sentence Description |
| STATDESC7 | 1151 | 1222 | 72 | Station Sentence Description |
| STATDESC8 | 1223 | 1294 | 72 | Station Sentence Description |
| STATDESC9 | 1295 | 1366 | 72 | Station Sentence Description |
| STATDESC10 | 1367 | 1438 | 72 | Station Sentence Description |
| STATDESC11 | 1439 | 1510 | 72 | Station Sentence Description |
| STATDESC12 | 1511 | 1582 | 72 | Station Sentence Description |
| STATDESC13 | 1583 | 1654 | 72 | Station Sentence Description |
| STATDESC14 | 1655 | 1726 | 72 | Station Sentence Description |
| STATDESC15 | 1727 | 1798 | 72 | Station Sentence Description |
| STATLOCKED | 1799 | 1799 | 1 | Station Locked (Logical) True/False |

The following table provides the DBASE III+ database field structures for the EPA Industrial Facilities Discharge database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

| **Industrial Facilities Discharges File: HOFUIFD.DBF in HOFUSITE.ZIP** | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| SITEID | 1 | 9 | 9 | Site Identifier (NPDES Number) |
| LATITUDE | 10 | 17 | 8 | Facility Latitude (Degrees:Minutes:Seconds) |
| LONGITUDE | 18 | 26 | 9 | Facility Longitude (Degrees:Minutes:Seconds) |
| LAT | 27 | 37 | 11.6 | Facility Latitude (decimal degrees, (-) below equator) |
| LON | 38 | 48 | 11.6 | Facility Longitude (decimal degrees, (-) west. hem.) |
| RF1INDEX | 49 | 59 | 11 | RF1 Reach Number Location |
| RF1MILE | 60 | 65 | 6.2 | Mile Point on RF1 Reach |
| RF1DIST | 66 | 71 | 6.2 | Distance From RF1 Reach |
| RF3INDEX | 72 | 88 | 17 | RF3 Reach Number Location |
| RF3MILE | 89 | 94 | 6.2 | Mile Point on RF3 Reach |
| RF3DIST | 95 | 100 | 6.2 | Distance From RF3 Reach |
| ADR | 101 | 125 | 25 | Address |
| BFL | 126 | 132 | 7.2 | Total Direct Combined C&P Flow (1000 GPD) |
| CCFLG | 133 | 133 | 1 | Coastal County Flag "Y"/"N"/"E"=Estuary |
| CC1 | 134 | 138 | 5 | City Code #1 (EPA Code) |
| CFL | 139 | 145 | 7.2 | Total Direct Cooling Flow (1000 GPD) |
| CNC | 146 | 148 | 3 | County Code (FIPS) |
| CTY | 149 | 168 | 20 | City Name |
| CZIP | 169 | 177 | 9 | Canadian Zip Code |
| DNB | 178 | 186 | 9 | Dunn & Bradstreet Number |
| DNBFLG | 187 | 187 | 1 | Dunn & Bradstreet PCS Source Flag |
| EGF | 188 | 202 | 15.4 | Flow From Effluent Guidelines (1000 GPD) |
| EGS | 203 | 208 | 6 | Effluent Guidelines Subcategory |
| EXPDT | 209 | 216 | 8 | Expiration Date (mm/dd/yy) |
| E308SN | 217 | 220 | 4 | Effluent Guidelines Survey Number |
| FAC | 221 | 229 | 9 | SCS Facility Identifier (Cross-Reference) |
| FDS | 230 | 232 | 3 | Facility Data Source |

| Industrial Facilities Discharges File: HOFUIFD.DBF in HOFUSITE.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| FFL | 233 | 239 | 7.2 | Total Facility Flow (1000 GPD) |
| FHF | 240 | 240 | 1 | Fac. Hit Flag (Reach File) V=Versar Assumed |
| FLOTYP | 241 | 243 | 3 | I=Blow Down, R=Bottom Ash, S=Fly Ash |
| FLR | 244 | 250 | 7.2 | Flow Recvd-Industrial (1000 GPD) Permit Data |
| FRDS | 251 | 259 | 9 | FRDS ID# - XREF To Water Supply |
| FRW | 260 | 289 | 30 | Facility Receiving Water Name |
| FS1 | 290 | 293 | 4 | Facility SIC Code (From PCS) |
| FS2 | 294 | 297 | 4 | Facility SIC Code #1 |
| FS3 | 298 | 301 | 4 | Facility SIC Code #2 |
| FS4 | 302 | 305 | 4 | Facility SIC Code #3 |
| FS5 | 306 | 309 | 4 | Facility SIC Code #4 |
| FUD | 310 | 317 | 8 | Facility Level Last Date Updated (mm/dd/yy) |
| IACC | 318 | 318 | 1 | Inactive/Active Indicator ("I" or "A") |
| ICAT | 319 | 320 | 2 | WQAB Industrial Category |
| ICAT2 | 321 | 322 | 2 | WQAB Industrial Category 2 |
| ICAT3 | 323 | 324 | 2 | WQAB Industrial Category 3 |
| IFL | 325 | 331 | 7 | Total Indirect Flow (1000 GPD) |
| IFT | 332 | 332 | 1 | Illinois Facility Type (A thru Z) |
| IG1 | 333 | 334 | 2 | Facility Industrial Group #1 |
| IG2 | 335 | 336 | 2 | Facility Industrial Group #2 |
| IJCN | 337 | 346 | 10 | Canadian Record Identifier |
| INACT | 347 | 353 | 7 | Inactive/Rescinded P=Based on Permit;A=Actual |
| INDCNT | 354 | 357 | 4 | Computed Number of Indirect Dischargers |
| LATLON | 358 | 372 | 15 | Polygon Retrieval Lat/Long. |
| MAJ | 373 | 373 | 1 | Major-Minor Flag (From PCS) |
| MAPID | 374 | 377 | 4 | Map Identifier |
| MJMN | 378 | 381 | 4 | Major/Minor Basin (EPA-STORET) |
| NAM | 382 | 441 | 60 | Facility Name |
| NDC | 442 | 444 | 3 | Number of Discharges (Pipes) |

| Industrial Facilities Discharges File: HOFUIFD.DBF in HOFUSITE.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| NDSFLO | 445 | 451 | 7.2 | NEEDS Flow (1000 GPD) |
| NDSIFLO | 452 | 458 | 7.2 | NEEDS Industrial Flow (1000 GPD) |
| NID | 459 | 462 | 4 | Number of Indirect Dischargers |
| NPC | 463 | 463 | 1 | NEEDS Pre-Treatment Code "Y"=Yes, "N"=No |
| NPS | 464 | 464 | 1 | NPDES Facility Source/Status |
| NSN | 465 | 473 | 9 | NEEDS Survey Number |
| NTC | 474 | 474 | 1 | NEEDS Treatment Code |
| OCP | 475 | 480 | 6 | Organic Chemical Producers ID Number |
| ODESCC | 481 | 481 | 1 | ODES Coastal County "Y"=Yes; "N"=No |
| OFL | 482 | 488 | 7.2 | Total Non-Direct Other Flow (1000 GPD) |
| OWN | 489 | 491 | 3 | Ownership Code |
| PFL | 492 | 498 | 7.2 | Total Direct Process Flow (1000 GPD) |
| REG | 499 | 500 | 2 | EPA Region |
| REGKEY | 501 | 504 | 4 | Region Key |
| RSLOFLO | 505 | 511 | 7.2 | Receiving Stream Low Flow |
| RSMNFLO | 512 | 518 | 7.2 | Receiving Stream Mean Flow |
| STA | 519 | 520 | 2 | State Postal Abbreviation |
| STAID | 521 | 535 | 15 | State Identifier |
| STC | 536 | 537 | 2 | State Code (FIPS) |
| STCITY | 538 | 544 | 7 | State/City Code |
| TFLOW | 545 | 551 | 7.2 | Type Flow (1000 GPD) |
| UFL | 552 | 558 | 7.2 | Total Direct Undefined Flow (1000 GPD) |
| XEGS | 559 | 561 | 3 | Effluent Guidelines Subcat Index |
| XKEY | 562 | 562 | 1 | "1","2","3","4","5","6","7","8","9" |
| XNME | 563 | 565 | 3 | GLP,DIR,F2C,ENF,CET,LAG,PPB,M85,M86 |
| ZIP | 566 | 570 | 5 | Zip Code |

The following table provides the DBASE III+ database field structures for drinking water intakes from the EPA DRINKS database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

| Drinking Water Intakes File: HOFUDRIN.DBF in HOFUSITE.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| SITEID | 1 | 20 | 20 | Site Identifier |
| LATITUDE | 21 | 28 | 8 | Facility Latitude (Degrees:Minutes:Seconds) |
| LONGITUDE | 29 | 37 | 9 | Facility Longitude (Degrees:Minutes:Seconds) |
| LAT | 38 | 48 | 11.6 | Facility Latitude (decimal degrees, (-) below equator) |
| LON | 49 | 59 | 11.6 | Facility Longitude (decimal degrees, (-) west. hem.) |
| RF1INDEX | 60 | 70 | 11 | RF1 Reach Number Location |
| RF1MILE | 71 | 76 | 6.2 | Mile Point on RF1 Reach |
| RF1DIST | 77 | 82 | 6.2 | Distance From RF1 Reach |
| RF3INDEX | 83 | 99 | 17 | RF3 Reach Number Location |
| RF3MILE | 100 | 105 | 6.2 | Mile Point on RF3 Reach |
| RF3DIST | 106 | 111 | 6.2 | Distance From RF3 Reach |
| AQCD | 112 | 115 | 4 | Aquifer Code |
| ASC | 116 | 138 | 23 | STORET Agency/Station Code |
| AVGD | 139 | 142 | 4 | Average Depth |
| BUY | 143 | 143 | 1 | Purchase Code |
| CC1 | 144 | 148 | 5 | City Code #1 (EPA Code) |
| CNC | 149 | 151 | 3 | County Code (FIPS) |
| CNME | 152 | 166 | 15 | Contact Name |
| CNN | 167 | 186 | 20 | County Name |
| CTITLE | 187 | 201 | 15 | Contact Title |
| CTY | 202 | 221 | 20 | City Name |
| DUD | 222 | 229 | 8 | Date of Update |
| FRDS | 230 | 238 | 9 | FRDS ID# - Cross-Reference |
| GEOAG | 239 | 258 | 20 | Geologic Age |
| GEOCDE | 259 | 261 | 3 | Geologic Age Code |
| IDAT | 262 | 269 | 8 | Date (mm/dd/yy) |

| Drinking Water Intakes File: HOFUDRIN.DBF in HOFUSITE.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| INTAKET | 270 | 270 | 1 | Type Source G/S/B |
| INTRVWR | 271 | 285 | 15 | Interviewer |
| MAXD | 286 | 289 | 4 | Maximum Depth |
| MILES | 290 | 296 | 7.2 | Miles |
| MIND | 297 | 300 | 4 | Minimum Depth |
| NAME | 301 | 320 | 20 | Name |
| NPD | 321 | 329 | 9 | NPDES# XREF to IFD Database |
| NWLS | 330 | 332 | 3 | Number of Wells |
| OWN | 333 | 335 | 3 | Ownership |
| PAVGF | 336 | 342 | 7.2 | Production Avg. Daily (Gal/Day) |
| PCTSUP | 343 | 345 | 3 | %Surface / %Ground |
| PHONE | 346 | 355 | 10 | Telephone Number |
| PMAXF | 356 | 362 | 7.2 | Production Max. Daily (Gal/Day) |
| POPSV | 363 | 371 | 9 | Population Served |
| REG | 372 | 373 | 2 | EPA Region |
| SHLAT | 374 | 379 | 6 | Sitehelp Latitude (DDMMSS) |
| SHLNG | 380 | 386 | 7 | Sitehelp Longitude (DDDMMSS) |
| SHMILES | 387 | 393 | 7.2 | Sitehelp Miles |
| SHNME | 394 | 403 | 10 | Sitehelp Source Name |
| SHPCT | 404 | 410 | 7.2 | Sitehelp Percent of Reach Miles |
| SRC | 411 | 413 | 3 | Sitehelp Source Code |
| STA | 414 | 415 | 2 | State Abbreviation |
| STC | 416 | 417 | 2 | State Code (FIPS) |
| TUF | 418 | 424 | 7.2 | Total Utility Flow |
| TYPCDE | 425 | 425 | 1 | Type Code |
| UHF | 426 | 426 | 1 | Utility Hit Flag (Reach File) |
| VCDE | 427 | 427 | 1 | Versar Code='V'=>25K; '*'=<25K POPSVD |
| WFPC | 428 | 428 | 1 | Wellfield Precision Code |
| WFTYP | 429 | 429 | 1 | Well Type (Cassing,Artesian,Infiltration,etc.) |

| Drinking Water Intakes File: HOFUDRIN.DBF in HOFUSITE.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| WUN | 430 | 449 | 20 | Water Utility Name |

The following table provides the DBASE III+ database field structures for the Water Gage database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

| **Water Gage File: HOFUGAGE.DBF in HOFUSITE.ZIP** | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| SITEID | 1 | 20 | 20 | Site Identifier |
| LATITUDE | 21 | 28 | 8 | Facility Latitude (DDMMSS) |
| LONGITUDE | 29 | 37 | 9 | Facility Longitude (DDDMMSS) |
| LAT | 38 | 48 | 11.6 | Facility Latitude (decimal degrees, (-) below equator) |
| LON | 49 | 59 | 11.6 | Facility Longitude (decimal degrees, (-) west. hem.) |
| RF1INDEX | 60 | 70 | 11 | RF1 Reach Number Location |
| RF1MILE | 71 | 76 | 6.2 | Mile Point on RF1 Reach |
| RF1DIST | 77 | 82 | 6.2 | Distance From RF1 Reach |
| RF3INDEX | 83 | 99 | 17 | RF3 Reach Number Location |
| RF3MILE | 100 | 105 | 6.2 | Mile Point on RF3 Reach |
| RF3DIST | 106 | 111 | 6.2 | Distance From RF3 Reach |
| JAN | 112 | 118 | 7.2 | Monthly Flow - January |
| FEB | 119 | 125 | 7.2 | Monthly Flow - February |
| MAR | 126 | 132 | 7.2 | Monthly Flow - March |
| APR | 133 | 139 | 7.2 | Monthly Flow - April |
| MAY | 140 | 146 | 7.2 | Monthly Flow - May |
| JUN | 147 | 153 | 7.2 | Monthly Flow - June |
| JUL | 154 | 160 | 7.2 | Monthly Flow - July |
| AUG | 161 | 167 | 7.2 | Monthly Flow - August |
| SEP | 168 | 174 | 7.2 | Monthly Flow - September |
| OCT | 175 | 181 | 7.2 | Monthly Flow - October |
| NOV | 182 | 188 | 7.2 | Monthly Flow - November |
| DEC | 189 | 195 | 7.2 | Monthly Flow - December |
| RGN | 196 | 197 | 2 | Region Code |
| AREA | 198 | 204 | 7.2 | Drainage Area (SQ.MI.) |
| DUD | 205 | 212 | 8 | Date of Update |

| Water Gage File: HOFUGAGE.DBF in HOFUSITE.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| FBCF | 213 | 213 | 1 | Flag - Basic Characteristic File ('Y') |
| FDFF | 214 | 214 | 1 | Flag - Daily Flows File ('Y') |
| FQMINV | 215 | 224 | 10 | IHS Pt. Files Index |
| GHF | 225 | 225 | 1 | Hit Flag (Reach File) |
| ICDE | 226 | 226 | 1 | Integrity Code |
| LFVEL | 227 | 233 | 7.2 | Low Flow Velocity |
| METHOD | 234 | 236 | 3 | Calculation Method Code |
| MFVEL | 237 | 243 | 7.2 | Mean Flow Velocity |
| MNFLO | 244 | 250 | 7.2 | USGS Mean Annual Flow |
| NME | 251 | 298 | 48 | Station Name |
| SHLAT | 299 | 304 | 6 | Sitehelp Latitude (DDMMSS) |
| SHLNG | 305 | 311 | 7 | Sitehelp Longitude (DDDMMSS) |
| SHMILES | 312 | 318 | 7.2 | Sitehelp Miles |
| SHNME | 319 | 328 | 10 | Sitehelp Source Name |
| SHPCT | 329 | 335 | 7.2 | Sitehelp Percent of Reach Miles |
| SITE | 336 | 337 | 2 | Site Location |
| SRC | 338 | 340 | 3 | Sitehelp Source Code |
| STCTY | 341 | 345 | 5 | State/County Numeric Code |
| SVTEN | 346 | 352 | 7.2 | USGS 7-10 Year Flow |
| BEG_WYR | 353 | 356 | 4 | Beginning Water Year |
| END_WYR | 357 | 359 | 4 | Ending Water Year |
| ELEV | 361 | 368 | 8.2 | Elevation (Feet) |
| WELL_DP | 369 | 376 | 8.2 | Well Depth (Feet) |

The following table provides the DBASE III+ database field structures for the Water Impoundment database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

| **Water Impoundment File: HOFUDAMS.DBF in HOFUSITE.ZIP** | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| SITEID | 1 | 7 | 7 | Site Identifier |
| SOURCE | 8 | 10 | 3 | Source of Data |
| ST1 | 11 | 12 | 2 | Primary State Code Abbreviation |
| STCTY1 | 13 | 17 | 5 | State/County Numeric Code |
| NAME | 18 | 47 | 30 | Official Name of Dam |
| LATITUDE | 48 | 53 | 6 | Facility Latitude (DDMMSS) |
| LONGITUDE | 54 | 60 | 7 | Facility Longitude (DDDMMSS) |
| LAT | 61 | 70 | 10.6 | Facility Latitude (decimal degrees, (-) below equator) |
| LON | 71 | 81 | 11.6 | Facility Longitude (decimal degrees, (-) west. hem.) |
| INME | 82 | 111 | 30 | Impoundment Name |
| RNME | 112 | 139 | 28 | River, Stream, or Tributary Name on Which Dam Built |
| CUSEGMI | 140 | 149 | 10 | Catalog Unit, Segment, and Segment Length |
| REGN | 150 | 151 | 2 | Water Resources Council Region Code |
| RGBSN | 152 | 155 | 4 | Water Resources Region/Basin Code |
| CU | 156 | 163 | 8 | Catalog Unit |
| SEG | 164 | 166 | 3 | Reach Segment of Dam |
| SEGL | 167 | 171 | 5.2 | Reach Segment Length |
| PURP | 172 | 172 | 1 | Major Purpose of Dam |
| | | | | I=Irrigation |
| | | | | H=Hydroelectric |
| | | | | N=Navigation |
| | | | | S=Water Supply |
| | | | | R=Recreation |
| | | | | P=Stock/Farm Pond |
| | | | | D=Debris Control |
| | | | | F=Flood Control |

| Water Impoundment File: HOFUDAMS.DBF in HOFUSITE.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| | | | | O=Other |
| FRF3 | 173 | 189 | 17 | RF3 Reach Number Location |
| FRF3MI | 190 | 194 | 5 | Mile Point on RF3 Reach |
| PURPKEY | 195 | 195 | 1 | Purpose Key |
| PUR2 | 196 | 196 | 1 | Purpose of Dam 2 (See Above) |
| PUR3 | 197 | 197 | 1 | Purpose of Dam 3 (See Above) |
| PUR4 | 198 | 198 | 1 | Purpose of Dam 4 (See Above) |
| PUR5 | 199 | 199 | 1 | Purpose of Dam 5 (See Above) |
| PUR6 | 200 | 200 | 1 | Purpose of Dam 6 (See Above) |
| PUR7 | 201 | 201 | 1 | Purpose of Dam 7 (See Above) |
| PUR8 | 202 | 202 | 1 | Purpose of Dam 8 (See Above) |
| PUR9 | 203 | 203 | 1 | Purpose of Dam 9 (See Above) |
| PUR10 | 204 | 204 | 1 | Purpose of Dam 10 (See Above) |
| TYPDAM | 205 | 206 | 2 | Major Dam Portion Type |
| | | | | RE=Earth |
| | | | | VA=Vaulted Arch |
| | | | | CD=Buttress |
| | | | | PG=Gravity |
| | | | | ER=Rockfill |
| | | | | MV=Multi-Arch |
| | | | | OT=Other |
| YRCMP | 207 | 210 | 4 | Year Dam Completed |
| SHGT | 211 | 214 | 4 | Structural Height (Feet) |
| HHGT | 215 | 218 | 4 | Hydraulic Height (Feet) |
| VNORM | 219 | 236 | 8 | Normal Storage of Impoundment (Acre-Feet) |
| VMAX | 227 | 234 | 8 | Maximum Storage of Impoundment (Acre-Feet) |
| LCRST | 235 | 239 | 5 | Crest Length of Dam (Feet) |
| TSPL | 240 | 240 | 1 | Spillway Type |
| | | | | C=Controlled |

| Water Impoundment File: HOFUDAMS.DBF in HOFUSITE.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| | | | | U=Uncontrolled |
| | | | | N=None |
| | | | | X=Unknown |
| WSPL | 241 | 244 | 4 | Dam Spillway Width (Feet) |
| QMAX | 245 | 251 | 7 | Maximum Spillway Discharge (CFS) |
| PINS | 252 | 258 | 7.2 | Quantity of Installed Power (Megawatts) |
| PPRO | 259 | 265 | 7.2 | Quantity of Proposed Power (Megawatts) |
| LOCK | 266 | 266 | 1 | Number of Navigational Locks |
| OWNR | 267 | 290 | 24 | Name of Impoundment Owner |
| PFOWN | 291 | 291 | 1 | Ownership Code |
| | | | | N=Non-Federal |
| | | | | G=Federal Government Agency |
| | | | | C=Corps of Engineers |
| | | | | X=Unknown |
| FEDR | 292 | 292 | 1 | Federally Regulated (Y=Yes, N=No, X=Unknown) |
| FLND | 293 | 293 | 1 | Private Dam on Federal Land (Y=Yes, N=No, X=Unknown) |
| SCSA | 294 | 294 | 1 | Type of Soil Conservation Service Assistance |
| | | | | N=No Assistance |
| | | | | T=Technical Assistance |
| | | | | F=Financial Assistance |
| | | | | B=Both Technical and Financial Assistance |
| | | | | X=Unknown |
| DHAZ | 295 | 295 | 1 | Degree of Downstream Hazard |
| | | | | 1=High (More than a Few Lives Lost; Excessive Economic Loss) |
| | | | | 2=Significant (A Few Lives Lost; Appreciable Economic Loss) |
| | | | | 3=Low (No Lives Expected Lost; Minimal Economic Loss) |
| DCITY | 296 | 319 | 24 | Nearest Downstream City |

| Water Impoundment File: HOFUDAMS.DBF in HOFUSITE.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| POP | 320 | 326 | 7 | Population of Downstream City |
| DMILE | 327 | 331 | 5.2 | Distance of Downstream City From Dam (Miles) |
| RET | 332 | 342 | 11.2 | Retention Coefficient (Dimensionless) |
| MIX | 343 | 353 | 11.2 | Mixing Coefficient (Dimensionless) |
| SAREA | 354 | 361 | 8 | Surface Area of Impoundment (Acres) |
| SAFLG | 362 | 362 | 1 | Surface Area Flag (C=Calc., M=Measured, O=Other) |
| ILNTH | 363 | 367 | 5 | Length of Impoundment (Feet) |
| ILFLG | 368 | 368 | 1 | Impoundment Length Flag (C=Calc., M=Measured, O=Other) |
| UPKEY | 369 | 374 | 6 | Update Key (YYMMDD) |

The following table provides the ASCII and DBASE III+ database field structures for the EPA River Reach File Ver. 3.0 (1:100,000 scale hydrography) attributes. The actual numeric file names will vary depending on the catalog unit(s). This information can be readily incorporated into the park's Geographic Information System.

| **RF3 Structure File: 12345678.RF3 and 12345678.DBF in HOFURF3.ZIP** | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| CATUNIT | 1 | 8 | 8 | Cataloging Unit (CU) |
| SEGM | 9 | 12 | 4 | Segment Number (SEG) |
| MI | 13 | 17 | 5.2 | Mile Point (MI) |
| UPMI | 18 | 22 | 5.2 | Upstream Mile Pt. |
| SEQNO | 23 | 33 | 11.6 | Hydro Sequence No. |
| RFLAG | 34 | 34 | 1 | Reach Flag (0,1) |
| OWFLAG | 35 | 35 | 1 | Open Water Flag (0,1) |
| TFLAG | 36 | 36 | 1 | Terminal Flag (0,1) |
| SFLAG | 37 | 37 | 1 | Start Flag (0,1) |
| RCHTYPE | 38 | 38 | 1 | Reach Type Code |
| LEV | 39 | 40 | 2 | Stream Level |
| JUNC | 41 | 42 | 2 | Level of Downstream Reach |
| DIVERGENCE | 43 | 43 | 1 | Divergence Code |
| STARTCU | 44 | 51 | 8 | Start CU |
| STRTSG | 52 | 55 | 4 | Start SEG |
| STOPCU | 56 | 63 | 8 | Stop CU |
| STOPSG | 64 | 67 | 4 | Stop SEG |
| USDIR | 68 | 68 | 1 | Upstream Direction |
| TERMID | 69 | 73 | 5 | Terminal Stream ID |
| TRMBLV | 74 | 74 | 1 | Terminal Base Level |
| PNAME | 75 | 104 | 30 | Primary Name |
| PNMCD | 105 | 115 | 11 | Primary Name Code |
| CNAME | 116 | 145 | 30 | Complement Name |
| CNMCD | 146 | 156 | 11 | Complement Name Code |

| RF3 Structure File: 12345678.RF3 and 12345678.DBF in HOFURF3.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| OWNAME | 157 | 186 | 30 | Open Water Name |
| OWNMCD | 187 | 197 | 11 | Open Water Name Code |
| DSCU | 198 | 205 | 8 | Downstream CU |
| DSSEG | 206 | 209 | 4 | Downstream SEG |
| DSMI | 210 | 214 | 5.2 | Downstream MI |
| CCU | 215 | 222 | 8 | Complement CU |
| CSEG | 223 | 226 | 4 | Complement SEG |
| CMILE | 227 | 231 | 5.2 | Complement MI |
| CDIR | 232 | 232 | 1 | Complement Direction |
| ULCU | 233 | 240 | 8 | Upstream Left CU |
| ULSEG | 241 | 244 | 4 | Upstream Left SEG |
| ULMI | 245 | 249 | 5.2 | Upstream Left MI |
| URCU | 250 | 257 | 8 | Upstream Right CU |
| URSEG | 258 | 261 | 4 | Upstream Right SEG |
| URMI | 262 | 266 | 5.2 | Upstream Right MI |
| SEGL | 267 | 272 | 6.2 | Reach Length (Miles) |
| RFORGFLAG | 273 | 273 | 1 | RF Orgin flag(1,2,3) |
| ALTPNMCD | 274 | 281 | 8 | Alt. Primary Name Code |
| ALTOWNMC | 282 | 289 | 8 | Alt. OW Name Code |
| DLAT | 290 | 297 | 8.4 | Downstream Latitude |
| DLONG | 298 | 305 | 8.4 | Downstream Longitude |
| ULAT | 306 | 313 | 8.4 | Upstream Latitude |
| ULONG | 314 | 321 | 8.4 | Upstream Longitude |
| MINLAT | 322 | 329 | 8.4 | Minimum Latitude |
| MINLONG | 330 | 337 | 8.4 | Minimum Longitude |
| MAXLAT | 338 | 345 | 8.4 | Maximum Latitude |
| MAXLONG | 346 | 353 | 8.4 | Maximum Longitude |
| NDLGREC | 354 | 357 | 4 | No. of DLG Records |
| LL1KEY1 | 358 | 367 | 10 | Starting DLG LL Key1 |

| RF3 Structure File: 12345678.RF3 and 12345678.DBF in HOFURF3.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| LL2KEY1 | 368 | 377 | 10 | Ending DLG LL Key1 |
| LL1KEY2 | 378 | 387 | 10 | Starting DLG LL Key2 |
| LL2KEY2 | 388 | 497 | 10 | Ending DLG LL Key2 |
| LL1KEY3 | 398 | 407 | 10 | Starting DLG LL Key3 |
| LL2KEY3 | 408 | 417 | 10 | Ending DLG LL Key3 |
| LL1KEY4 | 418 | 427 | 10 | Starting DLG LL Key4 |
| LL2KEY4 | 428 | 437 | 10 | Ending DLG LL Key4 |
| LL1KEY5 | 438 | 447 | 10 | Starting DLG LL Key5 |
| LL2KEY5 | 448 | 457 | 10 | Ending DLG LL Key5 |
| LL1KEY6 | 458 | 467 | 10 | Starting DLG LL Key6 |
| LL2KEY6 | 468 | 477 | 10 | Ending DLG LL Key6 |
| LL1KEY7 | 478 | 487 | 10 | Starting DLG LL Key7 |
| LL2KEY7 | 488 | 597 | 10 | Ending DLG LL Key7 |
| LL1KEY8 | 498 | 507 | 10 | Starting DLG LL Key8 |
| LL2KEY8 | 508 | 517 | 10 | Ending DLG LL Key8 |
| LL1KEY9 | 518 | 527 | 10 | Starting DLG LL Key9 |
| LL2KEY9 | 528 | 537 | 10 | Ending DLG LL Key9 |
| LL1KEY10 | 538 | 547 | 10 | Start DLG LL Key 10 |
| LL2KEY10 | 548 | 557 | 10 | Ending DLG LL Key10 |
| LN1AT2 | 558 | 561 | 4 | DLG Line Attr. 1 |
| LN2AT2 | 562 | 565 | 4 | DLG Line Attr. 2 |
| AREA1 | 566 | 569 | 4 | DLG Area ID 1 |
| AREA2 | 570 | 573 | 4 | DLG Area ID 2 |
| AR1AT2 | 574 | 577 | 4 | DLG Area Attribute |
| AR1AT4 | 578 | 581 | 4 | DLG Area Attribute |
| AR2AT2 | 582 | 585 | 4 | DLG Area Attribute |
| AR2AT4 | 586 | 589 | 4 | DLG Area Attribute |
| UPDATE1 | 590 | 595 | 6 | Update Date #1 (mmddyy) |
| UPDTCD1 | 596 | 603 | 8 | Update Type Code #1 |

| RF3 Structure File: 12345678.RF3 and 12345678.DBF in HOFURF3.ZIP | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| UPDTSRC1 | 604 | 611 | 8 | Update Source #1 |
| UPDATE2 | 612 | 617 | 6 | Update Date #2 (mmddyy) |
| UPDTCD2 | 618 | 625 | 8 | Update Type Code#2 |
| UPDTSRC2 | 626 | 633 | 8 | Update Source #2 |
| UPDATE3 | 634 | 639 | 6 | Update Date #3 (mmddyy) |
| UPDTCD3 | 640 | 647 | 8 | Update Type Code #3 |
| UPDTSRC3 | 648 | 655 | 8 | Update Source #3 |
| DIVCU | 656 | 663 | 8 | Divergent CU |
| DIVSEG | 664 | 667 | 4 | Divergent SEG |
| DIVMILE | 668 | 672 | 5.2 | Divergent MI |
| DLGID | 673 | 678 | 6 | DLG Number Special Use For Internal State Codes |
| FILLER | 678 | 685 | 7 | Filler: Future Use |

**Note:** The structure for the .DBF file varies slightly from the RF3 structure displayed here in that the fields UPDATE1, UPDATE2, and UPDATE3 have a width of 8 and the last two fields, DLGID and FILLER, have been replaced with a field named ID of length 17. This ID field combines the CATUNIT, SEGM, and MI fields.

The following table provides the ASCII database field structures for the EPA River Reach File Ver. 3.0 (1:100,000 scale hydrography) traces. The actual numeric file names will vary depending on the catalog unit(s). This file contains the actual hydrographic network and is suitable for conversion into a variety of Geographic Information System formats.

| **RF3 Trace File: 12345678.TRC in HOFURF3.ZIP** | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| (Header Record) | | | | |
| CATUNIT | 1 | 8 | 8 | Cataloging Unit |
| SEGM | 9 | 12 | 4 | Segment Number |
| MI | 13 | 17 | 5.2 | Mile Point |
| NPTS | 18 | 21 | 4 | Number of Lat/Lon Coordinates |
| (Coordinate Record) | | | | |
| LATITUDE | 1 | 8 | 8.4 | Latitude in Decimal |
| LONGITUDE | 9 | 16 | 8.4 | Longitude in Decimal |
| FILLER | 17 | 21 | 5 | |

The following table provides the ASCII database field structures for the EPA River Reach File Ver. 3.0 (1:100,000 scale hydrography) catalog unit boundary file. The actual numeric file names will vary depending on the catalog unit(s). This file contains the actual catalog unit boundary and is suitable for conversion into a variety of Geographic Information System formats.

| **Catalog Unit Boundary File: 12345678.CUB in HOFURF3.ZIP** |
|---|
| |
| First Line = Catalog Unit Number (8 Characters) |
| Subsequent Lines: |
| L=DDMMSS,L=DDDMMSS,L=DDMMSS,L=DDDMMSS,L=DDMMSS,L=DDDMMSS, ... |
| |
| Example: |
| |
| 02070010 |
| L=391259,L=0770809,L=391220,L=0770749,L=391147,L=0770715,L=391120,L=0770633, |
| L=391058,L=0770535,L=391042,L=0770520,L=391016,L=0770427,L=390948,L=0770416, |
| L=390526,L=0765331,L=390500,L=0765149,L=390456,L=0765139,L=390357,L=0765123, |
| ... |
| L=390744,L=0771007,L=390826,L=0771022,L=390910,L=0771022,L=390950,L=0771003, |
| L=391107,L=0770922, |
| |
| There can be as many as four latitude/longitude pairs per line. |

The following table provides the DBASE III+ database field structure of the Water Resources Division's "encyclopedia" file that documents the minimum and maximum parameter values found and the park(s) where they occurred. This file is intended for Water Resources Division internal use, but will be available to anyone upon request after Baseline Water Quality Data Inventory and Analysis reports have been completed for all parks.

| **Encyclopedia File: WRD File For Internal Use Only** | | | | |
|---|---|---|---|---|
| **Field Name** | **Start** | **Stop** | **Length** | **Field Description** |
| PARM | 1 | 5 | 5 | STORET Parameter Code |
| PARMNAME | 6 | 45 | 40 | Parameter Name |
| MINVAL | 46 | 61 | 16.7 | Minimum Value |
| MINVALPARK | 62 | 65 | 4 | Park Unit with Minimum Value |
| MAXVAL | 66 | 71 | 16.7 | Maximum Value |
| MAXVALPARK | 72 | 75 | 4 | Park Unit with Maximum Value |

## Appendix C

## STORET Water Quality Control/Edit Checking

The following table provides the high and low values used by STORET since November 1983 for 190 common water quality parameters to screen or error check data. Data entered into STORET prior to November 1983, however, were not subjected to this edit/bounds check. Additionally, data from the USGS WATSTORE system that is loaded into STORET is never subjected to these edit criteria and agencies entering data in STORET can override these edit criteria to enter data values that fall outside a range. As a consequence, all data downloaded from STORET for the purposes of this project were filtered through these edit criteria to document values outside the generally accepted ranges. Decisions were then made on a case-by-case basis to retain or discard obviously incorrect data. Refer to the Water Quality Observations Outside STORET Edit Criteria section of the Interpretive Guide To Water Quality Results chapter for more information on this subject.

| STORET Code | STORET Parameter Description | High Value | Low Value |
|---|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | 37.0 | -2.0 |
| 00011 | TEMPERATURE, WATER (DEGREES FAHRENHEIT) | 98.0 | 31.0 |
| 00020 | TEMPERATURE, AIR (DEGREES CENTIGRADE) | 52.0 | -40.0 |
| 00021 | TEMPERATURE, AIR (DEGREES FAHRENHEIT) | 125.0 | -40.0 |
| 00026 | TOXICS-IDENTIFY DATA COLLECTION BY EPA DIRECTIVE | 1990.9 | 1977.0 |
| 00032 | CLOUD COVER (PERCENT) | 101.0 | 0.0 |
| 00035 | WIND VELOCITY (MILES PER HOUR) | 85.0 | 0.0 |
| 00036 | WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKWISE) | 361.0 | 0.0 |
| 00045 | PRECIPITATION, TOTAL (INCHES PER DAY) | 15.0 | 0.0 |
| 00070 | TURBIDITY, (JACKSON CANDLE UNITS) | 1500.0 | 0.0 |
| 00074 | TURBIDITY, TRANSMISSOMETER, PERCENT TRANSMISSION | 101.0 | 0.0 |
| 00075 | TURBIDITY, HELLIGE (PPM AS SILICON DIOXIDE) | 500.0 | 0.0 |
| 00076 | TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT) | 1000.0 | 0.0 |
| 00077 | TRANSPARENCY, SECCHI DISC (INCHES) | 600.0 | 0.0 |
| 00080 | COLOR (PLATINUM-COBALT UNITS) | 500.0 | 0.0 |
| 00081 | COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS | 500.0 | 0.0 |
| 00085 | ODOR (THRESHOLD NUMBER AT ROOM TEMPERATURE) | 250.0 | 0.0 |
| 00094 | SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C) | 60000.0 | 1.0 |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | 60000.0 | 1.0 |
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE (MG/L) | 30.0 | 0.0 |

| STORET Code | STORET Parameter Description | High Value | Low Value |
|---|---|---|---|
| 00300 | OXYGEN, DISSOLVED (MG/L) | 30.0 | 0.0 |
| 00301 | OXYGEN, DISSOLVED, PERCENT OF SATURATION% | 200.0 | 0.0 |
| 00310 | BOD, 5 DAY, 20 DEG C (MG/L) | 150.0 | 0.0 |
| 00335 | COD, .025N K2CR2O7 (MG/L) | 1000.0 | 0.0 |
| 00340 | COD, .25N K2CR2O7 (MG/L) | 1000.0 | 0.0 |
| 00365 | CHLORINE DEMAND, 15 MINUTE (MG/L) | 15.0 | 0.0 |
| 00400 | PH (STANDARD UNITS) | 12.0 | 0.9 |
| 00403 | PH, LAB, STANDARD UNITS, (STANDARD UNITS) | 12.0 | 0.9 |
| 00405 | CARBON DIOXIDE (MG/L AS CO2) | 100.0 | 0.0 |
| 00406 | PH, FIELD (STANDARD UNITS) | 12.0 | 0.9 |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 1000.0 | 0.0 |
| 00415 | ALKALINITY, PHENOLPHTHALEIN (MG/L) | 750.0 | 0.0 |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 1000.0 | 0.0 |
| 00436 | ACIDITY, MINERAL (METHYL ORANGE) (MG/L AS CACO3) | 1000.0 | 0.0 |
| 00437 | ACIDITY, CO2 (PHENOLPHTHALEIN) (MG/L AS CACO3) | 750.0 | 0.0 |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 450.0 | 0.0 |
| 00445 | CARBONATE ION (MG/L AS CO3) | 100.0 | 0.0 |
| 00480 | SALINITY - PARTS PER THOUSAND | 40.0 | 0.0 |
| 00500 | RESIDUE, TOTAL (MG/L) | 15000.0 | 0.0 |
| 00505 | RESIDUE, TOTAL VOLATILE (MG/L) | 10000.0 | 0.0 |
| 00510 | RESIDUE, TOTAL FIXED (MG/L) | 10000.0 | 0.0 |
| 00515 | RESIDUE, TOTAL FILTRABLE (DRIED AT 105C), (MG/L) | 20000.0 | 0.0 |
| 00520 | RESIDUE, VOLATILE FILTRABLE (MG/L) | 10000.0 | 0.0 |
| 00525 | RESIDUE, FIXED FILTRABLE (MG/L) | 10000.0 | 0.0 |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | 10000.0 | 0.0 |
| 00535 | RESIDUE, VOLATILE NONFILTRABLE (MG/L) | 10000.0 | 0.0 |
| 00540 | RESIDUE, FIXED NONFILTRABLE (MG/L) | 10000.0 | 0.0 |
| 00545 | RESIDUE, SETTLEABLE (ML/L) | 1000.0 | 0.0 |
| 00546 | RESIDUE, SETTLEABLE (MG/L) | 1000.0 | 0.0 |

| STORET Code | STORET Parameter Description | High Value | Low Value |
|---|---|---|---|
| 00550 | OIL & GREASE (SOXHLET EXTRACTION) TOTAL,REC., (MG/L) | 250.0 | 0.0 |
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 100.0 | 0.0 |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 15.0 | 0.0 |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 25.0 | 0.0 |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 20.0 | 0.0 |
| 00615 | NITRITE NITROGEN, TOTAL (MG/L AS N) | 5.0 | 0.0 |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 50.0 | 0.0 |
| 00625 | NITROGEN, KJELDAHL, TOTAL, (MG/L AS N) | 50.0 | 0.0 |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 55.0 | 0.0 |
| 00635 | NITROGEN, AMMONIA & ORG., TOTAL 1 DET (MG/L AS N) | 70.0 | 0.0 |
| 00650 | PHOSPHATE, TOTAL (MG/L AS PO4) | 30.0 | 0.0 |
| 00653 | PHOSPHATE, TOTAL SOLUBLE (MG/L) | 30.0 | 0.0 |
| 00655 | PHOSPHATE, POLY (MG/L AS PO4) | 30.0 | 0.0 |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 30.0 | 0.0 |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 10.0 | 0.0 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 10.0 | 0.0 |
| 00680 | CARBON, TOTAL ORGANIC (MG/L AS C) | 100.0 | 0.0 |
| 00681 | CARBON, DISSOLVED ORGANIC (MG/L AS C) | 100.0 | 0.0 |
| 00685 | CARBON, TOTAL INORGANIC (MG/L AS C) | 100.0 | 0.0 |
| 00690 | CARBON, TOTAL (MG/L AS C) | 150.0 | 0.0 |
| 00720 | CYANIDE, TOTAL (MG/L AS CN) | 10.0 | 0.0 |
| 00745 | SULFIDE, TOTAL (MG/L AS S) | 1500.0 | 0.0 |
| 00746 | SULFIDE, DISSOLVED (MG/L AS S) | 1500.0 | 0.0 |
| 00760 | SULFITE WASTE LIQUOR, PEARL BENSON INDEX (MG/L) | 150.0 | 0.0 |
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 5000.0 | 0.0 |
| 00910 | CALCIUM (MG/L AS CACO3) | 3000.0 | 0.0 |
| 00915 | CALCIUM, DISSOLVED (MG/L AS CA) | 1000.0 | 0.0 |
| 00916 | CALCIUM, TOTAL (MG/L AS CA) | 1000.0 | 0.0 |
| 00920 | MAGNESIUM (MG/L AS CACO3) | 3000.0 | 0.0 |

| STORET Code | STORET Parameter Description | High Value | Low Value |
|---|---|---|---|
| 00925 | MAGNESIUM, DISSOLVED (MG/L AS MG) | 1000.0 | 0.0 |
| 00927 | MAGNESIUM, TOTAL (MG/L AS MG) | 1000.0 | 0.0 |
| 00929 | SODIUM, TOTAL (MG/L AS NA) | 5000.0 | 0.0 |
| 00930 | SODIUM, DISSOLVED (MG/L AS NA) | 5000.0 | 0.0 |
| 00931 | SODIUM ADSORPTION RATIO | 50.0 | 0.0 |
| 00935 | POTASSIUM, DISSOLVED (MG/L AS K) | 175.0 | 0.0 |
| 00937 | POTASSIUM, TOTAL MG/L AS K) | 175.0 | 0.0 |
| 00940 | CHLORIDE, TOTAL IN WATER, (MG/L) | 22000.0 | 0.0 |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 2500.0 | 0.0 |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 2500.0 | 0.0 |
| 00950 | FLUORIDE, DISSOLVED (MG/L AS F) | 15.0 | 0.0 |
| 00951 | FLUORIDE, TOTAL (MG/L AS F) | 15.0 | 0.0 |
| 00955 | SILICA, DISSOLVED (MG/L AS SI02) | 2000.0 | 0.0 |
| 00956 | SILICA, TOTAL (MG/L AS SI02) | 2000.0 | 0.0 |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 5000.0 | 0.0 |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 5000.0 | 0.0 |
| 01005 | BARIUM, DISSOLVED (UG/L AS BA) | 2000.0 | 0.0 |
| 01007 | BARIUM, TOTAL (UG/L AS BA) | 2000.0 | 0.0 |
| 01010 | BERYLLIUM, DISSOLVED (UG/L AS BE) | 2000.0 | 0.0 |
| 01012 | BERYLLIUM, TOTAL (UG/L AS BE) | 2000.0 | 0.0 |
| 01020 | BORON, DISSOLVED (UG/L AS B) | 5000.0 | 0.0 |
| 01022 | BORON, TOTAL (UG/L AS B) | 5000.0 | 0.0 |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 500.0 | 0.0 |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 500.0 | 0.0 |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 2000.0 | 0.0 |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 2000.0 | 0.0 |
| 01033 | CHROMIUM, TRI-VAL (UG/L AS CR) | 2000.0 | 0.0 |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 2000.0 | 0.0 |
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 2000.0 | 0.0 |

| STORET Code | STORET Parameter Description | High Value | Low Value |
|---|---|---|---|
| 01042 | COPPER, TOTAL (UG/L AS CU) | 5000.0 | 0.0 |
| 01045 | IRON, TOTAL (UG/L AS FE) | 56000.0 | 0.0 |
| 01046 | IRON, DISSOLVED (UG/L AS FE) | 56000.0 | 0.0 |
| 01047 | IRON, FERROUS (UG/L AS FE) | 56000.0 | 0.0 |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 1000.0 | 0.0 |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 1000.0 | 0.0 |
| 01055 | MANGANESE, TOTAL (UG/L AS MN) | 5000.0 | 0.0 |
| 01056 | MANGANESE, DISSOLVED (UG/L AS MN) | 5000.0 | 0.0 |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 2000.0 | 0.0 |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 2000.0 | 0.0 |
| 01075 | SILVER, DISSOLVED (UG/L AS AG) | 5000.0 | 0.0 |
| 01077 | SILVER, TOTAL (UG/L AS AG) | 5000.0 | 0.0 |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 25000.0 | 0.0 |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 25000.0 | 0.0 |
| 01105 | ALUMINUM, TOTAL (UG/L AS AL) | 20000.0 | 0.0 |
| 01106 | ALUMINUM, DISSOLVED (UG/L AS AL) | 20000.0 | 0.0 |
| 01145 | SELENIUM, DISSOLVED (UG/L AS SE) | 100.0 | 0.0 |
| 01501 | ALPHA, TOTAL | 200.0 | 0.0 |
| 01503 | ALPHA, DISSOLVED | 75.0 | 0.0 |
| 01505 | ALPHA, SUSPENDED | 150.0 | 0.0 |
| 03501 | BETA, TOTAL | 3500.0 | 0.0 |
| 03503 | BETA, DISSOLVED | 3000.0 | 0.0 |
| 03505 | BETA, SUSPENDED | 1500.0 | 0.0 |
| 09503 | RADIUM 226, DISSOLVED | 500.0 | 0.0 |
| 13501 | STRONTIUM 90, TOTAL | 500.0 | 0.0 |
| 22703 | URANIUM, NATURAL, DISSOLVED | 500.0 | 0.0 |
| 31501 | COLIFORM, TOT,MEMBRANE FILTER,IMMED.M-ENDO MED, 35C | 24000000.0 | 0.0 |
| 31502 | COLIFORM, TOTAL, 10/ML | 24000000.0 | 0.0 |
| 31503 | COLIFORM, TOT,MEMBR FILTER, DELAYED,M-ENDO MED, 35C | 24000000.0 | 0.0 |

| STORET Code | STORET Parameter Description | High Value | Low Value |
|---|---|---|---|
| 31504 | COLIFORM, TOT,MEMBR FILTER,IMMED,LES ENDO AGAR, 35C | 24000000.0 | 0.0 |
| 31613 | FECAL COLIFORM, MEMBR FILTER, M-FC AGAR,44.5C, 24HR | 10000000.0 | 0.0 |
| 31615 | FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614) | 10000000.0 | 0.0 |
| 31616 | FECAL COLIFORM, MEMBR FILTER,M-FC BROTH, 44.5C | 10000000.0 | 0.0 |
| 31672 | FECAL STREPTOCOCCI,PLATE COUNT M-ENTER AGAR,35C48HR | 500000.0 | 0.0 |
| 31673 | FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR | 500000.0 | 0.0 |
| 31677 | FECAL STREPTOCOCCI,MPN,AD-EVA, 35C (TUBE 31678) | 500000.0 | 0.0 |
| 31679 | FECAL STREPTOCOCCI, MF M-ENTEROCOCCUS AGAR,35C,48H | 500000.0 | 0.0 |
| 31749 | PLATE COUNT, TOTAL, TPC AGAR, 20C, 48 HRS | 99999999.0 | 0.0 |
| 31751 | PLATE COUNT, TOTAL, TPC AGAR, 35C, 24 HRS | 99999999.0 | 0.0 |
| 32210 | CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTED | 500.0 | 0.0 |
| 32211 | CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH. | 750.0 | 0.0 |
| 32212 | CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTED | 1000.0 | 0.0 |
| 32214 | CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTED | 200.0 | 0.0 |
| 32217 | CHLOROPHYLL A UG/L FLUOROMETRIC UNCORRECTED | 500.0 | 0.0 |
| 32218 | PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH. | 200.0 | 0.0 |
| 32219 | PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER ACID | 2.0 | 0.0 |
| 32221 | CHLOROPHYLL A,% OF(PHEOPHYTIN A+CHL A),SPEC-ACID. | 101.0 | 0.0 |
| 32230 | CHLOROPHYLL A (MG/L) | 0.5 | 0.0 |
| 32231 | CHLOROPHYLL B (MG/L) | 0.8 | 0.0 |
| 32232 | CHLOROPHYLL C (MG/L) | 0.2 | 0.0 |
| 32234 | CHLOROPHYLL, TOTAL (A+B+C) (MG/L) | 1.0 | 0.0 |
| 32270 | CHLOROFORM EXTRACTABLES TOTAL IN MG PER LITER | 5.0 | 0.0 |
| 32730 | PHENOLICS, TOTAL, RECOVERABLE (UG/L) | 1500.0 | 0.0 |
| 38260 | METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.) | 10.0 | 0.0 |
| 39330 | ALDRIN IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39340 | GAMMA-BHC(LINDANE),WHOLE WATER, (UG/L) | 20.0 | 0.0 |
| 39350 | CHLORDANE(TECH MIX & METABS),WHOLE WATER, (UG/L) | 20.0 | 0.0 |
| 39360 | DDD IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |

| STORET Code | STORET Parameter Description | High Value | Low Value |
|---|---|---|---|
| 39365 | DDE IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39370 | DDT IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39380 | DIELDRIN IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39390 | ENDRIN IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39400 | TOXAPHENE IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39410 | HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39420 | HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39480 | METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39516 | PCBS IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39530 | MALATHION IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39540 | PARATHION IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39600 | METHYL PARATHION IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 39782 | LINDANE IN WHOLE WATER SAMPLE (UG/L) | 20.0 | 0.0 |
| 50060 | CHLORINE, TOTAL RESIDUAL (MG/L) | 5.0 | 0.0 |
| 60050 | ALGAE, TOTAL (CELLS/ML) | 700000.0 | 0.0 |
| 70300 | RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), (MG/L) | 4000.0 | 0.0 |
| 70505 | PHOSPHATE, TOTAL,COLORIMETRIC METHOD (MG/L AS P) | 10.0 | 0.0 |
| 70507 | PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 10.0 | 0.0 |
| 71850 | NITRATE NITROGEN, TOTAL (MG/L AS NO3) | 65.0 | 0.0 |
| 71886 | PHOSPHORUS, TOTAL, AS PO4 - (MG/L) | 30.0 | 0.0 |
| 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 10.0 | 0.0 |
| 71895 | MERCURY, SUSPENDED (UG/L AS HG) | 10.0 | 0.0 |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 10.0 | 0.0 |
| 74010 | IRON, TOTAL (MG/L AS FE) | 56000.0 | 0.0 |

**Appendix D**

**STORET Administrative Parameters**

| STORET Code | Description of STORET Administrative Parameters |
|---|---|
| 00022 | LENGTH OF EXPOSURE OF SAMPLE OR TEST - DAYS |
| 00026 | TOXICS-IDENTIFY DATA COLLECTION BY EPA DIRECTIVE |
| 00027 | CODE NO FOR AGENCY COLLECTING SAMPLE |
| 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE |
| 00029 | NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE |
| 00063 | SAMPLING POINTS, NUMBER OF IN A CROSS SECTION |
| 00073 | SAMPLE LOC CODE DEFINED BY THERMAL STRUCT & DEPTH |
| 00111 | RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCCI |
| 00115 | SAMPLE TREATMENT CODE (1=RAW,2=TREATED) |
| 00116 | INTENSIVE SURVEY IDENTIFICATION NUMBER |
| 00145 | TOTAL PRODUCTION OF PRODUCT MANUFACTURED TONS/DAY |
| 01273 | TOTAL ACID PRIORITY POLLUTANTS MG/L |
| 01274 | TOTAL BASE-NEUTRAL PRIORITY POLLUTANTS MG/L |
| 01275 | TOTAL VOLATILE PRIORITY POLLUTANTS MG/L |
| 01365 | ANALYSIS DATE (DIOXIN) (YYMMDD) |
| 04177 | SAMPLE STABILIZATION, RECOVERY TEST CODE |
| 04178 | FIELD PROTOCOL(CONFDNCE ASSIGNED FIELD SAMPLE) CODE |
| 04179 | SAMPLE STATION LOCKED CODE |
| 04180 | CONDITION OF STATION SITE CODE |
| 04181 | LABORATORY QA/QC PLAN CONFIDENCE CODE |
| 04182 | SAMPLE TYPE CODE |
| 04183 | SAMPLE REMARKS CODE |
| 30333 | BAG MESH SIZE, BEDLOAD SAMPLER, MM |
| 34772 | NPDES NUMBER, CROSS REFERENCE CODE |
| 34785 | GAGE TYPE, METHOD CODE |

| STORET Code | Description of STORET Administrative Parameters |
|---|---|
| 45575 | GC MAKE AND MODEL INFORMATION CODE |
| 45576 | GC DETECTOR TYPE CODE |
| 45577 | GC COLUMN TYPE CODE |
| 45580 | METHOD OF ANALYSIS CODE |
| 45581 | LABORATORY LOCATION CODE |
| 46107 | SAMPLE LOCATION CODE (TREATMENT PLANT OPERATION) |
| 46390 | TOXICITY CHARACTERISTIC LEACHING PROCEDURE P OR F |
| 46396 | PROCESS TO SIGNIFICANTLY REDUCE PATHOGENS YES OR NO |
| 46397 | PROCESS TO FURTHER REDUCE PATHOGENS YES OR NO |
| 47001 | PERMIT EXPIRATION DATE (JULIAN CALENDAR) |
| 47044 | OBSERVATIONS,WASTE SITE-SEVERITY OF PROBLEMS CODE |
| 47460 | SUBSAMPLE - DECIMAL FRACTION OF WHOLE NUMBER |
| 47477 | COMPOSITION AND/OR DISPOSITION OF CATCH NUM CODE |
| 70231 | CURRENT DIRECTION (DEGREES FROM DOWNSTREAM FLOW) |
| 71999 | SAMPLE PURPOSE CODE |
| 72032 | NUMBER OF SPILLWAY GATES OPEN |
| 73672 | DATE OF ANALYSIS YYMMDD |
| 73673 | DATE OF EXTRACTION YYMMDD |
| 74031 | GRANT, PROJECT COST ELIGIBLE FOR CONSTRUCTION |
| 74032 | GRANT, AMOUNT OF PL 660 GRANT FOR THIS PROJECT |
| 74033 | GRANT, FEDERAL, OTHER THAN PL 660 GRANT |
| 74034 | GRANT, FUTURE PL 660 WHICH MAY APPLY TO THIS PROJ |
| 74035 | GRANT, TOTAL FEDERAL, WHICH APPLIES TO THIS PROJ |
| 74036 | GRANT, PROJ NUMBER ASSIGNED TO THIS APPLICATION |
| 74037 | GRANT, TYPE OF PROJECT TO WHICH GRANT APPLIES |
| 74038 | GRANT, STATUS OF PROJECT TO WHICH GRANT APPLIES |
| 74039 | PCS/STORET WATER QUALITY FILE INTERFACE YR/MO/DAY |
| 74040 | SURVEY NUMBER YYMMNO |
| 74041 | STORET STORAGE TRANSACTION DATE YR/MO/DAY |

| STORET Code | Description of STORET Administrative Parameters |
|---|---|
| 74050 | RADIOACTIVITY, GENERAL (PERMIT) |
| 74051 | ALGICIDES, GENERAL (PERMIT) |
| 74052 | CHLORINATED HYDROCARBONS, GENERAL (PERMIT) |
| 74053 | PESTICIDES, GENERAL (PERMIT) |
| 74056 | COLIFORM, TOTAL, GENERAL (PERMIT) |
| 74065 | STREAM FLOW CLASS |
| 74066 | ANNUAL RUNOFF |
| 74067 | SOIL CLASSIFICATION |
| 74068 | WATER QUALITY DESIGNATED USE CLASSIFICATION (IA) |
| 74100 | PRIMARY 1972 SIC CODE |
| 74101 | SECONDARY 1972 SIC CODE |
| 74102 | SECONDARY 1972 SIC CODE |
| 74103 | SECONDARY 1972 SIC CODE |
| 74200 | SAMPLE PRESERVATION METHODS ONE OR MORE IN COMB. |
| 74205 | LAND RESOURCE AREA (IOWA) |
| 74206 | SOIL EROSION POTENTIAL (IOWA) |
| 74209 | WATER QUALITY INDEX - STATE OF ILLINOIS, EPA |
| 74210 | FOREST STREAM WATER QUALITY INDEX CALC. NUMBER |
| 74990 | FISH SPECIES NUMERIC CODE - F&W SERVICE |
| 74995 | ANATOMY CODE |
| 75000 | SPECIES CODE-REMARK=SEX (M=MALE,F=FEMALE,U=UNK.) |
| 81028 | WITHDRAWAL OF GROUNDWATER (MILLION GAL/DAY) |
| 82258 | WATER CLASSIFICATION CODE (1-9) CODE |
| 82292 | DATA RELAY GROUND STATION SOURCE NODE CODE, CODE |
| 82309 | CONTAMINATION SOURCE POSSIBLE CODES NUMERIC CODE |
| 82310 | DEPTH CONFIDENCE IN REPORTED VALUES NUMERIC CODES |
| 82373 | FREQUENCY OF SAMPLING M=MON,Q=QUAR,Y=YR,R=RNFFCODE |
| 82519 | DRILLER REGISTRATION NUMBER ALPHA-NUMERIC CODE |
| 82562 | NARRATIVE REQUIREMENT EXCEEDANCES INTEGER |

| STORET Code | Description of STORET Administrative Parameters |
|---|---|
| 82576 | DAILY EXCURSION TIME, WATER MIN |
| 82577 | MONTHLY EXCURSION TIME, WATER TOTAL MIN |
| 82578 | DAY/MAXIMUM EXCURSION TIME, WATER MIN |
| 82579 | CODE NUMBER FOR PERSON COLLECTING SAMPLE |
| 84002 | CODE, GENERAL INFORMATION - ALPHA, NUMERIC CODE |
| 84003 | WATER SHED ID NUMBER (IOWA) |
| 84005 | FISH SPECIES CODE-FISH & WILDLIFE SER |
| 84006 | OWNERSHIP CLASSIFICATION OF LAKE, ILLINOIS SYSTEM |
| 84010 | PUBLIC ACCESS TO LAKE ILLINOIS SYSTEM |
| 84011 | CONFIDENCE CODE FOR GLC CONFIRMATION CODE |
| 84012 | PATIENT PARAMETERS (AGE, SEX, WT, ETC.) CODE |
| 84013 | SAMPLE PARAMETERS D=DESIGN SPECIMEN, S=SURPLUS |
| 84027 | CODE NUMBER FOR AGENCY COLLECTING SAMPLE |
| 84028 | CODE NO FOR AGENCY ANALYZING SAMPLE |
| 84029 | NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE FIELD |
| 84033 | EGD ANALYTICAL DATA COMPLETENESS Y=YES N=NO CODE |
| 84034 | EGD SMPL NO.(SMPL.IDENT) NUMERIC=SCS ALPH+4NUM=JRB |
| 84035 | EGD SAMPLE CLASSIFICATION CATEGORY ALPHA CODE |
| 84036 | EGD INDUSTRIAL CATEGORY NUMERIC CODE |
| 84037 | EGD INDUSTRIAL CATEGORY NAME ALPHA CODE |
| 84038 | EGD LABORATORY NUMERIC CODE |
| 84039 | EGD LABORATORY NAME ALPHA CODE |
| 84040 | EGD SAMPLE STATUS (1-5,9,AND BLANK) NUMERIC CODE |
| 84041 | EGD ACID STATUS (1-5,9,AND BLANK) NUMERIC CODE |
| 84042 | EGD BASE STATUS (1-5,9AND BLANK) NUMERIC CODE |
| 84043 | EGD PESTICIDE STATUS (1-5,9,AND BLANK) NUMERIC CODE |
| 84044 | EGD VOA FRACT. STATUS INDICATOR (1-5,9,BLANK) CODE |
| 84045 | EGD ACID EXTRACT DATE (YYMMDD) NUMERIC CODE |
| 84046 | EGD BASE EXTRACTION DATE (YYMMDD) NUMERIC CODE |

| STORET Code | Description of STORET Administrative Parameters |
|---|---|
| 84047 | EGD PESTICIDE EXTRACTION DATE (YYMMDD) NUMERIC CODE |
| 84048 | EGD VOA FRACTION INJECTION DATE YYMMDD NUMERIC CODE |
| 84049 | EGD ACID CONC. FACTOR (FIVE NUMERIC DIGITS) CODE |
| 84050 | EGD BASE CONC.FACTOR (FIVE NUMERIC DIGITS) CODE |
| 84051 | EGD PESTICIDE CONC.FACTOR (FIVE NUMERIC DIGITS) CODE |
| 84052 | EGD VOA FRACTION CONC. FACTOR (5 NUMERIC DIGITS) CODE |
| 84053 | SAMPLE TYPE AND FREQUENCY OF COLLECTION CODE |
| 84054 | LITHOLOGY ALPHA-NUMERIC CODE |
| 84055 | AVAILABLE LOGS ALPHA-NUMERIC CODE |
| 84056 | WATER USE CATEGORY ALPHA-NUMERIC CODE |
| 84057 | INSPECTION TYPE ALPHA-NUMERIC CODE |
| 84058 | HYDROGEOLOGIC SYSTEM ALPHA-NUMERIC CODE |
| 84059 | WELL OWNERSHIP ALPHA-NUMERIC CODE |
| 84060 | TOPOGRAPHY ALPHA-NUMERIC CODE |
| 84061 | WELL USE ALPHA-NUMERIC CODE |
| 84062 | MEASURING POINT DESCRIPTION ALPHA-NUMERIC CODE |
| 84063 | DRILLING METHOD ALPHA-NUMERIC CODE |
| 84064 | WELL DATA AVAILABILITY ALPHA-NUMERIC CODE |
| 84065 | PERMIT COMPLIANCE DATA ALPHA-NUMERIC CODE |
| 84067 | NATURE OF MONITORING ALPHA-NUMERIC CODE |
| 84073 | REPLACES EXISTING WELL ALPHA-NUMERIC CODE |
| 84074 | AQUIFER TYPE (SEE USGS HANDBOOK) ALPHA CODE |
| 84075 | WELL PERMIT NUMBER ALPHA-NUMERIC CODE |
| 84076 | TSD MONITORING WELL TYPE ALPHA CODE |
| 84077 | TSD MONITORING WELL SAMPLING METHOD ALPHA CODE |
| 84083 | POLLUTION VERIFICATION ALPHA CODE |
| 84084 | WELL SAMPLE PURPOSE ALPHA CODE |
| 84090 | SAMPLE FILE CONTROL PROJECT IDENTIFICATION A-CODE |
| 84091 | INFILTRATION DATE/BEGINNING 'YYMMDD' |

| STORET Code | Description of STORET Administrative Parameters |
|---|---|
| 84092 | INFILTRATION DATE/ENDING 'YYMMDD' |
| 84093 | ENFORCEMENT FORM #2-C,DATA IDENTIFICATION CODE |
| 84102 | SAMPLE SPECIES-SUB ID ALPHA CODE |
| 84103 | DIOXIN LABORATORY ALPHA CODE |
| 84104 | DIOXIN STUDY ALPHA CODE |
| 84112 | SOURCE OF GEOHYDROLOGIC DATA CODE |
| 84119 | SOURCE OF EVACUATION DATA CODE |
| 84121 | REGULATING AGENCY CODE |
| 84122 | SAMPLE PURPOSE CODE |
| 84126 | SOURCE OF DEPTH DATA CODE |
| 84127 | METHOD OF DEPTH MEASUREMENT CODE |
| 84128 | SOURCE OF WATER-LEVEL DATA CODE |
| 84129 | DATA QUALITY |
| 84141 | LAKE, PHYSICAL CONDITION AT SAMPLE TIME, 1-5, CODE |
| 84142 | LAKE,RECREATIONAL SUITABILITY @ SMPL TIME,1-5, CODE |
| 84164 | SAMPLER TYPE, CODE |
| 85300 | PROBLEM CODE NES SURVEY |
| 85327 | WATER LEVEL AT SAMPLE COLLECTION TIME-CODE-NES |
| 85332 | CLOUD COVER AT SAMPLE COLLECTION TIME-CODE-NES |
| 85553 | WELL COMPLETION DATE (MONTH/YEAR) |
| 85554 | WELL WORKOVER DATE, LATEST (MONTH/YEAR) |

**Appendix E**

**STORET Parameters Not Suitable for Statistical Analysis**

| STORET Code | Description of STORET Parameters Not Suitable for Statistical Analysis |
|---|---|
| 00001 | X-SEC. LOC., HORIZ (FT. FROM R BANK LOOK UPSTR.) |
| 00002 | X-SEC. LOC., HORIZ (% FROM R BANK LOOK UPSTR.) |
| 00003 | SAMPLING STATION LOCATION, VERTICAL (FEET) |
| 00005 | X-SEC. LOC., VERTICAL (PERCENT OF TOTAL DEPTH) |
| 00006 | DISTANCE FROM LOCATION IN X MILES |
| 00007 | DISTANCE FROM LOCATION IN Y MILES |
| 00008 | NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE |
| 00009 | X-SEC. LOC.(FT FROM LEFT BANK LOOKING DOWNSTRM) |
| 00027 | CODE NO FOR AGENCY COLLECTING SAMPLE |
| 00028 | CODE NO FOR AGENCY ANALYZING SAMPLE |
| 00033 | WEATHER CODE FOR OCEAN-OBSERV. (WMO CODE 4677) |
| 00037 | WIND FORCE (BEAUFORT UNITS) |
| 00038 | WIND DIRECTION (WMO CODES 0885 + 0887) |
| 00041 | WEATHER (WMO CODE 4501) |
| 00042 | ALTITUDE IN FEET ABOVE MEAN SEA LEVEL |
| 00043 | CLOUD TYPE (WMO CODE 0500) |
| 00044 | CLOUD AMOUNT (WMO CODE 2700) |
| 00047 | TOTAL PARTIAL PRESSURE DISSOLVED GASES (MM HG) |
| 00048 | TOTAL PARTIAL PRESSURE DISSOLVED GASES (% SAT) |
| 00049 | SURFACE AREA IN SQUARE MILES |
| 00050 | EVAPORATION, TOTAL (INCHES PER DAY) |
| 00051 | SURFACE AREA IN SQUARE FEET |
| 00053 | SURFACE AREA, ACRES |
| 00054 | RESERVOIR STORAGE - ACRE FEET |
| 00063 | SAMPLING POINTS, NUMBER OF IN A CROSS SECTION |
| 00067 | TIDE STAGE |

| STORET Code | Description of STORET Parameters Not Suitable for Statistical Analysis |
|---|---|
| 00069 | SEA WAVES(0=NONE;1=0-3";2=4-20";3=21-48";4=4-8') |
| 00097 | SAMPLING STATION LOCATION, VERTICAL (FEET) |
| 00098 | SAMPLING STATION LOCATION, VERTICAL (METERS) |
| 00111 | RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCCI |
| 00115 | SAMPLE TREATMENT CODE (1=RAW,2=TREATED) |
| 01300 | OIL-GREASE (SEVERITY) |
| 01305 | DETERGENT SUDS (SEVERITY) |
| 01310 | GAS BUBBLES (SEVERITY) |
| 01315 | SLUDGE, FLOATING (SEVERITY) |
| 01320 | GARBAGE, FLOATING (SEVERITY) |
| 01325 | ALGAE, FLOATING MATS (SEVERITY) |
| 01330 | ODOR, ATMOSPHERIC (SEVERITY) |
| 01331 | TASTE (SEVERITY) |
| 01335 | SEWAGE SOLIDS, FRESH, FLOATING (SEVERITY) |
| 01340 | FISH, DEAD (SEVERITY) |
| 01345 | DEBRIS, FLOATING (SEVERITY) |
| 01350 | TURBIDITY (SEVERITY) |
| 01351 | FLOW, STRM,1DRY,2LOW,3NORM,4FLOOD,5ABOVE NORM,CODE |
| 01355 | ICE COVER, FLOATING OR SOLID (SEVERITY) |
| 03595 | BIOASSAY (96 HR), EFFLUENT, TOTAL CODE |
| 03596 | BIOASSAY (48 HR), EFFLUENT, TOTAL CODE |
| 03597 | BIOASSAY (24 HR), EFFLUENT, TOTAL CODE |
| 03598 | TOXICITY, EFFLUENT, TOTAL CODE |
| 03599 | TOXICITY, CHOICE OF SPECIES, EFFLUENT CODE |
| 03600 | TOXICITY, TROUT, EFFLUENT, TOTAL CODE |
| 03601 | TOXICITY, SAND DOLLAR, EFFLUENT CODE |
| 03602 | BIOCHEMICAL OXYGEN DEMAND, EFFLUENT, TOTAL CODE |
| 03603 | SOLIDS, TOTAL SUSPENDABLE, EFFLUENT, TOTAL CODE |
| 03605 | FLOW METER CALIBRATION, WATER CODE |

| STORET Code | Description of STORET Parameters Not Suitable for Statistical Analysis |
|---|---|
| 03717 | ONCORHYNCHUS MYKISS, WATER CODE |
| 04117 | TETHER LINE USED FOR COLLECTING SAMPLE CODE |
| 04160 | HALOCARBONS, PURGEABLE, SCAN, EFFLUENT CODE |
| 04161 | HALOCARBONS, PURGEABLE, SCAN, SLUDGE CODE |
| 04162 | AROMATIC, PURGEABLE, SCAN, EFFLUENT CODE |
| 04163 | AROMATIC, PURGEABLE, SCAN, SLUDGE CODE |
| 04164 | PHENOLIC, TOTAL, SCAN, EFFLUENT CODE |
| 04165 | PHENOLIC, TOTAL, SCAN, SLUDGE CODE |
| 04166 | PCB, TOTAL, SCAN, EFFLUENT CODE |
| 04167 | PCB, TOTAL, SCAN, SLUDGE CODE |
| 04174 | FREE LIQUIDS IN SEWAGE SLUDGE CODE |
| 34765 | AVIAN NUMERICAL SPECIES CODE (BIRDS) |
| 34766 | MAMMALIAN NUMERICAL SPECIES CODE |
| 34771 | MACROPHYTE, INSTREAM, VISUAL SIGHTING CODE |
| 34773 | ODOR, AMBIENT WATER CODE |
| 34774 | FISH, INSTREAM, VISUAL SIGHTING CODE |
| 34775 | STREAMBANK CHANNEL ALTERATIONS CODE |
| 34776 | HYDRAULIC STRUCTURES, INSTREAM CODE |
| 34780 | LAND USE, ADJACENT STREAM CODE |
| 34781 | SAMPLE POINTS, # OF LONGTDNL TRANSECTS, REACH CODE |
| 34782 | STREAM STAGE TREND CODE |
| 34789 | HABITATS, TYPES SAMPLED CODE |
| 45613 | FLOATING SOLIDS/VISIBLE FOAM, VISUAL, YES=1, NO=0, CODE |
| 45614 | SANITARY WASTE DISCHARGE ASSESSMENT, YES=1, NO=0, CODE |
| 45615 | INTERMITTENT DISCHARGE ASSESSMENT, YES=1, NO=0,CODE |
| 46001 | WATER APPEARANCE CODE (BASED ON FIELD ASSESSMENT) |
| 46478 | EQUIPMENT INSPECTION, VISUAL CODE |
| 46486 | TOXICITY,ACUTE 24HR(STATIC)CERIODAPHNIA (P/F) CODE |
| 47454 | FLOW METER REVOLUTIONS NUMBER |

| STORET Code | Description of STORET Parameters Not Suitable for Statistical Analysis |
|---|---|
| 47455 | LATITUDE, STARTING, OF A SAMPLE TOW DDMMSS |
| 47456 | LONGITUDE, STARTING, OF A SAMPLE TOW DDDMMSS |
| 47457 | LATITUDE, FINISHING, OF A SAMPLE TOW DDMMSS |
| 47458 | LONGITUDE, FINISHING, OF A SAMPLE TOW DDDMMSS |
| 47459 | LENGTH FREQUENCY NUMBER |
| 47461 | TIME THAT THE EQUIPMENT WAS SAMPLING MINUTES |
| 47476 | DIRECTION OF TOW IN RELATION TO CURRENT NUM CODE |
| 50044 | HYDROGRAPH LIMB, 1BASE, 2RISING, 3PEAK, 4FALLING, CODE |
| 61390 | DIATOMS,FIRST DOMINANT SPECIES OF UNITS - CODE |
| 61391 | DIATOMS,SECOND DOMINANT SPECIES OF UNITS - CODE |
| 61392 | DIATOMS,THIRD DOMINANT SPECIES OF UNITS - CODE |
| 61393 | DIATOMS,FOURTH DOMINANT SPECIES OF UNITS - CODE |
| 70220 | WAVE DIRECTION (WMO CODES 0885 + 0887) |
| 70222 | WAVE HEIGHT (WMO CODE 1555) |
| 70223 | WAVE PERIOD (WMO CODE 3155) |
| 71090 | BIVALVE SPECIES CODE |
| 71500 | EQUITABILITY INDEX,BENTHIC MACROINVER CODE |
| 72000 | ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL) |
| 72001 | DEPTH, TOTAL OF HOLE (FT BELOW LAND SURFACE DATUM) |
| 72002 | DEPTH TO TOP OF WATER-BEARING ZONE SAMPLED (FT) |
| 72003 | DEPTH TO BOTTOM OF WATER-BEARING ZONE SAMPLED (FT) |
| 72004 | PUMP OR FLOW PERIOD PRIOR TO SAMPLING MINUTES |
| 72005 | SAMPLE SOURCE CODE (BM WELL DATA) |
| 72006 | SAMPLING CONDITION CODE (BM WELL DATA) |
| 72007 | FORMATION NAME CODE (BM WELL DATA) |
| 72017 | SERIES CODE (BM WELL DATA) |
| 72018 | SYSTEM CODE (BM WELL DATA) |
| 72111 | DIRECT READOUT GROUND STATN TRANSMIT EROR CODE NUM |
| 74054 | FECAL STREPTOCOCCI, GENERAL (PERMIT) |

| STORET Code | Description of STORET Parameters Not Suitable for Statistical Analysis |
|---|---|
| 74055 | FECAL COLIFORM, GENERAL (PERMIT) |
| 80889 | ACTIVATED SLUDGE PROCESS MODIFICATION CODE |
| 81024 | DRAINAGE AREA IN SQUARE MILES (SQ. MI.) |
| 81637 | SHELLFISH SPECIES NUMERIC CODE |
| 82289 | LAGOON OBSERVATION, VISUAL, Y=YES N=NO CODE |
| 82398 | SAMPLING METHOD (CODES) |
| 82524 | STORAGE COEFFICIENT NUMERICAL CODE |
| 82923 | ATMOSPHERIC DEPOSITION TYPE, WET CODE |
| 83205 | ATMOSPHERIC DEPOSITION TYPE, BULK CODE |
| 84000 | GEOLOGIC AGE CODE (SEE USGS CATALOG) |
| 84001 | AQUIFER NAME CODE (SEE USGS CATALOG) |
| 84004 | LAKE TYPE ILLINOIS CLASSIFICATION SYSTEM |
| 84007 | ANATOMY ALPHA CODE |
| 84008 | LIFE STYLE/HABITAT OF THE INDIVIDUALS IN THE SAMPLE |
| 84009 | SHELLFISH SPECIES ALPHANUMERIC CODE |
| 84014 | SPECIES SEX CODE |
| 84030 | CLOUD AMOUNT ALPHA WEATHER CODES |
| 84031 | PHYSICAL WEATHER ALPHA WEATHER CODES |
| 84032 | STREAM CONDITION ALPHA WEATHER CODES |
| 84066 | OIL AND GREASE, VISUAL, ALPHA-NUMERIC CODE |
| 84068 | SERIES CODE ALPHA-NUMERIC CODE |
| 84069 | FORMATION CODE ALPHA-NUMERIC CODE |
| 84070 | METHOD OF TESTING WELL YIELD ALPHA-NUMERIC CODE |
| 84071 | WATER LEVEL MEASUREMENT CONDITIONS ALPHA-NUM CODE |
| 84072 | WATER LEVEL MEASUREMENT METHOD ALPHA-NUMERIC CODE |
| 84078 | GIARDIA LAMBLIA, 2HSO4 OR SUC GRAD, MICRO, CODE |
| 84079 | BACTERIA, CELLUOLYTIC, AEROBIC-ANAEROBIC, RT 5-7, CODE |
| 84080 | BACTERIA, HYDROCARBONOCLASTIC, SHAKE INC 32C/WK, CODE |
| 84081 | YERSINIA ENTEROCOLITICA, SB BROTH, MAC AGAR,22C, CODE |

| STORET Code | Description of STORET Parameters Not Suitable for Statistical Analysis |
|---|---|
| 84082 | SALMONELLA/SHIGELLA, QUANT OR QUAL, HVF OR SWAB, CODE |
| 84085 | ORGANICS, VOLATILE, DETECTED, NUMERIC CODE, CODE |
| 84086 | MACROINVERTEBRATE SPECIES NUMERIC CODE |
| 84087 | MACROINVERTEBRATE HABITAT CODE |
| 84088 | BIOLOGY 1 MACROINVERTEBRATE CODE |
| 84089 | BIOLOGY 2 MACROINVERTEBRATE CODE |
| 84094 | PHYTOPLANKTON SPECIES CODE, NUMERIC |
| 84095 | PHYTOPLANKTON SPECIES CODE, ALPHA |
| 84096 | SEVERITY OF NON-PLANKTON ALGAE-MAT COVERAGE CODE |
| 84097 | LAGOON MOUTH CONDITION CODE |
| 84098 | COLOR OF NON-PLANKTONIC ALGAE CODE |
| 84099 | WATER - RELATIVE WATER LEVEL CODE |
| 84100 | SEX(1-MALE,2-FEMALE,3-MIXED,4-UNKNOWN) NUM CODE |
| 84101 | METAFORM, BENTHIC, ADULT(A), PUPAE(P), LARVAE(L) CODE |
| 84105 | OIL-SEPARATOR OBSERVATION ASSESS (0=DID NOT,1=DID) |
| 84106 | EVAPORAT/BED OBS ASSESS (0=DID NOT LOOK, 1=DID LOOK) |
| 84107 | AREA INSPECTION, VISUAL (0=DID NOT, 1=DID) CODE |
| 84108 | DRAIN FIELD INSPECTION ASSESS (0=DID NOT, 1=DID) CODE |
| 84109 | SLUDGE BUILD-UP IN WATER (0=DID NOT OBS, 1=OBS) CODE |
| 84110 | POND OBSERVATION ASSESS WATER (0=DID NOT, 1=DID) CODE |
| 84111 | LITHOLOGIC MODIFIER CODE |
| 84113 | WELL INTAKE FINISH CODE |
| 84114 | WELL CASING MATERIAL CODE |
| 84115 | TYPE OF MATERIAL FROM WHICH OPENING IS MADE CODE |
| 84116 | DRILLING FLUID CODE |
| 84117 | TYPE OF SURFACE SEAL CODE |
| 84118 | METHOD OF DEVELOPMENT CODE |
| 84120 | PACKING MATERIAL CODE |
| 84124 | METHOD OF EVACUTAION CODE |

| STORET Code | Description of STORET Parameters Not Suitable for Statistical Analysis |
|---|---|
| 84125 | METHOD OF WATER-LEVEL MEASUREMENT CODE |
| 84130 | OUTFALL OBSERVATION, VISUAL, Y=YES N=NO CODE |
| 84131 | SAMPLING METHOD, CONFIDENCE CODE (A,B,C,D) CODE |
| 84132 | STREAMBANK, VEGETATIVE STABILITY RATING CODE |
| 84133 | STREAMBANK, STABILITY (BANK EROSION) RATING CODE |
| 84134 | PARTICLES, DEGREE SURROUNDED BY FINE SEDIMENT, CODE |
| 84135 | STREAMSIDE, (SHORELINE) COVER RATING CODE |
| 84136 | CANOPY TYPE CODE |
| 84137 | CHANNEL STABILITY RATING CODE (E,G,F,P) CODE |
| 84138 | COLIFORM, TOTAL, WATER, WHOLE, MPN, PRES=1, ABSNT=2, CODE |
| 84139 | ENTEROBACTER AGGLOMERANS, WTR, MF, PRES=1, ABSNT=2, CODE |
| 84140 | KLEBSIELLA PNEUMONIAE, WTR, WH, MF, PRES=1, ABSNT=2, CODE |
| 84143 | WELL, PURGING CONDITION CODE |
| 84144 | WELL, SELECTION CRITERIA CODE |
| 84145 | PROJECT COMPONENT CODE |
| 84146 | LAND USE, PREDOMINANT, WITHIN 100 FT OF WELL, CODE |
| 84147 | LAND USE, PREDOMINANT, 1/4 MI.RADIUS OF WELL, CODE |
| 84148 | LAND USE, PREDMNT., FRAC., WITHIN 1/4 MI OF WELL, CODE |
| 84149 | LAND USE, CHANGE, LAST 10 YRS, WITHIN 1/4MI WELL, CODE |
| 84150 | HABITAT QUALITY INDEX RATING CODE |
| 84151 | AQUATIC LIFE, USE CLASSES CODE |
| 84152 | STREAM, STAGE CLASS CODE |
| 84153 | STREAMBANKS, GRAZING DAMAGE CODE |
| 84154 | CHANNEL, MAJOR ALTERATIONS CODE |
| 84155 | RIFFLE/RUNS, OCCURRENCE CODE |
| 84156 | POOL, DESCRIPTION CODE |
| 84157 | SANDBARS, LARGE, OCCURRENCE CODE |
| 84158 | LAND USE, NEAR STREAM, PREDOMINANT CODE |
| 84159 | STREAM,COVER (INSTREAM SHELTER FOR ADULT FISH), CODE |

| STORET Code | Description of STORET Parameters Not Suitable for Statistical Analysis |
|---|---|
| 84160 | STREAM, DEGRADATION RATING CODE |
| 84161 | STREAM, ORDER CODE |
| 84162 | LAND RESOURCE AREA CODE |
| 84163 | FLOW, STREAM, CLASSIFICATION CODE |
| 84165 | DISCHARGE EVENT OBSERVATION, YES=1 NO=0, CODE |
| 84166 | STORM HYDROGRAPH, DIRECTION, (RISE,FALL), CODE |
| 84167 | MICROSCOPIC EXAMINATION CODE |
| 84168 | AVIAN SPECIES ALPHA CODE (BIRDS) |
| 84169 | MAMMALIAN ALPHA SPECIES CODE |
| 84170 | ALPHA AGE TEXT CODE |
| 84200 | LATITUDE/LONGITUDE COORDINATES OF WELL, METHOD CODE |
| 84201 | NATIONAL REFERENCE DATUM, ALTITUDE(VERTICAL) CODE |
| 84202 | ALTITUDE METHOD CODE |
| 85000 | STREAM MILE, ACTUAL MILES |
| 85014 | HABITAT, 1970 ACRES THIS TYPE FOR THIS STATION |
| 85015 | HAB., ESTIMATED ACRES THIS TYPE THIS STATION |
| 85016 | HAB., ESTIMATED ACRES THIS TYPE THIS STA. BY 1990 |
| 85017 | HAB., ESTIMATED ACRES THIS TYPE THIS STA. BY 2000 |
| 85018 | TYPE CODES: 1=CLEAR CUT/2=SELECT CUT/3=RNGE DEVLP |
| 85019 | ACRES, NO. ALTERED FROM 1965-1970 (0-5 YEARS OLD) |
| 85020 | ACRES, NO. ALTERED 1960-1965 (5-10 YEARS OLD) |
| 85021 | ACRES, NO. ALTERED 1955-1960 (10-15 YEARS OLD) |
| 85022 | ACRES, NO. ALTERED 1950-1955 (15-20 YEARS OLD) |
| 85023 | ACRES, NO. ALTERED BEFORE 1950 (20+ YEARS OLD) |
| 85024 | ACRES,PREDICTED YRLY.AVE.TO BE ALTERED IN FUTURE |
| 85025 | LANDOWNERS, CODES FOR ALL IN STATE OF OREGON |
| 85026 | ACRES, CURRENT OWNED THIS LANDOWNER THIS STATION |
| 85027 | ACRES, ESTIMATED OWNED BY L-O THIS STA. BY 1980 |
| 85028 | ACRES, ESTIMATED OWNED BY L-O THIS STA. BY 1990 |

| STORET Code | Description of STORET Parameters Not Suitable for Statistical Analysis |
|---|---|
| 85029 | ACRES, ESTIMATED OWNED BY L-O THIS STA. BY 2000 |
| 85030 | LAND USES, CODES FOR ALL IN STATE OF OREGON |
| 85031 | ACRES, CURRENT DEDICATED TO THIS USE THIS STATION |
| 85032 | ACRES, ESTM. DEDICTD TO THIS USE THIS STA BY 1980 |
| 85033 | ACRES, ESTM. DEDICTD TO THIS USE THIS STA BY 1990 |
| 85034 | ACRES, ESTM. DEDICTD TO THIS USE BY YR.2000 --STA. |
| 85035 | HAB., INDICATED ANIMAL USES THIS TYPE IN WINTER |
| 85036 | HAB., INDICATED ANIMAL USES THIS TYPE IN SPRING |
| 85037 | HAB., INDICATED ANIMAL USES THIS TYPE IN SUMMER |
| 85038 | HAB., INDICATED ANIMAL USES THIS TYPE IN FALL |
| 85039 | HAB., INDICATED ANML USES THIS TYPE FOR WINTERING |
| 85040 | HAB., INDICATED ANML USES THIS TYPE FOR FEEDING |
| 85041 | HAB., INDICATED ANML USES TYPE FOR REARING YOUNG |
| 85042 | HAB., INDICATED BIRD USES THIS TYPE FOR NESTING |
| 85043 | HAB., INDICATED ANML USES THIS TYPE FOR SHELTER |
| 85044 | HAB., INDICATED ANML USES THIS TYPE FOR REST AREA |
| 85045 | ANML, SHOWS PRESENCE/ABSNC OF COMMENTS ON THIS ANML |
| 85046 | HAB.,ACRES OCCUPIED BY THIS ANML THIS UNIT & CO. |
| 85050 | ANIMALS ARE NOT PRESENT THIS STATION |
| 85051 | ANIMALS, ONLY A FEW ARE PRESENT THIS STATION |
| 85052 | ANIMALS COMMONLY SEEN; USE MODERATE THIS STATION |
| 85053 | ANIMALS FREQUENTLY SEEN; USE HEAVY THIS STATION |
| 85070 | OWNERSHIP (.1) AND ACCESS (.2) BY YEAR |
| 85071 | PRIVATE OWNERSHIP AND ACCESS MILEAGE |
| 85072 | FEDERAL OWNERSHIP AND ACCESS MILEAGE |
| 85073 | STATE OWNERSHIP AND ACCESS MILEAGE |
| 85074 | COUNTY OWNERSHIP AND ACCESS MILEAGE |
| 85075 | CITY OWNERSHIP AND ACCESS MILEAGE |
| 85076 | WATER YEAR DATA REFERS TO |

| STORET Code | Description of STORET Parameters Not Suitable for Statistical Analysis |
|---|---|
| 85077 | CALENDAR YEAR DATA REFERS TO |
| 85088 | MONTHS POLLUTION IS A PROBLEM JAN THRU JUNE |
| 85089 | MONTHS POLLUTION IS A PROBLEM JULY TO DECEMBER |
| 85090 | MAN-CAUSED CHANNEL CHANGE IN MILES |
| 85091 | STREAM BANK HABITAT DESTROYED IN MILES |
| 85092 | STREAMBED SILTED IN MILES |
| 85093 | TURBIDITY PROBLEM IN MILES |
| 85094 | SEVERITY: 1=ELIMINATES 2=INTERFERES 3=NO PROBLEM |
| 85095 | DURATION OF TURBIDITY PROBLEM IN MONTHS |
| 85096 | SEASON OF NATURAL DRY CHANNEL 1=SP 2=SU 3=F 4=W |
| 85097 | NATURAL DRY CHANNEL IN MILES |
| 85098 | MAN-CAUSED DRY CHANNEL SEASON 1=SP 2=SU 3=F 4=W |
| 85099 | MAN-CAUSED DRY CHANNEL IN MILES |
| 85100 | YEAR BARRIER IS PRESENT |
| 85101 | NUMBER OF NATURAL BARRIERS |
| 85102 | MILES BLOCKED BY NATURAL BARRIERS |
| 85103 | NUMBER OF NATURAL BARRIERS TO BE REMOVED |
| 85104 | NUMBER OF DAMS AND MAN CAUSED OBSTRUCTIONS |
| 85105 | MILES BLOCKED BY DAMS OR MAN CAUSED OBSTRUCTIONS |
| 85106 | NUMBER OF DAMS TO BE ALTERED |
| 85107 | MILES OF STREAM OCCUPIED BY IMPOUNDMENT |
| 85108 | LOWER END OF SECTION COVERED BY THIS FORM |
| 85109 | UPPER END OF SECTION COVERED BY THIS FORM |
| 85110 | LOWER LIMIT THIS SPECIES THIS FORM BY RIVER MILE |
| 85111 | UPPER LIMIT THIS SPECIES THIS FORM BY RIVER MILE |
| 85112 | STREAM SURVEY:1=COMPLETE 2=INCOMPLETE 3=NONE |
| 85113 | ABUNDANCE: 1=FSHWY/TAG&R 2=SURVEY 3=EST PLUS 4=EST |
| 85114 | ABUNDANCE: N=S&ST 1=ABUNDANT 4=SCARCE RGH FSH 3=SCARCE |
| 85116 | SQUARE YARDS OF SPAWNING AREA IN 1970 |

| STORET Code | Description of STORET Parameters Not Suitable for Statistical Analysis |
|---|---|
| 85117 | SQUARE YARDS OF SPAWNING AREA IN 1980 |
| 85118 | SQUARE YARDS OF SPAWNING AREA IN 1990 |
| 85119 | SQUARE YARDS OF SPAWNING AREA IN 2000 |
| 85120 | MILES OF REARING AREA IN 1970 |
| 85121 | MILES OF REARING AREA IN 1980 |
| 85122 | MILES OF REARING AREA IN 1990 |
| 85123 | MILES OF REARING AREA IN 2000 |
| 85124 | CATCH BY SPORT ANGLING IN 1970 |
| 85125 | RECREATION DAYS SPENT ANGLING IN 1970 |
| 85126 | RECREATION DAYS SPENT ANGLING IN 1980 |
| 85127 | RECREATION DAYS SPENT ANGLING IN 1990 |
| 85128 | RECREATION DAYS SPENT ANGLING IN 2000 |
| 85129 | CONTRIBUTION TO COMMERCIAL CATCH IN 1970 |
| 85130 | PERCENT OF TOTAL FISHING DONE FROM BOAT IN 1970 |
| 85131 | PERCENT OF TOTAL FISHING DONE FROM BANK IN 1970 |
| 85132 | PERCENT OF TOTAL FISHING DONE WITH LURE IN 1970 |
| 85133 | PERCENT OF TOTAL FISHING DONE WITH BAIT IN 1970 |
| 85134 | PERCENT OF TOTAL FISHING DONE WITH A FLY IN 1970 |
| 85146 | YEAR THIS FACTOR HAS A LIMITING EFFECT |
| 85157 | MAN DAYS OF WATER SKIING |
| 85158 | SEVERITY: 1=INTERFERES 2=NO INTER. 3=NO ACTIVITY |
| 85159 | MAN DAYS OF BOATING OTHER THAN ANGLING |
| 85160 | SEVERITY: 1=INTERFERES 2=NO INTER. 3=NO ACTIVITY |
| 85161 | MAN DAYS OF SWIMMING |
| 85162 | SEVERITY: 1=INTERFERES 2=NO INTER. 3=NO ACTIVITY |
| 85163 | SEVERITY: 1=INTERFERES 2=NO INTER. 3=NOT PRESENT |
| 85165 | NUMBER OF MONTHS SUSPENDED SOLIDS ARE A PROBLEM |
| 85167 | NUMBER OF MONTHS PLANKTON IS A PROBLEM |
| 85168 | 1=ELIMINATE PROD 2=REDUCE 3=NO INTER. 4=NOT PRES |

| STORET Code | Description of STORET Parameters Not Suitable for Statistical Analysis |
|---|---|
| 85169 | 1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB |
| 85170 | 1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB |
| 85171 | 1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB |
| 85172 | 1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB |
| 85173 | 1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB |
| 85174 | 1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB |
| 85175 | 1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB |
| 85176 | 1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB |
| 85177 | 1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB |
| 85178 | 1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB |
| 85179 | YEAR THIS NUMBER OF FACILITIES PRESENT |
| 85180 | NUMBER OF BOAT RAMPS |
| 85181 | NUMBER OF MOORAGES |
| 85182 | NUMBER OF PICNIC AREAS |
| 85183 | NUMBER OF CAMP AREAS |
| 85184 | NUMBER OF RESORTS |
| 85185 | YEAR THIS ZONED AREA PRESENT |
| 85186 | ACRES SET ASIDE FOR OTHER BOATING |
| 85187 | ACRES SET ASIDE FOR WATER SKIING |
| 85188 | MILES OF SHORE LOST TO ACCESS BY HOME SITES |
| 85189 | TOTAL MILES OF SHORELINE |
| 85193 | WILL RECR BE INC BY RELEASE OF FINGERL 0=NO 1=YES |
| 85195 | CATCH AND RECREATION ESTIMATE 1=BEST 4=POOREST |
| 85333 | PRECIPITATION-SAMPLE COLLECTION TIME-CODE- NES |
| 85538 | GAMMA SCAN DATE (YR,MO,DAY) |
| 85539 | DATE OF REPORT (YR,MO,DAY) |
| 85658 | TIME NIGHT CO2 HR |
| 85661 | TIME, INTERVAL DAY CO2 HR |

## Appendix F

## National EPA Water Quality Criteria Summary[1]

The following table presents the national water quality criteria that were used to assess water quality data on a station-by-station basis and within the entire study area. Criteria are, for the most part, maximum values (except for dissolved oxygen, pH, and as noted). Criteria exist in any of four categories: Fresh Acute, Drinking Water, Marine Acute, and Other. Acute criteria are the highest 1-hour average concentrations which should not result in unacceptable impacts to aquatic organisms in either fresh or marine waters, respectively. The Drinking Water criteria are intended for human consumption; while the Other criteria represents National Park Service or other concerns. Parameters are listed in ascending order by STORET code. It is important to note that similar parameters often have non-consecutive codes. Consequently, scanning the entire list is necessary to obtain the criteria for all parameters of a particular type (eg. lead, copper, etc.). Refer to the Parameter Period of Record Tabulation to obtain the STORET code for any parameter measured in the park.

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| | 00070 | | | | 50[t] | TURBIDITY, JACKSON CANDLE UNITS | JTU | Physical |
| | 00076 | | | | 50[t] | TURBIDITY, HACH TURBIDIMETER, FORMAZIN TUR. UNITS | FTU | Physical |
| 14808798 | 00154 | | 250[s] | | | SULFATE (AS S) WHOLE WATER | MG/L | General Inorganic |
| 7782447 | 00299 | | | | 4.0[u] | OXYGEN, DISSOLVED, ANALYSIS BY PROBE | MG/L | Dissolved Oxygen |
| 7782447 | 00300 | | | | 4.0[u] | OXYGEN, DISSOLVED | MG/L | Dissolved Oxygen |
| | 00400 | | | | ≤6.5, ≥9.0[#] | PH | SU | Physical |
| | 00403 | | | | ≤6.5, ≥9.0[#] | PH, LAB | SU | Physical |
| | 00406 | | | | ≤6.5, ≥9.0[#] | PH, FIELD | SU | Physical |

[1]Sources: (1) U.S. Environmental Protection Agency, Quality Criteria for Water 1995, Final Draft; (2) U.S. Environmental Protection Agency, 40 CFR 141 - National Primary Drinking Water Regulations, and 40 CFR 143 - National Secondary Drinking Water Regulations, July 1, 1994; and (3) Others as Noted in Footnotes.

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 471341 | 00409 | | | | <200[=] | ALKALINITY, TOTAL, LOW LEVEL GRAN ANALYSIS | UEQ/L | General Inorganic |
| 17778880 | 00613 | | 1 | | | NITRITE NITROGEN, DISSOLVED AS N | MG/L | Nitrogen |
| 17778880 | 00615 | | 1 | | | NITRITE NITROGEN, TOTAL AS N | MG/L | Nitrogen |
| 17778880 | 00618 | | 10 | | | NITRATE NITROGEN, DISSOLVED AS N | MG/L | Nitrogen |
| 17778880 | 00620 | | 10 | | | NITRATE NITROGEN, TOTAL AS N | MG/L | Nitrogen |
| 17778880 | 00628 | | 10 | | | NITRITE + NITRATE, SUSPENDED AS N | MG/L | Nitrogen |
| 17778880 | 00630 | | 10 | | | NITRITE PLUS NITRATE, TOTAL 1 DET. | MG/L | Nitrogen |
| 17778880 | 00631 | | 10 | | | NITRITE PLUS NITRATE, DISSOLVED 1 DET. | MG/L | Nitrogen |
| 57125 | 00718 | 22 | 200 | 1.0 | | CYANIDE, WEAK ACID, DISSOCIABLE, WATER, WHOLE | UG/L | General Inorganic |
| 57125 | 00719 | 22 | 200 | 1.0 | | CYANIDE, FREE,IN WATER&WASTEWATERS, HBG METHOD | UG/L | General Inorganic |
| 57125 | 00720 | 0.022 | 0.2 | 0.001 | | CYANIDE, TOTAL | MG/L | General Inorganic |
| 57125 | 00722 | 0.022 | 0.2 | 0.001 | | CYANIDE, FREE (AMENABLE TO CHLORINATION) | MG/L | General Inorganic |
| 57125 | 00723 | 22 | 200 | 1.0 | | CYANIDE, DISSOLVED STD METHOD | UG/L | General Inorganic |
| 57125 | 00724 | 22 | 200 | 1.0 | | CYANIDE COMPLEXED TO A RANGE OF COMPNDS, WATER | UG/L | General Inorganic |
| 16887006 | 00940 | 860 | 250[s] | | | CHLORIDE,TOTAL IN WATER | MG/L | General Inorganic |
| 16887006 | 00941 | 860 | 250[s] | | | CHLORIDE, DISSOLVED IN WATER | MG/L | General Inorganic |
| 14808798 | 00945 | | 250[s] | | | SULFATE, TOTAL (AS SO4) | MG/L | General Inorganic |
| 14808798 | 00946 | | 250[s] | | | SULFATE, DISSOLVED (AS SO4) | MG/L | General Inorganic |
| 1332214 | 00948 | | 7000000 | | | ASBESTOS, WHOLE SAMPLE | CNT/L | General Inorganic |
| 16984488 | 00950 | | 4.0 | | | FLUORIDE, DISSOLVED AS F | MG/L | General Inorganic |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 16984488 | 00951 | | 4.0 | | | FLUORIDE, TOTAL AS F | MG/L | General Inorganic |
| 7782414 | 00953 | | 4000 | | | FLUORINE, TOTAL | UG/L | General Inorganic |
| 7440382 | 00978 | 360 | 50 | 69 | | ARSENIC, TOTAL RECOVERABLE IN WATER AS AS | UG/L | Metal |
| 7782492 | 00981 | 20 | 50 | 300 | | SELENIUM,TOTAL RECOVERABLE IN WATER AS SE | UG/L | Metal |
| 7440280 | 00982 | 1400* | 2.0 | 2130* | | THALLIUM, TOTAL RECOVERABLE IN WATER AS TL | UG/L | Metal |
| 7782492 | 00990 | 20 | 50 | 300 | | SELENITE, TOTAL RECOVERABLE INORGANIC | UG/L | Metal |
| 7440382 | 00991 | 360 | 50 | 69 | | ARSENIC, TOTAL RECOVERABLE TRIVALENT INORGANIC | UG/L | Metal |
| 7440382 | 00995 | 360 | 50 | 69 | | ARSENIC, INORGANIC DISS | UG/L | Metal |
| 7440382 | 00996 | 360 | 50 | 69 | | ARSENIC, INORGANIC SUSP | UG/L | Metal |
| 7440382 | 00997 | 360 | 50 | 69 | | ARSENIC, INORGANIC TOT | UG/L | Metal |
| 7440417 | 00998 | 130* | 4.0 | | | BERYLLIUM,TOTAL RECOVERABLE IN WATER AS BE | UG/L | Metal |
| 7440382 | 01000 | 360 | 50 | 69 | | ARSENIC, DISSOLVED | UG/L | Metal |
| 7440382 | 01001 | 360 | 50 | 69 | | ARSENIC, SUSPENDED | UG/L | Metal |
| 7440382 | 01002 | 360 | 50 | 69 | | ARSENIC, TOTAL | UG/L | Metal |
| 7440393 | 01005 | | 2000 | | | BARIUM, DISSOLVED | UG/L | Metal |
| 7440393 | 01006 | | 2000 | | | BARIUM, SUSPENDED | UG/L | Metal |
| 7440393 | 01007 | | 2000 | | | BARIUM, TOTAL | UG/L | Metal |
| 7440393 | 01009 | | 2000 | | | BARIUM,TOTAL RECOVERABLE IN WATER AS BA | UG/L | Metal |
| 7440417 | 01010 | 130* | 4.0 | | | BERYLLIUM, DISSOLVED | UG/L | Metal |
| 7440417 | 01011 | 130* | 4.0 | | | BERYLLIUM, SUSPENDED | UG/L | Metal |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 7440417 | 01012 | 130* | 4.0 | | | BERYLLIUM, TOTAL | UG/L | Metal |
| 7440439 | 01025 | 3.9+ | 5.0 | 43 | | CADMIUM, DISSOLVED | UG/L | Metal |
| 7440439 | 01026 | 3.9+ | 5.0 | 43 | | CADMIUM, SUSPENDED | UG/L | Metal |
| 7440439 | 01027 | 3.9+ | 5.0 | 43 | | CADMIUM, TOTAL | UG/L | Metal |
| 7440473 | 01030 | | 100 | | | CHROMIUM, DISSOLVED | UG/L | Metal |
| 7440473 | 01031 | | 100 | | | CHROMIUM, SUSPENDED | UG/L | Metal |
| 7440473 | 01032 | 16 | 100 | 1100 | | CHROMIUM, HEXAVALENT | UG/L | Metal |
| 16065831 | 01033 | 1700+ | 100 | 10300* | | CHROMIUM, TRI-VAL | UG/L | Metal |
| 7440473 | 01034 | | 100 | | | CHROMIUM, TOTAL | UG/L | Metal |
| 7440508 | 01040 | 18+ | 1300a | 2.9 | | COPPER, DISSOLVED | UG/L | Metal |
| 7440508 | 01041 | 18+ | 1300a | 2.9 | | COPPER, SUSPENDED | UG/L | Metal |
| 7440508 | 01042 | 18+ | 1300a | 2.9 | | COPPER, TOTAL | UG/L | Metal |
| 7439921 | 01049 | 82+ | 15a | 220 | | LEAD, DISSOLVED | UG/L | Metal |
| 7439921 | 01050 | 82+ | 15a | 220 | | LEAD, SUSPENDED | UG/L | Metal |
| 7439921 | 01051 | 82+ | 15a | 220 | | LEAD, TOTAL | UG/L | Metal |
| 7440280 | 01057 | 1400* | 2.0 | 2130* | | THALLIUM, DISSOLVED | UG/L | Metal |
| 7440280 | 01058 | 1400* | 2.0 | 2130* | | THALLIUM, SUSPENDED | UG/L | Metal |
| 7440280 | 01059 | 1400* | 2.0 | 2130* | | THALLIUM, TOTAL | UG/L | Metal |
| 7440020 | 01065 | 1400+ | 100 | 75 | | NICKEL, DISSOLVED | UG/L | Metal |
| 7440020 | 01066 | 1400+ | 100 | 75 | | NICKEL, SUSPENDED | UG/L | Metal |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 7440020 | 01067 | 1400[+] | 100 | 75 | | NICKEL, TOTAL | UG/L | Metal |
| 7440020 | 01074 | 1400[+] | 100 | 75 | | NICKEL, TOTAL RECOVERABLE IN WATER AS NI | UG/L | Metal |
| 7440224 | 01075 | 4.1[+] | 100[s] | 0.12 | | SILVER, DISSOLVED | UG/L | Metal |
| 7440224 | 01076 | 4.1[+] | 100[s] | 0.12 | | SILVER, SUSPENDED | UG/L | Metal |
| 7440224 | 01077 | 4.1[+] | 100[s] | 0.12 | | SILVER, TOTAL | UG/L | Metal |
| 7440224 | 01079 | 4.1[+] | 100[s] | 0.12 | | SILVER, TOTAL RECOVERABLE IN WATER AS AG | UG/L | Metal |
| 7440508 | 01089 | 0.018[+] | 1.3[a] | 0.0029 | | COPPER AS SUSPENDED BLACK OXIDE IN WATER | MG/L | General Inorganic |
| 7440666 | 01090 | 120[+] | 5000[s] | 95 | | ZINC, DISSOLVED | UG/L | Metal |
| 7440666 | 01091 | 120[+] | 5000[s] | 95 | | ZINC, SUSPENDED | UG/L | Metal |
| 7440666 | 01092 | 120[+] | 5000[s] | 95 | | ZINC, TOTAL | UG/L | Metal |
| 7440666 | 01094 | 120[+] | 5000[s] | 95 | | ZINC, TOTAL RECOVERABLE IN WATER AS ZN | UG/L | Metal |
| 7440360 | 01095 | 88[p] | 6.0 | 1500[p] | | ANTIMONY, DISSOLVED | UG/L | Metal |
| 7440360 | 01096 | 88[p] | 6.0 | 1500[p] | | ANTIMONY, SUSPENDED | UG/L | Metal |
| 7440360 | 01097 | 88[p] | 6.0 | 1500[p] | | ANTIMONY, TOTAL | UG/L | Metal |
| 7440439 | 01113 | 3.9[+] | 5.0 | 43 | | CADMIUM,TOTAL RECOVERABLE IN WATER AS CD | UG/L | Metal |
| 7439921 | 01114 | 82[+] | 15[a] | 220 | | LEAD, TOTAL RECOVERABLE IN WATER AS PB | UG/L | Metal |
| 7440473 | 01118 | | 100 | | | CHROMIUM TOTAL RECOVERABLE IN WATER AS CR | UG/L | Metal |
| 7440508 | 01119 | 18[+] | 1300[a] | 2.9 | | COPPER, TOTAL RECOVERABLE IN WATER AS CU | UG/L | Metal |
| 7440280 | 01124 | 1400[*] | 2.0 | 2130[*] | | THALLIUM, ACID SOLUBLE, WATER, WHOLE | UG/L | Metal |
| 7440280 | 01128 | 1400[*] | 2.0 | 2130[*] | | THALLIUM, TOTAL RECOVERABLE <95% | UG/L | Metal |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 7782492 | 01145 | 20 | 50 | 300 | | SELENIUM, DISSOLVED | UG/L | Metal |
| 7782492 | 01146 | 20 | 50 | 300 | | SELENIUM, SUSPENDED | UG/L | Metal |
| 7782492 | 01147 | 20 | 50 | 300 | | SELENIUM, TOTAL | UG/L | Metal |
| 7782492 | 01167 | 20 | 50 | 300 | | SELENIUM, ACID SOLUBLE, WATER, WHOLE | UG/L | Metal |
| 18540299 | 01220 | 16 | 100 | 1100 | | CHROMIUM, HEXAVALENT, DISSOLVED | UG/L | Metal |
| 7440360 | 01268 | 88[p] | 6.0 | 1500[p] | | ANTIMONY (SB), WATER, TOTAL RECOVERABLE | UG/L | Metal |
| 57125 | 01291 | 22 | 200 | 1.0 | | CYANIDE, FILTERABLE, TOTAL IN WATER | UG/L | General Inorganic |
| 7440666 | 01303 | 0.120[+] | 5.0[s] | 0.095 | | ZINC, POTENTIALLY DISSOLVED WATER | MG/L | Metal |
| 7440224 | 01304 | 0.0041[+] | 0.1[s] | 0.00012 | | SILVER, POTENTIALLY DISSOLVED WATER | MG/L | Metal |
| 7440508 | 01306 | 0.018[+] | 1.3[a] | 0.0029 | | COPPER, POTENTIALLY DISSOLVED WATER | MG/L | Metal |
| 18540299 | 01307 | 0.016 | 0.1 | 1.1 | | CHROMIUM, HEXAVALENT, POTENTIALLY DISSOLVED | MG/L | Metal |
| 7440382 | 01309 | 0.36 | 0.05 | 0.069 | | ARSENIC, POTENTIALLY, DISSOLVED, WATER | MG/L | Metal |
| 7440393 | 01311 | | 2.0 | | | BARIUM, POTENTIALLY, DISSOLVED, WATER | MG/L | Metal |
| 7440417 | 01312 | 0.13[*] | 0.004 | | | BERYLLIUM, POTENTIALLY, DISSOLVED, WATER | MG/L | Metal |
| 7440439 | 01313 | 0.0039[+] | 0.005 | 0.043 | | CADMIUM, POTENTIALLY, DISSOLVED, WATER | MG/L | Metal |
| 16065831 | 01314 | 1.7[+] | 0.1 | 10.3[*] | | CHROMIUM, TRIVALENT, POTENTIALLY DISSOLVED | MG/L | Metal |
| 7439921 | 01318 | 0.082[+] | 0.015[a] | 0.220 | | LEAD, POTENTIALLY, DISSOLVED, WATER | MG/L | Metal |
| 7439976 | 01321 | 0.0024 | 0.002 | 0.0021 | | MERCURY, POTENTIALLY, DISSOLVED, WATER | MG/L | Metal |
| 7440020 | 01322 | 1.4[+] | 0.1 | 0.075 | | NICKEL, POTENTIALLY, DISSOLVED, WATER | MG/L | Metal |
| 7782492 | 01323 | 0.020 | 0.050 | 0.300 | | SELENIUM, POTENTIALLY, DISSOLVED, WATER | MG/L | Metal |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 7440280 | 01324 | 1.4* | 0.002 | 2.13* | | THALLIUM, POTENTIALLY, DISSOLVED, WATER | MG/L | Metal |
| 7440611 | 01326 | | 0.020c | | | URANIUM, POTENTIALLY DISSOLVED, WATER | MG/L | Metal |
| 7440224 | 01523 | 4.1+ | 100s | 0.12 | | SILVER, IONIC | UG/L | Metal |
| 50328 | 03648 | | 0.2 | | | BENZO (A) PYRENE, LIQUID FRACTION, ELUTRIATE | UG/L | General Organic |
| 122349 | 04035 | | 4.0 | | | SIMAZINE, DISSOLVED, WATER, TOTAL RECOVERABLE | UG/L | Pesticide |
| 10028178 | 04124 | | 20r | | | TRITIUM, TOTAL, WATER | PC/ML | Radiological |
| 10028178 | 07000 | | 20000r | | | TRITIUM, TOTAL | PC/L | Radiological |
| 10028178 | 07005 | | 20000r | | | TRITIUM, DISSOLVED | PC/L | Radiological |
| 10028178 | 07010 | | 20000r | | | TRITIUM, SUSPENDED | PC/L | Radiological |
| | 09501 | | 5.0 | | | RADIUM 226, TOTAL | PC/L | Radiological |
| | 09503 | | 5.0 | | | RADIUM 226, DISSOLVED | PC/L | Radiological |
| | 09505 | | 5.0 | | | RADIUM 226, SUSPENDED | PC/L | Radiological |
| | 11500 | | 5.0 | | | RADIUM 226 + RADIUM 228, DISSOLVED | PC/L | Radiological |
| | 11501 | | 5.0 | | | RADIUM 228, TOTAL | PC/L | Radiological |
| | 11503 | | 5.0 | | | RADIUM 226 + RADIUM 228, TOTAL | PC/L | Radiological |
| 10098972 | 13501 | | 8.0r | | | STRONTIUM 90, TOTAL | PC/L | Radiological |
| 10098972 | 13503 | | 8.0r | | | STRONTIUM 90, DISSOLVED | PC/L | Radiological |
| 10098972 | 13505 | | 8.0r | | | STRONTIUM 90, SUSPENDED | PC/L | Radiological |
| 7782492 | 22675 | 20 | 50 | 300 | | SELENIUM, DISSOLVED ORGANIC | UG/L | Metal |
| 7782492 | 22676 | 20 | 50 | 300 | | SELENIUM, HEXAVALENT, DISSOLVED | UG/L | Metal |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 7782492 | 22677 | 20 | 50 | 300 | | SELENIUM, TETRAVALENT, DISSOLVED | UG/L | Metal |
| 7440382 | 22678 | 360 | 50 | 69 | | ARSENIC, DISSOLVED ORGANIC | UG/L | Metal |
| 7440382 | 22679 | 850* | 50 | 2319* | | ARSENIC, PENTAVALENT,DISSOLVED | UG/L | Metal |
| 7440382 | 22680 | 360 | 50 | 69 | | ARSENIC, TRIVALENT, DISSOLVED | UG/L | Metal |
| 7440611 | 22703 | | 20c | | | URANIUM, NATURAL DISSOLVED | UG/L | Metal |
| 7440611 | 22705 | | 20c | | | URANIUM, NATURAL SUSPENDED | UG/L | Metal |
| 7440611 | 22706 | | 20c | | | URANIUM, TOTAL AS U308 | UG/L | Metal |
| 7440611 | 22708 | | 0.020c | | | URANIUM, NATURAL, TOTAL | MG/L | Radiological |
| 7440611 | 28011 | | 20c | | | URANIUM, NATURAL, TOTAL | UG/L | Radiological |
| 88857 | 30191 | | 7.0 | | | DINOSEB, WATER, WHOLE RECOVERABLE | UG/L | Pesticide |
| 75990 | 30200 | | 200 | | | DALAPON, WATER, WHOLE RECOVERABLE | UG/L | Pesticide |
| 106934 | 30203 | | 0.05 | | | ETHANE, 1,2-DIBROMO-, WATER, WHOLE, RECOVERABLE | UG/L | Pesticide |
| | 31501 | | 1.0n | | 1000b | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. | CFU/100ML | Bacteriological |
| | 31503 | | 1.0n | | 1000b | COLIFORM, TOTAL, MEMBRANE FILTER, DELAY. M-ENDO | CFU/100ML | Bacteriological |
| | 31504 | | 1.0n | | 1000b | COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. LES-ENDO | CFU/100ML | Bacteriological |
| | 31505 | | 1.0n | | 1000b | COLIFORM, TOTAL, MPN, CONF. TEST 35C (TUBE 31506) | MPN/100ML | Bacteriological |
| | 31506 | | 1.0n | | 1000b | COLIFORM, TOTAL, MPN, CONF. TEST, TUBE CONFIG | MPN/100ML | Bacteriological |
| | 31507 | | 1.0n | | 1000b | COLIFORM, TOTAL, MPN, COMP. TEST 35C (TUBE 31508) | MPN/100ML | Bacteriological |
| | 31508 | | 1.0n | | 1000b | COLIFORM, TOTAL, MPN, COMP. TEST, TUBE CONFIG | MPN/100ML | Bacteriological |
| | 31613 | | | | 200^ | FECAL COLIFORM, MEMBRANE FILTER, AGAR | CFU/100ML | Bacteriological |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| | 31614 | | | | 200^ | FECAL COLIFORM, MPN, TUBE CONFIGURATION | MPN/100ML | Bacteriological |
| | 31615 | | | | 200^ | FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614) | MPN/100ML | Bacteriological |
| | 31616 | | | | 200^ | FECAL COLIFORM, MEMBRANE FILTER, BROTH, 44.5C | CFU/100ML | Bacteriological |
| | 31617 | | | | 200^ | FECAL COLIFORM, MPN, EIJKMAN, 44.5C (TUBE 31618) | MPN/100ML | Bacteriological |
| | 31625 | | | | 200^ | FECAL COLIFORM, MF, M-FC, 0.7 UM | CFU/100ML | Bacteriological |
| | 31648 | | | | 126^ | E. COLI, MTEC, MF | CFU/100ML | Bacteriological |
| | 31649 | | | | 33^ | ENTEROCOCCI, ME, MF | CFU/100ML | Bacteriological |
| 67663 | 32003 | 28900* | 100[t] | | | CARBON CHLOROFORM AND CARBON ALCOHOL EXTRS.,TOTAL | UG/L | General Organic |
| 67663 | 32005 | 28900* | 100[t] | | | CARBON CHLOROFORM EXTRACTABLES | UG/L | General Organic |
| 67663 | 32021 | 28900* | 100[t] | | | CARBON CHLOROFORM EXTRACTS, ETHER INSOLUBLES OF | UG/L | General Organic |
| 67663 | 32022 | 28900* | 100[t] | | | CARBON CHLOROFORM EXTRACTS, WATER SOLUBLES OF | UG/L | General Organic |
| 75274 | 32101 | | 100[t] | | | BROMODICHLOROMETHANE, WHOLE WATER | UG/L | General Organic |
| 56235 | 32102 | 35200* | 5.0 | 50000* | | CARBON TETRACHLORIDE, WHOLE WATER | UG/L | General Organic |
| 107062 | 32103 | 118000* | 5.0 | 113000* | | 1,2-DICHLOROETHANE,WHOLE WATER | UG/L | General Organic |
| 75252 | 32104 | | 100[t] | | | BROMOFORM, WHOLE WATER | UG/L | General Organic |
| 124481 | 32105 | | 100[t] | | | DIBROMOCHLOROMETHANE, WHOLE WATER | UG/L | General Organic |
| 67663 | 32106 | 28900* | 100[t] | | | CHLOROFORM, WHOLE WATER | UG/L | General Organic |
| 56235 | 32260 | 35.2* | 0.005 | 50* | | CARBON TETRACHLORIDE EXTRACTABLES | MG/L | General Organic |
| 67663 | 32270 | 28.9* | 0.1[t] | | | CHLOROFORM EXTRACTABLES TOTAL | MG/L | General Organic |
| 108883 | 34010 | 17500* | 1000 | 6300* | | TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXTR. | UG/L | General Organic |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 1330207 | 34020 | | 10000 | | | XYLENES IN WTR SMPLE GC-MS, HEXADECONE EXTR. | UG/L | General Organic |
| 83329 | 34205 | 1700* | | 970* | | ACENAPHTHENE, TOTAL | UG/L | General Organic |
| 83329 | 34206 | 1700* | | 970* | | ACENAPHTHENE, DISSOLVED | UG/L | General Organic |
| 83329 | 34207 | 1700* | | 970* | | ACENAPHTHENE, SUSPENDED | UG/L | General Organic |
| 107028 | 34210 | 68* | | 55* | | ACROLEIN, TOTAL | UG/L | Pesticide |
| 107028 | 34211 | 68* | | 55* | | ACROLEIN, DISSOLVED | UG/L | Pesticide |
| 107028 | 34212 | 68* | | 55* | | ACROLEIN, SUSPENDED | UG/L | Pesticide |
| 107131 | 34215 | 7550* | | | | ACRYLONITRILE, TOTAL | UG/L | General Organic |
| 107131 | 34216 | 7550* | | | | ACRYLONITRILE, DISSOLVED | UG/L | General Organic |
| 107131 | 34217 | 7550* | | | | ACRYLONITRILE, SUSPENDED | UG/L | General Organic |
| 71432 | 34235 | 5300* | 5.0 | 5100* | | BENZENE, DISSOLVED | UG/L | General Organic |
| 71432 | 34236 | 5300* | 5.0 | 5100* | | BENZENE, SUSPENDED | UG/L | General Organic |
| 92875 | 34239 | 2500* | | | | BENZIDINE, DISSOLVED | UG/L | General Organic |
| 92875 | 34240 | 2500* | | | | BENZIDINE, SUSPENDED | UG/L | General Organic |
| 58899 | 34265 | 2.0 | 0.2 | 0.16 | | R-BHC (LINDANE) GAMMA, DISSOLVED | UG/L | Pesticide |
| 58899 | 34266 | 2.0 | 0.2 | 0.16 | | R-BHC (LINDANE) GAMMA, SUSPENDED | UG/L | Pesticide |
| 75252 | 34288 | | 100[t] | | | BROMOFORM, DISSOLVED | UG/L | General Organic |
| 75252 | 34289 | | 100[t] | | | BROMOFORM, SUSPENDED | UG/L | General Organic |
| 56235 | 34297 | 35200* | 5.0 | 50000* | | CARBON TETRACHLORIDE, DISSOLVED | UG/L | General Organic |
| 56235 | 34298 | 35200* | 5.0 | 50000* | | CARBON TETRACHLORIDE, SUSPENDED | UG/L | General Organic |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 108907 | 34301 | | 100 | | | CHLOROBENZENE, TOTAL | UG/L | General Organic |
| 108907 | 34302 | | 100 | | | CHLOROBENZENE, DISSOLVED | UG/L | General Organic |
| 108907 | 34303 | | 100 | | | CHLOROBENZENE, SUSPENDED | UG/L | General Organic |
| 124481 | 34306 | | 100[t] | | | CHLORODIBROMOMETHANE, TOTAL | UG/L | General Organic |
| 124481 | 34307 | | 100[t] | | | CHLORODIBROMOMETHANE, DISSOLVED | UG/L | General Organic |
| 124481 | 34308 | | 100[t] | | | CHLORODIBROMOMETHANE, SUSPENDED | UG/L | General Organic |
| 67663 | 34316 | 28900[*] | 100[t] | | | CHLOROFORM, DISSOLVED | UG/L | General Organic |
| 67663 | 34317 | 28900[*] | 100[t] | | | CHLOROFORM, SUSPENDED | UG/L | General Organic |
| 57125 | 34325 | 0.022 | 0.2 | 0.001 | | CYANIDE, SUSPENDED | MG/L | General Inorganic |
| 75274 | 34328 | | 100[t] | | | DICHLOROBROMOMETHANE, DISSOLVED | UG/L | General Organic |
| 75274 | 34329 | | 100[t] | | | DICHLOROBROMOMETHANE, SUSPENDED | UG/L | General Organic |
| 122667 | 34346 | 270[*] | | | | 1,2-DIPHENYLHYDRAZINE, TOTAL | UG/L | General Organic |
| 122667 | 34347 | 270[*] | | | | 1,2-DIPHENYLHYDRAZINE, DISSOLVED | UG/L | General Organic |
| 122667 | 34348 | 270[*] | | | | 1,2-DIPHENYLHYDRAZINE, SUSPENDED | UG/L | General Organic |
| 33213659 | 34356 | 0.22 | | 0.034 | | ENDOSULFAN, BETA, TOTAL | UG/L | Pesticide |
| 33213659 | 34357 | 0.22 | | 0.034 | | ENDOSULFAN, BETA, DISSOLVED | UG/L | Pesticide |
| 33213659 | 34358 | 0.22 | | 0.034 | | ENDOSULFAN, BETA, SUSPENDED | UG/L | Pesticide |
| 959988 | 34361 | 0.22 | | 0.034 | | ENDOSULFAN, ALPHA, TOTAL | UG/L | Pesticide |
| 959988 | 34362 | 0.22 | | 0.034 | | ENDOSULFAN, ALPHA, DISSOLVED | UG/L | Pesticide |
| 959988 | 34363 | 0.22 | | 0.034 | | ENDOSULFAN, ALPHA, SUSPENDED | UG/L | Pesticide |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 100414 | 34371 | 32000* | 700 | 430* | | ETHYLBENZENE, TOTAL | UG/L | General Organic |
| 100414 | 34372 | 32000* | 700 | 430* | | ETHYLBENZENE, DISSOLVED | UG/L | General Organic |
| 100414 | 34373 | 32000* | 700 | 430* | | ETHYLBENZENE, SUSPENDED | UG/L | General Organic |
| 206440 | 34376 | 3980* | | 40* | | FLUORANTHENE, TOTAL | UG/L | General Organic |
| 206440 | 34377 | 3980* | | 40* | | FLUORANTHENE, DISSOLVED | UG/L | General Organic |
| 206440 | 34378 | 3980* | | 40* | | FLUORANTHENE, SUSPENDED | UG/L | General Organic |
| 77474 | 34386 | 7.0* | 50 | 7.0* | | HEXACHLOROCYCLOPENTADIENE, TOTAL | UG/L | General Organic |
| 77474 | 34387 | 7.0* | 50 | 7.0* | | HEXACHLOROCYCLOPENTADIENE, DISSOLVED | UG/L | General Organic |
| 77474 | 34388 | 7.0* | 50 | 7.0* | | HEXACHLOROCYCLOPENTADIENE, SUSPENDED | UG/L | General Organic |
| 87683 | 34391 | 90* | | 32* | | HEXACHLOROBUTADIENE, TOTAL | UG/L | General Organic |
| 87683 | 34392 | 90* | | 32* | | HEXACHLOROBUTADIENE, DISSOLVED | UG/L | General Organic |
| 87683 | 34393 | 90* | | 32* | | HEXACHLOROBUTADIENE, SUSPENDED | UG/L | General Organic |
| 67721 | 34396 | 980* | | 940* | | HEXACHLOROETHANE, TOTAL | UG/L | General Organic |
| 67721 | 34397 | 980* | | 940* | | HEXACHLOROETHANE, DISSOLVED | UG/L | General Organic |
| 67721 | 34398 | 980* | | 940* | | HEXACHLOROETHANE, SUSPENDED | UG/L | General Organic |
| 118741 | 34401 | 6.0[p] | 1.0 | | | HEXACHLOROBENZENE, DISSOLVED | UG/L | General Organic |
| 118741 | 34402 | 6.0[p] | 1.0 | | | HEXACHLOROBENZENE, SUSPENDED | UG/L | General Organic |
| 193395 | 34403 | | 0.40[c] | | | INDENO (1,2,3-CD) PYRENE, TOTAL | UG/L | General Organic |
| 193395 | 34404 | | 0.40[c] | | | INDENO (1,2,3-CD) PYRENE, DISSOLVED | UG/L | General Organic |
| 193395 | 34405 | | 0.40[c] | | | INDENO (1,2,3-CD) PYRENE, SUSPENDED | UG/L | General Organic |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 78591 | 34408 | 117000* | | 12900* | | ISOPHORONE, TOTAL | UG/L | Pesticide |
| 78591 | 34409 | 117000* | | 12900* | | ISOPHORONE, DISSOLVED | UG/L | Pesticide |
| 78591 | 34410 | 117000* | | 12900* | | ISOPHORONE, SUSPENDED | UG/L | Pesticide |
| 75092 | 34423 | | 5.0 | | | METHYLENE CHLORIDE, TOTAL | UG/L | General Organic |
| 75092 | 34424 | | 5.0 | | | METHYLENE CHLORIDE, DISSOLVED | UG/L | General Organic |
| 75092 | 34425 | | 5.0 | | | METHYLENE CHLORIDE, SUSPENDED | UG/L | General Organic |
| 91203 | 34443 | 2300* | | 2350* | | NAPHTHALENE, DISSOLVED | UG/L | General Organic |
| 91203 | 34444 | 2300* | | 2350* | | NAPHTHALENE, SUSPENDED | UG/L | General Organic |
| 98953 | 34447 | 27000* | | 6680* | | NITROBENZENE, TOTAL | UG/L | General Organic |
| 98953 | 34448 | 27000* | | 6680* | | NITROBENZENE, DISSOLVED | UG/L | General Organic |
| 98953 | 34449 | 27000* | | 6680* | | NITROBENZENE, SUSPENDED | UG/L | General Organic |
| 59507 | 34452 | 30* | | | | PARACHLOROMETA CRESOL, TOTAL | UG/L | General Organic |
| 59507 | 34453 | 30* | | | | PARACHLOROMETA CRESOL, DISSOLVED | UG/L | General Organic |
| 59507 | 34454 | 30* | | | | PARACHLOROMETA CRESOL, SUSPENDED | UG/L | General Organic |
| 87865 | 34459 | 20*** | 1.0 | 13 | | PCP (PENTACHLOROPHENOL), DISSOLVED | UG/L | Pesticide |
| 87865 | 34460 | 20*** | 1.0 | 13 | | PCP (PENTACHLOROPHENOL), SUSPENDED | UG/L | Pesticide |
| 85018 | 34461 | 30p | | 7.7p | | PHENANTHRENE, TOTAL | UG/L | General Organic |
| 85018 | 34462 | 30p | | 7.7p | | PHENANTHRENE, DISSOLVED | UG/L | General Organic |
| 85018 | 34463 | 30p | | 7.7p | | PHENANTHRENE, SUSPENDED | UG/L | General Organic |
| 108952 | 34466 | 10200* | | 5800* | | PHENOL, DISSOLVED | UG/L | General Organic |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 108952 | 34467 | 10200* | | 5800* | | PHENOL, SUSPENDED | UG/L | General Organic |
| 127184 | 34475 | 5280* | 5.0 | 10200* | | TETRACHLOROETHYLENE, TOTAL | UG/L | General Organic |
| 127184 | 34476 | 5280* | 5.0 | 10200* | | TETRACHLOROETHYLENE, DISSOLVED | UG/L | General Organic |
| 127184 | 34477 | 5280* | 5.0 | 10200* | | TETRACHLOROETHYLENE, SUSPENDED | UG/L | General Organic |
| 108883 | 34481 | 17500* | 1000 | 6300* | | TOLUENE, DISSOLVED | UG/L | General Organic |
| 108883 | 34482 | 17500* | 1000 | 6300* | | TOLUENE, SUSPENDED | UG/L | General Organic |
| 79016 | 34485 | 45000* | 5.0 | 2000* | | TRICHLOROETHYLENE, DISSOLVED | UG/L | General Organic |
| 79016 | 34486 | 45000* | 5.0 | 2000* | | TRICHLOROETHYLENE, SUSPENDED | UG/L | General Organic |
| 75014 | 34493 | | 2.0 | | | VINYL CHLORIDE, DISSOLVED | UG/L | General Organic |
| 75014 | 34494 | | 2.0 | | | VINYL CHLORIDE, SUSPENDED | UG/L | General Organic |
| 75354 | 34501 | | 7.0 | | | 1,1-DICHLOROETHYLENE, TOTAL | UG/L | General Organic |
| 75354 | 34502 | | 7.0 | | | 1,1-DICHLOROETHYLENE, DISSOLVED | UG/L | General Organic |
| 75354 | 34503 | | 7.0 | | | 1,1-DICHLOROETHYLENE, SUSPENDED | UG/L | General Organic |
| 71556 | 34506 | | 200 | 31200* | | 1,1,1-TRICHLOROETHANE, TOTAL | UG/L | General Organic |
| 71556 | 34507 | | 200 | 31200* | | 1,1,1-TRICHLOROETHANE, DISSOLVED | UG/L | General Organic |
| 71556 | 34508 | | 200 | 31200* | | 1,1,1-TRICHLOROETHANE, SUSPENDED | UG/L | General Organic |
| 79005 | 34511 | | 5.0 | | | 1,1,2-TRICHLOROETHANE, TOTAL | UG/L | General Organic |
| 79005 | 34512 | | 5.0 | | | 1,1,2-TRICHLOROETHANE, DISSOLVED | UG/L | General Organic |
| 79005 | 34513 | | 5.0 | | | 1,1,2-TRICHLOROETHANE, SUSPENDED | UG/L | General Organic |
| 79345 | 34516 | | | 9020* | | 1,1,2,2-TETRACHLOROETHANE, TOTAL | UG/L | General Organic |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 79345 | 34517 | | | 9020* | | 1,1,2,2-TETRACHLOROETHANE, DISSOLVED | UG/L | General Organic |
| 79345 | 34518 | | | 9020* | | 1,1,2,2-TETRACHLOROETHANE, SUSPENDED | UG/L | General Organic |
| 107062 | 34531 | 118000* | 5.0 | 113000* | | 1,2-DICHLOROETHANE, TOTAL | UG/L | General Organic |
| 107062 | 34532 | 118000* | 5.0 | 113000* | | 1,2-DICHLOROETHANE, DISSOLVED | UG/L | General Organic |
| 107062 | 34533 | 118000* | 5.0 | 113000* | | 1,2-DICHLOROETHANE, SUSPENDED | UG/L | General Organic |
| 95501 | 34536 | | 600 | | | 1,2-DICHLOROBENZENE, TOTAL | UG/L | General Organic |
| 95501 | 34537 | | 600 | | | 1,2-DICHLOROBENZENE, DISSOLVED | UG/L | General Organic |
| 95501 | 34538 | | 600 | | | 1,2-DICHLOROBENZENE, SUSPENDED | UG/L | General Organic |
| 78875 | 34541 | | 5.0 | | | 1,2-DICHLOROPROPANE, TOTAL | UG/L | General Organic |
| 78875 | 34542 | | 5.0 | | | 1,2-DICHLOROPROPANE, DISSOLVED | UG/L | General Organic |
| 78875 | 34543 | | 5.0 | | | 1,2-DICHLOROPROPANE, SUSPENDED | UG/L | General Organic |
| 156605 | 34546 | | 100 | | | TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER | UG/L | General Organic |
| 156605 | 34547 | | 100 | | | TRANS-1,2-DICHLOROETHENE, DISSOLVED | UG/L | General Organic |
| 156605 | 34548 | | 100 | | | TRANS-1,2-DICHLOROETHENE, SUSPENDED | UG/L | General Organic |
| 120821 | 34551 | | 70 | | | 1,2,4-TRICHLOROBENZENE, TOTAL | UG/L | General Organic |
| 120821 | 34552 | | 70 | | | 1,2,4-TRICHLOROBENZENE, DISSOLVED | UG/L | General Organic |
| 120821 | 34553 | | 70 | | | 1,2,4-TRICHLOROBENZENE, SUSPENDED | UG/L | General Organic |
| 541731 | 34566 | | 600 | | | 1,3-DICHLOROBENZENE, TOTAL | UG/L | General Organic |
| 541731 | 34567 | | 600 | | | 1,3-DICHLOROBENZENE, DISSOLVED | UG/L | General Organic |
| 541731 | 34568 | | 600 | | | 1,3-DICHLOROBENZENE, SUSPENDED | UG/L | General Organic |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 106467 | 34571 | | 75 | | | 1,4-DICHLOROBENZENE, TOTAL | UG/L | General Organic |
| 106467 | 34572 | | 75 | | | 1,4-DICHLOROBENZENE, DISSOLVED | UG/L | General Organic |
| 106467 | 34573 | | 75 | | | 1,4-DICHLOROBENZENE, SUSPENDED | UG/L | General Organic |
| 95578 | 34586 | 4380* | | | | 2-CHLOROPHENOL, TOTAL | UG/L | General Organic |
| 95578 | 34587 | 4380* | | | | 2-CHLOROPHENOL, DISSOLVED | UG/L | General Organic |
| 95578 | 34588 | 4380* | | | | 2-CHLOROPHENOL, SUSPENDED | UG/L | General Organic |
| 120832 | 34601 | 2020* | | | | 2,4-DICHLOROPHENOL, TOTAL | UG/L | General Organic |
| 120832 | 34602 | 2020* | | | | 2,4-DICHLOROPHENOL, DISSOLVED | UG/L | General Organic |
| 120832 | 34603 | 2020* | | | | 2,4-DICHLOROPHENOL, SUSPENDED | UG/L | General Organic |
| 105679 | 34606 | 2120* | | | | 2,4-DIMETHYLPHENOL, TOTAL | UG/L | General Organic |
| 105679 | 34607 | 2120* | | | | 2,4-DIMETHYLPHENOL, DISSOLVED | UG/L | General Organic |
| 105679 | 34608 | 2120* | | | | 2,4-DIMETHYLPHENOL, SUSPENDED | UG/L | General Organic |
| 121142 | 34611 | 330* | | 590* | | 2,4-DINITROTOLUENE, TOTAL | UG/L | General Organic |
| 121142 | 34612 | 330* | | 590* | | 2,4-DINITROTOLUENE, DISSOLVED | UG/L | General Organic |
| 121142 | 34613 | 330* | | 590* | | 2,4-DINITROTOLUENE, SUSPENDED | UG/L | General Organic |
| 72548 | 34651 | 0.6* | | 3.6* | | P,P'-DDD, DISSOLVED | UG/L | Pesticide |
| 72548 | 34652 | 0.6* | | 3.6* | | P,P'-DDD, SUSPENDED | UG/L | Pesticide |
| 72559 | 34653 | 1050* | | 14* | | P,P'-DDE, DISSOLVED | UG/L | Pesticide |
| 72559 | 34654 | 1050* | | 14* | | P,P'-DDE, SUSPENDED | UG/L | Pesticide |
| 50293 | 34655 | 1.1 | | 0.13 | | P,P'-DDT, DISSOLVED | UG/L | Pesticide |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 50293 | 34656 | 1.1 | | 0.13 | | P,P'-DDT, SUSPENDED | UG/L | Pesticide |
| 1746016 | 34675 | 0.01* | 0.00003 | | | 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN(TCDD), TOT | UG/L | General Organic |
| 1746016 | 34676 | 0.01* | 0.00003 | | | 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN(TCDD), DISS | UG/L | General Organic |
| 1746016 | 34677 | 0.01* | 0.00003 | | | 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN(TCDD), SUSP | UG/L | General Organic |
| 108952 | 34694 | 10200* | | 5800* | | PHENOL (C6H5OH) - SINGLE COMPOUND, TOTAL | UG/L | General Organic |
| 91203 | 34696 | 2300* | | 2350* | | NAPHTHALENE, TOTAL | UG/L | General Organic |
| 75990 | 38432 | | 200 | | | DALAPON, WATER, TOTAL | UG/L | Pesticide |
| 75990 | 38433 | | 200 | | | DALAPON, WATER, DISSOLVED | UG/L | Pesticide |
| 75990 | 38434 | | 200 | | | DALAPON, WATER, SUSPENDED | UG/L | Pesticide |
| 96128 | 38437 | | 0.2 | | | DIBROMOCHLOROPROPANE, WATER, TOTAL | UG/L | Pesticide |
| 96128 | 38438 | | 0.2 | | | DIBROMOCHLOROPROPANE, WATER, DISSOLVED | UG/L | Pesticide |
| 96128 | 38439 | | 0.2 | | | DIBROMOCHLOROPROPANE WATER, SUSPENDED | UG/L | Pesticide |
| 96128 | 38760 | | 0.2 | | | DBCP, WATER, TOTAL | UG/L | Pesticide |
| 96128 | 38761 | | 0.2 | | | DBCP, WATER, DISSOLVED | UG/L | Pesticide |
| 96128 | 38762 | | 0.2 | | | DBCP, WATER, SUSPENDED | UG/L | Pesticide |
| 88857 | 38779 | | 7.0 | | | DINOSEB, DISSOLVED | UG/L | Pesticide |
| 88857 | 38780 | | 7.0 | | | DINOSEB, SUSPENDED | UG/L | Pesticide |
| 23135220 | 38865 | | 200 | | | OXAMYL, TOTAL | UG/L | Pesticide |
| 23135220 | 38866 | | 200 | | | OXAMYL, DISSOLVED | UG/L | Pesticide |
| 23135220 | 38867 | | 200 | | | OXAMYL, SUSPENDED | UG/L | Pesticide |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 145733 | 38926 | | 100 | | | ENDOTHALL, WHOLE WATER SAMPLE | UG/L | Pesticide |
| 2921882 | 38932 | 0.083 | | 0.011 | | CHLORPYRIFOS, TOTAL RECOVERABLE | UG/L | Pesticide |
| 2921882 | 38933 | 0.083 | | 0.011 | | CHLORPYRIFOS, DISSOLVED | UG/L | Pesticide |
| 2163806 | 38935 | | 50 | | | MONOSODIUM METHANEARSONATE (MSMA) | UG/L | Pesticide |
| 2921882 | 39012 | 0.083 | | 0.011 | | DURSBAN, FLAME PHOTOMETRIC, WATER SAMPLE | UG/L | Pesticide |
| 56382 | 39015 | 0.065 | | | | ETHYLPARATHION, FLAME IONIFATION, WATER SAMPLE | UG/L | Pesticide |
| 122349 | 39025 | | 4.0 | | | SIMAZINE, COULSON CONDUCTIVITY WATER SAMPLE | UG/L | Pesticide |
| 87865 | 39032 | 20*** | 1.0 | 13 | | PCP (PENTACHLOROPHENOL) WHOLE WATER SAMPLE | UG/L | Pesticide |
| 1912249 | 39033 | | 3.0 | | | ATRAZINE IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 118741 | 39039 | 6.0[p] | 1.0 | | | HEXACHLOROBENZENE WATER SAMPLE, ELECTRON CPT | UG/L | Pesticide |
| 93721 | 39045 | | 50 | | | 2,4,5-TP INCLUDES ACIDS & SALTS WATER SAMPLE | UG/L | Pesticide |
| 116063 | 39053 | | 3.0 | | | ALDICARB IN WHOLE WATER | UG/L | Pesticide |
| 122349 | 39055 | | 4.0 | | | SIMAZINE IN WHOLE WATER | UG/L | Pesticide |
| 117817 | 39100 | 2000* | 6.0 | | | BIS(2-ETHYLHEXYL) PHTHALATE, WHOLE WATER | UG/L | General Organic |
| 117817 | 39103 | 2000* | 6.0 | | | BIS(2-ETHYLHEXYL) PHTHALATE, DISSOLVED | UG/L | General Organic |
| 117817 | 39104 | 2000* | 6.0 | | | BIS(2-ETHYLHEXYL) PHTHALATE, SUSPENDED | UG/L | General Organic |
| | 39117 | 0.94* | | 2.994* | | PHTHLATE ESTERS IN WATER | MG/L | General Organic |
| 75014 | 39175 | | 2.0 | | | VINYL CHLORIDE-WHOLE WATER SAMPLE | UG/L | General Organic |
| 79016 | 39180 | 45000* | 5.0 | 2000* | | TRICHLOROETHYLENE-WHOLE WATER SAMPLE | UG/L | General Organic |
| 50293 | 39300 | 1.1 | | 0.13 | | P,P' DDT IN WHOLE WATER SAMPLE | UG/L | Pesticide |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 72548 | 39310 | 0.6* | | 3.6* | | P,P' DDD IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 72559 | 39320 | 1050* | | 14* | | P,P' DDE IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 309002 | 39330 | 3.0 | | 1.3 | | ALDRIN IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 309002 | 39331 | 3.0 | | 1.3 | | ALDRIN IN FILT. FRAC. OF WAT. SAMP. | UG/L | Pesticide |
| 309002 | 39332 | 3.0 | | 1.3 | | ALDRIN IN SUSP. FRAC. OF WAT. SAMP. | UG/L | Pesticide |
| 58899 | 39340 | 2.0 | 0.2 | 0.16 | | GAMMA-BHC(LINDANE), WHOLE WATER | UG/L | Pesticide |
| 58899 | 39341 | 2.0 | 0.2 | 0.16 | | GAMMA-BHC(LINDANE), DISSOLVED | UG/L | Pesticide |
| 58899 | 39342 | 2.0 | 0.2 | 0.16 | | GAMMA-BHC(LINDANE), SUSPENDED | UG/L | Pesticide |
| 57749 | 39350 | 2.4 | 2.0 | 0.09 | | CHLORDANE(TECH MIX & METABS), WHOLE WATER | UG/L | Pesticide |
| 57749 | 39352 | 2.4 | 2.0 | 0.09 | | CHLORDANE(TECH MIX & METABS), DISSOLVED | UG/L | Pesticide |
| 57749 | 39353 | 2.4 | 2.0 | 0.09 | | CHLORDANE(TECH MIX & METABS), SUSPENDED | UG/L | Pesticide |
| 72548 | 39360 | 0.6* | | 3.6* | | DDD IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 72548 | 39361 | 0.6* | | 3.6* | | DDD IN FILT. FRAC. OF WATER SMAPLE | UG/L | Pesticide |
| 72548 | 39362 | 0.6* | | 3.6* | | DDD IN SUSP. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 72559 | 39365 | 1050* | | 14* | | DDE IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 72559 | 39366 | 1050* | | 14* | | DDE IN FILT. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 72559 | 39367 | 1050* | | 14* | | DDE IN SUSP. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 50293 | 39370 | 1.1 | | 0.13 | | DDT IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 50293 | 39371 | 1.1 | | 0.13 | | DDT IN FILT. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 50293 | 39372 | 1.1 | | 0.13 | | DDT IN SUSP. FRAC. OF WATER SAMPLE | UG/L | Pesticide |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 60571 | 39380 | 2.5 | | 0.71 | | DIELDRIN IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 60571 | 39381 | 2.5 | | 0.71 | | DIELDRIN IN FILT. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 60571 | 39382 | 2.5 | | 0.71 | | DIELDRIN IN SUSP. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 115297 | 39388 | 0.22 | | 0.034 | | ENDOSULFAN IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 72208 | 39390 | 0.18 | 2.0 | 0.037 | | ENDRIN IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 72208 | 39391 | 0.18 | 2.0 | 0.037 | | ENDRIN IN FILT. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 72208 | 39392 | 0.18 | 2.0 | 0.037 | | ENDRIN IN SUSP. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 8001352 | 39400 | 0.73 | 3.0 | 0.21 | | TOXAPHENE IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 8001352 | 39401 | 0.73 | 3.0 | 0.21 | | TOXAPHENE IN FILT. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 8001352 | 39402 | 0.73 | 3.0 | 0.21 | | TOXAPHENE IN SUSP. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 76448 | 39410 | 0.52 | 0.4 | 0.053 | | HEPTACHLOR IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 76448 | 39411 | 0.52 | 0.4 | 0.053 | | HEPTACHLOR IN FILT. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 76448 | 39412 | 0.52 | 0.4 | 0.053 | | HEPTACHLOR IN SUSP. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 1024573 | 39420 | 0.52 | 0.2 | 0.053 | | HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 1024573 | 39421 | 0.52 | 0.2 | 0.053 | | HEPTACHLOR EPOXIDE IN FILT. FRAC. WATER SAMPLE | UG/L | Pesticide |
| 1024573 | 39422 | 0.52 | 0.2 | 0.053 | | HEPTACHLOR EPOXIDE IN SUSP. FRAC. WATER SAMPLE | UG/L | Pesticide |
| 72435 | 39478 | | 40 | | | METHOXYCHLOR IN WHOLE WATER DISSOLVED | UG/L | Pesticide |
| 72435 | 39479 | | 40 | | | METHOXYCHLOR IN WHOLE WATER SUSPENDED | UG/L | Pesticide |
| 72435 | 39480 | | 40 | | | METHOXYCHLOR IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 56382 | 39540 | 0.065 | | | | PARATHION IN WHOLE WATER SAMPLE | UG/L | Pesticide |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 56382 | 39542 | 0.065 | | | | PARATHION IN FILT. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 56382 | 39543 | 0.065 | | | | PARATHION IN SUSP. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 1912249 | 39630 | | 3.0 | | | ATRAZINE(AATREX) IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 1912249 | 39632 | | 3.0 | | | ATRAZINE DISSOLVED IN WATER | PPB | Pesticide |
| 118741 | 39700 | 6.0[p] | 1.0 | | | HEXACHLOROBENZENE IN WHOLE WATER SAMPLE | UG/L | General Organic |
| 87683 | 39702 | 90[*] | | 32[*] | | HEXACHLOROBUTADIENE IN WHOLE WATER SAMPLE | UG/L | General Organic |
| 1918021 | 39720 | | 500 | | | PICLORAM IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 94757 | 39730 | | 70 | | | 2,4-D IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 94757 | 39732 | | 70 | | | 2,4-D IN FILT. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 94757 | 39733 | | 70 | | | 2,4-D IN SUSP. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 93721 | 39760 | | 50 | | | SILVEX IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 93721 | 39762 | | 50 | | | SILVEX IN FILT. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 93721 | 39763 | | 50 | | | SILVEX IN SUSP. FRAC. OF WATER SAMPLE | UG/L | Pesticide |
| 58899 | 39782 | 2.0 | 0.2 | 0.16 | | LINDANE IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 1071836 | 39941 | | 700 | | | ROUNDUP IN WHOLE WATER SAMPLE (GLYPHOSATE) | UG/L | Pesticide |
| 7782505 | 45650 | 0.019 | | 0.013 | | CHLORINE, IN ORGANIC COMPOUNDS, WATER, WHOLE | MG/L | General Inorganic |
| 56382 | 46315 | 0.065 | | | | ETHYL PARATHION IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 58899 | 46322 | 2.0 | 0.2 | 0.16 | | LINDANE PLUS ISOMERS IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 76448 | 46326 | 0.52 | 0.4 | 0.053 | | HEPTACHLOR AND METABOLITES IN WHOLE H2O SAMPLE | UG/L | Pesticide |
| 15972608 | 46342 | | 2.0 | | | ALACHLOR (LASSO), WATER, DISSOLVED | UG/L | Pesticide |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 7782505 | 46472 | 0.019 | | 0.013 | | CHLORINE, TOTAL RESIDUAL, AVERAGE VALUE, WATER | MG/L | General Inorganic |
| 7782505 | 46473 | 0.019 | | 0.013 | | CHLORINE, FREE AVAILABLE, AVERAGE VALUE, WATER | MG/L | General Inorganic |
| 57125 | 46479 | 22 | 200 | 1.0 | | CYANIDE, DISSOLVED, WATER | UG/L | General Inorganic |
| 7440382 | 46551 | 360 | 50 | 69 | | ARSENIC, FIELD ACIDIFIED W/HNO3, LAB FILTERED | UG/L | Metal |
| 7440393 | 46558 | | 2000 | | | BARIUM, FIELD ACIDIFIED W/HNO3-LAB FILT | UG/L | Metal |
| 7440439 | 46559 | 3.9[+] | 5.0 | 43 | | CADMIUM,FIELD ACIDIFIED-HNO3-LAB FILTER | UG/L | Metal |
| 7440473 | 46560 | | 100 | | | CHROMIUM, FIELD ACIDIFIED-HNO3-LAB FILT. | UG/L | Metal |
| 7440508 | 46562 | 18[+] | 1300[a] | 2.9 | | COPPER, FIELD ACIDIFIED-HNO3- LAB FILTER. | UG/L | Metal |
| 7439921 | 46564 | 82[+] | 15[a] | 220 | | LEAD, FIELD ACIDIFIED-HNO3-LAB FILTERED | UG/L | Metal |
| 7440224 | 46566 | 4.1[+] | 100[s] | 0.12 | | SILVER, FIELD ACIDIFIED-HNO3-LAB FILTER. | UG/L | Metal |
| 7440666 | 46567 | 120[+] | 5000[s] | 95 | | ZINC, EXTRACTABLE, FIELD ACID W/HNO3,LAB FILTR | UG/L | Metal |
| 56382 | 49011 | 0.065 | | | | UNKNOWNS AS PARATHION IN WHOLE WATER SAMPLE | UG/L | Pesticide |
| 7782505 | 50058 | 0.019 | | 0.013 | | CHLORINE DOSE | MG/L | General Inorganic |
| 7782505 | 50060 | 0.019 | | 0.013 | | CHLORINE, TOTAL RESIDUAL | MG/L | General Inorganic |
| 7782505 | 50064 | 0.019 | | 0.013 | | CHLORINE, FREE AVAILABLE | MG/L | General Inorganic |
| 7782505 | 50066 | 0.019 | | 0.013 | | CHLORINE, COMBINED AVAILABLE | MG/L | General Inorganic |
| 7782505 | 50074 | 0.019 | | 0.013 | | CHLORITE, WHOLE WATER | MG/L | General Inorganic |
| | 61215 | | | | 200[^] | FECAL COLIFORM, GENERAL #/100ML | #/100ML | Bacteriological |
| 16887006 | 70352 | 860 | 250[s] | | | CHLORIDE, ORGANIC | MG/L | General Organic |
| 14797558 | 71850 | | 44 | | | NITRATE NITROGEN, TOTAL (AS NO3) | MG/L | Nitrogen |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 14797558 | 71851 | | 44 | | | NITRATE NITROGEN, DISSOLVED (AS NO3) | MG/L | Nitrogen |
| 14797650 | 71855 | | 3.3 | | | NITRITE NITROGEN, TOTAL (AS NO2) | MG/L | Nitrogen |
| 14797650 | 71856 | | 3.3 | | | NITRITE NITROGEN, DISSOLVED (AS NO2) | MG/L | Nitrogen |
| 7439976 | 71890 | 2.4 | 2.0 | 2.1 | | MERCURY, DISSOLVED | UG/L | Metal |
| 7439976 | 71895 | 2.4 | 2.0 | 2.1 | | MERCURY, SUSPENDED | UG/L | Metal |
| 7439976 | 71900 | 2.4 | 2.0 | 2.1 | | MERCURY, TOTAL | UG/L | Metal |
| 7439976 | 71901 | 2.4 | 2.0 | 2.1 | | MERCURY,TOTAL RECOVERABLE IN WATER AS HG | UG/L | Metal |
| 7440439 | 71946 | 3.9[+] | 5.0 | 43 | | CADMIUM, EXTRACTABLE | UG/L | Metal |
| 7440473 | 71947 | | 100 | | | CHROMIUM, EXTRACTABLE | UG/L | Metal |
| 7439921 | 71949 | 82[+] | 15[a] | 220 | | LEAD, EXTRACTABLE | UG/L | Metal |
| 7440666 | 71950 | 120[+] | 5000[s] | 95 | | ZINC, EXTRACTABLE | UG/L | Metal |
| 7440508 | 71951 | 18[+] | 1300[a] | 2.9 | | COPPER, EXTRACTABLE | UG/L | Metal |
| 1336363 | 76011 | 2000 | 500 | 10000 | | PCBS, SUSPENDED, WATER | NG/L | General Organic |
| 1336363 | 76012 | 2000 | 500 | 10000 | | PCBS, TOTAL RECOVERABLE, WATER | NG/L | General Organic |
| 156592 | 77093 | | 70 | | | CIS-1,2-DICHLOROETHYLENE, WHOLE WATER | UG/L | General Organic |
| 100425 | 77128 | | 100 | | | STYRENE, WHOLE WATER | UG/L | General Organic |
| 106489 | 77296 | | | 29700[*] | | P-CHLOROPHENOL, WHOLE WATER | UG/L | General Organic |
| 106934 | 77651 | | 0.05 | | | 1,2-DIBROMOETHANE, WHOLE WATER | UG/L | General Organic |
| 95954 | 77687 | 100[p] | | 240[p] | | 2,4,5-TRICHLOROPHENOL, WHOLE WATER | UG/L | General Organic |
| 935955 | 77769 | | | 440[*] | | 2,3,5,6-TETRACHLOROPHENOL, WHOLE WATER | UG/L | General Organic |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 103231 | 77903 | | 400 | | | BIS (2-ETHYLHEXYL) ADIPATE, WHOLE WATER | UG/L | General Organic |
| 18540299 | 78247 | 16 | 100 | 1100 | | CHROMIUM, HEXAVALENT, TOTAL RECOVERABLE | UG/L | Metal |
| 57125 | 78248 | 22 | 200 | 1.0 | | CYANIDE, TOTAL RECOVERABLE, WATER, WHOLE | UG/L | Metal |
| | 78456 | 11* | | 12* | | HALOMETHANES, SUMMATION, WHOLE WATER | MG/L | General Organic |
| 14808798 | 78462 | | 250s | | | SULFATE, WATER, DISSOLVED AS S | MG/L | Metal |
| 85007 | 78885 | | 20 | | | DIQUAT DIBROMIDE (REGLONE) WHOLE WATER SAMPLE | UG/L | Pesticide |
| 7440611 | 80020 | | 20c | | | URANIUM, DISS. BY EXTRACTION FLUOROMETRIC | UG/L | Radiological |
| 16065831 | 80357 | 1700 | 100 | 10300* | | CHROMIUM, TRIVALENT, DISSOLVED | UG/L | Metal |
| 57125 | 81208 | 0.022 | 0.2 | 0.001 | | CYANIDE,FREE (NOT AMENABLE TO CHLORINATION) | MG/L | General Inorganic |
| 608731 | 81283 | 100* | | 0.34* | | BENZENEHEXACHLORIDE, WHOLE WATER | UG/L | Pesticide |
| 88857 | 81287 | | 7.0 | | | DNBP(C10H12N2O5), WHOLE WATER SAMPLE | UG/L | Pesticide |
| 26638197 | 81327 | 23000* | 5.0 | 10300* | | DICHLOROPROPANE, WHOLE WATER SAMPLE | UG/L | General Organic |
| 25321226 | 81333 | 1120* | | 1970* | | DICHLOROBENZENE ISOMER, WHOLE WATER SAMPLE | UG/L | General Organic |
| 2921882 | 81403 | 0.083 | | 0.011 | | DURSBAN (CHLOROPYRIFOS) WHOLE WATER SAMPLE | UG/L | Pesticide |
| 1563662 | 81405 | | 40 | | | CARBOFURAN (EURADAN) WHOLE WATER SAMPLE | UG/L | Pesticide |
| 76017 | 81501 | 7240* | | 390* | | PENTACHLOROETHANE, WHOLE WATER SAMPLE | UG/L | General Organic |
| 25321226 | 81524 | 1120* | | 1970* | | DICHLOROBENZENE, WHOLE WATER SAMPLE | UG/L | General Organic |
| 25322207 | 81549 | 9320* | | | | TETRACHLOROETHANE, WHOLE WATER SAMPLE | UG/L | General Organic |
| 26638197 | 81703 | 23* | 0.005* | 10.3* | | DICHLOROPROPANE, WHOLE WATER SAMPLE | MG/L | General Organic |
| 7440508 | 81750 | 18+ | 1300a | 2.9 | | COPPER, INTERSTITIAL WATERFROM SEDIMENTS | UG/L | Metal |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 7440020 | 81752 | 1400[+] | 100 | 75 | | NICKEL, INTERSTITIAL WATER FROM SEDIMENTS | UG/L | Metal |
| 7440666 | 81754 | 120[+] | 5000[s] | 95 | | ZINC, INTERSTITIAL WATER FROM SEDIMENTS | UG/L | Metal |
| 25323891 | 81853 | 18000[*] | | | | TRICHLOROETHANE, WHOLE WATER SAMPLE | UG/L | General Organic |
| 7439976 | 81931 | 2.4 | 2.0 | 2.1 | | MERCURY (HG) SUSPENDED FRACTION OF WATER | UG/G | Metal |
| 7440666 | 81933 | 120[+] | 5000[s] | 95 | | ZINC (ZN) SUSPENDED FRACTION OF WATER | UG/G | Metal |
| 7439921 | 81936 | 82[+] | 15[a] | 220 | | LEAD (PB) DISSOLVED CATIONIC SPECIES | UG/L | Metal |
| 7440439 | 81937 | 3.9[+] | 5.0 | 43 | | CADMIUM (CD) DISSOLVED CATIONIC SPECIES | UG/L | Metal |
| 7440473 | 81938 | | 100 | | | CHROMIUM (CR) DISSOLVED CATIONIC SPECIES | UG/L | Metal |
| 7440508 | 81939 | 18[+] | 1300[a] | 2.9 | | COPPER (CU) DISSOLVED CATIONIC SPECIES | UG/L | Metal |
| 7440666 | 81940 | 120[+] | 5000[s] | 95 | | ZINC (ZN) DISSOLVED CATIONIC SPECIES | UG/L | Metal |
| 7440473 | 81941 | | 100 | | | CHROMIUM (CR) DISSOLVED ANIONIC SPECIES | UG/L | Metal |
| 7440508 | 81942 | 18[+] | 1300[a] | 2.9 | | COPPER (CU) DISSOLVED ANIONIC SPECIES | UG/L | Metal |
| 7440666 | 81943 | 120[+] | 5000[s] | 95 | | ZINC (ZN) DISSOLVED ANIONIC SPECIES | UG/L | Metal |
| | 82078 | | | | 50[l] | TURBIDITY, FIELD | NTU | Physical |
| | 82079 | | | | 50[l] | TURBIDITY, LAB | NTU | Physical |
| 88857 | 82226 | | 7.0 | | | 2 SECONDARY BUTYL 4,6-DINITROPHENOL | UG/L | Pesticide |
| 16887006 | 82295 | 860000 | 250000[s] | | | CHLORIDE DISSOLVED AS CL IN WATER | UG/L | General Inorganic |
| 72435 | 82350 | | 40 | | | METHOXYCHLOR, DISSOLVED IN WATER | UG/L | Pesticide |
| 72435 | 82351 | | 40 | | | METHOXYCHLOR, SUSPENDED IN WATER | UG/L | Pesticide |
| 115297 | 82354 | 0.22 | | 0.034 | | ENDOSULFAN, DISSOLVED IN WATER | UG/L | Pesticide |

| C.A.S. Number | STORET Code | FRESH ACUTE | DRINKING WATER | MARINE ACUTE | OTHER | PARAMETER DESCRIPTION | UNITS | CATEGORY |
|---|---|---|---|---|---|---|---|---|
| 115297 | 82355 | 0.22 | | 0.034 | | ENDOSULFAN, SUSPENDED IN WATER | UG/L | Pesticide |
| 57125 | 82573 | 0.022 | 0.2 | 0.001 | | CYANIDE/CHLORINATION IN WATER | MG/L | General Inorganic |
| 1646873 | 82586 | | 4.0 | | | ALDICARB SULFOXIDE, WATER, TOTAL RECOVERABLE | UG/L | General Organic |
| 1646884 | 82587 | | 2.0 | | | ALDICARB SULFONE, WHOLE WATER, TOTAL RECOVERABLE | UG/L | General Organic |
| 23135220 | 82613 | | 200 | | | OXAMYL, WHOLE WATER, TOTAL RECOVERABLE | UG/L | Pesticide |
| 1563662 | 82615 | | 40 | | | CARBOFURAN, WHOLE WATER, TOTAL RECOVERABLE | UG/L | Pesticide |
| 116063 | 82619 | | 3.0 | | | ALDICARB, WHOLE WATER, TOTAL RECOVERABLE | UG/L | Pesticide |
| 33213659 | 82624 | 0.22 | | 0.034 | | ENDOSULFAN, BETA, WH WATER, TOTAL RECOVERABLE | UG/L | Pesticide |
| 96128 | 82625 | | 0.2 | | | DIBROMOCHLOROPROPANE, WATER, TOTAL RECOVERABLE | UG/L | Pesticide |

**Footnote Key:**

[*]Insufficient Data to Develop Criteria. Value Presented is the L.O.E.L. - Lowest Observed Effect Level.

[+]Hardness Dependent Criteria (100 mg/L $CaCO_3$ Used).

[***]pH Dependent Criteria (7.8 pH Used).

[=]Rule of thumb criterion used by the NPS Air Quality Division for determining sensitivity to acid deposition.

[^]Freshwater bathing criterion, EPA geometric mean based on at least 5 samples equally spaced over a 30-day period; Enterococci marine water bathing criterion 35 CFU/100 ml.

[#]EPA freshwater aquatic life chronic criterion; marine criterion is ≤6.5, ≥8.5.

[!]Arizona state standard.

[a]EPA action level, 40 CFR 141.80.

[b]California and Florida state bathing water standards.

[c]A Compilation of Water Quality Goals, California Regional Water Quality Control Board Central Valley Region, Sacramento, California, September, 1991.

[n]Total coliform drinking water maximum contaminant level (1 cfu/100ml or 1 mpn/100ml) was not used in water quality criteria comparisons.

[p]Proposed Criterion.

[r]Average annual concentration assumed to produce a total body or organ dose of 4 mrem/year, 40 CFR 141.16.

[s]EPA National Secondary Drinking Water Regulation, 40 CFR 143.

[t]The maximum contaminant level for the sum of the concentrations of trihalomethanes is 100 µg/L, 40 CFR 141.12.

[u]Coldwater criterion one day minimum; warmwater criterion seven day mean minimum.

**Appendix G**

**Inventory Data Evaluation and Analysis (IDEA)**
**Servicewide Inventory and Monitoring Program "Level I"**
**Parameter Groups**

The following table provides the Servicewide Inventory and Monitoring Program's "Level I" water quality inventory parameter groups (National Park Service 1993). In order to determine the presence and/or absence of data for each of these parameter groups in the park, the parameter groups had to be defined by STORET parameter codes. This table provides the STORET codes and parameter descriptions for each parameter comprising one of the Servicewide Inventory and Monitoring Program's "Level I" water quality parameter groups. Additional parameters could have been incorporated into each group, but an effort was made to represent each group with the parameters deemed to most likely occur in STORET and parks. The Toxic Elements Parameter Group was defined as the EPA's Clean Water Act Section 304(a) Priority Toxic Pollutants (40 CFR 131.36). Parameters are listed in ascending order of STORET code within each parameter group. It is important to note that similar parameters often have non-consecutive codes. Consequently, scanning the entire list is necessary to find all the parameters of a particular type (eg. lead, copper, etc.). Refer to the Parameter Period of Record Tabulation to obtain the STORET code for any parameter measured in the park.

| STORET Code | Water Temperature Parameter Group | C.A.S. Number |
|---|---|---|
| 00010 | TEMPERATURE, WATER (DEGREES CENTIGRADE) | - |
| 00011 | TEMPERATURE, WATER (DEGREES FAHRENHEIT) | - |
| | | |
| **STORET Code** | **Flow Parameter Group[1]** | **C.A.S. Number** |
| 00056 | FLOW RATE, GALLONS/DAY | - |
| 00058 | FLOW RATE, GALLONS/MIN. | - |
| 00059 | FLOW RATE, INSTANTANEOUS, GALLONS/MINUTE | - |
| 00060 | FLOW, STREAM, MEAN DAILY CFS | - |
| 00061 | FLOW, STREAM, INSTANTANEOUS CFS | - |
| 00065 | STAGE, STREAM (FEET) | - |
| 00067 | TIDE STAGE CODE | - |
| 00072 | STAGE, STREAM (METERS) | - |
| | | |

[1]Tide stage is included in the Flow Parameter Group for coastal parks.

| STORET Code | Clarity/Turbidity Parameter Group | C.A.S. Number |
|---|---|---|
| 00070 | TURBIDITY, (JACKSON CANDLE UNITS) | - |
| 00075 | TURBIDITY, HELLIGE (PPM AS SILICON DIOXIDE) | - |
| 00076 | TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT) | - |
| 00077 | TRANSPARENCY, SECCHI DISC (INCHES) | - |
| 00078 | TRANSPARENCY, SECCHI DISC (METERS) | - |
| 00530 | RESIDUE, TOTAL NONFILTRABLE (MG/L) | - |
| 82078 | TURBIDITY, FIELD NEPHELOMETRIC TURBIDITY UNITS NTU | - |
| 82079 | TURBIDITY, LAB NEPHELOMETRIC TURBIDITY UNITS, NTU | - |
| | | |
| **STORET Code** | **Conductivity Parameter Group** | **C.A.S. Number** |
| 00094 | SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C) | - |
| 00095 | SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C) | - |
| 00096 | SALINITY AT 25 DEGREES C (MG/ML) | - |
| 00480 | SALINITY - PARTS PER THOUSAND | - |
| | | |
| **STORET Code** | **Dissolved Oxygen Parameter Group** | **C.A.S. Number** |
| 00299 | OXYGEN, DISSOLVED, ANALYSIS BY PROBE (MG/L) | 7782447 |
| 00300 | OXYGEN, DISSOLVED (MG/L) | 7782447 |
| 00301 | OXYGEN, DISSOLVED, PERCENT OF SATURATION | 7782447 |
| 00389 | OXYGEN, DISSOLVED, LAB ANAL. BY PROBE OF FIELD SAMPLE (MG/L) | 7782447 |
| | | |
| **STORET Code** | **pH Parameter Group** | **C.A.S. Number** |
| 00400 | PH (STANDARD UNITS) | - |
| 00403 | PH, LAB (STANDARD UNITS) | - |
| 00406 | PH, FIELD (STANDARD UNITS) | - |

| STORET Code | Alkalinity Parameter Group | C.A.S. Number |
|---|---|---|
| 00409 | ALKALINITY, TOTAL, LOW LEVEL GRAN ANALYSIS (µEQ/L) | 471341 |
| 00410 | ALKALINITY, TOTAL (MG/L AS CACO3) | 471341 |
| 00415 | ALKALINITY, PHENOLPHTHALEIN (MG/L) | 77098 |
| 00430 | ALKALINITY, CARBONATE (MG/L AS CACO3) | 471341 |
| 00435 | ACIDITY, TOTAL (MG/L AS CACO3) | 471341 |
| 00440 | BICARBONATE ION (MG/L AS HCO3) | 71523 |
| 00445 | CARBONATE ION (MG/L AS CO3) | 3812326 |

| STORET Code | Nitrate/Nitrogen Parameter Group | C.A.S. Number |
|---|---|---|
| 00600 | NITROGEN, TOTAL (MG/L AS N) | 17778880 |
| 00602 | NITROGEN, DISSOLVED (MG/L AS N) | 17778880 |
| 00605 | NITROGEN, ORGANIC, TOTAL (MG/L AS N) | 17778880 |
| 00607 | NITROGEN, ORGANIC, DISSOLVED (MG/L AS N) | 17778880 |
| 00608 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS N) | 17778880 |
| 00610 | NITROGEN, AMMONIA, TOTAL (MG/L AS N) | 17778880 |
| 00612 | AMMONIA, UNIONZED (MG/L AS N) | 7664417 |
| 00618 | NITRATE NITROGEN, DISSOLVED (MG/L AS N) | 17778880 |
| 00620 | NITRATE NITROGEN, TOTAL (MG/L AS N) | 17778880 |
| 00623 | NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N) | 17778880 |
| 00625 | NITROGEN, KJELDAHL, TOTAL (MG/L AS N) | 17778880 |
| 00630 | NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N) | 17778880 |
| 00631 | NITRITE PLUS NITRATE, DISSOLVED 1 DET. (MG/L AS N) | 17778880 |
| 71845 | NITROGEN, AMMONIA, TOTAL (MG/L AS NH4) | 14798039 |
| 71846 | NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH4) | 14798039 |
| 71850 | NITRATE NITROGEN, TOTAL (MG/L AS NO3) | 14797558 |
| 71851 | NITRATE NITROGEN, DISSOLVED (MG/L AS NO3) | 14797558 |
| 71855 | NITRITE NITROGEN, TOTAL (MG/L AS NO2) | 14797650 |
| 71856 | NITRITE NITROGEN, DISSOLVED (MG/L AS NO2) | 14797650 |

| STORET Code | Phosphate/Phosphorus Parameter Group | C.A.S. Number |
|---|---|---|
| 00650 | PHOSPHATE, TOTAL (MG/L AS PO4) | 14265442 |
| 00655 | PHOSPHATE, POLY (MG/L AS PO4) | 14265442 |
| 00660 | PHOSPHATE, ORTHO (MG/L AS PO4) | 14265442 |
| 00665 | PHOSPHORUS, TOTAL (MG/L AS P) | 7723140 |
| 00666 | PHOSPHORUS, DISSOLVED (MG/L AS P) | 7723140 |
| 00670 | PHOSPHORUS, TOTAL ORGANIC (MG/L AS P) | 7723140 |
| 00671 | PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P) | 7723140 |
| 70505 | PHOSPHORUS, TOTAL, COLORIMETRIC METHOD (MG/L AS P) | 7723140 |
| 70507 | PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P) | 7723140 |

| STORET Code | Sulfates/Total Dissolved Solids/Hardness Parameter Group | C.A.S. Number |
|---|---|---|
| 00900 | HARDNESS, TOTAL (MG/L AS CACO3) | 471341 |
| 00945 | SULFATE, TOTAL (MG/L AS SO4) | 14808798 |
| 00946 | SULFATE, DISSOLVED (MG/L AS SO4) | 14808798 |
| 70300 | RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), (MG/L) | - |

| STORET Code | Chlorophyll Parameter Group | C.A.S. Number |
|---|---|---|
| 32209 | CHLOROPHYLL A (UG/L) FLUOROMETRIC CORRECTED | 479618 |
| 32210 | CHLOROPHYLL A (UG/L) TRICHROMATIC UNCORRECTED | 479618 |
| 32211 | CHLOROPHYLL A (UG/L) SPECTROPHOTOMETRIC ACID METH. | 479618 |
| 32217 | CHLOROPHYLL A (UG/L) FLUOROMETRIC UNCORRECTED | 479618 |
| 32223 | CHLOROPHYLL A (MG/M2) SPECTROPHOTOMETRIC CORRECTED | 479618 |
| 32228 | CHLOROPHYLL A (MG/M2) PERIPHYTON SPECTRO. | 479618 |
| 32229 | CHLOROPHYLL A (MG/M2) FLUOR. CORRECTED, SUBSTRATER | 479618 |
| 32230 | CHLOROPHYLL A (MG/L) | 479618 |

| STORET Code | Bacteria Parameter Group | C.A.S. Number |
|---|---|---|
| 00111 | RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCCI | - |
| 31501 | COLIFORM, TOT, MEMBRANE FILTER, IMMED., M-ENDO MED,35C | - |
| 31503 | COLIFORM, TOT, MEMBRANE FILTER, DELAY, M-ENDO MED, 35C | - |
| 31504 | COLIFORM, TOT, MEMBRANE FILTER, IMMED., LES-ENDO AGAR, 35C | - |
| 31505 | COLIFORM, TOT, MPN, CONFIRMED TEST,35C(TUBE 31506) | - |
| 31506 | COLIFORM, TOT, MPN, CONFIRMED TEST, TUBE CONFIG. | - |
| 31507 | COLIFORM, TOT, MPN, COMPLETED TEST,35C(TUBE 31508) | - |
| 31508 | COLIFORM, TOT, MPN, COMPLETED TEST, TUBE CONFIG. | - |
| 31613 | FECAL COLIFORM, MEMBR, FILTER,M-FC AGAR,44.5C,24HR | - |
| 31614 | FECAL COLIFORM, MPN, TUBE CONFIGURATION | - |
| 31615 | FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614) | - |
| 31616 | FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5C | - |
| 31617 | FECAL COLIFORM, MPN,EIJKMAN TEST,44.5C(TUBE 31618) | - |
| 31625 | FECAL COLIFORM, MF, M-FC, 0.7 UM | - |
| 31648 | E. COLI - MTEC-MF | - |
| 31649 | ENTEROCOCCI- ME-MF | - |
| 31673 | FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR | - |
| 31676 | FECAL STREPTOCOCCI, MPN, KF BROTH, TUBE CONFIG. | - |
| 31677 | FECAL STREPTOCOCCI, MPN, AD-EVA, 35C (TUBE 31678) | - |
| 31751 | PLATE COUNT, TOTAL, TPC AGAR, 35C, 24 HRS | - |
| 61214 | FECAL STREPTOCOCCI, GENERAL #/100ML | - |
| 61215 | FECAL COLIFORM, GENERAL #/100ML | - |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) | C.A.S. Number |
|---|---|---|
| 00718 | CYANIDE, WEAK ACID, DISSOC. WATER, WHOLE (UG/L) | 57125 |
| 00719 | CYANIDE, FREE, IN WATER & WASTEWATERS, HBG (UG/L) | 57125 |
| 00720 | CYANIDE, TOTAL (MG/L AS CN) | 57125 |
| 00722 | CYANIDE, FREE (AMENABLE TO CHLORINATION) (MG/L) | 57125 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 00723 | CYANIDE, DISSOLVED STD METHOD (UG/L) | 57125 |
| 00724 | CYANIDE COMPLEXED TO A RANGE OF COMPNDS (UG/L) | 57125 |
| 00969 | CHRYSOTILE ASBESTOS FIBERS/LITER | 1332214 |
| 00973 | AMPHIBOLE ASBESTOS FIBERS/LITER | 1332214 |
| 00976 | AMBIGUOUS ASBESTOS FIBERS/LITER | 1332214 |
| 00977 | NON-AMPHIBOLE NON-CHRYSOTILE ASBESTOS FIBERS/LITER | 1332214 |
| 00978 | ARSENIC, TOTAL RECOVERABLE IN WATER AS AS | 7440382 |
| 00981 | SELENIUM, TOTAL RECOVERABLE IN WATER AS SE (UG/L) | 7782492 |
| 00982 | THALLIUM, TOTAL RECOVERABLE IN WATER AS (UG/L) | 7440280 |
| 00990 | SELENITE, TOTAL RECOVERABLE INORGANIC (UG/L) | 7782492 |
| 00991 | ARSENIC, TOTAL RECOVER. TRIVALENT INORGANIC (UG/L) | 7440382 |
| 00995 | ARSENIC, INORGANIC DISSOLVED (UG/L AS AS) | 7440382 |
| 00996 | ARSENIC, INORGANIC SUSPENDED (UG/L AS AS) | 7440382 |
| 00997 | ARSENIC, INORGANIC TOTAL (UG/L AS AS) | 7440382 |
| 00998 | BERYLLIUM, TOTAL RECOVERABLE IN WATER AS BE (UG/L) | 7440417 |
| 01000 | ARSENIC, DISSOLVED (UG/L AS AS) | 7440382 |
| 01001 | ARSENIC, SUSPENDED (UG/L AS AS) | 7440382 |
| 01002 | ARSENIC, TOTAL (UG/L AS AS) | 7440382 |
| 01010 | BERYLLIUM, DISSOLVED (UG/L AS BE) | 7440417 |
| 01011 | BERYLLIUM, SUSPENDED (UG/L AS BE) | 7440417 |
| 01012 | BERYLLIUM, TOTAL (UG/L AS BE) | 7440417 |
| 01025 | CADMIUM, DISSOLVED (UG/L AS CD) | 7440439 |
| 01026 | CADMIUM, SUSPENDED (UG/L AS CD) | 7440439 |
| 01027 | CADMIUM, TOTAL (UG/L AS CD) | 7440439 |
| 01030 | CHROMIUM, DISSOLVED (UG/L AS CR) | 7440473 |
| 01031 | CHROMIUM, SUSPENDED (UG/L AS CR) | 7440473 |
| 01032 | CHROMIUM, HEXAVALENT (UG/L AS CR) | 7440473 |
| 01033 | CHROMIUM, TRI-VAL (UG/L AS CR) | 16065831 |
| 01034 | CHROMIUM, TOTAL (UG/L AS CR) | 7440473 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 01040 | COPPER, DISSOLVED (UG/L AS CU) | 7440508 |
| 01041 | COPPER, SUSPENDED (UG/L AS CU) | 7440508 |
| 01042 | COPPER, TOTAL (UG/L AS CU) | 7440508 |
| 01049 | LEAD, DISSOLVED (UG/L AS PB) | 7439921 |
| 01050 | LEAD, SUSPENDED (UG/L AS PB) | 7439921 |
| 01051 | LEAD, TOTAL (UG/L AS PB) | 7439921 |
| 01057 | THALLIUM, DISSOLVED (UG/L AS TL) | 7440280 |
| 01058 | THALLIUM, SUSPENDED (UG/L AS TL) | 7440280 |
| 01059 | THALLIUM, TOTAL (UG/L AS TL) | 7440280 |
| 01065 | NICKEL, DISSOLVED (UG/L AS NI) | 7440020 |
| 01066 | NICKEL, SUSPENDED (UG/L AS NI) | 7440020 |
| 01067 | NICKEL, TOTAL (UG/L AS NI) | 7440020 |
| 01074 | NICKEL, TOTAL RECOVERABLE IN WATER AS NI (UG/L) | 7440020 |
| 01075 | SILVER, DISSOLVED (UG/L AS AG) | 7440224 |
| 01076 | SILVER, SUSPENDED (UG/L AS AG) | 7440224 |
| 01077 | SILVER, TOTAL (UG/L AS AG) | 7440224 |
| 01079 | SILVER, TOTAL RECOVERABLE IN WATER AS AG (UG/L) | 7440224 |
| 01089 | COPPER AS SUSPENDED BLACK OXIDE IN WATER (MG/L) | 7440508 |
| 01090 | ZINC, DISSOLVED (UG/L AS ZN) | 7440666 |
| 01091 | ZINC, SUSPENDED (UG/L ZN) | 7440666 |
| 01092 | ZINC, TOTAL (UG/L AS ZN) | 7440666 |
| 01094 | ZINC, TOTAL RECOVERABLE IN WATER AS ZN (UG/L) | 7440666 |
| 01095 | ANTIMONY, DISSOLVED (UG/L AS SB) | 7440360 |
| 01096 | ANTIMONY, SUSPENDED (UG/L AS SB) | 7440360 |
| 01097 | ANTIMONY, TOTAL (UG/L AS SB) | 7440360 |
| 01113 | CADMIUM, TOTAL RECOVERABLE IN WATER AS CD (UG/L) | 7440439 |
| 01114 | LEAD, TOTAL RECOVERABLE IN WATER AS PB (UG/L) | 7439921 |
| 01118 | CHROMIUM, TOTAL RECOVERABLE IN WATER AS CR (UG/L) | 7440473 |
| 01119 | COPPER,TOTAL RECOVERABLE IN WATER AS CU (UG/L) | 7440508 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 01124 | THALLIUM, ACID SOLUBLE, WATER, WHOLE (UG/L) | 7440280 |
| 01128 | THALLIUM,TOTAL RECOVERABLE <95%, UG/L AS TL | 7440280 |
| 01138 | SELENIUM, IN WATER, LBS/DAY | 7782492 |
| 01145 | SELENIUM, DISSOLVED (UG/L AS SE) | 7782492 |
| 01146 | SELENIUM, SUSPENDED (UG/L AS SE) | 7782492 |
| 01147 | SELENIUM, TOTAL (UG/L AS SE) | 7782492 |
| 01167 | SELENIUM, ACID SOLUBLE, WATER, WHOLE (UG/L) | 7782492 |
| 01220 | CHROMIUM, HEXAVALENT, DISSOLVED IN (UG/L AS CR) | 18540299 |
| 01252 | ARSENIC, LB/DAY/CFS STREAM FLOW | 7440382 |
| 01253 | CADMIUM, LB/DAY/CFS STREAM FLOW | 7440439 |
| 01254 | CHROMIUM, TOTAL (LBS/DAY/CFS STREAM FLOW) | 7740473 |
| 01255 | CHROMIUM, HEXAVALENT, LB/DAY/CFS STREAM FLOW | 18540299 |
| 01256 | COPPER, LB/DAY/CFS STREAM FLOW | 7440508 |
| 01257 | CYANIDE LB/DAY/CFS STREAM FLOW | 57125 |
| 01259 | LEAD, LB/DAY/CFS STREAM FLOW | 7439921 |
| 01260 | MERCURY, LB/DAY/CFS STREAM FLOW | 7439976 |
| 01261 | NICKEL, LB/DAY/CFS STREAM FLOW | 7440020 |
| 01263 | SILVER, LB/DAY/CFS STREAM FLOW | 7440224 |
| 01264 | ZINC LB/DAY/CFS STREAM FLOW | 7440666 |
| 01268 | ANTIMONY, (SB), WATER, TOTAL RECOVERABLE (UG/L) | 7440360 |
| 01291 | CYANIDE, FILTERABLE, TOTAL IN WATER (UG/L) | 57125 |
| 01303 | ZINC, POTENTIALLY DISSOLVED WATER (MG/L) | 7440666 |
| 01304 | SILVER, POTENTIALLY DISSOLVED WATER (MG/L) | 7440224 |
| 01306 | COPPER, POTENTIALLY DISSOLVED WATER (MG/L) | 7440508 |
| 01307 | CHROMIUM, HEXAVALENT, POTENT. DISS. WATER (MG/L) | 18540299 |
| 01309 | ARSENIC, POTENTIALLY, DISSOLVED, WATER (MG/L) | 7440382 |
| 01312 | BERYLLIUM, POTENTIALLY, DISSOLVED, WATER (MG/L) | 7440417 |
| 01313 | CADMIUM, POTENTIALLY, DISSOLVED, WATER (MG/L) | 7440439 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 01314 | CHROMIUM, TRIVALENT, POTENT., DISS., WATER (MG/L) | 16065831 |
| 01318 | LEAD, POTENTIALLY, DISSOLVED, WATER (MG/L) | 7439921 |
| 01321 | MERCURY, POTENTIALLY, DISSOLVED, WATER (MG/L) | 7439976 |
| 01322 | NICKEL, POTENTIALLY, DISSOLVED, WATER (MG/L) | 7440020 |
| 01323 | SELENIUM, POTENTIALLY, DISSOLVED, WATER (MG/L) | 7782492 |
| 01324 | THALLIUM, POTENTIALLY, DISSOLVED, WATER (MG/L) | 7440280 |
| 01523 | SILVER, IONIC (UG/L) | 7440224 |
| 22675 | SELENIUM, DISSOLVED ORGANIC (UG/L) | 7782492 |
| 22676 | SELENIUM, HEXAVALENT, DISSOLVED (UG/L) | 7782492 |
| 22677 | SELENIUM, TETRAVALENT, DISSOLVED | 7782492 |
| 22678 | ARSENIC, DISSOLVED ORGANIC (UG/L) | 7440382 |
| 22679 | ARSENIC, PENTAVALENT, DISSOLVED (UG/L) | 7440382 |
| 22680 | ARSENIC, TRIVALENT, DISSOLVED (UG/L) | 7440382 |
| 30197 | 2-CHLOROETHYLVINYL ETHER,WATER,WHL,RECOVER (UG/L) | 110758 |
| 30201 | CHLOROMETHANE, WATER, WHOLE, RECOVERABLE (UG/L) | 74873 |
| 30202 | BROMOMETHANE, WATER, WHOLE, RECOVERABLE (UG/L) | 74839 |
| 32003 | CARBON CHLOROFORM AND CARBON ALCOHOL EXT. (UG/L) | 67663 |
| 32005 | CARBON CHLOROFORM EXTRACTABLES (UG/L) | 67663 |
| 32021 | CARBON CHLOROFORM EXTRACTS, ETHER INSOLUBLE (UG/L) | 67663 |
| 32022 | CARBON CHLOROFORM EXTRACTS, WATER SOLUBLES (UG/L) | 67663 |
| 32101 | BROMODICHLOROMETHANE, WHOLE WATER (UG/L) | 75274 |
| 32102 | CARBON TETRACHLORIDE, WHOLE WATER, (UG/L) | 56235 |
| 32103 | 1,2-DICHLOROETHANE, WHOLE WATER (UG/L) | 107062 |
| 32104 | BROMOFORM, WHOLE WATER, (UG/L) | 75252 |
| 32105 | DIBROMOCHLOROMETHANE, WHOLE WATER, (UG/L) | 124481 |
| 32106 | CHLOROFORM, WHOLE WATER (UG/L) | 67663 |
| 32260 | CARBON TETRACHLORIDE EXTRACTABLES (MG/L) | 56235 |
| 32270 | CHLOROFORM EXTRACTABLES TOTAL IN MG PER LITER | 67663 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 34010 | TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXT. (UG/L) | 108883 |
| 34030 | BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXT. (UG/L) | 71432 |
| 34198 | BHC-DELTA, WATER, WHOLE (LBS/DAY) | 319868 |
| 34200 | ACENAPHTHYLENE, TOTAL (UG/L) | 208968 |
| 34201 | ACENAPHTHYLENE, DISSOLVED (UG/L) | 208968 |
| 34202 | ACENAPHTHYLENE, SUSPENDED (UG/L) | 208968 |
| 34205 | ACENAPHTHENE, TOTAL (UG/L) | 83329 |
| 34206 | ACENAPHTHENE, DISSOLVED (UG/L) | 83329 |
| 34207 | ACENAPHTHENE, SUSPENDED (UG/L) | 83329 |
| 34210 | ACROLEIN, TOTAL (UG/L) | 107028 |
| 34211 | ACROLEIN, DISSOLVED (UG/L) | 107028 |
| 34212 | ACROLEIN, SUSPENDED (UG/L) | 107028 |
| 34215 | ACRYLONITRILE, TOTAL (UG/L) | 107131 |
| 34216 | ACRYLONITRILE, DISSOLVED (UG/L) | 107131 |
| 34217 | ACRYLONITRILE, SUSPENDED (UG/L) | 107131 |
| 34220 | ANTHRACENE, TOTAL (UG/L) | 120127 |
| 34221 | ANTHRACENE, DISSOLVED (UG/L) | 120127 |
| 34222 | ANTHRACENE, SUSPENDED (UG/L) | 120127 |
| 34225 | ASBESTOS (FIBROUS) TOTAL (UG/L) | 1332214 |
| 34226 | ASBESTOS (FIBROUS) DISSOLVED (UG/L) | 1332214 |
| 34227 | ASBESTOS (FIBROUS) SUSPENDED (UG/L) | 1332214 |
| 34230 | BENZO(B)FLUORANTHENE, WHOLE WATER (UG/L) | 205992 |
| 34231 | BENZO(B)FLUORANTHENE, DISSOLVED (UG/L) | 205992 |
| 34232 | BENZO(B)FLUORANTHENE, SUSPENDED (UG/L) | 205992 |
| 34235 | BENZENE, DISSOLVED (UG/L) | 71432 |
| 34236 | BENZENE, SUSPENDED (UG/L) | 71432 |
| 34239 | BENZIDINE, DISSOLVED (UG/L) | 92875 |
| 34240 | BENZIDINE, SUSPENDED (UG/L) | 92875 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 34242 | BENZO(K)FLUORANTHENE, TOTAL (UG/L) | 207089 |
| 34243 | BENZO(K)FLUORANTHENE, DISSOLVED (UG/L) | 207089 |
| 34244 | BENZO(K)FLUORANTHENE, SUSPENDED (UG/L) | 207089 |
| 34247 | BENZO-A-PYRENE, TOTAL (UG/L) | 50328 |
| 34248 | BENZO-A-PYRENE, DISSOLVED (UG/L) | 50328 |
| 34249 | BENZO-A-PYRENE, SUSPENDED (UG/L) | 50328 |
| 34253 | A-BHC-ALPHA, DISSOLVED (UG/L) | 319846 |
| 34254 | A-BHC-ALPHA, SUSPENDED (UG/L) | 319846 |
| 34255 | B-BHC-BETA, DISSOLVED (UG/L) | 319857 |
| 34256 | B-BHC-BETA, SUSPENDED (UG/L) | 319857 |
| 34259 | DELTA BENZENE HEXACHLORIDE, TOTAL (UG/L) | 319868 |
| 34260 | DELTA BENZENE HEXACHLORIDE, DISSOLVED (UG/L) | 319868 |
| 34261 | DELTA BENZENE HEXACHLORIDE, SUSPENDED (UG/L) | 319868 |
| 34265 | R-BHC (LINDANE) GAMMA, DISSOLVED (UG/L) | 58899 |
| 34266 | R-BHC (LINDANE) GAMMA, SUSPENDED (UG/L) | 58899 |
| 34273 | BIS (2-CHLOROETHYL) ETHER, TOTAL (UG/L) | 111444 |
| 34274 | BIS (2-CHLOROETHYL) ETHER, DISSOLVED (UG/L) | 111444 |
| 34275 | BIS (2-CHLOROETHYL) ETHER, SUSPENDED (UG/L) | 111444 |
| 34278 | BIS (2-CHLOROETHOXY) METHANE, TOTAL (UG/L) | 111911 |
| 34279 | BIS (2-CHLOROETHOXY) METHANE, DISSOLVED (UG/L) | 111911 |
| 34280 | BIS (2-CHLOROETHOXY) METHANE, SUSPENDED (UG/L) | 111911 |
| 34288 | BROMOFORM, DISSOLVED (UG/L) | 75252 |
| 34289 | BROMOFORM, SUSPENDED (UG/L) | 75252 |
| 34292 | N-BUTYL BENZYL PHTHALATE, WHOLE WATER (UG/L) | 85687 |
| 34293 | N-BUTYL BENZYL PHTHALATE, DISSOLVED (UG/L) | 85687 |
| 34294 | N-BUTYL BENZYL PHTHALATE, SUSPENDED (UG/L) | 85687 |
| 34297 | CARBON TETRACHLORIDE, DISSOLVED (UG/L) | 56235 |
| 34298 | CARBON TETRACHLORIDE, SUSPENDED (UG/L) | 56235 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 34301 | CHLOROBENZENE, TOTAL (UG/L) | 108907 |
| 34302 | CHLOROBENZENE, DISSOLVED (UG/L) | 108907 |
| 34303 | CHLOROBENZENE, SUSPENDED (UG/L) | 108907 |
| 34306 | CHLORODIBROMOMETHANE, TOTAL (UG/L) | 124481 |
| 34307 | CHLORODIBROMOMETHANE, DISSOLVED (UG/L) | 124481 |
| 34308 | CHLORODIBROMOMETHANE, SUSPENDED (UG/L) | 124481 |
| 34311 | CHLOROETHANE, TOTAL (UG/L) | 75003 |
| 34312 | CHLOROETHANE, DISSOLVED (UG/L) | 75003 |
| 34313 | CHLOROETHANE, SUSPENDED (UG/L) | 75003 |
| 34316 | CHLOROFORM, DISSOLVED (UG/L) | 67663 |
| 34317 | CHLOROFORM, SUSPENDED (UG/L) | 67663 |
| 34320 | CHRYSENE, TOTAL (UG/L) | 218019 |
| 34321 | CHRYSENE, DISSOLVED (UG/L) | 218019 |
| 34322 | CHRYSENE, SUSPENDED (UG/L) | 218019 |
| 34325 | CYANIDE, SUSPENDED (MG/L) | 57125 |
| 34327 | DI-N-BUTYL PHTHALATE, DISSOLVED (UG/L) | 84742 |
| 34328 | DICHLOROBROMOMETHANE, DISSOLVED (UG/L) | 75274 |
| 34329 | DICHLOROBROMOMETHANE, SUSPENDED (UG/L) | 75274 |
| 34336 | DIETHYL PHTHALATE, TOTAL (UG/L) | 84662 |
| 34337 | DIETHYL PHTHALATE, DISSOLVED (UG/L) | 84662 |
| 34338 | DIETHYL PHTHALATE, SUSPENDED (UG/L) | 84662 |
| 34341 | DIMETHYL PHTHALATE, TOTAL (UG/L) | 131113 |
| 34342 | DIMETHYL PHTHALATE, DISSOLVED (UG/L) | 131113 |
| 34343 | DIMETHYL PHTHALATE, SUSPENDED (UG/L) | 131113 |
| 34346 | 1,2-DIPHENYLHYDRAZINE, TOTAL (UG/L) | 122667 |
| 34347 | 1,2-DIPHENYLHYDRAZINE, DISSOLVED (UG/L) | 122667 |
| 34348 | 1,2-DIPHENYLHYDRAZINE, SUSPENDED (UG/L) | 122667 |
| 34351 | ENDOSULFAN SULFATE, TOTAL (UG/L) | 1031078 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 34352 | ENDOSULFAN SULFATE, DISSOLVED (UG/L) | 1031078 |
| 34353 | ENDOSULFAN SULFATE, SUSPENDED (UG/L) | 1031078 |
| 34356 | ENDOSULFAN, BETA, TOTAL (UG/L) | 33213659 |
| 34357 | ENDOSULFAN, BETA, DISSOLVED (UG/L) | 33213659 |
| 34358 | ENDOSULFAN, BETA, SUSPENDED (UG/L) | 33213659 |
| 34361 | ENDOSULFAN, ALPHA, TOTAL (UG/L) | 959988 |
| 34362 | ENDOSULFAN, ALPHA, DISSOLVED (UG/L) | 959988 |
| 34363 | ENDOSULFAN, ALPHA, SUSPENDED (UG/L) | 959988 |
| 34371 | ETHYLBENZENE, TOTAL (UG/L) | 100414 |
| 34372 | ETHYLBENZENE, DISSOLVED (UG/L) | 100414 |
| 34373 | ETHYLBENZENE, SUSPENDED (UG/L) | 100414 |
| 34376 | FLUORANTHENE, TOTAL (UG/L) | 206440 |
| 34377 | FLUORANTHENE, DISSOLVED (UG/L) | 206440 |
| 34378 | FLUORANTHENE, SUSPENDED (UG/L) | 206440 |
| 34381 | FLUORENE, TOTAL (UG/L) | 86737 |
| 34382 | FLUORENE, DISSOLVED (UG/L) | 86737 |
| 34383 | FLUORENE, SUSPENDED (UG/L) | 86737 |
| 34386 | HEXACHLOROCYCLOPENTADIENE, TOTAL (UG/L) | 77474 |
| 34387 | HEXACHLOROCYCLOPENTADIENE, DISSOLVED (UG/L) | 77474 |
| 34388 | HEXACHLOROCYCLOPENTADIENE, SUSPENDED (UG/L) | 77474 |
| 34391 | HEXACHLOROBUTADIENE, TOTAL (UG/L) | 87683 |
| 34392 | HEXACHLOROBUTADIENE, DISSOLVED (UG/L) | 87683 |
| 34393 | HEXACHLOROBUTADIENE, SUSPENDED (UG/L) | 87683 |
| 34396 | HEXACHLOROETHANE, TOTAL (UG/L) | 67721 |
| 34397 | HEXACHLOROETHANE, DISSOLVED (UG/L) | 67721 |
| 34398 | HEXACHLOROETHANE, SUSPENDED (UG/L) | 67721 |
| 34401 | HEXACHLOROBENZENE, DISSOLVED (UG/L) | 118741 |
| 34402 | HEXACHLOROBENZENE, SUSPENDED (UG/L) | 118741 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 34403 | INDENO (1,2,3-CD) PYRENE, TOTAL (UG/L) | 193395 |
| 34404 | INDENO (1,2,3-CD) PYRENE, DISSOLVED (UG/L) | 193395 |
| 34405 | INDENO (1,2,3-CD) PYRENE, SUSPENDED (UG/L) | 193395 |
| 34408 | ISOPHORONE, TOTAL (UG/L) | 78591 |
| 34409 | ISOPHORONE, DISSOLVED (UG/L) | 78591 |
| 34410 | ISOPHORONE, SUSPENDED (UG/L) | 78591 |
| 34413 | METHYL BROMIDE, TOTAL (UG/L) | 74839 |
| 34414 | METHYL BROMIDE, DISSOLVED (UG/L) | 74839 |
| 34415 | METHYL BROMIDE, SUSPENDED (UG/L) | 74839 |
| 34418 | METHYL CHLORIDE, TOTAL (UG/L) | 74873 |
| 34419 | METHYL CHLORIDE, DISSOLVED (UG/L) | 74873 |
| 34420 | METHYL CHLORIDE, SUSPENDED (UG/L) | 74873 |
| 34423 | METHYLENE CHLORIDE, TOTAL (UG/L) | 75092 |
| 34424 | METHYLENE CHLORIDE, DISSOLVED (UG/L) | 75092 |
| 34425 | METHYLENE CHLORIDE, SUSPENDED (UG/L) | 75092 |
| 34428 | N-NITROSODI-N-PROPYLAMINE, TOTAL (UG/L) | 621647 |
| 34429 | N-NITROSODI-N-PROPYLAMINE, DISSOLVED (UG/L) | 621647 |
| 34430 | N-NITROSODI-N-PROPYLAMINE, SUSPENDED (UG/L) | 621647 |
| 34433 | N-NITROSODIPHENYLAMINE, TOTAL (UG/L) | 86306 |
| 34434 | N-NITROSODIPHENYLAMINE, DISSOLVED (UG/L) | 86306 |
| 34435 | N-NITROSODIPHENYLAMINE, SUSPENDED (UG/L) | 86306 |
| 34438 | N-NITROSODIMETHYLAMINE, TOTAL (UG/L) | 62759 |
| 34439 | N-NITROSODIMETHYLAMINE, DISSOLVED (UG/L) | 62759 |
| 34440 | N-NITROSODIMETHYLAMINE, SUSPENDED (UG/L) | 62759 |
| 34443 | NAPHTHALENE, DISSOLVED (UG/L) | 91203 |
| 34444 | NAPHTHALENE, SUSPENDED (UG/L) | 91203 |
| 34447 | NITROBENZENE, TOTAL (UG/L) | 98953 |
| 34448 | NITROBENZENE, DISSOLVED (UG/L) | 98953 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 34449 | NITROBENZENE, SUSPENDED (UG/L) | 98953 |
| 34452 | PARACHLOROMETA CRESOL, TOTAL (UG/L) | 59507 |
| 34453 | PARACHLOROMETA CRESOL, DISSOLVED (UG/L) | 59507 |
| 34454 | PARACHLOROMETA CRESOL, SUSPENDED (UG/L) | 59507 |
| 34457 | PCB - 1242, DISSOLVED (UG/L) | 53469219 |
| 34458 | PCB - 1242, SUSPENDED (UG/L) | 53469219 |
| 34459 | PCP (PENTACHLOROPHENOL), DISSOLVED (UG/L) | 87865 |
| 34460 | PCP (PENTACHLOROPHENOL), SUSPENDED (UG/L) | 87865 |
| 34461 | PHENANTHRENE, TOTAL (UG/L) | 85018 |
| 34462 | PHENANTHRENE, DISSOLVED (UG/L) | 85018 |
| 34463 | PHENANTHRENE, SUSPENDED (UG/L) | 85018 |
| 34466 | PHENOL, DISSOLVED (UG/L) | 108952 |
| 34467 | PHENOL, SUSPENDED (UG/L) | 108952 |
| 34469 | PYRENE, TOTAL (UG/L) | 129000 |
| 34470 | PYRENE, DISSOLVED (UG/L) | 129000 |
| 34471 | PYRENE, SUSPENDED (UG/L) | 129000 |
| 34475 | TETRACHLOROETHYLENE, TOTAL (UG/L) | 127184 |
| 34476 | TETRACHLOROETHYLENE, DISSOLVED (UG/L) | 127184 |
| 34477 | TETRACHLOROETHYLENE, SUSPENDED (UG/L) | 127184 |
| 34481 | TOLUENE, DISSOLVED (UG/L) | 108883 |
| 34482 | TOLUENE, SUSPENDED (UG/L) | 108883 |
| 34485 | TRICHLOROETHYLENE, DISSOLVED (UG/L) | 79016 |
| 34486 | TRICHLOROETHYLENE, SUSPENDED (UG/L) | 79016 |
| 34493 | VINYL CHLORIDE, DISSOLVED (UG/L) | 75014 |
| 34494 | VINYL CHLORIDE, SUSPENDED (UG/L) | 75014 |
| 34496 | 1,1-DICHLOROETHANE, TOTAL (UG/L) | 75343 |
| 34497 | 1,1-DICHLOROETHANE, DISSOLVED (UG/L) | 75343 |
| 34498 | 1,1-DICHLOROETHANE, SUSPENDED (UG/L) | 75343 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 34501 | 1,1-DICHLOROETHYLENE, TOTAL (UG/L) | 75354 |
| 34502 | 1,1-DICHLOROETHYLENE, DISSOLVED (UG/L) | 75354 |
| 34503 | 1,1-DICHLOROETHYLENE, SUSPENDED (UG/L) | 75354 |
| 34506 | 1,1,1-TRICHLOROETHANE, TOTAL (UG/L) | 71556 |
| 34507 | 1,1,1-TRICHLOROETHANE, DISSOLVED (UG/L) | 71556 |
| 34508 | 1,1,1-TRICHLOROETHANE, SUSPENDED (UG/L) | 71556 |
| 34511 | 1,1,2-TRICHLOROETHANE, TOTAL (UG/L) | 79005 |
| 34512 | 1,1,2-TRICHLOROETHANE, DISSOLVED (UG/L) | 79005 |
| 34513 | 1,1,2-TRICHLOROETHANE, SUSPENDED (UG/L) | 79005 |
| 34516 | 1,1,2,2-TETRACHLOROETHANE, TOTAL (UG/L) | 79345 |
| 34517 | 1,1,2,2-TETRACHLOROETHANE, DISSOLVED (UG/L) | 79345 |
| 34518 | 1,1,2,2-TETRACHLOROETHANE, SUSPENDED (UG/L) | 79345 |
| 34521 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, TOTAL (UG/L) | 191242 |
| 34522 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, DISS. (UG/L) | 191242 |
| 34523 | BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, SUSP. (UG/L) | 191242 |
| 34526 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, TOTAL (UG/L) | 56553 |
| 34527 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, DISS. (UG/L) | 56553 |
| 34528 | BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, SUSP. (UG/L) | 56553 |
| 34531 | 1,2-DICHLOROETHANE, TOTAL (UG/L) | 107062 |
| 34532 | 1,2-DICHLOROETHANE, DISSOLVED (UG/L) | 107062 |
| 34533 | 1,2-DICHLOROETHANE, SUSPENDED (UG/L) | 107062 |
| 34536 | 1,2-DICHLOROBENZENE, TOTAL (UG/L) | 95501 |
| 34537 | 1,2-DICHLOROBENZENE, DISSOLVED (UG/L) | 95501 |
| 34538 | 1,2-DICHLOROBENZENE, SUSPENDED (UG/L) | 95501 |
| 34541 | 1,2-DICHLOROPROPANE, TOTAL (UG/L) | 78875 |
| 34542 | 1,2-DICHLOROPROPANE, DISSOLVED (UG/L) | 78875 |
| 34543 | 1,2-DICHLOROPROPANE, SUSPENDED (UG/L) | 78875 |
| 34546 | TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER (UG/L) | 156605 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 34547 | TRANS-1,2-DICHLOROETHENE, DISSOLVED (UG/L) | 156605 |
| 34548 | TRANS-1,2-DICHLOROETHENE, SUSPENDED (UG/L) | 156605 |
| 34551 | 1,2,4-TRICHLOROBENZENE, TOTAL (UG/L) | 120821 |
| 34552 | 1,2,4-TRICHLOROBENZENE, DISSOLVED (UG/L) | 120821 |
| 34553 | 1,2,4-TRICHLOROBENZENE, SUSPENDED (UG/L) | 120821 |
| 34556 | 1,2,5,6-DIBENZANTHRACENE, TOTAL (UG/L) | 53703 |
| 34557 | 1,2,5,6-DIBENZANTHRACENE, DISSOLVED (UG/L) | 53703 |
| 34558 | 1,2,5,6-DIBENZANTHRACENE, SUSPENDED (UG/L) | 53703 |
| 34561 | 1,3-DICHLOROPROPENE, TOTAL (UG/L) | 542756 |
| 34562 | 1,3-DICHLOROPROPENE, DISSOLVED (UG/L) | 542756 |
| 34563 | 1,3-DICHLOROPROPENE, SUSPENDED (UG/L) | 542756 |
| 34566 | 1,3-DICHLOROBENZENE, TOTAL (UG/L) | 541731 |
| 34567 | 1,3-DICHLOROBENZENE, DISSOLVED (UG/L) | 541731 |
| 34568 | 1,3-DICHLOROBENZENE, SUSPENDED (UG/L) | 541731 |
| 34571 | 1,4-DICHLOROBENZENE, TOTAL (UG/L) | 106467 |
| 34572 | 1,4-DICHLOROBENZENE, DISSOLVED (UG/L) | 106467 |
| 34573 | 1,4-DICHLOROBENZENE, SUSPENDED (UG/L) | 106467 |
| 34576 | 2-CHLOROETHYL VINYL ETHER, TOTAL (UG/L) | 110758 |
| 34577 | 2-CHLOROETHYL VINYL ETHER, DISSOLVED (UG/L) | 110758 |
| 34578 | 2-CHLOROETHYL VINYL ETHER, SUSPENDED (UG/L) | 110758 |
| 34581 | 2-CHLORONAPHTHALENE, TOTAL (UG/L) | 91587 |
| 34582 | 2-CHLORONAPHTHALENE, DISSOLVED (UG/L) | 91587 |
| 34583 | 2-CHLORONAPHTHALENE, SUSPENDED (UG/L) | 91587 |
| 34586 | 2-CHLOROPHENOL, TOTAL (UG/L) | 95578 |
| 34587 | 2-CHLOROPHENOL, DISSOLVED (UG/L) | 95578 |
| 34588 | 2-CHLOROPHENOL, SUSPENDED (UG/L) | 95578 |
| 34591 | 2-NITROPHENOL, TOTAL (UG/L) | 88755 |
| 34592 | 2-NITROPHENOL, DISSOLVED (UG/L) | 88755 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 34593 | 2-NITROPHENOL, SUSPENDED (UG/L) | 88755 |
| 34596 | DI-N-OCTYL PHTHALATE, TOTAL (UG/L) | 117840 |
| 34597 | DI-N-OCTYL PHTHALATE, DISSOLVED (UG/L) | 117840 |
| 34598 | DI-N-OCTYL PHTHALATE, SUSPENDED (UG/L) | 117840 |
| 34601 | 2,4-DICHLOROPHENOL, TOTAL (UG/L) | 120832 |
| 34602 | 2,4-DICHLOROPHENOL, DISSOLVED (UG/L) | 120832 |
| 34603 | 2,4-DICHLOROPHENOL, SUSPENDED (UG/L) | 120832 |
| 34606 | 2,4-DIMETHYLPHENOL, TOTAL (UG/L) | 105679 |
| 34607 | 2,4-DIMETHYLPHENOL, DISSOLVED (UG/L) | 105679 |
| 34608 | 2,4-DIMETHYLPHENOL, SUSPENDED (UG/L) | 105679 |
| 34611 | 2,4-DINITROTOLUENE, TOTAL (UG/L) | 121142 |
| 34612 | 2,4-DINITROTOLUENE, DISSOLVED (UG/L) | 121142 |
| 34613 | 2,4-DINITROTOLUENE, SUSPENDED (UG/L) | 121142 |
| 34616 | 2,4-DINITROPHENOL, TOTAL (UG/L) | 51285 |
| 34617 | 2,4-DINITROPHENOL, DISSOLVED (UG/L) | 51285 |
| 34618 | 2,4-DINITROPHENOL, SUSPENDED (UG/L) | 51285 |
| 34621 | 2,4,6-TRICHLOROPHENOL, TOTAL (UG/L) | 88062 |
| 34622 | 2,4,6-TRICHLOROPHENOL, DISSOLVED (UG/L) | 88062 |
| 34623 | 2,4,6-TRICHLOROPHENOL, SUSPENDED (UG/L) | 88062 |
| 34626 | 2,6-DINITROTOLUENE, TOTAL (UG/L) | 606202 |
| 34627 | 2,6-DINITROTOLUENE, DISSOLVED (UG/L) | 606202 |
| 34628 | 2,6-DINITROTOLUENE, SUSPENDED (UG/L) | 606202 |
| 34631 | 3,3'-DICHLOROBENZIDINE, TOTAL (UG/L) | 91941 |
| 34632 | 3,3'-DICHLOROBENZIDINE, DISSOLVED (UG/L) | 91941 |
| 34633 | 3,3'-DICHLOROBENZIDINE, SUSPENDED (UG/L) | 91941 |
| 34636 | 4-BROMOPHENYL PHENYL ETHER, TOTAL (UG/L) | 101553 |
| 34637 | 4-BROMOPHENYL PHENYL ETHER, DISSOLVED (UG/L) | 101553 |
| 34638 | 4-BROMOPHENYL PHENYL ETHER, SUSPENDED (UG/L) | 101553 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 34641 | 4-CHLOROPHENYL PHENYL ETHER, TOTAL (UG/L) | 7005723 |
| 34642 | 4-CHLOROPHENYL PHENYL ETHER, DISSOLVED (UG/L) | 7005723 |
| 34643 | 4-CHLOROPHENYL PHENYL ETHER, SUSPENDED (UG/L) | 7005723 |
| 34646 | 4-NITROPHENOL, TOTAL (UG/L) | 100027 |
| 34647 | 4-NITROPHENOL, DISSOLVED (UG/L) | 100027 |
| 34648 | 4-NITROPHENOL, SUSPENDED (UG/L) | 100027 |
| 34651 | P,P'-DDD, DISSOLVED (UG/L) | 72548 |
| 34652 | P,P'-DDD, SUSPENDED (UG/L) | 72548 |
| 34653 | P,P'-DDE, DISSOLVED (UG/L) | 72559 |
| 34654 | P,P'-DDE, SUSPENDED (UG/L) | 72559 |
| 34655 | P,P'-DDT, DISSOLVED (UG/L) | 50293 |
| 34656 | P,P'-DDT, SUSPENDED (UG/L) | 50293 |
| 34657 | DNOC (4,6-DINITRO-ORTHO-CRESOL), TOTAL (UG/L) | 534521 |
| 34658 | DNOC (4,6-DINITRO-ORTHO-CRESOL), DISSOLVED (UG/L) | 534521 |
| 34659 | DNOC (4,6-DINITRO-ORTHO-CRESOL), SUSPENDED (UG/L) | 534521 |
| 34662 | PCB - 1221, DISSOLVED (UG/L) | 11104282 |
| 34663 | PCB - 1221, SUSPENDED (UG/L) | 11104282 |
| 34665 | PCB - 1232, DISSOLVED (UG/L) | 11141165 |
| 34666 | PCB - 1232, SUSPENDED (UG/L) | 11141165 |
| 34671 | PCB - 1016, TOTAL (UG/L) | 12674112 |
| 34672 | PCB - 1016, DISSOLVED (UG/L) | 12674112 |
| 34673 | PCB - 1016, SUSPENDED (UG/L) | 12674112 |
| 34675 | 2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD),TOT(UG/L) | 1746016 |
| 34676 | 2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)DISS(UG/L) | 1746016 |
| 34677 | 2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)SUSP(UG/L) | 1746016 |
| 34694 | PHENOL(C6H5OH)-SINGLE COMPOUND TOTAL (UG/L) | 108952 |
| 34696 | NAPHTHALENE, TOTAL (UG/L) | 91203 |
| 34750 | 2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)TOT(PG/L) | 1746016 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 34751 | 2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)DISS(PG/L) | 1746016 |
| 34752 | 2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)SUSP(PG/L) | 1746016 |
| 39032 | PCP (PENTACHLOROPHENOL) WHOLE WATER SAMPLE (UG/L) | 87865 |
| 39039 | HEXACHLOROBENZENE WATER SAMPLE,ELECTRON CPT (UG/L) | 118741 |
| 39100 | BIS(2-ETHYLHEXYL) PHTHALATE, WHOLE WATER (UG/L) | 117817 |
| 39103 | BIS(2-ETHYLHEXYL) PHTHALATE, DISSOLVED, (UG/L) | 117817 |
| 39104 | BIS(2-ETHYLHEXYL) PHTHALATE, SUSPENDED, (UG/L) | 117817 |
| 39107 | PHTHALATES,DIETHYLHEXYL SUS.FRAC.WTR DWT (MG/KG) | 117817 |
| 39110 | DI-N-BUTYL PHTHALATE, WHOLE WATER (UG/L) | 84742 |
| 39114 | DI-N-BUTYL PHTHALATE, SUSPENDED (UG/L) | 84742 |
| 39115 | PHTHALATES,DIBUTYL SUS.FRAC.WATER DWT (UG/KG) | 84742 |
| 39120 | BENZIDINE IN WHOLE WATER SAMPLE (UG/L) | 92875 |
| 39175 | VINYL CHLORIDE-WHOLE WATER SAMPLE (UG/L) | 75014 |
| 39180 | TRICHLOROETHYLENE-WHOLE WATER SAMPLE (UG/L) | 79016 |
| 39300 | P,P' DDT IN WHOLE WATER SAMPLE (UG/L) | 50293 |
| 39310 | P,P' DDD IN WHOLE WATER SAMPLE (UG/L) | 72548 |
| 39320 | P,P' DDE IN WHOLE WATER SAMPLE (UG/L) | 72559 |
| 39330 | ALDRIN IN WHOLE WATER SAMPLE (UG/L) | 309002 |
| 39331 | ALDRIN IN FILT. FRAC. OF WAT. SAMP. (UG/L) | 309002 |
| 39332 | ALDRIN IN SUSP. FRAC. OF WAT. SAMP. (UG/L) | 309002 |
| 39336 | BHC-ALPHA, WATER, WHOLE (LBS/DAY) | 319846 |
| 39337 | ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER (UG/L) | 319846 |
| 39338 | BETA BENZENE HEXACHLORIDE IN WHOLE WATER (UG/L) | 319857 |
| 39340 | GAMMA-BHC(LINDANE), WHOLE WATER (UG/L) | 58899 |
| 39341 | GAMMA-BHC(LINDANE), DISSOLVED (UG/L) | 58899 |
| 39342 | GAMMA-BHC(LINDANE), SUSPENDED (UG/L) | 58899 |
| 39344 | BHC-GAMMA, WATER, WHOLE (LBS/DAY) | 58899 |
| 39350 | CHLORDANE(TECH MIX & METABS), WHOLE WATER (UG/L) | 57749 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 39352 | CHLORDANE(TECH MIX & METABS), DISSOLVED (UG/L) | 57749 |
| 39353 | CHLORDANE(TECH MIX & METABS), SUSPENDED (UG/L) | 57749 |
| 39360 | DDD IN WHOLE WATER SAMPLE (UG/L) | 72548 |
| 39361 | DDD IN FILT. FRAC. OF WATER SMAPLE (UG/L) | 72548 |
| 39362 | DDD IN SUSP. FRAC. OF WATER SAMPLE (UG/L) | 72548 |
| 39365 | DDE IN WHOLE WATER SAMPLE (UG/L) | 72559 |
| 39366 | DDE IN FILT. FRAC. OF WATER SAMPLE (UG/L) | 72559 |
| 39367 | DDE IN SUSP. FRAC. OF WATER SAMPLE (UG/L) | 72559 |
| 39370 | DDT IN WHOLE WATER SAMPLE (UG/L) | 50293 |
| 39371 | DDT IN FILT. FRAC. OF WATER SAMPLE (UG/L) | 50293 |
| 39372 | DDT IN SUSP. FRAC. OF WATER SAMPLE (UG/L) | 50293 |
| 39380 | DIELDRIN IN WHOLE WATER SAMPLE (UG/L) | 60571 |
| 39381 | DIELDRIN IN FILT. FRAC. OF WATER SAMPLE (UG/L) | 60571 |
| 39382 | DIELDRIN IN SUSP. FRAC. OF WATER SAMPLE (UG/L) | 60571 |
| 39390 | ENDRIN IN WHOLE WATER SAMPLE (UG/L) | 72208 |
| 39391 | ENDRIN IN FILT. FRAC. OF WATER SAMPLE (UG/L) | 72208 |
| 39392 | ENDRIN IN SUSP. FRAC. OF WATER SAMPLE (UG/L) | 72208 |
| 39400 | TOXAPHENE IN WHOLE WATER SAMPLE (UG/L) | 8001352 |
| 39401 | TOXAPHENE IN FILT. FRAC. OF WATER SAMPLE (UG/L) | 8001352 |
| 39402 | TOXAPHENE IN SUSP. FRAC. OF WATER SAMPLE (UG/L) | 8001352 |
| 39410 | HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L) | 76448 |
| 39411 | HEPTACHLOR IN FILT. FRAC. OF WATER SAMPLE (UG/L) | 76448 |
| 39412 | HEPTACHLOR IN SUSP. FRAC. OF WATER SAMPLE (UG/L) | 76448 |
| 39420 | HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L) | 1024573 |
| 39421 | HEPTACHLOR EPOXIDE IN FILT. FRAC. WAT. SAM. (UG/L) | 1024573 |
| 39422 | HEPTACHLOR EPOXIDE IN SUSP. FRAC. WAT. SAM. (UG/L) | 1024573 |
| 39488 | PCB - 1221 IN THE WHOLE WATER SAMPLE (UG/L) | 11104282 |
| 39492 | PCB - 1232 PCB SERIES WHOLE WATER SAMPLE (UG/L) | 11141165 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 39496 | PCB - 1242 PCB SERIES WHOLE WATER SAMPLE (UG/L) | 53469219 |
| 39500 | PCB - 1248 PCB SERIES WHOLE WATER SAMPLE (UG/L) | 12672296 |
| 39501 | PCB - 1248 IN FILT. FRAC. OF WATER SAMPLE (UG/L) | 12672296 |
| 39502 | PCB - 1248 IN SUSP. FRAC. OF WATER SAMPLE (UG/L) | 12672296 |
| 39504 | PCB - 1254 PCB SERIES WHOLE WATER SAMPLE (UG/L) | 11097691 |
| 39505 | PCB - 1254 IN FILT. FRAC. OF WATER SAMPLE (UG/L) | 11097691 |
| 39506 | PCB - 1254 IN SUSP. FRAC. OF WATER SAMPLE (UG/L) | 11097691 |
| 39508 | PCB - 1260 PCB SERIES WHOLE WATER SAMPLE (UG/L) | 11096825 |
| 39509 | PCB - 1260 IN FILT. FRAC. OF WATER SAMPLE (UG/L) | 11096825 |
| 39510 | PCB - 1260 IN SUSP. FRAC. OF WATER SAMPLE (UG/L) | 11096825 |
| 39700 | HEXACHLOROBENZENE IN WHOLE WATER SAMPLE (UG/L) | 118741 |
| 39702 | HEXACHLOROBUTADIENE IN WHOLE WATER SAMPLE (UG/L) | 87683 |
| 39782 | LINDANE IN WHOLE WATER SAMPLE (UG/L) | 58899 |
| 39920 | DNOC IN WHOLE WATER SAMPLE (UG/L) | 534521 |
| 46322 | LINDANE PLUS ISOMERS IN WHOLE WATER SAMPLE (UG/L) | 58899 |
| 46323 | DELTA-BHC IN WHOLE WATER SAMPLE (UG/L) | 319868 |
| 46326 | HEPTACHLOR AND METABOLITES IN WH. H2O SAMP. (UG/L) | 76448 |
| 46479 | CYANIDE, DISSOLVED, WATER (UG/L) | 57125 |
| 46551 | ARSENIC, FIELD ACIDIFIED W/HNO3, LAB FILT. (UG/L) | 7440382 |
| 46559 | CADMIUM, FIELD ACIDIFIED-HNO3-LAB FILTER (UG/L-CD) | 7440439 |
| 46560 | CHROMIUM, FIELD ACIDIFIED-HN03-LAB FILT. (UG/L-CR) | 7440473 |
| 46562 | COPPER, FIELD ACIDIFIED-HNO3-LAB FILTER. (UG/L-CU) | 7440508 |
| 46564 | LEAD, FIELD ACIDIFIED-HNO3-LAB FILTERED (UG/L-PB) | 7439921 |
| 46566 | SILVER, FIELD ACIDIFIED-HNO3-LAB FILTER.(UG/L-AG) | 7440224 |
| 46567 | ZINC, EXTRACT. FIELD ACID W/HNO3, LAB FILT. (UG/L) | 7440666 |
| 70012 | PARACHLOROMETA CRESOL, WATER, WHOLE (LBS/DAY) | 59507 |
| 70017 | HEXACHLOROCYCLOPENTADIENE, WATER, WHOLE (LBS/DAY) | 77474 |
| 70021 | LEAD, (TCLP), WATER, TOTAL (MG/L) | 7439921 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 71890 | MERCURY, DISSOLVED (UG/L AS HG) | 7439976 |
| 71895 | MERCURY, SUSPENDED (UG/L AS HG) | 7439976 |
| 71900 | MERCURY, TOTAL (UG/L AS HG) | 7439976 |
| 71901 | MERCURY, TOTAL RECOVERABLE IN WATER AS HG (UG/L) | 7439976 |
| 71946 | CADMIUM, EXTRACTABLE (UG/L AS CD) | 7440439 |
| 71947 | CHROMIUM, EXTRACTABLE (UG/L AS CR) | 7440473 |
| 71949 | LEAD, EXTRACTABLE (UG/L AS PB) | 7439921 |
| 71950 | ZINC, EXTRACTABLE (UG/L AS ZN) | 7440666 |
| 71951 | COPPER, EXTRACTABLE (UG/L AS CU) | 7440508 |
| 73063 | CHLOROGUAIACOL,4-, TOTAL, WATER (UG/L) | 16766306 |
| 73522 | PROPANE, 2,2'-OXYBIS(1-CHLORO)- TOTAL (UG/L) | 108601 |
| 77163 | 1,3-DICHLOROPROPENE-1, WHOLE WATER (UG/L) | 542756 |
| 77354 | 1,1-DICHLORO-2,2-DIFLUOROETHANE WHOLE WATER (UG/L) | 471432 |
| 77771 | 3-CHLORO-4-HYDROXYBENZOPHENONE, WHOLE WATER (UG/L) | 55191203 |
| 78113 | ETHYL BENZENE WHOLE WATER SAMPLE (UG/L) | 100414 |
| 78124 | BENZENE IN WATER (VOLATILE ANALYSIS) (UG/L) | 71432 |
| 78131 | TOLUENE IN WHOLE WATER (VOLATILE ANALYSIS) (UG/L) | 108883 |
| 78208 | 2,4-DINITRO-O-CRESOL IN WHOLE WATER SAMPLE (UG/L) | 534521 |
| 78247 | CHROMIUM, HEXAVALENT, TOTAL RECOVERABLE, WT (UG/L) | 18540299 |
| 78248 | CYANIDE, TOTAL RECOVERABLE, WATER, WHOLE (UG/L) | 57125 |
| 80357 | CHROMIUM, TRIVALENT, DISSOLVED, AS CR | 16065831 |
| 81208 | CYANIDE, FREE (NOT AMEN. TO CHLORINATION) (MG/L) | 57125 |
| 81210 | CYANIDE - STATE OF ILLINOIS (MG/L) | 57125 |
| 81214 | CADMIUM - STATE OF ILLINOIS (MG/L)-COLD | 7440439 |
| 81215 | CHROMIUM - STATE OF ILLINOIS (MG/L), COLD DIGEST | 18540299 |
| 81216 | CHROMIUM(TRI)-STATE OF ILLINOIS (MG/L)-COLD DIGEST | 16065831 |
| 81217 | CHROMIUM, TOTAL - STATE OF ILLINOIS (MG/L) COLD DIGEST | 7440473 |
| 81218 | COPPER, STATE OF ILLINOIS, MG/L, COLD DIGEST | 7440508 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 81220 | LEAD, STATE OF ILLINOIS, MG/L, COLD DIGEST | 7439921 |
| 81222 | NICKEL - STATE OF ILLINOIS, MG/L, COLD DIGEST | 7440020 |
| 81223 | SILVER, STATE OF ILLINOIS, MG/L, COLD DIGEST | 7440224 |
| 81224 | ZINC - STATE OF ILLINOIS, MG/L, COLD DIGEST | 7440666 |
| 81642 | SILVER (AG) IN WATER POUNDS PER DAY (LBS/DAY) | 7440224 |
| 81750 | COPPER, INTERSTITIAL WATER FROM SEDIMENTS (UG/L) | 7440508 |
| 81751 | LEAD, INTERSTITIAL WATER FROM SEDIMENTS (UG/L) | 7439921 |
| 81752 | NICKEL, INTERSTITIAL WATER FROM SEDIMENTS (UG/L) | 7440020 |
| 81753 | CADMIUM, INTERSTITIAL WATER FROM SEDIMENT | 7440439 |
| 81754 | ZINC, INTERSTITIAL WATER FROM SEDIMENTS (UG/L) | 7440666 |
| 81766 | HEPTACHLOR EPOXIDE IN EPILITHIC ALGAE SED. (UG/KG) | 1024573 |
| 81931 | MERCURY (HG) SUSPENDED FRACTION OF WATER (UG/G) | 7439976 |
| 81932 | CADMIUM (CD) SUSPENDED FRACTION OF WATER (UG/G) | 7440439 |
| 81933 | ZINC (ZN) SUSPENDED FRACTION OF WATER (UG/G) | 7440666 |
| 81934 | LEAD (PB) SUSPENDED FRACTION OF WATER (UG/G) | 7439921 |
| 81936 | LEAD (PB) DISSOLVED CATIONIC SPECIES (UG/L) | 7439921 |
| 81937 | CADMIUM (CD) DISSOLVED CATIONIC SPECIES (UG/L) | 7440439 |
| 81938 | CHROMIUM, DISSOLVED CATIONIC SPECIES (UG/L) | 7440473 |
| 81939 | COPPER (CU) DISSOLVED CATIONIC SPECIES (UG/L) | 7440508 |
| 81940 | ZINC (ZN) DISSOLVED CATIONIC SPECIES (UG/L) | 7440666 |
| 81941 | CHROMIUM, DISSOLVED ANIONIC SPECIES (UG/L) | 7440473 |
| 81942 | COPPER (CU) DISSOLVED ANIONIC SPECIES (UG/L) | 7440508 |
| 81943 | ZINC (ZN) DISSOLVED ANIONIC SPECIES (UG/L) | 7440666 |
| 82058 | CHROMIUM, TOTAL, PERCENT REMOVAL | 7440473 |
| 82399 | CHROMIUM, HEXAVALENT (KG/BATCH) | 18540299 |
| 82512 | M,P-DICHLOROBENZENE (MEASURES 1,3&1,4) TOT. (UG/L) | 541731 |
| 82573 | CYANIDE/CHLORINATION IN WATER (MG/L) | 57125 |
| 82621 | HEXACHLOROBENZENE, WATER, TOTAL RECOVER. (UG/L) | 118741 |

| STORET Code | Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.- | C.A.S. Number |
|---|---|---|
| 82622 | ENDRIN ALDEHYDE, WH. WATER, TOTAL RECOVER. (UG/L) | 7421934 |
| 82623 | ENDOSULFAN SULFATE, WATER, TOTAL RECOVER. (UG/L) | 1031078 |
| 82624 | ENDOSULFAN, BETA, WH. WATER, TOTAL RECOVER. (UG/L) | 33213659 |
| 82626 | 1,2-DIPHENYLHYDRAZINE, WATER, TOTAL RECOVER. (UG/L) | 122667 |
| 82627 | PARACHLOROMETA CRESOL, WATER, TOTAL RECOVER. (UG/L) | 59507 |
| 85006 | ZINC, TOTAL - (#/DAY) | 7440666 |
| 85007 | CHROMIUM, TOTAL (#/DAY) | 7440473 |
| 85010 | NICKEL, TOTAL - (#/DAY) | 7440020 |
| 85013 | MERCURY, TOTAL - (#/DAY) | 7439976 |

## Appendix H

## Literature Cited


Code of Federal Regulations. 1994. Protection of Environment. 40 CFR Parts 100 to 149. Revised as of July 1, 1994. Published by the Office of the Federal Register, National Archives and Records Administration. U.S. Government Printing Office, Washington, D.C. 20402.

Gilbert, R. O. 1987. Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold Co., New York, NY. 320p.

GKY and Associates. 1990. Dam Inventory Database and Retrieval Software: Final Report. U.S. Environmental Protection Agency, Water Quality Analysis Branch. Under Contract #68-03-3339.

Kunkle, S. and J. Wilson. 1984. Specific Conductance and pH Measurements in Surface Waters: An Introduction for Park Natural Resource Specialists. Water Resources Field Support Laboratory Report No. 84-3. National Park Service, Water Resources Division, Fort Collins, Colorado 80525. 51p.

National Park Service. 1993. Strategic Plan for Conducting Baseline Natural Resource Inventories in the National Park Service. National Park Service, Washington Office, Servicewide Inventory and Monitoring Program, Washington, D.C. Unpublished. 17p.

U.S. Environmental Protection Agency. 1995. Quality Criteria for Water 1995. Final Draft. Office of Water Regulations and Standards, Washington, D.C.

U.S. Environmental Protection Agency. 1989. STORET User Handbook. U.S. Environmental Proteciton Agency, Office of Water, Washington, D.C. 20460.

U.S. Environmental Protection Agency. 1992. Office of Water Environmental and Program Information Systems Compendium. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. 20460. 152p.

U.S. Environmental Protection Agency. 1993. Technical Description of the Reach File. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. 20460. 23p.

U.S. Geological Survey. 1982. A U.S. Geological Survey Data Standard: Codes for the Identification of Hydrologic Units in the United States and Caribbean Outlying Areas. Geological Survey Circular 878-A. U.S. Geological Survey, Water Resources Division, Reston, VA. 22092. 115p.

U.S. Geological Survey 1992. Hydro-Climatic Data Network: A U.S. Geological Survey Streamflow Data Set for the United States for the Study of Climate Variations 1874-1988. Open File Report 92-129/USGS Water Supply Paper No. 2406. U.S. Geological Survey, Water Resources Division, Reston, VA. 22092. 193p.

Ward, R. C., J. C. Loftis, and G. B. McBride. 1990. Design of Water Quality Monitoring Systems. Van Nostrand Reinhold Co., New York, NY. 231p.

## Appendix I

## Selected General Water Quality References


American Public Health Association. 1989. Standard Methods for the Examination of Water and Wastewater (17th ed.). Washington, D.C. 1476p.

Drever, J. I. 1982. The Geochemistry of Natural Waters. Prentice-Hall, Inc., Englewood Cliffs, NJ. 388p.

Dunne, T. and L. B. Leopold. 1978. Water in Environmental Planning. W.H. Freeman and Company, San Francisco, CA. 818p.

Everett, L. G. 1980. Groundwater Monitoring. General Electric Co., Schenectady, NY. 440p.

Fetter, C. W. 1988. Applied Hydrogeology (2nd ed.). MacMillan Publishing Co., New York, NY. 592p.

Flora, M. D., T. E. Ricketts, J. Wilson, and S. Kunkle. 1984. Water Quality Criteria: An Overview for Park Natural Resource Specialists. WRFSL Report No. 84-4. National Park Service, Water Resources Field Support Laboratory, Fort Collins, CO. 46p.

Gilbert, R. O. 1987. Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold Co., New York, NY. 320p.

Hem, J. D. 1985. Study and Interpretation of the Chemical Characteristics of Natural Water (3rd ed.). U.S. Geological Survey Water-Supply Paper 2254. U.S. Government Printing Office, Washington, D.C. 263p.

Kunkle, S., W. S. Johnson, and M. Flora. 1987. Monitoring Stream Water Quality for Land-Use Impacts: A Training Manual for Natural Resource Management Specialists. Water Resources Division, National Park Service, Fort Collins, CO. 102p.

Kunkle, S. and J. Wilson. 1984. Specific Conductance and pH Measurements in Surface Waters: An Introduction for Park Natural Resource Specialists. Water Resources Field Support Laboratory Report No. 84-3. National Park Service, Water Resources Division, Fort Collins, Colorado 80525. 51p.

Merritt, R. W., and K. W. Cummins (eds.). 1984. An Introduction to the Aquatic Insects of North America (2nd ed.). Kendall/Hunt Publishing Co., Dubuque, IA. 44p.

Morel, F. M. 1983. Principles of Aquatic Chemistry. John Wiley & Sons, Inc., New York, NY. 446p.

Nielsen, D. M. (ed.). 1991. Practical Handbook of Ground-Water Monitoring. Lewis Publishers, Inc. Chelsea, MI. 717p.

Ponce, S. L. 1980a. Statistical Methods Commonly Used in Water Quality Data Analysis. WSDG Technical Paper WSDG-TP-00001. U.S. Department of Agriculture, Forest Service, Watershed Systems Development Group, Fort Collins, CO. 136p.

Ponce, S. L. 1980b. Water Quality Monitoring Programs. WSDG Technical Paper WSDG-TP-00002. U.S. Department of Agriculture, Forest Service, Watershed Systems Development Group, Fort Collins, CO. 68p.

Rand, G. M. and S. R. Petrocelli (eds.). 1985. Fundamentals of Aquatic Toxicology. Hemisphere Publishing Co., New York, NY. 666p.

Rantz, S. E. and others. 1982. Measurement and Computation of Streamflow: Volume 1. Measurement of Stage and Discharge. Volume 2. Computation of Discharge. U.S. Department of the Interior, Geological Survey Water Supply Paper 2175. 631p.

Stednick, J.D. and D. M. Gilbert. 1998. Water Quality Inventory Protocol: Riverine Environments. National Park Service, Water Resources Division Technical Report NPS/NRWRD/NRTR-98/177. Fort Collins, CO. 103p.

Stednick, J. D. 1991. Wildland Water Quality Sampling and Analysis. Academic Press, Inc., San Diego, CA. 217p.

United Nations Educational, Scientific and Cultural Organization (UNESCO). 1978. Water Quality Surveys: A Guide for the Collection and Interpretation of Water Quality Data. IHD-WHO Working Group on the Quality of Water, Paris, France. 350p.

U.S. Department of the Interior. 1977. National Handbook of Recommended Methods for Water-Data Acquisition. U.S. Geological Survey, Office of Water-Data Coordination, Reston, VA. 990p.

U.S. Environmental Protection Agency. 1978. Microbiological Methods for Monitoring the Environment: Water and Wastes. R. H. Border, J. A. Winter, and P. W. Scarpino. EPA-600/8-78-017. Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 338p.

U.S. Environmental Protection Agency. 1979b. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-020. (Revised March 1983). Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 460p.

U.S. Environmental Protection Agency. 1983. Water Quality Standards Handbook. Office of Water Regulations and Standards, Washington, D.C. 218p.

U.S. Environmental Protection Agency. 1995. Quality Criteria for Water 1995. Final Draft. Office of Water Regulations and Standards, Washington, D.C.

U.S. Environmental Protection Agency. 1989. Rapid Bioassessment Protocols for Use in Streams and Rivers: Benthic Macroinvertebrates and Fish. J. L. Plafkin, M. T. Barbour, K. D. Porter, S. K. Gross, and R. M. Hughes. EPA-444/4-89-001. Office of Water Regulations and Standards, Assessment and Watershed Protection Division, Washington, D.C. 162p.

U.S. Environmental Protection Agency. 1990. Macroinvertebrate Field and Laboratory Methods for Evaluating the Biological Integrity of Surface Waters. D. J. Klemm, P. A. Lewis, F. Fulk, and J. M. Lazorchak. EPA-600/4-90-030. Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 256p.

U.S. Environmental Protection Agency. 1991a. Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms (4th ed.). C. I. Weber, ed. EPA-600/4-90-027. Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 293p.

U.S. Environmental Protection Agency. 1991b. Monitoring Guidelines to Evaluate Effects of Forestry Activities on Streams in the Pacific Northwest and Alaska. L. H. MacDonald, A. W.Smart, and R. C. Wissmar. EPA-910/9-91-001. Region 10, Seattle, WA. 162p.


U.S. Environmental Protection Agency. 1993. Guide to Federal Water Quality Programs and Information. T. Stuart and N. P. Ross. EPA-230-B-93-001. Office of Strategic Planning and Environmental Data, Environmental Statistics and Information Division. Washington, D.C. 194p.

Verschueren, K. 1983. Handbook of Environmental Data on Organic Chemicals (2nd ed.). Van Nostrand Reinhold Co., New York, NY. 1310p.

Viessman W. and M. J. Hammer. 1985. Water Supply and Pollution Control (4th ed.). Harper and Row, Publishers, Inc. New York, NY. 797p.

Ward, R. C., J. C. Loftis, and G. B. McBride. 1990. Design of Water Quality Monitoring Systems. Van Nostrand Reinhold Co., New York, NY. 231p.

Wetzel, R. G. 1983. Limnology (2nd ed.). Sanders College Publishing, Philadelphia, PA. 767p.




---

As the nation's principal conservation agency, the Department of the Interior has the responsibility for most of our nationally owned public lands and natural and cultural resources. This includes fostering wise use of our land and water resources, protecting our fish and wildlife, preserving the environmental and cultural values of our national parks and historical places, and providing for enjoyment of life through outdoor recreation. The Department assesses our energy and mineral resources and works to ensure that their development is in the best interests of all our people. The Department also promotes the goals of the Take Pride in America campaign by encouraging stewardship and citizen responsibility for the public lands and promoting citizen participation in their care. The Department also has a major responsibility for American Indian reservation communities and for people who live in island territories under U.S. administration.

NPS D-73 October 1998