

551.23
62426
..

INDEX
of
Hot Springs of the Yellowstone National Park
by
E. T. Allen and Arthur L. Day

YELLOWSTONE
NATIONAL PARK
LIBRARY

Acid and alkaline areas, genetic conditions, 473
 Acid and alkaline characteristics at Geyser Creek, 451
 Acid area of Shoshone Basin, 318
 Acid areas - see also Hot Spring areas, acid tracts
 Acid areas, deposition, 137
 deposits, 142
 secondary deposits, 138
 Acid characteristics on the border of the Upper Basin, 251
 Acid radicals, HCO_2 , Cl , SO_4 , distribution in different types
 of thermal waters, 127, 251
 Acid, sulphuric - see Sulphuric acid
 Acid thermal waters, 71
 Acid tracts, limited in size, 64
 location, 164
 Acid waters, depth to which they extend, 483
 Acidity, 73
 degree of in sulphate waters, 101
 Adams, L. H., 30
 explains geyser irregularities, 229
 Age of deposits at Mammoth Springs, 363
 Age of deposits at Terrace Mt., 364
 Age of geyser activity, 153, 239
 Age of hydrothermal activity in Yellowstone Park, 6, 165
 Albright, Horace M., Director of National Park Service, 191
 Algae - see also Micro-organisms
 Algae in hot waters, 158
 Algae, temperature range in Yellowstone springs, 158, 160
 Algous Terrace, 152
 Alkaline areas, 233
 alteration of feldspars and volcanic glasses in, 110
 characterized by ferruginous sinter, 357
 characterized by siliceous sinter deposits, 342
 deposits, 142 et seq.
 deposits in, at Norris Basin, 482
 occurrence, 509
 other deposits, 156
 ration to sulphate areas, 167
 rock alteration by salts in the thermal waters of, 111
 rock alteration in, by carbon dioxide, 110
 rock decomposition, 110
 Alkaline springs of Norris Basin, 469
 come subsequent to acid springs, 489, 490
 Alkaline thermal water, 57
 extend to greater depth than sulphate, 168
 general character, 71
 not typical of Snake River Springs, 335

- Alkaline thermal waters (cont.)
 - peculiar at Norris Basin, 469
 - percentage of hot waters, 131
 - precipitate silica, 145
 - rock leaching by, 130
- Alkaline to acid type of activity, 502
- Alum Creek, 54, 427, 457
 - heads at Mary Mountain, 436
 - heat carried away by hot water, 135
- Alum Creek, upper, reconnaissance of, 337
- Alum Creek Springs, described, 337
- Alunite, occurrence of in Artist's Paint Pots, 455
 - occurrence of in surface deposits of Calcite Springs, 498
- Ammonium, 73
- Ammonium salts in waters of Washburn Springs, 412-413
- Amphitheatre Springs, 16, 57, 126
 - carried mineral matter, 129
 - description, 393, 394, 395
 - water analysis, 395
- Analyses, early, of hot-spring gases from Yellowstone Park, 83
- Analysing of waters from Snake River Springs, 334
- Analysis of waters, 73
 - for acidity, 73
 - for the alkalis, 73, 88
 - for ammonium, 73
 - for arsenic, 75, 88
 - for boric acid, 74, 88
 - for calcium and magnesium, 73
 - for carbonates, 73
 - for chloride, 74
 - for fluorine, 75
 - for hydrogen sulphide, 75
 - for iron and alumina, 73
 - for silica, 73
 - for sulphide, 75
 - for thiosulphate, 74
 - of Mammoth Springs, 373
 - of precipitate from Firehole Pool, 348
 - of spring sediments (Heart Lake), 323
- Analytical methods, remarks on, 84
- Anderson, G. A., 137
- Anderson, G. H. - see Nolan, T. B.
- Andrase, A., 213
- Angel Terrace, 86, 157, 365, 368, 372, 378
- Apollinaris Spring, 103
- Aqueous magmatic solutions, 117

Aragonite in deposits of Mammoth Springs, 379
 in deposits of Deep Creek Springs (eastern group), 357
 Argon, determination, 87, 88
 Areas, both calcareous and siliceous sinter deposits, 342
 both sulphate and alkaline, 449
 characterized by springs of mixed waters, 460
 Arkansas Hot Springs, 29, 166
 Arnold, Ranger M. L., observations by, 148, 156
 Arsenate of iron at Norris Basin - see Scoredite
 Arsenic;
 as arsenic acid or arsenate in Yellowstone thermal waters,
 77, 122
 condition in the waters, 76, 77
 uncrystallized sulphide of, at Norris Basin, 485
 uncrystallized sulphide of, deposited by thermal waters,
 138-140
 Arsenic Geyser, 468, 477, 478, 485
 Arsenic sulphides, red and yellow, where found, 138
 analysis from Norris Basin, 139
 Artemisia Geyser, 83, 86, 123, 124, 152, 178, 187, 224, 252
 depth, 134
 description of cone and eruption, 264
 eruptions of, 262
 height of eruption, 187
 superheated water in, 224
 temperature-depth curve, 192
 Artist's Paint Pots, 17, 57, 126
 carried mineral matter, 129
 color due to, 456
 composition of waters of, 453
 deposits and brilliant sediments of, 455
 description and location, 453
 general characteristics, 453
 heat carried away by hot water, 135
 sediments and deposits, 455
 sulphuric acid leachings, 130
 temperature at, 453
 Aspects, general, of hot-spring areas, 11
 Asta Spring, 83, 124
 Atomic ratios, constancy in particular springs, 124

 Bacteria;
 insignificant amounts in very hot waters, 158
 possible role of, in formation of sulphuric acid, 100
 Bailey, E. G., discharge measurements in Upper Basin, 237
 Baker, Ranger Z. N. work by, 145, 148, 184, 226, 243-244
 Barlow, Capt. 187
 Berth, Tom., 19

Basaltic gravel (or breccia) exposed at Washburn Springs, 403
 Basic breccia at Calcite Springs, 495
 Bath Lake, 372
 Bath Spring, 86, 284
 Bath-tub (hot spring) at Norris Basin, 488-489
 water analysis, 489
 Beach Spring, 244, 249
 Bead Geyser, Pink Cone Group, Lower Basin, 277, 187, 278
 Bear Creek, thermal activity at, 444
 Beaumont, Elie de, 1, 24, 25, 26, 30, 94
 Becker, G. F., 173, 174
 Beehive Geyser, 19, 123, 124, 127, 188, 190, 194, 200, 243
 245, 252, 255
 depth, 134
 description of cone and eruption, 255, 256
 length of active period, 177
 not as powerful as formerly, 188
 temperature-depth curve, 194
 Bellefontaine Spring, 280
 Bench Spring, 123, 124, 249
 Beowawe Geyser, Beowawe, Nev., 171, 173
 analysis of waters from, 174
 Beowawe Springs, 132
 Beryl Spring, 16, 33, 57, 126
 description, 332
 water analysis, 332
 Berzelius, 119
 Bicarbonate in Yellowstone thermal waters:
 distribution of, 126
 presence and formation of, 120
 springs of sulphate type, 125
 Bicarbonate and carbonate in alkaline spring waters, 120
 Big Cub Geyser, 20
 Big Sulphur Pool, water analysis, 427
 Bijah Spring, 57
 location, 503
 water analysis, 503, 504
 Bijou Geyser, 244
 Biscuit Basin, 78, 233
 Black Growler (steam vent) at Norris Basin, 33, 35, 87, 115, 481
 Black Pearl Geyser, 239
 Black Sand Basin, 236, 241
 Black Sand Pool, 19, 20, 249, 252
 Black Warrior, 103, 342, 345
 Blue color of water in many Yellowstone thermal springs, 78, 82

Blue Grass Spring, 83
 Boiling point range, 15
 Boltwood, B. B., 31
 Bore-hole in Upper Basin, 236, 239, 248
 Boric acid, 74
 Borings in hot spring localities, 508
 Boron and arsenic in alkaline waters, 122
 Boron in Yellowstone thermal waters, 122
 Boulder Spring, Lower Basin, 292
 Boulder Spring Group, 229, 276, 290, 303
 description, 292
 Bowen, N. L., 94
 Boyer, M. C., 48, 184, 236, 257
 water measurements in Upper Basin, 236
 Brackett, F. S., 79
 Breccia, basic:
 at Caloite Springs, 94, 96, 495
 at Washburn Springs, 403
 Brilliant Pool, 152
 Broad Creek:
 carried mineral matter, 129
 description and location, 500
 Joseph's Coat Springs, 502
 Occurrence of gas barrens on, 109
 situation and distinctive topography, 500
 thermal spring waters of, 501
 Whistler Geyser at, 501
 Broad Creek Springs, 17, 57, 109, 110, 126, 443
 water analysis, 501
 Bronze Geyser, 21, 310, 311
 Brothers, H. P., 153, 261
 Browning, 139
 Brun, A., 99
 Brunek, O., 75
 Bryan, Kirk, 29, 166
 Bunsen, Robert, 1, 24, 91, 110, 147, 168, 169, 170, 171, 191,
 197, 209, 214, 216, 223, 229, 307, 513
 Bunsen and Descloizeaux, observations on Iceland Geysers, 209,
 210, 223
 Bunsen's theory of geysers, 209, 210
 Lang's objections to, 211
 Butte Spring, 54, 57, 126, 17, 445
 description and location, 456
 water analysis, 457
 Butterfly Spring, 244

Cache Creek, travertine deposits, 392
 Calcareous sinter, see Travertine
 Calcite, coarsely crystalline, origin of at Hillside Springs, 352
 Calcite and gypsum at Calcite Springs, 495
 Calcite in deposits of Mammoth Springs, 377
 Calcite Springs, 15, 17, 54, 83, 86, 126, 498
 basal breccia of, 495
 carried mineral matter, 129
 description and location, 495, 496, 497-499
 influence of adjacent rocks on waters and sediments,
 498, 500
 mixed waters of, 499
 salt incrustations, 140
 situation and derivation of name, 495
 topography and hydrothermal development, 496, 498
 water analysis, 499
 Calcium bicarbonate waters, 57, 71, 72, 126
 Calida Spring, 152
 Calistoga, California, true geysers do not occur at, 173
 Calthos Spring, 20, 192
 depth, 134
 temperature-depth curve, 192
 Canary Spring, 372
 Canyon of the Yellowstone, 96, 158
 Capitol Hill, 360, 377
 Carbon dioxide:
 absorption beneath alkaline areas, 88
 analysis for, 83, 84, 87, 88
 excess in volcanic gases, 85
 important in economy of springs, 251
 in alteration of rhyolite at Hillside Springs, 353
 in decomposition of feldspars and volcanic glasses, 110
 relation to travertine deposition, 157
 steam flow as related to, 167
 Carbon dioxide leachings, 136
 Carbon monoxide, never been found, 84
 Carbonates, 73
 relation of to bicarbonate in Yellowstone hot springs, 121
 Castle Geyser, 152, 163, 177, 178, 187, 199, 230, 238, 252
 description of cone and eruption, 255, 257, 258
 height of eruption, 187
 length of active period, 177
 Cavern Spring, 53
 Cavities, subterranean:
 in altered rock underlying geyser basins, 132
 possible causes of, 132-136
 Celestine Pool, 52, 183, 280
 preeminent for deep blue color, 280

Chain Lake Springs, 83
 Chalk Springs, 16, 55, 57, 392
 changes during last fifty years, 389-392
 description, location, 388, 389, 390, 391
 travertine deposits at, 156
 relation to limestone, 388
 Chamberlin, R. T. 38
 Changes in geysers, 229
 Chapin, W. H., 74
 Chemical action:
 an alleged source of heat in hot-springs, 29
 a proposed source of heat in hot-springs, 29
 Chemical composition of waters in Upper Basin, 249
 Chemical processes in the development of hot-spring areas, 100
 Chinaman Geyser, origin of name, 200
 Chinaman Spring, 20, 194, 243, 245
 soaping of, 200
 temperature-depth curve, 194
 Chloride, analysis, 74
 distrubition, 126
 separation, 77
 Chlorides in thermal waters, 118, 114, 115, 116, 117
 assumed origin of, 118
 distribution of, 118
 do not originate in adjacent rock, 114
 do not originate in salt beds, 114-115
 magmatic in origin, 115
 sublimed as alkali halides (?), 116
 transported as hydrochloric acid (?), 115
 transported in aqueous solution (?), 117
 transported in aqueous solution (?), 117
 Chlorine, derivation directly from the magma, 115
 origin of, 114, 117, 118
 possible derivation from salt beds, 114
 Chocolate Pots, 16, 57, 126
 carried mineral matter, 126
 deposits of compared with those of Snake River Springs, 359
 description, 339
 heat carried away by hot water, 135
 hot water of, 358
 similar to Snake River Springs, 359
 sinter high in oxides of iron, 157
 Christensen, O. T., 34
 Cinder Pool, Norris Basin, 477, 483-484
 Clarke, F. W., 113, 119, 120, 145, 485
 Clarke, F. W., and H. S. Washington, 119
 Clay:
 an alteration product of rhyolite at Hillside Springs, 353
 an alteration product of rhyolite in a spring of Rabbit
 Creek area, 272
 an alteration product of rhyolite pebbles at Clearwater
 Springs, 341

Clay (cont.)

- a principal alteration product of rhyolite in sulphate springs, 137
- Clearwater Springs, 16, 54, 57, 106, 111, 112, 126, 339
 - alteration of rhyolite pebbles to clay at, 341
 - carried mineral matter, 129
 - description, 339
 - discharge of, 341
 - lack of sinter deposit, 145
 - origin of dissolved mineral matter, 131
 - slight amount of old travertine at, 341
 - water analysis, 341
- Clematis Creek, 384, 385
- Cleopatra Spring, 83, 372
- Clepsydra Geyser, 187, 188
 - height of eruption, 187
- Cliff Geyser, 178
- Cold drainage in certain small ravines, absence of, 64
- Collins, W. D., 41
- Color display:
 - Celestine Geyser, 280
 - due to algae, 239
 - Mammoth Springs, 368
 - Norris Basin, 462
 - Prismatic Lake, Excelsior Basin, 271
 - Red Terrace, Sentinel Creek, 304
- Color of deep thermal springs in Yellowstone Park, 76
- Columbia Spring, Heart Lake Basin, 21, 320-321
- Comet Geyser, 21
- Conch Spring, 53, 183, 229
- Cone Geyser, 287
- Congress Pool, 473, 476
 - description, 481
- Constant Geyser, Norris Basin, 124, 161, 184, 469, 477, 478, 485
- Cook, C. W., 2
- Coral Spring, 72, 83, 477, 478
- Crater Hills, 16, 54, 86, 99, 103, 126, 176, 451, 495
 - area of pronounced sulphur deposition, 431
 - composition of the waters, 435
 - description and location, 427-431
 - extensive rock alteration at, 431
 - frying pans, 431
 - number of geysers, 176
 - scanty discharge of, 431
 - water analysis, 435
- Crater Hills Geyser, 432, 434
- Crested Pool, 197
 - depth, 134
 - temperature-depth curve, 193
- Cristobalite in deposits of Roaring Mt., 400

Crystal development in secondary minerals strikingly poor, 163
 Crystal development poor in hot-spring deposits, 163
 Crystal Spring, 486
 Crystallization in rocks and their gas content, 38

Daisy Geyser, 86, 177, 178, 191, 242, 247, 249, 252, 259
 alleged influence of strong winds on interval between
 eruptions, 226
 came into being since Park discovery, 191
 description of eruption, 261
 length of active period, 177
 possible weather effects, 226

Dale, Ranger, 294

Damour, M. A., 132

Dana, E. S., and Grinnel, G. B., 187

Daubree, G. A., 25

Day, A. L., and Shepherd, E. S., 38

Deep Creek, 54, 57, 413
 carried mineral matter, 129

Deep Creek Springs, 339
 description, 356
 unique deposit of aragonite with silica, 357

Deposition of silica and travertine by agency of organisms, 158

Deposits, 137
 Artist's Paint Pots, 455
 In alkaline areas, 142
 in alkaline areas, rate of formation, 151
 in sulphate areas, 137
 in sulphate areas, thickness of, 142
 in travertine areas, rate of formation, 156-157
 minor, in alkaline areas, 156
 Upper Basin, 238

Depth of deepest springs accessible to the plummet, 134

Depth of ground water important in hot-spring development, 512

Desloiseaux, 191, 197, 209, 513

Devil's Ink Pot, Washburn Springs, 412, 406, 410, 411

Devil's Kitchen, 103

Devil's Thumb, 367, 370

Deville, Sainte-Claire, 1, 25, 26, 39, 91, 168, 170, 490, 513

Diamond Spring, 274

Diatoms found in Yellowstone waters, 161

Discharge:
 accuracy of measurements, 50
 aggregate in Yellowstone Park, 50-51
 completeness of survey, 48
 distribution of, 56
 estimates made, 48
 hot springs, 43
 hot springs in other parts of the world, 55
 hot water in the Park, 56

Discharge (cont.):
 its significance, 43-44
 Mammoth Springs, 59, 60
 Norris Basin, 59, 61
 seasonal changes, 63
 showing relative constancy, 61-62
 special difficulties in the measurement of, 47
 springs in other parts of the world, 55
 springs of each type in Yellowstone Park, 58
 variation in, 58
 Discovery of superheated waters, 19
 Discovery of Upper Basin in the Yellowstone country by the
 Washburn expedition, 3, 188
 Discovery of Yellowstone thermal springs by Folsom and Cook,
 2-3
 Dissolved mineral matter, carried away daily by hot water, 512
 range, 15
 Distribution of different types of hot ground and its causes, 164
 Distribution of discharge in the Park, 56
 Doane, Gustavus C., 3
 Doelter, C. A., 110
 Dragon Spring, 244
 Dragon's Mouth, description, 419, 420
 Drainage, absence of cold in certain valleys, 64
 Drill-core analysis by Fenner, 111, 248, 249, 473, 509
 Drilling, deep, and rhyolite alteration (C. H. Fenner), 111,
 248, 473
 Drilling west of Hamilton's old store, 153, 236, 239
 Drought in Yellowstone Park, 12
 Dumas, M., 100

 Ear Spring, 20, 243, 245, 249
 Earliest information of Yellowstone, 2
 Earthquakes may effect geyser activity, 230
 Eaton, F. M., 132
 Ebony Geyser, Norris Basin, 477
 Ebony Spring, 83
 Echinus Geyser, 83, 123, 124, 477, 478, 485
 depth, 134
 unique sinter, 485
 Economic Geyser, 178, 213, 230
 Elements, other in Yellowstone hot-spring waters, 77
 Elevation range of thermal activity, 15
 Elk Park, 17, 126
 description and location, 449
 water analysis, 449

Emerald Pool, Upper Basin, 83, 241, 242
 color, 82
 depth, 134
 temperature-depth curve, 192
Emerald Spring, Norris Basin, 477, 480, 481
Evening Primrose Spring at Sylvan Springs, 401
Excelsior Geyser, 52, 103, 183, 230, 241
 amount of water discharged, 268, 271
 description, 267, 269, 270
 eruptive history, 269
 heat carried away by hot water, 135
 possible extinction, 185
 report on by Wyman, 269
 why it became extinct, 185

Facilities for geological study in the Park and their development, 8
Fairy Creek, 53, 274, 285, 290
 heat carried away by hot water, 135
Fairy Creek Springs, 290, 291
Fall Creek, 307
Fan Geyser, 178
 temperature-depth curve, 192, 196
Faults:
 absence of in hot-spring areas of Yellowstone Park, 99, 166
 as related to thermal springs, 28
 of which no surface expression exists, their relation to
 hot springs, 29
Fearless Geyser, 477
Feldspars, susceptibility of to attack by solutions of carbon
 dioxide, 110
Fenner, C. N., 94, 99, 111, 113, 114, 120, 131, 145, 166, 185
 230, 238, 365, 446, 471, 472, 473, 475, 490, 495, 500
Firehole Lake, 16, 52, 336, 341, 61, 68, 126
 deposits, 346
 heat carried away by hot water, 135
Firehole Lake area:
 absence of limestone in, 347
 black sediment in springs of, 348
 chain of hot lakes in, 342
 composition of hot waters in, 345
 deposits in old manganiferous travertine terraces, 346
 deposits in, travertine and silica, 347
 description, 342
 Firehole Pool in, 342 flame effect of, 342
 high discharge of, 346
 Steady Geyser in, 342
 water analysis, 345
 Young Hopeful Geyser in, 345

Firehole River, hot water discharging into, 51
 Fishing Cone, West Thumb area, 326
 description, 326, 327
 Five Sisters, 103
 Flat Cone, Sentinel Creek, 52, 306
 Flood Geyser, 52
 Fluorine:
 distribution of in Yellowstone Park, 120
 in thermal waters, derivation of, 119
 in thermal waters, presence of, 119-120
 source of, 119
 why previously undiscovered, 119
 Folding and subsidence, their relation to thermal springs, 26
 Polson, D. E., and Cook, C. W., real discoverers of Yellowstone
 springs, 2-3
 Forbes, 151
 Forest Springs, 54, 58
 description and location, 418
 Fortress Geyser, 287
 Fountain Geyser, 83, 185
 depth, 134
 description, 280, 281
 Fountain Group, heat carried away by hot water, 135
 Fountain Hotel, 52
 Fountain and Kaleidoscope groups, 279
 Fountain Paint Pots, 105, 106, 107, 121
 Freezing of thermal waters with separation of silica, 117
 "Frying-Pan" Spring, Mammoth-Norris Road, 504, 57, 158
 Fumarole phase of volcanism, 93
 Fumaroles as related to hot-springs, 507, 31, 32, 39
 Fumarolic sublimates, 93

Gardiner River, 364, 379

Gas:

 analysis from hot-springs and geysers, 83, 89
 magmatic, approximate composition of, 88, 93

Gas barrens:

 close relation of to sulphate areas, 110
 east of Yellowstone River, 109
 nature of, 108

Gas content in rocks variable, 92

Gas ratios similar throughout the Park, 168

Gas samples, air contamination, 87

Gases:

- absorption of the carbon dioxide on its way to the surface, 88
- air contamination of, 87
- amounts escaping from alkaline springs, 90
- analytical results, 85, et seq.
- approximate composition of magmatic portion, 88
- change in composition of magmatic portion, 88
- change in composition by absence of carbon dioxide, 89
- collected at Washburn Springs, 413
- difficulty in collecting, 199
- extremely scarce in permanent geysers, 212
- found in hot springs, 28
- general character of, 85
- in hot springs, disappearance of hydrogen sulphide in alkaline springs, 87
- in hot springs, early work, 83
- in hot springs, generalities and variations, 85
- in hot springs, origin of as seen by Arnold Hague, 28
- in rocks 27, 38, 93
- liberated by boring in hot ground, 93
- partial bibliography, 99
- pioneer work of Ste. Claire Deville, 25
- possible changes in time according to Ste. Claire Deville, 91
- recent work on, 84
- relation of steam to other gases, 87
- relation to hot springs, 83
- relation to later phases of volcanism, 93
- relation to mineral matter in hot springs, 91
- relation to thermal springs, Bunsen's view, 24
- relation to thermal springs, Suess' view, 27
- variable content in rocks, 93, 92
- variations in different types of springs, 88
- vary with the same geyser at different times, 200
- volcanic and dissolved matter in hot springs, 91
- volcanic in their relation to geysers, 198

Gautier, A., 27

Gem Pool, 244

Gentian Pool, 52, 78, 229, 280

- color, 78

- depth, 134

Geological investigation in the Park, facilities for, 8

Geological relations of springs to neighboring rocks, 360

Geological Survey, work, 4

Geyser:

- action, suddenness of, 223

- diagram of, 217

- irregularities, 225

Geyser (cont.)

- models, knowledge derived from experiments with, 212
- theory, 208, 214, 215
 - reconsideration of in light of recent evidence, 214
 - water may be superheated, 223
- Geyser Basins of alkaline type, 233
- Geyser Creek, 17, 126, 449, 451
 - carried mineral matter, 129
- Geyser Creek area:
 - general character, 451
 - hot waters of, 453
 - number of geysers, 176
- Geyser "eggs", 142
- Geyser Hill, 252
- Geysers and geyserite not invariably connected, 478
- Geysers:
 - action, 513
 - amount of water discharged by, 183
 - at Beowawe, Nevada, 173
 - at Calistoga, California, not a natural occurrence, 173
 - at Gibbon Hill, unusual in situation, 449
 - at Steamboat Springs, Nevada, 173
 - characteristics of, 177
 - connected below ground (?) 182
 - decline in activity of, 188
 - decline in heat supply of, 230
 - decline in water supply of, 230
 - definition of, 171
 - discharge of, 183
 - distinctive feature of Yellowstone Park, 171
 - dormant, effect of soap on, 200
 - dormant, effect of stirring on, 201
 - eruptions, air-cooling usually unimportant in, 213
 - eruptions, effect of gases on, 199
 - eruptions, initiated by reduction of water pressure, 261
 - eruptions, possible role of superheated water in, 222
 - eruptions, suddenness of, 223
 - eruptions, terminated by a layer of sand, 261-262
 - eruptions with distilled water and soap solutions, 204
 - experiments of Bunsen and Descloizeaux on, 209-220
 - experiments of Hallock on, 211
 - explanation of eruptions in light of present knowledge, 217
 - explanation of intermittent characteristics, 216
 - fluctuations and extinctions, 514
 - gains and losses of heat, 227
 - growth of geyser cone and its possible effect, 229
 - heated directly by currents of hot water, 214-215

Geysers (cont.)

Height of eruptions, 184
inconstancy in behavior of, 184
intermittency and its cause, 215
intermittent discharge of, 219
intermittent rise and fall of water level in, 177-182, 217
irregularities in quiet interval of, 225-229
jets, their height measured and estimated, 185-187
kind of orifice determines type, 175
leakage in steam chamber of, 230
length and steadiness of active period, 177
length of intervals, 171
localities compared, 171
localities not well known, 174
long dormant ones may become active again, 185
measured height of jets, 187
models and their differences from natural geysers, 212-213
models, inferences from their behavior when escaped, 206
models of different inventors, 212-213
necessity of underground chambers for storing water and
generating steam of, 215
not invariably a product of alkaline water, 478
number of in Yellowstone Park, 176
occurrence of, 171
of fountain type, their bearing on Bunsen's theory, 214
partial record of past behavior in Yellowstone Park, 178
permanent changes in, and their causes, 229-231
playing over a hundred feet in Upper Basin, 252
possible influences by weather, 226, 227
rare phenomena of nature, 171
record of their behavior in the Upper Basin, 178
relation of heat supply to influx of cold water, 215
reservoirs of, and their origin, 132, 134, 136
rocks associated with, 174
role of saturated steam in, 198
scarcity of gases in, and its bearing on Thorkelsson's
theory, 212
source of heat in, 214
structure of, 175, 222
summary of theory, 225
temperature-depth curves, 191-198
temperature-depth curves, indications of horizontal cur-
rents, 194
temperature-depth curves, indication of form approximately
the same at different times, 194
temperature-depth curves plotted, 195-197

Geysers (cont.)

Theories of:

further objections to Bunsen's 214

Lang's, 211

Lang's objections to Bunsen's, 211

Mackenzie's, Krug von Nidda's, Bunsen's, 208

summary, 224-225

Thorkelsson's, 212

Thorkelsson's criticisms of Bunsen's, 211

type of water in, 175

where located in the United States, 171

where located in the world at large, 174

Geyser waters of Steamboat Springs and Beowawe Geysers, 174

Giant Geyser, 19, 20, 178, 193, 199, 238, 241, 243, 245, 257

depth, 134

description, 215

hottest surface water in Yellowstone Park found here, 241

length of active period, 177

small capacity of well compared with water erupted, 216

temperature-depth curve, 193

Giantess Geyser, 19, 20, 123, 124, 152, 178, 188, 193, 194,

199, 214, 243, 262-264

depth, 134

description of cone and eruption, 262, 263, 264

Hallock's experimental work with, 211

length of active period, 177

sinter added to the cone by freezing, 148

superheated at depth, 223

temperature-depth curve, 193, 194

type of geyser, 214

Gibbon Hill, 17, 126

Gibbon Hill Geyser, 450

Gibbon River, 11, 17, 157, 353, 451

hot water discharging into, 51

Glacial debris and age of hydrothermal activity in the Park, 364

Gooch, F. A., 4, 9, 72, 98, 119, 123, 124, 139, 317, 382-373, 412

Gooch, F. A. and Browning, P. E., 75, 76, 139

Gooch, F. A., and Whitfield, J. E., 9, 72, 119, 317, 382-383, 412

Goranson, R. W., 39

Gourd Geyser, 315

Gourd Spring, 21

Graham, J. C., experiments by, 202, 205

Grand Geyser, 178, 181, 182, 183, 187, 191, 216, 252

depth, 134

description, 179, 180

description of cone and eruption, 264-265

description of structure and activity, 216

Graphio granites, alteration in, as possibly related to rhyolite alteration by potassium salt solutions, 116
 Gravels, absence of in bore-hole at Norris Basin, 490
 Gravels and clay, a factor in termination of eruptions of Imperial Geysers, 299
 Gravels and their relation to hot water circulation, 99
 Gray Lakes, 414
 Great Fountain Geyser, 21, 52, 61, 103, 187, 188, 199, 216, 274, 275
 depth, 134
 description, 275, 276, 277
 height of eruption, 187
 length of active period, 177
 temperature-depth curve, 192
 Great Fountain and Grand have side chambers, 219
 Great Fountain group of springs, 274
 Great Geyser of Iceland, 209, 211, 191, 213, 216, 225, 307
 Grinnel, G. B., - see Dana, E. S.
 Grotto Geyser, 152, 178, 183, 188, 252
 Ground Water:
 cooling and heating by currents, 228
 shallow in sulphate areas, 125
 volume in summer and winter, 227
 zone of, 508
 Growler Spring, 33, 35, 39, 40, 41
 perpetual spouter, 220
 Gypsum, veins of at Calcite Springs, 495

Hague, Arnold, 27, 96, 98, 111, 114, 125, 140, 145, 168, 169, 177, 184, 200, 353, 357, 365, 376, 378, 379, 382, 388, 400, 486
 Hague's descriptions:
 of Chalk Springs, 388
 of New Crater, 481
 of Terrace Mountain, 379
 Hague's theory of action of soap on geysers, 203
 Hallock, Wm. H., 4, 5, 182, 211, 123, 236, 269, 271, 382, 383
 Hallock's analysis of Hot River's discharge, 383
 Hallock's physics of geysers, 213, 225
 Handkerchief Pool, 242
 Hanks, Ranger Allyn, 19, 48, 176, 185, 226, 245, 246, 282, 298, 309, 311, 312, 320, 324, 338, 347, 357, 385, 392, 436
 Harding Geyser, 476, 479
 Harris, Capt. M., Superintendent of Yellowstone Park, 269
 Hayden, Dr. Ferdinand V., 3, 304, 382, 423
 Hayden Survey, reconnaissance of Yellowstone region, 3, 166, 185, 269, 271
 their measurements of geysers, 186

Haynes, F. Jay, 200, 448
 Haynes, J. E., 50, 177, 448
 Heart Lake, 16, 55, 388
 carried mineral matter, 129
 description, 320
 heat carried away by hot water, 135
 number of geysers, 176
 Heart Lake Geyser Basin, 21, 83, 86, 176, 177, 248, 329
 discharge of, 326
 geysers and superheated waters, 326
 less important groups, 323
 Rustic Group, 320
 situation and description, 320
 Heat:
 carried away by hot-spring waters, 512, 135, 136
 dissipated by hot-spring waters, 512
 transfer to spring waters, 42
 Heat losses in hydrothermal areas:
 as related to the volume of ground water, 44
 hypotheses to account for variations, 167
 Heat removed by thermal waters of Yellowstone Park, 135-136
 Heat supply:
 changes in, 230
 in given area difficult to predict, 166
 Heizmann, Dr. C. L., 83
 Hermatite, abundance of in Artist's Paint Pots, 455
 Herbert, A. S., 15, 23, 132, 262
 Hibben, Dr. James H. 78
 Highland Terrace, 277, 365, 367, 371, 372, 388
 Hillside Springs, Upper Basin:
 absence of limestone, 352
 deposits, 352
 description, 348, 350, 351
 origin of dissolved mineral matter, 131
 presence of calcite and travertine, 352
 similar in deposits to Terrace Springs, 349
 temperatures, 349
 water analysis, 349
 Historical, 1
 Hochstetter, V. von, 15, 24, 71, 174
 Honda, K., and Terranda, T., 174
 Hoodoos, 380
 Horn Geyser, 287
 Hot areas:
 along the Mammoth-Madison road, 503
 general appearance, 11
 their distribution in the Park, 512

- Hot ground:
types of in world at large, 71
types in Yellowstone Park, 65
- Hot River, 16, 57, 128
carried mineral matter, 129
composition of, 382
depositions, 383
description, 380
discharge, 383
heat carried away by hot water, 135
location and description, 380, 381
origin and relation to Mammoth Springs, 386
temperature variations, 382
water analysis, 382
- Hot spring areas:
acid tracts, characteristics of, 65
alkaline type, characteristics of (geyser basins), 67-68
different types of in world at large, 71
different types of in Yellowstone Park, 65
extent of in Yellowstone Park compared with similar areas elsewhere, 11-15
general aspects of in Yellowstone Park, 11
travertine type, characteristics of, 68
- Hot Spring Basin, east of Yellowstone Canyon, 17, 58, 126, 414
carried mineral matter, 129
description and location, 414
hot waters of, 416
numerous sulphur fumaroles in, 416
remarkable sinters at, 417
stratified gravels at, 414
water analysis, 416
- Hot spring basins built up by deposition of silica (?), 135
- Hot Springs:
and the local earth-temperature gradient, 25, 26, 29, 30
are latest phase of volcanism, 507
areas, 332
as a distinctive phase of volcanism, 92
as explained by the writers, 32
as related to fumaroles, 28, 31, 32
deposits of in alkaline areas, 142
deposits of in sulphate areas, 137
deposits of in travertine areas, 156
deposits of in Yellowstone Park, 137
derived from magmatic aqueous solutions (?) 30
development, local character, 123
distribution of different types in Yellowstone Park, 164

Hot Springs (cont.)

- estimated number of, 11
- evolution of, 513
- heat carried away by, 135-136
- heated by hot rock (?) 29
- local character of the development of, 123
- map, 232
- mineral matter carried away by, 128
- of mixed character, 125
- of southeastern Atlantic States not clearly related to igneous masses or mineral veins, 30
- of Utah, Nevada and southeastern Idaho not of artesian origin, 30
- problems for the future, 505
- relation to superheated steam, 39
- relation to topography, 31
- theoretical views on, 23-32
- theoretical views on, summary, 32
- transfer of heat from magmatic steam to, 42
- variation in salinity, temperature and flow of, 28
- water level in, as affected by variations in ground water, 63

Hot-spring vents formed by explosion (?) 134

Hot-spring waters:

- alkaline type, 71
- analytical methods for, 73
- calcium bicarbonate type, 72
- color as affected by sediments, 83
- color as caused by scattering of light by minute particles, 81
- color as modified by algae, 82-83
- color of many and its causes, 78
- depth of circulation, 248
- distribution of acid radicals HCO_3 , Cl , SO_4 , 126-127
- fluctuations in composition, 72
- light absorption by, 79
- presence and condition of arsenic ink, 76
- presence or absence of rarer elements in, 77
- sulphate type, 71
- total mineral matter in, 78
- types of, 71

Hot Springs of Arkansas, 29, 31

Hotel Terrace, 376

Howard, C. S., 132

Hurricane Pool, 479

Hydrogen, determination in hot water, 83, 85, 87, 88
 Hydrogen sulphide in volcanic gases, 85
 analysis, 75, 83
 loss of in various ways, 90
 scarce in alkaline areas, 89, 90
 some oxidized to free sulphur, 102
 Hydrophane Springs, Norris Basin, chemical changes in waters
 and deposits, 1486-1488
 Hydrotherapy, 1
 Hydrothermal activity in the Park:
 age of, 6
 as related to rhyolite extrusions, 6
 changes in type of, 169
 changes in type of, how caused, 169-180
 limited by water supply, 169
 Norris Basin, 1489
 signs of former, 169
 Hymen Terrace, 86, 103, 156, 157, 367, 372, 377, 384, 387
 measurement of travertine deposit, 377

 Iceland, 15, 19, 23, 24, 28, 31, 71, 83, 132, 166, 174, 191,
 208, 509
 extent of hot spring activity in, 11, 15
 Iddings, J. P., 98, 99
 Imperial Geyser, 37, 86, 99, 106, 183, 216, 218, 230
 amount of water discharged, 183
 behavior of, 294-296
 cause of decline in, 299
 crater of, 299-302
 depth, 134
 description, 299, 301, 302
 discharge continuous, 297, 298
 end of eruptions and cause, 299
 first notice of, 294
 fluctuating water level of, 298
 general behavior, 294, 296
 heat carried away by hot water, 135
 height of eruption, 187, 297
 relative age of thermal activity, 302
 where located, 294
 Imperial group, 290, 294, 303
 Indigo Pool, 19, 52
 Indigo Spring, 271
 Infant Geyser, 20, 244
 Ink Well, 20, 246

Intermittent character of geysers, 171, 177
Intermittent discharge of geysers, 177, 219
Intermittent rise and fall of water level in geysers, 177
Intermittent springs not necessarily geysers, 219
Iris Spring, 103, 468, 469, 477
Iron Creek, 233, 236, 238
 water discharge, 237, 349
Iron Oxide (ferric) in sediment of Artist's Paint Pots, 455
Iron sinter, 157
 at Chocolate Pots, 357, 358
Iron Spring, 86, 249
Iron, state of in the sediment of mud pots, 280
Irregularities in geyser action, 225
 caused by increasing height of cone, 229

Jackson, W. H., official photographer in Park expeditions, 4, 8
Haggar, T. A., 92, 184, 213, 227
Jarosite, deposit occasional in thermal springs, 140
Jewel Geyser, 178, 177, 249
 height of eruption, 187
 length of active period, 177
Jones Expedition of 1873, 83
Josephs Coat Springs, 109, 502
Juniper Creek, 52, 283, 285
Jupiter Terrace, Mammoth Springs, 86, 156, 157, 367, 372, 376,
 378, 384, 387
 less scenic, 387
Juvenile, term introduced by Suess, 27

Kaleidoscope group, 52, 86
Karlsbad Springs, 27
Katmai fumaroles, 32
King Survey, 4
Krug von Nidda, C., 71, 219, 223
 theory of geysers, 208

Lacroix, A., 116
Lake of the Woods, gas barrens at, 108, 109, 110
Lake Shore Geyser, West Thumb, 329
Lamar River, 94

Lang, H. O., objections to Bunsen's theory of geysers, 211
 theory of geysers, 211
 Langford, N. P., 3, 188, 263, 419
 LaNoue, Ranger, F. D., work by, 244, 246
 Launay, Louis de, 26
 Lavender Spring, 21
 Leaching of rock:
 by carbon dioxide, 136
 by sulphuric acid, 130
 different types compared, 129
 Leakage in steam chambers, 230
 Ledge Geyser, 477
 Lehmann, E., 174
 Lenher, V., and Merrill, H. B., 146
 Lewis Lake, 16, 21, 57, 332, 333
 carried mineral matter, 129
 heat carried away by hot water, 135
 reconnaissance of springs, 332
 Lewis River spring cluster, 332
 Liberty Cap, 367
 Limestone, relation to certain thermal springs, 94
 Lindgren, W., 30, 38, 117
 Linton, E., 269
 Lion Geyser, 20, 178, 188, 192, 242, 245, 243, 252, 255
 depth, 134
 description of cone and eruption, 255
 temperature-depth curve, 192
 Lioness Geyser, 20, 152, 201, 245
 depth, 134
 effect of soap on, 201
 List of geysers in the Yellowstone Park, 176
 Little Bulger Geyser, 311
 Little Giant Geyser, 311
 Loeb, Jacques, 10
 Lone Star Geyser, 172, 176, 178, 230
 number of geysers, 176
 Lower Basin, 11, 16, 52, 53, 61, 57, 84, 103, 126, 176
 analysis of waters, 277, 307
 composition of waters, 277, 307
 description, 274
 Fairy Creek group, 290
 Fountain group, 279
 Hotel group, 280
 Imperial group, 294
 Kaleidoscope group, 279
 Mammoth or Fountain Paint Pots, 280
 Nez Perce Creek group, 282, 283

Lower Basin (cont.)

- origin of dissolved mineral matter, 131
- number of geysers, 176
- Porcupine Hill group, 283
- Quagaire or Camp Group, 282
- River group, 285
- rock leaching by alkaline waters, 130
- thermal waters of, 277, 307
- Lussac, Gay, 25
- Lystrup, Ranger Naturalist H. T., 226

MacClaren, J. M., 27

Mackenzie, Sir George, theory of geysers, 208

Magmatic steam:

- its function in hot springs, 32, 39
- its ratio to other volcanic gases, 87, 167, 168

Magmatic theory of thermal springs, 26

Magmatic water:

- its amount in hot springs, 40-41
- its presence in hot springs, 39-41

Main Terrace, 86, 364, 367, 372, 378, 384

Maly, R., 100

Mammoth Springs, 6, 16, 43, 44, 59, 62, 54, 70, 84, 103, 359

age of, 363-364

amount of water rising and disappearing within the area, 36

Angel Terraces and their former beauty, 365

association with limestone, 360

calcium bicarbonate waters, 126

cause in the decline of flow, 384

circulation of underground water, 373

character of the waters, 372

color display at, 368

composition of hot spring waters, 372, 373

decline in flow and its possible cause, 384, 386, 388, 389

deposits, 377, 378

discharge of, 59, 60

fluctuations in discharge of, 384-385

formation of deposits like Liberty Cap, White Elephant,
etc. 367

general characteristics, 360

general geological relations, 360

heat carried away by hot water, 135

"hot-water ice" at, 378

local fissures and their significance, 364, 365

maximum temperatures, 372

mild thermal activity due to unknown cause, 371

- most typical travertine area, 360
- number, form and size of springs, 365
- origin of dissolved mineral matter, 131
- range of calcium concentration, 374
- relation to Hot River, 386
- relation to local topography, 365
- relation to rhyolite, 363
- rock leaching by alkaline waters, 130
- slight differentiation of water in different parts of the area, 373, 374
- solution and precipitation of calcium carbonate, 375, 376
- sulphur-water ratio, 375
- tabulated temperatures, 372
- variations in water supply, 228
- Mammoth or Fountain Paint Pots, 280
- Mammoth Terraces:
 - aggregate amount of water disappearing, 386
 - color, 368
- Mann, Albert, 151, 161
- Mary Mountain, 17, 57, 67, 126, 176, 283, 457
 - composition of thermal waters, 437, 439
 - description and location, 435
 - high acidity of certain spring waters, 437, 439
 - largest acid area in the Park, 443
 - number of geysers, 176
 - numerous frying-pans at, 437
 - peculiar sediments, 437, 441
 - salt incrustations, 440
 - significant topography, 436
 - similar to Crater Hills, 437
 - unusual extent of a sulphate area, 443
 - water analysis, 439
- McAlister, E. D. --- See Brackett, F. S.
- McBain, J. W., and Taylor, M., 207
- Mastiff Geyser, 20, 244,
- Measurement of hot springs, accuracy, 50
- Measurement of the discharge of hot springs, 44
 - difficulties, 47, 48
- Mechanical movement in earth's crust, an alleged source of heat in hot springs, 29
- Medusa Spring, 483
- Meinzer, O. E., 29
- Merrill, H. B. --- See Lenher, V.
- Merwin, H. W., 75, 76
- Meteoric water:
 - as related to hot springs, 26
 - its penetration into hot ground and consequent release of heat, 166, 167-168
 - its penetration into hot ground as influenced by its volume, 125, 165
 - supply of and hot spring development, 165

Methane, quantity in hot-springs, 83, 84, 85, 87, 88
 Micro-organisms:
 Fumcations of various species in hot areas, 100, 161, 376, 505
 Improbability that they play a role in deposition of silica from very hot waters, 158
 in the hot areas, 158
 influence on deposition, 10
 remarkable color displays of, 158, 241, 271, 305, 352, 368
 secondary minerals as pigments in natural pictures, 158
 their part in deposition of silica, 158
 their part in deposition of travertine, 368
 Midway or Excelsior Geyser Basin, 16, 53, 57, 64, 84, 85, 126
 analysis of springs, 268
 description, 267
 dissolved mineral matter carried away, 129
 general characteristics, 267
 hot waters of, 268
 number of geysers, 176
 origin of dissolved mineral matter, 131
 rock leaching by alkaline waters, 130
 Mineral matter:
 carried away by the hot waters, 128
 carried away daily by the hot water, 512
 constantly carried away by hot spring waters, 128
 dissolved, effect on boiling temperature of thermal waters, 17
 distribution according to origin, 131
 in springs, origin of as seen by different geologists, 24, 27, 28, 30, 31
 total, 78
 Mineral veins, origin, 24, 30
 Minerals found at Mary Mountain, 441
 Minerva Terrace, 367
 Minute Geyser, Norris Basin, 184, 477, 478
 Minute Man Geyser, Shoshone Basin, 312, 315
 Mixed areas, 449
 occurrence, 510
 Mixed hot-spring waters:
 Along Mammoth-Madison road, 513
 at Norris Basin, 468
 definition, 127
 Monarch Geyser, Norris Basin, 188, 230, 476, 482, 478
 Monument Basin, 17, 57, 103, 126
 description, 491, 492, 493
 superheated steam vent at, 493-494

Monument Basin (cont.)
 thermal waters of, 194
 unusual situation of, 191
 water analysis, 194
 Monument Geyser, 103
 Moore, R. B., --- See Schlundt, H.
 Moran, T., 271
 Morey, G. W., 39
 Morning Glory Pool, 103, 242, 244, 401
 Morning Mist Springs, 283
 Mortar Geyser, 192, 196, 244
 temperature-depth curve, 192
 Mound Geyser, River Group, Lower Basin, 53, 183, 229, 287
 temperature-depth curve, 287
 Mound Spring, Sentinel Creek, 306
 Mound Terrace, Mammoth Springs, 376, 384
 Mud Geyser, Mud Volcano group, 418, 477, 478
 erupted in the seventies, 419, 421
 Mud Geyser, or Ledge Geyser, Norris Basin, 477
 Mud-pot of great size near Mud Volcano group, 427
 Mud-pots, 102, 104, 54
 analysis of waters from, 107
 cause of, 106
 characteristics of, 102
 composition of water, 107
 large at Pocket Basin, 445
 near east shore of Yellowstone Lake, 445
 occurrences in Yellowstone Park, 103
 of Pocket Basin, Lower Geyser Basin, 290
 of Turbid Creek, relatively large area, 445
 relation to sulphate springs, 107
 transformation into mud-cones, 103-105
 Mud Volcano, 16, 54, 58, 86, 103, 126, 418, 422
 situation and description, 419
 sulphuric acid leachings, 130
 water analysis, 419
 Mud Volcano group, 418
 physical and chemical characteristics, 421
 Muller, J., and the first geyser model, 212
 Mushback, J. E., 3
 Mustard Geyser, 152

Narcissus Geyser, Pine Cone Group, Lower Basin, 277
 Height of eruption, 187
 Narrow Guage Terrace, Mammoth Springs, 364, 367, 371, 372
 National Park Service, cooperation of, 8
 New Crater, 477, 478, 480, 482
 New Zealand, 15, 23, 24, 27, 71, 132, 166, 174, 208, 509
 extent of hydrothermal activity in, 11-15
 temperatures in thermal springs, 23
 Nez Perce Creek group, 52, 64, 274, 279, 282
 Nez Perce Creek headwaters, 263
 Nidda, Krug von, see Krug von Nidda
 Niel, C. B. van, 100, 151, 160
 Niel, C. B. van, and Thayer, Lewis A., 10
 Nitrogen, amount in hot springs and geysers, 83, 85, 87, 88
 Nolan, T. B., and Anderson, G. H., 173
 Norris, P. W., Supt. of Yellowstone Park, 269, 305, 480, 491
 Norris Basin, 6, 17, 33, 35, 39, 59, 62, 57, 72, 84, 87, 99
 103, 120, 248, 375
 absence of gravels in bore-hole at, 490
 alkaline springs, of, 469
 attempt to measure sinter deposition, 151
 bore-hole, 508
 carried mineral matter, 129
 changes from alkaline to sulphate, 170
 chemical composition of sediments, 484
 course of hydrothermal development at, 489
 depth to which acid waters extend, 483
 description, 490
 discharge of, 467
 experiments in determining silica deposition, 153
 general situation and description, 460
 geysers at, 476
 geysers play directly from fissures in rhyolite, 175
 great variety of deposits, 482
 heat carried away hot water, 135
 heterogeneous appearance of, 460
 mixed character of many hot waters of, 468
 mixed character of many hot waters of and possible
 cause, 468
 number of geysers, 176
 occurrence of arsenic sulphides, 139
 one-hundred-spring plain of, 460
 origin of dissolved mineral matter, 131
 other deposits than silica under water of hot spring, 482
 peculiar alkaline thermal waters at, 469
 Porcelain Basin of, 462
 precipitation of silica under water of hot spring, 482

Norris Basin (cont.)

Ragged Hills in, 465, 486

rate of deposition of siliceous sinter, 152

ratio of sodium to potassium $\frac{(\text{Na})}{(\text{K})}$ in alkaline waters, 470

ratio $\frac{\text{Na}_2\text{O} + \text{K}_2\text{O} + \text{CaO}}{\text{Al}_2\text{O}_3}$ in rock altered by thermal waters, 470-472

relatively younger than other geyser basins, 486

results of deep drilling at, 473

rock alteration by thermal waters in, 470-472

rock leaching by alkaline waters, 130

rocks of, 465

salt incrustations, 141

siliceous deposits at, 482

siliceous sinter, absence of in Norris bore-hole, 475

sulphur in anomalous amounts for a geyser basin, 467

sulphur in various forms at, 467

superheated steam vents at, 475, 476, 485

superheated steam zone probably nearer the surface than in other geyser basins, 476

thermal activity influenced by gravel and clay, 481

thermal characteristics, 476

thermal characteristics, striking variations in, 479

water analysis, 469

water compared with Upper Basin, 470

waters of, 467

Nuphar Lake, 470, 473

Nutting, F. G., 147

Nymph Spring, 54, 58

Oblong Geyser, 20, 178, 187, 188, 192, 224, 243, 245, 247

depth, 134

description, 179

height of eruption, 187

intermittent discharge of, 179

length of active period, 177

temperature-depth curve, 192

Obsidian Cliff, 92, 95, 96

Ojo Caliente, River Group, Lower Basin, 287, 20, 53, 86, 193, 199

depth, 134

not affected by soap, 286

temperature-depth curve, 194

Old Faithful Geyser, 47, 177, 178, 203, 225, 233, 244, 246

action the same in winter and summer, 226

as measured by the Hayden Survey, 186

depth, 134

description of cone and eruption, 264, 265

discharge of water, 183-184

Old Faithful (cont.)
 earliest mention of, 188
 height of eruption, 187
 inconstancy of, 184
 length of active period, 177
 not constant in behavior, 184
 One-hundred-spring Plain, 63, 103, 460, 483, 485
 Opal Pool, 468
 Opal Spring, experiment to determine rate of silica deposit,
 154
 Opaline silica:
 in mealy surface deposits at Calcite Springs, 498
 in mealy surface deposits at Crater Hills, 432
 in mealy surface deposits at Washburn Springs, 413
 in sediments of sulphate springs, 137
 sinter in alkaline areas, 113
 Orange Spring, 365, 367, 369, 372
 Ore deposits:
 associated with hot springs, 27, 30
 genetically related to hot springs, 94, 506
 Organic growths resembling hides:
 at Terrace Springs, 354
 at West Thumb, 326
 Orstrand, C. E. Van, 28, 41
 Orthoclase, secondary, in rhyolite altered by thermal waters,
 113
 Orhter gases in geysers and springs, 199
 Oxygen, quantity in hot water, 83, 88

Paint Pot Hill, 451
 Paint Pots at West Thumb, 329
 Peale, A. C., 3, 4, 11, 25, 106, 151, 158, 173, 177, 181,
 182, 184, 185, 187, 230, 239, 255, 261, 267, 307,
 311, 320, 321, 354, 382, 412, 418, 486
 Pearl Geyser, Norris Basin, 469, 477, 482
 Pearl Spring, 123, 124, 152
 Pebble Geyser, 188, 230, 476
 Pelican Creek, 54, 413, 443
 Perpetual Spouters, 220
 Perret, F. A., 92
 Petrification of wood by thermal waters, 161, 163
 experiments in determining nature, 163

Phillips, Prof. F. C., earliest analyses of Yellowstone
 hot-spring gases, 83, 242, 246, 247, 476, 479,
 491, 184
 Phillips, Ranger Charles, work by, 148, 155, 176, 177, 184,
 226, 242, 491
 Pink Cone Geyser, Lower Basin, 277, 279
 Pinyon Terrace, 367, 370
 Pioneers in the Yellowstone region, 2, 3
 Pioneer work on the later stages of volcanism, 1
 Pipe-line Creek, 17, 57, 86, 126, 230
 acid springs, 252
 change from alkaline to sulphate type, 169
 change in type of thermal activity at, 502
 description, 502
 water analysis, 502
 Pitcher, Major John, Superintendent of Yellowstone Park,
 400
 Pocket Basin mud-pots, Lower Geyser Basin, 16, 103, 290,
 443
 Polecat Creek, 16, 57
 carried mineral matter, 129
 heat carried away by hot water, 135
 Polecat Springs:
 description, 336
 divergence from alkaline type, 336, 337
 similarity to Snake River Springs, 337
 water analysis, 502
 Ponte, G., 117
 Ponumpta Springs, 17, 338, 339
 where located, 338
 Porcelain Basin, Norris Basin, 33, 37, 63, 467, 486, 490
 description, 462
 silica deposition high, 155, 156
 water analysis, 468
 Porcupine Hill, Lower Basin, 274, 282, 283
 Posnjak, Eugene, 142, 348, 357, 400, 476
 Potassium salts in rhyolite alteration, 131
 source of, 114
 Powell Survey, 4
 Precipitates, secondary, in thermal springs, 138
 Precipitation in thermal springs, an alleged factor in dilu-
 tion of thermal waters, 29
 Pressure of water as related to geyser action, 261
 Prismatic Lake, Excelsior Basin, 158, 271
 description, 271
 Pulsation in hot springs, 27, 220

Punch Bowl, 20, 86, 152, 192, 195
 temperature-depth curve, 192
Pyrite, finely divided, as a sediment in thermal springs, 138

Quagaire or Camp Group, Lower Basin, 21, 52, 282
Quartz, secondary, in altered rhyolite, 113
Queen's Laundry or Red Terrace, Lower Basin, 158, 304

Rabbit Creek, Lower Basin, 16, 21, 52, 64, 111
 heat carried away by hot water, 135
 its discharge almost exclusively hot, 272
 remarkable sinter deposits at, 272
 rhyolite alteration in a spring at, 272
 sinter sluice, 150
 thermal waters of, 272

Rabbit Creek Valley waters, 272

Radioactivity:

 relation to age of deposits, 364, 383
 relation to heat of thermal springs, 31, 32

Ragged Hills, Norris Basin, 460, 465, 486
 hydrothermal alteration in, 486

Rainfall:

 conservation of in Yellowstone Park, 43
 relation to the discharge of thermal springs, 27, 43, 511

Rangers of Yellowstone Park, assistance from, 8, 246

Raymond, R. W., 200

Realger Creek, 60, 61, 63

Red Terrace, 52

 color display, 304

Renshaw, John H., 5

Restless Geyser, Upper Basin, 20, 183, 216

 description, 179

 height of eruption, 187

 intermittent change in water level, 179

Rhyolite:

 acted on by sulphuric acid, 100

 age of extrusions and relation to hydrothermal activity, 6

 alteration of by alkaline waters at Clearwater Springs,

 341

 alteration of by alkaline waters in Rabbit Creek Valley,

 272

 Alteration of by alkaline waters in Fountain Paint Pots,

 280

 alteration of by aqueous salt solutions, 111, 113

Rhyolite (cont.):

- alteration of by carbon dioxide solutions, 110, 113, 272, 341, 353, 472
- alteration in bore-hole at Old Faithful, 236
- chemical and mineralogical composition, 98
- conservation of molar ratio $\text{Na}_2\text{O} + \text{K}_2\text{O} + \text{CaO}$ in alteration of, 112
- Al_2O_3
- cracks and seams in, as exits for thermal water, 28, 166
- decomposition in alkaline waters, 353
- greatly altered at Crater Hills, 431
- of Terrace Mountain, 363
- physical properties of, 98, 99
- ratio of metals, 102
- relation to thermal springs, 94
- replacement of soda by potash in, 113
- stores less water than limestone, 388
- tabulated analyses of, 98
- time relation of successive flows, 98
- values for molar ratio, 113
- Rhyolites and granitic granites as related to rock leaching, 118
- River Group, Lower Basin, 285, 289
- Riverside Geyser, Upper Basin, 191, 199, 252, 260, 261
 - depth, 134
 - description of eruption, 261
 - discharge measure of inflowing water, 219
 - length of active period, 177
- Roaring Mountain, 16, 57, 126, 339, 415, 482, 491
 - carried mineral matter, 129
 - deposits of, 399
 - description and situation of, 396
 - sulphuric acid leachings, 130
 - thermal water of, 399
 - variations in thermal activity, 400
 - water analysis, 399
- Robertson, Ranger K. C., 184
- Rock alteration by potassium salts in world at large, 131
 - process, 116
- Rock decomposition in alkaline areas, 110
- Rock leaching, 118
 - as related to underground cavities, 132
 - by alkaline waters, 130
 - by carbon dioxide, 510
 - in alkaline areas, 509
 - processes, relative importance of, 129
- Rocks at Norris Basin, 465
- Rocks in thermal areas of Yellowstone Park, 94, 360, 363, 388, 402, 465, 495

Rocks in which the springs issue, 94
 Rocks of the upper basin, 236, 238
 Rosette Geyser, 306
 Ruff, O., and Braun, H. J., 119
 Rustic Geyser, Heart Lake Basin, 320
 sinter deposits at, pointing to human influence, 321
 Rustic Group, 21

Sainte-Claire Deville, E. H., 25, 33, 122, 168, 190
 Saint John, Ruth, 161
 Salinity of hot springs, extent of its variation, 505
 Salt incrustations in thermal areas, 140-141
 products of fumarole action, 141
 Sandberger, A., 132
 Sapper, Karl T., 166, 174
 Sapphire Pool, Upper Basin, 20, 78, 79, 119, 152, 188, 214
 220, 222, 241
 color, 60, 61, 78, 241
 no change in temperature-depth curve, 193
 observations on its action, 220
 temperature-depth curve, 193
 Sawmill Geyser, 69, 178, 187
 depth, 134
 height of eruption, 187
 Scacchi, E., 117
 Scattering of light by minute particles, a cause of blue color
 in many Yellowstone waters, 81, 82
 Schaller, W. T., 118
 Schlundt, Herman, 103, 383
 Schlundt, Herman and Moore, R. B., 31
 Schmeifer, K., 28
 Scorodite:
 deposited by thermal waters, 140
 discovered by Hague, 185
 Seasonal variation in water-level of certain springs, 63
 Sediments:
 black at Washburn Springs, 406
 in springs of the Upper Basin, 252
 in sulphate springs, 137
 of Norris Basin analyzed, 484
 rare, in alkaline springs, 252
 Semicentennial Geyser, 54, 57, 183, 230
 Sentinel Cone, Lower Basin, 52, 305
 description, 305, 306
 Sentinel Creek area, 16, 52, 274, 305, 306
 characterized by few outlets for hot water, 306
 heat carried away by hot water, 135
 thermal activity, 303

Sentinel Geyser, 20
 Setchell, W. A., 159
 Shallow Creek Springs, 413, 417, 418
 Shepherd, E. S., 39, 84, 93, 99
 Shield Geyser, 315
 Shoshone Basin, 16, 21, 55, 84, 86, 99, 126, 176, 201, 248, 307
 analysis of waters, 317
 carried mineral matter, 129
 composition of thermal waters, 312, 317
 description, 307, 308, 309
 excellent for study of types, 318
 heat carried away by hot water, 135
 light on differentiation into acid and alkaline ground, 318
 number of geysers, 176
 origin of dissolved mineral matter, 131
 rock leaching by alkaline waters, 130
 salt incrustations, 140
 type of springs, 312
 Shoshone Creek, 309
 Shoshone Geyser Basin, 309
 Shoshone Lake, 57, 307
 Sieve Lake, 485
 Silica:
 Added during rock alteration by thermal waters in Upper
 Basin, 122
 derivation in the hot-spring waters, 122
 little or none added in rock alteration at Norris Basin, 472
 precipitated as loose sediments in acid areas, 146
 precipitation from solution by evaporation, 146
 separation by freezing, 147, 148
 Silica deposition, enclosure of old springs and hollows, 135
 Siliceous sinter --- see Sinter, Siliceous
 Sinter:
 analysis from Upper Geyser Basin, 145
 deposits, character of, 142
 ferruginous, 357
 from Chocolate Pots unique, 357
 largely a product of evaporation, 147
 siliceous,
 absence of quartz in, 145
 analyses of, 145
 collected on wooden blocks on Porcelain Terrace, 154,
 155
 composition and properties, 145
 deposits at Thumb, 327
 deposits of Norris Basin, 482

Sinter, Siliceous (cont.):
 disintegrated into sands and gravels, 142
 factors controlling its formation from thermal waters, 505
 formed by evaporation, 146
 forming with travertine, 342
 forms of and alleged causes, 142
 incrusting wood, 161
 other genetic conditions, 148
 peculiar forms of, 142
 physical properties of, 145
 precipitated from cold, highly diluted spring waters, 151
 precipitated from hot water, without evaporation, 148
 rate of deposition under natural conditions, 151
 separated from spring waters by freezing, 147
 separated from spring waters by freezing, distinctive properties of, 148
 sheets of, partially covering hot springs, 142
 stalactites of, formed by repeated drenching of wooden frames, 153
 thickness of deposits in Upper Basin, 153
 usually deposited by alkaline waters, 145
 water content of, 145
 wide range of concentrations from which it forms, 151
 thickness in Upper Basin, 239

Smith, George Otis, 5

Snake River, 11, 16, 55, 57, 94
 carried mineral matter, 129
 heat carried away by hot water, 135
 hot water discharging into, 55

Snake River Springs:
 analysis of waters, 334
 absence of sinter in group 1, 336
 comparable to Hillside Springs, 336
 comparable to Norris in rock disintegration, 335
 comparable with others similar in waters but differing in deposits, 334, 335
 origin of dissolved mineral matter, 131
 peculiar deposits, silica with ferric hydroxide, 336
 situation and description, 333

Soap:
 action on the Splendid Geyser, 253
 effect on eruption of certain geysers, 185, 200
 effect on geyser models, 202, 205

Soap (cont.):
 effect on retention of gases in water, 207
 effect on surface tension, 201, 206, 207
 laboratory experiments with, 203
 Soap Kettle, 21
 Soaping of geysers, 200
 by Allen and Day, 201, 204
 by the U. S. Geological Survey, 200
 comparison with Graham's results, 205
 McBain's conclusions, 207
 Soda Butte, old travertine deposit, 94, 392
 Solfatara Plateau, 17
 Solitary Geyser, Upper Basin, 20, 153, 261
 height of eruption, 187
 total quantity of silica, 153
 Solitary Spring, changed to a geyser, 261, 262
 Solution and deposition of calcium carbonate by thermal
 waters, 375-376
 Sour Creek Springs, 413
 Spa Geyser, 244
 Spasm Geyser, 280
 Spasmodic Geyser, 178, 199, 20, 245
 Spiteful Geyser, 244
 Splendid Geyser, Upper Basin, 20, 72, 178, 185, 243, 245
 active after period of dormancy, 185
 Sponge Geyser, 20, 178, 185, 243, 245, 249
 depth, 134
 temperature-depth curve, 194
 Spouter Geyser, 89
 Spray Geyser, Lower Basin, 183, 184, 303
 description, 303, 304
 discharge, 183
 Sprig sediments, 137
 Springs of Gibbon Hill, 449
 Spruce Creek, 283
 Squirrel Spring group, 86, 365, 372
 Stalactites from geyser water, 153, 154
 Steady Geyser, 229
 Steam:
 differs in its ratio to other volcanic gases, 168
 leakage common in hydrothermal areas, 33, 39
 leakage on shore of Yellowstone Lake, 448
 magmatic, its relation to other gases, 38, 87, 167, 168
 origin, 38
 period in certain geysers, 199

Steam (cont.):

- pressure in Lindgren's hot-spring theory, 30-31
- relation to other gases, 38, 87
- role of in geysers, 198
- superheated,
 - and hot springs, 39
 - in volcanic gases, and its function in various stages of volcanism, 92
 - natural vent at Monument Basin, 494
 - natural vent at Sulphur Hills, 444
 - natural vent at Washburn Springs, 406
 - natural vent at Norris Basin, 475, 476, 485
 - natural vents at Steamboat Point, 446
 - origin of, 38, 39
 - zone probably nearer the surface at Norris Basin, 473, 476
- superheated jets,
 - distribution of in Yellowstone Park, 37
 - localities, 33
 - temperatures of, 35
 - temperatures of, variations in, 37
- Steam explosions, 134
- Steam-vents in Yellowstone Park and their bearing on hot spring theory, 33
 - distribution, 37
- Steamboat Point, Yellowstone Lake, 17, 33, 35, 37, 58, 54, 126
 - description and location, 446
 - small sulphur and water supplies at, 447
 - superheated steam vents at, 446
- Steamboat, Springs, Nevada, 71, 132, 171
 - analysis of waters from, 174
- Steiger, George, 75
- Strokkur Geyser, 209, 225
- Sublimates of alkali chlorides, 116
- Subsidence, a factor in Gautier's hot spring theory --- See Gautier, A.
 - a factor in L. de Launay's hot-spring theory, 26
- Suess, Eduard, 26, 27, 30
- Sulphate:
 - analysis, 74
 - distribution, 126
 - origin in alkaline waters, 121
- Sulphate areas, 65, 393
 - activity, 101
 - degree of acidity in, 101, 103
 - occurrence, 508
 - ratio to alkaline, 167
 - variations in chemical activity, 101

Sulphate in alkaline areas, 121, 122
 Sulphate waters, 57, 58, 71
 freedom from chlorine, 100
 Sulphur:
 abundant at Crater Hills, 431
 anomalous amounts for an alkaline basin at Norris,
 467
 no important role in alkaline areas, 121
 of low concentration in spring waters, 91
 Sulphur Hills, 15, 17, 33, 35, 37, 58
 description and location, 443
 natural amphitheater at, 443
 scanty water supply at, 443
 superheated steam vent at, 444
 Sulphur Mt. --- See Crater Hills
 Sulphur Spring, 83
 Sulphur-water ratio at Steamboat Point, 447
 Sulphur-water ratio of Mammoth Springs, 375
 Sulphuric acid:
 action of on rhyolite, 101
 formation of by oxidation of hydrogen sulphide, 100
 in sulphate areas, 100
 possible role of bacteria in formation of, 100
 relative amount of rock leaching by, 129
 Summerlad, ranger, 294, 298
 Summary, 506-515
 Summit Lake, 15, 57, 403
 Summit Lake Springs, location, 403
 Superheat, cause, 39
 Superheated spring waters:
 effect of excessive surface water, 19
 effect of stirring, 18
 Hallock's proof of, 19
 In Iceland, 19
 In Yellowstone Park, 17, 20
 Peale's observations on, 19
 simple test for, 17
 variations in temperature of, 19, 20
 role in geyser action, 222
 Superheated vents, relation to hot springs, 39
 Surface water, penetration into hot ground, 165
 Surprise Pool, 280
 Swartz, E. H. L., 27
 Sylvan Creek, 57
 Sylvan Springs, 16, 57, 126, 400-402
 description and location, 400
 water analysis, 402

Tangled Creek, 61, 279, 347
 Tantalus Creek, 59, 483
 Taurus Geyser, 21, 83, 316
 Teakettle, 19, 81, 243
 depth, 134
 temperature-depth curve, 192
 Temperature:
 gradient at Mammoth Hot Springs, 371
 in bore-hole at Old Faithful, 239
 maximum in the springs, 248
 mean annual for the Park, 136
 of pools and geysers not effected by winter, 247
 ranges in hot springs and steam vents, 16, 17
 Temperature-depth curves, 191, 194
 types, 195, 197, 198
 Tern Lake, east of Yellowstone River, 17, 109, 110
 fumarole activity of, 109
 Terrace Mountain, Mammoth Basin, 6, 36, 62, 363
 deposit, 379
 travertine, age of, 6, 363
 travertine, of, 379, 390
 Terrace Spring, Great Fountain group, Lower Basin, 274
 Terrace Springs near Madison Junction, 16, 62, 57, 86, 126, 359
 carried mineral matter, 129
 change of deposits with change in physical conditions, 356
 comparable to Snake River Springs, 336
 composition of waters, 354
 curious organic growths resembling hides, 354
 description, 353
 old travertine terraces at, 355
 origin of dissolved mineral matter, 131
 similar to Hillside and Firehole Lake, 354
 water analysis, 354
 Terrada, T. --- See Honda, K., and Terrada, T.
 Test for superheated waters, 17
 Thayer, Dr. Lewis A., 10
 Theories of hot springs --- See Hot Springs
 Theory of Geysers - see Geysers
 Thermal Activity, 239
 as influenced by gravel and clay, 481
 at Mary Mountain, 436-442
 changes in the type of, 169
 extent in the Park, 11
 local variations, 164
 origin, 24, 25
 PH values, 103

Thermal activity, (cont.):
 variable in Norris area, 479
 variations deceptive, 165
 Thermal intensity in Yellowstone Park, 15
 Thermos Bottle, perpetual spouter, Monument Basin, 491,
 494
 Thiosulphate, analysis, 74
 Thomas, Lloyd, 103
 Thorkeisson, T., 19, 31, 99, 166, 211, 212
 Thorkeisson's critique and theory of geysers, 211, 214, 223
 Thoroddsen, Th., 15, 23, 31, 117, 170, 184, 185, 230, 376
 Thoroddsen, effects of earthquakes on geysers, 230
 Three Sisters, 249
 Thud Geyser, 52, 183
 Thumb, the, 16, 53, 86, 99, 103, 126, 176, 183, 248
 description, 326
 dissolved mineral matter carried away, 129
 number of geysers, 176
 origin of dissolved mineral matter, 131
 water analysis, 328
 Thumb Paint Pots, 107
 Toll, R. W., Supt. of Yellowstone Park, 201, 236
 Topaz Spring, 19, 86, 244, 247
 Topography:
 a factor in hot-spring development, 124
 distinctive examples related to Yellowstone Springs,
 365, 496
 Tortoise Shell Spring, 20, 152, 197, 245
 temperature-depth curve, 192
 Travertine areas, 68, 360, 388, 392
 always associated with limestone, 68
 occurrence, 511
 Travertine deposits:
 at Hillside Springs different from Mammoth, 352
 found in Firehole Lake area, 342, 346, 347
 insignificant amount of at Cache Creek, 392
 kinds, 378, 379
 occurring with silica at Clearwater Springs, 341
 occurring with silica at Firehole Lake, 347
 occurring with silica at Hillside Springs, 352
 occurring with silica at Terrace Springs, 355
 occurring with silica in Yellowstone Park, 68
 old deposit at Soda Butte, 392
 other deposits, 392
 precipitation in other parts of the Park, 157
 rate at which it precipitates, 156

Travertine deposits (cont.):
 rate of deposition at Mammoth Hot Springs, 157
 rate of formation, 156, 157
 size of deposits at Mammoth, 379
 Travertine and opal, rate of deposit, 9
 Tridymite in deposits at Roaring Mt., 400
 Tumbull, W., 3
 Turban Geyser, 178, 181, 182, 183, 224
 description, 179, 180
 Turbid Creek, 17, 58, 103
 mud-pots of, 445
 Turbid Lake, 17, 58, 86, 54, 100, 103, 126, 444
 active gas leakage at, 445
 description and location, 444
 water analysis, 445
 Turquoise Pool, 271
 Twin Buttes, 274, 280, 282
 Types of hydrothermal areas, 508
 distribution of in Yellowstone Park, 164
 local changes in and the causes, 169

 Underground cavities, existence and origin, 132
 Underground reservoirs:
 necessary to explain certain intermittent characteristics of geysers, 216
 necessary to store water of geysers, 215
 Underground water, distribution, 43
 Uninvestigated thermal areas, 48, 50
 Union Basin, 16, 200, 229
 Union Geyser, Shoshone Basin, 312, 19, 21, 199, 311
 description, 312
 scaped by Haynes, 312
 United States Geological Survey, work of in Yellowstone Park, 4
 United States Weather Bureau, branch of in Yellowstone Park, data furnished, 8
 Upper Alum Creek, 16
 Upper Basin, 11, 57, 72, 82, 84, 89, 99, 111, 120, 176, 201, 233
 alteration of rock by thermal waters, 249-251
 analysis of sinter from, 145
 attempts to gather gases, 199
 attempts to measure sinter deposition, 151
 borders of and relation to sulphate springs, 251

Upper Basin (cont.):

- composition of thermal waters of, 249
- deep drilling in by C. H. Fenner, 239
- deposits of, 238
- depth of hot-water circulation, 125
- depth of sinter deposit, 135
- description of, 233
- discharge measurements of, 236, 238
- discharge of hot water same as summer, 228
- discovery of, 3
- geyser eruptions, 255, 261-267
- geysers, 252-255
- heat carried away by hot water, 135
- hot-spring sediments, 252
- hydrothermal activity of, 239
- number of geysers, 176, 252
- origin of dissolved mineral matter, 131
- partial record of geyser behavior, 178
- rate of deposition of siliceous sinter, 152
- rock leaching by alkaline waters, 130
- rocks of, 236
- spring sediments of, 252
- structure of geyser cones, 255
- winter temperatures in hot springs, 242-248

Vadose, term introduced into thermal hydrology by Suess, 27

Van Orstrand, Charles E., 28, 41

Velvet Spring, 21

Verma Spring, 277, 386, 483

Veteran Geyser, 477

Violet Creek, 126

- carried mineral matter, 129

- heat carried away by hot water, 135

- springs at the mouth of, 338

Violet Springs, 54, 57, 457

- description and location, 338, 457, 458, 459

- water analysis, 457

Vixen Geyser, Norris Basin, 477, 478

Volcanic emanations, 24

Volcanic gases in hot springs, 91

Volcanic gases in their relation to geysers, 198

Volcanic glasses altered by aqueous salt solutions, 111

Volcanism,

- factors common to all stages of, 506
- fumarole phase, 93
- history of in Yellowstone Park, 6
- hot springs a phase of, 92
- progress in the Park, 6
- relation to hot-springs, 92

Wagstaff, Ranger R. S., observations by, 185

Wahb Spring, 58

Waimangu Geyser, 27, 171

Waring, G. A., 29, 230

Washburn Expedition to Yellowstone region (1870), 3, 187
263, 419

Washburn Springs, 15, 16, 35, 58, 66, 85, 103, 126, 498

black spring sediment of, 406

breccia basic at, 403

deposits of, 413

description and situation of, 403

mud-pots of, 406, 408, 409

remarkable mud-pots of, 406

rock exposed at, 403

sulphuric acid leachings, 130

superheated steam vent at, 406

water analysis, 412

Washington, H. S., 93

Clarke, F. W., and, 119

Washtub Spring, 21

Water analysis:

Clearwater Springs, 341

geyser at Gibbon Hill, 451

Norris compared with Upper Basin, 470

Upper Basin, 249

Water discharge in Upper Basin, 237, 247

Water, ground:

its depth of penetration conditioned by its volume,
167

relation to topography, 124

variations in relation to certain hot springs, 114, 117
118

Water, hot currents of in the heating of geysers, 198, 199

Water-level in hot springs, 63

Water, magmatic --- See Magmatic water

Water, meteoric --- See Meteoric water
 Water supply:
 as related to topography, 124
 changes in, 230
 factor in hot-spring development, 125
 Waters, mixed, 125
 Waters of Norris Basin, 467
 Watson, T. L., 30
 Weed, Walter Harvey, 4, 23, 138, 142, 145, 158, 169, 174
 176, 376, 377, 382, 389
 Wells, R. C., 145
 West Thumb, Yellowstone Lake (see also, Thumb):
 composition of hot waters, 328
 curious colonies of low organisms in certain hot pools
 of, 326
 discharge of, 328
 Paint Pots at, 329
 Situation and description, 326
 Wheeler Survey, 4
 Whirligig Geyser, 477, 478
 Whistler Geyser, Broad Creek, 501
 White Creek, 61, 64, 274
 heat carried away by hot water, 135
 hot-spring area drained, 274
 White Dome Geyser, 188, 230, 275
 description, 275
 height of eruption, 187
 White Elephant, 86, 364, 367, 368, 372, 378
 White Rock Springs, 16, 57, 126, 393
 description and location, 393
 water analysis, 396
 White Terrace, 22
 Whitfield, J. E., 9, 72, 76, 98, 119, 123, 124, 1245, 383
 Whitfield, J. E., --- See Gooch, F. A., and Whitfield, J. E.
 Wiedemann, G., 213
 Winter, H., 140
 Winter observations in the Upper Basin, 246
 Winter temperatures in hot springs, 246
 Witch Creek Group, Heart Lake Basin, 16, 21, 323, 324, 325,
 326
 Witches Cauldron, 20
 Wolff, F. von, 24, 174

 Yellow Boiler, 21
 Yellowstone Canyon, 15
 thermal activity on east side, 413

Yellowstone Park:

- establishment of, 3
- exploration (Washburn Expedition), 3
- first systematic observations on hot springs of (A. C. Peale,) 4
- geology of (U. S. Geological Survey under Arnold Hague), 4
- history of volcanism in, 6
- reconnaissance of (F. V. Hayden), 3
- region, discovery of (Folsom and Cooke), 2
- types of hot ground in, 65
- types of hot waters in, 71

Yellowstone River, 11, 53, 99, 109

- hot water discharging into, 53

Young Hopeful Geyser, 343

Zies, E. G., 74, 76, 93, 94, 99

Zones of ground water and superheated steam, 508